


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS



August 10 – 16, 2025

Highlights provided by USDA/WAOB

Rain dampened much of the **central and eastern U.S.**, although gaps in coverage were noted from the **south-central U.S. into the mid-South, lower Midwest, and Northeast**. Some of the heaviest rain, 2 to 4 inches or more, fell in parts of the **Southeast and upper Midwest**. In a few communities, including **Milwaukee, WI**, and **Chattanooga, TN**, downpours triggered significant flash flooding. Meanwhile, the **West** experienced mostly dry weather, with a few exceptions. Notably, unusually heavy precipitation fell in **western Washington** and environs,
(Continued on page 3)


Contents

Highlights & Total Precipitation Map	1
Extreme Maximum & Minimum Temperature Maps	2
Temperature Departure Map	3
August 12 Drought Monitor & July 31 Satellite Image of Arizona Burn Scars	4
Palmer Drought & Crop Moisture Maps	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork	30



(Continued from front cover)

while a modestly resurgent monsoon circulation delivered spotty **Southwestern** showers. Meanwhile, near- or above-normal temperatures dominated the country, although unusually hot conditions were largely limited to the **Pacific Northwest** and an area stretching from the **mid-South into the Northeast**. Weekly temperatures averaged at least 5°F above normal from the **Ozark Plateau and the northern Mississippi Delta into the Northeast**, including much of the **Ohio Valley** and **lower Great Lakes region**. Readings also averaged more than 5°F above normal in parts of the **Pacific Northwest**. **Midwestern** temperatures remained below 95°F all week, aside from a few locations in the **southern Corn Belt**. Most **Midwestern** corn and soybeans have received adequate moisture and have not experienced a protracted period of heat during the 2025 growing season, leading to expectations for record-high yields for both crops.







During the first half of the week, notably high temperatures were observed in the **Northeast** and **Northwest**. On August 10-11, **Roseburg, OR**, opened the week with consecutive daily-record highs (103 and 105°F, respectively). Similarly, **Caribou, ME**, collected a trio of daily-record highs (94°F each day) from August 11-13. Elsewhere in **Maine**, record-setting highs for August 11 included 98°F in **Augusta** and 97°F in **Millinocket**. In **Vermont**, **Burlington** logged a daily-record high of 98°F on August 12. Meanwhile, extreme heat lingered in the **Desert Southwest**, where **Needles, CA**, netted a daily-record high of 118°F on August 11. By mid-week, **Western** heat began to spread eastward, with August 13 featuring a daily-record high of 102°F in **Salt Lake City, UT**. By August 14, triple-digit heat expanded as far north as **western South Dakota**, where **Rapid City** notched a daily-record high of 100°F. Heat persisted for several days on the **southern High Plains**, with **Dalhart, TX**, achieving consecutive daily-record highs (104 and 100°F, respectively) on August 14-15. Late-week heat also gripped **Florida**, where **Winter Haven** closed with week on August 15-16 with a pair of daily-record highs (99 and 97°F, respectively). **Winter Haven's** highest-ever August temperature was record in 1979, with a high of 100°F on August 1.



Early in the week, local downpours and flooding lingered in the **upper Midwest**. In **Wisconsin**—following 6.91 inches of rain in **Milwaukee** on August 9-10—the **Root River in Franklin** crested 3.71 feet above flood stage on the 10th, surpassing the June 2008 high-water mark by 0.71 foot. On August 11, the **Fox River at Waukesha, WI**, surged to its second-highest level (2.58 feet above flood stage), just 0.27 foot below the record set on June 9, 2008. Meanwhile in **Iowa**, **Dubuque** (4.80 inches on August 10) observed its wettest day since July 27, 2011, when 7.47 inches fell. Soon, the focus for some of the heaviest rain shifted into the **Southeast**, where the 6.42-inch total on August 12 in **Chattanooga, TN**, led to extensive flash flooding. The only wetter day in **Chattanooga's** recorded history was September 5, 2011, when 9.49 inches fell in



conjunction with the passage of Tropical Storm Lee. **Chattanooga's** wettest August day had been August 5, 1941, with 3.63 inches. Local downpours also persisted through August 12 in the **Midwest**, where daily-record totals included 3.73 inches in **Battle Creek, MI**, and 1.88 inches in **Lincoln, IL**. By August 13, daily-record rainfall totals in the **southern and eastern U.S.** included 2.10 inches in **Morgantown, WV**, and 1.83 inches in **Tupelo, MS**. Late in the week, precipitation overspreading the **Pacific Northwest** led to daily-record amounts for August 15 in **Astoria, OR** (1.46 inches), and **Hoquiam, WA** (1.29 inches). Elsewhere, monsoon-related showers led to a daily-record sum (0.62 inch on August 15) in **Prescott, AZ**, while a weak disturbance moving inland across the **lower Rio Grande Valley** produced 2.43 inches on the 15th, a record for the date, in **Brownsville, TX**. As the week ended, Category 5 Hurricane Erin produced as much as 2 to 6 inches of rain and wind gusts as high as 40 to 60 mph while passing less than 150 miles north of **San Juan, PR**, and the **northern U.S. Virgin Islands**. Just a day earlier, on August 15, Erin had become the first Atlantic Basin hurricane of the season. In the **U.S. Virgin Islands**, **King Airport on St. Thomas** recorded a peak southwesterly wind gust to 57 mph on August 17.

Large parts of **Alaska** experienced below-normal temperatures and received significant precipitation. On August 11, **Kodiak** posted a daily record-tying low of 42°F. Five days later, on the 16th, **Bettles** (32°F) reported its first official freeze since early June. Meanwhile in **western Alaska**, August 11-13 rainfall totaled 1.58 inches in **Kotzebue** and 1.51 inches in **Nome**. **Southeastern Alaska** also opened the week with precipitation; totals for August 11 included 1.43 inches in **Sitka**, and 1.40 inches—a record for the date—in **Juneau**. Farther south, much of **Hawaii** continued to trend drier than normal, as **Honolulu, Oahu**, awaited its first measurable rainfall since July 18. On the **Big Island**, August 1-16 rainfall in **Hilo** totaled just 0.59 inch (10 percent of normal).









National Weather Data for Selected Cities

Weather Data for the Week Ending August 16, 2025

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
AK	ANCHORAGE	65	50	68	45	58	-1	0.09	-0.55	0.07	3.96	93	10.38	136	91	50	0	0	3	0	
	BARROW	50	37	59	29	43	0	0.34	0.09	0.16	1.11	55	1.28	42	100	77	0	1	4	0	
	FAIRBANKS	62	47	71	39	54	-4	0.83	0.33	0.40	4.89	99	9.09	123	94	54	0	0	4	0	
	JUNEAU	66	52	71	47	59	2	2.26	0.92	1.10	16.83	141	45.45	138	97	70	0	0	4	2	
	KODIAK	63	51	67	43	57	0	0.67	-0.35	0.57	16.53	137	57.43	132	85	55	0	0	2	1	
AL	NOME	53	43	54	38	48	-3	1.63	0.88	1.01	6.85	134	12.90	137	96	75	0	0	4	1	
	BIRMINGHAM	91	73	95	71	82	1	0.74	-0.22	0.40	13.06	104	43.89	115	93	54	5	0	3	0	
	HUNTSVILLE	91	73	97	70	82	1	0.13	-0.67	0.09	8.67	83	40.18	113	94	18	4	0	2	0	
	MOBILE	90	74	93	73	82	0	1.97	0.43	0.76	21.55	120	52.52	117	97	62	5	0	5	3	
	MONTGOMERY	90	73	94	71	82	-1	0.37	-0.54	0.19	12.77	113	36.83	108	96	62	3	0	3	0	
AR	FORT SMITH	97	75	101	71	86	3	0.20	-0.60	0.20	11.46	117	36.46	122	90	42	7	0	1	0	
	LITTLE ROCK	96	74	97	73	85	4	0.00	-0.69	0.00	8.55	101	35.70	113	90	42	7	0	0	0	
AZ	FLAGSTAFF	84	52	91	47	68	2	0.39	-0.32	0.19	3.35	73	9.34	75	68	21	1	0	3	0	
	PHOENIX	109	87	112	76	98	3	0.00	-0.21	0.00	0.70	49	2.03	46	43	17	7	0	0	0	
CA	PRESCOTT	91	67	97	59	79	4	2.70	2.11	1.94	6.13	172	10.76	135	62	20	4	0	2	2	
	TUCSON	100	79	105	75	89	2	0.05	-0.42	0.03	2.57	72	3.16	50	53	21	7	0	2	0	
	BAKERSFIELD	100	74	105	70	87	3	0.00	0.00	0.00	0.01	23	2.96	67	47	16	7	0	0	0	
	EUREKA	62	54	68	51	58	-1	0.05	0.01	0.04	0.14	14	22.38	92	100	82	0	0	2	0	
	FRESNO	100	70	105	67	85	2	0.00	0.00	0.00	0.00	0	6.29	81	60	18	7	0	0	0	
CO	LOS ANGELES	74	65	76	64	70	-1	0.00	0.00	0.00	0.01	9	5.31	61	87	65	0	0	0	0	
	REDDING	101	70	108	65	86	4	0.00	-0.02	0.00	0.00	0	18.20	85	64	19	7	0	0	0	
	SACRAMENTO	91	60	100	58	75	0	0.00	-0.01	0.00	0.00	0	7.05	58	61	45	3	0	0	0	
	SAN DIEGO	72	65	76	64	68	-4	0.00	0.00	0.00	0.01	8	4.74	70	87	68	0	0	0	0	
	SAN FRANCISCO	69	58	73	57	64	-1	0.00	-0.01	0.00	0.00	0	7.74	61	91	65	0	0	0	0	
CT	STOCKTON	95	60	102	57	78	0	0.00	0.00	0.00	0.00	0	6.74	76	83	29	6	0	0	0	
	ALAMOSA	83	47	86	42	65	1	0.00	-0.30	0.00	2.20	102	6.50	146	75	18	0	0	0	0	
	CO SPRINGS	87	58	94	53	72	2	0.00	-0.74	0.00	10.65	149	18.42	153	66	20	3	0	0	0	
	DENVER INTL	89	61	97	51	75	1	1.60	1.22	1.43	5.22	103	12.50	118	64	20	3	0	2	1	
	GRAND JUNCTION	93	64	100	56	78	1	0.00	-0.21	0.00	1.02	70	2.82	54	38	13	5	0	0	0	
DC	PUEBLO	93	58	99	56	76	0	0.01	-0.54	0.01	4.11	93	8.30	92	72	19	5	0	1	0	
	BRIDGEPORT	87	70	90	64	79	4	0.00	-0.91	0.00	3.04	33	18.24	66	86	46	1	0	0	0	
DE	HARTFORD	89	64	92	58	77	4	0.75	-0.22	0.74	12.73	117	34.06	118	95	43	3	0	2	1	
	WASHINGTON	91	73	94	64	82	2	0.46	-0.23	0.46	10.94	107	31.52	119	92	50	4	0	1	0	
FL	WILMINGTON	87	68	91	59	78	2	1.11	0.24	0.99	12.50	111	32.91	116	96	58	2	0	2	1	
	DAYTONA BEACH	91	76	94	74	84	2	2.36	0.89	0.73	17.08	105	29.65	96	95	60	6	0	4	3	
GA	JACKSONVILLE	94	77	97	75	86	3	2.61	1.08	1.11	17.68	99	36.15	107	94	56	7	0	5	3	
	KEY WEST	89	81	90	77	85	-1	1.48	0.31	0.70	11.29	109	22.31	109	90	72	3	0	5	2	
	MIAMI	91	79	93	75	85	1	0.88	-1.31	0.56	23.87	105	35.99	92	87	59	6	0	3	1	
	ORLANDO	94	76	96	74	85	3	0.78	-1.02	0.50	18.24	92	34.88	103	94	52	7	0	4	1	
	PENSACOLA	89	76	93	74	82	-1	6.53	4.81	2.72	20.17	104	46.53	106	96	62	3	0	4	3	
HI	TALLAHASSEE	91	75	95	72	83	0	2.40	0.57	0.96	22.80	119	44.20	110	99	61	5	0	7	2	
	TAMPA	93	80	95	77	87	3	2.82	0.68	1.46	21.04	105	33.27	101	88	58	6	0	3	2	
	WEST PALM BEACH	92	78	93	75	85	2	0.54	-1.50	0.39	15.24	83	26.94	74	88	56	7	0	2	0	
	ATHENS	89	72	93	70	80	0	0.95	-0.15	0.26	17.43	150	39.71	126	99	64	5	0	6	0	
	ATLANTA	90	74	95	72	82	1	0.94	-0.05	0.70	12.30	107	36.36	111	91	55	4	0	2	1	
IA	AUGUSTA	90	74	95	73	82	0	0.00	-1.11	0.00	7.11	60	26.90	91	100	62	4	0	0	0	
	COLUMBUS	90	74	94	73	82	-1	1.56	0.45	0.93	10.17	92	37.86	118	95	56	4	0	3	2	
	MACON	91	73	95	72	82	0	2.53	1.51	1.00	16.25	141	37.00	121	100	60	5	0	6	2	
	SAVANNAH	91	76	95	74	83	1	2.88	1.65	1.65	18.39	120	36.40	114	96	60	5	0	4	3	
	HILO	85	70	88	69	78	1	0.50	-2.23	0.29	10.91	48	35.94	51	88	56	0	0	4	0	
IN	HONOLULU	89	76	91	74	83	0	0.00	-0.18	0.00	0.42	30	9.70	106	78	48	2	0	0	0	
	KAHULUI	89	73	91	67	81	-1	0.00	-0.13	0.00	0.31	32	6.55	65	83	48	3	0	0	0	
	LIHUE	86	75	87	72	81	1	0.20	-0.34	0.12	3.69	78	13.25	63	85	60	0	0	2	0	
	BURLINGTON	86	67	93	61	77	3	1.40	0.56	0.83	13.06	121	22.77	94	99	65	2	0	2	2	
	CEDAR RAPIDS	83	64	90	59	74	2	4.04	3.12	2.82	11.76	97	20.79	86	99	65	1	0	5	2	
ID	DES MOINES	86	69	94	62	77	3	0.09	-0.86	0.08	18.65	166	32.14	128	90	56	2	0	2	0	
	DUBUQUE	83	66	89	60	74	4	5.26	4.38	4.79	16.55	137	26.39	103	97	67	0	0	2	1	
	SIOUX CITY	86	64	93	57	75	3	0.15	-0.78	0.14	13.96	144	21.11	105	98	60	1	0	2	0	
	WATERLOO	84	64	92	58	74	2	2.27	1.32	1.73	20.35	166	31.62	126	97	61	1	0	3	2	
	BOISE	94	64	102	58	79	2	0.04	0.00	0.04	0.70	66	7.07	94	49	17	6	0	1	0	
IL	LEWISTON	94	67	101	60	80	4	0.11	-0.01	0.11	0.67	34	6.48	75	52	23	5	0	1	0	
	POCATELLO	92	51	98	41	72	1	0.00	-0.11	0.00	0.57	33	7.28	96	65	15	5	0	0	0	
	CHICAGO/O_HARE	89	71	95	66	80	6	1.73	0.74	0.88	10.79	107	21.35	86	90	47	2	0	4	1	
	MOLINE	86	65	93	58	76	2	0.93	0.03	0.47	13.65	121	26.82	103	98	60	2	0	3	0	
	PEORIA	88	69	94	63	79	4	0.61	-0.09	0.45	9.17	104	21.71	89	95	56	2	0	2	0	
IN	ROCKFORD	84	66	89	60	75	3	2.10	1.13	1.40	13.04	116	21.95	88	96	61	0	0	3	2	
	SPRINGFIELD	89	69	95	63	79	4	0.14	-0.57	0.14	12.02	118	23.18	91	96	58	3	0	1	0	
	EVANSVILLE	93	71	96	70	82	4	0.56	-0.16	0.56	14.90	142	41.09	128	98	46	7	0	1	1	
	FORT																				

Weather Data for the Week Ending August 16, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN. SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
KY	WICHITA	91	70	97	67	80	0	2.14	1.09	1.11	18.27	162	32.19	134	91	47	5	0	2	2	
	LEXINGTON	92	69	93	67	80	4	0.52	-0.32	0.39	11.22	92	44.00	131	95	47	7	0	3	0	
	LOUISVILLE	92	74	93	73	83	4	0.98	0.13	0.85	12.76	122	42.80	134	89	46	6	0	2	1	
LA	PADUCAH	93	71	96	68	82	3	0.72	0.04	0.71	13.39	127	41.55	125	99	47	7	0	2	1	
	BATON ROUGE	94	75	96	73	84	1	0.23	-1.20	0.23	16.02	109	45.01	111	97	54	7	0	1	0	
	LAKE CHARLES	94	76	95	74	85	1	1.12	-0.20	0.99	14.13	92	38.01	100	95	55	7	0	2	1	
MA	NEW ORLEANS	93	78	95	74	85	1	0.32	-1.16	0.32	20.14	113	48.80	115	95	60	7	0	1	0	
	SHREVEPORT	98	76	100	73	87	3	***	***	***	***	***	***	***	87	41	7	0	***	***	
	BOSTON	85	68	91	63	76	3	0.24	-0.50	0.24	5.97	67	27.37	103	86	50	2	0	1	0	
MD	WORCESTER	85	65	88	61	75	5	0.00	-0.93	0.00	6.52	63	31.12	107	85	46	0	0	0	0	
	BALTIMORE	89	69	91	57	79	2	2.35	1.46	1.48	12.69	119	30.19	108	96	52	3	0	2	2	
	CARIBOU	88	58	94	44	73	7	0.01	-0.79	0.01	7.62	76	26.54	107	97	35	4	0	1	0	
MI	PORTLAND	86	61	92	54	73	4	0.27	-0.54	0.27	5.20	55	26.65	93	94	48	2	0	1	0	
	ALPENA	84	62	90	54	73	6	0.86	0.21	0.39	7.60	101	20.04	110	98	55	1	0	3	0	
	GRAND RAPIDS	87	67	91	64	77	6	0.43	-0.38	0.42	6.30	65	20.20	81	94	49	2	0	2	0	
MN	HOUGHTON LAKE	85	62	90	53	74	7	0.41	-0.24	0.34	6.16	82	26.28	141	96	49	1	0	3	0	
	LANSING	89	67	93	63	78	7	0.26	-0.57	0.26	6.36	74	18.18	84	92	49	3	0	1	0	
	MUSKEGON	84	67	87	60	76	4	1.35	0.67	1.02	6.00	81	18.86	89	96	56	0	0	3	1	
MO	TRAVERSE CITY	84	65	89	56	75	5	0.43	-0.21	0.21	7.96	118	20.55	123	96	52	0	0	4	0	
	DULUTH	76	58	81	54	67	1	0.76	-0.10	0.55	8.00	78	15.92	81	98	58	0	0	2	1	
	INT_L FALLS	75	53	80	50	64	0	0.33	-0.30	0.24	11.18	121	25.15	153	97	53	0	0	4	0	
MS	MINNEAPOLIS	83	67	89	63	75	3	1.77	0.72	1.20	13.68	124	22.86	107	85	51	0	0	3	2	
	ROCHESTER	80	62	86	57	71	3	1.35	0.41	0.90	14.55	124	24.76	105	98	66	0	0	3	1	
	ST. CLOUD	82	61	85	55	72	3	1.50	0.58	1.01	15.53	166	24.20	130	96	55	0	0	4	1	
MT	COLUMBIA	91	69	98	65	80	2	0.00	-0.93	0.00	13.91	133	25.97	95	94	47	4	0	0	0	
	KANSAS CITY	88	69	95	65	79	1	0.37	-0.55	0.26	19.32	163	31.40	119	95	56	2	0	2	0	
	SAINT LOUIS	93	73	98	70	83	4	0.94	0.17	0.44	10.15	98	32.70	116	87	46	6	0	3	0	
NC	SPRINGFIELD	94	70	98	67	82	3	0.16	-0.63	0.16	9.77	96	33.89	117	90	39	6	0	1	0	
	JACKSON	97	74	98	72	85	3	1.34	0.26	0.99	12.84	107	47.00	122	96	47	7	0	3	1	
	MERIDIAN	93	73	97	71	83	0	1.89	0.89	1.07	14.49	119	40.30	104	97	57	7	0	3	1	
ND	TUPELO	93	73	97	70	83	1	0.04	-0.89	0.03	12.72	108	45.26	119	95	40	7	0	2	0	
	BILLINGS	89	60	98	53	75	2	0.35	0.17	0.35	3.96	101	14.93	149	68	22	3	0	1	0	
	BUTTE	84	46	87	42	65	2	0.05	-0.24	0.05	4.16	96	10.95	119	79	18	0	0	1	0	
NE	CUT BANK	83	54	90	48	69	4	0.00	-0.21	0.00	5.35	128	7.89	104	80	27	2	0	0	0	
	GLASGOW	85	58	95	52	72	-1	0.01	-0.27	0.01	3.16	109	6.08	82	83	32	2	0	1	0	
	GREAT FALLS	88	55	94	47	71	3	0.13	-0.15	0.13	4.80	106	12.57	119	78	23	4	0	1	0	
NV	HAVRE	85	56	95	53	70	1	0.00	-0.20	0.00	7.04	156	11.76	135	93	31	2	0	0	0	
	MISSOULA	88	54	94	49	71	3	0.00	-0.19	0.00	3.39	100	9.61	103	77	23	2	0	0	0	
	ASHEVILLE	85	68	89	60	76	2	1.13	-0.06	0.69	16.32	133	35.57	111	96	60	0	0	4	1	
OH	CHARLOTTE	88	73	93	68	80	1	1.99	1.00	0.76	14.42	143	32.01	115	94	60	3	0	5	2	
	GREENSBORO	86	70	89	63	78	0	0.80	-0.15	0.51	17.19	162	36.84	132	99	62	0	0	3	1	
	HATTERAS	84	74	88	70	79	-2	4.93	3.57	3.20	16.35	125	38.94	111	97	77	0	0	5	3	
OR	RALEIGH	86	71	89	65	79	0	2.88	1.90	2.34	19.37	170	36.60	128	98	66	0	0	4	1	
	WILMINGTON	86	74	90	72	80	0	3.91	2.13	2.08	20.37	123	35.33	99	100	72	1	0	5	4	
	BISMARCK	82	58	88	53	70	-1	0.00	-0.59	0.00	8.40	107	17.07	126	91	47	0	0	0	0	
PA	DICKINSON	79	55	85	50	67	-2	0.42	0.07	0.37	10.89	169	19.19	167	96	49	0	0	2	0	
	FARGO	80	60	86	52	70	1	0.03	-0.52	0.03	10.24	118	16.89	106	94	56	0	0	1	0	
	GRAND FORKS	81	57	88	49	69	1	0.18	-0.44	0.18	8.96	103	14.39	98	90	47	0	0	1	0	
RI	JAMESTOWN	78	59	87	55	69	0	0.12	-0.39	0.07	8.67	106	11.19	79	94	57	0	0	2	0	
	GRAND ISLAND	89	67	97	61	78	2	0.13	-0.66	0.07	15.37	164	21.51	111	94	53	3	0	3	0	
	LINCOLN	89	68	95	62	78	2	3.17	2.47	3.15	15.31	164	22.13	110	94	54	3	0	3	1	
SD	NORFOLK	86	65	93	58	75	2	0.31	-0.57	0.21	15.29	165	22.62	120	97	56	1	0	2	0	
	NORTH PLATTE	89	63	97	56	76	2	1.13	0.48	1.05	9.93	118	17.25	109	94	43	4	0	2	1	
	OMAHA	88	69	96	62	79	2	0.47	-0.62	0.47	12.01	116	20.76	95	93	56	2	0	1	0	
TN	SCOTTSBLUFF	92	56	100	48	74	0	0.00	-0.28	0.00	5.67	116	13.71	118	87	22	4	0	0	0	
	VALENTINE	90	63	97	55	77	2	0.12	-0.37	0.12	9.64	120	18.32	119	89	31	4	0	1	0	
	CONCORD	93	59	97	52	76	6	0.44	-0.38	0.44	6.51	69	27.26	108	96	33	5	0	1	0	
TX	ATLANTIC_CITY	85	65	88	53	75	0	2.22	1.15	1.46	12.91	122	33.68	118	94	57	0	0	2	2	
	NEWARK	90	71	93	63	80	4	1.37	0.43	1.37	9.56	84	26.22	88	79	42	6	0	1	1	
	ALBUQUERQUE	92	69	95	65	80	3	0.00	-0.31	0.00	2.77	92	4.54	87	47	16	5	0	0	0	
UT	ELY	90	49	95	41	70	2	0.00	-0.18	0.00	0.02	1	3.78	60	39	8	5	0	0	0	
	LAS VEGAS	107	86	112	83	96	4	0.00	-0.07	0.00	0.03	4	2.09	79	21	8	7	0	0	0	
	RENO	96	64	102	59	80	4	0.13	0.06	0.13	1.57	203	5.74	118	45	10	7	0	1	0	
VT	WINNEMUCCA	96	55	102	50	75	3	0.00	-0.02	0.00	0.07	10	2.80	52	42	10	7	0	0	0	
	ALBANY	89	65	92	62	77	5	0.24	-0.62	0.20	8.60	80	27.66	109	89	41	3	0	2	0	
	BINGHAMTON	86	64	90	61	75	7	0.35	-0.57	0.35	10.50	98	29.94	114	87	37	1	0	1	0	
WA	BUFFALO	88	66	91	62	77	6	0.49	-0.24	0.49	4.76	57	20.17	84	83	43	3	0	1	0	
	ROCHESTER	88	65	92	59																

Weather Data for the Week Ending August 16, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
OK	TOLEDO	90	67	93	63	78	5	0.37	-0.34	0.29	8.32	99	23.66	103	96	46	4	0	2	0
	YOUNGSTOWN	87	61	92	56	74	4	2.04	1.31	2.04	13.24	132	32.95	125	97	43	2	0	1	1
	OKLAHOMA CITY	94	70	97	68	82	1	1.75	0.95	1.56	13.69	138	36.93	153	94	43	6	0	2	1
OR	TULSA	95	74	99	70	85	1	0.28	-0.46	0.28	19.06	188	45.01	169	89	45	6	0	1	0
	ASTORIA	72	59	83	55	65	4	1.74	1.51	1.46	3.33	93	29.11	75	97	67	0	0	3	1
	BURNS	89	49	97	45	69	2	0.06	0.00	0.06	1.34	117	7.87	122	69	19	3	0	1	0
PA	EUGENE	91	62	103	59	76	8	0.19	0.12	0.19	0.74	44	20.54	90	83	34	4	0	1	0
	MEDFORD	97	65	106	58	81	6	0.00	-0.08	0.00	0.51	46	11.54	110	63	19	5	0	0	0
	PENDLETON	91	64	100	57	78	5	0.03	-0.04	0.03	0.35	24	6.17	75	62	22	4	0	1	0
	PORTLAND	88	66	99	64	77	6	0.15	0.04	0.15	2.93	125	20.26	99	79	38	3	0	1	0
	SALEM	89	63	101	62	76	7	0.12	0.05	0.12	0.99	60	19.75	90	81	34	3	0	1	0
	ALLENTOWN	90	65	92	55	78	3	0.40	-0.64	0.40	10.05	82	31.24	106	91	44	3	0	1	0
	ERIE	84	68	90	63	76	4	0.42	-0.33	0.42	8.57	97	25.83	104	88	50	1	0	1	0
	MIDDLETOWN	90	68	93	59	79	3	0.54	-0.25	0.53	13.74	128	34.49	125	92	49	3	0	2	1
	PHILADELPHIA	90	72	94	64	81	4	0.09	-0.87	0.09	8.74	81	25.96	94	94	46	5	0	1	0
	PITTSBURGH	89	65	93	61	77	5	0.94	0.17	0.94	10.58	103	29.37	112	88	39	4	0	1	1
RI	WILKES-BARRE	89	64	93	58	76	4	0.94	0.08	0.88	12.10	127	28.85	122	92	41	1	0	3	1
	WILLIAMSPORT	90	65	93	55	77	5	0.16	-0.76	0.16	9.08	84	25.63	96	94	43	3	0	1	0
	PROVIDENCE	86	65	91	62	75	2	0.51	-0.29	0.51	8.35	97	30.14	105	94	52	1	0	1	1
SC	CHARLESTON	89	76	94	74	82	1	2.17	0.61	1.15	17.04	104	30.35	92	97	67	4	0	5	2
	COLUMBIA	89	75	95	73	82	1	2.48	1.39	1.60	17.43	134	37.90	127	96	63	2	0	6	1
	FLORENCE	87	74	94	72	80	-1	3.28	2.20	1.62	15.23	117	31.05	107	99	69	3	0	4	3
SD	GREENVILLE	88	72	92	69	80	1	4.06	2.96	1.63	14.88	131	37.07	116	92	57	3	0	5	3
	ABERDEEN	82	59	87	54	71	0	1.44	0.94	0.82	13.63	170	22.42	147	96	59	0	0	3	2
	HURON	82	59	90	57	71	-1	0.04	-0.39	0.04	8.28	103	15.43	95	93	47	1	0	1	0
TN	RAPID CITY	90	57	100	51	74	2	0.70	0.32	0.34	9.31	153	20.26	152	82	32	4	0	4	0
	SIoux FALLS	85	63	88	55	74	1	0.08	-0.70	0.08	11.45	123	18.75	97	96	55	0	0	1	0
	BRISTOL	85	66	90	59	76	1	2.53	1.68	1.71	19.42	175	38.46	127	100	58	1	0	5	1
TX	CHATTANOOGA	88	71	94	68	80	-1	7.24	6.43	6.53	17.95	159	49.76	140	96	58	3	0	3	2
	KNOXVILLE	88	71	93	68	80	1	1.76	0.95	1.54	10.99	95	38.71	111	94	53	3	0	2	1
	MEMPHIS	96	75	98	73	85	3	0.01	-0.76	0.01	4.76	44	27.83	76	87	43	7	0	1	0
	NASHVILLE	94	73	98	72	84	3	2.31	1.46	2.27	13.02	123	42.06	126	84	45	7	0	2	1
	ABILENE	98	74	103	69	86	1	0.09	-0.44	0.09	5.61	85	15.89	101	82	33	7	0	1	0
	AMARILLO	93	65	100	61	79	0	0.53	-0.17	0.51	8.57	117	18.77	138	80	30	5	0	2	1
	AUSTIN	99	76	102	74	88	1	0.47	-0.08	0.47	8.17	120	23.52	108	86	35	7	0	1	0
	BEAUMONT	94	75	96	71	85	1	1.38	0.06	0.94	15.61	94	38.24	103	95	55	7	0	4	1
	BROWNSVILLE	97	79	100	75	88	0	2.46	2.09	2.46	8.59	151	23.06	178	92	48	6	0	1	1
	CORPUS CHRISTI	97	77	100	73	87	1	0.12	-0.40	0.07	7.76	109	16.14	92	94	47	7	0	2	0
UT	DEL RIO	101	80	103	78	90	2	0.00	-0.61	0.00	4.46	89	6.57	55	73	28	7	0	0	0
	EL PASO	98	77	103	74	87	4	0.02	-0.36	0.02	3.17	97	3.91	80	49	21	7	0	1	0
	FORT WORTH	96	78	99	77	87	1	0.00	-0.42	0.00	5.82	86	25.68	110	77	41	7	0	0	0
	GALVESTON	88	82	91	81	85	-1	0.00	-0.65	0.00	6.11	66	17.70	74	82	69	1	0	0	0
	HOUSTON	97	78	99	77	87	2	0.96	-0.09	0.66	12.90	108	32.35	104	93	47	7	0	3	1
	LUBBOCK	97	70	103	66	83	3	0.91	0.52	0.61	12.69	236	17.50	148	81	30	7	0	3	1
	MIDLAND	99	74	103	67	86	2	0.08	-0.28	0.04	4.87	112	6.18	72	72	26	7	0	2	0
	SAN ANGELO	98	71	101	66	85	0	0.00	-0.52	0.00	9.91	221	19.44	154	79	29	7	0	0	0
	SAN ANTONIO	100	78	102	76	89	3	0.06	-0.34	0.06	10.43	160	23.44	121	84	33	7	0	1	0
	VICTORIA	98	75	101	73	87	1	0.17	-0.43	0.15	15.99	177	30.38	122	97	42	7	0	2	0
VA	WACO	96	75	99	74	85	-1	0.33	-0.09	0.33	13.39	220	29.67	132	91	43	6	0	1	0
	WICHITA FALLS	94	72	98	69	83	-2	2.66	2.12	1.95	13.81	208	33.29	189	91	43	6	0	2	2
	SALT LAKE CITY	94	68	102	57	81	1	0.00	-0.11	0.00	0.46	26	5.76	56	40	12	6	0	0	0
WY	LYNCHBURG	87	68	90	59	77	2	0.49	-0.19	0.47	12.45	127	33.09	121	100	57	1	0	2	0
	NORFOLK	85	73	91	70	79	0	0.99	-0.33	0.73	9.47	68	27.42	88	97	69	1	0	2	1
	RICHMOND	89	70	90	63	80	2	0.41	-0.65	0.29	14.59	126	38.37	134	97	56	4	0	2	0
	ROANOKE	86	68	90	59	77	0	0.07	-0.65	0.04	9.17	85	28.92	103	97	56	2	0	2	0
	WASH/DULLES	89	66	94	54	77	1	0.69	-0.08	0.33	12.26	119	27.06	98	99	52	2	0	3	0
	BURLINGTON	91	64	98	58	77	6	0.32	-0.47	0.32	6.99	68	24.70	106	87	31	4	0	1	0
	OLYMPIA	82	58	95	56	70	5	0.80	0.60	0.66	1.39	59	18.88	70	91	46	2	0	3	1
	QUILLAYUTE	75	56	95	53	65	5	2.15	1.58	1.76	4.75	79	38.39	69	98	59	1	0	3	1
	SEATTLE-TACOMA	80	63	92	59	71	4	0.97	0.76	0.65	1.74	70	16.36	77	82	47	1	0	3	1
	SPOKANE	87	64	95	59	76	4	0.12	0.01	0.12	0.78	43	8.91	90	60	25	4	0	1	0
WI	YAKIMA	92	62	99	58	77	5	0.17	0.12	0.10	0.25	31	5.13	108	74	24	4	0	2	0
	EAU CLAIRE	81	62	87	56	71	2	1.44	0.48	1.06	12.39	116	23.50	108	98	58	0	0	2	1
	GREEN BAY	82	64	85	58	73	3	0.89	0.11	0.56	9.06	95	19.02	93	98	62	0	0	3	1
WV	LA CROSSE	84	65	90	59	74	1	0.16	-0.71	0.14	12.62	111	24.90	104	95	55	1	0	3	0
	MADISON	82	65	87	57	74	3	3.83	2.83	2.07	16.78	139	28.72	114	99	59	0	0	3	3
	MILWAUKEE	82	68	86	63	75	2	2.35	1.48	1.35	15.95	164	29.03	127	94	61	0	0	3	2
WY	BECKLEY	83	64	87	60	73														

National Agricultural Summary

August 11 – 17, 2025

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

The week brought mixed conditions across key U.S. agricultural regions. Temperatures averaged as much as 4 to 6°F above normal across the Ohio Valley, Great Lakes, and northern Atlantic States. Scattered areas in the Pacific Northwest and the middle and lower Mississippi Valley also experienced above-normal temperatures. Meanwhile, rainfall totals varied, ranging from less than 5 percent of normal in

the Southwest, Rocky Mountains, and Great Basin to more than 300 percent of normal in portions of the Pacific Northwest. Showers were scattered across parts of the upper and middle Mississippi Valley, Great Lakes, Great Plains, and Southeast. Dry conditions prevailed across portions of the northern Atlantic States, resulting in soil moisture depletion.

Corn: Ninety-seven percent of the nation's corn had reached the silking stage by August 17, equal to last year but 1 percentage point behind the 5-year average. Seventy-two percent of the corn was at the dough stage by week's end, equal to last year but 1 percentage point behind average. By August 17, twenty-seven percent of the corn had reached the dented stage, 1 percentage point behind last year but 1 point ahead of average. Three percent of the corn was mature by August 17, one percentage point behind last year but equal to the average. On August 17, seventy-one percent of the nation's corn was rated in good to excellent condition, 1 percentage point below last week. In Iowa, the largest corn-producing state, 86 percent of the corn was rated in good to excellent condition.

Soybeans: Ninety-five percent of the nation's soybeans had reached the blooming stage by August 17, one percentage point ahead of last year but equal to the 5-year average. Eighty-two percent of the soybeans had begun setting pods by week's end, 2 percentage points ahead of last year but equal to the average. On August 17, sixty-eight percent of the nation's soybean crop was rated in good to excellent condition, unchanged from the previous week.

Winter Wheat: Ninety-four percent of the nation's winter wheat had been harvested by August 17, two percentage points behind last year and 1 point behind the 5-year average. By week's end, at least 95 percent of the winter wheat had been harvested in 15 of the 18 estimating states. Winter wheat harvest progress advanced by 25 and 22 percentage points from the previous week, respectively, in Montana and Idaho.

Cotton: By August 17, ninety-seven percent of the nation's cotton had reached the squaring stage, 1 percentage point behind both last year and the 5-year average. Seventy-three percent of the cotton was setting bolls by week's end, 10 percentage points behind last year and 7 points behind average. By August 17, thirteen percent of the cotton had bolls opening, 5 percentage points behind last year and 3 points behind average. Fifty-five percent of the cotton was rated in good to excellent condition on August 17, two percentage points above the previous week.

Sorghum: Seventy-eight percent of the nation's sorghum had reached the headed stage by August 17, four percentage points

behind last year and 2 points behind the 5-year average. Thirty-four percent of the sorghum had reached the coloring stage by week's end, 4 percentage points behind last year and 1 point behind average. By August 17, eighteen percent of the sorghum was mature, equal to last year but 1 percentage point behind average. On August 17, sixty-three percent of the sorghum was rated in good to excellent condition, 3 percentage points below the previous week.

Rice: Ninety-two percent of the nation's rice had reached the headed stage by August 17, one percentage point behind last year but 3 points ahead of the 5-year average. Seventeen percent of the rice acreage had been harvested by August 17, three percentage points behind last year but 2 points ahead of average. Seventy-five percent of the nation's rice was rated in good to excellent condition on August 17, one percentage point below the previous week.

Other Small Grains: Sixty-nine percent of the nation's oats had been harvested by August 17, 3 percentage points ahead of last year but 1 point behind the 5-year average. By August 17, the oat crop was at or beyond 95 percent harvested in three of the nine estimating states. Oat harvest progress advanced by 23 and 20 percentage points from the previous week, respectively, in Minnesota and Pennsylvania.

Thirty-seven percent of the barley acreage had been harvested by August 17, nine percentage points ahead of last year but 3 points behind the 5-year average. On August 17, forty-four percent of the barley was rated in good to excellent condition, 1 percentage point above the previous week.

Thirty-six percent of the spring wheat had been harvested by August 17, seven percentage points ahead of last year but equal to the 5-year average. On August 17, fifty percent of the spring wheat was rated in good to excellent condition, 1 percentage point above the previous week.

Other Crops: Ninety-six percent of the nation's peanuts had reached the pegging stage by August 17, two percentage points behind last year and 1 point behind the 5-year average. On August 17, seventy-two percent of the peanuts were rated in good to excellent condition, 2 percentage points below last week.

Crop Progress and Condition

Week Ending August 17, 2025

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	90	75	89	93
IL	98	98	99	98
IN	97	93	96	98
IA	98	96	98	99
KS	99	90	95	97
KY	96	87	91	96
MI	96	93	97	96
MN	94	95	97	98
MO	98	97	99	99
NE	100	93	96	99
NC	100	99	100	100
ND	95	90	95	96
OH	99	95	97	97
PA	83	85	95	85
SD	97	97	100	97
TN	98	97	100	99
TX	100	98	100	99
WI	89	90	95	94
18 Sts	97	94	97	98
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dough				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	45	26	50	46
IL	83	68	81	79
IN	69	54	69	70
IA	80	68	78	82
KS	87	68	78	78
KY	73	61	70	68
MI	53	51	65	57
MN	60	42	62	70
MO	91	79	89	87
NE	74	59	71	79
NC	92	90	92	91
ND	31	36	45	45
OH	77	62	77	69
PA	39	33	43	38
SD	66	48	71	69
TN	87	83	87	89
TX	88	84	86	86
WI	57	36	54	58
18 Sts	72	58	72	73
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dented				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	4	1	6	10
IL	37	19	34	30
IN	23	0	20	17
IA	26	15	27	29
KS	46	22	37	38
KY	52	33	46	47
MI	13	0	13	12
MN	5	5	14	14
MO	61	24	50	48
NE	39	15	28	31
NC	79	83	88	74
ND	0	7	11	4
OH	28	1	16	18
PA	8	0	5	4
SD	8	1	15	12
TN	62	48	66	57
TX	80	69	72	76
WI	14	5	15	10
18 Sts	28	14	27	26
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Mature				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	0	NA	0	0
IL	1	NA	0	0
IN	0	NA	0	0
IA	1	NA	0	1
KS	6	NA	1	5
KY	4	NA	4	8
MI	0	NA	0	0
MN	1	NA	0	0
MO	6	NA	3	2
NE	5	NA	0	2
NC	37	36	52	39
ND	0	NA	0	0
OH	4	NA	1	1
PA	0	NA	0	0
SD	0	NA	0	0
TN	16	NA	11	7
TX	66	60	65	60
WI	1	NA	0	0
18 Sts	4	NA	3	3
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	13	10	11	59	7
IL	4	7	26	46	17
IN	3	8	26	52	11
IA	1	2	11	56	30
KS	3	10	27	44	16
KY	3	7	30	52	8
MI	3	9	40	43	5
MN	2	5	19	51	23
MO	1	4	18	58	19
NE	1	3	19	50	27
NC	1	3	13	62	21
ND	2	7	28	58	5
OH	1	13	31	45	10
PA	1	5	15	40	39
SD	2	5	16	50	27
TN	5	9	28	41	17
TX	2	6	30	40	22
WI	1	4	13	56	26
18 Sts	2	6	21	50	21
Prev Wk	2	5	21	52	20
Prev Yr	4	7	22	51	16

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AR	100	100	100	100
CA	100	98	100	99
CO	100	100	100	100
ID	69	50	72	63
IL	100	100	100	100
IN	100	100	100	100
KS	100	100	100	100
MI	100	98	100	98
MO	100	100	100	100
MT	74	40	65	76
NE	100	96	98	99
NC	100	100	100	100
OH	100	100	100	100
OK	100	100	100	100
OR	88	84	95	91
SD	97	89	95	97
TX	100	100	100	100
WA	82	69	78	77
18 Sts	96	90	94	95
These 18 States harvested 91% of last year's winter wheat acreage.				

Crop Progress and Condition

Week Ending August 17, 2025

Soybeans Percent Blooming				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AR	100	99	100	98
IL	96	92	94	96
IN	95	89	95	95
IA	96	93	96	97
KS	89	79	87	89
KY	87	79	87	85
LA	100	100	100	100
MI	96	93	97	96
MN	95	95	97	98
MS	100	98	100	98
MO	88	84	90	89
NE	99	88	94	98
NC	90	90	94	90
ND	90	96	98	96
OH	99	92	97	96
SD	95	88	95	96
TN	94	84	89	93
WI	94	90	93	95
18 Sts	94	91	95	95
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AR	95	93	96	92
IL	88	76	87	83
IN	81	68	80	79
IA	82	75	83	88
KS	65	54	69	67
KY	75	61	71	70
LA	94	94	97	97
MI	87	72	89	87
MN	76	70	84	87
MS	96	91	94	94
MO	73	59	69	69
NE	88	71	80	88
NC	73	69	81	72
ND	63	74	87	80
OH	91	71	87	83
SD	74	53	68	80
TN	81	68	76	77
WI	81	73	81	80
18 Sts	80	71	82	82
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	7	32	44	16
IL	4	9	27	43	17
IN	3	7	27	52	11
IA	1	2	15	60	22
KS	1	5	26	55	13
KY	2	5	29	56	8
LA	0	0	12	86	2
MI	2	11	31	51	5
MN	1	5	20	54	20
MS	0	4	33	43	20
MO	1	6	17	65	11
NE	1	2	20	55	22
NC	2	3	21	58	16
ND	1	6	32	58	3
OH	1	8	35	46	10
SD	2	5	16	53	24
TN	9	10	30	42	9
WI	1	3	14	57	25
18 Sts	2	6	24	53	15
Prev Wk	2	5	25	53	15
Prev Yr	2	6	24	54	14

Sorghum Percent Headed				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	66	45	70	76
KS	79	55	72	73
NE	93	70	77	86
OK	62	58	64	64
SD	87	65	87	87
TX	92	89	92	93
6 Sts	82	65	78	80
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	16	0	10	11
KS	27	15	19	19
NE	18	8	28	19
OK	24	18	22	26
SD	15	8	20	21
TX	76	72	76	76
6 Sts	38	29	34	35
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Mature				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
CO	0	NA	0	0
KS	1	NA	1	0
NE	0	NA	0	0
OK	0	NA	0	0
SD	0	NA	0	0
TX	69	59	65	65
6 Sts	18	NA	18	19
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	1	1	16	70	12
KS	4	7	29	44	16
NE	2	3	19	32	44
OK	3	10	33	50	4
SD	1	7	38	50	4
TX	3	9	25	43	20
6 Sts	3	7	27	46	17
Prev Wk	2	7	25	47	19
Prev Yr	6	12	33	42	7

Peanuts Percent Pegging				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AL	96	91	95	97
FL	98	100	100	99
GA	100	98	100	99
NC	99	97	98	97
OK	83	75	81	81
SC	100	96	98	99
TX	88	77	81	84
VA	100	93	95	97
8 Sts	98	94	96	97
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	0	14	80	6
FL	0	0	32	68	0
GA	0	5	31	52	12
NC	1	2	9	56	32
OK	1	3	13	80	3
SC	2	5	12	65	16
TX	1	3	28	54	14
VA	0	0	4	92	4
8 Sts	0	3	25	60	12
Prev Wk	0	3	23	61	13
Prev Yr	1	4	27	62	6

Crop Progress and Condition

Week Ending August 17, 2025

Cotton Percent Squaring					
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg	
AL	100	95	98	99	
AZ	100	100	100	100	
AR	100	100	100	100	
CA	100	97	100	100	
GA	99	99	100	99	
KS	98	96	97	97	
LA	100	95	97	100	
MS	100	91	94	98	
MO	100	98	99	97	
NC	100	95	98	98	
OK	100	99	100	98	
SC	100	93	97	98	
TN	99	83	99	98	
TX	97	90	95	96	
VA	100	99	100	100	
15 Sts	98	93	97	98	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Percent Setting Bolls					
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg	
AL	83	79	86	90	
AZ	100	90	98	98	
AR	96	87	94	97	
CA	79	70	85	83	
GA	87	84	90	88	
KS	92	73	91	82	
LA	84	80	83	94	
MS	87	67	77	87	
MO	78	61	74	82	
NC	90	81	86	83	
OK	73	58	77	70	
SC	96	74	86	88	
TN	93	67	85	89	
TX	79	57	64	75	
VA	97	82	92	91	
15 Sts	83	65	73	80	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Percent Bolls Opening					
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg	
AL	12	4	9	8	
AZ	65	34	51	48	
AR	37	16	23	18	
CA	0	0	0	0	
GA	6	5	10	7	
KS	11	2	9	9	
LA	20	21	28	32	
MS	16	11	20	17	
MO	2	0	0	1	
NC	4	2	4	4	
OK	4	0	0	4	
SC	6	3	6	3	
TN	7	1	2	5	
TX	22	10	15	20	
VA	11	2	7	7	
15 Sts	18	8	13	16	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	4	17	65	13
AZ	2	1	5	81	11
AR	0	2	25	42	31
CA	0	0	0	5	95
GA	0	4	36	51	9
KS	0	10	37	35	18
LA	0	0	39	60	1
MS	1	8	51	34	6
MO	0	16	31	53	0
NC	0	1	18	61	20
OK	2	6	27	51	14
SC	3	5	21	59	12
TN	16	12	25	39	8
TX	5	13	33	37	12
VA	0	0	8	86	6
15 Sts	4	10	31	43	12
Prev Wk	7	11	29	43	10
Prev Yr	8	18	32	35	7

Spring Wheat Percent Harvested					
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg	
ID	23	21	45	33	
MN	28	15	49	42	
MT	36	21	44	44	
ND	20	9	24	25	
SD	68	43	70	76	
WA	49	30	45	45	
6 Sts	29	16	36	36	
These 6 States harvested 100% of last year's spring wheat acreage.					

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	1	17	39	42	1
MN	0	4	16	67	13
MT	15	33	47	5	0
ND	0	4	26	65	5
SD	1	4	40	47	8
WA	5	48	32	12	3
6 Sts	4	14	32	45	5
Prev Wk	5	13	33	44	5
Prev Yr	1	4	22	61	12

Barley Percent Harvested					
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg	
ID	34	28	50	39	
MN	27	10	53	50	
MT	22	15	31	43	
ND	27	13	32	34	
WA	56	36	51	51	
5 Sts	28	18	37	40	
These 5 States harvested 85% of last year's barley acreage.					

Barley Condition by Percent					
	VP	P	F	G	EX
ID	2	6	23	68	1
MN	0	1	13	77	9
MT	6	25	57	12	0
ND	0	1	26	67	6
WA	3	54	28	14	1
5 Sts	3	14	39	42	2
Prev Wk	3	14	40	41	2
Prev Yr	1	8	22	64	5

Crop Progress and Condition

Week Ending August 17, 2025

Pasture and Range Condition by Percent Week Ending Aug 17, 2025												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	0	3	22	59	16		NH	0	0	60	40	0
AZ	55	26	14	4	1		NJ	1	2	17	75	5
AR	9	20	42	25	4		NM	15	29	16	10	30
CA	0	30	35	25	10		NY	6	19	38	35	2
CO	6	20	36	27	11		NC	0	3	12	79	6
CT	0	0	100	0	0		ND	1	5	26	61	7
DE	2	8	33	55	2		OH	0	7	29	61	3
FL	0	2	12	48	38		OK	3	8	29	51	9
GA	1	8	33	48	10		OR	18	23	31	26	2
ID	8	30	29	26	7		PA	2	9	16	66	7
IL	7	7	35	44	7		RI	0	0	82	10	8
IN	4	10	32	46	8		SC	1	13	32	44	10
IA	1	3	13	64	19		SD	4	17	32	37	10
KS	4	9	28	51	8		TN	4	13	30	48	5
KY	1	9	31	51	8		TX	6	15	37	31	11
LA	1	5	32	56	6		UT	17	26	37	20	0
ME	2	20	50	28	0		VT	0	25	75	0	0
MD	10	16	33	34	7		VA	1	3	24	59	13
MA	0	0	85	10	5		WA	20	23	39	17	1
MI	2	15	40	42	1		WV	0	11	31	56	2
MN	2	6	28	43	21		WI	1	5	24	51	19
MS	2	7	34	47	10		WY	10	28	38	17	7
MO	1	5	16	68	10		48 Sts	11	20	30	29	10
MT	15	32	32	18	3							
NE	8	22	30	31	9		Prev Wk	10	20	31	29	10
NV	35	55	10	0	0		Prev Yr	14	20	32	27	7

Oats Percent Harvested				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
IA	96	83	91	94
MN	54	33	56	69
NE	96	86	93	96
ND	22	17	30	29
OH	99	91	95	97
PA	55	77	97	66
SD	90	71	85	88
TX	100	100	100	100
WI	76	56	72	65
9 Sts	66	55	69	70
These 9 States harvested 76% of last year's oat acreage.				

Rice Percent Headed				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AR	96	86	94	89
CA	84	65	75	82
LA	95	94	96	97
MS	100	99	100	95
MO	89	84	90	82
TX	100	98	100	98
6 Sts	93	85	92	89
These 6 States planted 100% of last year's rice acreage.				

Rice Percent Harvested				
	Prev Year	Prev Week	Aug 17 2025	5-Yr Avg
AR	8	1	4	3
CA	0	0	0	0
LA	68	49	65	61
MS	4	3	8	2
MO	0	0	0	0
TX	57	36	57	53
6 Sts	20	11	17	15
These 6 States harvested 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	0	4	27	44	25
CA	0	0	15	50	35
LA	2	3	13	77	5
MS	0	0	38	45	17
MO	0	3	16	70	11
TX	0	0	23	70	7
6 Sts	0	3	22	55	20
Prev Wk	0	3	21	54	22
Prev Yr	1	3	17	64	15

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending August 17, 2025



Crop Progress and Condition

Week Ending August 17, 2025



International Weather and Crop Summary

August 10 – 16, 2025

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Dry and increasingly hot weather prevailed, with scorching heat in Spain and France afflicting late-filling summer crops.

WESTERN FSU: Cooler temperatures overspread the region, with additional showers across northern growing areas contrasting with persistent dryness closer to the Black Sea Coast.

EASTERN FSU: Continued rainy weather in the spring grain belt transitioned to seasonably sunny and hot conditions across cotton areas farther south.

MIDDLE EAST: Hot and dry conditions in Turkey accelerated summer crops toward maturity.

SOUTH ASIA: Monsoon rainfall was plentiful across much of the region, resulting in flooding in northern India and northwestern Pakistan.

EAST ASIA: Typhoon Podul brought heavy rain to southern China and Taiwan, while a low-pressure system caused torrential downpours in southern Japan.

SOUTHEAST ASIA: Intensified monsoon rains, combined with the effects of Typhoon Podul and a low-pressure system, caused torrential rainfall in western Cambodia.

AUSTRALIA: Showers in western and southern growing areas contrasted with dry weather in eastern Australia.

MEXICO: Typical seasonal showers covered much of southeastern Mexico and stretched from the southern plateau corn belt into parts of the northwest.

CANADIAN PRARIES: Rain eased drought in northern production areas, while dry weather favored the early stages of harvesting on the southern Prairies.


SOUTHEASTERN CANADA: Hot, mostly dry weather favored fieldwork and summer crop development but further reduced topsoil moisture.



EUROPE

Total Precipitation(mm)

August 10 - 16, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Dry and increasingly hot weather prevailed across the continent during the monitoring period, with scorching heat developing in western crop areas. A strengthening area of high pressure brought sunny skies along with some of the hottest weather of the summer, with temperatures averaging 2 to 5°C above normal over much of Europe and as much as 9°C above normal in northern Spain and southern France. Daytime highs reached 41.2°C in northwestern Spain and topped 44°C at numerous locations across southern portions of the country. In southwestern France, temperatures exceeded 38°C on 10 consecutive days beginning August 8, with a peak reading of 42.1°C notched on August 12; in fact, daytime highs eclipsed 40°C on 6 of 7 days starting on August 11 in this part of the country. Likewise, peak values for the week reached the 30s (degrees C) nearly everywhere in Europe, with maxima in the middle and upper 30s

prevalent from central Germany southeastward into Italy, Greece, and the Balkans (locally clipping 40°C). The heat further reduced the already poor summer crop prospects in southeastern Europe and rapidly lowered conditions for later-filling corn and sunflowers in Spain and southwestern France. Conversely, summer crops have received good moisture over central and northern portions of the continent during the summer and were consequently able to withstand the heat without significant loss to yield potential. The sunny and hot weather allowed small grain harvesting and winter rapeseed sowing to proceed at a rapid clip, with soil moisture supplies overall favorable from England and Germany eastward.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Cooler air settled over the region, with additional showers in the north contrasting with continued dry conditions closer to the Black Sea Coast. Early in the week, showers and thunderstorms (10-40 mm) associated with a cold front swept across Belarus as well as west-central and northwestern Russia, maintaining adequate to abundant moisture supplies for filling summer crops. Similar to previous weeks, rainfall amounts tapered off rapidly to the south, with completely

dry conditions noted in southern Ukraine and southwestern Russia. However, cooler temperatures (2-4°C below normal) overspread the entire region save for western Ukraine (1-2°C above normal), helping to reduce evapotranspiration rates in the drier southern locales. Nevertheless, summer crop yield prospects remained unchanged from previous weeks, varying from good to excellent in the north to poor to abysmal in the south.

EASTERN FSU
Total Precipitation(mm)
August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Continued wet weather in the spring grain belt transitioned to seasonably dry and hot conditions farther south. A nearly stationary area of low pressure over central Asia generated 10 to 60 mm of rainfall in northern Kazakhstan and much of central Russia, maintaining abundant moisture supplies for filling spring wheat and filling to maturing spring barley. However, producers would likely welcome

drier weather to help spring grains realize the current good to excellent yield prospects. Across the Commonwealth of Independent States, seasonably sunny skies and above-normal temperatures (1-3°C above normal) benefited open boll to maturing cotton, though incursions of extreme heat during the summer trimmed yield prospects in Uzbekistan and environs despite cotton's relatively high heat tolerance.

MIDDLE EAST
Total Precipitation(mm)
August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Mostly sunny and hot weather persisted in Turkey. Temperatures for the week averaged 2 to 4°C above normal across the country's primary growing areas, with daytime readings reaching the upper 30s (degrees C) in central Turkey and

topping 40°C across the southern tier adjacent to Syria and the Mediterranean Coast. The dryness and heat accelerated summer crops toward or into maturity but favored drydown and early harvesting efforts.

SOUTH ASIA
Total Precipitation(mm)
August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTH ASIA

The monsoon delivered substantial rainfall across the region, with the majority of locations recording 25 to 200 mm of precipitation, and certain areas exceeding 300 mm. This intense rainfall, particularly cloudbursts, triggered severe flash flooding in northern India's Himalayan region and northwestern Pakistan. In stark contrast to other areas, southern Pakistan and much of

Rajasthan, India, experienced little to no rain, leading to above-average temperatures (1-3°C above normal). Nighttime temperatures in these regions averaged 24 to 30°C this past week, a trend that could negatively affect some crops if it persists. Elsewhere, daytime highs were in the lower to middle 30s (degrees C) and nighttime lows in the lower to middle 20s.

EASTERN ASIA
Total Precipitation(mm)
August 10 - 16, 2025




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EASTERN ASIA

Typhoon Podul brought heavy rainfall, averaging 50 to 200 mm with some areas exceeding 200 mm, to southern Taiwan and China's southern coast, particularly westward from Fujian province and inland. Showers delivering 10 to 100 mm across northern China enhanced both crop growth and soil moisture levels. Widespread showers (10-100 mm) impacted the Korean Peninsula and most of Japan; however, a stationary low-pressure system

led to extreme rainfall in southern Japan, with some areas receiving over 600 mm. Temperatures across the region moderated somewhat yet still averaged 1 to 4°C above normal, with daytime highs ranging from the upper 20s to upper 30s (degrees C). Despite above-normal daytime highs in the lower to upper 30s, Xinjiang's cooler nights, averaging below 25°C, offer beneficial relief for the region's cotton crops.




SOUTHEAST ASIA

Intensified monsoon activity triggered widespread showers (25-200 mm) across Thailand and neighboring countries. The combined effects of these monsoon rains, the influence of Typhoon Podul to the northeast, and a low pressure system led to exceptional rainfall totals, with Thailand's western coast receiving upwards of 300 mm and

Cambodia's west coast receiving more than 700 mm. Malaysia and the Philippines also experienced substantial rainfall, averaging 25 to 200 mm. Throughout much of the region, temperatures remained consistent at near-normal levels, with daytime highs in the middle to upper 30s (degrees C) and nighttime lows in the lower to middle 20s.

AUSTRALIA
Total Precipitation(mm)
August 10 - 16, 2025



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



AUSTRALIA


Showers in the western and southern growing areas contrasted with dry conditions in eastern Australia. A broad area of high pressure maintained mostly dry weather (5 mm or less) in New South Wales and southern Queensland, promoting the development of vegetative winter grains and oilseeds but renewing drought concerns. Meanwhile, a mid-week cold front generated light to moderate showers (3-20 mm) as it swept across Western

Australia, South Australia, and Victoria, maintaining good (south and southeast) to excellent (west) conditions for vegetative wheat and barley as well as vegetative to flowering rapeseed. Above-normal temperatures early in the monitoring period were followed by sharply colder air (lows approaching or dipping below freezing) as the front progressed eastward, resulting in some snow in the higher elevations of southeastern Australia.

MEXICO

Total Precipitation(mm)

August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Seasonal showers and an active North American monsoon circulation led to widespread, generally beneficial Mexican showers. Some of the heaviest rain (10-50 mm, with locally higher amounts) fell from the southern plateau corn belt into parts of northwestern Mexico. Similar totals were observed in much of southeastern Mexico, including the

Yucatan Peninsula. In contrast, hot, mostly dry weather prevailed in northeastern Mexico, although a late-week disturbance produced a few heavy showers in northern Tamaulipas. Weekly temperatures averaged as much as 2°C above normal in north-central and northeastern Mexico, including Coahuila and portions of neighboring states.

CANADIAN PRAIRIES

Total Precipitation(mm)

August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


A northward-shifting storm track delivered drought-easing rain (mostly 10-50 mm) across the northern Prairies. The rain replenished soil moisture and benefited immature crops but arrived too late for many spring-sown small grains and oilseeds. On August 11, prior to the latest round of rain, cropland topsoil moisture in Saskatchewan — based on provincial reports — had already improved to 75 percent adequate

and 14 percent very short to short, compared to 54 and 41 percent, respectively, the previous week. Meanwhile, mostly dry weather across the southern Prairies favored early-season harvest efforts, despite cool conditions. Weekly temperatures across the Prairies averaged as much as 2°C below normal, with several locations in Alberta and Saskatchewan reporting overnight readings below 5°C.

SOUTHEASTERN CANADA

Total Precipitation(mm)

August 10 - 16, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Hot, mostly dry weather favored fieldwork and summer crop development but further reduced topsoil moisture. Weekly temperatures averaged 2 to 5°C above normal, with afternoon readings peaking near 35°C in several locations. Additionally, most of southeastern Canada received rainfall totaling less than 10 mm, with only isolated reports of 10 to 25 mm or more. With

Moderate Drought (D1) already in place just north and northeast of Lake Ontario, according to the Canadian Drought Monitor, some pastures and summer crops lack adequate soil moisture for normal development. Meanwhile, Moderate to Severe Drought (D1-D2) is a prominent feature on the landscape in portions of the Canadian Maritimes, including much of Nova Scotia.




United States
Department of
Agriculture

This product was prepared by the
USDA Office of the Chief Economist (OCE)
World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

August 17, 2025



Data obtained from USDA National Agricultural
Statistics Service (NASS) weekly Crop Progress reports..

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USA 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).