


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS



July 27 – August 2, 2025

Highlights provided by USDA/WAOB

Amid shifting weather patterns, significant shower activity continued to benefit rangeland, pastures, and summer crops in several regions. Notably, a band of rain (locally 1 to 3 inches or more) stretched from the **northern High Plains to the eastern Corn Belt**, while a separate area of showers extended from the **central Gulf Coast States to the middle and southern Atlantic Coast**. Precipitation also fell in the **central and southern Rockies** and environs, although the monsoon-related circulation supporting that rain weakened as the week progressed, leading to a turn
(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps	2
Temperature Departure Map	3
July 29 Drought Monitor & U.S. Monthly Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork.....	30



(Continued from front cover)


toward hotter, drier weather. The **eastern half of nation's northern tier** also experienced drier weather, accompanied by degraded air quality due to northerly winds introducing smoky conditions from **Canadian** wildfires. Elsewhere, drier-than-normal weather prevailed in most areas **west of the Rockies**, favoring fieldwork but maintaining heavy irrigation demands. Additionally, several **Western** wildfires remained active and new fires were ignited, some due to lightning strikes without meaningful rainfall. Cool air gradually eroded in the **West**, although weekly temperatures averaged as much as 5°F below normal in **California** and **Nevada**. However, with heat returning across portions of the **Northwest** and **Southwest**, readings averaged at least 5°F above normal in parts of **southern Arizona**, **northern Idaho**, and **eastern Washington**. Farther east, near- or slightly below-normal temperatures dominated the **Plains** and **upper Midwest**, while lingering **Southeastern** heat boosted temperatures as much as 5°F above normal.



Early-week heat was particularly intense across the **Southeast**, where **Tampa, FL** (100°F on July 27), achieved a triple-digit reading for the first time in more than 135 years of keeping weather records. **Tampa** had reached 99°F only two times before, on June 5, 1985, and June 26, 2020, and had attained 98°F twice in July (on consecutive dates in 1942). Triple-digit, daily-record highs for July 27 included 100°F in **Florida** locations such as **Leesburg** and **Jacksonville**. Another high of 100°F occurred in **Leesburg** on July 28. Previously, **Leesburg's** highest July reading had been 99°F on July 20, 2000. July 28 featured another wave of **Southeastern** daily-record highs, including 102°F in **Macon, GA**, and 100°F in **Gainesville, FL**. Triple-digit heat more broadly affected the **South** on July 29, when daily-record highs included 102°F in **Columbus, GA**; 101°F in **Jacksonville, FL**; and 100°F in **Vicksburg, MS**. **Texarkana, AR**, closed the month with four consecutive triple-digit readings, including a daily-record high of 106°F on July 30. Heat also briefly spread into the **Northeast**, where record-setting highs for July 29 reached 101°F in **Newark, NJ**, and 99°F in **Boston, MA**. Consecutive daily-record highs occurred on July 29-30 in **Northeastern** locations such as **New York's La Guardia Airport** (100 and 99°F), and **Atlantic City, NJ** (98 and 97°F). Late in the week, however, much cooler air surged across the **Midwest** and **Northeast**. On the first day of August, **Midwestern** daily-record lows dipped to 44°F in **Gaylord, MI**, and 55°F in **Moline, IL**. August 2 featured daily-record lows in **Northeastern** locations such as **Houlton, ME** (40°F), and **Watertown, NY** (43°F). Elsewhere, building heat was apparent late in the week across the **southwestern and south-central U.S.** **Phoenix, AZ**, reported a reading of 110°F or greater each day during the week, paced by a daily-record high of 114°F on August 2. In **Texas**, record-setting highs for August 2 soared to 105°F in **McAllen**, 103°F in **Harlingen**, and 102°F in **Corpus Christi**.



As the week began, thunderstorms across the **North** contributed to daily-record rainfall totals for July 27 in **Watertown, SD** (1.98 inches), and **Havre, MT** (1.73 inches). However, some of the early-week thunderstorms produced large hail and damaging winds. On the night of July 28-29, thunderstorm-driven wind gusts in **Iowa** were clocked



to 92 mph in **Spencer** and 68 mph in **Waterloo**. Elsewhere in the **Midwest**, July 28-29 peak gusts included 76 mph in **Rochester, MN**; 65 mph in **La Crosse, WI**; and 59 mph in **Moline, IL**. During the same event, gusts to 85 mph or higher were recorded in parts of **Turner County, SD**. Showery **Midwestern** weather persisted through mid-week, with **Detroit, MI**, netting record-setting rainfall amounts (2.68 and 1.80 inches, respectively) on July 28 and 30. Meanwhile, record-setting totals for July 30 included 1.27 inches in **Cedar Rapids, IA**, and 1.04 inches in **Milwaukee, WI**. On the last day of July, heavy **Northeastern** showers in conjunction with a cold front's passage resulted in daily-record totals topping 2 inches in **Atlantic City, NJ** (3.07 inches); **Islip, NY** (2.93 inches); **Reading, PA** (2.69 inches); and **Bridgeport, CT** (2.58 inches). Meanwhile, the **West** experienced a mix of wet and dry thunderstorms, with a few areas receiving rain. For example, daily-record rainfall amounts occurred in locations such as **Reno, NV** (0.57 inch on July 27), and **Klamath Falls, OR** (0.77 inch on July 31). Late in the week, the focus for heavy showers shifted across the **Southeast**, where record-setting totals for August 1 included 2.19 inches in **Lake Charles, LA**, and 1.91 inches in **Jackson, KY**.



Above-normal temperatures dominated **Alaska**, despite widespread precipitation at many interior locations. With warmth spanning the state, daily-record highs included 81°F on July 28 in **Juneau (southeastern Alaska)** and 71°F on July 30 in **Cold Bay (Aleutians)**. **Yakutat** (81°F on July 28) also logged a daily record, which represented the highest temperature in that location since June 4, 2022, and the highest July reading since July 7, 2009. Meanwhile, July rainfall topped 3 inches at several **Alaskan** locations, including **Cold Bay** (3.50 inches, or 139 percent of normal) and **Bethel** (3.10 inches, or 121 percent). Farther south, **Hawaiian** highlights included warm, mostly dry weather, as Hurricane Iona passed some 700 miles south of **Honolulu, Oahu**, on July 29. July rainfall at the state's major airport observation sites ranged from 0.08 inch (15 percent of normal) in **Honolulu** to 3.75 inches (41 percent) in **Hilo**, on the **Big Island**. With a reading of 94°F on July 29, **Kahului, Maui**, reported its hottest day since July 3, 2023, when it was also 94°F.











National Weather Data for Selected Cities

Weather Data for the Week Ending August 2, 2025

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	68	50	72	19	59	-1	0.96	0.44	0.44	3.05	101	9.47	148	93	60	0	1	3	0
	BARROW	55	42	66	36	48	0	0.04	-0.23	0.04	0.58	39	0.75	30	100	85	0	0	1	0
	FAIRBANKS	72	56	79	53	64	3	0.70	0.15	0.31	3.81	98	8.02	127	89	55	0	0	3	0
	JUNEAU	71	53	81	49	62	4	0.86	-0.34	0.31	12.30	132	40.92	135	92	58	0	0	3	0
	KODIAK	64	53	68	49	58	1	0.31	-0.70	0.19	13.22	132	54.13	130	92	67	0	0	2	0
AL	NOME	59	47	72	40	53	2	0.14	-0.58	0.12	5.06	142	11.10	141	97	73	0	0	2	0
	BIRMINGHAM	93	74	98	70	83	1	1.21	0.09	1.11	12.32	117	43.15	119	94	53	6	0	4	1
	HUNTSVILLE	95	74	99	71	84	3	0.14	-0.70	0.14	8.52	97	40.03	118	94	27	6	0	1	0
	MOBILE	93	75	97	72	84	2	1.22	-0.46	1.02	18.15	123	49.13	118	97	55	7	0	2	1
	MONTGOMERY	95	74	98	71	84	1	0.35	-0.68	0.31	12.17	129	36.22	113	97	53	7	0	4	0
AR	FORT SMITH	96	76	102	72	86	2	0.24	-0.48	0.24	11.26	137	36.26	128	90	47	6	0	1	0
	LITTLE ROCK	93	75	99	69	84	2	1.43	0.75	1.43	8.55	121	35.70	118	88	50	4	0	1	1
AZ	FLAGSTAFF	85	49	87	44	67	0	0.00	-0.80	0.00	2.96	94	8.96	82	51	16	0	0	0	0
	PHOENIX	112	88	114	82	100	5	0.00	-0.24	0.00	0.70	71	2.03	52	27	9	7	0	0	0
	PRESCOTT	94	64	95	61	79	3	0.00	-0.55	0.00	3.42	143	8.06	119	37	11	7	0	0	0
CA	TUCSON	105	79	107	73	92	5	0.00	-0.57	0.00	2.52	97	3.11	58	39	13	7	0	0	0
	BAKERSFIELD	97	69	99	65	83	-2	0.00	0.00	0.00	0.01	23	2.96	67	50	17	7	0	0	0
	EUREKA	63	52	65	48	58	-1	0.03	0.00	0.03	0.09	10	22.33	92	96	77	0	0	1	0
	FRESNO	97	66	100	62	82	-2	0.00	0.00	0.00	0.00	0	6.29	81	65	16	7	0	0	0
	LOS ANGELES	73	63	74	62	67	-3	0.00	-0.01	0.00	0.01	10	5.31	61	90	64	0	0	0	0
CO	REDDING	98	68	100	66	83	-1	0.00	-0.02	0.00	0.00	0	18.20	85	67	20	7	0	0	0
	SACRAMENTO	91	58	94	56	74	-2	0.00	0.00	0.00	0.00	0	7.05	58	66	46	5	0	0	0
	SAN DIEGO	73	64	74	63	69	-3	0.00	-0.02	0.00	0.01	9	4.74	70	87	62	0	0	0	0
	SAN FRANCISCO	68	58	70	56	63	-1	0.00	0.00	0.00	0.00	0	7.74	61	90	63	0	0	0	0
	STOCKTON	94	57	97	54	76	-3	0.00	0.00	0.00	0.00	0	6.74	76	85	27	6	0	0	0
CT	ALAMOSA	82	46	87	41	64	-2	0.27	-0.01	0.14	2.20	141	6.50	169	82	21	0	0	2	0
	CO SPRINGS	85	55	95	51	70	-2	1.37	0.57	0.56	10.65	189	18.42	176	80	27	2	0	3	1
	DENVER INTL	88	58	97	52	73	-3	0.00	-0.52	0.00	3.61	85	10.89	112	79	22	3	0	0	0
	GRAND JUNCTION	95	65	99	61	80	1	0.01	-0.15	0.01	1.02	96	2.82	58	34	13	7	0	1	0
	PUEBLO	93	59	101	55	76	-1	0.40	-0.12	0.26	3.78	115	7.97	101	85	21	5	0	2	0
DC	BRIDGEPORT	86	68	96	62	77	1	0.44	-0.45	0.26	3.04	41	18.24	71	91	48	3	0	3	0
	HARTFORD	85	64	96	55	74	0	2.91	1.85	2.61	11.98	136	33.31	125	96	52	3	0	3	1
DE	WASHINGTON	89	73	94	66	81	0	0.88	0.02	0.77	10.48	119	31.07	124	89	55	5	0	2	1
FL	WILMINGTON	89	70	96	62	79	2	2.00	1.00	1.19	11.40	121	31.80	120	95	56	4	0	2	2
	DAYTONA BEACH	95	77	98	76	86	4	0.63	-0.72	0.63	11.74	87	24.31	86	93	49	7	0	1	1
	JACKSONVILLE	99	76	101	74	88	5	0.48	-0.99	0.20	13.64	92	32.12	105	93	46	7	0	3	0
	KEY WEST	91	83	94	80	87	1	0.61	-0.29	0.61	8.27	101	19.29	105	96	63	7	0	1	1
	MIAMI	93	81	94	79	87	2	0.33	-1.43	0.33	19.83	107	31.96	92	83	55	7	0	1	0
GA	ORLANDO	96	77	98	76	86	4	2.23	0.44	1.38	15.79	98	32.43	107	94	46	7	0	4	1
	PENSACOLA	94	79	97	78	87	3	0.19	-1.64	0.11	9.36	59	35.72	88	91	54	7	0	2	0
	TALLAHASSEE	96	76	98	75	86	3	1.15	-0.61	0.61	17.65	114	39.06	107	96	50	7	0	3	2
	TAMPA	95	82	100	78	88	4	0.25	-1.59	0.20	16.39	104	28.63	100	85	55	7	0	3	0
	WEST PALM BEACH	94	79	96	77	87	3	0.00	-1.44	0.00	12.61	86	24.31	74	88	50	7	0	0	0
HI	ATHENS	94	73	102	70	83	2	3.45	2.52	2.39	10.99	117	33.27	113	97	51	6	0	3	2
	ATLANTA	94	75	100	72	84	3	1.56	0.65	1.37	9.41	98	33.47	108	87	49	6	0	3	1
	AUGUSTA	95	74	101	73	85	2	0.00	-1.06	0.00	7.11	74	26.90	99	97	51	6	0	0	0
	COLUMBUS	96	76	102	74	87	3	1.43	0.36	0.92	8.15	93	35.84	121	88	44	7	0	3	1
	MACON	97	73	102	71	85	2	0.78	-0.18	0.60	10.72	112	31.47	110	99	48	6	0	3	1
IA	SAVANNAH	95	77	100	73	86	3	1.31	0.00	0.85	11.35	89	29.35	100	93	54	6	0	3	1
	HILO	84	72	86	71	78	1	0.63	-1.70	0.33	10.00	58	35.02	54	91	59	0	0	4	0
	HONOLULU	88	77	89	73	83	1	0.00	-0.13	0.00	0.42	39	9.70	110	77	49	0	0	0	0
	KAHULUI	90	74	94	72	82	1	0.00	-0.13	0.00	0.30	40	6.54	66	80	47	2	0	0	0
	LIHUE	86	76	87	73	81	1	0.50	0.04	0.20	3.35	91	12.91	64	86	60	0	0	6	0
IL	BURLINGTON	84	66	92	57	75	0	0.89	0.10	0.59	11.64	127	21.35	94	97	62	3	0	4	1
	CEDAR RAPIDS	83	64	91	54	73	1	1.63	0.69	1.28	7.72	75	16.75	75	95	58	3	0	3	1
	DES MOINES	84	66	93	60	75	-1	2.10	1.22	0.96	16.70	178	30.19	130	90	56	3	0	3	2
	DUBUQUE	81	62	89	53	71	0	1.71	0.69	1.56	11.29	110	21.12	88	97	61	0	0	2	1
	SIOUX CITY	83	63	93	54	73	-1	2.27	1.56	1.77	11.78	148	18.94	103	95	64	2	0	3	1
ID	WATERLOO	81	61	89	53	71	-3	1.85	0.94	1.62	17.87	173	29.15	125	96	56	0	0	2	1
	BOISE	94	65	98	61	80	1	0.00	-0.04	0.00	0.66	68	7.03	95	55	18	6	0	0	0
	LEWISTON	95	68	103	63	81	3	0.16	0.07	0.15	0.43	24	6.24	74	57	22	6	0	2	0
	POCATELLO	93	49	97	46	71	-2	0.00	-0.11	0.00	0.57	39	7.28	99	62	10	5	0	0	0
	CHICAGO/O_HARE	83	67	93	59	75	0	1.22	0.27	0.69	9.06	111	19.62	86	89	49	2	0	4	1
IN	MOLINE	83	65	91	55	74	-1	1.42	0.57	0.85	12.72	134	25.89	107	96	57	2	0	3	2
	PEORIA	85	68	93	60	76	1	0.40	-0.31	0.26	8.56	115	21.10	92	94	59	2	0	3	0
	ROCKFORD	85	65	93	55	75	1	0.49	-0.39	0.45	10.94	117	19.85	86	88	49	3	0	2	0
	SPRINGFIELD	84	66	92	57	75	-1	0.41	-0.37	0.29	11.88	136	23.04	96	98	62	2	0	2	0
	EVANSVILLE	89	70	95	60	80	1	0.00	-0.83	0.00	14.18	156	40.37	132	93	54	4	0	0	0
KS	FORT WAYNE	83	64	9																

Weather Data for the Week Ending August 2, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	WICHITA	90	71	97	63	80	-1	0.48	-0.45	0.48	16.13	175	30.05	137	90	48	4	0	1	0
	LEXINGTON	88	68	93	58	78	1	0.20	-0.92	0.20	10.24	98	43.02	135	94	53	4	0	1	0
	LOUISVILLE	89	72	94	64	80	0	0.65	-0.30	0.65	11.16	129	41.20	137	87	48	4	0	1	1
LA	PADUCAH	90	71	95	62	81	1	0.01	-0.85	0.01	12.67	140	40.83	129	96	55	5	0	1	0
	BATON ROUGE	95	74	98	73	85	1	1.21	0.10	0.81	14.81	124	43.80	117	96	53	7	0	2	1
	LAKE CHARLES	93	74	97	72	84	0	3.14	1.87	2.33	13.01	103	36.89	104	96	55	6	0	2	2
MA	NEW ORLEANS	95	78	98	75	87	3	0.18	-1.27	0.18	18.09	122	46.75	118	95	55	7	0	1	0
	SHREVEPORT	96	78	100	75	87	2	***	***	***	***	***	***	86	46	6	0	***	***	
	BOSTON	82	66	99	60	74	0	1.15	0.38	0.73	5.73	77	27.13	108	89	50	2	0	3	1
MD	WORCESTER	81	63	92	56	72	1	3.25	2.31	2.71	6.52	77	31.12	115	90	49	2	0	3	1
	BALTIMORE	88	70	95	61	79	1	0.89	-0.18	0.56	10.34	118	27.83	107	95	53	5	0	3	1
	CARIBOU	77	53	86	44	65	-2	0.14	-0.72	0.14	7.57	90	26.48	115	95	47	0	0	1	0
MI	PORTLAND	80	60	94	54	70	-1	0.52	-0.24	0.52	4.94	63	26.39	97	97	53	1	0	1	1
	ALPENA	81	56	91	50	69	0	0.00	-0.72	0.00	6.15	100	18.59	111	96	45	2	0	0	0
	GRAND RAPIDS	84	62	92	53	73	1	1.88	1.02	1.28	5.86	72	19.77	85	95	45	3	0	3	2
MN	HOUGHTON LAKE	83	53	92	43	68	0	0.13	-0.49	0.13	5.70	92	25.81	149	100	45	2	0	1	0
	LANSING	84	61	91	51	73	1	0.54	-0.20	0.44	6.05	87	17.87	90	96	48	2	0	3	0
	MUSKEGON	83	62	91	53	73	1	0.43	-0.25	0.43	4.63	77	17.50	88	94	46	1	0	1	0
MO	TRAVERSE CITY	82	59	91	49	70	0	0.02	-0.61	0.02	6.92	126	19.51	127	94	45	1	0	1	0
	DULUTH	78	57	88	49	68	0	0.00	-0.76	0.00	7.11	83	15.04	84	90	45	0	0	0	0
	INT_L FALLS	77	49	87	41	63	-2	0.41	-0.25	0.22	10.33	130	24.30	160	100	45	0	0	2	0
MS	MINNEAPOLIS	84	65	93	61	74	0	1.95	1.06	1.54	11.15	125	20.33	106	78	44	1	0	2	1
	ROCHESTER	80	60	87	52	70	0	0.97	0.05	0.63	9.81	100	20.02	92	96	56	0	0	4	1
	ST. CLOUD	82	59	88	51	71	1	0.54	-0.24	0.48	13.73	181	22.40	132	94	46	0	0	2	0
MT	COLUMBIA	86	69	95	58	77	-2	1.02	0.19	0.98	13.83	160	25.89	101	94	60	3	0	2	1
	KANSAS CITY	86	69	96	60	77	-1	0.10	-0.75	0.10	18.40	182	30.48	124	94	58	3	0	1	0
	SAINT LOUIS	88	73	97	62	80	0	0.25	-0.64	0.24	9.21	106	31.76	119	89	53	4	0	2	0
NC	SPRINGFIELD	90	71	97	61	80	1	0.00	-0.83	0.00	9.61	112	33.74	123	89	47	4	0	0	0
	JACKSON	96	76	100	73	86	3	0.75	-0.39	0.56	11.50	117	45.67	126	96	51	7	0	4	1
	MERIDIAN	94	74	97	72	84	1	0.69	-0.44	0.32	12.60	125	38.41	105	97	56	7	0	4	0
ND	TUPELO	93	74	99	71	84	1	0.02	-0.96	0.02	12.35	126	44.89	124	95	52	5	0	1	0
	BILLINGS	86	60	91	58	73	-2	0.13	-0.09	0.12	3.38	96	14.35	149	83	35	2	0	2	0
	BUTTE	80	49	82	44	64	-1	1.28	1.01	0.65	3.79	101	10.58	123	90	28	0	0	6	1
NE	CUT BANK	79	52	83	50	65	-2	0.22	-0.01	0.09	5.00	133	7.55	105	96	37	0	0	4	0
	GREAT FALLS	83	54	86	50	69	-2	0.39	0.17	0.35	3.78	94	11.55	115	94	34	0	0	3	0
	HAVRE	83	59	85	57	71	-1	2.59	2.37	1.73	5.26	128	9.97	120	94	41	0	0	4	2
NH	MISSOULA	88	55	94	52	72	1	1.23	1.09	1.00	2.95	97	9.17	102	83	25	3	0	2	1
	ASHEVILLE	87	70	92	64	79	4	4.94	3.83	2.03	13.15	134	32.41	109	96	59	3	0	5	3
	CHARLOTTE	93	74	102	69	83	3	2.34	1.35	1.67	8.19	101	25.78	99	92	51	6	0	5	1
NJ	GREENSBORO	89	72	95	66	80	2	0.59	-0.48	0.28	14.60	170	34.25	133	96	57	5	0	3	0
	HATTERAS	89	77	92	74	83	1	0.98	-0.40	0.81	11.24	110	33.83	105	94	63	4	0	3	1
	RALEIGH	92	73	99	63	82	2	0.93	-0.32	0.86	12.27	132	29.50	111	94	49	5	0	3	1
NM	WILMINGTON	90	75	96	67	82	1	2.28	0.69	1.55	13.87	106	28.83	90	98	63	4	0	4	1
	BISMARCK	80	61	91	58	71	-2	0.20	-0.43	0.20	6.90	104	15.58	126	93	54	1	0	1	0
	DICKINSON	77	59	84	57	68	-3	0.72	0.28	0.53	9.04	158	17.34	161	98	59	0	0	4	1
NV	FARGO	79	57	90	48	68	-3	0.10	-0.44	0.10	6.95	92	13.61	91	96	51	1	0	1	0
	GRAND FORKS	81	53	86	45	67	-2	0.07	-0.56	0.07	7.62	102	13.05	97	91	41	0	0	1	0
	JAMESTOWN	77	57	84	52	67	-3	0.01	-0.61	0.01	5.41	76	7.93	61	96	52	0	0	1	0
NY	GRAND ISLAND	85	66	97	59	75	-1	0.64	-0.17	0.39	14.87	191	21.01	118	93	56	3	0	4	0
	LINCOLN	86	66	98	54	76	-2	1.27	0.61	1.07	10.85	136	17.67	94	95	55	3	0	3	1
	NORFOLK	83	65	94	57	74	-1	1.02	0.37	0.76	14.31	189	21.64	126	95	62	2	0	2	1
OH	NORTH PLATTE	87	63	102	59	75	-1	1.66	0.88	1.20	8.44	121	15.77	110	95	51	3	0	5	1
	OMAHA	86	67	97	55	77	-1	1.07	0.23	0.81	9.82	118	18.57	94	94	53	3	0	2	1
	SCOTTSBLUFF	85	58	99	55	72	-4	0.90	0.59	0.43	5.67	131	13.71	125	96	40	2	0	4	0
PA	VALENTINE	85	64	100	57	75	-1	0.48	-0.09	0.35	9.49	136	18.17	126	97	52	2	0	3	0
	CONCORD	85	59	97	47	72	1	1.01	0.13	0.94	6.07	79	26.81	114	97	45	3	0	3	1
	ATLANTIC_CITY	89	69	98	58	79	2	3.17	2.14	3.11	10.58	126	31.35	120	92	53	4	0	2	1
RI	NEWARK	91	71	101	62	81	3	0.91	-0.21	0.90	8.19	87	24.85	89	79	42	5	0	2	1
	ALBUQUERQUE	90	67	96	66	78	0	0.45	0.04	0.24	2.77	119	4.54	100	64	23	4	0	2	0
	ELY	88	46	89	43	67	-4	0.00	-0.17	0.00	0.02	1	3.78	63	40	5	0	0	0	0
SD	LAS VEGAS	104	80	105	75	92	-2	0.00	-0.09	0.00	0.03	6	2.09	83	18	5	7	0	0	0
	RENO	89	60	91	58	74	-3	0.60	0.53	0.55	1.44	228	5.61	118	56	14	3	0	2	1
	WINNEMUCCA	91	52	94	45	71	-4	0.07	0.04	0.07	0.07	10	2.80	52	61	12	6	0	1	0
TN	ALBANY	83	62	92	54	73	0	1.72	0.70	0.95	8.36	94	27.43	117	93	44	3	0	2	2
	BINGHAMTON	80	62	88	51	71	2	0.69	-0.26	0.54	10.15	115	29.59	121	94	50	0	0	2	1
	BUFFALO	82	62	90	51	72	1	0.78	0.00	0.62	4.27	62	19.69	88	91	43	1	0	2	1
TX	ROCHESTER	82	60	90	49	71	-1	0.39	-0.42	0.37	9.57	133	27.43	135	95	43	1	0	2	0
	SYRACUSE	83	62	90	52															

Weather Data for the Week Ending August 2, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
OK	YOUNGSTOWN	82	59	90	48	71	-1	0.86	-0.06	0.42	11.11	132	30.83	125	98	52	1	0	4	0
	OKLAHOMA CITY	92	72	101	70	82	0	0.51	-0.23	0.31	11.15	134	34.39	153	90	46	5	0	2	0
	TULSA	93	75	101	69	84	0	1.02	0.29	1.02	18.78	217	44.74	178	85	49	5	0	1	1
OR	ASTORIA	69	55	71	48	62	0	0.00	-0.15	0.00	1.43	44	27.20	71	97	62	0	0	0	0
	BURNS	87	49	91	45	68	-2	0.08	0.02	0.07	1.28	123	7.80	123	86	20	1	0	2	0
	EUGENE	87	54	92	51	71	1	0.00	-0.04	0.00	0.55	35	20.35	89	89	30	1	0	0	0
	MEDFORD	94	63	98	58	78	2	0.00	-0.06	0.00	0.51	53	11.54	112	66	22	7	0	0	0
	PENDLETON	91	62	97	57	76	1	0.22	0.17	0.18	0.27	20	6.09	75	60	20	5	0	2	0
	PORTLAND	84	60	91	57	72	0	0.00	-0.08	0.00	2.29	106	19.62	97	79	37	1	0	0	0
PA	SALEM	86	57	92	53	72	1	0.00	-0.03	0.00	0.85	56	19.61	89	78	32	1	0	0	0
	ALLENTOWN	86	65	94	55	76	0	1.06	-0.14	0.51	9.59	95	30.79	113	96	53	3	0	4	1
	ERIE	80	62	88	51	71	-2	0.50	-0.30	0.39	8.15	112	25.41	109	95	54	0	0	2	0
	MIDDLETOWN	88	69	94	60	78	1	0.20	-0.86	0.20	13.20	146	33.95	132	92	52	4	0	1	0
	PHILADELPHIA	90	72	98	64	81	2	1.22	0.16	0.78	8.65	99	25.87	101	92	49	5	0	2	1
	PITTSBURGH	85	67	92	58	76	3	0.09	-0.81	0.08	9.63	111	28.43	116	88	47	3	0	2	0
	WILKES-BARRE	84	63	93	52	73	0	0.65	-0.30	0.27	11.16	145	27.91	129	95	50	3	0	4	0
	WILLIAMSPORT	86	64	95	51	75	1	0.58	-0.56	0.31	8.92	101	25.47	103	95	45	4	0	2	0
	PROVIDENCE	85	64	97	55	74	0	0.89	0.13	0.43	7.85	112	29.63	110	95	47	3	0	3	0
RI	CHARLESTON	93	77	99	74	85	3	2.79	1.27	1.42	12.58	94	25.88	87	94	57	6	0	3	2
SC	COLUMBIA	95	76	101	73	86	4	0.37	-0.91	0.28	12.51	117	32.97	120	91	48	6	0	4	0
	FLORENCE	93	74	103	68	84	2	3.16	1.90	1.17	10.95	101	26.77	100	95	57	6	0	4	3
	GREENVILLE	91	73	100	66	82	2	2.44	1.22	1.31	9.20	101	31.40	106	91	52	5	0	5	2
SD	ABERDEEN	80	63	91	59	71	-1	0.19	-0.37	0.11	10.78	154	19.57	137	94	59	1	0	2	0
	HURON	82	63	96	59	73	-1	0.35	-0.34	0.27	7.11	102	14.27	94	94	59	1	0	2	0
	RAPID CITY	84	62	93	60	73	-1	2.13	1.63	1.38	8.10	153	19.05	152	89	47	1	0	4	1
TN	SIOUX FALLS	81	62	92	58	71	-3	1.88	1.11	0.76	10.42	135	17.72	100	94	59	1	0	4	2
	BRISTOL	86	69	93	64	77	2	4.49	3.36	1.35	16.72	181	35.76	126	99	65	1	0	5	4
	CHATTANOOGA	92	75	96	72	84	3	1.84	0.83	0.78	10.47	109	42.28	125	92	52	6	0	4	1
	KNOXVILLE	89	73	95	70	81	2	1.75	0.72	1.26	7.85	80	35.57	107	94	55	4	0	3	1
	MEMPHIS	93	77	100	70	85	2	0.00	-1.01	0.00	3.62	39	26.69	77	86	50	5	0	0	0
	NASHVILLE	93	75	98	68	84	3	0.03	-0.79	0.03	10.40	118	39.43	125	79	46	5	0	1	0
TX	ABILENE	98	72	103	69	85	-1	0.39	0.00	0.39	5.51	100	15.80	107	77	30	7	0	1	0
	AMARILLO	88	65	93	63	77	-3	0.50	-0.17	0.49	8.00	136	18.20	150	91	40	3	0	2	0
	AUSTIN	100	75	102	70	87	0	0.00	-0.42	0.00	7.69	133	23.04	111	83	30	7	0	0	0
	BEAUMONT	93	75	97	73	84	0	0.62	-0.72	0.62	12.93	93	35.57	102	96	55	5	0	1	1
	BROWNSVILLE	98	77	101	75	87	0	0.00	-0.37	0.00	6.13	123	20.60	168	92	43	7	0	0	0
	CORPUS CHRISTI	99	73	102	68	86	0	0.00	-0.38	0.00	7.52	121	15.89	95	99	40	7	0	0	0
	DEL RIO	99	76	102	72	88	-1	0.00	-0.37	0.00	4.46	113	6.57	60	73	27	7	0	0	0
	EL PASO	95	71	101	65	83	-1	0.63	0.22	0.32	3.15	129	3.89	95	72	28	6	0	3	0
	FORT WORTH	98	78	104	76	89	2	0.00	-0.35	0.00	4.48	76	24.34	108	73	34	7	0	0	0
	GALVESTON	92	81	94	78	86	0	0.15	-0.44	0.07	4.79	61	16.39	73	86	57	6	0	2	0
	HOUSTON	97	80	101	77	88	3	0.00	-0.70	0.00	11.71	117	31.15	106	86	42	7	0	0	0
	LUBBOCK	94	71	99	69	83	1	1.18	0.87	1.18	11.78	254	16.59	150	76	35	6	0	1	1
	MIDLAND	97	73	98	69	85	0	0.20	-0.19	0.20	4.79	135	6.10	78	71	27	7	0	1	0
	SAN ANGELO	96	68	99	62	82	-4	0.09	-0.19	0.09	9.91	281	19.44	167	79	29	7	0	1	0
	SAN ANTONIO	99	74	101	67	87	1	0.00	-0.33	0.00	10.37	179	23.38	125	83	28	7	0	0	0
	VICTORIA	98	73	100	70	85	0	0.17	-0.44	0.15	15.35	196	29.74	125	98	38	7	0	2	0
	WACO	98	73	102	68	86	-1	0.00	-0.35	0.00	12.50	237	28.78	133	87	36	7	0	0	0
	WICHITA FALLS	96	73	102	68	84	-1	1.69	1.25	1.69	9.37	170	28.85	175	84	37	6	0	1	1
UT	SALT LAKE CITY	97	70	100	65	83	1	0.00	-0.12	0.00	0.46	31	5.76	58	30	7	7	0	0	0
VA	LYNCHBURG	87	69	95	59	78	2	2.53	1.54	1.03	11.76	142	32.40	125	100	63	4	0	5	3
	NORFOLK	89	75	95	72	82	1	1.95	0.35	1.31	8.26	75	26.21	93	93	59	4	0	3	1
	RICHMOND	90	72	98	63	81	2	0.64	-0.43	0.33	13.84	148	37.63	142	95	54	5	0	3	0
	ROANOKE	87	70	93	59	78	0	2.73	1.82	0.89	8.39	91	28.15	106	96	58	4	0	5	3
	WASH/DULLES	89	69	95	59	79	1	0.94	0.07	0.60	11.57	133	26.37	101	96	53	5	0	3	1
	BURLINGTON	82	61	91	50	72	-1	0.67	-0.19	0.65	6.67	77	24.38	113	91	41	1	0	2	1
WA	OLYMPIA	83	51	90	46	67	1	0.00	-0.11	0.00	0.46	22	17.96	67	95	36	1	0	0	0
	QUILLAYUTE	70	51	72	43	60	0	0.01	-0.35	0.01	1.85	37	35.50	65	97	53	0	0	1	0
	SEATTLE-TACOMA	79	57	85	55	68	0	0.00	-0.13	0.00	0.61	29	15.23	73	83	39	0	0	0	0
	SPOKANE	89	65	97	59	77	4	0.00	-0.07	0.00	0.65	40	8.78	90	53	20	3	0	0	0
	YAKIMA	92	61	97	53	76	3	0.01	-0.03	0.01	0.05	6	4.93	106	69	20	5	0	1	0
	EAU CLAIRE	82	59	91	48	71	-1	0.46	-0.41	0.45	9.52	109	20.63	104	94	43	1	0	2	0
WI	GREEN BAY	81	60	90	50	70	0	0.04	-0.72	0.04	7.63	96	17.60	93	94	48	1	0	1	0
	LA CROSSE	83	62	93	55	73	-2	1.17	0.26	0.98	11.83	123	24.11	108	94	44	2	0	3	1
	MADISON	81	60	90	50	71	-1	0.85	-0.09	0.80	12.66	125	24.60	106	97	52	2	0	3	1
	MILWAUKEE	80	66	91	56	73	-1	1.19	0.44	1.19	7.91	98	20.99	99	87	52	1	0	1	1
	BECKLEY	82	66	88	58	74	3	1.03	-0.13	0.83	6.66	69	31.85	113	96	63	0	0	5	1
	CHARLESTON	87	69	94	64															

National Agricultural Summary

July 28 – August 3, 2025

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

The week brought mixed conditions across key U.S. agricultural regions. Temperatures were below normal in parts of the northern and central Great Plains, as well as the upper and middle Mississippi Valley, with some areas recording temperatures up to 4°F below normal. Much of the eastern U.S. experienced near-normal temperatures, except for 2 to 4°F above normal in parts of the Southeast.

Meanwhile, rainfall was observed in much of the northern Great Plains and upper Mississippi Valley, leading to localized flooding and fieldwork delays. Portions of the Southeast also received significant precipitation, with some areas recording more than twice the normal amount. In contrast, dry conditions prevailed across portions of the Great Lakes and New England States.

Corn: Eighty-eight percent of the nation's corn had reached the silking stage by August 3, two percentage points ahead of last year but 1 point behind the 5-year average. Forty-two percent of the corn was at the dough stage by week's end, 2 percentage points behind last year but 2 points ahead of average. Six percent of the corn had reached the dented stage by August 3, equal to both last year and the average. On August 3, seventy-three percent of the nation's corn was rated in good to excellent condition, unchanged from the previous week. In Iowa, the largest corn-producing state, 85 percent of the corn was rated in good to excellent condition.

Soybeans: Nationally, 85 percent of the soybeans had reached the blooming stage by August 3, equal to last year but 1 percentage point behind the 5-year average. Fifty-eight percent of the soybeans had begun setting pods by week's end, 1 percentage point ahead of last year but equal to the average. On August 3, sixty-nine percent of the nation's soybean crop was rated in good to excellent condition, 1 percentage point below last week.

Winter Wheat: Eighty-six percent of the nation's winter wheat acreage had been harvested by August 3, one percentage point behind both last year and the 5-year average. Harvest of the 2025 winter wheat crop was at or beyond 95 percent in 11 of the 18 estimating states.

Cotton: By August 3, eighty-seven percent of the nation's cotton had reached the squaring stage, 3 percentage points behind last year and 2 points behind the 5-year average. Fifty-five percent of the cotton was setting bolls by week's end, 4 percentage points behind last year and 3 points behind average. By August 3, five percent of the cotton had bolls opening, 2 percentage points behind last year and 1 point behind average. Fifty-five percent of the nation's cotton was rated in good to excellent condition by August 3, unchanged from the previous week.

Sorghum: Fifty-one percent of the nation's sorghum had reached the headed stage by August 3, ten percentage points behind last year and 5 points behind the 5-year average. Twenty-

three percent of the sorghum had reached the coloring stage by week's end, 2 percentage points behind last year and 1 point behind average. On August 3, sixty-six percent of the nation's sorghum was rated in good to excellent condition, unchanged from the previous week.

Rice: Seventy-five percent of the nation's rice had reached the headed stage by August 3, four percentage points behind last year but 8 points ahead of the 5-year average. Six percent of the rice had been harvested by August 3, equal to last year but 1 percentage point ahead of average. Seventy-eight percent of the nation's rice was rated in good to excellent condition by August 3, one percentage point above the previous week.

Other Small Grains: Nationally, 41 percent of the oats had been harvested by August 3, four percentage points behind last year and 5 points behind the 5-year average. On August 3, fifty-eight percent of the oats were rated in good to excellent condition, unchanged from the previous week.

By August 3, ninety percent of the nation's barley had headed, 6 percentage points behind last year and 8 points behind the 5-year average. Five percent of the barley acreage had been harvested by August 3, one percentage point behind last year and 5 points behind average. On August 3, forty-two percent of the nation's barley was rated in good to excellent condition, unchanged from the previous week.

Ninety-five percent of the nation's spring wheat was headed by August 3, two percentage points behind last year and 3 points behind the 5-year average. Five percent of the spring wheat acreage had been harvested by week's end, equal to last year but 4 percentage points behind average. On August 3, forty-eight percent of the spring wheat was rated in good to excellent condition, 1 percentage point below the previous week.

Other Crops: Ninety-two percent of the nation's peanut crop had reached the pegging stage by August 3, one percentage point ahead of last year and 2 points ahead of the 5-year average. On August 3, seventy-three percent of the peanuts were rated in good to excellent condition, five percentage points above last week.

Crop Progress and Condition

Week Ending August 3, 2025

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
CO	69	36	47	75
IL	93	92	96	95
IN	88	74	87	90
IA	91	84	92	93
KS	91	77	85	87
KY	89	79	84	89
MI	79	56	78	81
MN	78	73	87	90
MO	96	91	95	94
NE	96	76	88	94
NC	98	96	97	97
ND	71	54	75	76
OH	90	65	87	85
PA	58	47	67	60
SD	78	69	92	85
TN	95	89	95	96
TX	94	91	95	93
WI	70	56	78	76
18 Sts	86	76	88	89
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dough				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
CO	9	2	10	15
IL	53	35	53	48
IN	38	19	33	36
IA	49	34	53	47
KS	67	36	51	52
KY	45	41	53	44
MI	20	17	32	22
MN	28	8	23	34
MO	74	48	65	62
NE	49	20	40	42
NC	82	81	87	77
ND	10	3	17	10
OH	44	20	40	29
PA	6	7	27	10
SD	28	9	25	28
TN	70	59	76	70
TX	81	76	78	76
WI	23	10	19	20
18 Sts	44	26	42	40
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dented				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
CO	0	NA	0	1
IL	3	NA	1	2
IN	2	NA	0	1
IA	7	4	9	6
KS	9	NA	4	8
KY	20	10	20	21
MI	1	NA	0	0
MN	0	0	0	2
MO	19	NA	10	7
NE	4	NA	1	3
NC	53	58	71	42
ND	0	NA	1	0
OH	0	NA	0	0
PA	0	NA	0	0
SD	0	NA	0	1
TN	26	13	30	19
TX	64	59	64	62
WI	3	0	3	1
18 Sts	6	NA	6	6
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	9	8	9	70	4
IL	4	5	22	52	17
IN	3	8	27	51	11
IA	1	2	12	57	28
KS	3	9	26	44	18
KY	2	7	28	55	8
MI	1	8	35	40	16
MN	2	5	18	51	24
MO	1	4	16	58	21
NE	1	3	17	55	24
NC	1	3	19	60	17
ND	1	6	22	66	5
OH	1	5	35	52	7
PA	1	5	17	55	22
SD	1	4	18	52	25
TN	1	6	22	50	21
TX	2	12	32	36	18
WI	1	3	15	57	24
18 Sts	2	5	20	53	20
Prev Wk	2	5	20	53	20
Prev Yr	3	7	23	51	16

Soybeans Percent Blooming				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AR	99	95	97	95
IL	91	81	88	87
IN	85	70	82	84
IA	89	81	89	91
KS	75	63	72	76
KY	73	61	71	70
LA	99	100	100	99
MI	87	69	88	87
MN	82	77	85	90
MS	99	93	96	95
MO	76	67	78	74
NE	95	73	82	93
NC	78	72	84	72
ND	71	85	92	84
OH	89	75	85	85
SD	77	65	81	82
TN	83	69	77	80
WI	79	76	83	84
18 Sts	85	76	85	86
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AR	87	80	87	81
IL	74	50	66	61
IN	58	41	55	54
IA	56	52	65	66
KS	39	27	35	43
KY	52	40	53	50
LA	88	89	92	90
MI	49	26	48	59
MN	46	36	57	62
MS	90	80	85	84
MO	50	34	49	43
NE	70	29	57	65
NC	50	47	55	47
ND	36	35	61	52
OH	66	39	59	54
SD	41	14	38	52
TN	65	44	57	55
WI	46	36	55	51
18 Sts	57	41	58	58
These 18 States planted 96% of last year's soybean acreage.				

Crop Progress and Condition

Week Ending August 3, 2025

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	7	31	41	20
IL	4	7	26	48	15
IN	3	7	27	53	10
IA	1	2	17	59	21
KS	1	5	22	57	15
KY	1	4	27	59	9
LA	0	0	7	91	2
MI	2	13	34	45	6
MN	1	5	21	53	20
MS	1	4	28	46	21
MO	1	5	18	65	11
NE	1	3	21	56	19
NC	1	2	27	61	9
ND	1	6	30	60	3
OH	1	4	36	51	8
SD	1	4	23	53	19
TN	2	6	25	49	18
WI	1	3	15	57	24
18 Sts	2	5	24	54	15
Prev Wk	1	5	24	55	15
Prev Yr	2	6	24	54	14

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AR	100	100	100	100
CA	94	95	97	96
CO	98	92	96	96
ID	24	19	33	29
IL	100	99	100	99
IN	100	99	100	100
KS	100	99	100	99
MI	95	73	89	89
MO	100	100	100	100
MT	47	15	30	40
NE	97	79	92	92
NC	100	100	100	100
OH	100	97	100	100
OK	100	100	100	100
OR	72	50	68	70
SD	83	55	79	86
TX	100	99	100	100
WA	45	35	54	45
18 Sts	87	80	86	87
These 18 States harvested 91% of last year's winter wheat acreage.				

Cotton Percent Squaring				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AL	95	89	93	95
AZ	100	100	100	100
AR	99	94	98	99
CA	94	90	95	93
GA	94	93	96	95
KS	96	85	95	91
LA	93	90	92	98
MS	97	72	81	94
MO	93	86	90	90
NC	98	92	93	93
OK	94	77	95	87
SC	99	83	90	93
TN	97	72	81	93
TX	86	75	83	86
VA	97	88	96	96
15 Sts	90	80	87	89
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AL	71	61	75	75
AZ	95	63	85	92
AR	90	66	81	90
CA	58	45	60	57
GA	67	58	72	69
KS	70	27	48	56
LA	74	59	75	84
MS	73	43	55	73
MO	55	37	51	59
NC	77	62	72	63
OK	47	15	43	43
SC	86	44	60	69
TN	73	45	58	68
TX	51	40	47	49
VA	78	46	64	69
15 Sts	59	44	55	58
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Bolls Opening				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AL	1	NA	1	1
AZ	56	16	30	31
AR	12	5	7	5
CA	0	NA	0	0
GA	1	NA	1	1
KS	2	NA	0	1
LA	4	3	12	9
MS	1	1	7	3
MO	0	NA	0	0
NC	0	0	1	0
OK	0	NA	0	0
SC	1	NA	1	0
TN	2	0	0	1
TX	9	NA	6	8
VA	0	NA	0	0
15 Sts	7	NA	5	6
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	0	8	14	67	11
AZ	2	1	5	80	12
AR	0	3	26	42	29
CA	0	0	0	5	95
GA	0	4	29	57	10
KS	0	9	37	42	12
LA	0	0	39	60	1
MS	1	6	45	39	9
MO	0	16	27	57	0
NC	1	2	28	60	9
OK	1	5	32	61	1
SC	2	5	18	62	13
TN	2	7	30	50	11
TX	8	14	32	36	10
VA	0	1	6	93	0
15 Sts	5	10	30	45	10
Prev Wk	7	7	31	44	11
Prev Yr	12	15	28	37	8

Crop Progress and Condition

Week Ending August 3, 2025

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
ID	99	100	100	100
MN	100	100	100	100
MT	96	75	85	96
ND	96	96	98	98
SD	95	100	100	99
WA	100	100	100	100
6 Sts	97	92	95	98
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
ID	2	4	9	8
MN	3	0	5	13
MT	5	0	4	11
ND	1	0	1	3
SD	35	10	23	40
WA	19	11	24	19
6 Sts	5	1	5	9
These 6 States harvested 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	2	17	39	39	3
MN	0	2	13	77	8
MT	14	33	48	4	1
ND	1	3	32	57	7
SD	1	4	44	44	7
WA	7	41	36	13	3
6 Sts	4	13	35	43	5
Prev Wk	4	14	33	44	5
Prev Yr	1	3	22	63	11

Barley Percent Headed				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
ID	99	100	100	100
MN	100	96	99	100
MT	92	58	78	97
ND	96	95	97	98
WA	100	100	100	100
5 Sts	96	80	90	98
These 5 States planted 81% of last year's barley acreage.				

Barley Percent Harvested				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
ID	1	4	11	9
MN	6	1	4	18
MT	11	0	1	13
ND	2	0	3	5
WA	23	9	24	21
5 Sts	6	1	5	10
These 5 States harvested 85% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	2	7	25	65	1
MN	0	1	13	78	8
MT	2	24	66	7	1
ND	1	2	23	68	6
WA	4	46	34	15	1
5 Sts	2	14	42	39	3
Prev Wk	1	14	43	39	3
Prev Yr	0	6	22	66	6

Sorghum Percent Headed				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
CO	36	20	40	39
KS	55	19	36	43
NE	61	37	56	54
OK	45	30	40	41
SD	50	26	42	59
TX	86	85	87	86
6 Sts	61	39	51	56
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
CO	2	0	0	2
KS	9	3	6	6
NE	2	3	5	3
OK	15	8	13	14
SD	2	2	3	4
TX	69	68	70	68
6 Sts	25	21	23	24
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	1	1	22	71	5
KS	2	7	27	48	16
NE	1	1	20	46	32
OK	0	1	20	65	14
SD	2	6	40	48	4
TX	3	9	25	38	25
6 Sts	2	6	26	48	18
Prev Wk	3	5	26	49	17
Prev Yr	7	11	35	40	7

Rice Percent Headed				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AR	84	58	75	61
CA	54	45	55	52
LA	81	88	90	89
MS	93	79	91	83
MO	62	45	59	50
TX	99	91	95	93
6 Sts	79	63	75	67
These 6 States planted 100% of last year's rice acreage.				

Rice Percent Harvested				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AR	0	NA	0	0
CA	0	NA	0	0
LA	31	20	27	27
MS	0	NA	0	0
MO	0	NA	0	0
TX	15	6	15	16
6 Sts	6	NA	6	5
These 6 States harvested 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	0	3	23	45	29
CA	0	0	15	50	35
LA	2	2	12	74	10
MS	0	0	38	45	17
MO	0	3	21	66	10
TX	0	0	22	76	2
6 Sts	0	2	20	55	23
Prev Wk	0	3	20	57	20
Prev Yr	1	2	17	63	17

Crop Progress and Condition

Week Ending August 3, 2025

Pasture and Range Condition by Percent Week Ending Aug 3, 2025												
	VP	P	F	G	EX		VP	P	F	G	EX	
AL	0	2	19	62	17		NH	0	0	80	20	0
AZ	54	27	14	4	1		NJ	0	1	4	93	2
AR	2	9	36	42	11		NM	16	21	21	13	29
CA	0	0	65	25	10		NY	3	4	35	50	8
CO	1	18	23	45	13		NC	0	2	37	56	5
CT	0	0	85	10	5		ND	2	5	31	56	6
DE	4	10	39	44	3		OH	0	3	20	74	3
FL	0	1	12	43	44		OK	2	7	23	59	9
GA	2	9	36	45	8		OR	17	24	30	26	3
ID	7	26	27	27	13		PA	2	6	11	74	7
IL	2	5	31	47	15		RI	0	0	65	20	15
IN	2	6	30	53	9		SC	6	26	32	28	8
IA	1	2	16	62	19		SD	5	18	33	38	6
KS	4	8	20	55	13		TN	3	9	29	52	7
KY	1	5	21	57	16		TX	4	9	37	36	14
LA	1	4	30	59	6		UT	15	27	34	21	3
ME	0	2	23	64	11		VT	0	0	0	100	0
MD	4	12	30	44	10		VA	2	4	21	59	14
MA	0	0	49	40	11		WA	15	26	40	19	0
MI	3	11	27	42	17		WV	0	7	34	55	4
MN	2	6	26	47	19		WI	1	4	20	55	20
MS	2	5	29	49	15		WY	9	21	30	33	7
MO	0	2	12	75	11		48 Sts	10	16	30	33	11
MT	18	32	33	17	0							
NE	4	15	30	43	8		Prev Wk	9	17	29	34	11
NV	35	55	10	0	0		Prev Yr	13	18	34	29	6

Peanuts Percent Pegging				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
AL	89	83	88	91
FL	93	97	99	96
GA	96	94	96	96
NC	96	95	96	91
OK	64	53	63	63
SC	97	89	93	93
TX	66	55	72	65
VA	98	77	85	89
8 Sts	91	87	92	90
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	2	18	76	4
FL	0	1	37	55	7
GA	0	4	27	59	10
NC	2	2	11	65	20
OK	1	5	17	75	2
SC	1	6	14	68	11
TX	0	1	22	57	20
VA	0	0	7	85	8
8 Sts	0	3	24	62	11
Prev Wk	1	4	27	57	11
Prev Yr	1	4	24	61	10

Oats Percent Harvested				
	Prev Year	Prev Week	Aug 3 2025	5-Yr Avg
IA	82	49	64	77
MN	32	13	23	39
NE	90	59	77	86
ND	3	2	5	5
OH	79	34	66	79
PA	27	37	57	30
SD	65	27	50	64
TX	100	99	100	100
WI	42	23	37	33
9 Sts	45	29	41	46
These 9 States harvested 76% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	3	14	67	16
MN	1	3	18	64	14
NE	16	17	33	33	1
ND	2	4	25	62	7
OH	0	0	18	78	4
PA	0	1	27	70	2
SD	3	6	26	55	10
TX	23	26	31	15	5
WI	0	4	12	64	20
9 Sts	8	10	24	49	9
Prev Wk	7	10	25	48	10
Prev Yr	6	5	22	56	11

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending August 3, 2025



Crop Progress and Condition

Week Ending August 3, 2025



International Weather and Crop Summary

July 27 – August 2, 2025

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Widespread rain and cool temperatures continued across much of the continent, though early-week heat afflicted southeastern summer crops.

WESTERN FSU: Additional moderate to heavy showers across western and northern growing areas contrasted with lingering early-week heat closer to the Black Sea Coast.

EASTERN FSU: Rain continued across spring grain areas in the north, while dry but cooler weather favored open boll cotton farther south.

MIDDLE EAST: Hot weather in Turkey hastened the development of filling to maturing summer crops.

SOUTH ASIA: Southern India experienced a notably drier week compared to the previous one, while monsoon rainfall was widespread across other parts of the region.

EAST ASIA: Northern and northeastern China experienced severe flooding, landslides, and potential crop damage due to torrential downpours.

SOUTHEAST ASIA: Monsoon rainfall persisted across Thailand and neighboring regions, while parts of the Philippines and Indonesia experienced drier weather.

AUSTRALIA: Widespread albeit highly variable showers across the country's primary growing areas maintained or further improved soil moisture for vegetative winter crops.

MEXICO: Showers benefited summer crops on the southern plateau corn belt, while hotter, drier weather developed across northern Mexico.

CANADIAN PRARIES: Rain continued across the southern Prairies, while cool, mostly dry weather prevailed in northeastern production areas.


SOUTHEASTERN CANADA: Warm, mostly dry weather favored crop development and fieldwork, including winter wheat harvesting.



EUROPE

Total Precipitation(mm)

July 27 - August 2, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Widespread rain accompanied cool temperatures across much of central and northern Europe, while early-week heat in southeastern growing areas abated by week's end. A pronounced southward dip in the jet stream triggered additional widespread moderate to heavy showers and thunderstorms (10-75 mm, locally more) from eastern France* eastward into Poland and the northern Balkans, boosting moisture supplies for reproductive to filling corn, sunflowers, and soybeans. Furthermore, temperatures averaged 1 to 3°C below normal, minimizing the risk of adverse heat as crops advanced through the key temperature-

sensitive reproductive and filling stages of development. Conversely, early-week heat (35-40°C) in the southern Balkans further stressed filling corn, sunflowers, and soybeans, though showers and thunderstorms (5-45 mm) signaled the arrival of cooler air later in the period. Mostly dry weather prevailed in Spain as well as most of western and southern France, promoting fieldwork and summer crop development.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
July 27 - August 2, 2025



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Widespread showers in northern western growing areas contrasted with lingering heat adjacent to the Black Sea Coast. A stationary upper-air low over Europe triggered additional moderate to heavy showers and thunderstorms (10-130 mm) across Belarus, western and northern Ukraine, and northwestern Russia, maintaining ample moisture supplies for filling to maturing spring grains and reproductive to filling summer crops; spring grain and summer crop yield prospects remained good to excellent over central and northern growing areas. Conversely, rain tapered off to the south, with light to moderate showers in the central Southern

District (10-20 mm) giving way to totally dry conditions in southeastern Ukraine as well as southern-most portions of Russia. Temperatures for the week averaged up to 5°C above normal in these drier southern croplands, with daytime highs approaching or topping 38°C early in the monitoring period in southern Rostov, Krasnodar Krai, as well as the Stavropol Oblast. Consequently, heat- and drought-afflicted corn and sunflowers likely endured additional yield losses. However, the heat wave ended by the end of the week, with daytime high slipping into the lower to middle 30s (degrees C).

EASTERN FSU
Total Precipitation(mm)
July 27 - August 2, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Heavy rain in the north gave way to sunny skies and cooler-than-normal temperatures farther south. A slow-moving, upper-air low triggered moderate to very heavy showers (15-135 mm) across northern Kazakhstan and neighboring portions of central Russia, sustaining good to excellent yield prospects for late-flowering to filling spring wheat and barley. However, producers would welcome drier weather to facilitate spring grain drydown and

sustain the current excellent yield prospects. Farther south across the Commonwealth of Independent States, seasonably sunny skies and near- to below-normal temperatures (up to 3°C below normal in western Uzbekistan) eased recent heat stress and benefited open boll cotton. However, another round of unusual showers (10-65 mm) in Kyrgyzstan was detrimental for filling summer crops but provided supplemental moisture.

MIDDLE EAST
Total Precipitation(mm)
July 27 - August 2, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Mostly sunny and hot weather in Turkey persisted, though scattered albeit locally heavy showers arrived at week's end. Temperatures for the week averaged 3 to 6°C above normal on the Anatolian Plateau and up to 4°C above normal in the southeast (GAP Region). However, somewhat cooler weather (near-normal temperatures) arrived in the Aegean Region in western Turkey. Daytimes high spiked

into the upper 30s and lower 40s (degrees C) in central Turkey and reached 46.1°C in the southeast; the heat hastened summer crops toward or into maturity and likely further trimmed yield prospects. Later in the monitoring period, showers and thunderstorms (5-35 mm) provided localized moisture improvements, though most summer crops yields were set when the rain arrived.

SOUTH ASIA
Total Precipitation(mm)
July 27 - August 2, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTH ASIA


Heavy to very heavy monsoon rains (up to 300 mm) across much of South Asia generally fostered favorable conditions. However, while the abundant rainfall, especially in Bangladesh, has been largely positive, it has also raised concerns about the potential for waterlogging in some locations. After benefiting from a couple of weeks of rain, southern India, apart from its southwestern coastal belt, has reverted to drier weather patterns, potentially jeopardizing some crops.

Similarly, Pakistan's Sindh province, after receiving some rain last week, also experienced a return to drier weather, with water deficits potentially impacting several crops. Temperatures remained near normal across most of the region. However, Pakistan experienced higher-than-usual temperatures, with daytime highs in some areas reaching the upper 30s and lower 40s (degrees C). In other parts of the region, daytime temperatures peaked in the lower to middle 30s.

EASTERN ASIA

Total Precipitation(mm)

July 27 - August 2, 2025




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EASTERN ASIA

Driven by a stronger-than-usual western Pacific subtropical high, seasonal monsoon activity and the remnants of Tropical Cyclone Co-May triggered extensive rainfall in parts of northern and northeastern China. Totals up to 200 mm resulted in severe flooding, landslides, and potential crop damage. However, 10-100 mm of rainfall also provided welcome relief to some previously dry areas. Further west, parts of Xinjiang Province received as much as 50 mm of rainfall, benefiting cotton crops in that region. Meanwhile, Tropical Cyclone Co-May brought torrential rainfall, exceeding 200 mm, to southeastern China,


especially the Shanghai area, while monsoon activity caused excessive rainfall in southern coastal areas and Taiwan. Rainfall totals averaged 25-100 mm, although some localized areas recorded higher amounts up to 500 mm. In contrast, most other areas received little to no rain (less than 10 mm), with the exception of Japan's eastern coast around Tokyo and northern Japan, where Tropical Cyclone Krosa's passage resulted in rainfall averaging 10 to 100 mm. Temperatures throughout the region averaged 1 to 5°C above normal, with daytime highs typically ranging from the lower to upper 30s (degrees C).



SOUTHEAST ASIA

Monsoon showers continued across Thailand and neighboring regions, bringing an average of 25 to 200 mm of rainfall, with some areas receiving more than 300 mm. In the northern region of the Philippines, remnants of Tropical Cyclone Co-May combined with the Southwest Monsoon caused torrential downpours resulting in rainfall amounts of over 200 mm, with

some reports of almost 700 mm in some locations. Elsewhere, rainfall amounts varied from 10 to 100 mm, with some pockets of little to no rain. Across most of the region, temperatures averaged normal to above normal (up to 3°C above normal), with daytime highs ranging from the middle to upper 30s (degrees C) and nighttime lows in the lower to middle 20s.



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

AUSTRALIA


Widespread showers maintained or improved soil moisture for vegetative winter grains and oilseeds. Storms continued to traverse southern Australia approximately every three days, producing widespread albeit highly variable showers across the country's primary growing areas. During the

monitoring period, the storms netted 10 to 60 mm in Western Australia and 10 to 80 mm in northern New South Wales. Rain was much lighter (10 mm or less) over much of South Australia, Victoria, and southern New South Wales, but nevertheless still beneficial for vegetative wheat, barley, and rapeseed.

MEXICO

Total Precipitation(mm)

July 27 - August 2, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MEXICO

Much of the southern plateau corn belt continued to receive rain (10-50 mm), maintaining favorable growing conditions for summer crops. Farther north, however, a sputtering monsoon circulation resulted in dry weather or diminishing rainfall. Notably, little rain fell in north-central Mexico, extending as far south as Zacatecas and western and central San Luis Potosí. Some monsoon-related rain (10-25 mm,

locally more) occurred in northwestern Mexico, although showers waned as the week progressed. Additionally, building heat in Sonora and environs boosted weekly temperatures 1 to 3°C above normal. Meanwhile in eastern and southeastern Mexico, locally heavy showers (100 mm or more in a few spots) were largely limited to Puebla and northern Oaxaca, as well as the Gulf Coast States from Veracruz to Campeche.

CANADIAN PRAIRIES
Total Precipitation(mm)
July 27 - August 2, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


As the week began, cropland topsoil moisture in Saskatchewan was rated 35 percent very short to short, according to provincial reports, with some of the driest conditions noted in northern production areas. That pattern continued into early August, with the highest weekly rainfall totals (10-50 mm) occurring in southwestern Saskatchewan and southern Alberta. Agriculturally, Alberta continued to fare quite well, with 63 percent of major crops rated in good to excellent condition on July 29, versus the 5-year average of 53

percent. However, drought has trimmed prospects in northern production areas, including the Peace River Valley, where only 22 percent of major crops were rated good to excellent. Patchy dryness also persisted on the eastern Prairies, where a shift in wind direction delivered a round of unhealthy, smoky air originating in Canada's boreal forests. Northerly winds also brought cool weather, with temperatures averaging as much as 1 to 2°C below normal across the eastern Prairies, versus 1 to 2°C above normal in the Peace River Valley.

SOUTHEASTERN CANADA

Total Precipitation(mm)

July 27 - August 2, 2025




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA


Warm, mostly dry weather was ideal for winter wheat harvesting and promoted crop development. In fact, meaningful rainfall (10-50 mm) was largely confined to areas along and near the Lake Erie shoreline, while most other locations received 0 to 10 mm. Patchy dryness has developed from Lake Ontario eastward, but most fields retain

enough soil moisture to support normal pasture and crop growth. Warm weather accompanied the mostly dry regime, with temperatures averaging as much as 2°C above normal across southern Ontario. The highest readings observed across southeastern Canada during the week mostly ranged from 29 to 34°C.



Days Suitable for Fieldwork

Week Ending
August 3, 2025



Data obtained from USDA National Agricultural Statistics Service (NASS) weekly Crop Progress reports..

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).