



Volume 24, No.36

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL*	-	-	-	-	27	90.3	79.5	784,893
AR	-	-	-	-	29	88.3	73.8	1,643,729
AZ	-	-	-	-	10	83.3	64.7	257,371
CA	-	-	-	-	14	87.8	74.3	90,067
FL	-	-	-	-	4	92.5	82.8	130,020
GA*	-	-	-	-	59	93.0	82.1	2,616,144
KS	-	-	-	-	3	62.1	45.2	119,745
LA	-	-	-	-	18	64.2	38.9	355,581
MO	-	-	-	-	19	96.4	87.1	760,945
MS*	-	-	-	-	36	78.8	57.6	1,132,798
NC*	-	-	-	-	34	85.1	69.1	1,030,231
NM	-	-	-	-	3	67.3	54.9	27,465
OK	-	-	-	-	12	66.4	52.1	169,012
SC	-	-	-	-	13	87.5	75.0	434,221
TN	-	-	-	-	19	87.6	72.5	693,500
TX	-	-	-	-	161	65.6	50.5	3,190,606
VA	-	-	-	-	4	96.6	89.0	202,309
United States*	-	-	-	-	465	82.3	67.9	13,638,637
AMERICAN PIMA								
AZ*	-			-	3			27,131
CA	-			-	14			358,025
NM	-			-	3			31,067
TX	-			-	3			38,670
United States	-			-	23			454,893
United States all cotton	5			879	476			14,093,530

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	8.9	-	44.7	-	26.5	-	54.8	-	2.9	-	4.8
	3	-	10.6	-	9.8	-	7.3	-	10.3	-	1.7	-	3.9
	4	-	1.0	-	0.2	-	0.2	-	0.4	-	0.1	-	0.3
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	20.5	-	54.7	-	33.9	-	65.5	-	4.7	-	8.9
31	1 - 2	-	4.7	-	14.2	-	14.6	-	17.0	-	3.4	-	8.8
	3	-	25.5	-	20.7	-	22.6	-	8.7	-	17.9	-	26.1
	4	-	11.9	-	3.7	-	5.7	-	1.5	-	8.8	-	8.3
	5	-	1.3	-	0.3	-	0.4	-	0.1	-	1.0	-	0.7
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	43.4	-	38.9	-	43.3	-	27.4	-	31.2	-	43.9
41	1 - 2	-	0.7	-	0.3	-	1.1	-	0.3	-	1.6	-	2.0
	3	-	10.2	-	2.4	-	6.6	-	0.6	-	22.5	-	18.3
	4	-	13.3	-	2.0	-	6.2	-	0.8	-	24.1	-	14.7
	5	-	3.7	-	0.6	-	2.2	-	0.2	-	5.7	-	3.0
	6	-	0.4	-	0.1	-	0.6	-	*	-	0.4	-	0.2
	7	-	0.1	-	*	-	0.2	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-	-	*
Total	----	-	28.4	-	5.5	-	16.8	-	2.0	-	54.4	-	38.2
51	1 - 2	-	0.1	-	*	-	*	-	-	-	0.1	-	0.2
	3	-	1.6	-	*	-	0.1	-	*	-	2.3	-	2.6
	4	-	2.2	-	0.1	-	0.1	-	*	-	3.9	-	3.1
	5	-	0.7	-	*	-	0.2	-	*	-	1.1	-	0.9
	6	-	0.1	-	*	-	0.2	-	*	-	0.1	-	0.1
	7	-	*	-	*	-	0.1	-	-	-	*	-	*
	8	-	*	-	*	-	0.1	-	-	-	*	-	*
Total	----	-	4.7	-	0.2	-	0.8	-	*	-	7.5	-	6.9
61	1 - 2	-	*	-	-	-	-	-	-	-	*	-	*
	3	-	0.1	-	*	-	*	-	-	-	0.1	-	*
	4	-	0.1	-	*	-	-	-	-	-	0.1	-	*
	5	-	*	-	*	-	-	-	-	-	0.1	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.3	-	*	-	*	-	-	-	0.3	-	*
71	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	-	1.5	-	0.8	-	*	-	*
	3	-	*	-	*	-	0.8	-	0.7	-	*	-	*
	4	-	*	-	*	-	0.1	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	0.1	-	2.4	-	1.6	-	*	-	*
32	1 - 2	-	*	-	0.1	-	0.3	-	0.2	-	*	-	*
	3	-	0.3	-	0.2	-	0.6	-	0.6	-	0.3	-	0.2
	4	-	0.3	-	0.1	-	0.4	-	0.5	-	0.2	-	0.1
	5	-	*	-	*	-	0.1	-	0.1	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.7	-	0.3	-	1.4	-	1.4	-	0.5	-	0.3
42	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.3	-	0.1	-	0.1	-	0.3	-	0.4	-	0.4
	4	-	0.6	-	0.1	-	0.2	-	0.9	-	0.5	-	0.5
	5	-	0.3	-	*	-	0.3	-	0.6	-	0.1	-	0.2
	6	-	0.1	-	*	-	0.1	-	0.1	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	*	-	*	-	*	-	-	-	*
Total	----	-	1.2	-	0.2	-	0.7	-	1.9	-	1.0	-	1.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	0.1	-	0.1
	4	-	0.1	-	*	-	*	-	*	-	0.2	-	0.2
	5	-	0.1	-	*	-	*	-	0.1	-	0.1	-	0.1
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	0.1	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-	-	*
Total	----	-	0.3	-	*	-	0.2	-	0.1	-	0.3	-	0.4
62	1 - 2	-	*	-	*	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*	-	*
	4	-	0.1	-	*	-	-	-	-	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	*	-	*
Total	----	-	0.1	-	*	-	*	-	-	-	*	-	*
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	-	-	*
33	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	0.1	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	0.1	-	*
43	1 - 2	-	*	-	*	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	*	-	0.1	-	*	-	*	-	*
	5	-	*	-	*	-	0.1	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	0.2	-	*	-	0.2	-	*	-	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	0.1	-	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	*	-	*	-	-	-	-	-	*
24 - 54 25 - 35 81 - 85	1 - 8	-	*	-	*	-	*	-	*	-	*	-	*
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	*	-	*	-	-	-	*	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	*	-	-	-	*	-	*
32		-	0.1	-	*	-	*	-	*	-	0.1	-	0.1
33		-	0.7	-	*	-	0.1	-	*	-	1.0	-	1.0
34		-	4.5	-	0.2	-	0.8	-	2.0	-	5.8	-	5.5
35		-	11.8	-	3.9	-	4.5	-	8.9	-	16.0	-	14.1
36		-	19.1	-	16.6	-	14.4	-	17.5	-	26.7	-	22.7
37		-	32.7	-	29.9	-	37.1	-	33.2	-	27.9	-	35.6
38		-	19.7	-	24.9	-	26.3	-	21.6	-	14.9	-	15.3
39		-	8.6	-	17.1	-	11.5	-	12.8	-	6.7	-	4.7
40 & Longer		-	2.8	-	7.3	-	5.3	-	3.9	-	1.0	-	0.8
Average Staple		-	36.87	-	37.57	-	37.40	-	37.18	-	36.51	-	36.55
Average Length		-	1.15	-	1.17	-	1.17	-	1.16	-	1.14	-	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	32.6	-	4.1	-	72.9	-	22.1	-	1.3	-	17.5
	3	-	22.4	-	2.6	-	8.0	-	9.9	-	2.0	-	3.7
	4	-	2.4	-	0.1	-	0.1	-	0.3	-	0.2	-	0.1
	5	-	0.1	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	57.4	-	6.8	-	81.1	-	32.3	-	3.5	-	21.3
31	1 - 2	-	0.8	-	7.8	-	8.2	-	11.7	-	2.6	-	14.3
	3	-	6.4	-	25.2	-	7.9	-	32.2	-	23.4	-	18.2
	4	-	7.7	-	4.5	-	1.2	-	8.1	-	14.6	-	5.5
	5	-	2.8	-	0.1	-	0.1	-	0.5	-	1.4	-	1.0
	6	-	0.5	-	*	-	*	-	*	-	*	-	0.1
	7	-	0.1	-	-	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	18.3	-	37.7	-	17.4	-	52.5	-	42.1	-	39.1
41	1 - 2	-	*	-	1.7	-	0.1	-	0.5	-	0.7	-	1.0
	3	-	0.3	-	21.9	-	0.4	-	5.2	-	16.4	-	5.1
	4	-	1.1	-	16.2	-	0.3	-	5.3	-	24.6	-	8.4
	5	-	1.3	-	2.2	-	0.1	-	1.3	-	6.9	-	10.0
	6	-	0.8	-	0.1	-	*	-	0.1	-	0.6	-	6.0
	7	-	0.5	-	*	-	*	-	*	-	*	-	1.8
	8	-	0.2	-	*	-	-	-	*	-	-	-	0.3
Total	----	-	4.1	-	42.1	-	0.9	-	12.4	-	49.2	-	32.5
51	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	-	-	1.1	-	0.1	-	0.1	-	0.5	-	0.1
	4	-	-	-	2.0	-	*	-	0.4	-	1.3	-	0.1
	5	-	-	-	0.7	-	*	-	0.2	-	0.6	-	0.2
	6	-	*	-	0.1	-	*	-	0.1	-	0.1	-	0.7
	7	-	*	-	*	-	*	-	*	-	*	-	0.9
	8	-	*	-	-	-	-	-	*	-	-	-	0.8
Total	----	-	0.1	-	3.8	-	0.1	-	0.8	-	2.6	-	2.8
61	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	4.9	-	*	-	0.1	-	*	-	*	-	0.8
	3	-	5.6	-	*	-	0.1	-	*	-	*	-	0.1
	4	-	1.1	-	-	-	*	-	*	-	*	-	*
	5	-	0.1	-	-	-	-	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	11.7	-	*	-	0.2	-	*	-	*	-	1.0
32	1 - 2	-	0.1	-	*	-	*	-	*	-	*	-	0.1
	3	-	1.6	-	0.1	-	0.1	-	0.2	-	0.5	-	0.5
	4	-	1.6	-	*	-	0.1	-	0.1	-	0.5	-	0.8
	5	-	0.6	-	*	-	*	-	*	-	0.1	-	0.3
	6	-	0.1	-	-	-	-	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	4.2	-	0.2	-	0.3	-	0.3	-	1.1	-	1.7
42	1 - 2	-	*	-	0.2	-	*	-	*	-	*	-	*
	3	-	0.1	-	2.3	-	*	-	0.3	-	0.2	-	*
	4	-	0.3	-	1.6	-	*	-	0.5	-	0.7	-	0.2
	5	-	0.3	-	0.2	-	*	-	0.2	-	0.3	-	0.2
	6	-	0.1	-	*	-	*	-	*	-	*	-	0.2
	7	-	0.1	-	*	-	*	-	*	-	*	-	0.3
	8	-	*	-	*	-	-	-	-	-	-	-	0.4
Total	----	-	0.9	-	4.5	-	*	-	1.0	-	1.2	-	1.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	0.1	-	*	-	*	-	-	-	-
	3	-	-	-	1.6	-	*	-	0.1	-	*	-	-
	4	-	-	-	2.0	-	*	-	0.2	-	0.1	-	-
	5	-	*	-	0.4	-	*	-	0.2	-	*	-	*
	6	-	*	-	*	-	*	-	0.1	-	*	-	*
	7	-	*	-	*	-	-	-	*	-	*	-	*
	8	-	*	-	*	-	-	-	*	-	-	-	0.2
Total	----	-	*	-	4.2	-	*	-	0.5	-	0.2	-	0.3
62	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	-	*	-	*	-	*	-	-
	4	-	-	-	0.1	-	-	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	*	-	*	-	*	-	-
13 & 23	1 - 2	-	0.1	-	-	-	*	-	*	-	-	-	-
	3	-	0.6	-	-	-	*	-	*	-	*	-	*
	4	-	0.2	-	-	-	-	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.9	-	-	-	*	-	*	-	*	-	*
33	1 - 2	-	0.1	-	-	-	*	-	*	-	*	-	-
	3	-	0.6	-	*	-	*	-	*	-	*	-	-
	4	-	0.6	-	*	-	*	-	*	-	*	-	-
	5	-	0.1	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.4	-	*	-	*	-	*	-	0.1	-	*
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	0.2	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	*	-	*	-	*	-	*	-	*
	5	-	0.1	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	-	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	*	-	*	-	*
	8	-	*	-	*	-	-	-	*	-	-	-	-
Total	----	-	0.4	-	0.1	-	*	-	*	-	0.1	-	0.1
53	1 - 2	-	*	-	*	-	-	-	*	-	-	-	-
	3	-	*	-	0.1	-	*	-	*	-	*	-	-
	4	-	*	-	0.2	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-	-	-
Total	----	-	*	-	0.3	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	0.1	-	*	-	*	-	-	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	*	-	*	-	*	-	-
24 - 54	1 - 8	-	0.3	-	*	-	*	-	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	0.1	-	*	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		-	0.1	-	-	-	-	-	-	-	*	-	-
31		-	0.5	-	*	-	*	-	*	-	*	-	-
32		-	3.6	-	0.2	-	*	-	*	-	*	-	-
33		-	12.2	-	1.2	-	*	-	0.1	-	0.3	-	*
34		-	19.0	-	4.4	-	0.3	-	1.2	-	1.9	-	3.0
35		-	20.9	-	9.5	-	3.8	-	4.8	-	8.0	-	9.9
36		-	22.2	-	16.6	-	16.2	-	10.5	-	22.1	-	16.0
37		-	17.8	-	25.2	-	30.5	-	29.0	-	40.9	-	23.9
38		-	2.5	-	19.3	-	25.8	-	25.3	-	18.5	-	20.6
39		-	0.8	-	17.2	-	17.8	-	18.9	-	6.7	-	10.2
40 & Longer		-	0.5	-	6.4	-	5.6	-	10.3	-	1.6	-	16.3
Average Staple		-	35.14	-	37.19	-	37.54	-	37.72	-	36.92	-	37.56
Average Length		-	1.10	-	1.16	-	1.17	-	1.18	-	1.15	-	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	10.4	-	0.8	-	37.2	-	26.3	-	1.2
	3	-	5.7	-	2.4	-	11.6	-	12.4	-	1.8
	4	-	0.3	-	0.3	-	0.4	-	1.6	-	0.1
	5	-	*	-	*	-	*	-	0.1	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	16.4	-	3.5	-	49.3	-	40.3	-	3.0
31	1 - 2	-	11.5	-	1.7	-	11.4	-	7.3	-	5.6
	3	-	26.0	-	19.5	-	20.1	-	16.3	-	46.1
	4	-	8.2	-	16.1	-	3.8	-	7.3	-	15.2
	5	-	0.6	-	2.9	-	0.2	-	1.9	-	0.6
	6	-	*	-	0.1	-	*	-	0.3	-	*
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	46.4	-	40.3	-	35.4	-	33.2	-	67.5
41	1 - 2	-	2.5	-	0.2	-	0.7	-	1.3	-	1.0
	3	-	12.7	-	10.5	-	4.5	-	4.9	-	14.3
	4	-	8.4	-	24.8	-	3.7	-	3.2	-	11.4
	5	-	2.5	-	9.7	-	0.6	-	1.4	-	1.5
	6	-	0.6	-	1.1	-	*	-	0.7	-	0.1
	7	-	0.1	-	0.1	-	*	-	0.3	-	*
	8	-	*	-	-	-	-	-	0.1	-	-
Total	----	-	26.8	-	46.5	-	9.6	-	11.7	-	28.2
51	1 - 2	-	*	-	*	-	*	-	0.2	-	*
	3	-	0.2	-	1.4	-	*	-	1.0	-	0.2
	4	-	0.4	-	3.7	-	0.1	-	0.5	-	0.2
	5	-	0.6	-	2.0	-	*	-	0.1	-	*
	6	-	0.3	-	0.4	-	*	-	*	-	-
	7	-	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	1.6	-	7.5	-	0.2	-	1.9	-	0.4
61	1 - 2	-	-	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	0.1	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	0.1	-	0.1	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	-	1.0	-	*	-	0.1	-	2.1	-	*
	3	-	0.6	-	*	-	0.1	-	1.3	-	*
	4	-	0.1	-	*	-	*	-	0.3	-	*
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.6	-	*	-	0.1	-	3.7	-	*
32	1 - 2	-	0.6	-	*	-	0.3	-	0.7	-	*
	3	-	1.1	-	0.2	-	1.5	-	1.2	-	0.3
	4	-	0.5	-	0.3	-	0.5	-	0.6	-	0.2
	5	-	0.1	-	0.1	-	*	-	0.1	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	2.4	-	0.6	-	2.3	-	2.6	-	0.5
42	1 - 2	-	0.1	-	*	-	*	-	0.4	-	*
	3	-	0.9	-	0.1	-	0.6	-	1.3	-	0.1
	4	-	1.1	-	0.5	-	0.9	-	0.9	-	0.1
	5	-	0.4	-	0.3	-	0.3	-	0.2	-	*
	6	-	0.1	-	0.1	-	*	-	0.1	-	*
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	2.6	-	1.1	-	1.8	-	2.9	-	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Mar 30, 2023											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	*	-	0.1	-	-
	3	-	*	-	*	-	*	-	0.7	-	*
	4	-	0.1	-	0.1	-	*	-	0.5	-	*
	5	-	*	-	0.1	-	*	-	0.1	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- 0.2	- 0.3		- 0.1		- 1.5		- *	
62	1 - 2	-	-	-	-	-	*	-	*	-	-
	3	-	-	-	-	-	*	-	0.1	-	-
	4	-	-	-	*	-	*	-	0.1	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- -	- *		- 0.1		- 0.1		- -	
13 & 23	1 - 2	-	0.2	-	-	-	*	-	0.1	-	*
	3	-	0.2	-	-	-	*	-	0.1	-	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- 0.4	- *		- *		- 0.3		- *	
33	1 - 2	-	0.1	-	*	-	*	-	0.1	-	*
	3	-	0.3	-	*	-	0.2	-	0.2	-	*
	4	-	0.2	-	*	-	0.1	-	0.1	-	*
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- 0.6	- 0.1		- 0.3		- 0.5		- *	
43	1 - 2	-	0.1	-	*	-	*	-	*	-	-
	3	-	0.2	-	*	-	0.2	-	0.2	-	*
	4	-	0.3	-	0.1	-	0.3	-	0.2	-	*
	5	-	0.1	-	*	-	0.1	-	0.1	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- 0.8	- 0.1		- 0.6		- 0.6		- *	
53	1 - 2	-	-	-	-	-	*	-	*	-	-
	3	-	*	-	*	-	*	-	0.1	-	-
	4	-	*	-	*	-	*	-	0.1	-	-
	5	-	*	-	*	-	*	-	0.1	-	-
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- *	- *		- *		- 0.3		- -	
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	*	-	*	-	-
	Total	----	- -	- -		- *		- *		- -	
24 - 54	1 - 8	-	0.3	-	*	-	*	-	0.1	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	*	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	*	-	-	-	-	-	0.1	-	-
31		-	*	-	-	-	-	-	0.5	-	-
32		-	0.2	-	*	-	*	-	1.5	-	*
33		-	1.4	-	0.2	-	*	-	4.0	-	0.2
34		-	5.0	-	1.5	-	0.2	-	9.3	-	1.2
35		-	8.8	-	6.9	-	2.6	-	15.8	-	7.2
36		-	13.5	-	15.5	-	11.3	-	21.4	-	20.3
37		-	26.0	-	33.6	-	40.2	-	27.0	-	43.8
38		-	19.0	-	22.4	-	30.3	-	12.8	-	20.1
39		-	14.6	-	14.2	-	12.8	-	5.6	-	6.3
40 & Longer		-	11.4	-	5.6	-	2.6	-	2.0	-	0.9
Average Staple		-	37.33	-	37.33	-	37.47	-	36.23	-	36.96
Average Length		-	1.17	-	1.17	-	1.17	-	1.13	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 30, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	1.0	-	0.2	-	1.7	-	4.5	-	0.7	-	0.7
Bark - Level 1	-	-	-	-	-	*	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	*	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	0.1	-	0.2	-	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.3	-	*	-	1.6	-	*	-	0.4	-	0.2
Seed Coat - Level 2	-	-	-	-	-	*	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	*	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*	-	*
24	-	*	-	*	-	*	-	-	-	*	-	0.1
25	-	0.1	-	*	-	*	-	*	-	0.2	-	0.3
26	-	0.6	-	*	-	0.3	-	*	-	0.7	-	1.4
27	-	2.3	-	0.4	-	1.3	-	0.7	-	2.6	-	4.8
28	-	7.8	-	4.9	-	4.2	-	3.1	-	7.7	-	12.8
29	-	19.7	-	19.6	-	9.3	-	6.8	-	16.3	-	23.6
30	-	28.3	-	31.9	-	15.1	-	13.3	-	23.6	-	26.2
31	-	23.4	-	25.9	-	22.6	-	19.3	-	20.1	-	17.7
32	-	11.8	-	11.7	-	21.4	-	15.9	-	16.0	-	8.5
33	-	4.6	-	3.8	-	13.3	-	10.4	-	8.8	-	3.2
34	-	1.1	-	1.2	-	7.2	-	9.4	-	2.8	-	1.0
35	-	0.2	-	0.4	-	3.1	-	8.4	-	0.8	-	0.3
36	-	0.1	-	0.1	-	1.4	-	5.9	-	0.3	-	0.1
37	-	*	-	*	-	0.5	-	4.8	-	0.1	-	*
38	-	*	-	-	-	0.2	-	1.7	-	*	-	*
39	-	-	-	-	-	*	-	0.1	-	*	-	-
40 & Above	-	-	-	-	-	*	-	0.2	-	-	-	-
Average	-	30.66	-	30.82	-	31.86	-	32.77	-	30.99	-	30.24
Mike	-	-	-	-	-	*	-	*	-	-	-	*
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	*
2.5	-	*	-	*	-	*	-	*	-	*	-	*
2.6	-	*	-	-	-	*	-	*	-	*	-	*
2.7	-	*	-	*	-	*	-	*	-	*	-	*
2.8	-	*	-	*	-	*	-	*	-	*	-	*
2.9	-	0.1	-	*	-	0.1	-	0.1	-	*	-	*
3.0	-	0.1	-	*	-	0.1	-	0.1	-	0.1	-	0.1
3.1	-	0.2	-	*	-	0.1	-	0.1	-	0.2	-	0.1
3.2	-	0.4	-	0.1	-	0.1	-	0.2	-	0.2	-	0.3
3.3	-	0.6	-	0.1	-	0.2	-	0.4	-	0.6	-	0.5
3.4	-	0.9	-	0.2	-	0.3	-	0.7	-	1.0	-	0.8
3.5	-	1.6	-	0.4	-	0.4	-	1.2	-	1.3	-	1.2
3.6	-	2.5	-	0.7	-	0.7	-	1.7	-	1.8	-	1.8
3.7	-	3.5	-	1.2	-	1.1	-	2.2	-	2.4	-	2.6
3.8	-	5.2	-	2.0	-	1.3	-	3.2	-	3.6	-	3.6
3.9	-	6.6	-	3.1	-	1.9	-	4.5	-	5.2	-	4.8
4.0	-	8.1	-	4.8	-	3.1	-	5.7	-	7.5	-	6.3
4.1	-	9.3	-	6.4	-	4.4	-	7.2	-	9.8	-	8.0
4.2	-	10.3	-	8.2	-	5.9	-	8.5	-	11.1	-	9.8
4.3	-	10.3	-	9.6	-	8.3	-	10.8	-	11.1	-	11.3
4.4	-	9.4	-	10.2	-	9.9	-	12.0	-	10.8	-	12.1
4.5	-	8.2	-	10.1	-	11.7	-	10.2	-	10.4	-	11.6
4.6	-	7.0	-	10.1	-	11.5	-	8.4	-	9.0	-	9.5
4.7	-	5.6	-	8.9	-	10.9	-	7.4	-	6.5	-	6.7
4.8	-	4.1	-	7.4	-	9.8	-	5.6	-	3.9	-	4.2
4.9	-	2.5	-	6.0	-	7.0	-	3.8	-	1.7	-	2.3
5.0	-	1.6	-	4.2	-	4.8	-	2.1	-	0.9	-	1.3
5.1	-	0.9	-	2.9	-	2.9	-	1.6	-	0.5	-	0.7
5.2	-	0.5	-	1.7	-	1.7	-	1.1	-	0.2	-	0.3
5.3	-	0.2	-	0.9	-	1.1	-	0.7	-	0.2	-	0.1
5.4	-	0.1	-	0.4	-	0.4	-	0.4	-	*	-	*
5.5 & Above	-	0.1	-	0.3	-	0.2	-	0.1	-	*	-	*
Average	-	4.25	-	4.47	-	4.53	-	4.36	-	4.28	-	4.31

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	19.0	-	0.5	-	*	-	0.6	-	0.8	-	14.2
Bark - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.3	-	*	-	0.2	-	0.2	-	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.3	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.4	-	*	-	*	-	*	-	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	*	-	*	-	*	-	-	-	-
23	-	*	-	*	-	*	-	*	-	-	-	*
24	-	0.2	-	*	-	*	-	*	-	*	-	*
25	-	0.5	-	0.1	-	*	-	*	-	*	-	0.2
26	-	1.5	-	0.7	-	*	-	0.1	-	0.1	-	0.7
27	-	3.8	-	2.0	-	0.9	-	0.6	-	0.9	-	3.7
28	-	11.1	-	5.5	-	6.6	-	3.1	-	4.5	-	8.2
29	-	19.1	-	14.3	-	25.2	-	12.4	-	15.5	-	15.4
30	-	23.3	-	24.3	-	38.0	-	31.2	-	28.2	-	29.5
31	-	18.0	-	27.7	-	21.2	-	31.9	-	26.4	-	22.2
32	-	11.2	-	16.8	-	6.0	-	14.2	-	14.9	-	13.1
33	-	7.0	-	6.4	-	1.4	-	4.4	-	6.6	-	5.6
34	-	3.3	-	1.6	-	0.5	-	1.5	-	2.2	-	1.0
35	-	0.8	-	0.3	-	0.1	-	0.5	-	0.5	-	0.4
36	-	0.2	-	*	-	*	-	0.1	-	0.1	-	*
37	-	*	-	*	-	-	-	*	-	*	-	*
38	-	*	-	*	-	-	-	-	-	-	-	-
39	-	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	30.61	-	30.99	-	30.44	-	31.06	-	31.05	-	30.71
Mike	-	-	-	-	-	-	-	-	-	-	-	-
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	0.1
2.5	-	0.1	-	-	-	-	-	*	-	*	-	1.2
2.6	-	0.5	-	-	-	*	-	*	-	*	-	0.7
2.7	-	0.7	-	*	-	*	-	*	-	*	-	1.2
2.8	-	1.1	-	-	-	*	-	*	-	*	-	2.1
2.9	-	1.1	-	*	-	*	-	*	-	*	-	1.3
3.0	-	1.6	-	-	-	0.1	-	*	-	*	-	1.9
3.1	-	2.3	-	*	-	0.1	-	*	-	0.1	-	2.4
3.2	-	2.8	-	*	-	0.2	-	*	-	0.1	-	3.7
3.3	-	3.2	-	*	-	0.4	-	0.1	-	0.2	-	3.4
3.4	-	3.0	-	*	-	0.7	-	0.1	-	0.2	-	3.8
3.5	-	3.6	-	*	-	1.1	-	0.2	-	0.3	-	5.6
3.6	-	3.8	-	0.1	-	1.7	-	0.4	-	0.4	-	4.4
3.7	-	4.2	-	0.1	-	2.4	-	0.5	-	0.7	-	5.6
3.8	-	5.5	-	0.2	-	3.3	-	0.8	-	1.1	-	8.7
3.9	-	6.6	-	0.4	-	4.8	-	1.4	-	1.9	-	7.9
4.0	-	6.1	-	0.8	-	6.4	-	1.9	-	3.1	-	6.4
4.1	-	7.7	-	1.1	-	8.5	-	2.8	-	4.9	-	8.0
4.2	-	8.7	-	1.9	-	10.1	-	4.0	-	7.0	-	4.6
4.3	-	10.5	-	3.0	-	11.5	-	5.7	-	9.0	-	3.8
4.4	-	9.4	-	4.5	-	12.0	-	7.8	-	10.5	-	3.6
4.5	-	7.3	-	7.1	-	11.5	-	10.1	-	11.8	-	3.9
4.6	-	5.2	-	10.0	-	10.0	-	11.8	-	11.3	-	4.1
4.7	-	2.7	-	12.4	-	7.1	-	12.1	-	10.5	-	3.7
4.8	-	1.4	-	14.4	-	4.1	-	11.2	-	8.8	-	3.4
4.9	-	0.8	-	14.1	-	2.0	-	9.8	-	6.9	-	2.6
5.0	-	0.3	-	13.0	-	1.0	-	7.5	-	4.7	-	1.1
5.1	-	0.1	-	8.2	-	0.5	-	5.3	-	2.9	-	0.2
5.2	-	*	-	4.1	-	0.2	-	3.5	-	1.8	-	0.3
5.3	-	-	-	2.1	-	0.1	-	1.8	-	0.9	-	0.3
5.4	-	-	-	1.2	-	*	-	0.7	-	0.5	-	*
5.5 & Above	-	-	-	1.1	-	*	-	0.4	-	0.2	-	-
Average	-	4.00	-	4.78	-	4.31	-	4.65	-	4.53	-	3.90

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	20.1	-	1.7	-	0.5	-	15.0	-	0.2
Bark - Level 2	-	*	-	-	-	-	-	*	-	-
Grass - Level 1	-	*	-	0.3	-	0.1	-	0.6	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	0.1	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	0.1	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	0.3	-	-
23	-	*	-	-	-	*	-	0.4	-	-
24	-	*	-	*	-	*	-	0.7	-	-
25	-	0.1	-	0.1	-	*	-	1.3	-	*
26	-	0.8	-	0.6	-	0.1	-	2.8	-	0.1
27	-	2.3	-	2.7	-	1.1	-	5.8	-	0.6
28	-	5.4	-	10.1	-	6.7	-	11.1	-	4.4
29	-	10.5	-	23.6	-	24.5	-	16.5	-	18.0
30	-	15.1	-	28.4	-	37.2	-	18.9	-	33.9
31	-	16.7	-	19.0	-	22.1	-	16.8	-	25.9
32	-	17.1	-	9.8	-	6.5	-	12.3	-	11.4
33	-	15.5	-	4.3	-	1.6	-	7.3	-	4.3
34	-	11.5	-	1.1	-	0.3	-	3.8	-	1.3
35	-	3.8	-	0.2	-	*	-	1.4	-	0.2
36	-	0.9	-	*	-	*	-	0.5	-	*
37	-	0.2	-	*	-	-	-	0.1	-	-
38	-	0.1	-	-	-	-	-	*	-	-
39	-	*	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	-	31.83	-	30.47	-	30.45	-	30.52	-	30.84
Mike										
2.4 & Below	-	*	-	-	-	-	-	0.1	-	-
2.5	-	0.1	-	*	-	-	-	0.1	-	-
2.6	-	0.3	-	*	-	*	-	0.3	-	*
2.7	-	0.5	-	*	-	*	-	0.4	-	-
2.8	-	0.6	-	*	-	*	-	0.7	-	*
2.9	-	0.9	-	*	-	*	-	1.0	-	*
3.0	-	1.3	-	0.1	-	0.1	-	1.4	-	*
3.1	-	1.5	-	0.2	-	0.2	-	1.7	-	*
3.2	-	1.9	-	0.2	-	0.4	-	2.2	-	*
3.3	-	3.4	-	0.4	-	0.6	-	2.6	-	0.1
3.4	-	5.2	-	0.5	-	0.8	-	2.9	-	0.3
3.5	-	5.9	-	0.9	-	1.4	-	3.3	-	0.5
3.6	-	7.2	-	1.5	-	2.0	-	3.7	-	0.8
3.7	-	7.7	-	2.3	-	2.9	-	4.0	-	1.5
3.8	-	7.6	-	3.3	-	3.7	-	4.5	-	2.8
3.9	-	7.4	-	4.4	-	4.9	-	5.0	-	5.0
4.0	-	8.5	-	5.4	-	6.0	-	5.8	-	7.3
4.1	-	7.4	-	6.8	-	7.1	-	6.8	-	10.3
4.2	-	7.1	-	8.4	-	8.3	-	8.1	-	12.9
4.3	-	6.5	-	9.7	-	9.3	-	8.4	-	14.7
4.4	-	5.6	-	10.9	-	10.0	-	7.9	-	12.7
4.5	-	4.8	-	10.6	-	9.4	-	7.2	-	9.9
4.6	-	3.1	-	9.9	-	8.4	-	6.5	-	7.5
4.7	-	2.4	-	8.1	-	7.5	-	5.3	-	5.2
4.8	-	1.3	-	6.1	-	5.9	-	3.9	-	3.8
4.9	-	0.9	-	4.1	-	4.7	-	2.6	-	2.3
5.0	-	0.5	-	2.6	-	3.0	-	1.6	-	1.3
5.1	-	0.3	-	1.7	-	1.8	-	0.9	-	0.5
5.2	-	0.1	-	1.0	-	1.0	-	0.5	-	0.2
5.3	-	*	-	0.5	-	0.5	-	0.3	-	0.1
5.4	-	*	-	0.2	-	0.2	-	0.2	-	0.2
5.5 & Above	-	*	-	0.2	-	*	-	0.2	-	*
Average	-	3.92	-	4.38	-	4.35	-	4.12	-	4.32

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	*
2.5 - 2.6	-	*	-	*	-	*	-	*	-	*	-	*
2.7 - 2.9	-	0.1	-	*	-	0.1	-	0.2	-	0.1	-	0.1
3.0 - 3.2	-	0.7	-	0.1	-	0.3	-	0.4	-	0.5	-	0.5
3.3 - 3.4	-	1.5	-	0.3	-	0.5	-	1.0	-	1.6	-	1.2
3.5 - 3.6	-	4.1	-	1.2	-	1.1	-	2.9	-	3.1	-	3.0
3.7 - 4.2	-	43.1	-	25.8	-	17.8	-	31.3	-	39.6	-	35.1
4.3 - 4.9	-	47.1	-	62.3	-	69.1	-	58.2	-	53.3	-	57.8
5.0 - 5.2	-	2.9	-	8.8	-	9.3	-	4.8	-	1.7	-	2.2
5.3 & Above	-	0.4	-	1.5	-	1.7	-	1.2	-	0.2	-	0.2
Average	-	4.25	-	4.47	-	4.53	-	4.36	-	4.28	-	4.31
Leaf												
1 - 2	-	14.4	-	59.3	-	43.9	-	73.2	-	8.1	-	15.9
3	-	48.8	-	33.2	-	38.0	-	21.3	-	45.3	-	51.6
4	-	29.7	-	6.2	-	13.0	-	4.2	-	38.0	-	27.1
5	-	6.3	-	1.1	-	3.4	-	1.1	-	8.1	-	4.9
6	-	0.7	-	0.2	-	1.0	-	0.2	-	0.6	-	0.4
7	-	0.1	-	*	-	0.4	-	*	-	*	-	*
8	-	*	-	*	-	0.2	-	*	-	*	-	*
Average	-	3.30	-	2.40	-	2.74	-	2.13	-	3.48	-	3.22
HVI Trash 1/												
00	-	*	-	*	-	*	-	*	-	*	-	*
01	-	2.4	-	21.9	-	15.5	-	36.4	-	1.8	-	2.9
02	-	16.8	-	40.8	-	33.5	-	39.5	-	10.2	-	18.8
03	-	25.4	-	20.6	-	22.2	-	14.4	-	21.1	-	27.2
04	-	22.8	-	9.1	-	12.5	-	5.1	-	24.1	-	22.6
05	-	15.6	-	4.0	-	6.9	-	2.3	-	19.4	-	14.2
06	-	8.9	-	1.8	-	3.9	-	1.2	-	12.0	-	7.7
07	-	4.4	-	0.9	-	2.1	-	0.6	-	6.3	-	3.7
08	-	2.0	-	0.4	-	1.2	-	0.3	-	2.9	-	1.6
09	-	0.9	-	0.2	-	0.8	-	0.2	-	1.3	-	0.7
10	-	0.4	-	0.1	-	0.5	-	0.1	-	0.5	-	0.3
11	-	0.2	-	0.1	-	0.3	-	*	-	0.2	-	0.1
12	-	0.1	-	*	-	0.2	-	*	-	0.1	-	0.1
13	-	*	-	*	-	0.1	-	*	-	*	-	*
14	-	*	-	*	-	0.1	-	*	-	*	-	*
15	-	*	-	*	-	0.1	-	-	-	*	-	*
16	-	*	-	*	-	*	-	-	-	*	-	*
17	-	*	-	*	-	*	-	-	-	*	-	*
18 & Above	-	*	-	*	-	*	-	-	-	*	-	*
Average	-	0.40	-	0.25	-	0.30	-	0.21	-	0.44	-	0.38
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	*	-	*	-	*	-	*
75	-	*	-	-	-	*	-	*	-	*	-	*
76	-	*	-	*	-	0.1	-	0.1	-	*	-	0.1
77	-	0.2	-	*	-	0.4	-	0.5	-	0.1	-	0.5
78	-	1.3	-	0.2	-	2.1	-	2.9	-	1.1	-	2.6
79	-	7.9	-	3.0	-	9.3	-	11.9	-	6.7	-	11.0
80	-	24.4	-	17.1	-	27.1	-	30.9	-	25.0	-	26.7
81	-	36.7	-	27.5	-	37.4	-	32.9	-	34.6	-	32.4
82	-	23.3	-	30.1	-	20.1	-	10.3	-	23.6	-	19.1
83	-	5.6	-	17.7	-	3.2	-	7.4	-	7.8	-	6.4
84	-	0.6	-	4.0	-	0.3	-	3.1	-	1.0	-	1.1
85 & Above	-	*	-	0.5	-	*	-	0.1	-	0.1	-	0.1
Average	-	81.36	-	82.00	-	81.18	-	81.14	-	81.45	-	81.22
Tenderable 3/	-	90.3	-	88.3	-	83.3	-	87.8	-	92.5	-	93.0
SAMPLES CLASSED	-	784,893	-	1,643,729	-	257,371	-	90,067	-	130,020	-	2,616,144

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	0.1
2.5 - 2.6	-	0.6	-	-	-	*	-	*	-	*	-	1.9
2.7 - 2.9	-	2.9	-	*	-	*	-	*	-	0.1	-	4.6
3.0 - 3.2	-	6.7	-	*	-	0.4	-	0.1	-	0.2	-	8.1
3.3 - 3.4	-	6.2	-	*	-	1.1	-	0.2	-	0.4	-	7.2
3.5 - 3.6	-	7.3	-	0.1	-	2.8	-	0.6	-	0.8	-	9.9
3.7 - 4.2	-	38.7	-	4.6	-	35.5	-	11.5	-	18.7	-	41.3
4.3 - 4.9	-	37.3	-	65.6	-	58.3	-	68.5	-	68.7	-	25.0
5.0 - 5.2	-	0.4	-	25.3	-	1.7	-	16.2	-	9.5	-	1.7
5.3 & Above	-	-	-	4.4	-	0.1	-	2.9	-	1.7	-	0.3
Average	-	4.00	-	4.78	-	4.31	-	4.65	-	4.53	-	3.90
Leaf												
1 - 2	-	38.7	-	14.0	-	81.4	-	34.4	-	4.7	-	33.6
3	-	38.0	-	55.1	-	16.6	-	48.1	-	43.0	-	27.7
4	-	15.3	-	26.9	-	1.8	-	14.8	-	42.0	-	15.1
5	-	5.4	-	3.8	-	0.2	-	2.4	-	9.4	-	11.8
6	-	1.6	-	0.2	-	*	-	0.3	-	0.8	-	7.0
7	-	0.7	-	*	-	*	-	*	-	0.1	-	3.1
8	-	0.3	-	*	-	*	-	*	-	-	-	1.7
Average	-	2.93	-	3.21	-	1.94	-	2.83	-	3.59	-	3.42
HVI Trash 1/												
00	-	-	-	*	-	0.1	-	*	-	*	-	-
01	-	11.1	-	1.8	-	44.5	-	8.6	-	0.4	-	9.9
02	-	33.2	-	18.8	-	38.3	-	31.8	-	6.2	-	25.1
03	-	21.1	-	30.9	-	11.2	-	27.7	-	18.0	-	17.1
04	-	12.2	-	24.2	-	3.8	-	16.4	-	24.3	-	10.1
05	-	7.9	-	13.6	-	1.4	-	8.2	-	21.5	-	7.6
06	-	5.2	-	6.2	-	0.5	-	3.9	-	14.5	-	6.2
07	-	3.2	-	2.5	-	0.2	-	1.8	-	8.1	-	5.9
08	-	2.1	-	1.1	-	0.1	-	0.8	-	4.0	-	4.7
09	-	1.3	-	0.4	-	*	-	0.4	-	1.8	-	3.7
10	-	0.9	-	0.2	-	*	-	0.2	-	0.8	-	2.9
11	-	0.6	-	0.1	-	*	-	0.1	-	0.3	-	2.1
12	-	0.4	-	*	-	*	-	*	-	0.1	-	1.3
13	-	0.2	-	*	-	*	-	*	-	0.1	-	1.0
14	-	0.2	-	*	-	*	-	*	-	*	-	0.8
15	-	0.2	-	*	-	*	-	*	-	*	-	0.5
16	-	0.1	-	*	-	*	-	*	-	*	-	0.3
17	-	0.1	-	*	-	*	-	*	-	*	-	0.2
18 & Above	-	0.1	-	*	-	*	-	*	-	*	-	0.6
Average	-	0.34	-	0.37	-	0.18	-	0.31	-	0.48	-	0.46
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	*
75	-	*	-	*	-	-	-	*	-	*	-	*
76	-	0.3	-	*	-	*	-	*	-	*	-	0.8
77	-	2.5	-	0.2	-	*	-	*	-	*	-	1.2
78	-	11.5	-	1.4	-	0.5	-	0.3	-	0.3	-	5.3
79	-	30.0	-	5.2	-	4.6	-	1.8	-	2.0	-	17.7
80	-	34.1	-	17.7	-	20.9	-	9.8	-	9.6	-	24.2
81	-	18.0	-	34.9	-	32.6	-	28.2	-	25.8	-	32.3
82	-	3.4	-	30.3	-	28.6	-	36.8	-	36.1	-	15.8
83	-	0.1	-	9.3	-	10.9	-	19.4	-	22.1	-	2.5
84	-	*	-	1.0	-	1.8	-	3.4	-	3.8	-	0.1
85 & Above	-	-	-	0.1	-	0.2	-	0.3	-	0.3	-	*
Average	-	80.09	-	81.63	-	81.70	-	82.17	-	82.23	-	80.81
Tenderable 3/	-	62.1	-	64.2	-	96.4	-	78.8	-	85.1	-	67.3
SAMPLES CLASSED	-	119,745	-	355,581	-	760,945	-	1,132,798	-	1,030,231	-	27,465

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	-	0.1	-	-
2.5 - 2.6	-	0.5	-	*	-	*	-	0.4	-	*
2.7 - 2.9	-	2.0	-	0.1	-	*	-	2.1	-	*
3.0 - 3.2	-	4.7	-	0.5	-	0.7	-	5.3	-	0.1
3.3 - 3.4	-	8.5	-	0.9	-	1.3	-	5.5	-	0.4
3.5 - 3.6	-	13.1	-	2.4	-	3.3	-	7.0	-	1.3
3.7 - 4.2	-	45.7	-	30.6	-	32.8	-	34.2	-	39.8
4.3 - 4.9	-	24.6	-	59.3	-	55.1	-	41.8	-	56.2
5.0 - 5.2	-	0.9	-	5.4	-	5.9	-	3.1	-	2.0
5.3 & Above	-	*	-	0.9	-	0.7	-	0.6	-	0.3
Average	-	3.92	-	4.38	-	4.35	-	4.12	-	4.32
Leaf										
1 - 2	-	26.6	-	2.8	-	49.8	-	38.7	-	7.8
3	-	48.1	-	34.1	-	39.0	-	39.9	-	62.8
4	-	19.6	-	46.0	-	9.7	-	15.5	-	27.1
5	-	4.4	-	15.2	-	1.3	-	4.3	-	2.2
6	-	1.1	-	1.8	-	0.1	-	1.2	-	0.1
7	-	0.2	-	0.1	-	*	-	0.4	-	*
8	-	*	-	-	-	*	-	0.1	-	-
Average	-	3.02	-	3.79	-	2.53	-	2.83	-	3.24
HVI Trash 1/										
00	-	*	-	-	-	*	-	0.1	-	-
01	-	6.6	-	0.1	-	18.3	-	12.8	-	0.4
02	-	20.8	-	3.9	-	32.3	-	27.9	-	9.6
03	-	24.8	-	13.8	-	23.4	-	23.5	-	28.5
04	-	19.3	-	21.7	-	13.5	-	15.4	-	30.3
05	-	12.5	-	21.8	-	6.9	-	9.0	-	18.3
06	-	7.2	-	16.8	-	3.2	-	5.0	-	8.1
07	-	3.9	-	10.7	-	1.4	-	2.7	-	3.2
08	-	2.2	-	5.9	-	0.6	-	1.5	-	1.1
09	-	1.2	-	3.0	-	0.2	-	0.9	-	0.3
10	-	0.7	-	1.4	-	0.1	-	0.5	-	0.1
11	-	0.4	-	0.6	-	*	-	0.3	-	*
12	-	0.2	-	0.3	-	*	-	0.2	-	*
13	-	0.1	-	0.1	-	*	-	0.1	-	*
14	-	0.1	-	*	-	*	-	0.1	-	*
15	-	*	-	*	-	*	-	*	-	*
16	-	*	-	*	-	*	-	*	-	-
17	-	*	-	*	-	*	-	*	-	-
18 & Above	-	*	-	*	-	*	-	*	-	-
Average	-	0.38	-	0.52	-	0.28	-	0.33	-	0.40
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	*	-	-
75	-	*	-	*	-	-	-	0.1	-	-
76	-	0.3	-	*	-	*	-	0.6	-	*
77	-	1.8	-	0.1	-	*	-	2.3	-	*
78	-	7.3	-	0.7	-	0.3	-	6.9	-	0.1
79	-	17.9	-	4.2	-	3.2	-	16.6	-	0.8
80	-	27.0	-	18.5	-	15.9	-	29.3	-	7.7
81	-	26.6	-	37.4	-	33.9	-	29.2	-	26.3
82	-	16.3	-	27.2	-	33.8	-	12.4	-	37.3
83	-	2.6	-	10.0	-	11.9	-	2.3	-	23.8
84	-	0.1	-	1.7	-	1.0	-	0.3	-	3.7
85 & Above	-	*	-	0.2	-	*	-	*	-	0.3
Average	-	80.72	-	81.68	-	81.82	-	80.67	-	82.32
Tenderable 3/	-	66.4	-	87.5	-	87.6	-	65.6	-	96.6
SAMPLES CLASSED	-	169,012	-	434,221	-	693,500	-	3,190,606	-	202,309

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	46.4	-	38.7	-	2.7	-	3.8
	2	-	15.0	-	19.4	-	11.7	-	9.8
	3	-	0.9	-	0.3	-	0.8	-	1.1
	4	-	*	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	62.4	-	58.4	-	15.3	-	14.7
02	1	-	16.1	-	11.5	-	2.9	-	8.0
	2	-	18.3	-	25.4	-	51.8	-	46.3
	3	-	1.1	-	2.4	-	17.2	-	16.5
	4	-	0.1	-	*	-	0.4	-	1.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	35.6	-	39.4	-	72.3	-	71.9
03	1	-	0.1	-	*	-	*	-	0.3
	2	-	1.5	-	1.0	-	3.7	-	4.3
	3	-	0.3	-	0.9	-	6.7	-	6.0
	4	-	*	-	0.1	-	1.1	-	2.1
	5	-	*	-	*	-	0.1	-	0.1
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	1.9	-	2.0	-	11.5	-	12.9
04	1	-	*	-	*	-	-	-	-
	2	-	*	-	0.1	-	0.2	-	0.2
	3	-	*	-	0.1	-	0.4	-	0.2
	4	-	*	-	*	-	0.1	-	0.1
	5	-	-	-	*	-	*	-	*
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	-
Total -----		-	0.1	-	0.2	-	0.7	-	0.6
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	*
	3	-	-	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	-
Total -----		-	*	-	0.1	-	*	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	0.1	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	-
	4	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	0.1	-	-
STAPLE									
44 & Shorter		-	0.2	-	1.2	-	0.1	-	0.8
46		-	3.5	-	11.0	-	3.4	-	11.0
48		-	40.2	-	49.1	-	58.7	-	62.3
50		-	44.5	-	36.0	-	34.3	-	25.1
52 & Longer		-	11.7	-	2.7	-	3.5	-	0.8
Average Staple		-	49.28	-	48.56	-	48.75	-	48.28
Average Length		-	1.43	-	1.41	-	1.42	-	1.40
EXTRANEIOUS MATTER									
Bark		-	*	-	*	-	0.6	-	0.8
Grass		-	*	-	0.3	-	1.1	-	2.2
Spindle Twist		-	*	-	0.1	-	*	-	0.1
Preparation		-	-	-	*	-	0.1	-	0.1
All Other		-	*	-	*	-	0.1	-	2.5

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 30, 2023

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	*	-	*
2.7 - 2.9	-	*	-	*	-	0.1	-	0.3
3.0 - 3.2	-	*	-	0.6	-	3.2	-	1.9
3.3 - 3.4	-	0.1	-	1.1	-	7.0	-	5.7
3.5 - 3.6	-	1.0	-	3.2	-	16.0	-	13.2
3.7 - 4.2	-	80.5	-	79.8	-	67.8	-	72.0
4.3 - 4.9	-	18.3	-	15.3	-	5.9	-	6.9
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	*
Average	-	4.08	-	4.03	-	3.82	-	3.87
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	*
2.6	-	-	-	*	-	*	-	*
2.7	-	-	-	-	-	*	-	*
2.8	-	-	-	*	-	0.1	-	*
2.9	-	*	-	*	-	*	-	0.2
3.0	-	*	-	0.1	-	0.2	-	0.3
3.1	-	*	-	0.2	-	0.9	-	0.4
3.2	-	*	-	0.3	-	2.1	-	1.2
3.3	-	*	-	0.5	-	3.5	-	1.8
3.4	-	0.1	-	0.6	-	3.4	-	3.9
3.5	-	0.3	-	0.9	-	6.3	-	4.8
3.6	-	0.7	-	2.3	-	9.7	-	8.3
3.7	-	2.5	-	4.9	-	13.2	-	9.4
3.8	-	6.9	-	8.6	-	11.3	-	12.3
3.9	-	12.0	-	13.3	-	15.1	-	15.4
4.0	-	19.6	-	17.9	-	13.0	-	15.1
4.1	-	20.8	-	18.9	-	9.7	-	11.5
4.2	-	18.7	-	16.2	-	5.6	-	8.3
4.3	-	11.7	-	9.9	-	3.2	-	4.0
4.4	-	4.3	-	3.9	-	1.9	-	1.7
4.5	-	1.8	-	1.2	-	0.7	-	1.0
4.6	-	0.5	-	0.2	-	0.1	-	0.1
4.7	-	0.1	-	*	-	-	-	*
4.8	-	*	-	*	-	-	-	0.1
4.9	-	-	-	*	-	*	-	*
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	*
Average	-	4.08	-	4.03	-	3.82	-	3.87
STRENGTH 1/ 36 & Below	-	0.9	-	0.2	-	6.1	-	6.8
37	-	0.7	-	1.2	-	8.8	-	12.4
38	-	1.4	-	3.9	-	7.4	-	18.4
39	-	1.9	-	5.0	-	6.0	-	14.1
40	-	2.5	-	2.5	-	5.7	-	8.4
41	-	4.1	-	2.2	-	7.1	-	7.0
42	-	11.9	-	4.8	-	11.6	-	10.7
43	-	22.5	-	10.5	-	15.2	-	9.5
44	-	24.4	-	16.6	-	15.6	-	7.3
45	-	17.3	-	19.9	-	10.7	-	3.1
46	-	7.8	-	16.1	-	3.9	-	1.3
47	-	3.3	-	10.8	-	1.4	-	0.6
48 & Above	-	1.3	-	6.1	-	0.4	-	0.4
Average	-	43.95	-	44.60	-	42.02	-	40.43
UNIFORMITY								
83 & Below	-	*	-	0.6	-	0.3	-	1.1
84	-	0.9	-	5.7	-	2.0	-	6.4
85	-	9.0	-	17.4	-	30.5	-	35.9
86	-	42.9	-	47.2	-	46.9	-	42.0
87	-	43.9	-	26.6	-	19.4	-	14.0
88 & Above	-	3.3	-	2.5	-	1.0	-	0.7
Average	-	86.85	-	86.46	-	86.32	-	86.08
Samples Classed	-	27,131	-	358,025	-	31,067	-	38,670

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.