



Volume 21, No.34

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL*	-	-	-	-	29	85.9	73.4	979,014
AR	3	93.8	75.0	14,927	29	89.6	74.7	1,524,638
AZ*	-	-	-	-	12	75.6	55.3	356,267
CA	-	-	-	-	17	86.8	75.5	183,205
FL	-	-	-	-	4	82.8	66.0	160,868
GA*	-	-	-	-	59	84.9	66.0	2,716,133
KS	2	14.8	12.7	7,211	3	48.1	30.3	252,885
LA*	-	-	-	-	19	89.3	70.2	583,287
MO	-	-	-	-	21	89.5	74.0	827,340
MS	-	-	-	-	38	88.3	65.9	1,539,161
NC*	-	-	-	-	34	83.4	59.4	1,061,015
NM	-	-	-	-	3	85.2	67.0	31,678
OK	2	45.3	38.5	833	12	77.4	59.9	544,807
SC*	-	-	-	-	15	87.4	67.1	423,216
TN	-	-	-	-	22	89.4	71.1	939,385
TX	5	81.9	73.7	3,073	187	65.9	39.2	6,340,209
VA	-	-	-	-	4	86.1	59.7	229,678
United States	19	69.3	56.5	27,039	508	78.8	57.5	18,692,786
AMERICAN PIMA								
AZ*	-			-	3			12,621
CA*	-			-	17			630,914
NM*	-			-	-			-
TX*	-			-	3			15,020
United States	-			-	24			668,481
United States all cotton	20			31,189	520			19,361,267

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	8.4	1.3	4.6	-	39.8	-	46.5	-	3.3	-	8.9
	3	-	8.8	5.8	4.3	-	4.5	-	5.0	-	2.9	-	6.5
	4	-	0.7	0.3	0.2	-	0.2	-	0.2	-	0.2	-	0.3
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	17.9	7.4	9.2	-	44.5	-	51.7	-	6.4	-	15.7
31	1 - 2	-	2.2	2.1	3.4	-	9.4	-	13.7	-	1.5	-	3.6
	3	-	12.9	21.6	18.6	-	8.4	-	12.0	-	8.8	-	12.4
	4	-	5.6	10.1	8.3	-	1.8	-	1.6	-	3.6	-	4.2
	5	-	0.5	0.7	0.8	-	0.2	-	0.1	-	0.3	-	0.3
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	21.2	34.5	31.2	-	19.8	-	27.4	-	14.1	-	20.5
41	1 - 2	-	1.6	0.2	0.7	-	3.2	-	2.6	-	0.8	-	2.1
	3	-	16.5	7.5	12.9	-	8.0	-	8.4	-	16.5	-	18.1
	4	-	14.7	20.3	22.9	-	5.2	-	3.7	-	26.3	-	16.3
	5	-	3.3	10.8	12.0	-	1.6	-	0.5	-	5.8	-	3.4
	6	-	0.3	0.6	1.3	-	0.4	-	*	-	0.3	-	0.2
	7	-	*	-	*	-	0.1	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	36.4	39.5	49.9	-	18.6	-	15.2	-	49.7	-	40.1
51	1 - 2	-	0.7	*	0.1	-	0.8	-	0.1	-	0.4	-	0.9
	3	-	6.1	0.5	1.4	-	2.5	-	0.3	-	7.0	-	7.4
	4	-	5.6	4.6	3.7	-	2.4	-	0.2	-	11.3	-	6.0
	5	-	1.8	10.1	2.7	-	1.7	-	0.1	-	4.1	-	1.4
	6	-	0.5	1.7	0.5	-	0.9	-	0.1	-	0.3	-	0.1
	7	-	0.1	*	*	-	0.4	-	*	-	*	-	*
	8	-	*	-	*	-	0.2	-	*	-	-	-	*
Total	----	-	14.7	17.0	8.3	-	8.9	-	0.8	-	23.0	-	15.8
61	1 - 2	-	*	-	-	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	0.1	-	0.1
	4	-	*	-	*	-	*	-	*	-	0.2	-	*
	5	-	*	-	*	-	*	-	-	-	0.1	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	0.1	-	*	-	0.4	-	0.2
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	*	-	*
Total	----	-	*	-	*	-	*	-	-	-	*	-	*
12 & 22	1 - 2	-	0.2	-	*	-	1.1	-	0.1	-	*	-	0.4
	3	-	0.4	-	*	-	1.0	-	0.1	-	*	-	0.2
	4	-	0.1	*	*	-	0.2	-	*	-	*	-	*
	5	-	*	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.7	*	0.1	-	2.3	-	0.2	-	0.1	-	0.6
32	1 - 2	-	0.1	-	*	-	0.5	-	0.3	-	*	-	0.3
	3	-	0.9	0.1	0.2	-	0.9	-	0.7	-	0.3	-	1.0
	4	-	0.6	0.2	0.2	-	0.5	-	0.3	-	0.3	-	0.3
	5	-	0.1	*	*	-	0.1	-	0.1	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.8	0.3	0.5	-	2.1	-	1.3	-	0.6	-	1.5
42	1 - 2	-	0.2	-	*	-	0.1	-	*	-	0.1	-	0.2
	3	-	1.7	0.2	0.2	-	0.6	-	0.5	-	0.8	-	1.4
	4	-	1.8	0.3	0.3	-	0.8	-	1.0	-	1.4	-	1.2
	5	-	0.6	0.1	0.1	-	0.4	-	0.4	-	0.5	-	0.2
	6	-	0.1	*	*	-	0.2	-	0.1	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	4.3	0.7	0.7	-	2.2	-	2.0	-	2.7	-	3.0

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	0.1	-	*	-	*	-	*	-	0.1	-	0.1
	3	-	0.8	-	*	-	0.1	-	0.1	-	0.7	-	0.9
	4	-	0.9	*	*	-	0.1	-	0.2	-	1.1	-	0.8
	5	-	0.2	*	*	-	0.1	-	0.3	-	0.5	-	0.2
	6	-	*	-	*	-	0.1	-	0.3	-	0.1	-	*
	7	-	*	-	-	-	0.1	-	0.1	-	*	-	*
	8	-	*	-	-	-	0.1	-	*	-	*	-	*
Total	----	-	2.1	*	0.1	-	0.6	-	1.1	-	2.5	-	2.0
62	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	0.1	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	-	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	0.1	-	*	-	*	-	*
Total	----	-	0.1	-	*	-	0.1	-	*	-	0.1	-	0.1
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	*	-	*
33	1 - 2	-	*	-	*	-	0.1	-	*	-	-	-	*
	3	-	*	*	*	-	0.2	-	*	-	*	-	*
	4	-	*	*	*	-	*	-	*	-	*	-	*
	5	-	*	*	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	0.1	*	-	0.3	-	*	-	*	-	0.1
43	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	0.1	0.1	*	-	0.1	-	*	-	*	-	0.1
	4	-	0.2	0.1	0.1	-	0.1	-	*	-	0.1	-	0.1
	5	-	0.1	0.2	*	-	0.1	-	*	-	*	-	*
	6	-	*	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	0.4	0.4	0.2	-	0.3	-	0.1	-	0.1	-	0.2
53	1 - 2	-	*	-	-	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	0.1
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	*	-	-	-	-
Total	----	-	0.1	-	*	-	0.1	-	0.1	-	0.1	-	0.1
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	*	-	-	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	*	-	*
Total	----	-	*	-	*	-	*	-	*	-	*	-	*
24 - 54	1 - 8	-	*	*	*	-	0.1	-	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	-	*	-	*	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	*	-	-	-	-	-	*
31		-	*	-	*	-	*	-	*	-	*	-	*
32		-	0.4	-	*	-	0.1	-	*	-	*	-	0.5
33		-	2.0	-	*	-	0.6	-	0.1	-	0.6	-	2.4
34		-	6.7	0.2	0.1	-	2.5	-	1.4	-	2.5	-	7.4
35		-	13.0	3.5	1.9	-	8.2	-	4.5	-	5.4	-	15.4
36		-	22.9	17.6	12.1	-	19.2	-	13.7	-	12.9	-	21.2
37		-	32.5	37.8	40.3	-	31.1	-	30.2	-	32.9	-	29.0
38		-	15.0	18.4	25.0	-	20.7	-	27.0	-	33.6	-	16.8
39		-	6.3	19.4	16.2	-	13.0	-	19.4	-	10.9	-	6.5
40 & Longer		-	1.1	3.0	4.4	-	4.8	-	3.8	-	1.1	-	0.8
Average Staple		-	36.51	37.41	37.54	-	37.16	-	37.50	-	37.25	-	36.46
Average Length		-	1.14	1.17	1.17	-	1.16	-	1.17	-	1.16	-	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.3	15.1	-	15.2	-	2.7	-	13.6	-	4.6	-	38.0
	3	0.7	7.0	-	13.4	-	1.3	-	11.5	-	4.9	-	3.9
	4	*	0.4	-	0.7	-	*	-	1.3	-	0.3	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	1.0	22.5	-	29.4	-	4.0	-	26.4	-	9.8	-	41.9
31	1 - 2	0.6	2.7	-	2.4	-	5.8	-	2.9	-	3.6	-	14.0
	3	8.2	13.4	-	14.0	-	19.2	-	13.8	-	19.4	-	18.8
	4	10.9	10.5	-	6.5	-	7.1	-	7.3	-	8.5	-	3.3
	5	3.4	2.1	-	0.5	-	0.7	-	0.8	-	0.8	-	0.2
	6	0.2	0.2	-	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	23.3	28.8	-	23.4	-	32.8	-	24.9	-	32.4	-	36.3
41	1 - 2	0.4	*	-	0.6	-	1.7	-	1.0	-	2.8	-	0.3
	3	6.5	0.3	-	9.5	-	18.0	-	11.1	-	25.6	-	1.9
	4	11.1	1.7	-	14.7	-	24.8	-	15.7	-	19.5	-	2.0
	5	9.3	2.0	-	4.7	-	11.0	-	5.5	-	3.2	-	0.7
	6	3.0	0.6	-	0.5	-	1.2	-	0.6	-	0.2	-	0.1
	7	0.4	0.2	-	*	-	*	-	*	-	*	-	-
	8	0.1	*	-	-	-	-	-	*	-	-	-	-
Total	----	30.9	4.9	-	30.0	-	56.7	-	33.9	-	51.2	-	4.9
51	1 - 2	*	*	-	0.1	-	0.1	-	0.2	-	0.1	-	*
	3	*	*	-	2.4	-	0.8	-	2.7	-	1.1	-	*
	4	0.2	*	-	5.9	-	2.6	-	5.5	-	1.8	-	*
	5	0.3	*	-	2.7	-	1.8	-	2.7	-	0.6	-	*
	6	0.9	*	-	0.4	-	0.4	-	0.5	-	0.1	-	*
	7	1.2	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.9	0.1	-	*	-	*	-	*	-	*	-	-
Total	----	3.6	0.3	-	11.4	-	5.6	-	11.7	-	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	-	-	0.1	-	*	-	*	-	*	-	-
	5	-	-	-	0.1	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	*	-	*	-	*	-	-
	8	-	-	-	-	-	*	-	*	-	*	-	-
Total	----	-	-	-	0.2	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	*	-	-	-	-
12 & 22	1 - 2	-	9.8	-	0.4	-	*	-	0.1	-	*	-	2.8
	3	0.1	4.6	-	0.5	-	*	-	0.2	-	0.1	-	1.9
	4	*	0.4	-	0.1	-	-	-	0.1	-	*	-	0.1
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	14.7	-	1.0	-	*	-	0.4	-	0.1	-	4.7
32	1 - 2	*	0.2	-	0.1	-	*	-	0.1	-	0.1	-	1.1
	3	0.9	2.4	-	0.6	-	0.1	-	0.3	-	0.5	-	4.6
	4	4.3	4.7	-	0.3	-	0.1	-	0.3	-	0.3	-	1.8
	5	4.3	2.1	-	*	-	*	-	0.1	-	*	-	0.2
	6	0.8	0.3	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	10.4	9.8	-	1.0	-	0.2	-	0.7	-	0.9	-	7.7
42	1 - 2	-	*	-	0.1	-	*	-	*	-	*	-	*
	3	0.9	0.1	-	0.8	-	0.1	-	0.3	-	0.6	-	0.2
	4	3.4	0.4	-	1.1	-	0.2	-	0.6	-	0.8	-	0.3
	5	4.0	1.1	-	0.4	-	0.1	-	0.4	-	0.2	-	0.4
	6	4.1	0.9	-	0.1	-	*	-	*	-	*	-	0.2
	7	1.0	0.3	-	*	-	*	-	*	-	*	-	0.1
	8	0.1	*	-	-	-	-	-	*	-	-	-	*
Total	----	13.3	2.8	-	2.4	-	0.4	-	1.3	-	1.6	-	1.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	-	-	0.2	-	*	-	0.1	-	*	-	*
	4	*	*	-	0.3	-	*	-	0.2	-	*	-	*
	5	0.2	*	-	0.2	-	*	-	0.1	-	*	-	0.1
	6	0.7	0.1	-	*	-	*	-	*	-	*	-	*
	7	0.5	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.1	0.1	-	*	-	*	-	*	-	*	-	-
	Total	----	1.5	0.3	-	0.7	-	0.1	-	0.4	-	0.1	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	*	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-	*	-
13 & 23	1 - 2	-	3.5	-	*	-	-	-	*	-	*	-	0.4
	3	0.1	2.3	-	*	-	-	-	*	-	*	-	0.2
	4	0.2	0.3	-	*	-	-	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
	Total	----	0.3	6.1	-	*	-	-	-	*	-	*	-
33	1 - 2	-	0.3	-	*	-	*	-	*	-	*	-	0.5
	3	0.3	1.2	-	0.1	-	*	-	*	-	0.1	-	1.2
	4	1.7	1.5	-	*	-	*	-	*	-	*	-	0.3
	5	1.3	0.8	-	*	-	*	-	*	-	*	-	*
	6	0.3	0.2	-	*	-	-	-	*	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	Total	----	3.6	4.0	-	0.1	-	*	-	0.1	-	0.1	-
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	0.1	*	-	0.1	-	*	-	*	-	0.1	-	*
	4	1.9	0.3	-	0.1	-	0.1	-	0.1	-	0.1	-	*
	5	1.9	0.6	-	*	-	*	-	*	-	*	-	0.1
	6	1.7	0.5	-	*	-	*	-	*	-	*	-	*
	7	0.9	0.3	-	-	-	-	-	*	-	-	-	*
	8	0.3	0.2	-	-	-	-	-	*	-	-	-	*
	Total	----	6.8	2.0	-	0.3	-	0.1	-	0.1	-	0.2	-
53	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	0.3	0.1	-	*	-	*	-	*	-	*	-	-
	5	0.3	0.1	-	*	-	*	-	*	-	*	-	-
	6	0.5	0.2	-	*	-	*	-	*	-	*	-	-
	7	0.3	0.3	-	*	-	-	-	*	-	*	-	-
	8	0.2	0.2	-	-	-	-	-	*	-	*	-	*
	Total	----	1.7	0.9	-	0.1	-	*	-	0.1	-	*	-
63	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	*	-	-	-	*	-	*	-	-	-	-
	5	-	*	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	*	-	-	-	-	-	-
	Total	----	-	*	-	-	-	*	-	*	-	*	-
24 - 54	1 - 8	3.5	2.0	-	*	-	*	-	*	-	*	-	0.4
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	0.8	-	*	-	*	-	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	*	-	-	-	*	-	-
32		*	0.1	-	*	-	*	-	*	-	0.1	-	-
33		2.0	0.6	-	*	-	*	-	*	-	0.4	-	*
34		4.2	4.5	-	0.3	-	0.3	-	0.7	-	2.6	-	0.3
35		18.1	18.9	-	1.7	-	3.1	-	3.6	-	10.8	-	3.1
36		41.3	40.7	-	8.3	-	15.3	-	11.9	-	27.3	-	12.7
37		26.8	29.5	-	22.3	-	44.0	-	27.9	-	33.7	-	35.8
38		6.4	4.8	-	30.7	-	21.5	-	33.9	-	16.7	-	26.3
39		1.1	0.7	-	26.2	-	11.5	-	19.5	-	7.2	-	17.2
40 & Longer		0.1	0.2	-	10.6	-	4.3	-	2.6	-	1.2	-	4.6
Average Staple		36.10	36.12	-	38.04	-	37.35	-	37.59	-	36.76	-	37.55
Average Length		1.12	1.12	-	1.19	-	1.17	-	1.18	-	1.15	-	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	22.9	41.2	-	6.1	-	4.1	4.4	26.2	-	11.7
	3	15.0	9.6	-	8.1	-	2.2	22.4	9.7	-	12.4
	4	0.2	0.3	-	0.5	-	0.2	6.9	0.7	-	0.6
	5	-	*	-	*	-	*	0.1	*	-	*
	6	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total		----	38.251.1	-	14.7	-	6.5	33.836.6		-	24.8
31	1 - 2	6.5	7.4	-	5.2	-	5.8	0.2	4.5	-	5.3
	3	14.0	17.3	-	25.2	-	16.6	11.3	10.0	-	19.9
	4	4.3	5.4	-	9.2	-	5.6	24.5	3.6	-	6.0
	5	-	0.7	-	0.5	-	0.5	13.9	0.4	-	0.3
	6	-	*	-	*	-	*	1.9	*	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total		----	24.830.8	-	40.1	-	28.5	51.718.5		-	31.6
41	1 - 2	-	0.1	-	2.1	-	3.8	-	0.6	-	6.4
	3	3.5	0.9	-	18.8	-	21.7	1.6	2.4	-	25.7
	4	12.5	1.9	-	13.0	-	21.4	2.0	1.8	-	6.5
	5	3.0	1.3	-	1.6	-	7.4	3.3	0.6	-	0.5
	6	0.1	0.5	-	0.1	-	0.9	2.1	0.2	-	*
	7	-	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	*	-	*	-	-
Total		----	19.14.8	-	35.6	-	55.1	9.05.5		-	39.2
51	1 - 2	-	*	-	0.2	-	0.2	-	0.1	-	0.4
	3	-	*	-	1.7	-	1.8	-	0.3	-	1.6
	4	-	*	-	1.4	-	2.6	-	0.2	-	0.6
	5	-	*	-	0.3	-	1.3	-	0.1	-	0.1
	6	-	*	-	*	-	0.3	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	*	-	*	-	-
Total		----	-0.1	-	3.6	-	6.2	-	0.7	-	2.5
61	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
Total		----	-*	-	*	-	*	-	0.1	-	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total		----	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	1.9	1.6	-	0.1	-	0.1	0.3	8.4	-	0.1
	3	0.6	1.3	-	0.2	-	0.1	0.7	5.2	-	0.1
	4	-	0.1	-	*	-	*	0.4	0.6	-	*
	5	-	*	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total		----	2.53.0	-	0.4	-	0.2	1.414.2		-	0.2
32	1 - 2	-	0.7	-	0.3	-	0.3	-	2.6	-	0.1
	3	2.8	2.9	-	1.5	-	0.8	0.7	6.6	-	0.3
	4	1.3	1.6	-	0.7	-	0.3	1.0	3.0	-	0.1
	5	-	0.3	-	0.1	-	*	0.2	0.5	-	*
	6	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total		----	4.15.4	-	2.6	-	1.3	1.912.8		-	0.6
42	1 - 2	0.1	*	-	0.1	-	0.1	-	0.2	-	0.1
	3	0.7	0.3	-	1.1	-	0.8	-	1.0	-	0.6
	4	1.3	0.7	-	0.9	-	0.7	0.1	1.1	-	0.3
	5	0.1	0.6	-	0.2	-	0.2	0.1	0.6	-	*
	6	-	0.3	-	*	-	*	-	0.2	-	*
	7	-	0.1	-	-	-	*	-	0.1	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total		----	2.32.0	-	2.3	-	1.8	0.23.1		-	1.0

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	0.1	-	0.1	-	0.1	-	*
	4	-	*	-	0.1	-	0.1	-	0.1	-	*
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	-	-	*	-	*
<i>Total</i>	----	-	<i>0.1</i>	-	<i>0.2</i>	-	<i>0.1</i>	-	<i>0.3</i>	-	<i>0.1</i>
62	1 - 2	-	*	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	<i>*</i>	-	<i>*</i>	-	-	-	<i>*</i>	-	<i>*</i>
13 & 23	1 - 2	1.4	0.2	-	*	-	-	0.1	1.2	-	-
	3	-	0.1	-	*	-	*	0.2	1.1	-	*
	4	-	*	-	*	-	-	0.1	0.1	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>1.4</i>	<i>0.3</i>	-	<i>*</i>	-	<i>*</i>	<i>0.3</i>	<i>2.5</i>	-	<i>*</i>
33	1 - 2	0.4	0.3	-	*	-	*	0.1	0.8	-	*
	3	4.4	0.7	-	0.1	-	0.1	0.4	2.0	-	*
	4	1.6	0.4	-	0.1	-	*	0.1	1.0	-	*
	5	-	0.1	-	*	-	*	-	0.2	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>6.4</i>	<i>1.4</i>	-	<i>0.2</i>	-	<i>0.1</i>	<i>0.5</i>	<i>4.0</i>	-	<i>0.1</i>
43	1 - 2	-	*	-	*	-	*	-	0.1	-	*
	3	0.1	0.1	-	0.1	-	0.1	*	0.3	-	0.1
	4	0.1	0.2	-	0.1	-	0.1	0.1	0.3	-	*
	5	0.1	0.2	-	*	-	*	-	0.2	-	*
	6	0.2	0.1	-	*	-	*	-	0.1	-	-
	7	0.2	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.8</i>	<i>0.6</i>	-	<i>0.3</i>	-	<i>0.3</i>	<i>0.1</i>	<i>1.0</i>	-	<i>0.1</i>
53	1 - 2	-	-	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	*	-	*	-	-
	7	0.1	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	-	<i>*</i>	-	<i>*</i>	-	<i>0.1</i>	-	<i>*</i>
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	<i>*</i>	-	-	-	<i>*</i>	-	-
24 - 54	1 - 8	0.2	0.2	-	*	-	*	0.3	0.7	-	*
25 - 35	1 - 8	-	*	-	-	-	-	-	*	-	-
81 - 85	1 - 8	-	*	-	*	-	*	0.7	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		-	*	-	-	-	-	-	*	-	-
30		0.1	0.1	-	-	-	-	-	0.2	-	-
31		0.5	0.3	-	*	-	-	-	1.2	-	-
32		2.4	1.3	-	0.3	-	*	0.2	3.8	-	*
33		6.4	4.9	-	1.7	-	*	0.5	8.6	-	0.1
34		8.9	9.4	-	5.8	-	1.0	0.8	15.0	-	1.2
35		14.3	13.2	-	13.1	-	11.8	2.0	20.2	-	4.9
36		19.3	16.3	-	20.1	-	36.3	8.1	19.6	-	16.7
37		23.5	23.7	-	37.4	-	37.9	14.1	19.0	-	39.7
38		7.6	16.0	-	17.2	-	10.4	23.9	8.2	-	23.2
39		10.1	10.2	-	4.0	-	2.4	25.1	3.2	-	11.5
40 & Longer		7.0	4.7	-	0.4	-	0.2	25.3	1.0	-	2.5
<i>Average Staple</i>		<i>36.34</i>	<i>36.52</i>	-	<i>36.54</i>	-	<i>36.53</i>	<i>38.50</i>	<i>35.51</i>	-	<i>37.23</i>
<i>Average Length</i>		<i>1.13</i>	<i>1.14</i>	-	<i>1.14</i>	-	<i>1.14</i>	<i>1.20</i>	<i>1.11</i>	-	<i>1.16</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	2.7	0.9	1.0	-	2.2	-	3.9	-	7.1	-	3.3
Bark - Level 1	-	*	-	*	-	*	-	*	-	-	-	*
Bark - Level 2	-				-		-		-		-	
Grass - Level 1	-	0.1	0.1	0.1	-	0.1	-	*	-	0.1	-	0.1
Grass - Level 2	-	*	-	*	-	*	-	-	-	-	-	*
Prep - Level 1	-	*	*	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	*	*	*	-	0.8	-	*	-	0.1	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	*	*	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	0.1	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*	-	*
24	-	*	-	*	-	0.1	-	*	-	*	-	0.2
25	-	0.4	*	0.1	-	0.2	-	*	-	0.1	-	0.9
26	-	1.8	0.2	0.3	-	0.5	-	*	-	0.8	-	3.4
27	-	7.7	1.8	1.6	-	1.7	-	0.3	-	3.5	-	8.6
28	-	21.2	9.2	6.9	-	5.0	-	0.6	-	12.2	-	15.4
29	-	29.6	29.1	20.2	-	12.2	-	3.0	-	25.3	-	21.7
30	-	21.3	39.1	30.0	-	21.2	-	11.7	-	29.4	-	22.2
31	-	10.7	17.0	23.3	-	21.6	-	16.8	-	16.8	-	14.7
32	-	4.6	3.3	11.5	-	15.4	-	16.8	-	7.2	-	7.6
33	-	1.7	0.3	4.2	-	10.6	-	12.0	-	3.3	-	3.5
34	-	0.6	*	1.4	-	6.5	-	6.4	-	0.9	-	1.3
35	-	0.2	-	0.4	-	3.2	-	9.1	-	0.3	-	0.4
36	-	0.1	-	0.1	-	1.2	-	11.6	-	0.1	-	0.1
37	-	*	-	*	-	0.5	-	8.4	-	*	-	*
38	-	*	-	*	-	0.1	-	2.4	-	-	-	*
39	-	*	-	*	-	*	-	0.5	-	-	-	-
40 & Above	-	-	-	-	-	*	-	0.3	-	-	-	-
Average	-	29.69	30.16	30.71	-	31.52	-	33.51	-	30.27	-	29.96
Mike												
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	-
2.5	-	*	-	-	-	*	-	*	-	*	-	*
2.6	-	*	-	-	-	*	-	*	-	*	-	*
2.7	-	*	-	-	-	*	-	0.1	-	*	-	*
2.8	-	*	-	*	-	*	-	0.1	-	*	-	*
2.9	-	*	-	*	-	0.1	-	0.2	-	*	-	*
3.0	-	*	-	*	-	0.1	-	0.3	-	*	-	*
3.1	-	*	-	*	-	0.1	-	0.6	-	*	-	*
3.2	-	*	-	*	-	0.2	-	0.6	-	*	-	*
3.3	-	0.1	-	*	-	0.3	-	0.6	-	*	-	*
3.4	-	0.2	-	*	-	0.4	-	0.8	-	*	-	0.1
3.5	-	0.4	-	0.1	-	0.6	-	1.1	-	*	-	0.1
3.6	-	0.9	*	0.3	-	0.8	-	1.5	-	*	-	0.2
3.7	-	1.7	0.2	0.5	-	1.3	-	1.5	-	*	-	0.3
3.8	-	2.8	0.8	1.2	-	1.8	-	1.9	-	0.1	-	0.6
3.9	-	4.3	2.6	2.0	-	2.1	-	2.8	-	0.4	-	1.1
4.0	-	6.1	4.5	3.3	-	2.7	-	4.9	-	1.0	-	1.9
4.1	-	7.6	8.0	5.0	-	3.5	-	7.5	-	2.0	-	3.2
4.2	-	9.2	8.9	7.6	-	4.6	-	9.4	-	3.7	-	5.6
4.3	-	10.6	12.4	10.2	-	6.0	-	10.2	-	7.0	-	8.8
4.4	-	11.8	13.9	11.8	-	8.4	-	12.0	-	13.4	-	12.4
4.5	-	12.3	12.6	13.5	-	10.5	-	11.3	-	18.7	-	14.9
4.6	-	11.0	12.4	13.5	-	11.8	-	10.8	-	18.3	-	15.4
4.7	-	8.9	12.1	11.0	-	11.0	-	8.0	-	15.0	-	13.1
4.8	-	5.7	6.3	8.1	-	9.7	-	5.2	-	9.8	-	9.7
4.9	-	3.3	3.5	5.2	-	7.6	-	2.9	-	5.5	-	6.3
5.0	-	1.7	1.3	3.2	-	5.9	-	1.6	-	2.7	-	3.4
5.1	-	0.7	0.1	1.8	-	4.1	-	1.1	-	1.5	-	1.7
5.2	-	0.3	0.1	1.0	-	2.6	-	1.1	-	0.5	-	0.6
5.3	-	0.1	*	0.4	-	1.7	-	0.7	-	0.1	-	0.2
5.4	-	*	*	0.2	-	1.0	-	0.5	-	*	-	0.1
5.5 & Above	-	*	*	0.1	-	1.0	-	0.7	-	*	-	*
Average	-	4.38	4.44	4.50	-	4.57	-	4.37	-	4.57	-	4.54

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	77.7	28.6	-	1.3	-	0.4	-	1.1	-	2.3	-	1.8
Bark - Level 2	-	-	-	-	-	-	-	*	-	-	-	*
Grass - Level 1	-	*	-	0.1	-	*	-	0.1	-	0.3	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	-	-	*	-	*	-	-	-	-
23	-	0.1	-	-	-	*	-	*	-	*	-	-
24	*	0.3	-	*	-	*	-	*	-	*	-	*
25	*	0.8	-	*	-	*	-	0.1	-	0.2	-	0.1
26	0.1	1.8	-	0.2	-	0.2	-	0.5	-	0.7	-	0.6
27	1.2	3.0	-	0.8	-	1.8	-	2.1	-	1.9	-	2.8
28	8.1	6.2	-	5.2	-	8.6	-	6.3	-	5.0	-	14.2
29	26.2	20.2	-	18.8	-	25.2	-	15.7	-	13.1	-	21.4
30	29.5	26.0	-	26.2	-	34.2	-	29.1	-	24.1	-	24.5
31	19.2	19.1	-	20.2	-	19.9	-	27.0	-	24.3	-	20.5
32	8.3	11.8	-	14.6	-	7.0	-	12.4	-	17.0	-	11.4
33	3.9	6.7	-	8.6	-	2.2	-	5.2	-	9.1	-	4.1
34	1.7	3.1	-	3.6	-	0.6	-	1.4	-	3.4	-	0.4
35	1.2	0.7	-	1.3	-	0.2	-	0.2	-	0.9	-	0.1
36	0.6	0.1	-	0.3	-	*	-	*	-	0.2	-	*
37	*	*	-	0.1	-	*	-	*	-	0.1	-	*
38	*	*	-	*	-	*	-	*	-	*	-	*
39	*	*	-	-	-	*	-	*	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.65	30.69	-	31.11	-	30.41	-	30.83	-	31.18	-	30.42
Mike												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5	1.2	0.2	-	-	-	-	-	-	-	*	-	-
2.6	0.5	0.2	-	-	-	-	-	-	-	*	-	-
2.7	1.2	0.5	-	-	-	-	-	-	-	*	-	-
2.8	1.4	0.8	-	-	-	-	-	*	-	*	-	*
2.9	2.4	1.3	-	-	-	-	-	*	-	*	-	0.2
3.0	3.6	2.4	-	*	-	*	-	*	-	*	-	0.1
3.1	5.1	3.6	-	*	-	*	-	*	-	*	-	0.2
3.2	2.3	4.3	-	*	-	*	-	*	-	*	-	0.2
3.3	4.6	5.1	-	*	-	*	-	*	-	*	-	0.4
3.4	5.0	5.9	-	*	-	0.1	-	*	-	*	-	1.0
3.5	7.1	7.0	-	*	-	0.1	-	*	-	0.1	-	2.0
3.6	5.1	7.4	-	0.1	-	0.2	-	0.1	-	0.2	-	2.6
3.7	5.6	7.1	-	0.2	-	0.4	-	0.2	-	0.3	-	4.6
3.8	9.5	7.0	-	0.5	-	0.9	-	0.5	-	0.6	-	5.7
3.9	4.8	7.1	-	1.0	-	1.7	-	1.0	-	1.1	-	6.6
4.0	2.8	6.5	-	1.4	-	2.9	-	1.9	-	1.5	-	7.5
4.1	2.8	6.2	-	2.6	-	4.8	-	2.8	-	2.3	-	7.9
4.2	6.6	5.3	-	4.2	-	7.6	-	4.3	-	3.6	-	8.8
4.3	3.9	4.5	-	7.5	-	9.8	-	6.6	-	5.4	-	8.9
4.4	3.0	4.2	-	11.2	-	12.0	-	9.9	-	8.3	-	9.8
4.5	3.2	3.5	-	15.8	-	12.9	-	13.2	-	11.2	-	8.7
4.6	2.5	2.7	-	16.8	-	12.5	-	15.6	-	14.1	-	8.2
4.7	2.2	2.2	-	16.2	-	11.3	-	15.7	-	15.1	-	5.5
4.8	1.9	1.9	-	11.0	-	8.6	-	12.8	-	13.5	-	3.8
4.9	2.1	1.2	-	6.1	-	6.0	-	8.1	-	10.5	-	2.0
5.0	2.5	0.8	-	3.1	-	3.9	-	4.1	-	6.5	-	1.4
5.1	1.8	0.6	-	1.4	-	2.4	-	1.9	-	3.3	-	1.5
5.2	1.5	0.2	-	0.5	-	1.2	-	0.8	-	1.5	-	1.4
5.3	1.2	0.1	-	0.2	-	0.4	-	0.4	-	0.6	-	0.6
5.4	0.7	*	-	0.1	-	0.1	-	0.1	-	0.3	-	0.3
5.5 & Above	1.9	0.1	-	*	-	*	-	*	-	0.2	-	*
Average	3.90	3.84	-	4.57	-	4.52	-	4.59	-	4.64	-	4.26

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	47.7	8.9	-	1.6	-	0.3	2.6	9.3	-	0.6
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	-	*	-	0.3	-	*	-	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	-	*	-	*	0.1	0.1	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	*	-	-
23	-	*	-	*	-	*	-	0.1	-	*
24	-	0.1	-	0.1	-	*	-	0.4	-	*
25	0.1	0.3	-	0.5	-	0.1	-	1.0	-	0.1
26	0.4	0.7	-	2.0	-	0.5	0.1	2.4	-	0.6
27	0.7	2.0	-	5.1	-	4.3	0.2	5.4	-	2.2
28	1.7	4.6	-	11.9	-	18.7	1.7	10.3	-	4.7
29	5.0	9.2	-	24.5	-	31.1	7.8	16.0	-	13.7
30	11.0	14.7	-	25.7	-	24.3	18.8	20.0	-	26.4
31	22.0	17.6	-	16.3	-	12.2	22.4	18.2	-	25.2
32	22.7	16.2	-	8.1	-	5.7	10.0	12.9	-	16.6
33	14.9	13.3	-	3.7	-	2.3	13.2	7.4	-	7.1
34	11.2	9.8	-	1.5	-	0.6	8.8	3.6	-	2.3
35	6.0	6.1	-	0.5	-	0.2	12.3	1.5	-	0.8
36	2.4	3.5	-	0.1	-	*	4.5	0.6	-	0.2
37	1.4	1.5	-	*	-	*	0.3	0.2	-	*
38	0.5	0.5	-	*	-	*	*	0.1	-	-
39	-	*	-	-	-	*	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	32.46	32.11	-	30.23	-	29.95	32.42	30.68	-	31.07
Mike										
2.4 & Below	-	*	-	*	-	-	-	*	-	-
2.5	-	*	-	*	-	-	-	0.1	-	-
2.6	-	*	-	*	-	-	-	0.1	-	-
2.7	0.1	*	-	*	-	-	-	0.1	-	-
2.8	0.1	*	-	*	-	*	-	0.2	-	-
2.9	0.7	0.1	-	*	-	*	-	0.3	-	-
3.0	1.1	0.1	-	*	-	*	-	0.4	-	-
3.1	0.8	0.2	-	*	-	*	-	0.5	-	-
3.2	0.2	0.2	-	*	-	*	*	0.7	-	*
3.3	0.4	0.3	-	*	-	*	0.1	0.9	-	*
3.4	0.6	0.5	-	*	-	0.1	4.8	1.2	-	*
3.5	2.2	0.9	-	0.1	-	0.2	3.6	1.5	-	*
3.6	4.0	1.5	-	0.2	-	0.4	2.6	1.9	-	*
3.7	6.2	2.2	-	0.3	-	0.7	4.9	2.4	-	0.1
3.8	10.8	3.2	-	0.5	-	1.0	6.3	3.1	-	0.1
3.9	10.8	4.1	-	0.8	-	1.8	6.2	3.8	-	0.3
4.0	8.6	5.1	-	1.5	-	2.7	3.9	4.5	-	0.6
4.1	7.4	6.1	-	2.9	-	3.8	1.5	5.5	-	1.2
4.2	5.9	7.1	-	5.1	-	5.6	4.8	6.6	-	2.3
4.3	4.6	8.1	-	8.4	-	8.2	5.4	7.7	-	4.1
4.4	5.2	9.1	-	11.3	-	11.1	7.6	8.9	-	7.1
4.5	5.6	9.7	-	13.8	-	13.5	22.8	9.4	-	11.6
4.6	4.9	9.7	-	14.9	-	14.3	11.6	9.4	-	16.1
4.7	6.7	9.2	-	14.1	-	12.9	4.0	9.0	-	17.8
4.8	3.4	7.6	-	11.3	-	10.2	3.0	7.6	-	15.7
4.9	4.0	5.9	-	7.3	-	6.7	2.3	5.7	-	10.8
5.0	3.1	4.2	-	3.9	-	3.8	4.0	4.0	-	6.6
5.1	1.9	2.6	-	1.7	-	1.9	0.6	2.4	-	3.1
5.2	0.6	1.5	-	0.8	-	0.7	*	1.2	-	1.3
5.3	-	0.6	-	0.5	-	0.2	0.1	0.5	-	0.6
5.4	-	0.2	-	0.3	-	*	-	0.2	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	-	0.1	-	0.1
Average	4.17	4.43	-	4.57	-	4.53	4.27	4.38	-	4.68

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	-
2.5 - 2.6	-	*	-	-	-	*	-	*	-	*	-	*
2.7 - 2.9	-	*	-	*	-	0.1	-	0.4	-	*	-	*
3.0 - 3.2	-	0.1	-	*	-	0.5	-	1.5	-	*	-	*
3.3 - 3.4	-	0.3	-	0.1	-	0.6	-	1.3	-	*	-	0.1
3.5 - 3.6	-	1.3	*	0.4	-	1.4	-	2.6	-	0.1	-	0.4
3.7 - 4.2	-	31.8	25.0	19.5	-	15.9	-	28.0	-	7.4	-	12.8
4.3 - 4.9	-	63.6	73.3	73.3	-	65.0	-	60.5	-	87.7	-	80.5
5.0 - 5.2	-	2.8	1.5	6.0	-	12.7	-	3.8	-	4.7	-	5.8
5.3 & Above	-	0.2	0.1	0.7	-	3.8	-	1.8	-	0.1	-	0.4
Average	-	4.38	4.44	4.50	-	4.57	-	4.37	-	4.57	-	4.54
Leaf												
1 - 2	-	13.5	3.6	8.9	-	55.1	-	63.4	-	6.1	-	16.5
3	-	48.3	35.9	37.7	-	26.3	-	27.1	-	37.2	-	48.1
4	-	30.5	36.1	35.8	-	11.4	-	7.3	-	44.5	-	29.3
5	-	6.6	22.0	15.8	-	4.4	-	1.5	-	11.4	-	5.6
6	-	1.0	2.4	1.8	-	1.7	-	0.5	-	0.8	-	0.4
7	-	0.1	*	*	-	0.6	-	0.2	-	*	-	*
8	-	*	-	*	-	0.4	-	*	-	*	-	*
Average	-	3.33	3.84	3.64	-	2.57	-	2.29	-	3.63	-	3.24
HVI Trash 1/												
00	-	*	-	*	-	*	-	0.1	-	-	-	*
01	-	2.7	0.1	1.3	-	28.7	-	33.5	-	1.0	-	3.7
02	-	14.9	6.1	9.5	-	29.7	-	33.4	-	7.4	-	17.0
03	-	24.5	18.1	16.8	-	15.6	-	16.5	-	16.5	-	24.3
04	-	23.3	18.7	18.5	-	9.5	-	7.7	-	22.6	-	22.1
05	-	16.1	17.4	17.1	-	5.9	-	4.1	-	21.4	-	15.4
06	-	9.2	15.8	14.1	-	3.8	-	2.1	-	15.1	-	9.0
07	-	4.7	12.1	10.2	-	2.3	-	1.0	-	8.5	-	4.6
08	-	2.3	7.0	6.3	-	1.5	-	0.6	-	4.2	-	2.2
09	-	1.1	3.2	3.4	-	0.9	-	0.3	-	1.9	-	1.0
10	-	0.6	0.9	1.6	-	0.6	-	0.2	-	0.8	-	0.4
11	-	0.3	0.4	0.7	-	0.4	-	0.2	-	0.4	-	0.2
12	-	0.2	0.1	0.3	-	0.3	-	0.1	-	0.1	-	0.1
13	-	0.1	*	0.1	-	0.2	-	0.1	-	0.1	-	*
14	-	*	-	*	-	0.1	-	*	-	*	-	*
15	-	*	-	*	-	0.1	-	*	-	*	-	*
16	-	*	-	*	-	0.1	-	*	-	*	-	*
17	-	*	-	*	-	0.1	-	*	-	*	-	*
18 & Above	-	*	-	*	-	0.1	-	*	-	*	-	*
Average	-	0.41	0.51	0.50	-	0.29	-	0.24	-	0.48	-	0.40
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	*	-	*	-	-	-	*
76	-	*	*	*	-	*	-	*	-	*	-	*
77	-	0.2	*	0.1	-	0.2	-	0.4	-	*	-	0.1
78	-	2.2	0.5	0.4	-	1.8	-	1.5	-	0.3	-	1.0
79	-	11.3	3.8	2.4	-	8.1	-	4.1	-	2.0	-	5.2
80	-	30.7	24.7	13.3	-	22.6	-	17.9	-	13.5	-	19.1
81	-	35.5	39.2	35.5	-	36.0	-	29.4	-	41.9	-	37.0
82	-	16.2	24.3	34.5	-	24.8	-	21.8	-	32.5	-	28.1
83	-	3.4	6.6	12.2	-	5.7	-	14.1	-	8.2	-	8.2
84	-	0.4	0.9	1.5	-	0.6	-	10.4	-	1.5	-	1.2
85 & Above	-	*	0.1	0.1	-	0.1	-	0.4	-	0.1	-	0.1
Average	-	81.08	81.50	81.89	-	81.38	-	81.96	-	81.81	-	81.61
Tenderable 3/	-	85.9	93.8	89.6	-	75.6	-	86.8	-	82.8	-	84.9
SAMPLES CLASSED	-	979,014	14,927	1,524,638	-	356,267	-	183,205	-	160,868	-	2,716,133

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	1.7	0.4	-	-	-	-	-	-	-	*	-	-
2.7 - 2.9	4.9	2.6	-	-	-	-	-	*	-	*	-	0.2
3.0 - 3.2	10.9	10.3	-	*	-	*	-	*	-	*	-	0.5
3.3 - 3.4	9.6	11.0	-	*	-	0.1	-	*	-	*	-	1.4
3.5 - 3.6	12.3	14.5	-	0.2	-	0.4	-	0.1	-	0.2	-	4.6
3.7 - 4.2	32.1	39.2	-	9.8	-	18.4	-	10.7	-	9.4	-	41.2
4.3 - 4.9	18.8	20.2	-	84.6	-	73.1	-	81.7	-	78.0	-	46.9
5.0 - 5.2	5.8	1.6	-	5.0	-	7.5	-	6.9	-	11.2	-	4.3
5.3 & Above	3.8	0.2	-	0.3	-	0.5	-	0.5	-	1.0	-	0.9
Average	3.90	3.84	-	4.57	-	4.52	-	4.59	-	4.64	-	4.26
Leaf												
1 - 2	1.3	31.8	-	18.9	-	10.3	-	17.9	-	11.2	-	57.0
3	18.2	31.7	-	41.7	-	39.6	-	40.1	-	52.3	-	32.8
4	35.6	20.6	-	29.8	-	34.8	-	31.1	-	31.4	-	8.0
5	25.9	9.5	-	8.6	-	13.7	-	9.6	-	4.8	-	1.7
6	12.7	3.5	-	1.0	-	1.5	-	1.2	-	0.3	-	0.4
7	4.5	1.7	-	*	-	*	-	0.1	-	*	-	0.1
8	1.8	1.1	-	*	-	*	-	*	-	*	-	*
Average	4.51	3.27	-	3.30	-	3.56	-	3.35	-	3.30	-	2.42
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	-	-	*
01	*	10.4	-	4.0	-	1.4	-	4.4	-	1.4	-	20.6
02	1.6	25.0	-	19.1	-	9.7	-	16.6	-	12.2	-	35.1
03	6.9	16.6	-	20.0	-	17.3	-	19.3	-	25.1	-	21.7
04	9.8	12.4	-	17.9	-	18.9	-	18.2	-	25.8	-	11.1
05	13.4	9.8	-	14.7	-	17.2	-	15.2	-	17.9	-	5.6
06	14.4	7.3	-	10.4	-	13.8	-	11.1	-	9.9	-	2.7
07	12.4	5.3	-	6.6	-	9.7	-	7.1	-	4.6	-	1.4
08	10.6	3.6	-	3.7	-	6.0	-	4.1	-	2.0	-	0.7
09	8.4	2.5	-	1.9	-	3.3	-	2.2	-	0.8	-	0.4
10	6.6	1.8	-	1.0	-	1.6	-	1.0	-	0.3	-	0.2
11	4.8	1.3	-	0.5	-	0.7	-	0.5	-	0.1	-	0.1
12	3.8	1.0	-	0.2	-	0.3	-	0.2	-	*	-	0.1
13	2.4	0.7	-	0.1	-	0.1	-	0.1	-	*	-	*
14	1.7	0.6	-	*	-	*	-	*	-	*	-	*
15	1.4	0.4	-	*	-	*	-	*	-	*	-	*
16	0.6	0.3	-	*	-	*	-	*	-	*	-	-
17	0.5	0.2	-	*	-	*	-	*	-	*	-	*
18 & Above	0.8	0.8	-	*	-	*	-	*	-	*	-	*
Average	0.74	0.44	-	0.42	-	0.49	-	0.43	-	0.41	-	0.27
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	*	-	*	-	-
76	0.2	0.2	-	-	-	*	-	*	-	*	-	-
77	0.3	0.7	-	*	-	*	-	0.1	-	0.1	-	*
78	3.6	3.6	-	0.3	-	0.1	-	0.9	-	0.6	-	0.1
79	15.5	17.2	-	2.0	-	0.9	-	4.7	-	4.4	-	1.3
80	29.1	36.5	-	13.6	-	7.2	-	20.7	-	19.8	-	10.5
81	37.7	35.2	-	36.8	-	26.9	-	44.5	-	38.0	-	29.3
82	13.2	6.3	-	33.5	-	42.2	-	24.7	-	29.2	-	45.7
83	0.3	0.3	-	11.7	-	20.1	-	4.0	-	6.9	-	12.6
84	0.1	*	-	1.9	-	2.4	-	0.4	-	0.8	-	0.4
85 & Above	*	*	-	0.3	-	0.2	-	*	-	0.1	-	*
Average	80.84	80.66	-	81.90	-	82.26	-	81.45	-	81.60	-	82.03
Tenderable 3/	14.8	48.1	-	89.3	-	89.5	-	88.3	-	83.4	-	85.2
SAMPLES CLASSED	7,211	252,885	-	583,287	-	827,340	-	1,539,161	-	1,061,015	-	31,678

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	*	-	-	-	*	-	-
2.5 - 2.6	-	*	-	*	-	-	-	0.2	-	-
2.7 - 2.9	1.0	0.1	-	*	-	*	-	0.6	-	-
3.0 - 3.2	2.2	0.5	-	*	-	0.1	*	1.5	-	*
3.3 - 3.4	1.0	0.9	-	*	-	0.1	4.8	2.1	-	*
3.5 - 3.6	6.1	2.4	-	0.2	-	0.6	6.2	3.4	-	*
3.7 - 4.2	49.8	27.7	-	11.2	-	15.5	27.6	25.9	-	4.6
4.3 - 4.9	34.3	59.3	-	81.1	-	77.1	56.7	57.7	-	83.3
5.0 - 5.2	5.6	8.2	-	6.5	-	6.4	4.6	7.6	-	11.1
5.3 & Above	-	0.9	-	1.0	-	0.2	0.1	0.9	-	1.0
Average	4.17	4.43	-	4.57	-	4.53	4.27	4.38	-	4.68
Leaf										
1 - 2	33.3	51.5	-	14.1	-	14.3	5.1	44.7	-	24.0
3	41.2	33.2	-	57.0	-	44.1	37.7	39.0	-	60.8
4	21.4	10.5	-	26.0	-	30.9	35.6	12.7	-	14.2
5	3.4	3.2	-	2.7	-	9.5	17.7	2.7	-	0.9
6	0.5	1.0	-	0.1	-	1.2	4.0	0.6	-	*
7	0.4	0.4	-	*	-	*	-	0.2	-	*
8	-	0.1	-	*	-	*	-	*	-	*
Average	2.85	2.58	-	3.17	-	3.39	3.78	2.67	-	2.91
HVI Trash 1/										
00	-	*	-	*	-	*	-	*	-	-
01	16.6	22.8	-	1.6	-	2.3	0.7	16.8	-	3.0
02	16.3	32.3	-	15.4	-	13.3	7.9	31.9	-	23.1
03	22.7	20.1	-	28.6	-	20.8	21.4	23.0	-	33.2
04	13.8	10.7	-	25.6	-	20.2	23.1	13.4	-	23.1
05	11.0	5.8	-	15.6	-	16.2	18.5	7.2	-	11.0
06	7.6	3.3	-	7.7	-	11.4	11.5	3.7	-	4.3
07	6.5	1.9	-	3.3	-	7.3	8.0	1.9	-	1.5
08	2.4	1.1	-	1.3	-	4.2	4.7	0.9	-	0.5
09	1.4	0.7	-	0.5	-	2.2	2.6	0.5	-	0.2
10	0.6	0.5	-	0.2	-	1.1	1.0	0.3	-	0.1
11	0.4	0.3	-	0.1	-	0.6	0.4	0.2	-	*
12	0.1	0.2	-	*	-	0.3	0.1	0.1	-	*
13	0.1	0.1	-	*	-	0.1	-	*	-	*
14	0.4	0.1	-	*	-	*	-	*	-	*
15	0.1	0.1	-	*	-	*	-	*	-	*
16	-	*	-	*	-	*	*	*	-	*
17	-	*	-	*	-	*	*	*	-	-
18 & Above	-	0.1	-	*	-	*	-	*	-	-
Average	0.37	0.28	-	0.39	-	0.45	0.47	0.29	-	0.34
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	*	-	-
75	0.1	*	-	*	-	-	-	0.1	-	*
76	0.2	0.2	-	*	-	*	*	0.6	-	*
77	0.7	1.1	-	0.2	-	0.1	0.1	2.7	-	0.1
78	2.6	4.0	-	1.4	-	0.5	0.9	8.3	-	0.2
79	7.9	12.7	-	7.7	-	5.1	3.9	19.7	-	1.3
80	17.4	28.3	-	30.4	-	22.4	13.5	30.3	-	9.2
81	24.8	32.8	-	40.3	-	36.5	33.2	25.5	-	36.1
82	26.5	16.5	-	16.4	-	26.9	34.5	10.6	-	39.1
83	16.0	3.7	-	3.1	-	7.8	12.9	1.9	-	11.9
84	3.2	0.5	-	0.3	-	0.7	0.9	0.2	-	1.9
85 & Above	0.4	0.1	-	*	-	0.1	*	*	-	0.2
Average	81.68	80.99	-	81.17	-	81.56	81.82	80.51	-	82.02
Tenderable 3/	45.3	77.4	-	87.4	-	89.4	81.9	65.9	-	86.1
SAMPLES CLASSED	833	544,807	-	423,216	-	939,385	3,073	6,340,209	-	229,678

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	53.4	-	27.7	-	-	-	11.5
	2	-	7.4	-	9.3	-	-	-	15.5
	3	-	1.0	-	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	61.8	-	37.1	-	-	-	27.4
02	1	-	20.7	-	28.2	-	-	-	14.7
	2	-	11.8	-	31.6	-	-	-	43.7
	3	-	2.9	-	0.9	-	-	-	5.2
	4	-	0.8	-	*	-	-	-	0.1
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	36.2	-	60.8	-	-	-	63.6
03	1	-	0.2	-	0.3	-	-	-	1.0
	2	-	0.8	-	1.3	-	-	-	5.2
	3	-	0.7	-	0.4	-	-	-	1.8
	4	-	0.1	-	*	-	-	-	0.1
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	1.8	-	2.0	-	-	-	8.2
04	1	-	0.1	-	*	-	-	-	-
	2	-	*	-	0.1	-	-	-	0.2
	3	-	0.1	-	*	-	-	-	0.4
	4	-	*	-	*	-	-	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	0.2	-	0.1	-	-	-	0.7
05	1	-	*	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	0.1
	4	-	*	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	*	-	*	-	-	-	0.1
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.5	-	0.6	-	-	-	0.9
46		-	12.0	-	6.2	-	-	-	10.2
48		-	65.0	-	25.0	-	-	-	62.0
50		-	22.4	-	63.9	-	-	-	20.7
52 & Longer		-	0.1	-	4.2	-	-	-	6.1
Average Staple		-	48.19	-	49.30	-	-	-	48.42
Average Length		-	1.40	-	1.43	-	-	-	1.41
EXTRANEIOUS MATTER									
Bark		-	*	-	*	-	-	-	1.2
Grass		-	-	-	0.1	-	-	-	0.8
Spindle Twist		-	*	-	0.1	-	-	-	0.2
Preparation		-	-	-	*	-	-	-	-
All Other		-	0.1	-	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-
2.7 - 2.9	-	*	-	0.2	-	-	-	*
3.0 - 3.2	-	1.3	-	0.6	-	-	-	1.2
3.3 - 3.4	-	8.9	-	1.0	-	-	-	2.0
3.5 - 3.6	-	18.8	-	2.3	-	-	-	6.6
3.7 - 4.2	-	67.4	-	56.5	-	-	-	72.8
4.3 - 4.9	-	3.6	-	39.4	-	-	-	17.4
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	3.79	-	4.15	-	-	-	3.97
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5	-	-	-	*	-	-	-	-
2.6	-	-	-	*	-	-	-	-
2.7	-	-	-	*	-	-	-	-
2.8	-	-	-	0.1	-	-	-	-
2.9	-	*	-	0.1	-	-	-	*
3.0	-	*	-	0.1	-	-	-	*
3.1	-	0.5	-	0.2	-	-	-	0.4
3.2	-	0.8	-	0.2	-	-	-	0.8
3.3	-	3.0	-	0.4	-	-	-	0.8
3.4	-	5.9	-	0.6	-	-	-	1.2
3.5	-	7.5	-	0.8	-	-	-	2.0
3.6	-	11.4	-	1.5	-	-	-	4.6
3.7	-	12.4	-	2.9	-	-	-	9.9
3.8	-	15.6	-	5.5	-	-	-	15.6
3.9	-	16.9	-	8.6	-	-	-	14.1
4.0	-	10.5	-	11.5	-	-	-	13.2
4.1	-	8.3	-	13.3	-	-	-	11.8
4.2	-	3.7	-	14.7	-	-	-	8.2
4.3	-	2.6	-	15.2	-	-	-	7.6
4.4	-	0.6	-	12.9	-	-	-	6.1
4.5	-	0.3	-	7.4	-	-	-	3.0
4.6	-	*	-	2.8	-	-	-	0.7
4.7	-	-	-	0.9	-	-	-	*
4.8	-	-	-	0.2	-	-	-	*
4.9	-	-	-	*	-	-	-	*
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	3.79	-	4.15	-	-	-	3.97
STRENGTH 1/ 36 & Below	-	*	-	0.2	-	-	-	0.2
37	-	*	-	0.4	-	-	-	1.5
38	-	0.1	-	1.7	-	-	-	1.4
39	-	0.5	-	3.4	-	-	-	2.0
40	-	2.1	-	3.5	-	-	-	2.5
41	-	7.8	-	3.6	-	-	-	9.9
42	-	15.8	-	5.9	-	-	-	13.3
43	-	26.9	-	10.9	-	-	-	16.6
44	-	25.4	-	18.5	-	-	-	21.5
45	-	14.9	-	24.0	-	-	-	17.8
46	-	4.9	-	17.2	-	-	-	10.1
47	-	0.9	-	7.7	-	-	-	2.4
48 & Above	-	0.5	-	3.0	-	-	-	0.8
Average	-	43.82	-	44.60	-	-	-	43.79
UNIFORMITY								
83 & Below	-	0.9	-	0.4	-	-	-	0.7
84	-	8.4	-	4.6	-	-	-	3.0
85	-	39.3	-	15.5	-	-	-	22.4
86	-	48.1	-	53.2	-	-	-	62.0
87	-	3.1	-	24.3	-	-	-	11.6
88 & Above	-	0.1	-	1.9	-	-	-	0.4
Average	-	85.89	-	86.47	-	-	-	86.27
Samples Classed	-	12,621	-	630,914	-	-	-	15,020

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.