



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	15	77.4	63.3	18,232	29	86.2	73.8	940,964
AR	10	82.1	55.2	15,523	29	89.9	75.6	1,398,794
AZ	11	61.5	37.3	17,147	12	78.4	57.9	238,654
CA	4	93.5	79.9	10,618	15	88.8	76.9	163,946
FL	4	79.3	72.0	4,399	4	83.0	65.6	152,480
GA	49	78.5	63.3	69,619	59	85.0	66.0	2,634,938
KS	3	57.9	37.9	20,826	3	56.0	37.4	142,887
LA	6	71.2	41.5	4,944	19	89.4	70.3	572,687
MO	9	91.3	78.7	20,983	21	89.5	74.0	805,306
MS	16	87.3	61.7	16,032	38	88.4	65.9	1,509,205
NC	17	88.8	69.2	15,265	34	83.4	59.1	1,035,939
NM	2	79.4	47.5	1,919	3	85.6	67.8	28,680
OK	10	66.7	47.5	36,251	12	78.1	60.4	434,708
SC	11	90.4	72.9	8,363	15	87.5	67.2	410,343
TN	6	87.4	78.7	7,769	22	89.5	71.1	937,585
TX	70	55.6	37.4	86,277	187	66.2	39.3	6,156,547
VA	2	89.0	63.0	7,628	4	85.9	59.4	212,099
United States	245	72.6	54.3	361,795	506	79.3	57.9	17,775,762
AMERICAN PIMA								
AZ	2			1,374	3			10,509
CA	12			28,377	17			471,385
NM*	-			-	-			-
TX*	-			-	3			14,656
United States	16			30,051	24			506,442
United States all cotton	258			391,846	520			18,282,204

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 16, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.7	8.6	1.8	4.9	16.6	51.8	21.6	51.2	1.3	3.5	1.6	9.1
	3	0.8	9.1	2.5	4.4	1.7	5.4	1.3	5.5	3.6	3.1	2.7	6.6
	4	0.1	0.7	*	0.2	*	0.3	-	0.2	-	0.2	0.4	0.3
	5	-	*	-	*	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	18.5	4.3	9.5	18.3	57.6	22.9	56.9	4.9	6.8	4.8	16.0
31	1 - 2	0.7	2.2	0.9	3.4	10.1	10.2	11.4	14.5	4.7	1.5	0.9	3.7
	3	7.3	13.0	7.2	18.2	8.0	8.1	11.2	12.2	18.2	9.0	5.7	12.6
	4	3.8	5.7	2.6	8.3	1.1	1.6	0.7	1.7	3.3	3.4	5.6	4.2
	5	0.2	0.5	0.1	0.8	*	0.2	-	0.1	0.3	0.3	0.7	0.3
	6	-	*	-	*	-	*	-	*	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	12.0	21.4	10.9	30.8	19.3	20.1	23.3	28.5	26.4	14.3	12.9	20.8
41	1 - 2	2.5	1.6	0.5	0.7	6.4	2.1	11.8	2.1	0.9	0.8	2.1	2.1
	3	24.1	16.3	6.8	12.7	13.8	4.6	27.0	6.2	12.7	17.0	22.6	18.0
	4	20.1	14.5	17.5	23.0	10.2	2.7	5.8	2.4	21.6	25.8	22.4	16.2
	5	2.6	3.2	8.5	12.4	2.5	0.8	0.4	0.3	10.4	5.3	5.6	3.4
	6	0.1	0.3	1.0	1.4	0.4	0.2	*	*	0.6	0.2	0.5	0.2
	7	*	*	-	*	*	*	-	*	*	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	49.3	36.0	34.2	50.3	33.2	10.3	45.1	11.1	46.2	49.2	53.2	39.9
51	1 - 2	2.3	0.7	0.1	0.1	0.2	0.3	1.2	0.1	0.1	0.4	0.7	0.9
	3	9.1	6.1	7.4	1.4	4.2	1.0	1.9	0.3	2.8	7.3	8.2	7.3
	4	8.2	5.7	20.6	3.6	6.5	1.2	0.6	0.1	8.1	11.4	7.5	5.9
	5	3.5	1.6	16.1	2.6	4.6	0.9	0.2	0.1	8.2	3.9	1.8	1.4
	6	1.5	0.3	4.4	0.4	1.9	0.5	0.1	*	0.9	0.3	0.2	0.1
	7	*	*	-	*	0.4	0.2	-	*	*	*	*	*
	8	-	*	-	*	0.1	*	-	-	-	-	-	*
Total	----	24.6	14.3	48.6	8.0	17.8	4.1	3.9	0.6	20.1	23.3	18.3	15.6
61	1 - 2	0.1	*	-	-	-	*	-	*	-	*	*	*
	3	0.1	0.1	-	*	-	*	-	*	-	0.1	0.1	0.1
	4	*	*	-	*	*	*	-	*	-	0.2	0.1	*
	5	-	*	-	*	0.1	*	-	-	-	0.1	*	*
	6	-	*	-	*	0.2	*	-	-	-	*	*	*
	7	-	*	-	-	*	*	-	-	-	-	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	0.2	0.1	-	*	0.3	0.1	-	*	-	0.4	0.1	0.2
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	*
Total	----	-	*	-	*	-	-	-	-	*	*	-	*
12 & 22	1 - 2	*	0.2	*	*	0.6	1.6	0.1	0.1	0.1	*	0.1	0.4
	3	0.2	0.4	-	*	0.1	1.5	*	0.1	0.3	*	0.1	0.2
	4	*	0.1	-	*	*	0.3	-	*	-	*	*	*
	5	-	*	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.7	*	0.1	0.7	3.3	0.2	0.2	0.3	0.1	0.2	0.6
32	1 - 2	*	0.1	-	*	1.1	0.5	0.2	0.3	-	0.1	*	0.3
	3	0.8	0.9	0.1	0.2	1.7	1.0	1.7	0.6	0.3	0.3	0.4	1.0
	4	0.4	0.7	*	0.2	1.1	0.6	0.3	0.3	*	0.2	0.3	0.3
	5	0.1	0.1	*	*	0.1	0.2	-	0.1	-	*	0.1	*
	6	-	*	-	*	*	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.3	1.8	0.1	0.4	4.0	2.3	2.2	1.3	0.3	0.6	0.9	1.6
42	1 - 2	0.1	0.2	-	*	0.1	*	0.1	*	-	0.1	0.2	0.2
	3	2.8	1.7	0.2	0.2	1.2	0.5	1.2	0.4	0.2	0.8	2.3	1.4
	4	2.7	1.8	0.2	0.3	2.3	0.6	0.5	0.7	0.7	1.3	2.3	1.2
	5	0.8	0.6	0.4	0.1	0.6	0.3	0.1	0.1	0.3	0.4	0.8	0.2
	6	0.1	0.1	0.1	*	0.1	0.1	-	*	*	*	0.1	*
	7	-	*	-	-	*	*	-	-	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	6.7	4.4	0.9	0.6	4.3	1.5	1.9	1.3	1.1	2.6	5.6	3.0

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	0.3	0.1	-	*	-	-	-	-	-	0.1	*	0.1
	3	0.8	0.9	*	*	*	0.1	0.1	*	-	0.8	0.7	0.9
	4	0.5	1.0	*	*	*	0.1	0.2	0.1	0.1	1.1	1.0	0.7
	5	0.4	0.2	0.3	*	*	*	0.1	0.1	0.3	0.4	0.3	0.2
	6	0.1	*	0.2	*	*	*	*	*	0.1	0.1	*	*
	7	-	*	-	-	*	*	-	*	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	*	*	*
Total	----	2.1	2.2	0.5	0.1	0.1	0.2	0.4	0.2	0.5	2.5	2.0	2.0
62	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	*	*	-	*	-	-	*	*	-	*	*	*
	4	-	*	-	*	-	-	*	*	-	0.1	*	*
	5	-	*	-	*	-	-	-	-	-	*	*	*
	6	-	*	-	*	-	*	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	*	-	*
Total	----	*	0.1	-	*	-	*	*	*	-	0.1	*	0.1
13 & 23	1 - 2	-	*	-	*	*	*	-	*	-	-	*	*
	3	-	*	-	*	*	*	-	*	-	-	*	*
	4	-	*	-	*	*	*	-	-	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	*	0.1	-	*	-	*	*	*
33	1 - 2	-	*	-	*	0.3	0.1	-	*	-	-	*	*
	3	0.1	*	*	*	0.6	0.2	*	*	-	*	0.1	*
	4	0.1	*	*	*	0.2	*	-	*	-	*	0.1	*
	5	*	*	-	*	*	*	-	-	-	-	*	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.1	*	*	1.1	0.3	*	*	-	*	0.2	0.1
43	1 - 2	*	*	-	*	*	*	-	*	-	-	*	*
	3	0.4	0.1	*	*	0.2	*	-	*	-	*	0.4	0.1
	4	0.9	0.2	0.1	0.1	0.4	0.1	-	*	*	*	0.5	0.1
	5	0.2	0.1	0.1	*	0.1	*	-	*	*	*	0.1	*
	6	*	*	0.1	*	*	*	-	-	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	-	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	1.5	0.4	0.3	0.1	0.7	0.2	-	*	0.1	0.1	1.1	0.2
53	1 - 2	*	*	-	-	-	-	-	-	-	-	*	*
	3	*	*	*	*	-	*	*	*	-	*	0.1	*
	4	0.1	*	*	*	*	*	-	*	-	*	0.2	0.1
	5	*	*	*	*	-	*	-	-	-	*	0.1	*
	6	-	*	0.1	*	-	*	-	-	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	0.1	0.1	0.2	*	*	*	*	*	-	0.1	0.4	0.1
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	*	*	-	*	-	*
	4	-	*	-	*	-	*	-	-	-	*	*	*
	5	-	*	-	-	-	-	-	-	-	-	*	*
	6	-	*	-	-	-	-	-	-	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	*	-	*
Total	----	-	*	-	*	-	*	*	*	-	*	*	*
24 - 54	1 - 8	0.2	*	-	*	0.2	0.1	-	*	-	*	0.2	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		*	*	-	*	-	-	-	-	-	*	0.1	*
32		0.3	0.5	-	*	0.3	*	-	-	*	*	0.9	0.4
33		1.7	2.1	-	*	0.5	0.6	*	0.1	0.2	0.7	3.1	2.3
34		7.8	6.8	*	0.1	3.8	2.6	1.0	1.1	0.6	2.6	6.8	7.3
35		13.5	13.1	0.6	1.8	9.5	8.3	8.5	3.9	8.4	5.3	16.0	15.3
36		20.1	22.7	8.9	11.3	21.5	19.5	19.1	12.4	24.8	12.5	23.8	21.2
37		23.2	32.3	42.2	40.2	24.7	30.9	24.6	30.8	38.7	32.6	28.4	29.1
38		22.2	15.1	18.7	25.6	19.5	21.2	24.1	27.7	22.9	34.0	14.4	16.9
39		9.2	6.3	20.8	16.4	14.6	13.0	21.8	20.1	3.9	11.1	5.7	6.5
40 & Longer		1.9	1.1	8.8	4.5	5.5	4.0	0.9	4.0	0.4	1.1	0.8	0.8
Average Staple		36.67	36.51	37.77	37.57	37.10	37.14	37.31	37.57	36.87	37.26	36.35	36.47
Average Length		1.14	1.14	1.18	1.17	1.16	1.16	1.17	1.17	1.15	1.16	1.13	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	19.3	20.9	0.7	15.4	0.3	2.7	16.8	13.5	2.1	4.6	3.5	41.7
	3	9.3	7.3	0.6	13.7	0.1	1.3	6.4	11.6	4.3	4.9	1.1	4.2
	4	0.6	0.3	*	0.8	*	*	0.1	1.3	0.1	0.3	0.1	*
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	29.2	28.5	1.3	29.9	0.4	4.0	23.3	26.5	6.4	9.9	4.6	45.9
31	1 - 2	3.0	3.6	0.4	2.4	6.2	5.4	9.6	2.7	3.6	3.7	11.6	13.9
	3	16.0	14.1	2.2	14.2	19.7	19.3	17.4	13.7	18.1	19.5	26.4	16.5
	4	9.1	9.1	1.8	6.6	7.1	7.2	2.9	7.4	6.4	8.6	11.9	2.6
	5	1.3	1.5	0.2	0.5	1.0	0.7	*	0.8	0.4	0.8	1.0	0.1
	6	*	0.1	-	*	*	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	29.6	28.5	4.5	23.7	34.1	32.6	29.9	24.7	28.5	32.6	51.0	33.2
41	1 - 2	-	*	0.2	0.5	3.0	1.7	2.2	1.0	5.0	2.8	0.1	0.3
	3	*	0.1	19.5	9.2	20.9	18.0	13.2	11.0	34.8	25.4	0.6	2.0
	4	0.4	0.9	29.3	14.5	24.7	25.1	9.4	15.9	16.8	19.5	2.9	2.0
	5	0.8	1.4	7.6	4.7	9.9	11.2	2.9	5.6	2.0	3.2	1.4	0.7
	6	0.2	0.5	0.4	0.4	0.5	1.2	0.2	0.6	0.2	0.2	-	0.1
	7	*	0.2	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	1.3	3.1	57.0	29.4	59.0	57.1	27.9	34.1	58.7	51.1	4.9	5.1
51	1 - 2	-	-	-	0.1	*	0.1	0.2	0.2	0.1	0.1	-	-
	3	-	-	1.7	2.3	1.0	0.8	3.4	2.7	1.1	1.1	-	*
	4	-	*	7.4	5.8	2.8	2.5	5.1	5.6	0.6	1.8	-	*
	5	-	0.1	4.0	2.6	0.9	1.8	2.4	2.7	0.1	0.6	-	*
	6	-	*	0.2	0.4	0.1	0.3	0.1	0.5	-	0.1	-	*
	7	-	0.1	-	*	0.1	*	*	*	-	*	-	-
	8	-	0.1	-	*	-	-	-	*	-	*	-	-
Total	----	-	0.3	13.3	11.2	4.9	5.4	11.2	11.8	1.9	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	-	-	0.1	-	*	-	*	-	*	-	-
	5	-	-	-	0.1	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	*	-	-
Total	----	-	-	-	0.2	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
12 & 22	1 - 2	10.4	10.1	0.1	0.4	-	*	0.8	0.1	0.1	*	1.4	3.0
	3	5.4	3.3	1.4	0.5	*	*	0.4	0.2	0.1	0.1	2.0	2.0
	4	0.3	0.2	0.2	0.1	-	-	*	0.1	*	*	0.1	0.1
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	16.2	13.5	1.7	1.0	*	*	1.3	0.4	0.1	0.1	3.4	5.1
32	1 - 2	0.2	0.2	0.1	0.1	-	*	0.3	0.1	0.1	0.1	1.9	1.1
	3	3.5	2.0	3.1	0.6	0.2	0.1	1.5	0.3	0.8	0.5	16.7	3.9
	4	5.9	3.1	3.0	0.3	0.2	0.1	0.6	0.3	0.6	0.3	4.0	1.4
	5	2.4	1.4	0.2	*	*	*	*	0.1	0.1	*	0.7	0.2
	6	0.2	0.2	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	12.1	7.0	6.4	1.1	0.5	0.2	2.4	0.7	1.5	0.9	23.3	6.6
42	1 - 2	-	*	0.1	0.1	-	*	*	*	*	*	-	*
	3	*	*	3.8	0.8	0.2	0.1	0.7	0.2	0.9	0.5	0.1	0.2
	4	0.1	0.3	5.0	1.1	0.3	0.1	0.7	0.6	0.8	0.7	0.6	0.3
	5	0.5	1.1	1.3	0.4	0.1	0.1	0.3	0.4	*	0.2	1.4	0.3
	6	0.2	0.9	0.1	0.1	*	*	0.1	*	-	*	-	0.1
	7	*	0.3	-	*	*	*	-	*	-	*	-	*
	8	*	0.1	-	-	-	-	-	*	-	-	-	*
Total	----	0.8	2.7	10.3	2.4	0.6	0.3	1.9	1.3	1.8	1.5	2.0	0.9

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 16, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	-	0.2	0.2	-	*	0.2	*	*	*	-	*
	4	-	*	0.8	0.3	*	*	0.3	0.2	0.1	*	-	*
	5	-	0.1	0.6	0.1	*	*	0.1	0.1	*	*	-	0.1
	6	-	0.1	0.1	*	*	*	-	*	-	*	-	*
	7	-	0.1	-	*	*	*	-	*	-	*	-	-
	8	-	0.1	-	*	0.1	*	-	*	-	*	-	-
Total	----	-	0.4	1.6	0.7	0.1	*	0.6	0.3	0.1	0.1	-	0.1
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	*	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
13 & 23	1 - 2	3.4	3.2	-	*	-	-	*	*	-	*	0.2	0.4
	3	1.6	1.6	*	*	-	-	0.1	*	-	*	0.3	0.2
	4	0.1	0.1	-	*	-	-	-	*	-	-	0.1	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	5.1	4.9	*	*	-	-	0.1	*	-	*	0.5	0.6
33	1 - 2	0.2	0.1	-	*	-	*	*	*	*	*	0.7	0.5
	3	2.4	0.8	0.4	0.1	*	*	0.5	*	0.2	*	5.0	1.2
	4	1.9	0.8	0.2	*	*	*	0.3	*	0.2	*	0.5	0.3
	5	0.8	0.6	-	*	*	*	*	*	*	*	-	*
	6	0.1	0.2	-	*	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	5.3	2.6	0.6	0.1	0.1	*	0.8	0.1	0.5	0.1	6.1	2.1
43	1 - 2	-	*	*	*	-	*	-	*	-	*	-	-
	3	-	0.1	0.8	0.1	*	*	0.1	*	0.2	*	-	*
	4	-	0.4	1.4	0.1	0.1	0.1	0.1	*	0.2	0.1	0.1	*
	5	*	0.8	0.4	*	0.1	*	0.1	*	*	*	0.1	*
	6	*	0.8	-	*	*	*	*	*	-	*	-	-
	7	-	0.4	-	-	-	-	-	*	-	-	-	-
	8	-	0.3	-	-	-	-	-	*	-	-	-	-
Total	----	0.1	2.7	2.6	0.3	0.2	0.1	0.3	0.1	0.4	0.1	0.1	*
53	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-
	3	-	-	0.1	*	-	*	*	*	-	*	-	-
	4	-	0.1	0.1	*	-	*	-	*	*	*	-	-
	5	-	0.2	0.2	*	-	*	*	*	0.1	*	-	-
	6	-	0.4	*	*	*	*	*	*	*	*	-	-
	7	-	0.5	-	-	-	-	-	*	-	*	-	-
	8	-	0.4	-	-	-	-	-	*	-	*	-	-
Total	----	-	1.5	0.4	*	*	*	0.1	*	0.1	*	-	-
63	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	*	*	-	-	-	*	-	*	-	-	-	-
	5	-	*	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	-	*	-	*	-	*	-	-
24 - 54	1 - 8	0.3	2.9	0.2	*	-	*	0.1	*	*	*	4.0	0.4
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	1.4	-	*	-	-	*	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	*	-	-	-	*	-	-
32		0.5	0.1	-	*	-	*	*	*	-	0.1	-	-
33		1.4	0.8	*	*	-	*	0.3	*	0.1	0.4	-	*
34		4.2	5.3	2.3	0.3	0.2	0.3	4.8	0.7	2.1	2.5	-	0.3
35		23.9	21.7	7.2	1.7	0.8	3.2	6.2	3.6	10.6	10.8	1.4	3.3
36		40.3	39.3	12.5	8.3	10.5	15.4	18.6	11.8	26.0	27.3	11.7	13.1
37		22.7	28.3	17.6	22.5	51.1	43.7	39.8	27.8	36.1	33.7	49.8	33.8
38		6.2	3.7	20.2	30.9	19.4	21.5	22.6	34.0	15.3	16.7	25.4	27.0
39		0.6	0.4	12.7	26.1	14.2	11.5	6.8	19.6	6.2	7.3	7.7	17.7
40 & Longer		0.2	0.4	27.5	10.2	3.9	4.4	0.9	2.6	3.6	1.2	4.1	4.7
Average Staple		35.99	36.03	38.06	38.03	37.47	37.36	36.92	37.60	36.86	36.76	37.39	37.57
Average Length		1.12	1.12	1.19	1.19	1.17	1.17	1.15	1.18	1.15	1.15	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	23.6	43.4	0.6	6.2	0.1	4.1	16.1	26.7	7.2	12.1
	3	7.6	9.0	1.8	8.3	0.7	2.2	9.3	9.7	4.6	13.1
	4	0.1	0.2	0.1	0.5	1.9	0.2	0.7	0.6	0.3	0.6
	5	-	*	-	*	0.1	*	*	*	*	*
	6	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	31.3	52.6	2.5	15.1	2.7	6.5	26.1	37.1	12.1	25.8
31	1 - 2	7.1	7.2	2.7	5.1	2.6	5.8	7.0	4.4	3.1	5.2
	3	24.8	17.2	17.4	25.3	14.4	16.6	13.0	9.9	14.4	20.7
	4	6.0	5.4	7.9	9.2	7.2	5.6	4.5	3.5	3.8	6.3
	5	0.5	0.7	0.6	0.5	0.6	0.5	0.7	0.4	0.1	0.4
	6	-	*	-	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	38.4	30.6	28.5	40.1	24.8	28.5	25.2	18.3	21.4	32.6
41	1 - 2	0.2	0.1	3.6	2.0	0.2	3.8	0.5	0.6	5.9	5.2
	3	2.6	0.7	29.4	18.8	11.5	21.7	3.0	2.4	40.2	25.0
	4	5.0	1.7	22.3	13.1	31.0	21.3	2.5	1.7	11.0	6.9
	5	2.6	1.2	2.8	1.6	11.9	7.4	1.4	0.5	0.5	0.5
	6	0.8	0.5	0.1	0.1	0.9	0.9	0.6	0.1	-	*
	7	0.1	0.2	-	*	-	*	0.2	*	-	-
	8	*	*	-	-	-	*	*	*	-	-
Total	----	11.3	4.4	58.3	35.5	55.6	55.1	8.3	5.4	57.6	37.6
51	1 - 2	*	*	0.5	0.2	*	0.2	-	0.1	0.1	0.2
	3	-	*	3.0	1.7	1.6	1.8	*	0.3	2.8	1.2
	4	*	*	1.7	1.4	6.2	2.6	0.2	0.2	2.0	0.6
	5	*	*	0.1	0.3	1.9	1.3	0.4	0.1	0.2	0.1
	6	0.1	*	*	*	0.1	0.3	0.3	*	-	*
	7	*	*	-	*	-	*	0.1	*	-	-
	8	*	*	-	*	-	*	0.2	*	-	-
Total	----	0.2	0.1	5.4	3.6	9.9	6.1	1.0	0.7	5.1	2.0
61	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	*	-	*	*	*
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	8	*	*	-	*	-	-	-	*	-	-
Total	----	*	*	-	*	-	*	*	0.1	*	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	0.9	1.6	0.1	0.1	*	0.1	3.1	8.5	0.2	0.1
	3	0.4	1.4	0.1	0.2	0.1	0.1	2.9	5.2	0.1	0.1
	4	*	0.1	-	*	0.1	*	0.4	0.6	*	*
	5	-	*	-	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.3	3.1	0.1	0.4	0.2	0.2	6.4	14.4	0.3	0.2
32	1 - 2	0.6	0.5	0.1	0.3	0.3	0.3	3.0	2.6	0.1	0.1
	3	4.4	2.6	0.7	1.5	0.9	0.8	6.9	6.5	1.2	0.4
	4	2.0	1.6	0.4	0.7	0.7	0.3	2.4	3.0	0.2	0.1
	5	0.3	0.3	0.1	0.1	0.2	*	0.5	0.5	*	*
	6	*	*	-	*	-	*	*	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	7.3	5.1	1.3	2.5	2.0	1.3	12.8	12.7	1.6	0.6
42	1 - 2	*	*	0.3	0.1	-	0.1	0.3	0.2	0.1	0.1
	3	0.9	0.2	1.6	1.0	0.8	0.8	1.5	0.9	0.7	0.6
	4	2.2	0.6	0.6	0.9	1.5	0.7	2.2	1.1	0.3	0.3
	5	2.0	0.6	0.1	0.2	0.7	0.2	1.4	0.6	0.1	*
	6	0.9	0.3	*	*	0.1	*	0.4	0.2	*	*
	7	0.2	0.1	-	-	-	*	0.1	0.1	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	6.2	1.9	2.7	2.3	3.1	1.8	6.0	3.0	1.2	1.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	*
	3	*	*	0.1	0.1	-	0.1	-	0.1	0.1	*
	4	*	*	0.1	0.1	0.2	0.1	*	0.1	*	*
	5	*	*	0.1	*	0.1	*	0.1	*	-	*
	6	0.1	*	*	*	0.1	*	0.1	*	*	*
	7	0.1	*	-	*	-	*	0.1	*	*	*
	8	0.1	*	-	*	-	-	0.1	*	-	*
<i>Total</i>	----	<i>0.3</i>	<i>0.1</i>	<i>0.2</i>	<i>0.2</i>	<i>0.4</i>	<i>0.1</i>	<i>0.4</i>	<i>0.3</i>	<i>0.1</i>	<i>0.1</i>
62	1 - 2	-	*	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	*	*
	8	*	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>*</i>	<i>*</i>	<i>-</i>	<i>*</i>	<i>-</i>	<i>-</i>	<i>*</i>	<i>*</i>	<i>*</i>	<i>*</i>
13 & 23	1 - 2	0.1	0.1	-	*	-	-	0.3	1.3	-	-
	3	0.1	0.1	*	*	-	*	1.7	1.1	-	*
	4	-	*	-	*	-	-	0.3	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.2</i>	<i>0.2</i>	<i>*</i>	<i>*</i>	<i>-</i>	<i>*</i>	<i>2.3</i>	<i>2.5</i>	<i>-</i>	<i>*</i>
33	1 - 2	0.4	0.1	*	*	*	*	0.9	0.8	0.1	*
	3	0.8	0.5	0.2	0.1	0.3	0.1	2.8	2.0	0.4	0.1
	4	0.4	0.4	0.1	*	0.1	*	1.2	1.0	0.1	*
	5	0.1	0.1	*	*	*	*	0.4	0.2	-	*
	6	*	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>1.6</i>	<i>1.1</i>	<i>0.4</i>	<i>0.2</i>	<i>0.5</i>	<i>0.1</i>	<i>5.3</i>	<i>4.0</i>	<i>0.5</i>	<i>0.1</i>
43	1 - 2	*	*	*	*	-	*	0.4	0.1	-	*
	3	0.3	0.1	0.3	0.1	0.1	0.1	1.3	0.3	0.1	0.1
	4	0.5	0.2	0.2	0.1	0.5	0.1	1.1	0.3	0.1	*
	5	0.5	0.2	*	*	0.2	*	0.7	0.2	*	*
	6	0.2	0.1	-	*	-	*	0.2	0.1	-	-
	7	0.1	*	-	*	-	-	*	*	-	-
	8	*	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>1.6</i>	<i>0.5</i>	<i>0.5</i>	<i>0.2</i>	<i>0.7</i>	<i>0.3</i>	<i>3.7</i>	<i>0.9</i>	<i>0.1</i>	<i>0.1</i>
53	1 - 2	-	-	-	*	-	*	-	*	-	*
	3	*	*	*	*	-	*	*	*	-	*
	4	*	*	*	*	-	*	*	*	-	*
	5	*	*	*	*	-	*	0.1	*	-	-
	6	*	*	*	*	-	*	0.1	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.2</i>	<i>*</i>	<i>0.1</i>	<i>*</i>	<i>-</i>	<i>*</i>	<i>0.2</i>	<i>*</i>	<i>-</i>	<i>*</i>
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>-</i>	<i>-</i>	<i>-</i>	<i>*</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>*</i>	<i>-</i>	<i>-</i>
24 - 54	1 - 8	0.2	0.1	0.1	*	*	*	1.9	0.6	*	*
25 - 35	1 - 8	-	*	-	-	-	-	0.3	*	-	-
81 - 85	1 - 8	-	*	-	*	-	*	0.1	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		*	*	-	-	-	-	*	*	-	-
30		0.1	0.1	-	-	-	-	0.2	0.2	-	-
31		0.3	0.2	-	*	-	-	1.3	1.2	-	-
32		1.7	1.2	*	0.3	-	*	4.0	3.8	-	*
33		6.0	4.9	0.8	1.8	-	*	8.7	8.6	-	0.1
34		11.0	9.3	2.6	5.9	0.1	1.0	14.9	15.0	0.8	0.7
35		12.4	13.3	5.6	12.9	2.1	11.8	19.0	20.2	7.3	4.8
36		16.7	16.5	10.9	19.9	23.5	36.4	18.9	19.6	21.8	16.9
37		23.3	24.3	48.3	37.6	67.0	37.9	17.0	19.0	44.5	39.2
38		14.9	16.2	25.7	17.2	7.1	10.3	9.0	8.2	18.3	23.4
39		9.0	9.8	5.2	4.0	0.2	2.4	4.9	3.2	6.4	12.2
40 & Longer		4.5	4.2	0.8	0.4	*	0.2	2.4	0.9	0.8	2.7
<i>Average Staple</i>		<i>36.38</i>	<i>36.51</i>	<i>37.05</i>	<i>36.54</i>	<i>36.79</i>	<i>36.53</i>	<i>35.62</i>	<i>35.50</i>	<i>36.95</i>	<i>37.27</i>
<i>Average Length</i>		<i>1.14</i>	<i>1.14</i>	<i>1.16</i>	<i>1.14</i>	<i>1.15</i>	<i>1.14</i>	<i>1.11</i>	<i>1.11</i>	<i>1.15</i>	<i>1.16</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	9.0	2.4	5.4	0.8	0.5	0.8	2.3	1.4	17.4	6.8	6.9	3.2
Bark - Level 2	-	*	-	*	-	-	-	-	-	-	-	*
Grass - Level 1	0.2	0.1	*	0.1	-	*	-	*	*	0.1	0.1	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Prep - Level 1	0.1	*	-	*	-	*	-	*	-	*	0.1	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	*	*	-	*	*	1.1	-	*	*	*	*	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	*	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	0.1	-	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	*	-	-	-	-	-	-	*	*
23	*	*	-	*	-	*	-	-	-	*	0.1	*
24	0.1	0.1	*	*	*	*	-	-	-	*	0.3	0.2
25	0.6	0.4	0.2	*	0.3	0.2	-	*	*	0.1	1.0	0.9
26	2.4	1.8	0.5	0.2	0.6	0.5	-	*	1.7	0.8	3.6	3.3
27	8.4	7.5	1.4	1.2	0.9	1.8	-	0.4	4.5	3.5	9.2	8.5
28	27.4	20.8	12.0	6.0	2.3	5.3	*	0.6	20.1	12.2	14.3	15.4
29	30.9	29.8	36.2	19.2	7.3	12.9	1.3	2.8	30.9	25.0	21.4	21.7
30	16.4	21.5	32.1	30.3	12.8	22.4	14.0	10.7	19.8	29.5	20.7	22.3
31	8.2	10.9	13.6	24.4	16.5	21.2	21.7	15.8	11.6	16.7	13.9	14.8
32	3.6	4.6	3.1	12.3	15.6	15.1	20.4	16.7	5.9	7.3	8.4	7.7
33	1.3	1.7	0.9	4.5	16.9	10.2	15.2	11.5	3.6	3.5	4.5	3.5
34	0.5	0.6	*	1.5	13.1	5.7	7.7	6.4	1.3	1.0	1.7	1.3
35	0.1	0.2	*	0.4	7.8	2.8	6.9	9.7	0.4	0.3	0.6	0.4
36	*	0.1	-	0.1	3.2	1.1	8.2	12.7	0.1	0.1	0.2	0.1
37	*	*	-	*	2.0	0.4	3.6	9.2	-	*	*	*
38	-	*	-	*	0.5	0.1	0.8	2.6	-	-	-	*
39	-	*	-	*	0.2	*	0.1	0.5	-	-	-	-
40 & Above	-	-	-	-	*	*	0.1	0.3	-	-	-	-
Average	29.41	29.71	29.99	30.80	32.55	31.43	33.01	33.67	29.94	30.29	30.02	29.98
Mike												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5	-	*	-	-	0.1	*	-	*	-	*	-	*
2.6	-	*	-	-	0.1	*	-	-	-	*	*	*
2.7	-	*	-	-	*	*	-	*	-	*	-	*
2.8	-	*	-	*	-	*	-	*	-	*	-	*
2.9	-	*	-	*	0.1	*	-	0.1	-	*	*	*
3.0	-	*	-	*	*	*	-	0.2	-	*	*	*
3.1	*	*	-	*	0.2	0.1	-	0.4	-	*	*	*
3.2	*	*	-	*	0.4	0.2	-	0.4	0.2	*	*	*
3.3	*	0.1	-	*	0.2	0.2	*	0.4	0.6	*	0.1	*
3.4	0.3	0.2	*	*	0.6	0.3	0.2	0.6	0.4	*	0.2	0.1
3.5	0.6	0.4	0.4	0.1	0.5	0.4	0.7	0.9	0.2	*	0.4	0.1
3.6	1.1	0.9	0.7	0.3	1.1	0.7	0.5	1.5	0.3	*	0.5	0.2
3.7	1.3	1.8	0.7	0.6	1.2	1.1	0.8	1.5	0.3	*	0.6	0.3
3.8	3.0	2.8	1.2	1.2	1.3	1.7	0.9	2.0	0.5	0.1	0.8	0.6
3.9	4.7	4.3	2.8	2.0	0.6	1.9	2.4	3.0	1.5	0.4	1.6	1.1
4.0	6.6	6.0	3.3	3.4	1.0	2.6	2.5	5.1	3.6	0.8	2.4	1.8
4.1	8.9	7.6	7.0	5.2	2.0	3.6	5.9	7.5	6.0	1.7	4.3	3.2
4.2	8.5	9.3	8.9	7.8	3.0	4.7	12.0	9.1	9.7	3.2	7.2	5.6
4.3	12.2	10.6	11.7	10.3	4.0	6.1	14.6	9.8	12.0	6.6	9.7	8.8
4.4	10.7	11.8	12.4	11.9	5.0	8.6	14.8	11.7	16.9	13.2	13.2	12.4
4.5	9.1	12.2	10.3	13.5	6.3	10.6	10.5	11.3	21.3	18.4	14.4	14.9
4.6	9.8	10.9	10.8	13.4	9.4	12.3	11.6	11.4	19.2	18.7	14.8	15.4
4.7	9.1	9.0	9.9	10.7	11.2	11.5	10.3	8.6	6.5	15.5	12.1	13.1
4.8	7.1	5.8	8.4	7.9	12.5	9.8	7.5	5.5	0.7	10.3	8.1	9.8
4.9	4.0	3.4	5.5	5.1	10.1	7.2	3.0	3.1	*	5.7	5.1	6.4
5.0	1.0	1.8	3.6	3.1	10.5	5.9	1.3	1.7	-	2.9	2.6	3.5
5.1	1.4	0.8	1.8	1.7	7.9	4.2	0.4	1.2	*	1.6	1.1	1.8
5.2	0.3	0.3	0.5	1.0	4.6	2.6	-	1.2	-	0.5	0.4	0.6
5.3	0.1	0.1	*	0.5	2.9	1.8	*	0.8	-	0.1	0.2	0.3
5.4	*	*	*	0.2	1.0	1.1	0.1	0.6	-	*	0.1	0.1
5.5 & Above	*	*	-	0.1	2.2	0.7	-	0.7	-	*	*	*
Average	4.37	4.38	4.46	4.49	4.70	4.58	4.42	4.39	4.39	4.58	4.49	4.55

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	16.1	21.3	4.6	1.3	0.8	0.4	3.0	1.1	1.2	2.3	0.1	1.9
Bark - Level 2	-	-	-	-	-	-	-	*	-	-	-	*
Grass - Level 1	-	*	-	0.1	*	*	0.1	0.1	*	0.3	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	*	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	-	*	0.1	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	-	-	*	-	*	-	-	-	-
23	-	0.1	-	-	-	*	-	*	-	*	-	-
24	-	0.5	-	*	*	*	*	*	*	*	0.2	*
25	*	1.4	*	*	0.1	*	0.3	0.1	0.2	0.1	1.5	0.1
26	0.1	3.1	-	0.2	0.3	0.2	3.7	0.5	1.0	0.7	1.9	0.3
27	1.4	4.6	0.2	0.9	1.9	1.8	10.6	2.1	3.0	1.9	3.1	2.1
28	5.5	6.3	1.3	5.3	12.0	8.5	22.0	6.0	5.5	5.0	22.9	12.0
29	22.9	17.6	6.6	18.9	34.3	24.6	26.8	15.3	13.3	13.1	27.4	20.4
30	26.7	24.1	15.6	26.3	32.5	34.5	20.2	29.2	24.7	24.0	26.9	25.6
31	18.6	19.9	20.0	20.2	14.6	20.3	10.1	27.2	26.1	24.3	8.7	22.1
32	13.1	11.9	25.3	14.5	3.5	7.1	4.6	12.5	15.1	17.1	3.9	12.5
33	6.3	5.8	12.5	8.5	0.5	2.2	1.0	5.3	8.0	9.2	3.5	4.4
34	4.9	3.7	8.1	3.5	0.1	0.7	0.5	1.5	2.4	3.4	0.1	0.4
35	0.6	0.8	6.9	1.3	0.2	0.2	0.2	0.2	0.7	0.9	0.1	*
36	0.1	0.2	2.3	0.3	-	*	*	*	0.2	0.2	-	*
37	*	*	0.9	0.1	*	*	-	*	0.1	0.1	-	*
38	*	*	*	*	-	*	-	*	-	*	-	*
39	-	-	-	-	-	*	-	*	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.92	30.58	32.32	31.10	30.04	30.42	29.50	30.84	31.02	31.19	29.76	30.55
Mike												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5	0.6	0.2	-	-	-	-	-	-	-	*	-	-
2.6	0.5	0.3	-	-	-	-	-	-	-	*	-	-
2.7	0.1	0.4	-	-	-	-	-	-	-	*	-	-
2.8	0.4	0.5	-	-	-	-	-	*	-	*	0.1	*
2.9	1.0	0.9	-	-	-	-	-	*	-	*	0.1	0.2
3.0	1.9	1.9	-	*	-	*	-	*	-	*	-	0.1
3.1	2.2	3.0	-	*	-	*	-	*	*	*	0.1	0.1
3.2	4.3	3.4	-	*	-	*	-	*	*	*	1.0	0.2
3.3	6.6	4.2	-	*	-	*	*	*	0.1	*	0.3	0.3
3.4	7.6	4.8	-	*	0.1	0.1	*	*	0.1	*	1.9	0.7
3.5	7.3	5.5	0.1	*	0.4	0.1	*	*	0.2	0.1	5.1	2.1
3.6	8.9	6.6	0.1	0.1	1.0	0.2	0.1	0.1	0.3	0.1	3.5	2.4
3.7	9.7	6.7	0.2	0.2	1.0	0.4	0.4	0.2	0.9	0.3	7.6	4.5
3.8	7.0	6.5	0.1	0.5	1.5	0.9	0.5	0.5	1.1	0.5	3.1	5.2
3.9	5.8	7.9	0.9	1.0	1.4	1.7	0.7	1.0	2.1	1.0	7.6	6.3
4.0	5.3	7.2	1.8	1.4	2.1	2.9	1.3	1.9	4.0	1.4	7.9	7.3
4.1	6.2	7.2	3.0	2.5	5.1	4.8	1.6	2.9	6.3	2.2	10.9	7.7
4.2	5.0	6.5	2.3	4.3	8.4	7.6	3.0	4.3	6.6	3.5	10.9	8.6
4.3	5.2	5.5	5.0	7.6	10.0	9.8	7.4	6.6	5.7	5.3	12.0	8.9
4.4	4.9	4.9	5.6	11.3	13.2	12.0	9.6	9.9	9.5	8.2	6.4	10.4
4.5	4.0	4.6	12.7	15.9	13.5	12.9	14.8	13.1	10.5	11.2	6.6	9.2
4.6	1.9	3.4	13.5	16.7	13.5	12.4	17.1	15.5	13.5	14.1	3.2	8.5
4.7	1.5	2.8	18.3	16.1	12.1	11.3	17.5	15.7	14.0	15.2	3.9	5.8
4.8	1.5	2.1	20.5	11.0	7.1	8.6	13.5	12.8	11.5	13.7	5.8	3.8
4.9	0.2	1.3	9.4	6.1	3.7	6.1	7.2	8.1	7.2	10.6	0.7	2.0
5.0	0.2	0.8	4.3	3.1	2.7	4.0	2.6	4.1	3.8	6.5	1.3	1.4
5.1	*	0.5	0.5	1.3	2.1	2.5	1.7	1.9	1.2	3.3	-	1.7
5.2	-	0.1	1.7	0.5	1.0	1.2	0.9	0.9	0.5	1.5	-	1.4
5.3	-	0.1	*	0.2	0.1	0.4	0.1	0.4	0.3	0.6	-	0.7
5.4	-	*	-	0.1	0.1	0.1	*	0.1	0.2	0.3	-	0.3
5.5 & Above	-	*	*	*	*	*	*	*	0.2	0.2	0.1	*
Average	3.79	3.91	4.63	4.57	4.48	4.52	4.59	4.59	4.52	4.64	4.14	4.28

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	14.9	7.8	1.7	1.6	1.6	0.3	16.3	8.9	0.1	0.6
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	*	*	0.1	0.3	-	*	0.1	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	-	*	*	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	-	*	-	*	0.1	0.1	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	*	-	*	*	*	-	-
23	*	*	*	*	-	*	*	0.1	-	-
24	0.1	0.1	0.1	0.1	*	*	0.1	0.4	-	*
25	0.2	0.2	0.4	0.5	0.5	0.1	0.4	1.0	*	*
26	0.8	0.6	1.3	1.9	2.0	0.5	1.3	2.4	0.7	0.4
27	2.4	1.9	3.3	5.0	12.5	4.3	3.9	5.4	4.8	1.7
28	5.0	4.4	15.9	11.8	26.5	18.7	8.3	10.4	6.7	4.3
29	8.9	8.9	35.3	24.5	25.5	31.2	13.8	16.0	9.6	13.3
30	13.1	14.9	23.8	25.9	19.2	24.4	19.1	20.0	28.1	26.6
31	16.0	17.9	10.1	16.3	7.3	12.2	18.3	18.2	32.7	25.9
32	14.4	16.4	5.1	8.1	4.3	5.7	14.7	12.8	12.3	17.2
33	12.2	13.4	2.4	3.7	2.1	2.3	10.6	7.3	4.1	7.1
34	10.2	9.9	1.5	1.5	0.1	0.6	5.5	3.5	0.9	2.4
35	7.4	6.1	0.7	0.5	-	0.2	2.3	1.5	0.1	0.8
36	5.0	3.4	0.1	0.1	*	*	1.0	0.6	*	0.2
37	3.0	1.4	0.1	*	-	*	0.3	0.2	*	*
38	1.2	0.4	*	*	-	*	0.1	0.1	-	-
39	0.1	*	-	-	-	*	*	*	-	-
40 & Above	-	-	-	-	-	-	*	*	-	-
Average	32.35	32.12	29.97	30.24	29.40	29.95	31.17	30.67	30.79	31.13
Mike										
2.4 & Below	*	*	-	*	-	-	*	*	-	-
2.5	*	*	-	*	-	-	0.2	0.1	-	-
2.6	*	*	-	*	-	-	0.5	0.1	-	-
2.7	*	*	-	*	-	-	0.8	0.1	-	-
2.8	0.1	0.1	-	*	-	*	0.7	0.2	-	-
2.9	0.2	0.1	-	*	-	*	0.6	0.3	-	-
3.0	0.2	0.1	-	*	0.1	*	0.6	0.4	-	-
3.1	0.5	0.2	*	*	0.2	*	1.0	0.5	-	-
3.2	0.3	0.3	*	*	0.6	*	1.0	0.7	-	*
3.3	0.6	0.3	-	*	0.8	*	1.2	0.9	-	*
3.4	1.1	0.5	-	*	0.9	0.1	1.9	1.2	-	*
3.5	1.7	0.9	*	0.1	1.2	0.2	2.2	1.5	-	*
3.6	2.1	1.5	0.4	0.1	1.7	0.4	2.3	1.9	*	*
3.7	3.1	2.2	0.2	0.3	2.5	0.7	3.0	2.4	*	0.1
3.8	4.2	3.2	0.8	0.4	2.6	1.1	3.7	3.0	0.1	0.1
3.9	4.4	4.0	1.7	0.7	3.2	1.8	4.0	3.7	0.7	0.3
4.0	5.1	4.9	3.4	1.4	5.1	2.7	4.7	4.5	1.7	0.6
4.1	4.8	5.8	5.0	2.9	10.2	3.8	4.8	5.5	2.4	1.3
4.2	5.5	6.8	9.0	5.1	15.4	5.6	6.7	6.6	4.7	2.3
4.3	5.1	8.0	10.6	8.3	20.5	8.2	8.1	7.7	5.3	4.1
4.4	6.8	9.1	12.0	11.3	9.1	11.1	9.4	8.9	8.6	7.0
4.5	8.9	9.8	15.7	13.9	9.4	13.5	8.9	9.4	9.1	11.4
4.6	9.2	9.7	12.1	15.0	7.5	14.3	8.8	9.4	17.0	16.0
4.7	10.2	9.3	9.9	14.2	4.4	12.9	7.5	9.0	15.2	17.9
4.8	8.7	7.6	9.0	11.4	1.1	10.2	5.9	7.7	17.1	15.5
4.9	6.7	6.0	6.6	7.4	1.2	6.7	4.0	5.8	8.6	11.1
5.0	5.1	4.5	2.8	3.9	0.7	3.8	2.7	4.0	3.0	6.7
5.1	3.4	2.8	0.5	1.8	1.2	1.9	1.8	2.4	3.3	3.1
5.2	1.2	1.6	0.2	0.8	0.3	0.7	1.1	1.2	0.8	1.4
5.3	0.5	0.7	*	0.5	-	0.2	0.9	0.6	0.7	0.6
5.4	0.2	0.2	*	0.3	-	*	0.6	0.2	1.0	0.3
5.5 & Above	0.1	0.1	-	0.1	-	*	0.4	0.1	0.8	0.1
Average	4.41	4.44	4.48	4.58	4.26	4.53	4.28	4.38	4.64	4.68

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	0.2	0.1	-	*	-	*	*	*
2.7 - 2.9	-	*	-	*	0.1	*	-	0.1	-	*	*	*
3.0 - 3.2	*	0.1	-	*	0.6	0.3	-	0.9	0.2	*	*	*
3.3 - 3.4	0.3	0.3	*	0.1	0.8	0.4	0.2	0.9	1.0	*	0.3	0.1
3.5 - 3.6	1.7	1.4	1.1	0.4	1.6	1.1	1.2	2.4	0.6	0.1	0.9	0.4
3.7 - 4.2	33.0	31.7	23.9	20.1	9.2	15.6	24.7	28.1	21.6	6.4	16.9	12.5
4.3 - 4.9	62.0	63.6	69.1	72.9	58.5	66.1	72.2	61.3	76.7	88.4	77.4	80.7
5.0 - 5.2	2.7	2.9	5.9	5.8	23.0	12.8	1.7	4.1	*	5.0	4.1	5.9
5.3 & Above	0.2	0.2	*	0.7	6.1	3.6	0.1	2.0	-	0.1	0.3	0.4
Average	4.37	4.38	4.46	4.49	4.70	4.58	4.42	4.39	4.39	4.58	4.49	4.55
Leaf												
1 - 2	6.7	13.8	3.3	9.2	35.4	66.7	46.4	68.4	7.1	6.5	5.6	16.8
3	46.5	48.6	24.2	37.2	31.5	22.4	44.6	25.3	37.9	38.5	43.6	48.3
4	37.1	30.4	41.1	35.7	21.8	7.5	8.1	5.6	33.8	43.8	40.4	29.1
5	7.9	6.3	25.5	16.0	8.1	2.3	0.8	0.7	19.6	10.5	9.5	5.5
6	1.8	0.8	5.9	1.9	2.6	0.8	0.1	*	1.6	0.7	0.8	0.4
7	*	0.1	-	*	0.5	0.3	-	*	0.1	*	*	*
8	-	*	-	*	0.1	0.1	-	-	*	*	*	*
Average	3.52	3.31	4.06	3.64	3.04	2.26	2.55	2.16	3.71	3.60	3.56	3.23
HVI Trash 1/												
00	-	*	-	*	*	*	-	0.1	-	-	-	*
01	0.7	2.8	0.3	1.4	14.9	37.5	16.4	36.8	0.3	1.1	0.8	3.7
02	8.6	15.2	4.0	9.7	23.1	32.8	35.5	34.9	11.2	7.8	7.4	17.3
03	21.1	24.7	9.2	16.4	18.1	13.6	26.7	15.8	20.8	17.2	20.4	24.4
04	26.5	23.3	14.8	18.2	15.2	6.9	12.9	6.7	14.9	23.0	24.5	22.1
05	19.7	16.0	18.0	17.0	11.5	3.8	5.3	3.2	13.7	21.3	20.1	15.3
06	11.2	9.1	17.2	14.2	7.5	2.2	2.0	1.5	14.1	14.6	12.8	8.9
07	5.9	4.7	13.9	10.3	4.6	1.3	0.7	0.6	11.1	8.1	7.1	4.5
08	2.9	2.2	10.4	6.5	2.4	0.7	0.3	0.3	7.3	3.9	3.7	2.1
09	1.5	1.0	6.7	3.5	1.3	0.4	0.2	0.1	3.7	1.8	1.7	0.9
10	1.0	0.5	3.5	1.7	0.7	0.3	*	*	1.5	0.8	0.8	0.4
11	0.6	0.2	1.5	0.7	0.3	0.2	*	*	0.8	0.3	0.3	0.2
12	0.3	0.1	0.4	0.3	0.1	0.1	-	*	0.1	0.1	0.1	0.1
13	0.1	*	0.1	0.1	0.1	0.1	-	*	0.2	0.1	0.1	*
14	*	*	*	*	*	*	-	*	*	*	*	*
15	*	*	*	*	*	*	-	*	-	*	*	*
16	*	*	-	*	-	*	-	-	-	*	*	*
17	*	*	-	*	*	*	-	-	-	*	*	*
18 & Above	*	*	-	*	-	*	-	-	*	*	*	*
Average	0.45	0.41	0.59	0.50	0.36	0.23	0.27	0.21	0.50	0.47	0.46	0.39
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	*	-	-	-	-	-	*
76	*	*	-	*	0.1	*	-	*	-	*	*	*
77	0.1	0.2	*	0.1	0.3	0.2	*	*	*	*	0.1	0.1
78	1.3	2.2	0.2	0.4	1.5	1.7	0.3	0.4	0.3	0.3	0.6	0.9
79	8.7	11.3	1.7	2.3	5.6	8.4	5.4	2.8	2.9	2.0	4.3	5.2
80	27.7	30.5	14.6	12.3	20.8	22.3	39.6	15.9	17.2	13.4	16.1	19.1
81	42.9	35.6	36.8	35.4	31.8	35.3	22.6	29.7	40.6	41.3	32.9	37.1
82	14.7	16.3	37.5	35.4	26.8	25.3	12.5	23.7	33.0	32.7	32.4	28.1
83	4.1	3.4	8.3	12.5	12.7	5.9	10.5	15.5	5.2	8.5	11.7	8.2
84	0.4	0.4	0.7	1.5	0.4	0.7	8.9	11.5	0.8	1.6	1.9	1.2
85 & Above	*	*	0.1	0.1	*	0.2	0.1	0.4	-	0.1	0.1	0.1
Average	81.19	81.09	81.83	81.92	81.60	81.40	81.55	82.13	81.66	81.82	81.80	81.61
Tenderable 3/	77.4	86.2	82.1	89.9	61.5	78.4	93.5	88.8	79.3	83.0	78.5	85.0
SAMPLES CLASSED	18,232	940,964	15,523	1,398,794	17,147	238,654	10,618	163,946	4,399	152,480	69,619	2,634,938

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	1.1	0.5	-	-	-	-	-	-	-	*	-	-
2.7 - 2.9	1.6	1.8	-	-	-	-	-	*	-	*	0.2	0.2
3.0 - 3.2	8.4	8.3	-	*	-	*	-	*	*	*	1.1	0.5
3.3 - 3.4	14.2	9.0	-	*	0.1	0.1	*	*	0.2	*	2.1	1.0
3.5 - 3.6	16.2	12.1	0.2	0.2	1.3	0.4	0.2	0.1	0.6	0.2	8.5	4.5
3.7 - 4.2	39.1	41.9	8.3	9.8	19.5	18.4	7.4	10.8	21.1	9.0	48.1	39.6
4.3 - 4.9	19.2	24.7	85.0	84.7	73.1	73.0	87.1	81.7	71.9	78.3	38.6	48.7
5.0 - 5.2	0.3	1.4	6.5	4.9	5.8	7.6	5.1	6.9	5.4	11.4	1.3	4.5
5.3 & Above	-	0.1	0.1	0.3	0.2	0.5	0.1	0.5	0.7	1.0	0.1	1.0
Average	3.79	3.91	4.63	4.57	4.48	4.52	4.59	4.59	4.52	4.64	4.14	4.28
Leaf												
1 - 2	36.7	38.2	1.6	19.1	9.5	9.9	30.1	17.6	10.9	11.3	19.4	61.0
3	38.5	29.6	33.8	41.8	42.2	39.7	43.8	39.9	60.4	52.1	52.9	30.5
4	18.4	15.9	49.3	29.6	35.4	35.1	19.7	31.5	25.7	31.5	22.1	6.9
5	5.8	8.2	14.5	8.5	12.1	13.8	5.9	9.7	2.8	4.8	5.5	1.4
6	0.7	4.0	0.8	1.0	0.6	1.5	0.5	1.2	0.2	0.3	0.1	0.2
7	*	2.3	-	*	0.1	*	*	0.1	-	*	-	*
8	*	1.8	-	*	0.1	*	-	*	-	*	-	*
Average	2.92	3.19	3.79	3.30	3.53	3.57	3.00	3.36	3.21	3.31	3.13	2.34
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	-	-	*
01	11.6	13.5	0.2	4.0	0.8	1.3	7.7	4.3	0.7	1.4	2.0	22.6
02	29.3	28.0	1.8	19.3	9.9	9.4	25.2	16.3	12.4	12.2	15.2	37.0
03	21.4	16.2	8.9	20.2	18.6	17.2	24.6	19.2	29.1	25.0	25.9	20.8
04	14.5	11.0	20.5	17.9	19.9	19.0	16.6	18.2	27.0	25.7	23.0	9.9
05	9.5	7.8	22.7	14.6	18.1	17.3	10.7	15.3	16.3	18.0	14.7	4.8
06	6.1	5.3	18.4	10.3	13.7	13.9	6.8	11.2	7.7	9.9	9.0	2.4
07	3.4	3.9	12.7	6.5	9.2	9.8	4.4	7.2	3.8	4.6	6.0	1.2
08	2.1	2.9	7.7	3.6	5.6	6.0	2.1	4.2	1.6	2.0	3.0	0.6
09	1.0	2.3	3.5	1.9	2.5	3.3	1.0	2.2	0.6	0.8	0.6	0.3
10	0.6	1.9	2.1	1.0	1.0	1.6	0.4	1.0	0.4	0.3	0.5	0.2
11	0.2	1.5	1.1	0.5	0.4	0.7	0.2	0.5	0.2	0.1	-	0.1
12	0.1	1.2	0.3	0.2	0.1	0.3	0.1	0.2	0.1	*	-	0.1
13	*	1.0	0.1	0.1	*	0.1	0.1	0.1	0.1	*	-	*
14	-	0.8	*	*	*	*	*	*	*	*	-	*
15	-	0.6	-	*	*	*	-	*	*	*	-	*
16	-	0.5	-	*	*	*	-	*	*	*	-	-
17	-	0.4	-	*	*	*	-	*	-	*	-	-
18 & Above	*	1.2	-	*	0.1	*	-	*	-	*	-	*
Average	0.34	0.43	0.56	0.42	0.48	0.49	0.36	0.43	0.40	0.41	0.41	0.26
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	*	*	-	-	-	-	*	*	-	*	-	-
76	0.1	0.2	-	-	-	*	*	*	-	*	-	-
77	1.5	0.9	-	*	*	*	0.2	0.1	*	0.1	-	*
78	6.4	3.0	*	0.3	0.1	0.1	1.6	0.9	0.3	0.6	-	0.1
79	21.2	14.8	1.1	2.0	0.5	0.9	11.8	4.6	3.3	4.4	0.3	1.3
80	40.3	38.4	4.4	13.7	13.2	6.8	35.3	20.3	14.5	19.8	7.0	10.6
81	26.8	35.5	13.3	37.0	34.0	26.7	36.1	44.7	39.8	37.9	25.1	27.3
82	3.6	6.8	34.2	33.3	39.6	42.5	12.8	24.9	30.3	29.3	55.0	46.9
83	0.1	0.3	31.5	11.5	11.5	20.3	2.0	4.0	10.9	7.0	12.6	13.5
84	-	*	12.7	1.9	0.9	2.5	0.3	0.4	1.0	0.8	-	0.3
85 & Above	*	*	2.8	0.3	0.1	0.2	*	*	*	0.1	-	*
Average	80.41	80.71	82.85	81.89	81.97	82.27	81.00	81.46	81.77	81.60	82.18	82.06
Tenderable 3/	57.9	56.0	71.2	89.4	91.3	89.5	87.3	88.4	88.8	83.4	79.4	85.6
SAMPLES CLASSED	20,826	142,887	4,944	572,687	20,983	805,306	16,032	1,509,205	15,265	1,035,939	1,919	28,680

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	*	-	-	*	*	-	-
2.5 - 2.6	*	*	-	*	-	-	0.8	0.2	-	-
2.7 - 2.9	0.4	0.1	-	*	-	*	2.1	0.6	-	-
3.0 - 3.2	1.0	0.5	*	*	0.9	0.1	2.6	1.5	-	*
3.3 - 3.4	1.7	0.8	-	*	1.7	0.1	3.1	2.1	-	*
3.5 - 3.6	3.8	2.4	0.5	0.2	2.9	0.6	4.4	3.4	*	*
3.7 - 4.2	27.0	26.9	20.1	10.9	39.2	15.5	26.9	25.7	9.5	4.7
4.3 - 4.9	55.7	59.3	75.9	81.4	53.2	77.0	52.5	58.0	80.9	83.0
5.0 - 5.2	9.7	8.8	3.5	6.4	2.1	6.4	5.7	7.6	7.1	11.2
5.3 & Above	0.7	1.0	0.1	1.0	-	0.2	1.9	1.0	2.5	1.1
Average	4.41	4.44	4.48	4.58	4.26	4.53	4.28	4.38	4.64	4.68
Leaf										
1 - 2	32.9	53.0	8.0	14.0	3.2	14.3	32.3	45.3	16.6	22.8
3	41.9	31.9	54.5	57.1	30.3	44.1	43.6	38.8	64.6	61.3
4	16.3	10.3	33.4	26.0	49.4	30.9	15.8	12.5	17.9	14.9
5	6.1	3.3	3.8	2.7	15.8	9.5	5.5	2.7	0.9	1.0
6	2.0	1.1	0.3	0.1	1.2	1.2	1.8	0.6	*	*
7	0.6	0.3	-	*	-	*	0.6	0.2	*	*
8	0.2	0.1	-	*	-	*	0.4	*	-	*
Average	3.00	2.54	3.34	3.17	3.82	3.38	3.00	2.66	3.03	2.93
HVI Trash 1/										
00	-	*	-	*	-	*	-	*	-	-
01	9.5	24.7	0.5	1.6	0.1	2.3	9.1	17.1	1.5	2.9
02	26.6	31.9	9.2	15.4	3.8	13.3	28.3	32.2	17.3	22.0
03	24.1	19.2	25.6	28.7	11.7	20.8	25.3	22.9	33.4	33.0
04	15.3	10.3	27.8	25.6	19.4	20.2	15.2	13.3	25.9	23.6
05	8.9	5.6	19.9	15.6	21.2	16.1	8.4	7.1	14.2	11.5
06	5.4	3.2	10.3	7.7	18.1	11.4	4.9	3.6	5.3	4.5
07	3.7	1.9	4.3	3.3	12.7	7.3	3.0	1.8	1.7	1.6
08	2.2	1.1	1.6	1.3	6.8	4.2	2.0	0.9	0.4	0.6
09	1.4	0.7	0.5	0.5	3.4	2.2	1.3	0.5	0.2	0.2
10	0.9	0.5	0.2	0.2	1.7	1.1	0.8	0.3	-	0.1
11	0.6	0.3	0.1	0.1	0.5	0.6	0.6	0.1	-	*
12	0.4	0.2	*	*	0.2	0.3	0.4	0.1	-	*
13	0.3	0.1	-	*	0.1	0.1	0.2	*	-	*
14	0.2	0.1	-	*	*	*	0.1	*	*	*
15	0.1	0.1	-	*	-	*	0.1	*	*	*
16	0.1	*	-	*	-	*	0.1	*	-	*
17	0.1	*	-	*	-	*	*	*	-	-
18 & Above	0.2	*	-	*	-	*	0.1	*	-	-
Average	0.37	0.28	0.42	0.39	0.54	0.45	0.35	0.29	0.36	0.34
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	0.1	*	-	-
75	*	*	-	*	-	-	0.4	0.1	-	*
76	0.2	0.2	*	*	*	*	1.2	0.6	-	*
77	0.7	1.0	0.1	0.3	*	0.1	3.9	2.7	-	0.1
78	3.5	3.8	0.9	1.4	0.4	0.5	10.7	8.3	-	0.2
79	14.2	12.4	5.3	7.7	3.8	5.1	21.9	19.7	0.3	1.2
80	29.1	28.2	24.5	30.6	14.2	22.4	28.9	30.3	6.1	8.8
81	29.5	33.2	44.2	40.3	39.6	36.5	22.6	25.6	42.3	35.2
82	16.3	17.0	19.7	16.2	37.8	26.9	8.6	10.6	43.7	39.5
83	5.2	3.6	4.7	3.0	3.8	7.8	1.6	1.9	7.5	12.8
84	1.1	0.5	0.6	0.3	0.2	0.7	0.2	0.2	0.1	2.0
85 & Above	0.1	0.1	*	*	-	0.1	*	*	*	0.2
Average	81.03	81.01	81.36	81.17	81.67	81.55	80.28	80.51	82.00	82.05
Tenderable 3/	66.7	78.1	90.4	87.5	87.4	89.5	55.6	66.2	89.0	85.9
SAMPLES CLASSED	36,251	434,708	8,363	410,343	7,769	937,585	86,277	6,156,547	7,628	212,099

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	42.6	55.3	29.2	27.0	-	-	-	11.0
	2	5.5	6.7	9.5	8.0	-	-	-	15.3
	3	-	1.2	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		48.2	63.1	38.8	35.0	-	-	-	26.6
02	1	16.1	21.6	28.7	30.6	-	-	-	14.9
	2	24.2	10.0	29.0	31.0	-	-	-	44.4
	3	7.7	3.0	0.6	0.9	-	-	-	5.2
	4	0.1	0.9	*	*	-	-	-	0.1
	5	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		48.1	35.6	58.3	62.6	-	-	-	64.6
03	1	0.7	0.2	0.5	0.3	-	-	-	1.0
	2	1.2	0.6	1.6	1.5	-	-	-	5.2
	3	1.4	0.3	0.2	0.4	-	-	-	1.8
	4	0.2	0.2	*	*	-	-	-	0.1
	5	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		3.5	1.2	2.4	2.3	-	-	-	8.2
04	1	-	*	*	*	-	-	-	-
	2	0.1	*	0.3	0.1	-	-	-	0.1
	3	0.1	*	0.1	*	-	-	-	0.3
	4	-	*	*	*	-	-	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		0.2	0.1	0.4	0.1	-	-	-	0.5
05	1	-	-	-	-	-	-	-	-
	2	-	-	0.1	*	-	-	-	*
	3	-	-	0.1	*	-	-	-	0.1
	4	-	-	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	0.1
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		0.1	0.6	*	0.4	-	-	-	0.8
46		1.2	13.4	0.5	6.2	-	-	-	9.8
48		62.1	61.0	17.2	24.7	-	-	-	63.3
50		36.3	24.9	77.7	63.9	-	-	-	20.7
52 & Longer		0.4	0.1	4.6	4.7	-	-	-	5.4
Average Staple		48.71	48.21	49.72	49.32	-	-	-	48.40
Average Length		1.42	1.40	1.44	1.43	-	-	-	1.41
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	-	1.1
Grass		-	-	-	0.1	-	-	-	0.9
Spindle Twist		-	*	0.1	0.2	-	-	-	0.2
Preparation		-	-	-	*	-	-	-	-
All Other		-	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 16, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	*	*	-	-	-	-
2.5 - 2.6	-	-	*	*	-	-	-	-
2.7 - 2.9	-	*	0.6	0.1	-	-	-	*
3.0 - 3.2	0.4	1.2	1.5	0.4	-	-	-	0.9
3.3 - 3.4	4.4	9.2	1.5	0.9	-	-	-	2.0
3.5 - 3.6	27.4	20.3	2.2	2.4	-	-	-	6.7
3.7 - 4.2	66.7	65.4	57.1	59.6	-	-	-	72.9
4.3 - 4.9	1.0	4.0	37.1	36.5	-	-	-	17.6
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.80	3.79	4.12	4.14	-	-	-	3.97
ALL RANGE MIKE								
2.4 & Below	-	-	*	*	-	-	-	-
2.5	-	-	*	*	-	-	-	-
2.6	-	-	*	*	-	-	-	-
2.7	-	-	0.1	*	-	-	-	-
2.8	-	-	0.2	*	-	-	-	-
2.9	-	*	0.3	0.1	-	-	-	*
3.0	0.1	*	0.3	0.1	-	-	-	*
3.1	-	0.6	0.5	0.2	-	-	-	0.5
3.2	0.4	0.6	0.6	0.2	-	-	-	0.5
3.3	0.2	2.9	0.9	0.3	-	-	-	0.7
3.4	4.2	6.3	0.6	0.6	-	-	-	1.2
3.5	7.6	7.7	0.7	0.8	-	-	-	2.0
3.6	19.8	12.6	1.5	1.6	-	-	-	4.7
3.7	10.4	12.7	3.3	3.0	-	-	-	10.0
3.8	16.8	15.4	5.3	6.1	-	-	-	15.8
3.9	15.1	16.6	8.2	9.5	-	-	-	14.3
4.0	9.9	9.2	9.7	12.2	-	-	-	13.1
4.1	9.2	8.0	14.1	13.8	-	-	-	11.6
4.2	5.3	3.4	16.4	15.0	-	-	-	7.9
4.3	0.8	2.8	17.5	14.7	-	-	-	7.7
4.4	0.2	0.8	11.4	12.2	-	-	-	6.1
4.5	-	0.4	5.9	6.4	-	-	-	3.0
4.6	-	*	1.9	2.3	-	-	-	0.8
4.7	-	-	0.4	0.7	-	-	-	*
4.8	-	-	0.1	0.2	-	-	-	*
4.9	-	-	*	*	-	-	-	*
5.0	-	-	*	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.80	3.79	4.12	4.14	-	-	-	3.97
STRENGTH 1/ 36 & Below	-	*	0.1	0.1	-	-	-	0.2
37	-	*	0.2	0.1	-	-	-	1.1
38	0.1	0.1	0.3	1.1	-	-	-	1.4
39	0.1	0.5	0.7	3.0	-	-	-	2.0
40	0.4	1.8	1.0	3.2	-	-	-	2.3
41	2.9	7.8	1.5	2.6	-	-	-	10.1
42	12.4	15.5	3.1	4.4	-	-	-	13.1
43	31.6	25.9	9.0	9.4	-	-	-	16.6
44	22.4	25.9	20.8	18.1	-	-	-	21.4
45	18.1	15.4	26.1	25.7	-	-	-	18.3
46	9.6	5.5	20.7	19.5	-	-	-	10.3
47	1.7	1.0	11.4	9.2	-	-	-	2.5
48 & Above	0.7	0.6	5.1	3.6	-	-	-	0.8
Average	44.25	43.88	45.36	44.91	-	-	-	43.84
UNIFORMITY								
83 & Below	0.2	1.0	0.7	0.3	-	-	-	0.7
84	2.2	8.5	2.5	4.7	-	-	-	2.6
85	36.0	37.7	10.2	15.3	-	-	-	22.3
86	57.6	49.1	59.6	55.0	-	-	-	62.7
87	3.9	3.7	24.7	23.1	-	-	-	11.4
88 & Above	0.1	0.1	2.4	1.5	-	-	-	0.4
Average	86.09	85.92	86.59	86.46	-	-	-	86.28
Samples Classed	1,374	10,509	28,377	471,385	-	-	-	14,656

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.