



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	-	-	-	-	29	85.9	73.4	978,900
AR	3	89.8	73.2	12,169	29	89.7	75.0	1,474,930
AZ	6	65.0	44.4	14,812	12	75.6	55.2	350,302
CA*	-	-	-	-	17	86.8	75.5	183,205
FL	-	-	-	-	4	82.8	66.0	160,868
GA	6	64.2	40.5	528	59	84.9	66.0	2,715,628
KS	2	23.9	17.9	8,120	3	50.8	31.7	232,737
LA	-	-	-	-	19	89.3	70.2	581,990
MO	-	-	-	-	21	89.5	74.0	827,340
MS*	-	-	-	-	38	88.4	65.9	1,537,628
NC	-	-	-	-	34	83.4	59.4	1,061,015
NM	-	-	-	-	3	85.2	67.0	31,678
OK	4	78.4	58.9	12,253	12	77.9	60.3	529,571
SC*	-	-	-	-	15	87.4	67.1	422,615
TN	-	-	-	-	22	89.4	71.1	939,153
TX	8	44.5	22.9	8,722	187	65.9	39.2	6,328,567
VA	-	-	-	-	4	86.1	59.7	229,678
United States	37	64.1	46.5	56,747	508	78.9	57.6	18,585,805
AMERICAN PIMA								
AZ*	-			-	3			12,621
CA	3			12,853	17			603,835
NM*	-			-	-			-
TX*	-			-	3			15,020
United States	3			12,853	24			641,402
United States all cotton	40			69,600	520			19,227,207

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	8.4	3.2	4.8	13.5	40.3	-	46.5	-	3.3	2.3	8.9
	3	-	8.8	4.2	4.3	3.1	4.4	-	5.0	-	2.9	-	6.5
	4	-	0.7	*	0.2	*	0.2	-	0.2	-	0.2	-	0.3
	5	-	*	*	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	17.9	7.5	9.3	16.7	44.9	-	51.6	-	6.4	2.3	15.7
31	1 - 2	-	2.2	4.5	3.4	9.0	9.5	-	13.7	-	1.5	2.8	3.6
	3	-	12.9	26.8	18.6	10.6	8.3	-	12.0	-	8.8	0.2	12.4
	4	-	5.6	7.2	8.3	4.1	1.8	-	1.6	-	3.6	0.4	4.2
	5	-	0.5	0.3	0.8	0.1	0.2	-	0.1	-	0.3	-	0.3
	6	-	*	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	21.2	38.9	31.1	23.9	19.7	-	27.4	-	14.1	3.4	20.5
41	1 - 2	-	1.6	0.4	0.7	6.7	3.3	-	2.6	-	0.8	1.3	2.1
	3	-	16.5	16.6	12.8	16.4	7.9	-	8.4	-	16.5	10.6	18.1
	4	-	14.7	22.9	23.0	8.9	5.2	-	3.7	-	26.3	1.5	16.3
	5	-	3.3	7.9	12.2	2.3	1.6	-	0.5	-	5.8	0.2	3.4
	6	-	0.3	0.2	1.3	0.2	0.4	-	*	-	0.3	-	0.2
	7	-	*	-	*	0.1	0.1	-	*	-	*	-	*
	8	-	*	-	-	*	*	-	-	-	-	-	-
Total	----	-	36.4	48.0	50.0	34.6	18.3	-	15.2	-	49.7	13.6	40.1
51	1 - 2	-	0.7	-	0.1	2.5	0.8	-	0.1	-	0.4	3.6	0.9
	3	-	6.1	0.3	1.4	3.5	2.4	-	0.3	-	7.0	32.4	7.4
	4	-	5.6	2.5	3.6	0.8	2.4	-	0.2	-	11.3	25.6	6.0
	5	-	1.7	2.0	2.6	1.3	1.7	-	0.1	-	4.1	3.0	1.4
	6	-	0.5	0.1	0.4	1.8	0.9	-	0.1	-	0.3	-	0.1
	7	-	0.1	-	*	1.9	0.4	-	*	-	*	-	*
	8	-	*	-	*	1.8	0.2	-	*	-	-	-	*
Total	----	-	14.7	5.0	8.1	13.7	8.9	-	0.8	-	23.0	64.6	15.8
61	1 - 2	-	*	-	-	*	*	-	*	-	*	0.6	*
	3	-	0.1	-	*	0.1	*	-	*	-	0.1	1.7	0.1
	4	-	*	-	*	0.1	*	-	*	-	0.2	-	*
	5	-	*	-	*	*	*	-	-	-	0.1	-	*
	6	-	*	-	*	*	*	-	-	-	*	-	*
	7	-	*	-	-	*	*	-	-	-	-	-	*
	8	-	*	-	-	0.1	*	-	-	-	-	-	*
Total	----	-	0.1	-	*	0.4	0.1	-	*	-	0.4	2.3	0.2
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	*	-	*
Total	----	-	*	-	*	*	*	-	-	-	*	-	*
12 & 22	1 - 2	-	0.2	-	*	0.1	1.2	-	0.1	-	*	-	0.4
	3	-	0.4	-	*	0.1	1.0	-	0.1	-	*	-	0.2
	4	-	0.1	-	*	-	0.2	-	*	-	*	-	*
	5	-	*	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.7	-	0.1	0.2	2.4	-	0.2	-	0.1	-	0.6
32	1 - 2	-	0.1	-	*	0.4	0.5	-	0.3	-	*	0.2	0.3
	3	-	0.9	*	0.2	0.8	0.9	-	0.7	-	0.3	-	1.0
	4	-	0.6	*	0.2	0.4	0.5	-	0.3	-	0.3	-	0.3
	5	-	0.1	*	*	*	0.1	-	0.1	-	*	-	*
	6	-	*	-	*	*	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.8	0.1	0.5	1.6	2.1	-	1.3	-	0.6	0.2	1.5
42	1 - 2	-	0.2	-	*	0.7	0.1	-	*	-	0.1	0.2	0.2
	3	-	1.7	*	0.2	0.8	0.6	-	0.5	-	0.8	1.9	1.4
	4	-	1.8	0.1	0.3	0.6	0.8	-	1.0	-	1.4	3.2	1.2
	5	-	0.6	0.3	0.1	0.4	0.4	-	0.4	-	0.5	0.4	0.2
	6	-	0.1	*	*	0.1	0.2	-	0.1	-	*	-	*
	7	-	*	-	*	*	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	4.3	0.4	0.7	2.7	2.2	-	2.0	-	2.7	5.7	3.0

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	0.1	-	*	*	*	-	*	-	0.1	-	0.1
	3	-	0.8	-	*	0.2	0.1	-	0.1	-	0.7	0.9	0.9
	4	-	0.9	-	*	0.5	0.1	-	0.2	-	1.1	0.9	0.7
	5	-	0.2	*	*	0.8	0.1	-	0.3	-	0.5	0.4	0.2
	6	-	*	*	*	0.9	0.1	-	0.3	-	0.1	-	*
	7	-	*	-	-	0.7	0.1	-	0.1	-	*	-	*
	8	-	*	-	-	0.4	0.1	-	*	-	*	-	*
Total	----	-	2.1	*	0.1	3.5	0.6	-	1.1	-	2.5	2.3	2.0
62	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	*	-	*	*	*	-	*	-	*	0.8	*
	4	-	*	-	*	*	*	-	*	-	0.1	-	*
	5	-	*	-	*	*	*	-	*	-	*	-	*
	6	-	*	-	*	0.1	*	-	-	-	*	-	*
	7	-	*	-	-	0.3	*	-	*	-	*	-	*
	8	-	*	-	-	0.5	*	-	*	-	*	-	*
Total	----	-	0.1	-	*	1.0	0.1	-	*	-	0.1	0.8	0.1
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	*	-	*
33	1 - 2	-	*	-	*	0.2	0.1	-	*	-	-	-	*
	3	-	*	*	*	0.2	0.2	-	*	-	*	-	*
	4	-	*	*	*	0.1	*	-	*	-	*	-	*
	5	-	*	-	*	*	*	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	*	*	0.4	0.3	-	*	-	*	-	0.1
43	1 - 2	-	*	-	*	0.1	*	-	*	-	-	-	*
	3	-	0.1	-	*	0.1	0.1	-	*	-	*	0.8	0.1
	4	-	0.2	*	0.1	0.2	0.1	-	*	-	0.1	0.2	0.1
	5	-	0.1	*	*	0.3	0.1	-	*	-	*	-	*
	6	-	*	*	*	0.1	*	-	*	-	*	-	*
	7	-	*	-	*	*	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	0.4	0.1	0.1	0.8	0.3	-	0.1	-	0.1	0.9	0.2
53	1 - 2	-	*	-	-	-	*	-	-	-	-	-	*
	3	-	*	-	*	*	*	-	*	-	*	2.1	*
	4	-	*	-	*	0.1	*	-	*	-	*	0.9	0.1
	5	-	*	-	*	0.1	*	-	*	-	*	0.4	*
	6	-	*	-	*	0.1	*	-	*	-	*	-	*
	7	-	*	-	*	*	*	-	*	-	*	-	*
	8	-	*	-	-	*	*	-	*	-	-	-	-
Total	----	-	0.1	-	*	0.3	*	-	0.1	-	0.1	3.4	0.1
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	*	*	-	*	-	*	-	*
	4	-	*	-	*	*	*	-	-	-	*	0.2	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	-	*	*	-	-	-	*	-	*
Total	----	-	*	-	*	0.1	*	-	*	-	*	0.2	*
24 - 54	1 - 8	-	*	-	*	0.1	0.1	-	*	-	*	0.4	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	*	*	-	*	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	*	-	-	-	-	-	*
31		-	*	-	*	-	*	-	*	-	*	-	*
32		-	0.4	-	*	*	0.1	-	*	-	*	-	0.5
33		-	2.0	-	*	0.9	0.6	-	0.1	-	0.6	3.4	2.4
34		-	6.7	0.1	0.1	2.6	2.5	-	1.4	-	2.5	24.6	7.4
35		-	13.0	2.8	1.9	7.1	8.2	-	4.5	-	5.4	29.7	15.4
36		-	22.9	22.6	11.8	15.9	19.3	-	13.7	-	12.9	33.1	21.2
37		-	32.5	33.8	40.1	31.4	31.1	-	30.2	-	32.9	9.1	29.0
38		-	15.0	25.0	25.3	23.8	20.8	-	27.0	-	33.6	-	16.8
39		-	6.3	12.3	16.3	15.2	12.9	-	19.4	-	10.9	-	6.5
40 & Longer		-	1.1	3.5	4.4	3.1	4.5	-	3.8	-	1.1	-	0.8
Average Staple		-	36.51	37.32	37.55	37.22	37.15	-	37.50	-	37.25	35.20	36.46
Average Length		-	1.14	1.16	1.17	1.16	1.16	-	1.17	-	1.16	1.10	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.2	16.4	-	15.2	-	2.7	-	13.6	-	4.6	-	38.0
	3	3.5	7.3	-	13.5	-	1.3	-	11.5	-	4.9	-	3.9
	4	0.4	0.4	-	0.7	-	*	-	1.3	-	0.3	-	*
	5	*	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	5.1	24.0	-	29.5	-	4.0	-	26.4	-	9.8	-	41.9
31	1 - 2	1.0	2.8	-	2.4	-	5.8	-	2.9	-	3.6	-	14.0
	3	14.7	13.4	-	14.0	-	19.2	-	13.8	-	19.4	-	18.8
	4	20.6	10.1	-	6.5	-	7.1	-	7.3	-	8.5	-	3.3
	5	3.7	1.8	-	0.5	-	0.7	-	0.8	-	0.8	-	0.2
	6	0.2	0.1	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	40.0	28.3	-	23.5	-	32.8	-	24.9	-	32.4	-	36.3
41	1 - 2	-	*	-	0.6	-	1.7	-	1.0	-	2.8	-	0.3
	3	0.1	0.2	-	9.5	-	18.0	-	11.1	-	25.6	-	1.9
	4	3.3	1.2	-	14.7	-	24.8	-	15.7	-	19.5	-	2.0
	5	3.4	1.6	-	4.7	-	11.0	-	5.5	-	3.2	-	0.7
	6	1.2	0.5	-	0.4	-	1.2	-	0.6	-	0.2	-	0.1
	7	0.3	0.2	-	*	-	*	-	*	-	*	-	-
	8	0.1	*	-	-	-	-	-	*	-	-	-	-
Total	----	8.4	3.7	-	29.9	-	56.7	-	33.9	-	51.2	-	4.9
51	1 - 2	-	-	-	0.1	-	0.1	-	0.2	-	0.1	-	*
	3	-	-	-	2.4	-	0.8	-	2.7	-	1.1	-	*
	4	-	*	-	5.9	-	2.6	-	5.5	-	1.8	-	*
	5	-	*	-	2.7	-	1.8	-	2.7	-	0.6	-	*
	6	*	*	-	0.4	-	0.4	-	0.5	-	0.1	-	*
	7	0.2	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.5	0.1	-	*	-	*	-	*	-	*	-	-
Total	----	0.7	0.2	-	11.4	-	5.6	-	11.7	-	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	-	-	0.1	-	*	-	*	-	*	-	-
	5	-	-	-	0.1	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	*	-	*	-	*	-	-
	8	-	-	-	-	-	*	-	*	-	*	-	-
Total	----	-	-	-	0.2	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	*	-	-	-	-
12 & 22	1 - 2	0.7	10.6	-	0.4	-	*	-	0.1	-	*	-	2.8
	3	2.9	4.9	-	0.5	-	*	-	0.2	-	0.1	-	1.9
	4	0.5	0.4	-	0.1	-	-	-	0.1	-	*	-	0.1
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	4.1	15.9	-	1.0	-	*	-	0.4	-	0.1	-	4.7
32	1 - 2	*	0.3	-	0.1	-	*	-	0.1	-	0.1	-	1.1
	3	5.4	2.4	-	0.6	-	0.1	-	0.3	-	0.5	-	4.6
	4	13.0	4.3	-	0.3	-	0.1	-	0.3	-	0.3	-	1.8
	5	5.8	1.9	-	*	-	*	-	0.1	-	*	-	0.2
	6	0.7	0.2	-	*	-	*	-	*	-	*	-	*
	7	0.1	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	25.0	9.1	-	1.0	-	0.2	-	0.7	-	0.9	-	7.7
42	1 - 2	-	*	-	0.1	-	*	-	*	-	*	-	*
	3	0.1	0.1	-	0.8	-	0.1	-	0.3	-	0.6	-	0.2
	4	1.4	0.3	-	1.1	-	0.2	-	0.6	-	0.8	-	0.3
	5	1.1	1.0	-	0.4	-	0.1	-	0.4	-	0.2	-	0.4
	6	0.6	0.7	-	0.1	-	*	-	*	-	*	-	0.2
	7	0.4	0.3	-	*	-	*	-	*	-	*	-	0.1
	8	0.1	0.1	-	-	-	-	-	*	-	-	-	*
Total	----	3.7	2.5	-	2.4	-	0.4	-	1.3	-	1.6	-	1.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	-	-	0.2	-	*	-	0.1	-	*	-	*
	4	-	*	-	0.3	-	*	-	0.2	-	*	-	*
	5	-	*	-	0.2	-	*	-	0.1	-	*	-	0.1
	6	-	0.1	-	*	-	*	-	*	-	*	-	*
	7	0.1	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.2	0.1	-	*	-	*	-	*	-	*	-	-
Total	----	0.3	0.3	-	0.7	-	0.1	-	0.4	-	0.1	-	0.1
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	*	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
13 & 23	1 - 2	0.2	3.8	-	*	-	-	-	*	-	*	-	0.4
	3	1.6	2.4	-	*	-	-	-	*	-	*	-	0.2
	4	1.3	0.3	-	*	-	-	-	*	-	*	-	*
	5	0.1	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	3.2	6.5	-	*	-	-	-	*	-	*	-	0.6
33	1 - 2	*	0.3	-	*	-	*	-	*	-	*	-	0.5
	3	0.5	1.3	-	0.1	-	*	-	*	-	0.1	-	1.2
	4	3.3	1.4	-	*	-	*	-	*	-	*	-	0.3
	5	2.0	0.7	-	*	-	*	-	*	-	*	-	*
	6	0.3	0.2	-	*	-	-	-	*	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	6.2	3.8	-	0.1	-	*	-	0.1	-	0.1	-	2.0
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	*	*	-	0.1	-	*	-	*	-	0.1	-	*
	4	0.6	0.3	-	0.1	-	0.1	-	0.1	-	0.1	-	*
	5	0.7	0.6	-	*	-	*	-	*	-	*	-	0.1
	6	0.3	0.5	-	*	-	*	-	*	-	*	-	*
	7	0.5	0.3	-	-	-	-	-	*	-	-	-	*
	8	0.3	0.2	-	-	-	-	-	*	-	-	-	*
Total	----	2.5	1.9	-	0.3	-	0.1	-	0.1	-	0.2	-	0.2
53	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	*	*	-	*	-	*	-	*	-	*	-	-
	5	*	0.1	-	*	-	*	-	*	-	*	-	-
	6	-	0.2	-	*	-	*	-	*	-	*	-	-
	7	*	0.3	-	*	-	-	-	*	-	*	-	-
	8	0.1	0.2	-	-	-	-	-	*	-	*	-	*
Total	----	0.2	0.9	-	0.1	-	*	-	*	-	*	-	*
63	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	*	-	-	-	*	-	*	-	-	-	-
	5	-	*	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	*	-	*	-	-
24 - 54	1 - 8	0.6	2.1	-	*	-	*	-	*	-	*	-	0.4
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	0.8	-	*	-	*	-	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	*	-	-	-	*	-	-
32		*	0.1	-	*	-	*	-	*	-	0.1	-	-
33		*	0.6	-	*	-	*	-	*	-	0.4	-	*
34		1.2	4.5	-	0.3	-	0.3	-	0.7	-	2.6	-	0.3
35		13.5	19.4	-	1.7	-	3.1	-	3.6	-	10.8	-	3.1
36		53.1	39.9	-	8.2	-	15.3	-	11.9	-	27.3	-	12.7
37		25.1	29.6	-	22.3	-	44.0	-	27.9	-	33.7	-	35.8
38		4.1	4.8	-	30.7	-	21.5	-	33.9	-	16.7	-	26.3
39		2.8	0.7	-	26.1	-	11.5	-	19.5	-	7.2	-	17.2
40 & Longer		0.1	0.2	-	10.6	-	4.3	-	2.6	-	1.2	-	4.6
Average Staple		36.26	36.12	-	38.04	-	37.35	-	37.59	-	36.76	-	37.55
Average Length		1.13	1.12	-	1.19	-	1.17	-	1.18	-	1.15	-	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	36.1	41.5	-	6.1	-	4.1	1.6	26.3	-	11.7
	3	13.3	9.6	-	8.2	-	2.2	2.8	9.7	-	12.4
	4	0.7	0.3	-	0.5	-	0.2	0.6	0.7	-	0.6
	5	-	*	-	*	-	*	0.5	*	-	*
	6	-	-	-	*	-	-	0.1	*	-	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	50.0	51.4	-	14.7	-	6.5	5.6	36.6	-	24.8
31	1 - 2	9.8	7.4	-	5.2	-	5.8	5.3	4.5	-	5.3
	3	13.3	17.2	-	25.2	-	16.6	14.1	10.0	-	19.9
	4	4.1	5.4	-	9.2	-	5.6	3.4	3.5	-	6.0
	5	0.4	0.7	-	0.5	-	0.5	0.6	0.4	-	0.3
	6	*	*	-	*	-	*	0.2	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	27.6	30.7	-	40.1	-	28.5	23.6	18.5	-	31.6
41	1 - 2	0.5	0.1	-	2.1	-	3.8	4.7	0.6	-	6.4
	3	1.8	0.9	-	18.8	-	21.7	7.9	2.4	-	25.7
	4	0.7	1.9	-	13.0	-	21.4	6.3	1.8	-	6.5
	5	0.5	1.3	-	1.6	-	7.4	2.9	0.6	-	0.5
	6	0.1	0.5	-	0.1	-	0.9	0.9	0.2	-	*
	7	-	0.1	-	*	-	*	0.2	*	-	-
	8	-	*	-	-	-	*	*	*	-	-
Total	----	3.6	4.9	-	35.6	-	55.1	22.9	5.5	-	39.2
51	1 - 2	-	*	-	0.2	-	0.2	-	0.1	-	0.4
	3	-	*	-	1.7	-	1.8	-	0.3	-	1.6
	4	-	*	-	1.4	-	2.6	0.1	0.2	-	0.6
	5	0.1	*	-	0.3	-	1.3	0.2	0.1	-	0.1
	6	0.1	*	-	*	-	0.3	*	*	-	*
	7	0.2	*	-	*	-	*	*	*	-	-
	8	0.1	*	-	*	-	*	-	*	-	-
Total	----	0.5	0.1	-	3.6	-	6.1	0.3	0.7	-	2.5
61	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
Total	----	-	*	-	*	-	*	*	0.1	-	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	3.3	1.6	-	0.1	-	0.1	0.5	8.4	-	0.1
	3	1.1	1.3	-	0.2	-	0.1	2.0	5.2	-	0.1
	4	*	0.1	-	*	-	*	0.7	0.6	-	*
	5	-	*	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	4.4	3.0	-	0.4	-	0.2	3.2	14.2	-	0.2
32	1 - 2	2.5	0.6	-	0.3	-	0.3	2.1	2.6	-	0.1
	3	2.4	2.8	-	1.5	-	0.8	9.2	6.6	-	0.3
	4	0.5	1.6	-	0.7	-	0.3	3.3	3.0	-	0.1
	5	*	0.3	-	0.1	-	*	0.6	0.5	-	*
	6	-	*	-	*	-	*	0.1	0.1	-	*
	7	-	*	-	-	-	-	0.2	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	5.4	5.3	-	2.6	-	1.3	15.4	12.8	-	0.6
42	1 - 2	*	*	-	0.1	-	0.1	0.8	0.2	-	0.1
	3	0.2	0.3	-	1.0	-	0.8	3.5	1.0	-	0.6
	4	0.5	0.7	-	0.9	-	0.7	2.7	1.1	-	0.3
	5	0.2	0.6	-	0.2	-	0.2	2.3	0.6	-	*
	6	*	0.3	-	*	-	*	1.1	0.2	-	*
	7	-	0.1	-	-	-	*	0.4	0.1	-	-
	8	-	*	-	-	-	-	0.1	*	-	-
Total	----	1.0	2.0	-	2.3	-	1.8	10.8	3.1	-	1.0

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	0.1	-	0.1	-	0.1	-	*
	4	*	*	-	0.1	-	0.1	*	0.1	-	*
	5	*	*	-	*	-	*	*	*	-	*
	6	*	*	-	*	-	*	*	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	-	0.3	*	-	*
Total	----	*	0.1	-	0.2	-	0.1	0.4	0.3	-	0.1
62	1 - 2	-	*	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	*	-	-	-	*	-	*
13 & 23	1 - 2	2.9	0.2	-	*	-	-	-	1.2	-	-
	3	0.2	0.1	-	*	-	*	*	1.1	-	*
	4	*	*	-	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.1	0.2	-	*	-	*	0.1	2.5	-	*
33	1 - 2	2.1	0.2	-	*	-	*	1.4	0.8	-	*
	3	0.8	0.6	-	0.1	-	0.1	4.3	2.0	-	*
	4	0.1	0.4	-	0.1	-	*	0.6	1.0	-	*
	5	-	0.1	-	*	-	*	*	0.2	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.1	1.3	-	0.2	-	0.1	6.3	4.0	-	0.1
43	1 - 2	0.2	*	-	*	-	*	1.1	0.1	-	*
	3	0.4	0.1	-	0.1	-	0.1	3.2	0.3	-	0.1
	4	0.2	0.2	-	0.1	-	0.1	1.4	0.3	-	*
	5	-	0.2	-	*	-	*	0.5	0.2	-	*
	6	*	0.1	-	*	-	*	0.4	0.1	-	-
	7	-	*	-	*	-	-	0.1	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	0.8	0.6	-	0.3	-	0.3	6.8	1.0	-	0.1
53	1 - 2	-	-	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	*	*	-	*
	4	-	*	-	*	-	*	0.1	*	-	*
	5	-	*	-	*	-	*	0.1	*	-	-
	6	-	*	-	*	-	*	0.1	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	0.1	*	-	-
Total	----	-	0.1	-	*	-	*	0.4	0.1	-	*
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	*	*	-	-
24 - 54	1 - 8	0.4	0.2	-	*	-	*	3.6	0.7	-	*
25 - 35	1 - 8	-	*	-	-	-	-	-	*	-	-
81 - 85	1 - 8	-	*	-	*	-	*	0.7	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		-	*	-	-	-	-	-	*	-	-
30		0.1	0.1	-	-	-	-	-	0.2	-	-
31		0.7	0.3	-	*	-	-	0.2	1.2	-	-
32		1.5	1.3	-	0.3	-	*	3.1	3.8	-	*
33		3.5	4.7	-	1.7	-	*	11.7	8.6	-	0.1
34		10.4	9.3	-	5.8	-	1.0	18.9	15.0	-	1.2
35		15.4	13.1	-	13.1	-	11.8	24.9	20.2	-	4.9
36		18.2	16.3	-	20.1	-	36.3	17.5	19.6	-	16.7
37		21.9	23.7	-	37.4	-	37.9	12.9	19.0	-	39.7
38		14.7	16.1	-	17.2	-	10.4	3.3	8.2	-	23.2
39		9.4	10.3	-	4.0	-	2.4	3.3	3.2	-	11.5
40 & Longer		4.3	4.8	-	0.4	-	0.2	4.1	1.0	-	2.5
Average Staple		36.41	36.54	-	36.54	-	36.53	35.36	35.50	-	37.23
Average Length		1.14	1.14	-	1.14	-	1.14	1.10	1.11	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	2.7	4.3	0.9	11.4	2.1	-	3.9	-	7.1	21.8	3.3
Bark - Level 1	-	*	-	*	*	*	-	*	-	-	-	*
Bark - Level 2	-	*	*	*	0.7	0.1	-	*	-	0.1	-	0.1
Grass - Level 1	-	*	-	*	*	*	-	-	-	-	-	*
Grass - Level 2	-	*	*	*	-	*	-	*	-	*	-	*
Prep - Level 1	-	*	-	-	-	-	-	-	-	-	-	*
Prep - Level 2	-	*	-	*	0.1	0.8	-	*	-	0.1	2.1	*
Seed Coat - Level 1	-	*	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 2	-	*	-	*	-	*	-	-	-	-	-	*
Oil - Level 1	-	*	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	0.1	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	0.2	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	*	*	-	-	-	*	-	*
24	-	*	*	*	0.2	0.1	-	*	-	*	0.2	0.2
25	-	0.4	0.2	0.1	0.5	0.2	-	*	-	0.1	2.8	0.9
26	-	1.8	1.1	0.3	0.7	0.6	-	*	-	0.8	13.6	3.4
27	-	7.7	5.4	1.4	1.7	1.7	-	0.3	-	3.5	14.4	8.6
28	-	21.2	18.8	6.6	5.4	5.0	-	0.6	-	12.2	15.0	15.4
29	-	29.6	41.5	19.9	11.9	12.2	-	3.0	-	25.3	13.6	21.7
30	-	21.3	24.2	30.0	26.3	21.3	-	11.7	-	29.4	23.5	22.2
31	-	10.7	7.2	23.7	28.6	21.5	-	16.8	-	16.8	15.9	14.7
32	-	4.6	1.3	11.8	11.5	15.4	-	16.8	-	7.2	0.4	7.6
33	-	1.7	0.3	4.3	6.6	10.8	-	12.0	-	3.3	0.4	3.5
34	-	0.6	0.1	1.5	4.6	6.4	-	6.4	-	0.9	0.2	1.3
35	-	0.2	-	0.4	1.4	3.0	-	9.1	-	0.3	-	0.4
36	-	0.1	-	0.1	0.4	1.2	-	11.6	-	0.1	-	0.1
37	-	*	-	*	0.1	0.5	-	8.4	-	*	-	*
38	-	*	-	*	*	0.1	-	2.4	-	-	-	*
39	-	*	-	*	*	*	-	0.5	-	-	-	-
40 & Above	-	-	-	-	-	*	-	0.3	-	-	-	-
Average	-	29.69	29.56	30.74	31.10	31.52	-	33.51	-	30.27	29.14	29.96
Mike	-	-	-	-	-	*	-	*	-	-	-	-
2.4 & Below	-	*	-	-	-	*	-	*	-	*	-	*
2.5	-	*	-	-	*	*	-	*	-	*	-	*
2.6	-	*	-	-	*	*	-	*	-	*	-	*
2.7	-	*	-	-	*	*	-	0.1	-	*	-	*
2.8	-	*	-	*	0.1	*	-	0.1	-	*	-	*
2.9	-	*	-	*	0.2	*	-	0.2	-	*	-	*
3.0	-	*	-	*	0.3	0.1	-	0.3	-	*	-	*
3.1	-	*	-	*	0.3	0.1	-	0.6	-	*	-	*
3.2	-	*	-	*	0.6	0.3	-	0.6	-	*	-	*
3.3	-	0.1	-	*	0.3	0.3	-	0.6	-	*	-	*
3.4	-	0.2	-	*	0.8	0.4	-	0.8	-	*	-	0.1
3.5	-	0.4	-	0.1	1.1	0.6	-	1.1	-	*	-	0.1
3.6	-	0.9	*	0.3	0.9	0.9	-	1.5	-	*	-	0.2
3.7	-	1.7	0.1	0.6	1.3	1.3	-	1.5	-	*	-	0.3
3.8	-	2.8	0.2	1.2	1.9	1.8	-	1.9	-	0.1	-	0.6
3.9	-	4.3	0.4	2.0	2.0	2.1	-	2.8	-	0.4	-	1.1
4.0	-	6.1	1.0	3.3	2.9	2.7	-	4.9	-	1.0	-	1.9
4.1	-	7.6	2.4	5.1	3.7	3.5	-	7.5	-	2.0	-	3.2
4.2	-	9.2	4.6	7.6	4.6	4.6	-	9.4	-	3.7	-	5.6
4.3	-	10.6	13.4	10.2	4.0	5.9	-	10.2	-	7.0	2.7	8.8
4.4	-	11.8	14.1	11.8	7.3	8.3	-	12.0	-	13.4	3.2	12.4
4.5	-	12.3	16.1	13.5	9.4	10.4	-	11.3	-	18.7	7.4	14.9
4.6	-	11.0	15.2	13.5	9.8	11.8	-	10.8	-	18.3	36.6	15.4
4.7	-	8.9	12.1	10.9	10.0	11.0	-	8.0	-	15.0	27.3	13.1
4.8	-	5.7	9.2	8.1	11.6	9.7	-	5.2	-	9.8	20.5	9.7
4.9	-	3.3	6.0	5.2	10.3	7.6	-	2.9	-	5.5	1.3	6.3
5.0	-	1.7	2.6	3.2	6.9	6.0	-	1.6	-	2.7	0.8	3.4
5.1	-	0.7	1.8	1.8	4.9	4.2	-	1.1	-	1.5	0.4	1.7
5.2	-	0.3	0.6	1.0	2.8	2.7	-	1.1	-	0.5	-	0.6
5.3	-	0.1	0.2	0.5	1.0	1.8	-	0.7	-	0.1	-	0.2
5.4	-	*	*	0.2	0.3	1.0	-	0.5	-	*	-	0.1
5.5 & Above	-	*	*	0.1	0.5	1.0	-	0.7	-	*	-	*
Average	-	4.38	4.55	4.50	4.56	4.57	-	4.37	-	4.57	4.66	4.54

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	62.6	24.6	-	1.3	-	0.4	-	1.1	-	2.3	-	1.8
Bark - Level 2	-	-	-	-	-	-	-	*	-	-	-	*
Grass - Level 1	-	*	-	0.1	-	*	-	0.1	-	0.3	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	-	-	*	-	*	-	-	-	-
23	-	0.1	-	-	-	*	-	*	-	*	-	-
24	-	0.3	-	*	-	*	-	*	-	*	-	*
25	-	0.9	-	*	-	*	-	0.1	-	0.2	-	0.1
26	0.1	2.0	-	0.2	-	0.2	-	0.5	-	0.7	-	0.6
27	0.9	3.2	-	0.8	-	1.8	-	2.1	-	1.9	-	2.8
28	4.3	6.1	-	5.2	-	8.6	-	6.3	-	5.0	-	14.2
29	25.5	19.5	-	18.8	-	25.2	-	15.7	-	13.1	-	21.4
30	32.1	25.3	-	26.3	-	34.2	-	29.1	-	24.1	-	24.5
31	19.9	19.3	-	20.2	-	19.9	-	27.0	-	24.3	-	20.5
32	9.5	12.2	-	14.6	-	7.0	-	12.4	-	17.0	-	11.4
33	2.7	7.0	-	8.6	-	2.2	-	5.2	-	9.1	-	4.1
34	4.0	3.3	-	3.6	-	0.6	-	1.4	-	3.4	-	0.4
35	0.9	0.7	-	1.3	-	0.2	-	0.2	-	0.9	-	0.1
36	*	0.1	-	0.3	-	*	-	*	-	0.2	-	*
37	*	*	-	0.1	-	*	-	*	-	0.1	-	*
38	*	*	-	*	-	*	-	*	-	*	-	*
39	-	*	-	-	-	*	-	*	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.77	30.71	-	31.11	-	30.41	-	30.83	-	31.18	-	30.42
Mike												
2.4 & Below	0.1	*	-	-	-	-	-	-	-	-	-	-
2.5	0.8	0.2	-	-	-	-	-	-	-	*	-	-
2.6	0.7	0.2	-	-	-	-	-	-	-	*	-	-
2.7	0.2	0.5	-	-	-	-	-	-	-	*	-	-
2.8	2.2	0.8	-	-	-	-	-	*	-	*	-	*
2.9	0.8	1.1	-	-	-	-	-	*	-	*	-	0.2
3.0	3.1	2.3	-	*	-	*	-	*	-	*	-	0.1
3.1	3.3	3.3	-	*	-	*	-	*	-	*	-	0.2
3.2	7.2	4.4	-	*	-	*	-	*	-	*	-	0.2
3.3	6.6	5.3	-	*	-	*	-	*	-	*	-	0.4
3.4	5.3	5.9	-	*	-	0.1	-	*	-	*	-	1.0
3.5	5.6	7.0	-	*	-	0.1	-	*	-	0.1	-	2.0
3.6	7.8	7.3	-	0.1	-	0.2	-	0.1	-	0.2	-	2.6
3.7	7.6	7.0	-	0.2	-	0.4	-	0.2	-	0.3	-	4.6
3.8	6.9	6.9	-	0.5	-	0.9	-	0.5	-	0.6	-	5.7
3.9	8.1	7.3	-	1.0	-	1.7	-	1.0	-	1.1	-	6.6
4.0	7.1	6.7	-	1.4	-	2.9	-	1.9	-	1.5	-	7.5
4.1	5.7	6.3	-	2.6	-	4.8	-	2.8	-	2.3	-	7.9
4.2	3.7	5.3	-	4.2	-	7.6	-	4.3	-	3.6	-	8.8
4.3	4.8	4.5	-	7.5	-	9.8	-	6.6	-	5.4	-	8.9
4.4	4.4	4.3	-	11.2	-	12.0	-	9.9	-	8.3	-	9.8
4.5	3.5	3.6	-	15.8	-	12.9	-	13.2	-	11.2	-	8.7
4.6	1.7	2.8	-	16.8	-	12.5	-	15.6	-	14.1	-	8.2
4.7	1.4	2.2	-	16.2	-	11.3	-	15.7	-	15.1	-	5.5
4.8	0.8	1.9	-	11.0	-	8.6	-	12.8	-	13.5	-	3.8
4.9	0.2	1.2	-	6.1	-	6.0	-	8.1	-	10.5	-	2.0
5.0	*	0.8	-	3.0	-	3.9	-	4.1	-	6.5	-	1.4
5.1	0.2	0.5	-	1.3	-	2.4	-	1.9	-	3.3	-	1.5
5.2	0.2	0.1	-	0.5	-	1.2	-	0.8	-	1.5	-	1.4
5.3	-	0.1	-	0.2	-	0.4	-	0.4	-	0.6	-	0.6
5.4	*	*	-	0.1	-	0.1	-	0.1	-	0.3	-	0.3
5.5 & Above	*	*	-	*	-	*	-	*	-	0.2	-	*
Average	3.73	3.84	-	4.57	-	4.52	-	4.59	-	4.64	-	4.26

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	9.9	8.3	-	1.6	-	0.3	28.0	9.2	-	0.6
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	-	*	-	0.3	-	*	*	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	0.2	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	0.1	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	0.1	*	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	*	-	*	0.1	*	-	-
23	0.1	*	-	*	-	*	0.1	0.1	-	*
24	0.3	0.1	-	0.1	-	*	0.2	0.4	-	*
25	0.7	0.2	-	0.5	-	0.1	0.9	1.0	-	0.1
26	2.3	0.7	-	2.0	-	0.5	3.0	2.4	-	0.6
27	4.5	1.9	-	5.1	-	4.3	5.6	5.4	-	2.2
28	7.1	4.5	-	11.9	-	18.7	9.0	10.3	-	4.7
29	9.5	9.1	-	24.5	-	31.1	13.5	16.0	-	13.7
30	12.5	14.7	-	25.7	-	24.3	19.3	20.0	-	26.4
31	18.3	17.7	-	16.3	-	12.2	22.4	18.2	-	25.2
32	15.7	16.2	-	8.1	-	5.7	13.3	12.9	-	16.6
33	12.0	13.3	-	3.7	-	2.3	7.0	7.4	-	7.1
34	8.6	9.8	-	1.5	-	0.6	3.7	3.6	-	2.3
35	4.4	6.2	-	0.5	-	0.2	1.5	1.5	-	0.8
36	2.2	3.5	-	0.1	-	*	0.3	0.6	-	0.2
37	1.2	1.6	-	*	-	*	0.1	0.2	-	*
38	0.6	0.5	-	*	-	*	*	0.1	-	-
39	0.1	*	-	-	-	*	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	31.62	32.13	-	30.23	-	29.95	30.72	30.68	-	31.07
Mike										
2.4 & Below	-	*	-	*	-	-	-	*	-	-
2.5	-	*	-	*	-	-	0.1	0.1	-	-
2.6	-	*	-	*	-	-	0.2	0.1	-	-
2.7	-	*	-	*	-	-	0.3	0.1	-	-
2.8	-	*	-	*	-	*	0.2	0.2	-	-
2.9	-	0.1	-	*	-	*	0.4	0.3	-	-
3.0	*	0.1	-	*	-	*	0.4	0.4	-	-
3.1	*	0.2	-	*	-	*	0.7	0.5	-	-
3.2	0.2	0.2	-	*	-	*	0.9	0.7	-	*
3.3	*	0.3	-	*	-	*	1.2	0.9	-	*
3.4	0.1	0.5	-	*	-	0.1	1.7	1.2	-	*
3.5	0.3	0.9	-	0.1	-	0.2	2.2	1.5	-	*
3.6	0.5	1.5	-	0.2	-	0.4	3.9	1.9	-	*
3.7	1.1	2.2	-	0.3	-	0.7	5.1	2.4	-	0.1
3.8	2.0	3.1	-	0.5	-	1.0	4.9	3.1	-	0.1
3.9	3.5	4.0	-	0.8	-	1.8	5.8	3.8	-	0.3
4.0	5.0	5.1	-	1.5	-	2.7	5.1	4.5	-	0.6
4.1	6.5	6.0	-	2.9	-	3.8	4.7	5.5	-	1.2
4.2	7.6	7.1	-	5.1	-	5.6	5.4	6.6	-	2.3
4.3	9.3	8.1	-	8.4	-	8.2	7.6	7.7	-	4.1
4.4	11.3	9.1	-	11.3	-	11.1	7.1	8.9	-	7.1
4.5	11.5	9.8	-	13.8	-	13.5	6.1	9.4	-	11.6
4.6	11.5	9.7	-	14.9	-	14.3	5.6	9.4	-	16.1
4.7	11.6	9.1	-	14.1	-	12.9	6.8	9.0	-	17.8
4.8	7.8	7.6	-	11.3	-	10.2	6.7	7.6	-	15.7
4.9	5.8	5.9	-	7.3	-	6.7	6.5	5.7	-	10.8
5.0	2.3	4.3	-	3.9	-	3.8	4.8	4.0	-	6.6
5.1	1.3	2.6	-	1.7	-	1.9	3.1	2.4	-	3.1
5.2	0.5	1.5	-	0.8	-	0.7	1.5	1.2	-	1.3
5.3	0.1	0.6	-	0.5	-	0.2	0.6	0.6	-	0.6
5.4	*	0.2	-	0.3	-	*	0.3	0.2	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	0.2	0.1	-	0.1
Average	4.45	4.43	-	4.57	-	4.53	4.30	4.38	-	4.68

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	-
2.5 - 2.6	-	*	-	-	*	*	-	*	-	*	-	*
2.7 - 2.9	-	*	-	*	0.3	0.1	-	0.4	-	*	-	*
3.0 - 3.2	-	0.1	-	*	1.2	0.5	-	1.5	-	*	-	*
3.3 - 3.4	-	0.3	-	0.1	1.1	0.6	-	1.3	-	*	-	0.1
3.5 - 3.6	-	1.3	*	0.4	2.0	1.4	-	2.6	-	0.1	-	0.4
3.7 - 4.2	-	31.8	8.7	19.7	16.5	16.0	-	28.0	-	7.4	-	12.8
4.3 - 4.9	-	63.6	86.0	73.2	62.4	64.7	-	60.5	-	87.7	98.9	80.5
5.0 - 5.2	-	2.8	5.0	6.0	14.6	12.8	-	3.8	-	4.7	1.1	5.8
5.3 & Above	-	0.2	0.3	0.7	1.9	3.8	-	1.8	-	0.1	-	0.4
Average	-	4.38	4.55	4.50	4.56	4.57	-	4.37	-	4.57	4.66	4.54
Leaf												
1 - 2	-	13.5	8.2	9.1	33.1	55.8	-	63.4	-	6.1	11.0	16.5
3	-	48.3	48.0	37.6	36.0	26.1	-	27.1	-	37.2	51.3	48.1
4	-	30.5	32.9	35.7	16.0	11.3	-	7.3	-	44.5	33.1	29.3
5	-	6.6	10.6	15.8	5.4	4.3	-	1.5	-	11.4	4.5	5.6
6	-	1.0	0.3	1.8	3.4	1.6	-	0.5	-	0.8	-	0.4
7	-	0.1	-	*	3.0	0.6	-	0.2	-	*	-	*
8	-	*	-	*	2.9	0.4	-	*	-	*	-	*
Average	-	3.33	3.47	3.63	3.27	2.55	-	2.29	-	3.63	3.31	3.24
HVI Trash 1/												
00	-	*	-	*	-	*	-	0.1	-	-	-	*
01	-	2.7	0.3	1.3	8.9	29.2	-	33.5	-	1.0	2.3	3.7
02	-	14.9	10.9	9.7	26.9	29.9	-	33.4	-	7.4	13.8	17.0
03	-	24.5	23.9	16.7	21.4	15.5	-	16.6	-	16.5	21.0	24.3
04	-	23.3	22.5	18.5	13.4	9.4	-	7.7	-	22.6	26.9	22.1
05	-	16.1	16.6	17.1	8.4	5.9	-	4.1	-	21.4	17.6	15.4
06	-	9.2	11.9	14.1	5.3	3.7	-	2.1	-	15.1	11.0	9.0
07	-	4.7	7.7	10.2	3.3	2.3	-	1.0	-	8.5	4.5	4.6
08	-	2.3	3.8	6.3	2.2	1.4	-	0.6	-	4.2	0.9	2.2
09	-	1.1	1.6	3.4	1.8	0.9	-	0.3	-	1.9	1.3	1.0
10	-	0.6	0.5	1.6	1.4	0.5	-	0.2	-	0.8	0.6	0.4
11	-	0.3	0.3	0.7	1.2	0.4	-	0.2	-	0.4	-	0.2
12	-	0.2	0.1	0.3	1.1	0.3	-	0.1	-	0.1	-	0.1
13	-	0.1	*	0.1	1.0	0.2	-	0.1	-	0.1	-	*
14	-	*	-	*	0.9	0.1	-	*	-	*	-	*
15	-	*	-	*	0.7	0.1	-	*	-	*	-	*
16	-	*	-	*	0.6	0.1	-	*	-	*	-	*
17	-	*	-	*	0.4	0.1	-	*	-	*	-	*
18 & Above	-	*	-	*	0.8	0.1	-	*	-	*	-	*
Average	-	0.41	0.45	0.50	0.42	0.28	-	0.24	-	0.48	0.41	0.40
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	*	-	*	-	-	-	*
76	-	*	*	*	0.1	*	-	*	-	*	-	*
77	-	0.2	0.1	0.1	0.9	0.2	-	0.4	-	*	-	0.1
78	-	2.2	0.3	0.4	3.2	1.8	-	1.5	-	0.3	-	1.0
79	-	11.3	4.7	2.3	8.9	8.1	-	4.1	-	2.0	6.6	5.2
80	-	30.7	34.2	12.9	16.7	22.7	-	17.9	-	13.5	22.5	19.1
81	-	35.5	33.2	35.5	44.7	36.1	-	29.4	-	41.9	40.2	37.0
82	-	16.2	19.3	34.8	23.2	24.6	-	21.8	-	32.5	29.2	28.1
83	-	3.4	6.8	12.3	2.1	5.7	-	14.1	-	8.2	1.5	8.2
84	-	0.4	1.1	1.5	0.2	0.6	-	10.4	-	1.5	-	1.2
85 & Above	-	*	0.2	0.1	*	0.1	-	0.4	-	0.1	-	0.1
Average	-	81.08	81.37	81.90	81.25	81.38	-	81.96	-	81.81	81.47	81.61
Tenderable 3/	-	85.9	89.8	89.7	65.0	75.6	-	86.8	-	82.8	64.2	84.9
SAMPLES CLASSED	-	978,900	12,169	1,474,930	14,812	350,302	-	183,205	-	160,868	528	2,715,628

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.1	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	1.6	0.4	-	-	-	-	-	-	-	*	-	-
2.7 - 2.9	3.2	2.4	-	-	-	-	-	*	-	*	-	0.2
3.0 - 3.2	13.6	10.0	-	*	-	*	-	*	-	*	-	0.5
3.3 - 3.4	11.9	11.2	-	*	-	0.1	-	*	-	*	-	1.4
3.5 - 3.6	13.4	14.3	-	0.2	-	0.4	-	0.1	-	0.2	-	4.6
3.7 - 4.2	39.1	39.6	-	9.9	-	18.4	-	10.7	-	9.4	-	41.2
4.3 - 4.9	16.7	20.5	-	84.7	-	73.1	-	81.7	-	78.0	-	46.9
5.0 - 5.2	0.5	1.4	-	4.9	-	7.5	-	6.9	-	11.2	-	4.3
5.3 & Above	*	0.1	-	0.3	-	0.5	-	0.5	-	1.0	-	0.9
Average	3.73	3.84	-	4.57	-	4.52	-	4.59	-	4.64	-	4.26
Leaf												
1 - 2	3.2	34.4	-	18.9	-	10.3	-	17.9	-	11.2	-	57.0
3	28.8	32.2	-	41.7	-	39.6	-	40.1	-	52.3	-	32.8
4	44.7	19.0	-	29.8	-	34.8	-	31.1	-	31.4	-	8.0
5	17.0	8.4	-	8.5	-	13.7	-	9.6	-	4.8	-	1.7
6	3.3	3.1	-	1.0	-	1.5	-	1.2	-	0.3	-	0.4
7	1.7	1.7	-	*	-	*	-	0.1	-	*	-	0.1
8	1.3	1.2	-	*	-	*	-	*	-	*	-	*
Average	3.99	3.20	-	3.30	-	3.56	-	3.35	-	3.30	-	2.42
HVI Trash 1/ 00	-	-	-	-	-	*	-	*	-	-	-	*
01	0.1	11.3	-	4.0	-	1.4	-	4.4	-	1.4	-	20.6
02	3.7	26.9	-	19.1	-	9.7	-	16.6	-	12.2	-	35.1
03	10.6	17.2	-	20.1	-	17.3	-	19.3	-	25.1	-	21.7
04	18.0	12.3	-	17.9	-	18.9	-	18.2	-	25.8	-	11.1
05	20.0	9.2	-	14.7	-	17.2	-	15.2	-	17.9	-	5.6
06	16.9	6.6	-	10.4	-	13.8	-	11.1	-	9.9	-	2.7
07	12.4	4.6	-	6.5	-	9.7	-	7.1	-	4.6	-	1.4
08	7.1	3.1	-	3.7	-	6.0	-	4.1	-	2.0	-	0.7
09	4.1	2.2	-	1.9	-	3.3	-	2.2	-	0.8	-	0.4
10	2.0	1.6	-	1.0	-	1.6	-	1.0	-	0.3	-	0.2
11	1.3	1.1	-	0.5	-	0.7	-	0.5	-	0.1	-	0.1
12	0.8	0.9	-	0.2	-	0.3	-	0.2	-	*	-	0.1
13	0.5	0.7	-	0.1	-	0.1	-	0.1	-	*	-	*
14	0.5	0.6	-	*	-	*	-	*	-	*	-	*
15	0.5	0.4	-	*	-	*	-	*	-	*	-	*
16	0.6	0.3	-	*	-	*	-	*	-	*	-	-
17	0.4	0.3	-	*	-	*	-	*	-	*	-	*
18 & Above	0.6	0.8	-	*	-	*	-	*	-	*	-	*
Average	0.58	0.42	-	0.42	-	0.49	-	0.43	-	0.41	-	0.27
UNIFORMITY 2/ 74 & Below	-	*	-	-	-	-	-	-	-	-	-	-
75	*	*	-	-	-	-	-	*	-	*	-	-
76	0.1	0.2	-	-	-	*	-	*	-	*	-	-
77	0.5	0.8	-	*	-	*	-	0.1	-	0.1	-	*
78	2.2	3.7	-	0.3	-	0.1	-	0.9	-	0.6	-	0.1
79	11.4	17.4	-	2.0	-	0.9	-	4.7	-	4.4	-	1.3
80	37.0	37.1	-	13.6	-	7.2	-	20.7	-	19.8	-	10.5
81	43.8	34.6	-	36.8	-	26.9	-	44.6	-	38.0	-	29.3
82	4.7	6.0	-	33.5	-	42.2	-	24.7	-	29.2	-	45.7
83	0.3	0.3	-	11.7	-	20.1	-	4.0	-	6.9	-	12.6
84	*	*	-	1.9	-	2.4	-	0.4	-	0.8	-	0.4
85 & Above	-	*	-	0.3	-	0.2	-	*	-	0.1	-	*
Average	80.83	80.65	-	81.90	-	82.26	-	81.46	-	81.60	-	82.03
Tenderable 3/	23.9	50.8	-	89.3	-	89.5	-	88.4	-	83.4	-	85.2
SAMPLES CLASSED	8,120	232,737	-	581,990	-	827,340	-	1,537,628	-	1,061,015	-	31,678

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	*	-	-	-	*	-	-
2.5 - 2.6	-	*	-	*	-	-	0.3	0.2	-	-
2.7 - 2.9	-	0.1	-	*	-	*	0.8	0.6	-	-
3.0 - 3.2	0.2	0.5	-	*	-	0.1	2.0	1.5	-	*
3.3 - 3.4	0.1	0.8	-	*	-	0.1	2.9	2.1	-	*
3.5 - 3.6	0.9	2.3	-	0.2	-	0.6	6.1	3.4	-	*
3.7 - 4.2	25.7	27.6	-	11.2	-	15.5	31.0	25.9	-	4.6
4.3 - 4.9	68.9	59.4	-	81.1	-	77.1	46.4	57.8	-	83.3
5.0 - 5.2	4.1	8.4	-	6.4	-	6.4	9.4	7.6	-	11.1
5.3 & Above	0.1	0.9	-	1.0	-	0.2	1.0	0.9	-	1.0
Average	4.45	4.43	-	4.57	-	4.53	4.30	4.38	-	4.68
Leaf										
1 - 2	57.7	51.6	-	14.1	-	14.3	17.7	44.8	-	24.0
3	33.6	33.0	-	57.0	-	44.1	48.7	39.0	-	60.8
4	6.7	10.5	-	26.0	-	30.9	20.7	12.7	-	14.2
5	1.3	3.3	-	2.7	-	9.5	8.3	2.7	-	0.9
6	0.3	1.0	-	0.1	-	1.2	2.9	0.6	-	*
7	0.2	0.4	-	*	-	*	1.1	0.2	-	*
8	0.1	0.2	-	*	-	*	0.6	*	-	*
Average	2.43	2.57	-	3.17	-	3.39	3.35	2.67	-	2.91
HVI Trash 1/										
00	-	*	-	*	-	*	-	*	-	-
01	20.1	23.0	-	1.6	-	2.3	2.4	16.9	-	3.0
02	41.0	32.3	-	15.4	-	13.3	19.3	32.0	-	23.1
03	22.5	20.0	-	28.6	-	20.8	26.6	23.0	-	33.2
04	8.9	10.6	-	25.6	-	20.2	18.7	13.4	-	23.1
05	3.9	5.7	-	15.6	-	16.2	11.3	7.2	-	11.0
06	1.6	3.3	-	7.7	-	11.4	7.2	3.7	-	4.3
07	0.8	1.9	-	3.3	-	7.3	4.7	1.8	-	1.5
08	0.4	1.1	-	1.3	-	4.2	3.3	0.9	-	0.5
09	0.2	0.7	-	0.5	-	2.2	2.3	0.5	-	0.2
10	0.1	0.5	-	0.2	-	1.1	1.3	0.3	-	0.1
11	0.1	0.3	-	0.1	-	0.6	1.0	0.2	-	*
12	0.1	0.2	-	*	-	0.3	0.7	0.1	-	*
13	0.1	0.1	-	*	-	0.1	0.5	*	-	*
14	0.1	0.1	-	*	-	*	0.2	*	-	*
15	0.1	0.1	-	*	-	*	0.1	*	-	*
16	*	*	-	*	-	*	0.1	*	-	*
17	*	*	-	*	-	*	0.1	*	-	-
18 & Above	*	0.1	-	*	-	*	0.3	*	-	-
Average	0.25	0.28	-	0.39	-	0.45	0.43	0.29	-	0.34
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	*	-	-
75	*	*	-	*	-	-	*	0.1	-	*
76	0.5	0.2	-	*	-	*	0.4	0.6	-	*
77	1.8	1.0	-	0.2	-	0.1	2.0	2.7	-	0.1
78	5.8	3.9	-	1.4	-	0.5	7.5	8.3	-	0.2
79	15.4	12.6	-	7.7	-	5.1	19.9	19.7	-	1.3
80	28.4	28.4	-	30.4	-	22.4	33.0	30.3	-	9.2
81	29.4	32.9	-	40.3	-	36.5	26.9	25.5	-	36.1
82	13.9	16.6	-	16.4	-	26.9	9.0	10.6	-	39.1
83	4.3	3.7	-	3.1	-	7.8	1.1	1.9	-	11.9
84	0.6	0.5	-	0.3	-	0.7	0.1	0.2	-	1.9
85 & Above	*	0.1	-	*	-	0.1	-	*	-	0.2
Average	80.83	81.00	-	81.17	-	81.56	80.51	80.51	-	82.02
Tenderable 3/	78.4	77.9	-	87.4	-	89.4	44.5	65.9	-	86.1
SAMPLES CLASSED	12,253	529,571	-	422,615	-	939,153	8,722	6,328,567	-	229,678

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	53.4	29.7	28.0	-	-	-	11.5
	2	-	7.4	12.6	8.8	-	-	-	15.5
	3	-	1.0	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	61.8	42.4	36.9	-	-	-	27.4
02	1	-	20.7	21.4	28.7	-	-	-	14.7
	2	-	11.8	33.7	31.3	-	-	-	43.7
	3	-	2.9	0.5	0.9	-	-	-	5.2
	4	-	0.8	-	*	-	-	-	0.1
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	36.2	55.6	60.9	-	-	-	63.6
03	1	-	0.2	0.3	0.3	-	-	-	1.0
	2	-	0.8	1.5	1.4	-	-	-	5.2
	3	-	0.7	0.1	0.4	-	-	-	1.8
	4	-	0.1	-	*	-	-	-	0.1
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	1.8	2.0	2.1	-	-	-	8.2
04	1	-	0.1	-	*	-	-	-	-
	2	-	*	*	0.1	-	-	-	0.2
	3	-	0.1	-	*	-	-	-	0.4
	4	-	*	-	*	-	-	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	0.2	*	0.1	-	-	-	0.7
05	1	-	*	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	0.1
	4	-	*	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	*	-	*	-	-	-	0.1
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.5	-	0.6	-	-	-	0.9
46		-	12.0	0.5	6.5	-	-	-	10.2
48		-	65.0	25.8	25.0	-	-	-	62.0
50		-	22.4	68.1	63.6	-	-	-	20.7
52 & Longer		-	0.1	5.6	4.3	-	-	-	6.1
Average Staple		-	48.19	49.58	49.29	-	-	-	48.42
Average Length		-	1.40	1.44	1.43	-	-	-	1.41
EXTRANEIOUS MATTER									
Bark		-	*	-	*	-	-	-	1.2
Grass		-	-	0.1	0.1	-	-	-	0.8
Spindle Twist		-	*	-	0.2	-	-	-	0.2
Preparation		-	-	-	*	-	-	-	-
All Other		-	0.1	*	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 27, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5 - 2.6	-	-	0.3	*	-	-	-	-
2.7 - 2.9	-	*	1.0	0.2	-	-	-	*
3.0 - 3.2	-	1.3	3.5	0.6	-	-	-	1.2
3.3 - 3.4	-	8.9	2.5	1.0	-	-	-	2.0
3.5 - 3.6	-	18.8	3.1	2.4	-	-	-	6.6
3.7 - 4.2	-	67.4	35.4	57.3	-	-	-	72.8
4.3 - 4.9	-	3.6	54.1	38.5	-	-	-	17.4
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	3.79	4.19	4.14	-	-	-	3.97
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5	-	-	0.1	*	-	-	-	-
2.6	-	-	0.2	*	-	-	-	-
2.7	-	-	0.2	*	-	-	-	-
2.8	-	-	0.3	0.1	-	-	-	-
2.9	-	*	0.5	0.1	-	-	-	*
3.0	-	*	0.8	0.1	-	-	-	*
3.1	-	0.5	1.2	0.2	-	-	-	0.4
3.2	-	0.8	1.5	0.2	-	-	-	0.8
3.3	-	3.0	1.4	0.4	-	-	-	0.8
3.4	-	5.9	1.1	0.6	-	-	-	1.2
3.5	-	7.5	1.1	0.8	-	-	-	2.0
3.6	-	11.4	2.0	1.6	-	-	-	4.6
3.7	-	12.4	2.1	3.0	-	-	-	9.9
3.8	-	15.6	0.6	5.7	-	-	-	15.6
3.9	-	16.9	3.3	8.9	-	-	-	14.1
4.0	-	10.5	5.3	11.7	-	-	-	13.2
4.1	-	8.3	9.1	13.4	-	-	-	11.8
4.2	-	3.7	15.0	14.6	-	-	-	8.2
4.3	-	2.6	18.0	15.0	-	-	-	7.6
4.4	-	0.6	14.7	12.6	-	-	-	6.1
4.5	-	0.3	10.9	7.1	-	-	-	3.0
4.6	-	*	6.9	2.7	-	-	-	0.7
4.7	-	-	2.6	0.9	-	-	-	*
4.8	-	-	0.9	0.2	-	-	-	*
4.9	-	-	0.1	*	-	-	-	*
5.0	-	-	*	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	3.79	4.19	4.14	-	-	-	3.97
STRENGTH 1/ 36 & Below	-	*	2.1	0.2	-	-	-	0.2
37	-	*	1.5	0.4	-	-	-	1.5
38	-	0.1	2.1	1.7	-	-	-	1.4
39	-	0.5	2.5	3.5	-	-	-	2.0
40	-	2.1	4.6	3.4	-	-	-	2.5
41	-	7.8	9.5	3.2	-	-	-	9.9
42	-	15.8	15.6	5.3	-	-	-	13.3
43	-	26.9	17.4	10.5	-	-	-	16.6
44	-	25.4	17.8	18.5	-	-	-	21.5
45	-	14.9	16.6	24.6	-	-	-	17.8
46	-	4.9	7.2	17.8	-	-	-	10.1
47	-	0.9	2.4	7.9	-	-	-	2.4
48 & Above	-	0.5	0.7	3.1	-	-	-	0.8
Average	-	43.82	43.36	44.66	-	-	-	43.79
UNIFORMITY								
83 & Below	-	0.9	1.6	0.4	-	-	-	0.7
84	-	8.4	3.9	4.8	-	-	-	3.0
85	-	39.3	15.0	15.7	-	-	-	22.4
86	-	48.1	41.4	53.5	-	-	-	62.0
87	-	3.1	33.1	23.8	-	-	-	11.6
88 & Above	-	0.1	5.0	1.7	-	-	-	0.4
Average	-	85.89	86.61	86.46	-	-	-	86.27
Samples Classed	-	12,621	12,853	603,835	-	-	-	15,020

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.