



Volume 23, No.19

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	28	87.0	74.4	65,816	29	89.5	78.8	505,306
AR	24	93.3	81.3	95,726	29	94.4	84.2	1,084,935
AZ	9	89.7	80.1	18,762	10	83.7	64.6	161,608
CA	2	96.1	78.3	3,268	13	84.9	69.6	75,289
FL	4	89.2	80.4	9,314	4	86.3	75.5	70,866
GA	58	92.4	85.5	195,916	59	89.3	81.8	1,428,805
KS	3	60.8	51.0	6,244	3	63.9	48.6	55,226
LA	2	63.6	23.1	1,916	16	88.7	69.2	215,465
MO	19	97.3	90.6	60,155	21	97.2	90.7	529,367
MS	20	91.2	77.9	32,188	37	89.6	73.1	810,342
NC	25	96.3	88.2	59,700	33	96.2	87.4	740,621
NM	2	43.5	37.3	764	2	75.9	62.8	16,573
OK	12	71.2	58.7	35,273	12	75.9	58.2	300,503
SC	12	92.8	86.9	42,282	13	94.3	88.3	258,371
TN	17	92.0	84.3	51,884	19	95.2	85.4	476,467
TX	137	67.7	52.3	455,707	175	76.3	59.7	5,161,224
VA	4	96.9	87.4	13,526	4	98.2	92.9	158,829
United States	378	81.9	70.2	1,148,441	479	84.8	71.7	12,049,797
AMERICAN PIMA								
AZ	2			1,542	3			8,933
CA	9			24,334	14			215,979
NM*	-			-	-			-
TX	2			2,163	3			10,517
United States	14			30,977	21			249,025
United States all cotton	391			1,179,418	492			12,298,822

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.6	1.0	*	0.1	46.9	51.9	64.0	61.6	2.4	1.0	5.1	1.7
	3	4.7	1.6	0.1	0.1	12.1	10.5	17.3	9.3	6.9	1.9	5.7	1.6
	4	0.9	0.3	*	*	0.3	0.2	0.2	0.4	0.6	0.1	0.4	0.1
	5	*	*	-	-	-	*	-	*	*	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	7.2	2.9	0.2	0.2	59.2	62.6	81.5	71.3	9.9	3.0	11.2	3.4
31	1 - 2	2.4	3.7	2.4	4.1	13.8	13.8	5.5	6.5	3.3	5.1	6.8	4.7
	3	26.9	23.8	15.9	22.6	18.3	14.5	10.9	6.6	36.1	26.4	31.1	21.5
	4	21.9	13.8	5.4	7.0	4.9	2.6	1.2	1.7	17.7	7.9	10.5	5.9
	5	3.0	1.3	0.1	0.2	0.6	0.3	-	0.3	1.2	0.5	0.8	0.3
	6	0.2	*	-	*	*	*	-	0.1	*	*	*	*
	7	*	*	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	54.4	42.6	23.9	33.8	37.6	31.2	17.6	15.3	58.3	39.9	49.2	32.5
41	1 - 2	0.5	0.6	1.7	1.4	-	0.2	*	2.5	0.4	0.9	0.5	0.9
	3	9.6	15.0	31.0	28.1	0.3	0.4	-	2.7	12.4	19.7	13.1	21.4
	4	16.9	24.2	36.5	30.9	1.1	0.3	-	2.1	11.9	20.9	17.3	24.9
	5	6.9	7.3	5.3	4.0	0.5	0.2	-	0.8	4.0	4.0	4.3	5.5
	6	0.8	0.6	0.2	0.1	0.2	0.1	-	0.1	0.2	0.3	0.4	0.4
	7	0.1	*	*	*	0.1	*	-	*	-	*	*	*
	8	*	*	-	-	*	*	-	-	-	-	-	*
Total	----	34.8	47.8	74.6	64.4	2.1	1.3	*	8.2	28.9	45.7	35.6	53.2
51	1 - 2	0.1	*	-	*	-	-	-	0.1	*	*	*	*
	3	0.6	0.4	0.1	0.1	-	*	-	0.5	0.4	0.6	0.2	0.5
	4	0.8	1.5	0.2	0.2	-	*	-	0.2	0.6	2.6	0.8	1.8
	5	0.6	1.2	0.3	0.1	-	*	-	0.1	0.6	1.2	0.5	1.1
	6	0.1	0.3	0.2	*	-	*	-	*	0.2	0.2	0.1	0.2
	7	*	*	*	*	-	*	-	*	-	*	*	*
	8	*	*	-	-	-	-	-	-	-	-	*	*
Total	----	2.1	3.4	0.8	0.4	-	*	-	0.9	1.8	4.5	1.6	3.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	*	-	-	-	*
	4	*	*	-	*	-	-	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	*	*	-	*	-	-	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	*	*	-	*	0.2	1.4	*	0.3	-	-	*	*
	3	*	*	-	*	0.1	1.1	0.3	0.9	-	-	*	*
	4	*	*	-	-	*	0.3	*	0.1	*	*	*	*
	5	-	*	-	-	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	0.3	2.8	0.3	1.3	*	*	*	*
32	1 - 2	*	*	*	*	*	0.2	-	0.1	-	*	*	*
	3	0.1	0.1	0.1	0.1	0.2	0.8	0.1	0.5	0.1	*	0.1	0.1
	4	0.1	0.1	0.1	0.1	0.3	0.6	0.3	0.3	*	*	0.1	0.1
	5	0.1	*	*	*	*	0.1	*	0.1	*	*	*	*
	6	*	*	-	-	-	*	-	0.1	-	-	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	0.1	0.1	0.5	1.6	0.4	1.1	0.1	0.1	0.1	0.2
42	1 - 2	*	*	*	*	*	*	*	0.1	-	*	*	*
	3	0.2	0.4	0.1	0.2	*	0.1	*	0.3	0.1	0.8	0.3	1.0
	4	0.4	0.7	0.2	0.6	*	0.1	-	0.3	0.2	1.8	0.7	2.3
	5	0.2	0.3	0.1	0.1	*	0.1	-	0.4	0.1	0.4	0.3	0.8
	6	*	*	*	*	*	*	-	0.2	*	*	*	0.1
	7	*	*	-	-	0.1	*	-	0.1	-	*	*	*
	8	-	-	-	-	*	*	-	-	-	-	-	-
Total	----	0.7	1.4	0.4	1.0	0.2	0.3	0.1	1.3	0.5	3.1	1.3	4.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	-	-	-	-	-	*	-	*
	3	*	0.1	*	*	-	*	-	*	*	0.4	0.1	0.3
	4	0.1	0.6	*	*	-	*	-	*	0.1	1.8	0.4	1.3
	5	0.1	0.5	*	*	-	-	-	*	0.1	0.8	0.3	0.8
	6	*	0.1	-	*	-	*	-	*	0.1	0.1	0.1	0.1
	7	*	*	-	-	-	-	-	*	*	*	*	*
	8	-	*	-	-	-	*	-	-	-	*	-	*
Total	----	0.2	1.3	*	0.1	-	*	-	0.1	0.3	3.1	0.8	2.6
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	*	-	*
	4	*	*	-	-	-	-	-	*	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	*	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	*	0.1	-	-	-	-	-	*	*	0.1	*	*
13 & 23	1 - 2	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	0.1	-	-	-	*
	4	-	*	-	-	-	*	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	0.1	-	-	*	*
33	1 - 2	*	*	*	*	-	*	-	*	-	*	*	*
	3	*	*	*	*	*	*	-	0.1	-	*	*	*
	4	*	*	*	*	*	*	-	0.1	-	*	*	*
	5	*	*	-	-	-	*	-	*	-	-	*	*
	6	*	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	*	*	-	0.2	-	*	*	*
43	1 - 2	-	*	-	*	-	-	-	*	-	-	*	*
	3	*	*	*	*	*	*	-	*	-	*	*	*
	4	*	*	*	*	*	*	-	*	-	0.1	*	0.1
	5	*	*	*	*	-	*	-	*	-	*	*	*
	6	*	*	*	*	-	*	-	*	*	*	*	*
	7	*	*	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	0.1	0.1	0.1	*	*	*	-	0.1	*	0.1	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	-	-	-	*	-	*	*	*
	4	*	*	*	*	-	-	-	*	*	0.2	*	0.1
	5	*	*	*	*	-	-	-	*	*	0.1	*	0.1
	6	*	*	*	*	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	-	-	-	*	0.1	0.3	0.1	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	*	*
	4	-	*	-	-	-	-	-	*	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	*	*	*
24 - 54	1 - 8	*	*	-	*	*	*	-	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	-	-	*	*	*
32		*	0.1	-	*	-	-	0.1	*	-	0.1	*	0.1
33		0.2	0.6	*	*	-	*	*	*	*	0.2	0.4	1.0
34		1.1	3.0	0.1	0.1	0.1	0.3	3.5	0.8	0.8	0.9	3.4	5.4
35		5.3	8.1	2.1	2.8	1.8	5.5	8.9	5.0	7.2	4.6	10.3	12.3
36		11.3	15.1	10.7	11.4	6.9	15.7	16.1	13.2	14.8	13.1	18.1	19.7
37		34.9	33.4	22.9	25.3	32.9	38.1	19.1	31.1	18.2	23.1	41.7	38.1
38		27.2	22.1	32.0	30.9	31.1	22.9	25.4	23.5	21.5	21.5	19.8	17.6
39		14.8	12.8	25.9	23.7	18.0	13.2	17.5	18.7	28.7	24.3	5.7	5.1
40 & Longer		5.2	4.9	6.2	5.8	9.2	4.3	9.4	7.6	8.7	12.2	0.6	0.6
Average Staple		37.47	37.20	37.87	37.79	37.85	37.35	37.46	37.59	37.74	37.81	36.82	36.64
Average Length		1.17	1.16	1.18	1.18	1.18	1.17	1.17	1.17	1.18	1.18	1.15	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	24.6	24.4	-	0.6	*	0.1	*	0.5	1.1	1.0	76.3	89.9
	3	7.2	10.4	-	0.7	0.1	0.1	0.3	0.5	1.2	0.8	16.6	6.4
	4	0.4	1.8	-	*	*	*	0.2	*	0.2	*	0.3	0.1
	5	-	*	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	32.3	36.5	-	1.3	0.1	0.2	0.5	1.1	2.4	1.8	93.2	96.4
31	1 - 2	2.6	2.3	0.2	3.5	3.9	6.7	1.2	3.9	9.3	9.2	1.7	1.1
	3	28.8	18.5	7.7	33.7	26.5	30.3	14.4	20.6	36.3	30.7	2.9	1.7
	4	24.0	19.5	15.4	14.8	6.7	6.8	19.1	10.7	14.1	9.8	1.0	0.7
	5	2.6	5.0	0.9	0.5	0.2	0.1	3.8	0.9	1.0	0.5	-	*
	6	*	0.4	-	*	-	-	0.1	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	58.0	45.7	24.3	52.6	37.3	43.8	38.7	36.0	60.7	50.3	5.6	3.5
41	1 - 2	*	*	0.1	0.2	1.5	1.6	0.2	1.4	1.5	1.8	-	*
	3	1.6	0.7	13.5	13.7	30.7	26.6	12.2	22.5	15.4	19.8	-	-
	4	4.9	2.7	50.2	26.1	26.3	23.6	31.4	29.7	15.5	20.7	0.1	*
	5	2.1	2.9	9.3	4.1	3.6	2.9	14.0	6.5	3.2	4.2	1.0	0.1
	6	0.4	1.3	0.2	0.1	0.1	0.1	1.6	0.3	0.2	0.3	-	-
	7	*	0.1	-	-	-	-	0.2	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-	-	-
Total	----	9.0	7.6	73.2	44.3	62.2	54.8	59.7	60.4	35.8	46.9	1.2	0.1
51	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	-	-	*	*	*	*	0.2	*	*	-	-
	4	*	*	1.0	0.1	*	*	0.1	0.4	*	0.1	-	-
	5	-	-	0.3	0.1	*	0.1	0.1	0.2	*	0.1	-	-
	6	-	-	-	*	*	*	0.2	0.1	*	*	-	-
	7	-	-	-	-	-	-	0.1	*	-	*	-	-
	8	-	*	-	-	-	-	*	*	-	-	-	-
Total	----	*	*	1.3	0.2	0.1	0.1	0.5	0.8	0.1	0.2	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	-	-	-	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.2	3.2	-	*	-	-	-	*	*	*	-	*
	3	*	1.4	-	*	-	*	-	*	*	*	-	-
	4	-	0.3	-	*	*	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	4.9	-	*	*	*	-	*	*	*	-	*
32	1 - 2	-	0.1	-	*	-	*	-	*	*	*	-	-
	3	0.3	1.0	-	0.1	*	0.2	*	0.1	0.2	0.3	-	-
	4	0.1	1.5	0.4	0.2	*	0.1	0.1	0.1	0.2	0.1	-	-
	5	*	0.8	0.3	*	*	*	0.1	*	*	*	-	-
	6	-	0.2	-	-	-	-	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	3.5	0.7	0.4	0.1	0.2	0.2	0.3	0.5	0.4	-	-
42	1 - 2	-	*	-	*	-	*	-	0.1	-	*	-	-
	3	*	*	0.1	0.1	*	0.2	*	0.5	*	0.2	-	-
	4	-	0.1	0.1	0.6	0.1	0.4	0.1	0.5	0.2	0.2	-	-
	5	-	0.1	0.1	0.3	*	0.1	0.2	0.1	0.1	0.1	-	-
	6	-	0.1	-	*	-	*	*	*	*	*	-	-
	7	-	0.1	-	-	-	-	*	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-	-	-
Total	----	*	0.4	0.2	1.1	0.2	0.7	0.3	1.2	0.4	0.4	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	0.1	-	*	-	-
	4	-	*	-	*	*	*	*	0.1	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	*	*	*	0.1	-	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-	-	-
13 & 23	1 - 2	-	0.6	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	-	-	-	-	-	*	*	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.6	-	-	-	-	-	-	*	*	-	-
33	1 - 2	-	-	-	*	*	*	-	*	*	*	-	-
	3	-	*	-	*	*	*	-	*	*	*	-	-
	4	-	0.2	-	*	*	*	*	*	*	*	-	-
	5	-	0.1	0.1	*	-	*	*	*	*	*	-	-
	6	-	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.3	0.1	*	*	*	*	*	0.1	*	-	-
43	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	*	*	*	-	*	*	*	-	-
	4	*	*	-	*	*	*	*	*	*	*	-	-
	5	-	0.1	0.3	*	-	*	*	*	*	*	-	-
	6	-	*	-	*	-	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.2	0.3	0.1	*	0.1	*	*	*	*	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	*	*	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	*	-	*	*	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	*	0.1	-	*	*	*	-	*	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	*	*	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		0.1	0.6	-	-	-	-	-	-	-	*	-	-
32		2.2	4.7	-	-	-	*	-	*	-	*	-	-
33		9.8	10.4	-	*	-	*	*	*	0.1	0.4	-	-
34		27.6	21.8	-	0.2	0.4	0.3	0.3	0.3	1.2	3.0	0.1	0.3
35		28.5	28.1	-	3.3	1.9	2.9	5.5	3.0	7.6	12.1	1.8	5.0
36		22.7	20.3	0.1	6.7	9.2	11.6	8.0	7.9	21.9	27.3	8.8	19.0
37		8.8	11.4	6.9	17.2	19.4	26.7	14.5	21.8	44.8	38.1	35.7	35.8
38		0.1	2.3	6.6	26.3	34.4	33.3	17.2	23.9	18.6	15.0	45.9	21.8
39		0.2	0.4	25.0	29.0	28.4	21.4	23.8	27.7	4.8	3.6	5.4	10.2
40 & Longer		-	0.2	61.4	17.3	6.3	3.7	30.6	15.4	1.0	0.5	2.2	7.8
Average Staple		34.88	34.93	39.51	38.25	37.96	37.69	38.45	38.13	36.90	36.62	37.51	37.37
Average Length		1.09	1.09	1.23	1.20	1.19	1.18	1.20	1.19	1.15	1.14	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	41.2	39.1	1.0	1.0	1.2	1.2	65.5	47.6	0.2	0.1
	3	14.8	15.0	1.8	1.3	2.1	1.0	18.3	17.6	0.8	0.2
	4	0.7	1.1	0.2	0.1	0.2	0.1	1.9	1.9	0.1	*
	5	*	*	*	*	*	*	0.1	0.1	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	56.7	55.3	3.0	2.3	3.5	2.3	85.8	67.2	1.1	0.4
31	1 - 2	11.6	7.4	3.9	4.6	7.1	16.4	1.4	2.4	7.3	7.2
	3	17.4	17.5	30.1	29.9	39.0	39.9	3.5	10.1	33.0	30.3
	4	6.9	8.9	17.0	14.9	14.9	10.7	2.6	4.8	9.6	5.2
	5	0.8	1.4	2.1	1.2	1.6	0.8	0.8	0.7	0.3	0.1
	6	*	0.1	*	*	0.1	*	0.1	0.1	-	*
	7	-	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	36.7	35.3	53.1	50.7	62.5	67.9	8.4	18.1	50.3	42.8
41	1 - 2	0.2	0.1	0.3	0.5	0.6	1.4	0.1	0.2	2.4	3.2
	3	0.5	0.3	12.3	13.2	11.1	12.4	0.5	2.1	23.6	34.6
	4	0.8	0.9	20.1	22.8	16.8	12.7	0.6	2.5	18.5	17.1
	5	0.6	0.8	6.1	6.4	4.1	2.6	0.4	0.6	3.9	1.4
	6	0.1	0.3	0.3	0.3	0.5	0.2	0.1	0.1	0.1	*
	7	*	0.1	-	*	*	*	0.1	*	-	*
	8	-	*	-	-	*	*	*	*	-	-
Total	----	2.1	2.6	39.1	43.1	33.2	29.4	1.9	5.5	48.5	56.4
51	1 - 2	-	-	*	*	-	*	*	*	-	-
	3	-	-	0.1	0.1	*	*	*	0.1	-	*
	4	*	*	1.5	0.8	*	*	*	0.1	*	*
	5	*	*	1.1	0.7	*	*	*	*	-	*
	6	*	*	0.1	0.1	-	*	*	*	-	-
	7	-	*	-	*	-	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	*	*	2.8	1.6	*	*	0.1	0.2	*	0.1
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	*	*	-	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.1	1.8	-	*	*	*	1.1	3.0	-	*
	3	0.6	1.4	-	*	0.1	*	1.2	2.4	-	-
	4	0.2	0.4	-	-	*	*	0.2	0.5	-	-
	5	*	*	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.8	3.6	-	*	0.1	*	2.5	6.1	-	*
32	1 - 2	0.3	0.3	-	*	*	*	0.1	0.1	-	*
	3	0.6	0.9	*	0.1	0.2	0.1	0.2	0.4	*	0.1
	4	0.5	0.6	0.1	0.1	0.2	0.1	0.2	0.4	*	*
	5	0.1	0.3	0.1	*	*	*	0.1	0.1	-	*
	6	*	*	*	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	1.5	2.2	0.2	0.2	0.4	0.3	0.6	1.1	0.1	0.1
42	1 - 2	*	*	-	*	-	*	*	*	-	*
	3	*	*	0.1	0.3	*	0.1	*	0.2	*	0.1
	4	*	*	0.5	0.8	0.1	*	*	0.4	-	0.1
	5	*	0.1	0.2	0.3	*	*	*	0.1	-	*
	6	*	*	*	*	*	*	*	*	-	-
	7	*	*	-	-	*	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	0.1	0.2	0.8	1.4	0.1	0.1	0.2	0.8	*	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	*	*	-	*
	4	-	*	0.5	0.3	-	*	*	0.1	-	*
	5	-	-	0.3	0.3	-	-	*	*	-	*
	6	-	-	*	*	-	-	*	*	-	-
	7	*	*	-	*	-	-	*	*	-	-
	8	*	*	-	*	-	-	-	*	-	-
<i>Total</i>	----	*	*	<i>0.8</i>	<i>0.7</i>	-	*	*	<i>0.1</i>	-	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	*	-	-	-	*	-	-
13 & 23	1 - 2	0.1	0.1	-	-	*	*	0.1	0.2	-	-
	3	0.1	0.1	-	-	*	*	0.1	0.3	-	-
	4	*	0.1	-	-	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.2</i>	<i>0.3</i>	-	-	*	*	<i>0.3</i>	<i>0.5</i>	-	-
33	1 - 2	*	*	-	*	*	*	*	*	-	-
	3	0.1	0.1	*	*	0.1	*	0.1	0.1	*	*
	4	0.2	0.1	*	*	0.1	*	0.1	0.1	*	*
	5	0.1	0.1	*	*	*	*	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.4</i>	<i>0.4</i>	*	*	<i>0.2</i>	*	<i>0.1</i>	<i>0.2</i>	*	*
43	1 - 2	*	*	*	*	-	-	*	*	-	*
	3	*	*	-	*	-	*	*	*	-	*
	4	*	*	*	*	-	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	-	*	*	*	-	-
	7	*	*	-	-	*	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	*	<i>0.1</i>	<i>0.1</i>	*	*	*	*	<i>0.1</i>	*	*
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	*	-	-	*	*	-	-
	4	-	*	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	*	*	-	*	-	-	*	*	-	-
63	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	*	*	-	-
24 - 54	1 - 8	0.2	0.1	*	*	-	*	0.1	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	*	*	-	-
31		0.6	0.1	-	-	-	-	0.3	0.2	-	*
32		2.4	1.0	*	*	-	-	1.6	0.8	*	*
33		4.3	2.4	0.3	0.5	*	0.1	5.6	3.1	0.6	0.2
34		7.8	5.7	3.4	3.4	0.1	0.7	14.4	8.6	3.7	2.2
35		13.9	11.7	5.0	8.3	2.3	3.1	20.8	16.0	8.5	9.9
36		15.1	14.9	14.6	15.8	11.1	14.0	21.5	22.7	21.6	23.6
37		22.3	27.4	38.3	37.0	40.4	37.0	22.9	30.6	40.7	35.0
38		13.7	19.7	25.9	25.4	26.2	28.3	8.3	12.6	18.4	22.1
39		12.2	12.2	10.0	8.2	17.7	14.4	3.5	4.4	6.1	6.4
40 & Longer		7.7	4.7	2.3	1.2	2.2	2.3	0.9	0.9	0.5	0.6
<i>Average Staple</i>		<i>36.63</i>	<i>36.87</i>	<i>37.16</i>	<i>37.01</i>	<i>37.52</i>	<i>37.42</i>	<i>35.79</i>	<i>36.25</i>	<i>36.80</i>	<i>36.86</i>
<i>Average Length</i>		<i>1.14</i>	<i>1.15</i>	<i>1.16</i>	<i>1.16</i>	<i>1.17</i>	<i>1.17</i>	<i>1.12</i>	<i>1.13</i>	<i>1.15</i>	<i>1.15</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	1.2	0.6	1.5	0.8	0.4	0.1	*	0.1	1.2	0.5	0.7	0.4
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	0.1	0.1	0.1	0.1	0.6	0.1	0.2	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	-	-	-	*	-	*	*	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.5	0.4	*	*	0.7	0.4	*	0.3	1.7	0.8	2.3	1.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	*	-	*	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	-	-	*	-	-	-	*	*	*
24	*	*	-	*	-	*	-	-	-	*	*	0.1
25	*	0.1	*	*	*	*	-	*	-	0.1	0.2	0.4
26	0.2	0.4	*	*	0.2	0.1	*	*	*	0.2	0.9	1.8
27	1.5	1.9	0.4	0.3	0.8	0.7	0.5	0.3	0.4	1.0	4.1	6.0
28	7.2	8.1	1.7	2.2	1.6	3.9	2.1	1.1	2.7	3.5	11.3	15.4
29	21.0	22.7	9.4	9.8	4.1	9.2	4.9	2.6	15.3	13.4	23.7	28.1
30	30.8	30.4	26.0	24.7	12.4	17.5	7.0	8.3	24.8	29.0	30.3	27.3
31	21.1	21.0	34.8	32.9	28.6	24.8	21.0	16.5	24.8	25.0	19.1	13.8
32	12.1	10.2	19.1	19.5	26.0	21.3	8.5	13.7	16.0	14.1	7.3	4.9
33	4.2	3.9	5.9	7.6	14.1	12.9	10.3	9.8	9.5	8.8	2.4	1.6
34	1.4	1.1	2.2	2.3	6.7	5.9	16.5	11.8	4.9	3.8	0.6	0.5
35	0.3	0.3	0.4	0.5	3.2	2.5	20.2	8.8	1.1	0.8	0.1	0.1
36	0.1	0.1	*	0.1	1.6	0.9	3.3	7.7	0.4	0.2	*	*
37	*	*	*	*	0.6	0.2	4.3	10.0	0.1	*	*	*
38	*	*	-	-	0.2	0.1	1.3	6.8	-	*	-	*
39	-	-	-	-	*	*	-	2.0	*	*	*	*
40 & Above	-	-	-	-	*	*	0.2	0.6	-	-	-	-
Average	30.70	30.57	31.32	31.37	32.16	31.75	33.33	33.97	31.37	31.20	30.26	29.89
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	*	-	-	-	-	-	*
2.6	*	*	-	-	*	*	-	*	-	-	-	*
2.7	*	*	-	-	*	*	-	-	-	-	*	*
2.8	0.1	*	-	*	0.1	0.1	-	*	-	-	*	*
2.9	0.2	0.1	*	*	0.1	0.1	-	*	-	-	*	*
3.0	0.5	0.2	*	*	0.2	0.1	-	0.1	*	*	0.1	*
3.1	0.9	0.3	*	*	0.2	0.1	0.4	0.1	0.1	*	0.1	0.1
3.2	1.3	0.5	*	*	0.4	0.3	*	0.1	0.1	*	0.3	0.1
3.3	2.1	0.9	*	*	0.5	0.4	0.4	0.1	0.2	0.1	0.5	0.2
3.4	3.5	1.5	*	*	0.7	0.7	2.6	0.5	1.0	0.2	0.7	0.2
3.5	4.5	2.0	0.3	0.1	0.7	0.7	4.7	0.8	1.0	0.3	1.3	0.4
3.6	6.8	3.1	0.5	0.2	1.1	0.8	5.4	1.3	1.7	0.5	1.8	0.7
3.7	7.9	4.1	0.7	0.5	2.6	1.2	7.2	1.6	2.6	0.9	2.7	1.2
3.8	9.2	5.6	1.2	0.9	5.5	2.0	12.0	2.7	3.2	1.3	3.9	1.9
3.9	9.4	7.3	2.6	1.8	7.3	2.5	9.9	4.5	5.6	2.0	5.7	3.2
4.0	8.5	8.5	3.8	3.7	8.5	3.4	5.4	5.1	5.4	2.9	7.5	5.1
4.1	9.0	9.5	7.3	6.4	8.8	4.4	10.9	6.4	7.3	4.9	9.6	7.6
4.2	8.2	9.7	10.6	9.7	9.8	6.0	9.4	7.9	11.2	6.8	10.8	10.4
4.3	6.9	9.9	12.5	12.4	10.1	7.4	10.3	9.4	9.4	10.2	12.3	13.3
4.4	7.3	9.4	14.5	14.6	10.5	9.9	4.1	9.3	10.1	12.2	12.8	15.2
4.5	5.0	7.8	12.7	14.3	8.0	11.4	3.4	10.3	12.9	12.5	11.1	14.4
4.6	3.3	6.2	9.7	12.3	6.0	10.3	3.2	9.0	8.5	14.1	9.0	11.7
4.7	2.7	5.3	8.1	9.4	5.1	9.2	3.2	7.0	7.6	13.1	5.7	7.3
4.8	1.1	3.6	6.9	6.3	4.9	9.0	5.9	6.9	3.2	7.2	2.6	3.9
4.9	0.7	2.2	4.3	3.7	2.8	7.3	1.7	6.0	3.3	4.5	0.9	1.8
5.0	0.4	1.3	2.3	2.0	1.9	4.9	-	3.8	2.5	3.1	0.5	0.8
5.1	0.5	0.7	0.9	0.9	2.2	3.7	-	3.2	1.7	2.0	0.2	0.3
5.2	0.2	0.3	0.5	0.4	1.0	1.9	-	2.1	0.9	0.7	*	0.1
5.3	0.1	0.1	0.2	0.1	0.6	1.0	-	1.1	0.4	0.3	*	*
5.4	*	0.1	0.3	0.1	0.3	0.6	-	0.4	*	0.1	*	*
5.5 & Above	*	*	0.1	*	0.1	0.3	-	0.4	-	0.1	-	*
Average	4.00	4.21	4.43	4.45	4.29	4.51	4.08	4.44	4.34	4.49	4.26	4.36

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	22.2	18.5	0.5	0.3	0.1	0.2	1.9	0.9	0.8	0.4	0.7	0.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.4	-	*	-	*	*	0.1	0.1	0.1	0.4	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	*	*	0.1	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.5	0.2	-	0.3	-	*	*	*	-	*	0.4	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	-	*
24	-	0.2	-	-	-	-	-	*	*	*	-	*
25	-	1.1	-	-	-	*	*	*	*	*	-	*
26	0.5	1.7	-	*	*	*	0.2	0.2	0.1	0.2	-	0.7
27	1.7	3.7	-	0.2	0.1	0.1	0.7	0.7	0.8	1.1	3.7	3.1
28	6.8	5.7	0.4	1.1	3.3	1.9	3.9	3.7	5.1	5.4	3.9	7.0
29	25.3	14.6	10.2	9.9	19.0	15.0	10.9	11.9	18.8	16.9	14.8	22.0
30	38.4	25.5	51.3	35.7	35.1	34.5	29.8	24.8	31.0	28.2	38.2	33.3
31	17.2	20.7	31.7	29.6	28.2	31.1	37.7	29.7	24.3	25.6	28.7	23.7
32	5.7	14.0	6.3	11.4	11.3	13.1	12.3	18.0	12.3	14.1	10.5	7.7
33	3.1	8.0	0.1	7.5	2.7	3.6	3.5	7.4	5.1	6.0	0.1	1.9
34	0.8	3.8	0.1	3.3	0.4	0.6	0.7	2.6	1.9	1.9	-	0.5
35	0.5	0.9	-	0.8	0.1	0.1	0.3	0.8	0.5	0.5	0.1	*
36	*	0.2	-	0.6	*	*	*	0.1	*	*	-	*
37	-	*	-	*	-	*	*	*	-	*	-	*
38	-	*	-	-	-	-	*	*	-	-	-	*
39	*	*	-	-	-	-	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.41	30.89	30.77	31.28	30.79	30.97	31.01	31.26	30.88	30.95	30.66	30.45
Mike												
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	*
2.5	*	0.1	-	-	-	-	-	*	-	*	-	-
2.6	0.1	0.2	-	-	-	-	-	*	-	*	-	0.4
2.7	0.5	0.2	-	-	*	*	-	*	-	*	-	1.1
2.8	0.5	0.1	-	-	*	*	-	*	*	*	2.0	1.6
2.9	1.1	0.3	-	-	*	*	-	*	*	*	5.8	2.6
3.0	1.6	0.5	-	-	*	*	-	*	*	*	8.6	2.0
3.1	3.8	0.9	-	-	*	*	*	*	*	*	5.5	1.9
3.2	0.7	1.0	-	-	0.2	0.1	0.1	*	0.1	*	7.1	2.9
3.3	1.1	1.3	-	*	0.2	0.1	0.2	0.1	*	0.1	17.5	4.2
3.4	2.3	2.0	-	*	0.6	0.3	0.5	0.1	0.1	0.1	9.3	5.4
3.5	1.8	1.9	-	*	0.8	0.4	0.8	0.2	0.2	0.2	5.9	6.6
3.6	3.5	3.0	-	0.1	1.3	0.8	0.9	0.3	0.6	0.3	-	4.3
3.7	4.8	4.6	-	0.2	1.8	1.3	2.0	0.5	1.0	0.6	0.5	4.7
3.8	5.6	4.4	0.1	0.4	3.1	2.3	2.9	0.9	1.6	1.3	2.0	7.0
3.9	7.4	5.3	-	0.5	5.2	3.8	3.3	1.5	2.4	2.2	10.9	8.0
4.0	7.5	5.8	-	0.8	7.2	6.1	5.1	2.3	5.4	4.3	3.3	8.4
4.1	6.8	6.8	0.9	1.4	9.6	9.8	7.1	3.6	8.0	6.5	4.1	6.4
4.2	6.6	6.4	4.5	3.2	11.5	13.1	10.2	5.5	9.5	9.5	8.4	6.8
4.3	6.0	7.5	4.8	6.2	14.1	15.0	11.1	8.5	10.2	12.4	4.8	6.4
4.4	7.3	7.5	0.7	9.2	12.6	13.9	10.3	11.4	13.5	14.6	-	5.6
4.5	8.2	9.1	0.5	13.5	12.3	12.3	9.7	13.6	14.6	15.4	2.2	4.7
4.6	7.0	6.9	3.1	17.7	8.3	8.7	9.7	14.1	13.5	12.8	1.7	3.3
4.7	6.4	7.2	9.8	17.2	5.2	5.5	9.0	13.1	10.5	9.2	0.3	2.3
4.8	1.8	6.3	17.0	12.0	3.1	3.5	9.1	10.3	5.1	5.5	0.1	1.1
4.9	4.2	5.0	23.9	7.7	1.5	1.8	4.6	6.3	2.1	2.7	0.1	1.0
5.0	2.0	3.0	26.4	5.1	0.7	0.7	1.7	3.6	1.1	1.3	-	0.2
5.1	0.8	2.0	8.4	3.1	0.4	0.3	1.1	2.0	0.4	0.5	-	0.5
5.2	0.7	0.4	-	0.9	0.1	0.1	0.2	1.0	0.2	0.2	-	0.4
5.3	*	0.2	-	0.4	*	*	0.1	0.6	*	0.1	-	0.3
5.4	*	*	-	0.2	*	*	0.1	0.2	*	*	-	*
5.5 & Above	-	*	-	0.1	-	*	0.3	0.1	-	*	-	-
Average	4.12	4.26	4.82	4.62	4.29	4.32	4.40	4.54	4.40	4.42	3.56	3.88

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	9.0	4.9	2.4	1.4	0.1	0.3	5.4	4.7	0.7	0.3
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	0.1	*	0.1	0.1	*	*	0.3	0.4	0.1	*
Grass - Level 2	-	-	-	*	-	-	-	*	-	-
Prep - Level 1	-	*	*	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	0.1	*	-	*	-	-	0.4	0.8	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	*	*	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	*
24	*	*	*	*	-	*	0.2	0.1	*	*
25	0.5	0.2	0.1	0.1	-	*	0.7	0.4	0.5	0.1
26	1.8	0.7	1.2	1.0	*	*	2.7	1.4	0.6	0.2
27	4.9	2.6	3.7	2.8	0.4	0.2	7.8	4.6	1.5	1.5
28	9.8	6.7	9.8	9.3	3.6	2.5	15.0	11.1	9.3	8.4
29	13.8	12.7	22.8	23.0	22.0	16.3	19.7	18.3	22.8	25.9
30	15.3	16.6	28.1	31.3	40.1	35.8	19.4	21.1	31.9	32.0
31	15.4	18.3	21.3	20.7	22.9	29.6	15.1	18.2	19.2	19.4
32	16.5	18.3	9.0	8.1	8.0	11.9	10.2	13.0	9.1	8.6
33	13.1	13.2	3.1	2.8	2.6	3.0	5.6	7.3	3.5	2.8
34	6.2	7.4	0.7	0.8	0.3	0.5	2.3	3.0	1.2	0.9
35	2.1	2.4	0.1	0.1	0.1	0.1	0.9	1.0	0.4	0.2
36	0.5	0.6	*	*	*	*	0.3	0.2	*	*
37	0.1	0.2	-	*	-	-	0.1	0.1	-	-
38	0.1	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	*	*	-	-
Average	31.15	31.48	30.37	30.39	30.64	30.88	30.24	30.68	30.50	30.47
Mike										
2.4 & Below	*	*	-	-	-	-	0.1	*	-	-
2.5	*	*	-	-	*	*	0.5	0.1	-	-
2.6	0.1	0.2	*	*	0.1	*	0.6	0.2	-	-
2.7	0.2	0.2	-	-	0.3	*	0.9	0.4	-	-
2.8	0.9	0.4	*	*	0.4	0.1	1.3	0.6	-	-
2.9	1.1	0.8	*	*	0.3	0.1	1.8	0.9	*	*
3.0	1.7	1.3	*	*	0.3	0.1	2.3	1.3	*	*
3.1	2.7	2.1	*	0.1	0.4	0.2	3.2	1.8	*	*
3.2	3.5	2.9	0.1	0.1	0.6	0.3	4.1	2.4	0.1	*
3.3	4.2	4.3	0.3	0.1	1.0	0.4	5.1	3.1	0.1	0.1
3.4	4.4	5.9	0.6	0.3	1.1	0.6	5.6	3.7	0.4	0.2
3.5	5.1	7.0	0.6	0.4	1.5	1.0	5.9	4.2	0.7	0.4
3.6	5.7	7.4	1.0	0.7	1.9	1.6	6.5	4.8	1.4	0.8
3.7	7.9	7.7	2.4	1.3	3.1	2.4	7.5	5.5	1.2	1.3
3.8	10.1	8.5	3.5	2.1	5.8	3.6	8.4	6.1	2.7	2.2
3.9	10.3	8.6	5.3	4.0	7.7	4.7	8.7	6.7	2.6	3.6
4.0	10.1	9.1	6.8	6.7	8.1	5.9	8.0	7.0	4.5	5.7
4.1	9.3	8.4	11.8	10.1	9.4	7.9	7.2	7.6	8.5	8.7
4.2	8.2	7.1	14.9	13.5	10.1	9.7	6.3	7.7	13.3	12.4
4.3	6.1	6.0	16.1	15.5	10.8	11.0	5.1	7.5	9.6	15.6
4.4	3.4	4.5	13.3	14.8	10.1	12.0	3.9	6.9	13.9	16.0
4.5	2.5	3.0	9.0	12.0	9.6	11.6	2.7	6.3	14.1	13.7
4.6	1.3	2.0	5.3	7.9	7.1	10.3	1.7	5.4	11.1	9.5
4.7	0.7	1.5	4.3	5.0	3.4	7.1	1.2	4.1	7.7	5.1
4.8	0.2	0.7	2.2	2.7	2.8	4.6	0.7	2.6	4.2	2.7
4.9	0.1	0.3	1.0	1.4	1.5	2.7	0.4	1.4	2.3	1.2
5.0	-	0.2	0.5	0.7	0.7	1.3	0.2	0.8	0.6	0.4
5.1	-	0.1	0.4	0.3	1.0	0.6	0.1	0.5	0.2	0.2
5.2	-	*	0.5	0.2	0.6	0.2	*	0.3	0.2	0.1
5.3	-	-	0.1	*	0.2	*	*	0.1	0.3	0.1
5.4	-	-	*	*	*	*	*	0.1	0.1	*
5.5 & Above	-	-	*	*	-	-	*	*	*	*
Average	3.83	3.85	4.26	4.31	4.20	4.32	3.77	4.02	4.36	4.33

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	-	*	*	-	*	-	-	-	*
2.7 - 2.9	0.3	0.1	*	*	0.3	0.2	-	0.1	-	-	0.1	*
3.0 - 3.2	2.7	0.9	*	*	0.8	0.6	0.4	0.4	0.2	*	0.6	0.2
3.3 - 3.4	5.6	2.4	0.1	*	1.2	1.1	3.0	0.6	1.2	0.2	1.2	0.4
3.5 - 3.6	11.3	5.1	0.8	0.3	1.8	1.5	10.1	2.1	2.7	0.8	3.0	1.1
3.7 - 4.2	52.2	44.7	26.2	23.1	42.5	19.5	54.7	28.1	35.4	18.8	40.1	29.5
4.3 - 4.9	26.8	44.4	68.6	73.1	47.4	64.6	31.8	57.8	55.0	73.9	54.3	67.6
5.0 - 5.2	1.0	2.3	3.7	3.3	5.1	10.6	-	9.1	5.1	5.7	0.8	1.1
5.3 & Above	0.1	0.2	0.6	0.3	1.0	1.9	-	1.9	0.5	0.5	*	*
Average	4.00	4.21	4.43	4.45	4.29	4.51	4.08	4.44	4.34	4.49	4.26	4.36
Leaf												
1 - 2	4.6	5.3	4.1	5.6	60.9	67.5	69.6	71.2	6.2	7.0	12.4	7.3
3	42.1	41.5	47.2	51.2	31.0	27.5	28.6	21.0	56.0	50.0	50.6	46.6
4	41.1	41.4	42.5	38.7	6.6	4.1	1.7	5.4	31.1	35.4	30.2	36.6
5	10.9	10.7	5.8	4.4	1.1	0.7	*	1.8	6.1	7.1	6.2	8.6
6	1.2	1.1	0.3	0.1	0.3	0.2	-	0.5	0.6	0.6	0.6	0.8
7	0.1	0.1	*	*	0.1	0.1	-	0.1	*	*	*	*
8	*	*	-	-	0.1	*	-	-	-	*	*	*
Average	3.63	3.61	3.51	3.42	2.41	2.25	2.18	2.14	3.39	3.44	3.32	3.49
HVI Trash 1/												
00	-	*	-	-	-	*	-	0.1	-	-	-	-
01	0.3	0.6	0.1	0.3	23.1	28.6	30.4	37.6	0.3	0.6	1.7	0.9
02	6.2	6.8	4.7	6.5	44.2	45.0	45.2	34.9	9.5	10.4	15.7	10.4
03	18.4	18.8	17.0	19.9	18.1	17.0	18.1	14.5	26.1	24.4	26.5	23.6
04	24.2	24.6	25.7	26.1	8.1	5.6	4.9	5.6	26.9	25.4	23.8	25.3
05	20.9	21.1	23.1	22.0	3.5	2.0	1.1	2.8	17.8	18.5	15.8	18.6
06	14.3	13.8	15.4	13.7	1.6	0.8	0.2	1.9	9.9	10.8	8.7	10.9
07	8.2	7.6	8.0	6.8	0.7	0.4	*	1.1	4.9	5.4	4.3	5.7
08	4.0	3.7	3.5	2.9	0.3	0.2	*	0.8	2.5	2.6	2.0	2.7
09	2.0	1.7	1.5	1.1	0.1	0.1	-	0.4	1.2	1.1	0.9	1.2
10	0.9	0.8	0.6	0.4	0.1	0.1	-	0.2	0.6	0.5	0.3	0.5
11	0.4	0.3	0.2	0.1	0.1	*	-	0.1	0.2	0.2	0.1	0.2
12	0.2	0.1	0.1	*	*	*	-	0.1	0.1	0.1	*	0.1
13	0.1	0.1	*	*	*	*	-	*	*	*	*	*
14	*	*	*	*	*	*	-	*	-	*	*	*
15	*	*	*	*	*	*	-	*	*	*	*	*
16	*	*	-	*	-	*	-	-	-	*	*	*
17	*	*	-	-	-	-	-	*	-	*	-	*
18 & Above	*	*	-	-	-	*	-	-	-	*	*	*
Average	0.48	0.47	0.48	0.46	0.24	0.21	0.20	0.22	0.43	0.43	0.40	0.43
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-	*	-	*
76	*	*	*	*	*	*	-	*	-	*	*	0.1
77	0.1	0.2	*	*	0.1	0.1	0.1	0.1	*	0.1	0.1	0.6
78	0.9	1.3	0.2	0.1	1.2	1.3	0.7	0.4	0.1	0.6	1.1	3.2
79	4.9	7.4	1.1	1.0	10.0	9.4	14.7	3.9	0.7	2.9	6.9	13.9
80	20.8	26.1	7.3	8.4	33.3	31.0	52.9	20.5	7.5	13.1	27.1	33.8
81	37.9	38.0	30.0	30.0	37.5	38.5	20.5	31.1	35.6	41.3	39.0	31.3
82	28.4	21.3	40.2	38.1	14.4	17.3	2.9	22.1	40.7	32.0	20.2	13.5
83	6.3	5.1	18.1	19.4	3.2	2.2	5.0	13.1	14.1	8.9	4.9	3.2
84	0.5	0.6	2.9	2.8	0.3	0.2	3.0	8.6	1.4	1.1	0.6	0.4
85 & Above	*	0.1	0.2	0.1	*	*	*	0.3	0.1	0.1	0.1	*
Average	81.54	81.33	82.21	82.20	81.09	81.13	80.80	81.91	82.09	81.78	81.33	80.92
Tenderable 3/	87.0	89.5	93.3	94.4	89.7	83.7	96.1	84.9	89.2	86.3	92.4	89.3
SAMPLES CLASSED	65,816	505,306	95,726	1,084,935	18,762	161,608	3,268	75,289	9,314	70,866	195,916	1,428,805

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	*
2.5 - 2.6	0.1	0.2	-	-	-	-	-	*	-	*	-	0.4
2.7 - 2.9	2.1	0.6	-	-	*	*	-	*	*	*	7.7	5.2
3.0 - 3.2	6.1	2.5	-	-	0.2	0.1	0.1	0.1	0.1	0.1	21.2	6.8
3.3 - 3.4	3.4	3.3	-	*	0.8	0.4	0.8	0.1	0.2	0.2	26.8	9.6
3.5 - 3.6	5.2	4.9	-	0.1	2.1	1.2	1.6	0.4	0.8	0.5	5.9	10.9
3.7 - 4.2	38.9	33.3	5.5	6.5	38.5	36.4	30.6	14.4	27.8	24.4	29.1	41.2
4.3 - 4.9	40.8	49.6	59.8	83.7	57.2	60.7	63.4	77.3	69.5	72.7	9.3	24.4
5.0 - 5.2	3.4	5.4	34.8	9.1	1.2	1.1	3.1	6.6	1.7	2.0	-	1.0
5.3 & Above	*	0.2	-	0.6	*	*	0.5	1.0	*	0.1	-	0.3
Average	4.12	4.26	4.82	4.62	4.29	4.32	4.40	4.54	4.40	4.42	3.56	3.88
Leaf												
1 - 2	27.5	30.6	0.3	4.4	5.5	8.4	1.4	6.0	12.0	12.0	78.0	91.0
3	38.0	32.0	21.2	48.5	57.4	57.4	27.1	44.4	53.2	51.8	19.5	8.2
4	29.4	26.1	67.1	42.0	33.2	30.9	51.1	41.4	30.1	30.9	1.4	0.8
5	4.7	9.1	11.3	5.0	3.9	3.2	18.2	7.8	4.4	4.9	1.0	0.1
6	0.4	2.1	0.2	0.1	0.1	0.1	1.9	0.4	0.3	0.4	-	-
7	*	0.2	-	-	-	-	0.3	*	*	*	-	-
8	*	*	-	-	-	-	*	*	*	*	-	-
Average	3.09	3.14	3.90	3.48	3.36	3.29	3.93	3.52	3.28	3.30	2.00	1.66
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	11.1	14.6	-	0.2	0.1	0.4	*	0.4	1.0	1.2	41.0	58.5
02	16.0	17.6	0.3	5.6	6.4	8.8	1.7	6.3	13.0	12.3	40.3	33.2
03	17.0	12.9	4.1	19.3	22.7	23.8	8.2	17.6	23.3	23.1	13.2	6.2
04	19.0	14.8	16.0	27.2	28.0	27.1	18.0	24.2	24.1	24.5	3.5	1.4
05	15.6	13.2	27.3	22.7	21.1	20.1	22.8	21.9	18.1	18.3	0.9	0.5
06	10.9	9.6	25.1	13.9	12.0	11.4	19.5	14.7	10.4	10.8	0.4	0.1
07	5.1	6.3	15.8	6.7	5.9	5.3	13.7	8.1	5.3	5.5	0.4	0.1
08	2.8	4.3	7.0	2.8	2.4	2.1	8.0	3.9	2.6	2.5	0.3	*
09	1.2	2.6	3.1	1.0	1.0	0.7	4.4	1.7	1.1	1.1	-	-
10	0.5	1.8	0.8	0.4	0.3	0.2	2.0	0.7	0.5	0.4	-	-
11	0.3	1.0	0.4	0.1	0.1	0.1	0.9	0.3	0.2	0.2	-	-
12	0.2	0.6	0.1	*	*	*	0.4	0.1	0.1	0.1	-	-
13	0.1	0.4	-	*	*	*	0.2	*	*	*	-	-
14	0.1	0.2	-	*	-	*	0.1	*	*	*	-	-
15	*	0.1	-	-	-	*	*	*	*	*	-	-
16	*	*	-	-	-	-	-	*	*	*	-	-
17	-	*	-	-	-	-	-	*	-	*	-	-
18 & Above	-	*	-	-	-	-	-	*	*	*	-	-
Average	0.40	0.42	0.57	0.46	0.44	0.43	0.57	0.48	0.42	0.43	0.19	0.15
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-	*	-	-
76	*	0.3	0.1	*	-	*	-	*	*	*	-	*
77	0.4	2.3	0.1	*	*	*	*	*	*	0.1	-	1.4
78	2.4	7.5	-	0.1	0.1	0.1	0.4	0.3	0.1	0.7	0.8	1.7
79	12.7	18.4	0.1	0.5	1.1	1.3	2.3	2.1	1.5	3.9	8.1	10.1
80	39.2	34.1	0.2	5.1	11.9	11.4	9.7	9.6	9.7	14.8	48.7	28.4
81	39.5	27.9	6.4	23.6	32.2	31.2	27.6	28.8	29.0	30.0	37.0	40.9
82	5.7	8.5	35.1	43.9	39.7	38.7	41.2	38.2	37.9	33.1	5.1	15.7
83	0.2	0.9	46.7	22.5	13.8	15.6	15.7	17.9	19.0	15.1	0.3	1.7
84	*	*	10.8	4.2	1.2	1.6	2.8	2.9	2.6	2.2	-	*
85 & Above	-	-	0.7	0.2	0.1	0.2	0.3	0.2	0.2	0.2	-	*
Average	80.78	80.51	83.07	82.41	82.02	82.06	82.11	82.14	82.16	81.91	80.85	81.05
Tenderable 3/	60.8	63.9	63.6	88.7	97.3	97.2	91.2	89.6	96.3	96.2	43.5	75.9
SAMPLES CLASSED	6,244	55,226	1,916	215,465	60,155	529,367	32,188	810,342	59,700	740,621	764	16,573

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	-	-	-	0.1	*	-	-
2.5 - 2.6	0.1	0.2	*	*	0.2	*	1.1	0.4	-	-
2.7 - 2.9	2.2	1.4	*	*	1.1	0.2	4.0	1.8	*	*
3.0 - 3.2	7.9	6.3	0.1	0.1	1.3	0.6	9.6	5.5	0.1	*
3.3 - 3.4	8.6	10.2	0.9	0.4	2.1	1.1	10.6	6.7	0.5	0.3
3.5 - 3.6	10.8	14.4	1.6	1.1	3.4	2.6	12.4	9.1	2.0	1.2
3.7 - 4.2	56.0	49.3	44.6	37.7	44.1	34.1	46.2	40.6	32.9	33.9
4.3 - 4.9	14.3	17.9	51.2	59.4	45.3	59.2	15.8	34.1	63.0	63.7
5.0 - 5.2	-	0.3	1.4	1.1	2.4	2.2	0.2	1.6	1.1	0.7
5.3 & Above	-	-	0.2	*	0.2	*	*	0.2	0.4	0.1
Average	3.83	3.85	4.26	4.31	4.20	4.32	3.77	4.02	4.36	4.33
Leaf										
1 - 2	54.6	48.8	5.2	6.1	8.9	19.1	68.3	53.5	9.9	10.5
3	34.1	35.4	44.5	44.9	52.5	53.6	23.9	33.3	57.5	65.4
4	9.4	12.2	39.9	39.7	32.3	23.6	5.8	10.9	28.2	22.5
5	1.7	2.8	9.8	8.9	5.7	3.5	1.6	1.9	4.3	1.5
6	0.1	0.5	0.6	0.5	0.6	0.2	0.3	0.3	0.1	*
7	*	0.1	-	*	*	*	0.1	*	-	*
8	*	0.1	-	*	*	*	*	*	-	-
Average	2.44	2.59	3.56	3.53	3.37	3.11	2.20	2.47	3.27	3.15
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	23.1	19.5	0.2	0.3	0.4	2.5	37.4	25.2	0.5	0.5
02	33.7	31.1	6.5	7.3	8.9	16.4	36.3	32.1	10.3	11.2
03	21.7	21.7	20.0	19.9	21.6	24.8	14.3	18.8	26.2	29.6
04	10.5	12.9	24.6	24.9	25.7	22.6	5.8	11.2	26.8	29.2
05	5.4	7.0	20.5	20.8	19.0	15.7	2.8	6.4	18.3	17.5
06	2.9	3.6	13.6	13.4	12.4	9.4	1.4	3.3	9.9	7.7
07	1.4	1.9	7.6	7.2	6.5	4.8	0.8	1.6	5.0	3.0
08	0.7	1.0	3.7	3.5	3.0	2.2	0.5	0.7	2.0	1.0
09	0.2	0.5	1.9	1.6	1.4	1.0	0.3	0.3	0.7	0.3
10	0.1	0.3	0.8	0.7	0.6	0.4	0.2	0.2	0.2	0.1
11	0.1	0.2	0.4	0.2	0.3	0.2	0.1	0.1	*	*
12	*	0.1	0.1	0.1	0.1	0.1	0.1	*	-	*
13	*	0.1	*	*	*	*	*	*	*	*
14	*	0.1	*	*	*	*	*	*	-	-
15	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	-	-	*	*	-	-
17	*	*	-	-	-	-	*	*	-	-
18 & Above	*	*	-	*	-	-	*	*	-	*
Average	0.26	0.29	0.47	0.46	0.45	0.40	0.21	0.27	0.42	0.40
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	0.1	*	-	-
75	*	0.1	-	-	-	-	0.4	0.2	-	-
76	0.2	0.3	*	*	-	*	1.9	0.9	-	*
77	1.7	1.4	0.1	0.2	*	*	5.8	3.0	*	*
78	7.9	6.1	0.9	1.2	0.2	0.1	15.0	8.7	0.3	0.3
79	18.7	17.6	6.4	6.9	1.0	1.0	26.1	18.8	1.7	2.3
80	31.6	31.2	22.1	24.5	8.0	8.5	28.3	27.1	9.9	11.7
81	29.0	30.1	39.9	38.9	33.8	30.1	15.9	24.8	31.7	29.5
82	9.5	11.2	21.7	22.0	40.4	39.4	5.4	13.3	36.9	36.9
83	1.2	1.8	7.7	5.6	15.4	18.7	1.1	2.9	16.0	16.8
84	0.1	0.1	1.2	0.7	1.2	2.0	0.1	0.3	3.3	2.3
85 & Above	*	*	0.1	0.1	*	0.1	*	*	0.3	0.2
Average	80.57	80.68	81.49	81.38	82.10	82.18	79.92	80.57	82.11	82.06
Tenderable 3/	71.2	75.9	92.8	94.3	92.0	95.2	67.7	76.3	96.9	98.2
SAMPLES CLASSED	35,273	300,503	42,282	258,371	51,884	476,467	455,707	5,161,224	13,526	158,829

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	63.7	47.1	40.9	50.1	-	-	39.7	32.9
	2	1.9	1.7	20.8	15.1	-	-	20.1	14.9
	3	-	*	0.1	0.1	-	-	0.1	0.1
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		65.7	48.8	61.8	65.3	-	-	59.9	47.9
02	1	29.8	45.5	8.2	13.5	-	-	19.2	29.9
	2	4.5	4.9	21.7	16.2	-	-	19.3	20.2
	3	-	0.1	2.2	1.3	-	-	1.1	0.9
	4	-	0.1	*	*	-	-	-	-
	5	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		34.2	50.6	32.1	31.0	-	-	39.6	51.1
03	1	-	0.2	0.5	0.2	-	-	-	0.1
	2	0.1	0.3	2.9	1.8	-	-	0.2	0.5
	3	-	*	0.9	0.7	-	-	0.1	0.2
	4	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.1	0.5	4.3	2.7	-	-	0.3	0.9
04	1	-	*	0.1	*	-	-	-	-
	2	-	*	0.9	0.3	-	-	-	-
	3	-	-	0.3	0.3	-	-	0.1	*
	4	-	-	*	*	-	-	*	0.1
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	*	1.3	0.6	-	-	0.1	0.2
05	1	-	-	-	*	-	-	-	-
	2	-	-	0.1	0.1	-	-	-	-
	3	-	-	0.2	0.1	-	-	-	-
	4	-	-	0.1	*	-	-	-	*
	5	-	-	*	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.3	0.3	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.2	0.4	1.0	-	-	1.7	1.6
46		2.5	2.7	15.2	10.6	-	-	28.5	28.9
48		30.0	40.1	18.4	22.1	-	-	68.8	65.3
50		63.2	55.9	45.6	54.0	-	-	1.0	3.9
52 & Longer		4.3	1.1	20.4	12.3	-	-	*	0.2
Average Staple		49.39	49.10	49.41	49.32	-	-	47.38	47.44
Average Length		1.44	1.43	1.43	1.43	-	-	1.38	1.38
EXTRANEIOUS MATTER									
Bark		-	-	*	*	-	-	-	-
Grass		-	*	0.1	0.2	-	-	*	0.1
Spindle Twist		-	-	1.6	0.5	-	-	0.1	0.2
Preparation		-	-	0.1	*	-	-	0.1	0.6
All Other		0.1	*	*	*	-	-	0.3	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 23, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	0.1	0.2
2.7 - 2.9	-	-	0.1	0.1	-	-	19.0	5.5
3.0 - 3.2	-	0.9	0.8	0.2	-	-	11.5	14.4
3.3 - 3.4	0.1	2.2	1.0	0.5	-	-	8.0	10.7
3.5 - 3.6	-	2.6	3.9	2.1	-	-	1.1	3.8
3.7 - 4.2	81.5	71.7	55.3	54.5	-	-	57.3	47.4
4.3 - 4.9	18.4	22.6	38.8	42.5	-	-	3.0	18.1
5.0 - 5.2	-	*	*	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.12	4.09	4.15	4.18	-	-	3.65	3.81
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	*
2.6	-	-	-	*	-	-	0.1	0.1
2.7	-	-	-	*	-	-	1.7	0.8
2.8	-	-	0.1	*	-	-	6.4	1.5
2.9	-	-	*	*	-	-	11.0	3.2
3.0	-	0.1	0.2	*	-	-	4.9	4.3
3.1	-	0.2	0.3	0.1	-	-	1.4	2.3
3.2	-	0.6	0.4	0.1	-	-	5.1	7.7
3.3	-	1.3	0.5	0.2	-	-	1.1	5.8
3.4	0.1	0.9	0.5	0.3	-	-	6.8	4.8
3.5	-	1.0	1.2	0.8	-	-	0.8	3.0
3.6	-	1.6	2.7	1.4	-	-	0.3	0.8
3.7	0.1	2.4	3.0	2.4	-	-	5.3	3.7
3.8	3.7	4.5	3.3	3.8	-	-	2.0	2.3
3.9	10.1	6.6	5.3	6.6	-	-	7.1	3.0
4.0	18.1	14.5	10.0	10.8	-	-	11.6	8.9
4.1	26.1	21.8	15.8	14.5	-	-	19.3	12.9
4.2	23.5	21.8	17.9	16.4	-	-	12.1	16.6
4.3	12.5	12.0	17.8	16.8	-	-	1.7	12.0
4.4	4.2	7.2	13.7	13.9	-	-	1.1	3.5
4.5	1.2	2.4	5.2	7.4	-	-	0.1	1.6
4.6	0.5	0.6	1.3	3.1	-	-	*	1.0
4.7	-	0.4	0.6	1.0	-	-	*	*
4.8	-	-	0.2	0.2	-	-	-	-
4.9	-	-	*	*	-	-	-	*
5.0	-	*	-	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.12	4.09	4.15	4.18	-	-	3.65	3.81
STRENGTH 1/ 36 & Below	-	0.2	0.1	0.2	-	-	14.5	7.1
37	-	*	0.9	0.5	-	-	7.6	8.2
38	0.1	0.4	2.8	2.0	-	-	4.4	13.5
39	-	0.2	5.8	5.1	-	-	5.9	6.7
40	0.1	0.4	5.8	6.2	-	-	5.4	4.0
41	0.1	2.1	3.9	3.0	-	-	4.9	6.3
42	6.4	6.8	4.9	3.0	-	-	9.4	11.6
43	4.3	18.1	7.3	7.5	-	-	6.5	8.2
44	26.9	27.8	14.9	16.3	-	-	4.4	7.1
45	38.8	29.4	18.5	20.4	-	-	17.0	12.4
46	18.7	11.2	17.9	17.3	-	-	6.1	7.5
47	3.8	2.6	11.6	11.8	-	-	4.6	4.4
48 & Above	0.8	0.7	5.6	6.7	-	-	9.2	3.0
Average	45.19	44.64	44.54	44.75	-	-	42.24	41.99
UNIFORMITY								
83 & Below	0.1	*	0.1	0.2	-	-	3.9	2.4
84	0.1	1.2	5.2	3.7	-	-	13.5	6.2
85	3.0	11.4	18.9	16.8	-	-	21.3	30.7
86	30.9	43.3	37.6	39.0	-	-	49.7	48.2
87	64.8	43.4	36.1	37.7	-	-	11.4	12.3
88 & Above	1.2	0.7	2.1	2.6	-	-	0.2	0.2
Average	87.06	86.76	86.54	86.63	-	-	85.96	86.07
Samples Classed	1,542	8,933	24,334	215,979	-	-	2,163	10,517

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.