



Volume 23, No.20

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	25	87.2	75.9	28,267	29	89.4	78.7	533,570
AR	20	95.7	87.0	58,327	29	94.4	84.3	1,143,262
AZ	10	83.9	72.3	15,868	10	83.7	65.3	177,476
CA*	-	-	-	-	13	85.5	70.3	79,920
FL	3	95.8	86.5	3,144	4	86.7	75.9	74,010
GA	58	92.9	84.5	117,472	59	89.6	82.0	1,546,165
KS	3	56.7	37.5	9,493	3	62.8	47.0	64,714
LA*	-	-	-	-	16	88.7	69.2	215,499
MO	19	96.9	89.5	41,369	21	97.2	90.6	570,736
MS	14	91.9	80.0	14,582	37	89.7	73.2	824,924
NC	15	95.7	87.5	21,001	33	96.2	87.4	761,622
NM*	-	-	-	-	2	75.4	62.4	16,986
OK	12	65.8	51.1	17,421	12	75.3	57.8	317,915
SC	11	94.4	90.6	11,290	13	94.3	88.4	269,661
TN	17	94.2	86.8	23,179	19	95.1	85.5	499,646
TX	132	68.8	51.7	231,516	176	75.9	59.3	5,392,656
VA*	-	-	-	-	4	98.1	92.5	159,784
United States	344	82.4	70.1	598,962	480	84.7	71.6	12,648,546
AMERICAN PIMA								
AZ	2			1,411	3			10,344
CA	7			14,142	14			230,121
NM*	-			-	-			-
TX	2			2,911	3			13,428
United States	12			19,935	21			268,960
United States all cotton	356			618,897	493			12,917,506

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.7	1.0	*	0.1	36.0	50.5	-	61.1	2.5	1.1	6.5	2.1
	3	4.1	1.8	*	0.1	13.2	10.7	-	9.9	5.3	2.0	7.7	2.1
	4	0.6	0.3	-	*	0.5	0.2	-	0.4	0.2	0.1	0.5	0.1
	5	*	*	-	-	*	*	-	*	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.4	3.0	*	0.2	49.7	61.4	-	71.5	8.1	3.2	14.7	4.3
31	1 - 2	2.5	3.6	2.2	4.0	11.9	13.6	-	6.4	6.2	5.1	6.2	4.8
	3	24.8	23.9	13.1	22.1	23.5	15.3	-	6.8	44.0	27.2	30.6	22.2
	4	22.3	14.2	3.7	6.8	8.9	3.2	-	1.8	15.7	8.2	9.7	6.2
	5	3.7	1.4	0.1	0.2	1.4	0.4	-	0.3	0.6	0.5	0.8	0.4
	6	0.2	0.1	-	*	0.1	*	-	0.1	-	*	*	*
	7	*	*	-	-	*	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	53.7	43.2	19.1	33.1	45.8	32.5	-	15.4	66.5	41.1	47.4	33.6
41	1 - 2	0.6	0.6	2.5	1.5	-	0.2	-	2.3	0.3	0.9	0.6	0.9
	3	10.1	14.8	40.0	28.7	0.1	0.4	-	2.5	8.3	19.2	13.7	20.9
	4	16.6	23.8	33.8	31.0	1.2	0.4	-	2.0	12.9	20.5	16.2	24.2
	5	5.0	7.2	3.5	4.0	0.8	0.3	-	0.7	1.4	3.9	3.1	5.3
	6	1.0	0.6	0.1	0.1	0.2	0.1	-	0.1	-	0.3	0.2	0.4
	7	0.3	0.1	*	*	0.1	0.1	-	*	-	*	*	*
	8	*	*	-	-	*	*	-	-	-	-	*	*
Total	----	33.5	47.1	79.9	65.2	2.4	1.4	-	7.7	22.8	44.7	33.9	51.7
51	1 - 2	*	*	-	*	-	-	-	0.1	-	*	*	*
	3	1.2	0.5	*	0.1	-	*	-	0.5	0.4	0.6	0.3	0.5
	4	2.2	1.6	0.1	0.2	-	*	-	0.2	0.4	2.5	1.0	1.7
	5	0.6	1.1	0.2	0.1	-	*	-	0.1	-	1.2	0.6	1.0
	6	*	0.2	0.1	*	-	*	-	*	-	0.2	0.1	0.2
	7	*	*	*	*	-	*	-	*	-	*	*	*
	8	-	*	-	-	*	*	-	-	-	-	*	*
Total	----	4.0	3.4	0.4	0.4	*	*	-	0.9	0.8	4.4	2.0	3.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	*
	4	-	*	-	*	-	-	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	*	*
Total	----	-	*	-	*	-	-	-	*	-	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	*	*	-	*	0.1	1.3	-	0.3	-	-	*	*
	3	0.2	*	-	*	0.1	1.0	-	1.0	0.1	*	*	*
	4	*	*	-	-	-	0.2	-	0.1	-	*	*	*
	5	*	*	-	-	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	*	-	*	0.2	2.5	-	1.4	0.1	*	*	*
32	1 - 2	-	*	*	*	0.1	0.2	-	0.1	-	*	*	*
	3	0.3	0.1	0.1	0.1	0.2	0.7	-	0.6	-	*	0.1	0.1
	4	0.3	0.2	0.1	0.1	0.3	0.6	-	0.4	-	*	0.1	0.1
	5	0.2	*	-	*	0.2	0.1	-	0.1	-	*	*	*
	6	*	*	-	-	*	*	-	0.1	-	-	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.8	0.3	0.2	0.1	0.7	1.6	-	1.3	-	0.1	0.2	0.2
42	1 - 2	*	*	*	*	*	*	-	0.1	-	*	*	*
	3	0.1	0.4	0.1	0.2	*	0.1	-	0.3	0.3	0.8	0.2	1.0
	4	0.2	0.7	0.1	0.6	0.1	0.1	-	0.3	0.3	1.7	0.5	2.1
	5	0.1	0.3	*	0.1	0.4	0.1	-	0.4	*	0.4	0.1	0.7
	6	0.1	*	-	*	0.1	*	-	0.2	-	*	*	0.1
	7	*	*	-	-	0.1	*	-	*	-	*	-	*
	8	*	*	-	-	0.1	*	-	-	-	-	-	-
Total	----	0.6	1.4	0.3	0.9	0.9	0.4	-	1.3	0.6	3.0	0.8	3.9

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	*	0.1	-	*	-	*	-	*	0.3	0.4	*	0.3
	4	0.1	0.6	-	*	-	*	-	*	0.2	1.7	0.3	1.2
	5	0.2	0.5	-	*	-	-	-	*	-	0.7	0.2	0.8
	6	*	0.1	-	*	-	*	-	*	-	0.1	*	0.1
	7	*	*	-	-	*	*	-	*	-	*	*	*
	8	*	*	-	-	0.1	*	-	-	-	*	*	*
Total	----	0.4	1.3	-	0.1	0.1	*	-	0.1	0.5	3.0	0.6	2.4
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	*	*	*
	4	-	*	-	-	-	-	-	*	-	*	*	*
	5	*	*	-	-	-	-	-	-	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-	-	*
	8	*	*	-	-	-	-	-	-	-	-	-	*
Total	----	*	0.1	-	-	-	-	-	*	-	0.1	*	*
13 & 23	1 - 2	-	-	-	-	-	*	-	*	-	-	*	*
	3	-	*	-	-	*	*	-	0.1	-	-	*	*
	4	-	*	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	*	*	-	0.1	-	-	*	*
33	1 - 2	-	*	*	*	-	*	-	*	-	*	-	*
	3	*	*	*	*	-	*	-	0.1	*	*	*	*
	4	0.1	*	*	*	-	*	-	0.1	-	*	*	*
	5	*	*	-	-	-	*	-	*	-	-	*	*
	6	*	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	-	*	-	0.2	*	*	*	*
43	1 - 2	-	*	-	*	-	-	-	*	-	-	*	*
	3	*	*	*	*	-	*	-	*	0.3	*	0.1	*
	4	*	*	*	*	*	*	-	*	0.1	0.1	0.1	0.1
	5	0.1	*	*	*	0.1	*	-	*	-	*	*	*
	6	*	*	-	*	0.1	*	-	*	-	*	*	*
	7	-	*	-	-	*	*	-	*	-	-	-	*
	8	-	-	-	-	*	*	-	-	-	-	-	*
Total	----	0.2	0.1	0.1	*	0.2	0.1	-	0.1	0.3	0.1	0.1	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	*	-	*	*	*
	4	*	*	-	*	-	-	-	*	0.1	0.2	*	0.1
	5	*	*	*	*	-	-	-	*	*	0.1	*	0.1
	6	*	*	-	*	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	*	*	-	-	-	-	-	-
Total	----	*	0.1	*	*	*	*	-	*	0.1	0.3	0.1	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	*
	4	-	*	-	-	-	-	-	*	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	-	-	-	*	-	*	*	*
24 - 54	1 - 8	*	*	*	*	-	*	-	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	-	-	*	*	*
32		*	0.1	-	*	-	-	-	*	-	0.1	*	0.1
33		0.4	0.6	-	*	*	*	-	*	0.4	0.2	0.6	1.0
34		2.1	2.9	0.1	0.1	0.9	0.4	-	0.8	2.7	1.0	5.2	5.4
35		6.9	8.0	1.8	2.7	2.9	5.3	-	5.3	10.2	4.8	11.6	12.2
36		15.5	15.2	11.2	11.4	10.3	15.2	-	13.5	27.6	13.7	19.5	19.7
37		39.7	33.7	21.5	25.1	35.9	37.9	-	31.0	29.3	23.4	41.3	38.4
38		24.4	22.2	33.8	31.0	28.0	23.4	-	23.3	15.7	21.3	17.9	17.7
39		8.7	12.6	24.8	23.8	17.8	13.6	-	18.7	11.3	23.8	3.5	5.0
40 & Longer		2.3	4.7	6.9	5.9	4.3	4.3	-	7.4	2.8	11.8	0.3	0.6
Average Staple		37.12	37.20	37.90	37.79	37.58	37.37	-	37.57	36.89	37.77	36.65	36.64
Average Length		1.16	1.16	1.18	1.18	1.17	1.17	-	1.17	1.15	1.18	1.14	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	31.6	25.4	-	0.6	0.1	0.1	0.6	0.5	0.4	1.0	-	89.5
	3	13.1	10.8	-	0.7	0.3	0.1	1.8	0.6	1.0	0.8	-	6.6
	4	0.7	1.6	-	*	-	*	0.2	*	0.2	*	-	0.1
	5	-	*	-	-	-	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	45.3	37.8	-	1.3	0.4	0.3	2.5	1.1	1.6	1.8	-	96.2
31	1 - 2	3.6	2.5	-	3.5	3.5	6.4	1.3	3.9	4.8	9.1	-	1.2
	3	25.3	19.5	-	33.7	26.6	30.0	18.6	20.5	30.0	30.7	-	1.8
	4	13.7	18.6	-	14.8	6.6	6.8	20.0	10.8	18.8	10.0	-	0.7
	5	1.7	4.5	-	0.5	0.2	0.1	2.5	0.9	1.5	0.6	-	*
	6	0.1	0.4	-	*	-	-	0.1	*	0.1	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	44.2	45.5	-	52.6	36.8	43.3	42.5	36.1	55.1	50.4	-	3.7
41	1 - 2	*	*	-	0.2	1.7	1.6	0.5	1.4	1.0	1.7	-	*
	3	0.7	0.7	-	13.7	32.7	27.1	12.8	22.3	18.1	19.8	-	-
	4	3.8	2.8	-	26.1	25.7	23.7	26.8	29.6	17.7	20.6	-	*
	5	2.3	2.8	-	4.1	2.2	2.9	12.0	6.6	4.8	4.2	-	0.1
	6	0.1	1.1	-	0.1	*	0.1	0.8	0.4	0.3	0.3	-	-
	7	*	0.1	-	-	-	-	0.2	*	*	*	-	-
	8	-	*	-	-	-	-	0.1	*	-	-	-	-
Total	----	7.0	7.5	-	44.3	62.4	55.3	53.2	60.3	42.0	46.7	-	0.1
51	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	-	-	*	*	*	0.1	0.2	*	*	-	-
	4	-	*	-	0.1	*	*	0.5	0.4	*	0.1	-	-
	5	*	*	-	0.1	*	*	0.2	0.2	*	0.1	-	-
	6	-	-	-	*	-	*	*	*	*	*	-	-
	7	*	*	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	*	*	-	-
Total	----	*	*	-	0.2	0.1	0.1	0.8	0.8	*	0.2	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	2.7	3.1	-	*	-	-	*	*	-	*	-	*
	3	0.4	1.3	-	*	-	*	*	*	*	*	-	-
	4	*	0.2	-	*	-	*	*	*	*	*	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.1	4.6	-	*	-	*	0.1	*	*	*	-	*
32	1 - 2	*	0.1	-	*	-	*	-	*	-	*	-	-
	3	0.1	0.8	-	0.1	0.1	0.1	0.1	0.1	0.2	0.3	-	-
	4	*	1.3	-	0.2	*	*	0.1	0.1	0.2	0.1	-	-
	5	*	0.7	-	*	-	*	*	*	0.1	*	-	-
	6	*	0.1	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	3.0	-	0.4	0.1	0.2	0.2	0.3	0.5	0.4	-	-
42	1 - 2	-	*	-	*	*	*	*	0.1	-	*	-	-
	3	-	*	-	0.1	0.1	0.2	0.3	0.5	*	0.1	-	-
	4	*	0.1	-	0.6	0.1	0.4	0.2	0.5	0.1	0.2	-	-
	5	-	0.1	-	0.3	-	0.1	0.1	0.1	0.1	0.1	-	-
	6	*	0.1	-	*	-	*	*	*	-	*	-	-
	7	-	0.1	-	-	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	*	0.3	-	1.1	0.2	0.7	0.6	1.2	0.2	0.4	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	KANSAS <i>Week Season</i>		LOUISIANA <i>Week Season</i>		MISSOURI <i>Week Season</i>		MISSISSIPPI <i>Week Season</i>		NORTH CAROLINA <i>Week Season</i>		NEW MEXICO <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	0.1	-	*	-	-
	4	-	*	-	*	-	*	-	0.1	-	*	-	-
	5	-	*	-	*	*	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	*	-	*	*	*	-	0.1	-	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	*	*	*	-	*	-	-	-	-
13 & 23	1 - 2	*	0.5	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	-	-	-	*	*	*	*	-	-
	4	*	*	-	-	-	-	*	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	*	0.5	-	-	-	-	*	*	*	*	-	-
33	1 - 2	*	*	-	*	-	*	-	*	-	*	-	-
	3	*	*	-	*	*	*	*	*	0.1	*	-	-
	4	*	0.1	-	*	*	*	*	*	0.2	*	-	-
	5	-	0.1	-	*	-	*	*	*	0.1	*	-	-
	6	-	*	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	*	0.3	-	*	*	*	0.1	*	0.3	*	-	-
43	1 - 2	-	-	-	-	*	*	-	*	-	-	-	-
	3	-	*	-	*	*	*	-	*	-	*	-	-
	4	*	*	-	*	*	*	-	*	*	*	-	-
	5	0.1	0.1	-	*	-	*	-	*	*	*	-	-
	6	*	*	-	*	-	*	-	*	*	*	-	-
	7	*	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	0.1	0.2	-	0.1	*	0.1	-	*	0.1	*	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
<i>Total</i>	----	-	*	-	*	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	0.1	-	*	-	*	*	*	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	*	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	*	*	-	-
31		1.0	0.6	-	-	-	-	-	-	-	*	-	-
32		2.0	4.3	-	-	-	*	-	*	0.4	*	-	-
33		6.6	9.9	-	*	-	*	*	*	0.5	0.4	-	-
34		18.8	21.4	-	0.2	*	0.3	1.0	0.3	3.2	3.0	-	0.3
35		31.4	28.5	-	3.3	2.8	2.9	6.0	3.1	9.0	12.0	-	4.9
36		26.6	21.2	-	6.7	5.8	11.2	14.4	8.0	24.5	27.2	-	19.1
37		10.9	11.3	-	17.2	25.4	26.6	21.3	21.8	38.3	38.1	-	35.5
38		2.4	2.3	-	26.3	33.3	33.3	21.8	23.8	15.5	15.0	-	22.5
39		0.3	0.4	-	29.0	25.0	21.7	22.1	27.6	7.0	3.7	-	10.0
40 & Longer		*	0.1	-	17.4	7.7	4.0	13.4	15.4	1.6	0.5	-	7.6
<i>Average Staple</i>		35.15	34.97	-	38.25	37.95	37.71	37.78	38.12	36.79	36.62	-	37.37
<i>Average Length</i>		1.10	1.09	-	1.20	1.19	1.18	1.18	1.19	1.15	1.14	-	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	35.7	38.9	3.1	1.0	0.8	1.2	68.0	48.5	-	0.1
	3	14.3	15.0	2.5	1.3	2.0	1.0	15.5	17.5	-	0.3
	4	0.7	1.1	0.1	0.1	0.2	0.1	1.9	1.9	-	*
	5	*	*	-	*	-	*	0.1	0.1	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	50.7	55.0	5.6	2.4	3.0	2.3	85.6	68.0	-	0.4
31	1 - 2	8.3	7.4	6.4	4.7	9.7	16.1	1.4	2.4	-	7.3
	3	20.1	17.6	28.1	29.9	38.8	39.8	3.4	9.8	-	30.4
	4	8.7	8.9	11.1	14.7	14.8	10.9	2.7	4.7	-	5.2
	5	0.9	1.4	1.2	1.2	1.1	0.8	0.9	0.7	-	0.1
	6	*	0.1	-	*	*	*	0.1	0.1	-	*
	7	-	*	-	-	-	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	37.9	35.5	46.7	50.5	64.4	67.7	8.5	17.7	-	43.0
41	1 - 2	0.2	0.1	0.3	0.5	0.6	1.3	0.1	0.2	-	3.2
	3	0.4	0.3	13.0	13.2	12.6	12.4	0.8	2.1	-	34.4
	4	1.3	0.9	23.1	22.8	15.6	12.8	0.8	2.4	-	17.1
	5	1.0	0.9	6.0	6.3	2.5	2.6	0.5	0.6	-	1.5
	6	0.3	0.3	0.3	0.3	0.1	0.2	0.2	0.1	-	*
	7	*	0.1	*	*	-	*	*	*	-	*
	8	*	*	-	-	-	*	*	*	-	-
Total	----	3.3	2.6	42.7	43.1	31.4	29.5	2.4	5.4	-	56.2
51	1 - 2	-	-	-	*	-	*	*	*	-	-
	3	-	-	0.1	0.1	*	*	0.1	0.1	-	*
	4	-	*	1.3	0.8	0.1	*	0.1	0.1	-	*
	5	-	*	1.0	0.7	0.1	*	*	*	-	*
	6	-	*	0.1	0.1	*	*	*	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	2.4	1.6	0.2	*	0.2	0.2	-	0.1
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	2.5	1.8	-	*	-	*	1.0	2.9	-	*
	3	0.7	1.3	-	*	0.1	*	1.1	2.4	-	-
	4	0.1	0.4	-	-	*	*	0.3	0.5	-	-
	5	*	*	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.4	3.6	-	*	0.1	*	2.4	5.9	-	*
32	1 - 2	0.2	0.3	-	*	*	*	*	0.1	-	*
	3	0.8	0.9	*	0.1	0.3	0.2	0.1	0.4	-	0.1
	4	1.6	0.7	0.1	0.1	0.2	0.1	0.2	0.4	-	*
	5	0.5	0.3	0.1	*	*	*	0.1	0.1	-	*
	6	0.1	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	3.2	2.3	0.2	0.2	0.6	0.3	0.5	1.1	-	0.1
42	1 - 2	-	*	-	*	-	*	*	*	-	*
	3	*	*	*	0.3	*	0.1	*	0.2	-	0.1
	4	0.1	*	0.9	0.8	*	*	*	0.4	-	0.1
	5	0.1	0.1	0.9	0.3	0.1	*	*	0.1	-	*
	6	0.2	0.1	*	*	*	*	*	*	-	-
	7	*	*	-	-	-	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	0.3	0.2	1.8	1.4	0.1	0.1	0.1	0.8	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	-	-	-	*	-	-	*	*	-	*
	4	-	*	0.2	0.3	-	*	*	0.1	-	*
	5	-	-	0.3	0.3	-	-	*	*	-	*
	6	-	-	*	*	-	-	*	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
<i>Total</i>	----	-	*	<i>0.5</i>	<i>0.7</i>	-	*	*	<i>0.1</i>	-	*
62	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	*	-	-	*	*	-	-
13 & 23	1 - 2	0.2	0.1	-	-	-	*	0.1	0.2	-	-
	3	0.1	0.1	-	-	*	*	0.1	0.3	-	-
	4	*	0.1	-	-	*	*	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.4</i>	<i>0.3</i>	-	-	*	*	<i>0.2</i>	<i>0.5</i>	-	-
33	1 - 2	*	*	-	*	-	*	*	*	-	-
	3	0.1	0.1	-	*	0.1	*	*	0.1	-	*
	4	0.1	0.1	-	*	0.1	*	*	0.1	-	*
	5	*	0.1	*	*	*	*	*	*	-	-
	6	-	*	*	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.3</i>	<i>0.3</i>	<i>*</i>	<i>*</i>	<i>0.1</i>	<i>*</i>	<i>0.1</i>	<i>0.2</i>	-	<i>*</i>
43	1 - 2	-	*	-	*	-	-	-	*	-	*
	3	*	*	-	*	-	*	*	*	-	*
	4	-	*	*	*	-	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	-	*
	6	*	*	-	*	*	*	*	*	-	-
	7	*	*	-	-	-	*	*	*	-	-
	8	*	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	<i>*</i>	<i>*</i>	<i>0.1</i>	<i>*</i>	<i>*</i>	<i>0.1</i>	-	<i>*</i>
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	-	*	*	-	-
	4	-	*	-	*	-	-	-	*	-	-
	5	-	-	*	*	-	-	*	*	-	-
	6	-	-	*	*	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	*	<i>*</i>	<i>*</i>	-	-	<i>*</i>	<i>*</i>	-	-
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	<i>*</i>	<i>*</i>	-	-
24 - 54	1 - 8	0.1	0.1	-	*	-	*	*	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	*	-	-	-	-	*	*	-	-
31		*	0.1	-	-	-	-	0.4	0.2	-	*
32		0.8	1.0	0.1	*	-	-	1.7	0.9	-	*
33		4.1	2.5	0.7	0.5	-	0.1	5.5	3.2	-	0.3
34		10.7	6.0	5.6	3.5	*	0.6	14.7	8.9	-	2.3
35		15.3	11.9	10.6	8.4	1.2	3.0	22.4	16.3	-	9.9
36		15.9	15.0	15.9	15.8	13.9	14.0	21.8	22.7	-	23.6
37		20.6	27.1	35.6	37.0	47.5	37.5	21.3	30.2	-	34.9
38		12.8	19.3	24.3	25.4	23.6	28.1	8.2	12.4	-	21.9
39		11.9	12.2	6.0	8.1	12.5	14.3	3.1	4.3	-	6.4
40 & Longer		7.8	4.9	1.2	1.2	1.2	2.3	0.8	0.9	-	0.6
<i>Average Staple</i>		<i>36.61</i>	<i>36.86</i>	<i>36.83</i>	<i>37.00</i>	<i>37.36</i>	<i>37.41</i>	<i>35.73</i>	<i>36.23</i>	-	<i>36.85</i>
<i>Average Length</i>		<i>1.14</i>	<i>1.15</i>	<i>1.15</i>	<i>1.16</i>	<i>1.17</i>	<i>1.17</i>	<i>1.11</i>	<i>1.13</i>	-	<i>1.15</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	2.0	0.7	0.8	0.8	0.2	0.1	-	0.1	0.6	0.5	1.1	0.4
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	0.1	0.1	-	0.5	-	0.2	0.1	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	*	-	-	-	*	-	*	*	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.8	0.4	*	*	*	0.4	-	0.3	0.9	0.8	2.0	1.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	*	-	*	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	0.1	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	-	-	*	-	-	-	*	*	*
24	*	*	*	*	-	*	-	-	-	*	*	0.1
25	0.1	0.1	*	*	*	*	-	*	0.1	0.1	0.2	0.4
26	0.5	0.4	*	*	0.2	0.1	-	*	0.2	0.2	1.6	1.7
27	2.3	2.0	0.4	0.3	1.0	0.7	-	0.3	0.8	1.0	5.4	6.0
28	8.5	8.1	2.3	2.2	3.6	3.9	-	1.1	5.7	3.6	16.0	15.5
29	20.2	22.6	9.9	9.8	11.9	9.4	-	3.1	20.3	13.7	30.0	28.3
30	28.9	30.3	27.4	24.8	17.1	17.4	-	8.5	28.1	28.9	28.5	27.4
31	24.4	21.2	32.3	32.9	17.7	24.1	-	16.8	24.6	24.9	12.1	13.7
32	10.2	10.2	16.1	19.3	14.7	20.7	-	14.1	12.3	14.0	4.1	4.8
33	3.6	3.9	8.1	7.7	14.0	13.0	-	9.6	5.5	8.7	1.4	1.6
34	1.0	1.1	2.7	2.3	12.4	6.5	-	11.8	2.0	3.7	0.4	0.4
35	0.3	0.3	0.7	0.5	4.8	2.8	-	9.0	0.3	0.8	0.1	0.1
36	0.1	0.1	0.1	0.1	2.0	1.0	-	7.4	-	0.2	*	*
37	*	*	*	*	0.4	0.3	-	9.5	-	*	*	*
38	-	*	-	-	0.1	0.1	-	6.4	-	*	-	*
39	-	-	-	-	*	*	-	1.8	-	*	-	*
40 & Above	-	-	-	-	*	*	-	0.5	-	-	-	-
Average	30.59	30.58	31.33	31.37	32.01	31.78	-	33.88	30.84	31.18	29.85	29.89
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	*	-	-	-	-	-	*
2.6	0.1	*	-	-	0.2	*	-	*	-	-	*	*
2.7	0.2	*	-	-	0.5	0.1	-	-	-	-	*	*
2.8	0.2	0.1	*	*	0.6	0.1	-	*	-	-	0.1	*
2.9	0.4	0.1	-	*	1.6	0.2	-	*	-	-	*	*
3.0	0.6	0.2	*	*	0.9	0.2	-	0.1	-	*	*	*
3.1	0.7	0.3	*	*	0.7	0.2	-	0.1	-	*	0.1	0.1
3.2	1.6	0.6	*	*	1.1	0.4	-	0.1	-	*	0.2	0.1
3.3	1.8	0.9	0.1	*	1.3	0.5	-	0.1	0.1	0.1	0.5	0.2
3.4	2.6	1.6	0.1	*	2.5	0.9	-	0.5	0.2	0.2	0.9	0.3
3.5	4.2	2.1	0.2	0.1	3.1	1.0	-	1.1	0.7	0.4	1.8	0.5
3.6	5.5	3.2	0.3	0.2	2.9	1.0	-	1.6	1.5	0.5	2.9	0.8
3.7	6.8	4.2	0.6	0.5	2.4	1.3	-	1.9	3.8	1.0	3.3	1.4
3.8	10.0	5.8	0.9	0.9	6.0	2.3	-	3.1	3.5	1.4	5.0	2.2
3.9	10.2	7.4	2.2	1.8	5.5	2.8	-	4.9	6.7	2.2	6.3	3.5
4.0	10.5	8.6	4.7	3.8	5.3	3.5	-	5.6	7.9	3.1	8.8	5.4
4.1	9.5	9.5	8.3	6.5	7.1	4.6	-	6.7	9.1	5.1	11.1	7.9
4.2	9.6	9.7	9.3	9.7	8.0	6.2	-	8.1	8.9	6.8	11.0	10.4
4.3	8.8	9.8	9.7	12.2	9.3	7.6	-	9.4	8.7	10.2	12.9	13.3
4.4	5.4	9.2	13.1	14.5	9.6	9.9	-	9.2	9.8	12.1	11.2	14.9
4.5	3.7	7.6	15.5	14.4	9.2	11.2	-	9.9	9.5	12.3	9.7	14.1
4.6	3.0	6.0	14.0	12.4	6.8	10.0	-	8.5	11.5	14.0	7.1	11.3
4.7	1.9	5.1	10.5	9.4	5.4	8.9	-	6.6	9.5	13.0	4.1	7.1
4.8	1.3	3.4	5.5	6.3	3.7	8.6	-	6.5	5.1	7.1	1.7	3.7
4.9	0.9	2.2	2.5	3.7	2.0	6.8	-	5.6	2.5	4.4	0.7	1.7
5.0	0.2	1.2	1.2	1.9	2.2	4.7	-	3.6	1.0	3.0	0.4	0.7
5.1	0.2	0.7	0.9	0.9	1.5	3.5	-	3.0	0.2	1.9	0.1	0.3
5.2	0.1	0.2	0.4	0.4	0.5	1.8	-	1.9	-	0.7	*	0.1
5.3	0.1	0.1	0.2	0.1	0.3	0.9	-	1.0	-	0.3	*	*
5.4	*	0.1	0.1	0.1	-	0.5	-	0.4	-	0.1	*	*
5.5 & Above	-	*	*	*	-	0.3	-	0.4	-	0.1	-	*
Average	4.00	4.20	4.43	4.45	4.18	4.48	-	4.42	4.31	4.48	4.20	4.35

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	24.0	19.3	-	0.3	0.2	0.2	2.4	0.9	0.4	0.4	-	0.6
Bark - Level 2	*	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.4	-	*	*	*	-	0.1	*	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	*	*	0.2	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.2	-	0.3	-	*	-	*	-	*	-	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	*	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	*	*	-	-	-	-	-	-	*	*	-	*
24	*	0.1	-	-	-	-	-	*	-	*	-	*
25	0.3	1.0	-	-	-	*	*	*	*	*	-	*
26	2.6	1.8	-	*	*	*	0.1	0.2	0.4	0.2	-	0.6
27	4.3	3.8	-	0.2	0.1	0.1	1.7	0.7	2.1	1.2	-	3.1
28	6.5	5.8	-	1.1	3.6	2.0	7.8	3.8	8.9	5.5	-	7.2
29	18.0	15.1	-	9.9	21.3	15.4	20.5	12.1	20.4	17.0	-	21.8
30	31.2	26.4	-	35.7	38.8	34.9	38.0	25.1	25.1	28.1	-	33.6
31	16.1	20.0	-	29.6	24.6	30.6	22.8	29.5	23.0	25.5	-	23.7
32	11.7	13.7	-	11.4	8.8	12.8	7.2	17.8	12.3	14.0	-	7.5
33	7.3	7.9	-	7.5	2.3	3.5	1.5	7.3	4.3	6.0	-	1.9
34	1.6	3.4	-	3.3	0.5	0.6	0.3	2.6	2.8	1.9	-	0.5
35	0.1	0.8	-	0.8	0.1	0.1	0.1	0.8	0.7	0.5	-	*
36	0.1	0.2	-	0.6	*	*	-	0.1	*	*	-	*
37	*	*	-	*	-	*	-	*	*	*	-	*
38	*	*	-	-	-	-	-	*	-	-	-	*
39	-	*	-	-	-	-	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.58	30.84	-	31.28	30.68	30.95	30.46	31.25	30.75	30.95	-	30.45
Mike												
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	*
2.5	-	0.1	-	-	-	-	-	*	-	*	-	-
2.6	-	0.1	-	-	-	-	-	*	-	*	-	0.4
2.7	-	0.1	-	-	-	*	*	*	*	*	-	1.1
2.8	0.1	0.1	-	-	-	*	*	*	*	*	-	1.5
2.9	0.7	0.4	-	-	-	*	*	*	*	*	-	2.5
3.0	1.8	0.7	-	-	*	*	0.3	*	*	*	-	2.0
3.1	1.7	1.0	-	-	0.1	*	0.1	*	0.2	*	-	2.0
3.2	0.9	1.0	-	-	0.2	0.1	0.3	*	0.2	*	-	3.0
3.3	3.4	1.6	-	*	0.4	0.2	1.2	0.1	0.2	0.1	-	4.7
3.4	1.9	2.0	-	*	0.7	0.3	1.0	0.1	0.3	0.1	-	5.4
3.5	3.3	2.1	-	*	1.3	0.5	1.9	0.2	0.2	0.2	-	6.5
3.6	3.5	3.1	-	0.1	3.0	1.0	3.0	0.3	0.6	0.3	-	4.4
3.7	4.4	4.6	-	0.2	3.2	1.4	5.4	0.6	0.8	0.6	-	4.7
3.8	3.9	4.3	-	0.4	4.4	2.4	6.3	1.0	1.7	1.3	-	7.0
3.9	5.8	5.4	-	0.5	5.4	3.9	5.2	1.6	3.0	2.2	-	7.8
4.0	7.3	6.0	-	0.8	6.2	6.1	4.6	2.4	5.6	4.3	-	8.2
4.1	9.0	7.1	-	1.4	9.6	9.8	5.4	3.6	7.2	6.6	-	6.4
4.2	4.9	6.2	-	3.2	11.3	13.0	7.7	5.5	8.3	9.5	-	7.0
4.3	6.9	7.4	-	6.2	12.8	14.8	7.7	8.5	10.2	12.4	-	6.3
4.4	5.3	7.2	-	9.2	12.1	13.8	10.0	11.4	12.0	14.5	-	5.7
4.5	6.9	8.8	-	13.5	12.2	12.3	11.7	13.5	13.1	15.3	-	4.6
4.6	5.1	6.7	-	17.7	8.7	8.7	12.4	14.1	16.6	12.9	-	3.2
4.7	3.3	6.6	-	17.2	4.1	5.4	6.9	13.0	10.6	9.3	-	2.2
4.8	5.0	6.2	-	12.0	1.9	3.4	4.3	10.2	5.8	5.5	-	1.1
4.9	6.5	5.2	-	7.7	1.1	1.8	3.7	6.3	2.2	2.7	-	1.0
5.0	5.4	3.4	-	5.1	0.8	0.7	0.8	3.6	1.0	1.3	-	0.2
5.1	2.2	2.0	-	3.1	0.4	0.3	0.2	2.0	0.3	0.5	-	0.4
5.2	0.7	0.4	-	0.9	*	0.1	*	1.0	0.1	0.2	-	0.3
5.3	0.1	0.2	-	0.4	*	*	*	0.6	*	0.1	-	0.3
5.4	*	*	-	0.2	-	*	-	0.2	*	*	-	*
5.5 & Above	-	*	-	0.1	-	*	*	0.1	-	*	-	-
Average	4.19	4.25	-	4.62	4.25	4.32	4.27	4.54	4.40	4.42	-	3.87

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	13.3	5.4	1.8	1.4	0.1	0.3	4.7	4.7	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	0.3	*	0.1	0.1	-	*	0.2	0.4	-	*
Grass - Level 2	-	-	-	*	-	-	-	*	-	-
Prep - Level 1	*	*	*	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	0.1	*	-	*	*	*	0.4	0.8	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	*
24	0.1	*	-	*	-	*	0.2	0.1	-	*
25	0.4	0.2	0.2	0.1	-	*	0.7	0.4	-	0.1
26	0.8	0.7	1.7	1.0	*	*	2.7	1.5	-	0.2
27	3.8	2.7	5.3	2.9	0.5	0.2	8.1	4.8	-	1.5
28	9.1	6.8	17.0	9.7	5.1	2.6	16.5	11.3	-	8.6
29	13.3	12.8	38.5	23.6	24.8	16.7	19.5	18.4	-	25.9
30	15.6	16.5	26.5	31.1	38.7	36.0	18.6	21.0	-	32.0
31	15.0	18.1	8.0	20.2	18.3	29.1	14.5	18.0	-	19.3
32	16.9	18.3	2.1	7.8	10.3	11.8	9.7	12.9	-	8.6
33	13.9	13.3	0.5	2.7	2.2	3.0	5.2	7.2	-	2.8
34	7.6	7.4	0.2	0.7	0.1	0.5	2.6	3.0	-	0.9
35	2.7	2.4	*	0.1	*	0.1	1.3	1.0	-	0.2
36	0.5	0.6	-	*	-	*	0.4	0.2	-	*
37	0.1	0.2	-	*	-	-	0.1	0.1	-	-
38	0.1	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	-	*	-	-
Average	31.36	31.48	29.63	30.36	30.54	30.87	30.21	30.66	-	30.46
Mike										
2.4 & Below	-	*	-	-	-	-	0.1	*	-	-
2.5	*	*	*	*	0.1	*	0.2	0.1	-	-
2.6	0.2	0.2	*	*	0.1	*	0.5	0.2	-	-
2.7	0.2	0.2	*	*	0.2	0.1	0.7	0.4	-	-
2.8	0.6	0.4	*	*	0.2	0.1	1.4	0.6	-	-
2.9	0.4	0.8	*	*	0.2	0.1	1.6	0.9	-	*
3.0	1.0	1.3	0.1	*	0.2	0.1	2.2	1.3	-	*
3.1	3.0	2.1	0.1	0.1	0.4	0.2	3.1	1.8	-	*
3.2	2.8	2.9	0.1	0.1	0.4	0.3	4.0	2.5	-	*
3.3	5.8	4.4	0.2	0.1	0.6	0.4	5.3	3.2	-	0.1
3.4	8.2	6.1	0.3	0.3	1.0	0.6	6.0	3.8	-	0.2
3.5	7.3	7.0	0.2	0.4	1.2	1.0	6.8	4.3	-	0.4
3.6	7.2	7.4	0.6	0.7	2.2	1.6	7.0	4.9	-	0.8
3.7	9.1	7.8	1.8	1.3	2.6	2.4	7.3	5.6	-	1.3
3.8	10.1	8.5	2.1	2.1	4.4	3.6	8.0	6.2	-	2.2
3.9	8.9	8.6	4.1	4.0	5.7	4.8	8.3	6.7	-	3.5
4.0	8.2	9.0	5.3	6.7	7.1	5.9	8.1	7.1	-	5.7
4.1	7.6	8.4	11.0	10.1	10.4	8.0	7.2	7.5	-	8.6
4.2	8.3	7.2	14.5	13.6	11.8	9.8	5.9	7.6	-	12.4
4.3	4.5	5.9	15.7	15.5	12.7	11.1	4.8	7.3	-	15.5
4.4	2.7	4.4	15.8	14.9	12.9	12.0	3.8	6.8	-	15.9
4.5	1.5	2.9	11.2	12.0	8.9	11.4	2.8	6.2	-	13.7
4.6	1.1	1.9	9.9	8.0	6.8	10.1	1.9	5.3	-	9.5
4.7	0.6	1.4	6.0	5.1	4.5	7.0	1.2	3.9	-	5.2
4.8	0.5	0.7	0.7	2.6	2.0	4.5	0.7	2.5	-	2.8
4.9	0.1	0.3	0.2	1.4	1.6	2.6	0.6	1.4	-	1.2
5.0	-	0.1	-	0.7	0.5	1.3	0.3	0.8	-	0.6
5.1	-	0.1	-	0.3	0.7	0.6	0.2	0.5	-	0.3
5.2	-	*	-	0.2	0.6	0.2	0.1	0.3	-	0.1
5.3	-	-	-	*	*	*	*	0.1	-	0.1
5.4	-	-	-	*	*	*	*	0.1	-	*
5.5 & Above	-	-	-	*	-	-	*	*	-	*
Average	3.78	3.85	4.29	4.31	4.23	4.31	3.78	4.01	-	4.33

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	0.1	*	-	-	0.2	*	-	*	-	-	*	*
2.7 - 2.9	0.8	0.2	*	*	2.7	0.4	-	0.1	-	-	0.1	*
3.0 - 3.2	3.0	1.0	*	*	2.7	0.8	-	0.3	-	*	0.3	0.2
3.3 - 3.4	4.4	2.5	0.2	*	3.8	1.4	-	0.7	0.3	0.2	1.4	0.5
3.5 - 3.6	9.7	5.3	0.6	0.3	6.0	1.9	-	2.7	2.2	0.9	4.7	1.4
3.7 - 4.2	56.4	45.3	25.8	23.2	34.1	20.8	-	30.2	39.9	19.7	45.6	30.7
4.3 - 4.9	25.1	43.3	70.7	72.9	46.0	63.0	-	55.7	56.6	73.1	47.4	66.1
5.0 - 5.2	0.5	2.2	2.4	3.2	4.2	10.0	-	8.6	1.1	5.5	0.6	1.1
5.3 & Above	0.1	0.2	0.3	0.3	0.3	1.7	-	1.8	-	0.4	*	*
Average	4.00	4.20	4.43	4.45	4.18	4.48	-	4.42	4.31	4.48	4.20	4.35
Leaf												
1 - 2	4.8	5.2	4.7	5.5	48.1	65.7	-	70.4	9.0	7.1	13.5	7.8
3	40.9	41.5	53.5	51.3	37.1	28.3	-	21.8	59.1	50.3	52.8	47.1
4	42.4	41.5	37.8	38.7	10.9	4.7	-	5.4	29.8	35.1	28.4	35.9
5	10.0	10.6	3.8	4.4	2.9	0.9	-	1.7	2.1	6.9	4.9	8.4
6	1.5	1.1	0.2	0.1	0.5	0.2	-	0.5	-	0.6	0.4	0.8
7	0.4	0.1	*	*	0.3	0.1	-	0.1	-	*	*	*
8	0.1	*	-	-	0.2	*	-	-	-	*	*	*
Average	3.64	3.61	3.41	3.42	2.68	2.29	-	2.16	3.25	3.44	3.26	3.47
HVI Trash 1/												
00	-	*	-	-	-	*	-	0.1	-	-	-	-
01	0.5	0.6	0.2	0.3	14.8	27.4	-	36.7	0.5	0.6	1.7	0.9
02	6.9	6.8	5.9	6.4	39.7	44.6	-	35.4	12.6	10.5	16.9	10.9
03	18.2	18.8	20.9	20.0	22.5	17.5	-	14.9	31.0	24.7	27.8	23.9
04	24.3	24.6	27.7	26.2	11.2	6.1	-	5.8	27.1	25.4	24.2	25.3
05	20.7	21.0	21.7	22.0	5.5	2.3	-	2.8	16.2	18.4	15.3	18.4
06	14.0	13.8	13.0	13.7	2.8	1.0	-	1.8	7.7	10.7	7.8	10.7
07	7.8	7.6	6.3	6.8	1.7	0.5	-	1.1	3.3	5.3	3.7	5.5
08	3.9	3.7	2.7	2.9	0.8	0.3	-	0.7	1.0	2.5	1.5	2.6
09	1.8	1.7	1.1	1.1	0.4	0.1	-	0.4	0.4	1.1	0.7	1.1
10	0.8	0.8	0.4	0.4	0.2	0.1	-	0.2	0.1	0.5	0.2	0.5
11	0.5	0.3	0.2	0.1	0.1	0.1	-	0.1	0.1	0.2	0.1	0.2
12	0.3	0.2	*	*	0.1	*	-	0.1	-	0.1	*	0.1
13	0.1	0.1	*	*	0.1	*	-	*	-	*	*	*
14	0.1	*	*	*	*	*	-	*	-	*	*	*
15	*	*	*	*	*	*	-	*	-	*	*	*
16	*	*	-	*	*	*	-	-	-	*	*	*
17	*	*	-	-	*	*	-	*	-	*	*	*
18 & Above	*	*	-	-	*	*	-	-	-	*	*	*
Average	0.48	0.47	0.45	0.46	0.28	0.22	-	0.22	0.39	0.43	0.39	0.43
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-	*	-	*
76	*	*	-	*	*	*	-	*	-	*	*	0.1
77	0.1	0.2	*	*	0.2	0.2	-	0.1	-	0.1	0.1	0.6
78	0.8	1.2	0.1	0.1	2.1	1.3	-	0.5	0.3	0.5	1.2	3.0
79	5.7	7.3	1.4	1.1	13.1	9.7	-	5.0	3.2	2.9	8.5	13.5
80	23.1	25.9	7.5	8.3	39.6	31.8	-	22.2	14.6	13.1	31.0	33.6
81	40.7	38.2	30.3	30.0	29.7	37.7	-	30.5	34.4	41.0	36.6	31.7
82	24.9	21.4	36.1	38.0	11.2	16.8	-	20.9	30.8	31.9	17.9	13.8
83	4.2	5.1	21.3	19.5	3.8	2.3	-	12.4	15.1	9.2	4.1	3.2
84	0.4	0.6	3.1	2.8	0.3	0.2	-	8.1	1.5	1.1	0.4	0.4
85 & Above	*	0.1	0.2	0.1	*	*	-	0.2	*	0.1	*	*
Average	81.42	81.33	82.24	82.20	80.91	81.11	-	81.82	81.90	81.79	81.20	80.94
Tenderable 3/	87.2	89.4	95.7	94.4	83.9	83.7	-	85.5	95.8	86.7	92.9	89.6
SAMPLES CLASSED	28,267	533,570	58,327	1,143,262	15,868	177,476	-	79,920	3,144	74,010	117,472	1,546,165

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	*	-	-	-	*
2.5 - 2.6	-	0.2	-	-	-	-	-	*	-	*	-	0.4
2.7 - 2.9	0.8	0.6	-	-	-	*	0.1	*	*	*	-	5.1
3.0 - 3.2	4.4	2.8	-	-	0.3	0.1	0.7	0.1	0.4	0.1	-	6.9
3.3 - 3.4	5.3	3.6	-	*	1.1	0.5	2.2	0.2	0.5	0.2	-	10.2
3.5 - 3.6	6.7	5.2	-	0.1	4.3	1.4	4.9	0.5	0.7	0.5	-	10.9
3.7 - 4.2	35.3	33.6	-	6.5	40.2	36.7	34.5	14.8	26.5	24.5	-	41.1
4.3 - 4.9	39.0	48.0	-	83.6	53.0	60.1	56.7	77.0	70.4	72.6	-	24.1
5.0 - 5.2	8.3	5.8	-	9.1	1.2	1.1	1.0	6.5	1.4	2.0	-	1.0
5.3 & Above	0.1	0.2	-	0.6	*	*	*	0.9	*	0.1	-	0.3
Average	4.19	4.25	-	4.62	4.25	4.32	4.27	4.54	4.40	4.42	-	3.87
Leaf												
1 - 2	37.9	31.7	-	4.4	5.3	8.2	2.5	5.9	6.2	11.8	-	90.8
3	39.5	33.1	-	48.5	59.9	57.6	33.8	44.2	49.4	51.7	-	8.4
4	18.2	24.9	-	42.0	32.4	31.0	47.8	41.6	37.4	31.1	-	0.8
5	4.0	8.3	-	5.0	2.4	3.1	14.8	7.9	6.6	5.0	-	0.1
6	0.3	1.8	-	0.1	*	0.1	0.9	0.4	0.4	0.4	-	-
7	0.1	0.2	-	-	-	-	0.2	*	*	*	-	-
8	-	*	-	-	*	*	0.1	*	*	*	-	-
Average	2.85	3.10	-	3.48	3.32	3.29	3.79	3.53	3.46	3.30	-	1.67
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	12.8	14.4	-	0.2	0.1	0.4	0.1	0.4	0.2	1.1	-	58.0
02	26.4	18.9	-	5.6	6.6	8.6	3.3	6.3	8.4	12.2	-	33.5
03	18.8	13.7	-	19.3	24.8	23.8	12.2	17.5	19.9	23.0	-	6.3
04	16.9	15.1	-	27.2	28.5	27.2	20.7	24.1	24.2	24.5	-	1.4
05	11.2	12.9	-	22.7	20.8	20.1	22.7	21.9	21.2	18.4	-	0.5
06	6.5	9.1	-	13.9	11.2	11.4	17.9	14.7	13.1	10.8	-	0.1
07	4.0	6.0	-	6.7	5.3	5.3	11.4	8.2	6.9	5.5	-	0.1
08	1.5	3.9	-	2.8	1.9	2.1	6.4	3.9	3.4	2.6	-	*
09	1.1	2.4	-	1.0	0.6	0.7	2.9	1.7	1.6	1.1	-	-
10	0.4	1.6	-	0.4	0.2	0.2	1.5	0.7	0.6	0.5	-	-
11	0.2	0.8	-	0.1	0.1	0.1	0.6	0.3	0.3	0.2	-	-
12	*	0.5	-	*	*	*	0.2	0.1	0.1	0.1	-	-
13	0.1	0.3	-	*	-	*	0.1	*	*	*	-	-
14	*	0.2	-	*	-	*	0.1	*	*	*	-	-
15	*	0.1	-	-	*	*	*	*	*	*	-	-
16	-	*	-	-	-	-	-	*	-	*	-	-
17	-	*	-	-	-	-	-	*	-	*	-	-
18 & Above	-	*	-	-	-	-	-	*	-	*	-	-
Average	0.34	0.41	-	0.46	0.43	0.43	0.53	0.48	0.46	0.43	-	0.15
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	-	-	-	*	-	-
76	0.3	0.3	-	*	-	*	-	*	*	*	-	*
77	1.0	2.1	-	*	*	*	*	*	0.1	0.1	-	1.4
78	4.3	7.1	-	0.1	0.1	0.1	0.4	0.3	0.3	0.6	-	1.7
79	10.3	17.2	-	0.5	1.3	1.3	4.3	2.1	3.3	3.8	-	9.9
80	35.4	34.3	-	5.1	13.2	11.5	16.3	9.7	9.9	14.7	-	28.5
81	36.4	29.1	-	23.6	34.2	31.4	31.7	28.8	27.5	30.0	-	41.2
82	11.9	9.0	-	43.9	36.6	38.5	38.8	38.2	36.0	33.2	-	15.5
83	0.3	0.8	-	22.5	13.2	15.4	7.6	17.7	19.7	15.2	-	1.7
84	0.1	*	-	4.2	1.5	1.6	0.8	2.9	3.0	2.2	-	*
85 & Above	-	-	-	0.2	0.1	0.2	0.1	0.2	0.3	0.2	-	*
Average	80.85	80.56	-	82.41	81.97	82.05	81.77	82.13	82.14	81.91	-	81.05
Tenderable 3/	56.7	62.8	-	88.7	96.9	97.2	91.9	89.7	95.7	96.2	-	75.4
SAMPLES CLASSED	9,493	64,714	-	215,499	41,369	570,736	14,582	824,924	21,001	761,622	-	16,986

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	0.1	*	-	-
2.5 - 2.6	0.3	0.2	*	*	0.2	*	0.7	0.4	-	-
2.7 - 2.9	1.2	1.4	0.1	*	0.6	0.2	3.6	1.9	-	*
3.0 - 3.2	6.8	6.3	0.2	0.1	1.0	0.6	9.3	5.6	-	*
3.3 - 3.4	14.1	10.4	0.5	0.4	1.6	1.1	11.3	6.9	-	0.3
3.5 - 3.6	14.5	14.4	0.8	1.1	3.4	2.6	13.9	9.3	-	1.2
3.7 - 4.2	52.3	49.5	38.8	37.8	42.0	34.5	44.8	40.8	-	33.7
4.3 - 4.9	10.9	17.5	59.5	59.5	49.4	58.8	15.7	33.3	-	63.7
5.0 - 5.2	-	0.3	-	1.1	1.8	2.1	0.6	1.5	-	0.9
5.3 & Above	-	-	-	*	*	*	*	0.2	-	0.1
Average	3.78	3.85	4.29	4.31	4.23	4.31	3.78	4.01	-	4.33
Leaf										
1 - 2	47.2	48.8	9.7	6.2	11.1	18.7	70.6	54.3	-	10.7
3	36.8	35.5	43.7	44.8	53.9	53.6	21.2	32.8	-	65.3
4	12.7	12.3	36.6	39.5	31.0	24.0	6.1	10.7	-	22.4
5	2.6	2.8	9.5	8.9	3.8	3.5	1.7	1.9	-	1.6
6	0.5	0.5	0.5	0.5	0.2	0.2	0.3	0.3	-	*
7	0.1	0.1	*	*	-	*	0.1	*	-	*
8	*	0.1	-	*	-	*	*	*	-	-
Average	2.61	2.59	3.47	3.53	3.28	3.12	2.15	2.46	-	3.15
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	18.6	19.4	0.7	0.3	0.8	2.4	41.4	25.9	-	0.5
02	30.8	31.1	11.0	7.4	11.4	16.2	34.1	32.2	-	11.3
03	21.5	21.7	20.2	19.9	22.2	24.7	12.7	18.6	-	29.6
04	13.1	12.9	23.6	24.8	26.3	22.8	5.7	10.9	-	29.1
05	7.5	7.1	19.1	20.7	19.8	15.8	2.8	6.2	-	17.4
06	3.8	3.6	11.8	13.3	10.9	9.4	1.5	3.2	-	7.7
07	2.2	1.9	6.8	7.2	5.3	4.8	0.8	1.6	-	3.0
08	1.0	1.0	3.9	3.6	2.1	2.2	0.4	0.7	-	1.0
09	0.6	0.5	1.9	1.6	0.8	1.0	0.2	0.3	-	0.3
10	0.3	0.3	0.6	0.7	0.3	0.4	0.1	0.2	-	0.1
11	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	-	*
12	0.1	0.1	0.1	0.1	*	0.1	*	*	-	*
13	0.1	0.1	*	*	*	*	*	*	-	*
14	0.1	0.1	*	*	*	*	*	*	-	-
15	*	*	-	*	-	*	*	*	-	*
16	*	*	-	*	-	-	*	*	-	-
17	-	*	-	-	-	-	*	*	-	-
18 & Above	*	*	-	*	-	-	*	*	-	*
Average	0.30	0.29	0.45	0.46	0.43	0.40	0.21	0.26	-	0.39
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	*	*	-	-
75	*	0.1	-	-	-	-	0.3	0.2	-	-
76	0.1	0.3	*	*	-	*	1.3	0.9	-	*
77	1.5	1.4	0.3	0.2	*	*	5.3	3.1	-	*
78	7.0	6.1	1.8	1.2	0.1	0.1	15.2	9.0	-	0.3
79	17.6	17.6	9.8	7.0	0.8	1.0	27.0	19.1	-	2.3
80	31.7	31.2	36.8	25.0	11.6	8.7	28.4	27.1	-	11.9
81	27.4	30.0	30.5	38.5	35.9	30.3	16.0	24.4	-	29.5
82	13.0	11.3	16.4	21.8	35.7	39.3	5.1	12.9	-	36.7
83	1.7	1.8	3.6	5.5	14.9	18.5	1.2	2.9	-	16.8
84	0.1	0.1	0.7	0.7	1.0	2.0	0.1	0.3	-	2.3
85 & Above	-	*	*	0.1	*	0.1	*	*	-	0.2
Average	80.66	80.68	81.09	81.37	82.01	82.17	79.95	80.54	-	82.05
Tenderable 3/	65.8	75.3	94.4	94.3	94.2	95.1	68.8	75.9	-	98.1
SAMPLES CLASSED	17,421	317,915	11,290	269,661	23,179	499,646	231,516	5,392,656	-	159,784

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	70.6	50.3	33.5	49.1	-	-	34.2	33.1
	2	4.0	2.0	17.4	15.2	-	-	27.3	17.6
	3	-	*	0.1	0.1	-	-	0.6	0.2
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		74.6	52.3	51.0	64.4	-	-	62.1	51.0
02	1	20.5	42.1	8.7	13.2	-	-	17.6	27.3
	2	4.7	4.9	28.1	17.0	-	-	17.8	19.7
	3	-	0.1	2.4	1.4	-	-	1.6	1.0
	4	-	0.1	*	*	-	-	*	*
	5	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		25.2	47.2	39.2	31.5	-	-	37.1	48.0
03	1	0.1	0.2	0.3	0.2	-	-	-	0.1
	2	0.1	0.2	2.5	1.8	-	-	0.6	0.5
	3	-	*	3.2	0.8	-	-	0.2	0.2
	4	-	-	0.7	0.1	-	-	-	0.1
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.1	0.5	6.7	3.0	-	-	0.8	0.8
04	1	-	*	0.1	*	-	-	-	-
	2	-	*	1.1	0.3	-	-	-	-
	3	-	-	0.4	0.3	-	-	-	*
	4	-	-	0.1	*	-	-	-	0.1
	5	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	*	1.7	0.6	-	-	-	0.1
05	1	-	-	*	*	-	-	-	-
	2	-	-	0.9	0.1	-	-	-	-
	3	-	-	0.2	0.1	-	-	-	-
	4	-	-	0.1	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	1.3	0.3	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.2	1.0	1.0	-	-	12.7	4.0
46		0.3	2.3	7.8	10.4	-	-	36.2	30.5
48		45.9	40.9	28.1	22.5	-	-	39.7	59.8
50		47.0	54.7	46.8	53.6	-	-	10.4	5.3
52 & Longer		6.9	1.9	16.3	12.6	-	-	1.0	0.4
Average Staple		49.21	49.12	49.39	49.33	-	-	47.02	47.35
Average Length		1.43	1.43	1.43	1.43	-	-	1.37	1.38
EXTRANEIOUS MATTER									
Bark		-	-	0.1	*	-	-	0.1	*
Grass		-	*	1.5	0.3	-	-	0.2	0.1
Spindle Twist		-	-	2.4	0.6	-	-	0.3	0.2
Preparation		-	-	*	*	-	-	-	0.5
All Other		-	*	0.1	*	-	-	1.3	0.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 30, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	*	*	-	-	0.4	0.2
2.7 - 2.9	-	-	0.1	0.1	-	-	5.3	5.5
3.0 - 3.2	-	0.8	0.7	0.2	-	-	8.5	13.1
3.3 - 3.4	-	1.9	1.5	0.6	-	-	5.3	9.5
3.5 - 3.6	0.1	2.2	2.7	2.2	-	-	7.5	4.6
3.7 - 4.2	49.0	68.6	53.4	54.4	-	-	62.0	50.6
4.3 - 4.9	50.8	26.4	41.6	42.5	-	-	10.9	16.5
5.0 - 5.2	-	*	*	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.24	4.11	4.16	4.18	-	-	3.81	3.81
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	0.1	*
2.6	-	-	*	*	-	-	0.4	0.2
2.7	-	-	-	*	-	-	1.5	1.0
2.8	-	-	*	*	-	-	2.3	1.7
2.9	-	-	0.1	*	-	-	1.5	2.8
3.0	-	0.1	0.2	*	-	-	2.4	3.9
3.1	-	0.2	0.3	0.1	-	-	2.0	2.3
3.2	-	0.6	0.2	0.1	-	-	4.1	6.9
3.3	-	1.1	0.6	0.2	-	-	2.0	5.0
3.4	-	0.8	1.0	0.4	-	-	3.3	4.5
3.5	0.1	0.9	1.5	0.8	-	-	0.6	2.5
3.6	0.1	1.4	1.2	1.3	-	-	6.8	2.1
3.7	-	2.1	1.8	2.4	-	-	9.3	4.9
3.8	0.9	4.0	3.0	3.7	-	-	9.2	3.8
3.9	2.3	6.0	8.6	6.8	-	-	10.9	4.7
4.0	5.5	13.3	12.8	10.9	-	-	8.7	8.9
4.1	13.7	20.7	12.4	14.3	-	-	8.8	12.0
4.2	26.6	22.5	14.7	16.3	-	-	15.1	16.3
4.3	27.9	14.1	14.2	16.6	-	-	6.1	10.8
4.4	20.1	9.0	14.1	14.0	-	-	2.9	3.3
4.5	1.1	2.2	9.8	7.5	-	-	2.0	1.7
4.6	1.3	0.7	2.8	3.1	-	-	-	0.8
4.7	0.5	0.4	0.6	1.0	-	-	-	*
4.8	-	-	0.1	0.2	-	-	-	-
4.9	-	-	*	*	-	-	-	*
5.0	-	*	*	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.24	4.11	4.16	4.18	-	-	3.81	3.81
STRENGTH 1/ 36 & Below	-	0.2	*	0.2	-	-	8.1	7.3
37	-	*	0.2	0.4	-	-	10.9	8.8
38	0.9	0.5	2.0	2.0	-	-	9.8	12.7
39	0.4	0.3	5.7	5.1	-	-	8.0	7.0
40	0.3	0.4	8.6	6.4	-	-	9.3	5.2
41	0.5	1.9	4.8	3.1	-	-	3.0	5.6
42	1.2	6.0	3.9	3.0	-	-	3.3	9.8
43	7.9	16.7	5.5	7.4	-	-	5.8	7.7
44	37.3	29.1	17.0	16.4	-	-	15.6	9.0
45	28.0	29.2	20.1	20.3	-	-	13.3	12.6
46	15.5	11.8	15.1	17.1	-	-	6.9	7.3
47	4.9	2.9	8.3	11.6	-	-	2.5	4.0
48 & Above	3.1	1.1	8.8	6.9	-	-	3.6	3.2
Average	45.07	44.70	44.54	44.74	-	-	41.89	41.97
UNIFORMITY								
83 & Below	-	*	0.1	0.2	-	-	1.2	2.1
84	-	1.0	2.7	3.7	-	-	12.7	7.6
85	0.6	9.9	21.9	17.1	-	-	36.9	32.1
86	34.2	42.0	36.9	38.9	-	-	29.1	44.0
87	62.7	46.1	36.8	37.7	-	-	20.0	13.9
88 & Above	2.5	0.9	1.6	2.5	-	-	0.1	0.2
Average	87.13	86.81	86.56	86.62	-	-	86.01	86.05
Samples Classed	1,411	10,344	14,142	230,121	-	-	2,911	13,428

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.