



Volume 25, No.19

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	25	90.4	80.4	73,283	26	88.7	75.9	438,593
AR	25	80.0	62.5	138,854	28	79.3	56.7	1,173,998
AZ	8	89.5	75.4	15,451	8	88.1	65.5	67,009
CA	3	83.5	72.7	2,690	6	88.1	75.3	26,042
FL	4	64.6	37.7	10,588	4	72.1	46.3	64,208
GA	57	92.8	79.4	259,950	57	93.2	80.4	1,052,650
KS	3	41.8	28.4	13,185	3	47.3	28.7	62,953
LA	6	32.7	12.0	2,752	17	63.9	38.1	203,894
MO	18	94.0	77.7	77,137	19	91.8	73.6	542,030
MS	25	70.0	46.5	42,862	35	60.1	34.5	776,022
NC	32	60.9	40.3	108,294	32	62.2	40.0	515,176
NM	2	94.3	61.0	733	3	95.0	74.5	4,013
OK	11	79.0	66.4	16,516	11	82.3	63.5	95,133
SC	12	83.1	68.3	32,234	12	87.7	72.6	162,107
TN	18	96.6	89.9	74,253	18	97.4	90.0	506,821
TX	102	71.1	49.2	279,365	151	76.8	46.5	2,028,841
VA	4	91.8	73.0	22,969	4	89.4	71.0	93,000
United States	355	81.0	64.2	1,171,116	434	79.8	58.3	7,812,490
AMERICAN PIMA								
AZ	2			870	2			2,354
CA	12			24,763	12			108,412
NM*	-			-	2			12,557
TX	3			3,548	3			9,186
United States	18			32,999	19			132,509
United States all cotton	371			1,204,115	449			7,944,999

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	16.7	10.5	4.8	7.3	91.1	76.7	40.7	40.2	1.0	1.4	2.3	2.3
	3	14.8	9.9	1.5	2.8	3.5	5.4	6.4	14.4	1.0	1.5	2.2	1.8
	4	1.1	0.7	0.1	0.1	*	0.2	0.3	1.6	0.1	0.1	0.2	0.1
	5	*	*	*	*	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	32.5	21.1	6.5	10.1	94.6	82.3	47.4	56.2	2.0	3.0	4.6	4.2
31	1 - 2	8.0	8.9	17.0	13.9	2.2	5.0	35.2	9.4	5.1	7.6	9.2	10.6
	3	28.0	35.4	39.2	38.9	2.2	2.9	11.7	14.8	31.2	32.6	34.9	37.2
	4	11.3	13.9	12.1	12.4	0.6	0.9	2.2	12.4	11.7	12.6	12.8	12.6
	5	1.3	1.5	0.8	1.0	*	0.1	0.1	2.8	1.0	1.3	1.4	1.2
	6	0.1	0.1	*	*	-	*	-	0.1	*	0.1	0.1	*
	7	*	*	*	*	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	48.7	59.7	69.1	66.2	5.0	9.0	49.2	39.4	49.1	54.2	58.4	61.6
41	1 - 2	0.8	0.7	0.5	0.4	-	0.1	0.1	*	0.7	0.9	1.2	1.1
	3	6.5	6.4	7.7	7.2	*	*	0.9	0.2	15.0	13.1	15.0	13.8
	4	6.7	6.8	11.4	11.4	-	*	0.1	1.0	16.1	14.0	14.6	13.0
	5	2.4	2.2	3.8	3.7	-	*	0.1	0.5	4.0	3.6	3.9	3.4
	6	0.4	0.3	0.3	0.4	-	-	*	0.2	0.4	0.5	0.5	0.4
	7	*	*	0.1	*	-	-	-	-	0.1	0.1	0.1	*
	8	-	*	-	-	-	-	-	-	-	*	-	*
Total	----	16.8	16.5	23.8	23.1	*	0.1	1.3	1.9	36.3	32.1	35.3	31.7
51	1 - 2	*	*	*	*	-	-	-	-	*	*	*	*
	3	0.3	0.1	*	*	-	-	-	-	1.4	0.4	*	*
	4	0.4	0.1	0.1	0.1	-	-	-	-	2.9	0.7	0.1	*
	5	0.1	*	0.1	0.1	-	-	-	-	1.1	0.3	0.1	*
	6	*	*	*	*	-	-	-	-	0.1	*	*	*
	7	*	*	*	*	-	-	-	-	-	*	*	*
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	0.8	0.2	0.2	0.2	-	-	-	-	5.6	1.3	0.2	0.1
61	1 - 2	-	*	-	*	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	*	*	*	*
	5	-	*	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	*	-	*	0.2	5.3	0.4	0.1	-	*	*	*
	3	*	*	*	*	0.1	1.7	0.5	0.2	*	*	*	*
	4	-	*	-	*	-	0.1	-	*	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	0.3	7.1	0.9	0.3	*	*	*	*
32	1 - 2	*	0.1	*	*	*	0.3	0.1	0.1	0.3	0.2	*	0.1
	3	0.2	0.5	*	0.1	-	0.7	0.6	0.3	0.9	1.9	0.3	0.4
	4	0.1	0.3	*	*	-	0.3	0.6	0.7	0.2	0.9	0.2	0.2
	5	*	*	*	*	-	0.1	*	0.5	*	0.1	*	*
	6	*	*	*	*	-	*	-	0.1	-	*	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.9	0.1	0.1	*	1.3	1.3	1.6	1.4	3.1	0.5	0.8
42	1 - 2	*	*	*	*	-	*	-	*	0.2	0.1	*	*
	3	0.2	0.4	*	0.1	-	*	-	*	2.1	2.6	0.3	0.5
	4	0.3	0.6	0.1	0.1	-	*	-	*	1.4	2.4	0.4	0.7
	5	0.1	0.3	0.1	0.1	-	*	-	0.2	0.3	0.6	0.1	0.2
	6	*	0.1	*	*	-	*	-	0.1	*	0.1	*	*
	7	-	*	-	*	-	-	-	-	-	*	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	0.6	1.3	0.2	0.2	-	*	-	0.4	4.1	5.8	0.8	1.5

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	-	-	-	-	-	-	*	*
	3	0.1	*	*	*	-	-	-	-	0.2	0.1	*	*
	4	0.1	*	*	*	-	-	-	-	0.9	0.2	*	*
	5	*	*	*	*	-	-	-	-	0.3	0.1	*	*
	6	-	*	-	*	-	-	-	-	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	*	*	*
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	0.2	0.1	*	*	-	-	-	-	1.4	0.3	*	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
13 & 23	1 - 2	*	*	-	-	0.1	0.1	-	-	-	-	-	-
	3	*	*	-	-	*	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	0.1	0.2	-	-	-	-	-	-
33	1 - 2	-	*	-	*	-	*	-	*	-	-	*	*
	3	*	*	*	*	-	*	-	*	*	*	*	*
	4	-	*	*	*	-	*	-	*	*	*	*	*
	5	-	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	*	-	0.1	*	*	*	*
43	1 - 2	-	-	*	*	-	-	-	-	*	*	*	*
	3	*	*	*	*	-	-	-	-	*	0.1	*	*
	4	*	*	*	*	-	-	-	-	0.1	0.1	*	*
	5	*	*	*	*	-	-	-	*	-	*	*	*
	6	-	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	*	0.1	0.2	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	-	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
24 - 54 25 - 35 81 - 85	1 - 8	-	-	-	*	-	-	-	-	-	-	*	*
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	*	*
31		-	*	-	*	-	-	-	-	*	*	*	*
32		0.1	0.4	*	*	-	-	-	-	1.4	0.3	0.1	0.2
33		0.8	1.7	*	0.1	0.2	0.1	-	*	3.1	2.2	1.3	1.5
34		3.8	6.0	0.1	0.4	0.6	1.3	-	0.3	6.7	9.5	4.7	6.9
35		10.3	14.2	5.6	5.9	2.4	10.9	3.0	5.7	15.3	21.8	15.1	18.1
36		23.2	23.8	19.3	21.6	9.6	25.1	19.7	8.7	21.0	26.0	27.9	29.7
37		40.9	36.0	45.4	49.9	38.3	37.0	16.0	27.0	29.8	27.5	36.3	32.2
38		15.6	13.5	24.1	18.4	32.4	17.4	25.7	19.5	16.0	8.9	11.3	9.2
39		4.3	3.6	5.1	3.5	12.4	6.0	29.3	25.9	5.0	3.1	2.9	2.0
40 & Longer		1.0	0.7	0.4	0.3	4.0	2.1	6.3	13.0	1.8	0.6	0.3	0.3
Average Staple		36.69	36.44	37.04	36.91	37.52	36.85	37.78	37.90	36.41	36.08	36.40	36.21
Average Length		1.14	1.14	1.16	1.15	1.17	1.15	1.18	1.18	1.14	1.13	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE													
For The Week Ending Nov 30, 2023													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	14.1	9.7	1.5	3.3	5.4	8.9	8.8	5.5	4.4	3.8	66.2	85.5
	3	8.1	16.3	1.9	1.5	1.0	2.2	5.1	4.6	3.3	2.6	16.9	5.2
	4	0.6	4.4	-	*	*	*	0.1	0.2	0.1	0.1	0.1	*
	5	*	0.3	-	-	-	*	-	*	*	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	22.9	30.8	3.4	4.8	6.4	11.1	14.1	10.3	7.9	6.5	83.2	90.7
31	1 - 2	0.9	0.6	2.1	7.7	29.5	22.5	11.2	9.4	13.9	11.4	3.5	4.7
	3	6.8	5.7	18.8	24.3	40.6	42.4	38.3	38.9	44.8	45.7	6.7	2.7
	4	8.2	9.9	6.2	6.9	5.2	7.4	9.9	12.2	14.0	14.9	0.4	0.2
	5	3.1	4.7	0.1	0.3	0.2	0.2	0.8	0.9	0.9	0.9	-	0.1
	6	0.2	0.7	-	*	*	*	*	*	*	*	-	-
	7	*	0.1	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	19.3	21.7	27.1	39.3	75.6	72.6	60.2	61.4	73.6	73.0	10.6	7.6
41	1 - 2	*	*	0.6	1.2	1.6	0.7	0.4	0.4	0.4	0.3	-	-
	3	1.9	0.6	29.2	16.2	10.6	8.3	7.0	8.1	6.2	6.6	-	-
	4	6.5	2.7	35.3	17.6	5.1	6.2	12.3	12.4	8.8	9.7	-	0.1
	5	4.8	3.3	4.0	4.4	0.5	0.9	4.9	4.6	2.4	2.6	-	0.1
	6	1.8	2.0	0.2	0.3	*	*	0.5	0.7	0.2	0.2	-	-
	7	0.6	0.5	-	*	*	*	*	*	*	*	-	-
	8	0.2	0.1	-	*	-	-	-	*	-	-	-	-
Total	----	15.7	9.1	69.2	39.8	17.9	16.2	25.2	26.3	18.0	19.5	-	0.2
51	1 - 2	-	-	-	*	*	*	*	*	-	*	-	-
	3	-	-	*	0.2	*	*	*	*	*	*	-	-
	4	-	-	-	0.5	*	*	0.1	*	*	*	-	-
	5	*	*	*	0.7	*	*	0.1	*	*	*	-	-
	6	0.1	*	-	0.1	*	*	*	*	*	*	-	-
	7	0.1	0.1	-	*	-	-	*	*	-	*	-	-
	8	*	0.2	-	-	-	-	-	*	-	-	-	-
Total	----	0.3	0.3	0.1	1.6	*	*	0.2	0.1	*	*	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	6.5	3.9	-	1.9	*	*	*	*	*	*	-	0.1
	3	3.3	9.8	-	0.8	*	*	*	*	*	*	0.8	0.1
	4	1.0	3.8	-	*	-	-	*	*	*	*	-	-
	5	0.1	0.2	-	-	-	-	-	*	*	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	10.9	17.7	-	2.6	*	*	*	*	*	*	0.8	0.2
32	1 - 2	0.1	0.1	-	0.9	*	*	*	0.1	*	*	0.3	*
	3	1.5	1.2	-	2.7	*	*	0.1	0.6	0.1	0.3	1.2	0.2
	4	3.1	3.9	-	0.6	*	*	*	0.2	0.1	0.1	0.3	0.1
	5	1.7	2.5	-	*	*	*	*	*	*	*	-	-
	6	0.1	0.5	-	-	-	-	-	*	-	*	-	-
	7	-	0.1	-	*	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	6.5	8.2	-	4.2	0.1	*	0.2	0.9	0.2	0.5	1.8	0.3
42	1 - 2	*	*	-	0.4	*	*	*	*	*	*	-	-
	3	0.4	0.1	-	3.4	*	*	0.1	0.3	0.1	0.1	-	-
	4	4.1	1.3	0.1	2.3	*	*	*	0.4	0.1	0.2	-	-
	5	8.9	3.3	*	0.6	*	*	*	0.1	*	*	0.1	*
	6	5.5	3.0	-	0.1	-	-	-	*	*	*	-	-
	7	1.6	1.2	-	*	-	-	-	*	-	*	-	-
	8	0.2	0.1	-	-	-	-	-	*	-	-	-	-
Total	----	20.7	9.0	0.2	6.8	*	*	0.1	0.9	0.1	0.3	0.1	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	0.2	-	*	-	*	*	*	-	-
	4	*	*	-	0.3	-	-	*	*	-	*	-	-
	5	*	*	-	0.2	-	*	-	*	-	*	-	-
	6	0.3	0.2	-	0.1	-	*	-	*	-	*	-	-
	7	0.6	0.4	-	*	-	-	-	*	-	*	-	-
	8	0.3	0.2	-	-	-	-	-	*	-	-	-	-
Total	----	1.2	0.7	-	0.7	-	*	*	*	*	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	*	0.2	-	*	-	-	-	-	-	*	-	-
	3	0.3	0.3	-	*	-	-	-	-	-	*	-	-
	4	0.1	0.2	-	-	-	-	-	*	-	*	-	-
	5	*	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.6	-	0.1	-	-	-	*	-	*	-	-
33	1 - 2	-	-	-	*	-	-	-	*	*	*	-	-
	3	0.1	0.1	-	*	*	*	*	*	*	*	0.4	0.1
	4	0.4	0.5	-	*	*	*	*	*	*	*	1.0	0.2
	5	0.2	0.4	-	-	-	-	-	*	*	*	-	-
	6	*	0.1	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.7	1.0	-	*	*	*	*	*	0.1	*	1.4	0.3
43	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	*	-	*	*	*	*	*	0.1	*
	4	0.3	0.2	-	*	-	*	-	*	-	*	0.4	0.2
	5	0.8	0.4	-	*	-	*	-	*	*	*	1.5	0.3
	6	0.3	0.2	-	*	-	-	-	*	-	-	-	-
	7	*	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	1.5	0.8	-	0.1	-	*	*	*	*	*	2.0	0.5
53	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	*	-	-
	5	*	*	-	*	-	-	-	-	*	*	-	-
	6	*	*	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	*	-	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
24 - 54	1 - 8	*	0.1	-	*	-	-	-	*	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	*	*	-	-	-	*	-	-
31		*	0.4	-	*	-	-	-	*	*	*	-	-
32		1.2	1.7	-	0.1	-	*	*	0.1	0.2	0.2	-	-
33		5.1	4.4	-	1.2	-	*	0.1	0.6	2.3	2.4	-	-
34		17.3	12.3	0.1	5.5	*	0.1	1.9	4.2	10.7	10.8	-	*
35		18.7	19.8	0.1	14.8	1.8	2.6	7.9	12.8	24.2	24.0	0.7	4.3
36		21.5	23.1	5.9	27.1	19.6	16.8	18.7	25.1	30.6	31.8	15.3	14.7
37		18.1	23.9	65.0	32.0	38.4	47.4	38.4	37.1	25.9	25.7	68.1	32.4
38		8.2	9.4	27.9	13.2	28.8	25.9	22.5	14.6	5.4	4.4	13.8	22.7
39		8.1	4.5	0.9	5.3	10.0	6.2	9.0	4.7	0.6	0.6	2.2	13.0
40 & Longer		1.8	0.4	-	0.8	1.3	1.0	1.5	0.8	*	0.1	-	12.9
Average Staple		35.92	35.91	37.23	36.48	37.30	37.19	37.04	36.60	35.85	35.83	37.02	37.67
Average Length		1.12	1.12	1.17	1.14	1.17	1.16	1.16	1.14	1.12	1.12	1.16	1.18

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 30, 2023											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	11.7	34.7	3.4	3.2	17.7	16.4	33.2	35.0	17.3	10.2
	3	2.3	5.6	2.5	2.8	7.5	5.5	8.6	14.7	11.0	7.2
	4	*	0.1	0.2	0.1	0.2	0.1	0.3	1.1	0.3	0.2
	5	-	*	*	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	14.0	40.4	6.1	6.2	25.4	21.9	42.1	50.8	28.6	17.6
31	1 - 2	22.1	10.2	5.3	5.4	17.5	26.6	12.1	5.4	22.0	20.9
	3	28.7	17.9	32.9	36.0	34.5	35.5	23.9	11.2	42.6	52.4
	4	3.1	3.4	16.9	18.2	9.1	6.4	5.8	3.3	4.8	5.9
	5	0.1	0.3	2.1	1.7	0.8	0.3	0.4	0.3	0.4	0.2
	6	-	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	53.9	31.8	57.2	61.3	61.9	68.8	42.3	20.2	69.8	79.4
41	1 - 2	1.5	0.8	0.3	0.2	0.5	0.6	0.2	0.2	0.2	0.2
	3	10.2	4.9	11.2	8.3	5.4	4.0	1.6	1.3	1.0	1.6
	4	4.7	2.5	18.9	17.0	5.3	3.6	2.7	1.3	0.3	0.9
	5	1.0	0.9	5.5	6.1	1.2	0.8	1.4	0.5	0.1	0.1
	6	0.3	0.2	0.6	0.6	0.1	0.1	0.5	0.2	*	*
	7	0.2	*	*	*	*	*	0.1	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	17.8	9.3	36.4	32.1	12.5	9.1	6.5	3.6	1.5	2.7
51	1 - 2	-	*	-	*	*	*	*	*	*	*
	3	0.1	*	*	*	*	*	*	0.2	*	*
	4	*	*	*	*	*	*	*	0.1	-	*
	5	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	*	*	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.2	0.1	0.1	0.1	0.1	*	0.2	0.3	*	*
61	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	1.1	5.6	-	*	*	*	1.6	10.8	-	*
	3	0.8	2.7	*	*	*	*	0.9	5.7	*	*
	4	0.1	0.3	-	*	*	*	0.1	0.7	-	*
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.0	8.5	*	*	*	*	2.6	17.3	*	*
32	1 - 2	1.8	1.2	-	*	*	*	0.7	0.7	*	*
	3	3.5	2.6	*	0.1	*	*	2.0	2.1	*	0.1
	4	1.3	1.4	*	0.1	0.1	*	1.0	1.1	*	*
	5	0.1	0.2	*	*	*	*	0.2	0.2	-	-
	6	-	*	*	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	6.7	5.4	0.1	0.2	0.1	0.1	3.9	4.1	*	0.1
42	1 - 2	*	*	-	-	-	*	*	0.1	-	*
	3	1.4	0.6	-	*	*	*	0.2	0.5	*	*
	4	2.0	0.6	*	0.1	*	*	0.4	0.5	*	*
	5	0.6	0.5	*	0.1	*	*	0.4	0.2	-	-
	6	0.2	0.1	*	*	*	*	0.2	0.1	-	-
	7	*	*	*	*	-	-	0.1	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	4.1	1.9	0.1	0.2	*	*	1.4	1.5	*	*

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	0.1	*	-	*	*	*	*	0.1	-	*
	4	*	*	-	*	*	*	*	0.1	-	-
	5	*	*	-	*	*	*	*	*	-	-
	6	0.1	*	-	*	-	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.3	0.1	-	*	*	*	0.1	0.2	-	*
62	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	*	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	*	-	-	*	*	-	-
13 & 23	1 - 2	*	0.6	-	-	-	-	0.1	0.6	-	*
	3	0.1	0.6	-	-	-	-	0.1	0.5	-	*
	4	*	0.1	-	-	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	1.3	-	-	-	-	0.2	1.2	-	*
33	1 - 2	*	*	-	-	*	*	*	*	*	*
	3	0.3	0.3	*	*	*	*	0.2	0.2	*	*
	4	0.1	0.2	*	*	*	*	0.1	0.2	*	*
	5	*	0.1	-	-	*	*	*	0.1	-	*
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.5	0.7	*	*	*	*	0.4	0.5	*	*
43	1 - 2	-	*	-	-	-	-	-	*	-	-
	3	*	*	-	-	-	*	*	*	-	-
	4	0.1	*	-	*	*	*	0.1	*	-	-
	5	*	0.1	-	-	*	*	0.1	0.1	-	*
	6	*	*	*	*	-	-	0.1	0.1	-	*
	7	-	*	-	*	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	0.1	0.2	*	*	*	*	0.4	0.2	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	-	*	-	-	-	-	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
24 - 54	1 - 8	0.1	0.1	-	*	-	-	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	0.1	-	-
31		0.5	0.4	-	-	-	-	0.4	0.4	-	*
32		2.4	2.1	0.1	*	-	*	1.8	1.7	*	*
33		3.9	4.2	1.2	0.6	-	*	5.4	5.8	1.0	1.0
34		11.1	7.7	3.1	3.2	*	0.3	11.5	15.1	7.1	6.0
35		15.1	12.1	10.6	12.5	1.2	2.6	19.3	23.2	20.3	21.5
36		18.8	19.8	27.9	27.2	12.2	16.7	23.3	22.8	43.9	42.6
37		24.6	32.5	38.6	39.6	56.3	57.6	23.3	19.6	24.2	25.0
38		13.2	14.1	13.6	12.6	25.0	19.2	9.5	7.5	3.3	3.4
39		7.1	5.4	4.5	3.8	4.9	3.4	4.0	3.1	0.2	0.4
40 & Longer		3.3	1.7	0.4	0.5	0.4	0.2	1.4	0.9	*	0.1
Average Staple		36.25	36.33	36.60	36.57	37.21	37.04	35.92	35.68	35.94	35.96
Average Length		1.13	1.13	1.14	1.14	1.16	1.16	1.12	1.11	1.12	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.2	0.1	0.1	-	*	-	*	0.6	0.3	0.5	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.2	*	-	-	0.1	0.3	0.2	0.1	0.1	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	3.9	1.0	*	*	0.1	*	0.1	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	0.1	*	-	-	-	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	0.1	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	*	-	-	-	-	-	*	-	*
23	-	*	-	*	-	*	-	-	-	-	*	*
24	*	*	*	*	-	0.1	-	-	-	*	*	*
25	*	0.1	*	*	*	0.6	-	-	-	*	*	*
26	0.1	0.3	0.1	*	0.2	2.8	-	-	*	0.3	0.3	0.3
27	0.9	1.4	0.4	0.5	0.3	5.1	-	*	0.1	1.1	1.5	1.7
28	4.2	4.9	3.2	4.1	1.7	10.3	-	*	1.9	3.6	5.7	6.8
29	13.4	15.3	15.8	18.7	8.5	16.1	0.2	0.5	4.9	7.6	16.3	17.3
30	27.6	28.8	35.5	34.6	17.6	16.5	0.1	3.5	12.2	14.5	27.6	27.3
31	27.0	25.3	28.9	26.9	21.4	15.5	3.3	6.1	18.0	19.3	24.8	24.5
32	15.5	14.8	11.6	11.2	18.4	13.7	14.5	7.4	24.2	18.8	13.9	13.7
33	7.6	6.4	3.0	3.0	10.0	8.9	19.3	12.4	18.1	14.1	6.3	5.5
34	2.7	2.0	0.9	0.7	9.1	5.4	19.4	17.5	10.9	9.6	2.4	2.0
35	0.7	0.5	0.4	0.2	6.5	3.0	9.5	15.3	6.5	6.2	0.8	0.6
36	0.1	0.1	0.1	0.1	3.7	1.3	10.7	11.5	2.6	3.8	0.2	0.2
37	*	*	*	*	1.7	0.4	14.4	13.4	0.4	1.0	0.1	*
38	*	*	-	-	0.8	0.2	6.8	9.6	0.1	0.1	*	*
39	-	-	-	-	0.1	*	1.3	2.2	-	*	-	*
40 & Above	-	-	-	-	*	*	0.5	0.6	-	-	-	-
Average	31.17	31.00	30.89	30.79	32.29	30.97	34.97	35.14	32.52	32.24	30.98	30.88
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	-	-	-	-	*
2.6	-	-	-	*	-	*	*	*	-	-	*	*
2.7	-	*	-	*	-	*	0.1	*	-	-	*	*
2.8	*	*	-	*	-	*	0.1	*	-	-	*	*
2.9	*	*	-	*	-	*	-	-	-	-	-	*
3.0	*	*	*	*	-	0.1	-	-	-	-	*	*
3.1	0.1	*	*	*	*	0.2	0.3	*	-	-	*	*
3.2	0.4	0.2	*	*	*	0.3	0.5	0.1	-	*	*	*
3.3	0.4	0.1	*	*	0.1	0.3	-	*	*	*	0.1	*
3.4	0.5	0.2	*	*	0.5	0.5	*	0.2	-	*	0.1	0.1
3.5	0.6	0.4	0.2	0.1	0.6	0.7	1.4	0.3	*	0.1	0.2	0.2
3.6	1.4	0.7	0.1	0.1	1.1	1.0	0.7	0.5	*	0.1	0.4	0.3
3.7	3.1	1.3	0.1	0.1	1.4	1.4	0.1	1.5	*	0.1	0.7	0.6
3.8	3.8	2.3	0.4	0.2	2.9	2.5	0.7	3.0	0.1	0.3	1.2	1.3
3.9	6.0	3.8	0.4	0.3	4.9	3.2	1.7	4.0	0.4	0.6	2.3	2.5
4.0	8.5	5.7	1.1	0.7	7.6	4.9	5.1	5.9	1.1	1.2	4.3	4.2
4.1	8.8	7.4	1.6	1.5	10.2	6.7	5.6	5.1	2.6	2.4	6.3	6.5
4.2	9.3	8.5	4.0	3.0	10.1	8.3	5.2	7.9	3.7	3.7	8.7	9.1
4.3	8.9	10.3	6.5	5.0	6.1	8.6	7.6	11.2	3.0	4.5	10.5	11.2
4.4	10.4	10.8	9.2	8.2	7.6	9.9	9.7	11.7	5.0	6.5	12.0	12.8
4.5	9.8	10.5	11.1	11.0	9.7	11.0	9.1	11.5	6.5	8.2	12.9	13.0
4.6	6.8	9.4	14.9	13.3	8.9	11.0	19.9	9.0	9.0	10.7	12.2	12.1
4.7	5.9	8.3	13.7	13.7	9.4	9.0	10.0	7.0	11.4	13.7	10.3	9.9
4.8	4.8	6.9	9.8	12.6	7.4	6.3	4.4	5.6	14.8	14.5	8.0	7.5
4.9	3.6	5.0	7.6	10.2	5.2	5.3	3.0	6.3	12.9	12.3	5.1	4.9
5.0	2.6	3.5	6.7	7.8	2.8	3.5	3.4	5.8	11.4	9.7	2.8	2.3
5.1	1.4	2.3	5.8	5.6	1.2	1.5	1.2	1.8	8.8	5.4	1.2	1.1
5.2	1.1	1.1	3.2	3.5	0.6	1.6	5.9	1.1	4.5	2.9	0.5	0.3
5.3	0.6	0.7	1.9	1.7	0.7	1.3	2.6	0.3	3.2	1.6	0.2	0.1
5.4	0.4	0.4	0.8	0.8	0.7	0.6	1.1	0.1	1.0	1.0	0.1	*
5.5 & Above	0.8	0.3	0.6	0.6	0.1	0.2	0.5	*	0.6	0.5	*	*
Average	4.33	4.44	4.66	4.70	4.40	4.44	4.53	4.44	4.77	4.71	4.46	4.45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	15.4	13.5	-	0.1	*	*	*	*	1.4	0.8	4.2	0.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.5	2.0	-	*	*	0.1	*	*	0.3	0.3	0.1	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	*	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	*	*	-	*	*	*	-	1.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	0.1	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	*	-	-	-	-
23	-	*	-	-	*	*	-	*	-	-	-	-
24	*	*	-	*	*	*	*	*	-	*	-	-
25	1.0	0.3	-	*	*	*	*	*	*	*	-	*
26	1.8	0.9	-	0.6	*	0.1	0.2	0.2	0.1	0.1	-	*
27	6.3	2.7	-	2.1	0.2	0.7	1.1	1.1	0.8	0.7	-	1.0
28	7.5	4.4	0.1	4.7	2.7	6.2	4.2	4.0	4.6	4.1	0.3	3.7
29	11.2	7.6	0.2	10.5	21.3	26.3	13.5	13.0	16.4	14.3	0.5	19.1
30	12.5	11.9	2.4	22.5	45.6	40.8	26.4	25.5	29.2	26.3	13.1	22.2
31	20.4	19.0	33.4	29.3	21.8	19.7	30.3	29.1	25.7	27.2	38.5	14.8
32	13.8	21.3	41.0	19.6	6.1	4.9	16.7	17.1	14.4	16.7	43.9	23.6
33	8.8	15.2	19.3	7.8	1.3	1.0	5.1	6.9	6.0	7.4	3.1	11.8
34	6.7	10.4	3.3	1.9	0.7	0.3	1.9	2.4	2.1	2.4	0.4	2.8
35	6.6	5.2	0.2	0.8	0.1	0.1	0.5	0.6	0.5	0.6	0.1	0.5
36	3.1	0.9	0.1	0.3	*	*	0.1	0.1	*	0.1	-	*
37	0.2	0.1	*	*	*	*	*	*	*	*	-	*
38	-	-	-	*	-	-	-	-	-	-	-	0.4
39	*	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	31.42	31.97	32.33	31.21	30.59	30.37	31.09	31.17	31.00	31.16	31.78	31.30
Mike												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5	1.1	0.3	-	-	-	-	-	-	-	*	-	-
2.6	0.9	0.2	-	-	-	-	-	*	-	*	-	-
2.7	1.0	0.6	-	-	-	-	-	*	-	*	-	-
2.8	1.2	1.4	-	-	-	-	-	*	-	*	-	-
2.9	2.6	2.4	-	-	-	-	*	*	*	*	-	-
3.0	4.6	3.8	-	*	-	-	*	*	*	*	-	-
3.1	2.6	4.7	-	*	*	*	*	*	*	*	-	-
3.2	3.0	5.7	-	*	*	*	*	*	*	*	-	-
3.3	5.6	5.4	-	*	*	*	*	*	0.1	*	-	*
3.4	4.0	6.8	-	*	0.1	*	*	0.1	0.1	0.1	-	1.2
3.5	6.0	7.8	-	*	0.1	*	0.1	0.1	0.1	0.1	-	0.6
3.6	8.8	7.5	-	*	0.2	0.1	0.3	0.1	0.2	0.1	0.1	0.9
3.7	6.1	8.1	-	0.1	0.2	0.2	0.4	0.1	0.4	0.2	-	2.3
3.8	5.5	8.4	-	0.2	0.5	0.4	0.6	0.3	0.6	0.4	-	3.8
3.9	7.6	8.4	-	0.5	1.3	0.9	0.9	0.4	0.7	0.7	1.9	3.1
4.0	9.2	7.8	-	1.0	2.3	1.9	1.1	0.6	0.9	1.3	0.3	6.6
4.1	9.0	6.5	-	1.9	3.1	3.0	2.4	1.0	2.0	1.9	0.7	6.7
4.2	6.0	5.0	0.1	3.4	5.3	4.9	3.5	1.8	2.8	2.7	0.5	6.7
4.3	4.0	3.7	0.1	4.9	8.5	8.0	4.8	2.8	3.9	3.5	0.3	8.8
4.4	4.5	2.6	-	6.3	12.0	11.5	6.5	4.1	5.8	4.8	3.0	3.9
4.5	4.5	1.9	0.1	8.0	14.0	13.7	7.8	6.0	7.1	6.8	8.2	4.5
4.6	1.8	0.7	4.7	10.8	16.0	15.3	9.3	8.3	8.1	8.4	20.5	10.7
4.7	0.3	0.2	7.0	12.0	14.6	13.9	9.4	10.1	9.3	10.1	28.5	19.3
4.8	*	0.1	12.5	12.6	9.3	10.9	11.3	12.2	9.8	10.9	30.2	15.4
4.9	*	0.1	8.3	9.9	6.7	7.2	12.0	13.7	10.8	11.4	5.3	4.1
5.0	-	*	23.6	9.1	3.8	4.5	10.3	12.3	10.9	11.5	0.4	1.0
5.1	-	*	20.9	6.6	1.3	2.1	8.6	9.7	9.4	9.5	0.1	0.3
5.2	-	-	8.6	4.9	0.4	0.9	4.9	7.1	7.6	7.2	-	-
5.3	-	-	6.8	3.3	0.1	0.4	3.7	4.6	5.1	4.5	-	-
5.4	-	-	5.1	2.5	*	0.1	1.4	2.6	2.5	2.2	-	-
5.5 & Above	-	-	2.1	2.1	*	*	0.6	2.0	1.9	1.6	-	-
Average	3.74	3.67	5.01	4.76	4.54	4.58	4.73	4.84	4.80	4.80	4.67	4.43

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 30, 2023

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	4.6	4.1	3.5	2.7	*	*	9.8	4.2	0.3	0.2
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.4	0.5	0.5	*	*	0.1	0.3	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	0.1	*	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	-	*	-	-	*	0.3	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	0.1	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	0.2	0.2	-	-	-	-	*	0.2	-	-
23	0.3	0.3	-	-	-	*	*	0.3	-	-
24	0.5	0.7	*	*	*	*	0.1	0.8	-	*
25	1.5	1.5	0.1	*	*	*	0.5	1.6	*	*
26	2.8	2.2	0.2	0.1	*	0.1	1.5	3.3	0.2	0.1
27	4.3	3.7	0.6	0.2	0.2	1.3	3.7	6.2	1.9	1.5
28	8.1	6.2	2.4	1.8	1.9	9.1	8.0	9.9	13.8	11.6
29	10.3	9.3	15.1	11.1	19.4	29.4	13.2	13.8	31.8	31.7
30	15.3	12.3	34.2	31.3	46.1	38.4	16.9	16.0	32.2	31.7
31	12.5	11.3	27.6	31.9	27.6	17.7	17.4	15.3	15.2	17.2
32	10.7	11.2	13.0	15.2	4.3	3.5	15.6	13.0	3.8	4.8
33	13.4	16.0	6.0	6.9	0.4	0.5	11.1	9.7	0.8	1.1
34	13.5	17.3	0.7	1.2	0.1	0.1	6.7	5.7	0.2	0.3
35	4.9	6.7	0.1	0.3	*	*	3.6	2.9	*	0.1
36	1.3	0.9	*	0.1	-	*	1.2	1.0	*	*
37	0.3	0.2	-	*	-	-	0.4	0.3	-	-
38	-	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	*	*	-	-
Average	31.43	31.79	30.98	31.19	30.59	30.20	31.32	30.78	30.05	30.17
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	*	*	-	-	-	-	*	*	-	-
2.6	0.1	*	-	-	-	-	0.1	0.1	-	-
2.7	0.1	*	-	-	-	-	0.1	0.1	-	-
2.8	0.1	*	-	*	-	-	0.1	0.1	*	*
2.9	0.1	0.1	-	*	-	-	0.2	0.2	*	*
3.0	0.1	0.2	-	*	*	*	0.2	0.2	*	*
3.1	0.1	0.2	*	*	0.1	*	0.3	0.3	*	*
3.2	0.1	0.4	*	*	0.2	0.1	0.4	0.5	*	*
3.3	0.1	0.7	0.1	0.1	0.2	0.1	0.7	0.7	*	*
3.4	0.1	1.2	0.1	0.1	0.6	0.2	1.0	1.0	0.1	0.1
3.5	0.2	1.4	0.3	0.2	0.7	0.5	1.2	1.2	0.3	0.2
3.6	0.5	1.4	0.8	0.4	1.7	0.9	1.6	1.6	0.5	0.4
3.7	2.1	2.2	0.8	0.6	2.1	1.4	2.1	2.1	0.7	0.8
3.8	3.9	3.1	1.6	1.2	3.6	2.2	2.5	2.7	1.8	1.3
3.9	5.5	4.8	1.8	1.8	4.7	3.2	2.9	3.4	1.9	2.0
4.0	6.8	7.0	2.7	3.4	7.1	5.0	3.5	4.3	2.8	3.1
4.1	10.5	8.5	4.9	5.1	8.8	7.4	4.0	5.5	5.2	5.1
4.2	9.8	9.5	7.2	7.6	10.3	10.3	5.1	7.0	7.2	6.8
4.3	11.4	11.3	10.2	10.2	12.4	14.3	6.3	8.3	8.3	8.1
4.4	12.0	10.2	11.6	11.4	13.6	15.6	7.3	9.2	10.4	9.9
4.5	10.1	10.4	10.0	11.2	11.5	13.5	8.7	9.8	10.5	10.8
4.6	7.6	8.1	11.9	12.1	9.8	10.3	9.8	9.7	11.9	12.2
4.7	3.7	5.9	9.5	11.1	6.2	7.0	10.4	9.0	12.9	11.4
4.8	3.9	5.1	8.7	9.0	3.0	4.2	10.0	7.7	10.4	10.3
4.9	3.4	3.5	6.0	6.4	1.3	1.9	7.8	5.8	7.3	7.3
5.0	3.6	2.6	5.6	4.4	1.1	1.2	5.1	3.8	4.2	5.0
5.1	2.9	1.3	3.1	2.3	0.6	0.5	3.3	2.5	2.1	2.7
5.2	1.3	0.6	1.2	1.0	0.3	0.1	2.0	1.5	0.8	1.2
5.3	*	0.2	1.0	0.4	*	*	1.5	0.9	0.3	0.7
5.4	-	*	0.5	0.1	*	*	1.0	0.5	0.1	0.3
5.5 & Above	-	*	0.4	0.1	*	*	0.7	0.5	0.1	0.2
Average	4.35	4.31	4.53	4.51	4.30	4.36	4.49	4.42	4.52	4.54

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 30, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	*	*	*	-	-	*	*
2.7 - 2.9	*	*	-	*	-	*	0.1	*	-	-	*	*
3.0 - 3.2	0.5	0.2	0.1	*	*	0.6	0.8	0.1	-	*	*	*
3.3 - 3.4	0.9	0.3	0.1	*	0.6	0.8	*	0.2	*	*	0.2	0.1
3.5 - 3.6	2.0	1.0	0.3	0.1	1.8	1.8	2.1	0.8	0.1	0.2	0.6	0.4
3.7 - 4.2	39.6	28.9	7.6	5.9	37.1	27.1	18.6	27.3	7.9	8.3	23.5	24.2
4.3 - 4.9	50.1	61.3	72.9	74.0	54.4	61.1	63.7	62.3	62.5	70.5	71.0	71.4
5.0 - 5.2	5.0	6.9	15.8	16.8	4.6	6.5	10.4	8.7	24.7	18.0	4.4	3.7
5.3 & Above	1.8	1.3	3.2	3.2	1.5	2.1	4.2	0.5	4.8	3.1	0.2	0.1
Average	4.33	4.44	4.66	4.70	4.40	4.44	4.53	4.44	4.77	4.71	4.46	4.45
Leaf												
1 - 2	25.5	20.2	22.4	21.6	93.6	87.5	76.5	49.7	7.3	10.3	12.8	14.0
3	50.1	52.8	48.6	49.1	5.8	10.7	20.0	30.1	51.9	52.2	52.8	53.9
4	20.0	22.4	23.8	24.1	0.6	1.5	3.2	15.7	33.5	30.9	28.3	26.7
5	3.9	4.0	4.8	4.8	*	0.2	0.3	4.0	6.6	5.9	5.5	4.9
6	0.5	0.5	0.4	0.4	-	*	*	0.5	0.5	0.6	0.6	0.5
7	*	*	0.1	*	-	-	-	-	0.1	0.1	0.1	*
8	-	*	-	*	-	-	-	-	-	*	-	*
Average	3.02	3.11	3.11	3.12	1.53	1.76	1.92	2.60	3.41	3.35	3.28	3.24
HVI Trash 1/												
00	-	-	-	*	*	0.1	-	*	-	-	*	*
01	5.6	3.8	3.6	3.9	69.0	57.4	44.7	24.2	0.7	1.0	1.5	1.7
02	26.8	21.8	22.9	21.6	24.7	32.6	34.7	29.6	10.0	13.3	16.1	17.4
03	28.9	29.2	26.2	26.3	4.4	6.9	14.4	17.3	24.6	26.8	28.1	29.1
04	19.0	21.9	19.8	20.3	1.3	2.0	3.9	10.8	26.4	25.6	24.2	23.8
05	10.5	12.4	12.8	13.2	0.4	0.6	1.6	8.0	18.3	16.8	15.3	14.5
06	5.1	6.0	7.3	7.5	0.2	0.2	0.5	5.0	10.6	9.0	7.9	7.4
07	2.2	2.7	3.8	3.8	0.1	0.1	0.2	2.7	5.5	4.2	3.8	3.4
08	1.1	1.2	1.9	1.8	*	*	*	1.2	2.3	1.8	1.7	1.5
09	0.5	0.6	0.9	0.9	*	*	-	0.6	0.9	0.8	0.8	0.7
10	0.2	0.2	0.4	0.4	-	*	*	0.3	0.4	0.3	0.3	0.3
11	0.1	0.1	0.2	0.2	-	-	-	0.1	0.1	0.1	0.1	0.1
12	*	*	0.1	0.1	-	-	-	0.1	*	*	0.1	*
13	*	*	*	*	-	-	-	*	*	*	*	*
14	*	*	*	*	-	-	-	*	-	*	*	*
15	*	*	*	*	-	-	-	-	-	*	*	*
16	-	*	*	*	-	-	-	-	-	*	*	*
17	-	*	-	*	-	-	-	-	-	-	*	*
18 & Above	-	*	-	*	-	-	-	-	-	*	*	*
Average	0.34	0.36	0.37	0.37	0.14	0.16	0.19	0.29	0.43	0.41	0.39	0.38
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	*
75	*	*	-	*	-	*	-	-	-	-	-	*
76	*	*	*	*	-	*	-	-	-	*	*	*
77	*	0.1	*	*	0.1	0.4	-	-	*	0.1	0.1	0.2
78	0.3	0.9	0.1	0.1	0.4	3.6	*	*	0.2	0.8	1.2	1.6
79	3.2	5.1	0.7	1.1	4.0	14.5	0.2	0.4	1.8	4.4	5.7	9.0
80	13.5	17.8	7.5	8.5	22.7	30.8	6.7	6.1	10.3	17.9	20.9	27.2
81	30.6	31.3	24.6	21.1	39.2	30.5	23.6	21.1	27.2	34.1	35.7	35.5
82	36.8	30.9	32.4	33.4	27.5	15.8	3.1	27.1	35.7	31.6	25.4	20.0
83	14.4	12.3	28.7	28.6	5.5	4.1	36.5	25.3	21.8	10.2	9.2	5.7
84	1.0	1.4	5.3	6.3	0.5	0.3	28.1	17.9	2.9	1.0	1.7	0.8
85 & Above	0.1	0.1	0.6	0.8	*	*	1.7	2.1	0.2	*	0.1	0.1
Average	81.93	81.74	82.44	82.47	81.52	80.98	83.06	82.78	82.18	81.70	81.58	81.28
Tenderable 3/	90.4	88.7	80.0	79.3	89.5	88.1	83.5	88.1	64.6	72.1	92.8	93.2
SAMPLES CLASSED	73,283	438,593	138,854	1,173,998	15,451	67,009	2,690	26,042	10,588	64,208	259,950	1,052,650

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 30, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	2.0	0.5	-	-	-	-	-	*	-	*	-	-
2.7 - 2.9	4.8	4.3	-	-	-	-	*	*	*	*	-	-
3.0 - 3.2	10.3	14.2	-	*	*	*	*	0.1	*	*	-	-
3.3 - 3.4	9.6	12.2	-	*	0.2	*	*	0.1	0.2	0.1	-	1.2
3.5 - 3.6	14.8	15.3	-	*	0.2	0.1	0.4	0.2	0.3	0.2	0.1	1.5
3.7 - 4.2	43.3	44.1	0.1	7.0	12.7	11.3	9.0	4.3	7.4	7.2	3.4	29.1
4.3 - 4.9	15.1	9.3	32.7	64.5	81.2	80.5	61.1	57.1	54.7	56.0	95.9	66.8
5.0 - 5.2	-	*	53.2	20.6	5.5	7.5	23.7	29.1	27.9	28.2	0.5	1.4
5.3 & Above	-	-	14.0	7.9	0.1	0.5	5.6	9.2	9.5	8.3	-	-
Average	3.74	3.67	5.01	4.76	4.54	4.58	4.73	4.84	4.80	4.80	4.67	4.43
Leaf												
1 - 2	21.7	14.4	4.2	15.4	36.6	32.1	20.4	15.4	18.8	15.6	70.0	90.3
3	22.3	34.1	49.9	49.3	52.3	53.0	50.7	52.6	54.6	55.5	26.2	8.3
4	24.5	26.7	41.6	28.3	10.4	13.7	22.5	25.5	23.1	25.0	2.2	0.9
5	19.7	15.1	4.1	6.3	0.8	1.2	5.8	5.7	3.4	3.7	1.6	0.5
6	8.3	6.7	0.2	0.6	*	*	0.6	0.8	0.2	0.3	-	-
7	2.9	2.3	-	0.1	*	*	*	0.1	*	*	-	-
8	0.6	0.7	-	*	-	-	-	*	-	-	-	-
Average	3.79	3.73	3.46	3.27	2.73	2.82	3.15	3.24	3.11	3.17	2.30	1.70
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	*	-	0.2
01	9.1	4.6	*	2.6	6.5	6.1	2.7	1.8	2.6	1.8	14.5	53.4
02	16.9	13.9	5.5	16.5	32.7	28.8	22.6	18.5	19.0	16.2	56.5	35.3
03	10.6	18.0	18.3	25.6	32.0	30.3	28.8	28.3	28.3	27.4	19.6	7.9
04	10.2	15.5	28.2	22.5	17.2	19.1	19.6	22.4	22.4	24.4	5.2	1.7
05	10.8	12.9	24.0	15.4	7.4	9.4	11.7	13.7	14.0	15.5	1.5	0.4
06	10.6	9.6	14.0	8.9	2.6	3.9	7.1	7.6	7.5	8.2	0.4	0.3
07	9.3	7.4	6.2	4.5	0.9	1.5	3.9	4.0	3.6	3.9	0.7	0.3
08	7.0	5.4	2.3	2.1	0.3	0.6	2.0	2.0	1.6	1.6	0.7	0.2
09	5.2	4.0	0.9	1.0	0.1	0.2	0.9	0.9	0.6	0.7	0.4	0.1
10	3.5	2.8	0.3	0.4	*	0.1	0.4	0.4	0.2	0.3	0.5	0.1
11	2.4	2.0	0.2	0.2	*	*	0.2	0.2	0.1	0.1	-	-
12	1.5	1.5	0.1	0.1	*	*	0.1	0.1	*	*	-	-
13	1.0	0.9	-	*	*	*	*	*	*	*	-	-
14	0.8	0.6	-	*	*	*	*	*	*	*	-	-
15	0.4	0.3	-	-	*	*	*	*	*	*	-	-
16	0.2	0.2	-	-	-	-	-	*	-	*	-	-
17	0.1	0.1	-	-	-	-	-	*	-	*	-	-
18 & Above	0.2	0.3	-	-	-	-	-	*	-	*	-	-
Average	0.52	0.51	0.46	0.40	0.30	0.32	0.37	0.39	0.38	0.39	0.24	0.16
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	0.1	0.1	-	-	-	*	-	-	-	*	-	-
76	1.7	0.6	-	-	*	*	-	*	*	*	-	-
77	6.0	4.4	-	*	*	*	*	*	*	*	-	0.1
78	19.2	19.0	-	0.5	0.1	0.1	0.4	0.3	0.2	0.2	0.4	0.2
79	23.8	31.6	*	3.1	0.5	1.0	1.9	1.7	2.0	1.9	3.7	3.2
80	25.7	26.1	0.1	10.9	10.5	9.3	7.1	8.0	10.7	11.5	17.9	19.3
81	17.8	13.2	0.3	31.0	26.3	24.5	23.1	22.1	31.5	30.8	74.2	51.0
82	5.8	4.8	22.8	35.1	30.8	34.3	38.2	37.6	34.8	36.6	3.5	24.3
83	0.1	0.2	64.9	17.6	27.2	25.9	23.2	24.0	18.5	16.9	0.3	2.0
84	*	*	10.8	1.7	4.1	4.5	5.5	5.7	2.2	1.9	-	-
85 & Above	-	-	1.1	0.1	0.6	0.4	0.5	0.4	0.1	0.1	-	-
Average	79.88	79.83	83.32	82.01	82.34	82.34	82.36	82.37	82.08	82.06	81.16	81.45
Tenderable 3/	41.8	47.3	32.7	63.9	94.0	91.8	70.0	60.1	60.9	62.2	94.3	95.0
SAMPLES CLASSED	13,185	62,953	2,752	203,894	77,137	542,030	42,862	776,022	108,294	515,176	733	4,013

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Nov 30, 2023										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	0.1	*	-	-	-	-	0.1	0.1	-	-
2.7 - 2.9	0.3	0.2	-	*	-	-	0.4	0.4	*	*
3.0 - 3.2	0.3	0.9	*	*	0.4	0.1	1.0	1.1	*	*
3.3 - 3.4	0.2	1.9	0.2	0.2	0.8	0.3	1.7	1.7	0.1	0.1
3.5 - 3.6	0.6	2.8	1.0	0.6	2.4	1.3	2.8	2.8	0.8	0.6
3.7 - 4.2	38.5	35.0	19.0	19.7	36.7	29.5	20.1	24.8	19.6	19.1
4.3 - 4.9	52.1	54.5	67.9	71.4	57.8	66.8	60.4	59.3	71.7	70.0
5.0 - 5.2	7.8	4.5	9.9	7.6	1.9	1.9	10.3	7.8	7.2	8.9
5.3 & Above	*	0.2	1.9	0.6	*	*	3.2	2.0	0.5	1.2
Average	4.35	4.31	4.53	4.51	4.30	4.36	4.49	4.42	4.52	4.54
Leaf										
1 - 2	38.3	53.1	9.0	8.8	35.7	43.6	48.0	52.9	39.5	31.3
3	47.3	35.4	46.6	47.2	47.4	45.1	37.6	36.4	54.6	61.3
4	11.7	8.8	36.0	35.5	14.7	10.1	10.5	8.5	5.4	7.1
5	1.8	2.1	7.7	7.8	2.0	1.1	2.6	1.6	0.5	0.4
6	0.7	0.5	0.7	0.7	0.1	0.1	0.9	0.4	*	*
7	0.2	0.1	*	*	*	*	0.3	0.1	-	-
8	*	*	-	-	-	-	0.1	*	-	-
Average	2.75	2.49	3.44	3.44	2.80	2.64	2.62	2.50	2.65	2.76
HVI Trash 1/										
00	*	0.1	-	-	*	*	*	*	-	-
01	10.8	21.2	1.1	0.9	8.6	12.0	19.7	19.6	4.6	3.5
02	31.1	34.1	10.0	9.9	29.8	34.7	34.1	35.9	36.4	30.5
03	28.5	21.5	21.3	21.3	26.9	26.9	22.1	22.8	35.9	37.3
04	15.6	11.2	24.2	24.2	17.2	14.4	11.7	11.5	15.8	19.2
05	7.2	5.4	19.4	19.1	9.3	6.8	5.7	5.3	5.0	6.6
06	3.2	2.8	12.1	12.2	4.6	3.0	2.8	2.4	1.6	2.1
07	1.5	1.5	6.5	6.6	2.0	1.3	1.5	1.1	0.5	0.6
08	0.7	0.9	3.1	3.3	0.8	0.5	0.8	0.6	0.2	0.2
09	0.6	0.6	1.4	1.4	0.3	0.2	0.5	0.3	0.1	0.1
10	0.3	0.3	0.6	0.6	0.1	0.1	0.3	0.2	*	*
11	0.2	0.2	0.2	0.3	*	*	0.2	0.1	-	*
12	0.1	0.1	0.1	0.1	*	*	0.1	0.1	-	*
13	0.1	0.1	*	*	*	*	0.1	*	*	*
14	*	*	-	*	*	*	0.1	*	-	-
15	*	*	*	*	*	*	*	*	-	-
16	-	*	-	*	-	-	*	*	-	-
17	-	*	-	*	-	-	*	*	-	-
18 & Above	-	*	-	*	-	-	*	*	-	-
Average	0.31	0.27	0.44	0.45	0.32	0.29	0.28	0.27	0.29	0.31
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	0.1	0.1	-	-	-	*	0.2	0.1	-	-
76	0.8	0.4	*	*	*	*	0.9	0.6	-	-
77	3.1	2.4	*	*	*	*	3.1	2.1	*	*
78	7.1	7.7	0.3	0.2	*	0.1	9.3	6.4	0.3	0.2
79	16.7	13.8	1.7	1.6	0.4	1.1	20.9	15.2	2.7	2.3
80	26.0	21.0	11.1	12.5	3.3	7.1	29.8	26.5	11.9	15.7
81	28.3	25.9	39.5	37.1	19.1	24.1	23.6	30.1	33.1	33.8
82	13.5	23.3	31.0	33.8	48.0	43.2	9.9	15.6	35.5	34.3
83	4.3	5.4	13.9	13.2	27.0	22.5	2.1	2.9	14.9	12.3
84	0.1	0.1	2.2	1.5	2.0	1.8	0.3	0.3	1.4	1.2
85 & Above	-	*	0.2	0.1	0.1	0.1	*	*	*	*
Average	80.70	80.96	81.96	81.94	82.49	82.29	80.43	80.79	81.97	81.87
Tenderable 3/	79.0	82.3	83.1	87.7	96.6	97.4	71.1	76.8	91.8	89.4
SAMPLES CLASSED	16,516	95,133	32,234	162,107	74,253	506,821	279,365	2,028,841	22,969	93,000

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Nov 30, 2023									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	86.6	86.1	6.9	6.8	-	34.1	10.9	15.0
	2	9.7	9.9	15.9	13.2	-	27.9	15.6	17.4
	3	-	-	0.5	0.5	-	0.6	2.5	1.3
	4	-	-	-	-	-	-	0.1	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		96.2	96.0	23.4	20.5	-	62.6	29.2	33.8
02	1	2.3	2.7	5.1	8.5	-	9.8	10.7	11.9
	2	1.5	1.3	41.2	49.5	-	21.3	43.9	40.3
	3	-	-	15.2	11.2	-	2.8	7.4	7.2
	4	-	-	0.9	0.6	-	*	0.2	0.2
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	*	*	-	-	*	*
Total -----		3.8	4.0	62.4	69.7	-	33.9	62.1	59.6
03	1	-	-	*	0.1	-	*	*	0.1
	2	-	*	3.9	3.3	-	1.4	4.1	2.6
	3	-	*	6.9	4.4	-	1.9	2.9	2.7
	4	-	-	1.4	1.0	-	0.2	0.6	0.7
	5	-	-	0.1	*	-	-	*	*
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	0.1	12.4	9.0	-	3.5	7.7	6.0
04	1	-	-	-	-	-	-	-	-
	2	-	-	0.1	*	-	*	0.1	0.1
	3	-	-	0.7	0.3	-	*	0.6	0.3
	4	-	-	0.5	0.3	-	-	0.2	0.1
	5	-	-	0.1	*	-	-	-	-
	6	-	-	0.1	*	-	-	*	*
	7	-	-	-	-	-	-	-	-
Total -----		-	-	1.5	0.7	-	*	1.0	0.5
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	0.1	*	-	-	-	-
	7	-	-	0.2	*	-	-	-	-
Total -----		-	-	0.3	0.1	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	0.1	0.5	-	1.2	5.5	7.5
46		0.1	1.2	5.2	8.0	-	8.9	23.7	31.1
48		66.1	83.9	18.6	30.8	-	69.5	57.6	47.1
50		32.2	14.4	61.2	51.4	-	20.0	13.2	14.2
52 & Longer		1.6	0.6	14.9	9.3	-	0.4	0.1	0.1
Average Staple		48.71	48.29	49.72	49.22	-	48.19	47.57	47.36
Average Length		1.42	1.41	1.44	1.43	-	1.40	1.39	1.38
EXTRANEIOUS MATTER									
Bark		-	-	*	*	-	-	0.1	*
Grass		-	-	0.3	0.2	-	-	0.1	*
Spindle Twist		-	-	0.4	0.2	-	-	*	*
Preparation		-	-	*	*	-	-	-	-
All Other		-	-	*	*	-	*	0.1	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 30, 2023								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	*	*	-	-	-	-
2.7 - 2.9	-	-	0.4	0.2	-	*	-	-
3.0 - 3.2	-	-	2.4	1.4	-	0.5	*	*
3.3 - 3.4	0.1	*	5.2	3.3	-	4.4	0.4	1.1
3.5 - 3.6	0.1	*	14.5	11.6	-	7.9	9.9	10.5
3.7 - 4.2	98.9	99.5	72.0	78.8	-	77.2	74.3	77.2
4.3 - 4.9	0.9	0.4	5.3	4.7	-	10.1	15.3	11.2
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.94	3.93	3.86	3.88	-	3.94	3.99	3.94
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	-
2.6	-	-	*	*	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	0.1	0.1	-	*	-	-
2.9	-	-	0.2	0.1	-	*	-	-
3.0	-	-	0.3	0.1	-	0.1	*	*
3.1	-	-	0.4	0.4	-	*	-	-
3.2	-	-	1.7	0.9	-	0.4	-	-
3.3	-	-	2.2	1.1	-	1.6	-	*
3.4	0.1	*	3.1	2.2	-	2.8	0.4	1.1
3.5	0.1	*	5.8	4.4	-	2.6	4.1	5.2
3.6	-	-	8.7	7.2	-	5.3	5.8	5.3
3.7	5.2	3.6	9.5	10.0	-	9.0	3.6	9.6
3.8	13.9	18.7	13.6	14.3	-	11.9	5.2	12.5
3.9	31.7	34.7	13.8	16.8	-	16.5	26.9	19.0
4.0	34.1	28.8	12.8	16.6	-	16.3	17.3	14.7
4.1	12.5	13.1	12.4	13.5	-	14.3	13.5	11.2
4.2	1.4	0.6	10.0	7.7	-	9.1	7.9	10.2
4.3	0.9	0.3	4.2	3.1	-	4.8	9.8	8.0
4.4	-	-	1.0	1.2	-	3.8	5.4	3.0
4.5	-	-	0.1	0.3	-	1.2	-	0.2
4.6	-	*	*	0.1	-	0.2	-	*
4.7	-	-	*	*	-	*	-	-
4.8	-	-	-	*	-	*	-	-
4.9	-	-	-	*	-	-	-	-
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.94	3.93	3.86	3.88	-	3.94	3.99	3.94
STRENGTH 1/								
36 & Below	-	-	0.4	0.7	-	14.0	4.4	2.2
37	-	-	1.9	2.5	-	15.3	3.3	7.2
38	0.1	0.1	5.2	7.1	-	9.9	6.0	15.2
39	0.1	0.3	4.5	6.7	-	2.2	26.4	23.3
40	10.8	9.4	6.0	5.5	-	0.2	15.2	12.4
41	27.5	39.9	12.7	8.6	-	3.2	7.5	6.7
42	39.8	36.0	18.3	15.0	-	12.9	10.9	9.7
43	14.7	10.4	19.2	18.3	-	17.2	15.9	11.7
44	5.7	3.2	16.3	15.8	-	15.9	5.9	6.8
45	1.3	0.6	10.2	12.6	-	7.0	2.2	3.3
46	-	*	4.3	5.5	-	2.2	1.2	1.1
47	-	-	0.7	1.4	-	0.1	1.2	0.5
48 & Above	-	-	0.3	0.3	-	0.1	0.1	*
Average	42.30	42.05	42.78	42.78	-	41.14	41.06	40.75
UNIFORMITY								
83 & Below	0.1	*	0.1	0.1	-	0.1	*	0.1
84	0.1	0.6	2.4	3.6	-	4.1	2.5	5.6
85	5.5	3.8	11.5	19.1	-	34.4	23.9	35.1
86	45.3	70.3	45.2	48.7	-	39.5	58.3	46.1
87	48.9	25.0	39.7	27.6	-	21.8	15.2	13.1
88 & Above	0.1	0.2	1.1	0.9	-	0.1	0.1	*
Average	86.80	86.65	86.72	86.49	-	86.24	86.27	86.09
Samples Classed	870	2,354	24,763	108,412	-	12,557	3,548	9,186

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.