



Volume 25, No.30

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL*	-	-	-	-	26	86.8	73.3	695,115
AR*	-	-	-	-	28	78.8	56.5	1,475,602
AZ*	-	-	-	-	9	88.4	71.3	182,691
CA*	-	-	-	-	11	92.9	84.0	68,028
FL	-	-	-	-	4	67.7	43.5	92,319
GA	11	79.6	60.0	8,554	58	90.0	77.2	2,137,080
KS*	-	-	-	-	3	39.6	27.5	124,092
LA	-	-	-	-	17	63.8	37.8	207,195
MO	-	-	-	-	19	92.4	74.8	790,678
MS	-	-	-	-	35	61.0	35.5	833,038
NC	2	73.0	58.5	585	32	62.5	41.3	748,492
NM	-	-	-	-	3	80.6	66.5	16,119
OK	-	-	-	-	11	78.8	60.6	140,874
SC*	-	-	-	-	12	85.5	71.7	330,845
TN	-	-	-	-	18	97.5	90.3	657,268
TX*	-	-	-	-	159	72.1	44.2	2,722,382
VA	-	-	-	-	4	89.8	72.3	186,422
United States	23	82.4	69.7	24,283	449	79.3	59.6	11,408,240
AMERICAN PIMA								
AZ	2			1,499	3			18,608
CA	-			-	13			221,097
NM	-			-	3			28,774
TX	2			767	4			25,450
United States	4			2,266	23			293,929
United States all cotton	27			26,549	462			11,702,169

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 15, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	11.3	-	6.9	-	69.6	-	61.4	-	1.1	0.4	1.5
	3	-	10.6	-	2.7	-	9.0	-	9.5	-	1.2	0.4	1.4
	4	-	0.9	-	0.1	-	0.3	-	0.6	-	0.1	*	0.1
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	22.8	-	9.7	-	78.9	-	71.5	-	2.4	0.8	3.1
31	1 - 2	-	7.7	-	14.0	-	6.1	-	10.0	-	6.6	4.7	7.2
	3	-	30.2	-	38.8	-	8.1	-	9.6	-	26.8	17.8	26.3
	4	-	12.1	-	12.0	-	2.3	-	5.0	-	10.1	3.5	9.3
	5	-	1.5	-	0.9	-	0.2	-	1.1	-	1.0	0.3	1.0
	6	-	0.1	-	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	51.7	-	65.8	-	16.7	-	25.8	-	44.6	26.3	43.9
41	1 - 2	-	0.9	-	0.4	-	0.1	-	0.1	-	1.1	4.1	1.7
	3	-	7.1	-	7.9	-	0.2	-	0.2	-	13.5	25.9	19.3
	4	-	7.3	-	11.4	-	0.3	-	0.4	-	14.5	15.7	17.7
	5	-	2.3	-	3.6	-	0.2	-	0.2	-	3.9	3.3	4.8
	6	-	0.4	-	0.3	-	*	-	0.1	-	0.5	0.5	0.7
	7	-	*	-	*	-	*	-	-	-	0.1	*	0.1
	8	-	*	-	-	-	*	-	-	-	*	-	*
Total	----	-	17.9	-	23.7	-	0.7	-	1.1	-	33.4	49.7	44.4
51	1 - 2	-	0.2	-	*	-	-	-	*	-	0.2	1.0	0.2
	3	-	1.8	-	*	-	*	-	-	-	3.4	3.6	1.9
	4	-	1.8	-	0.1	-	*	-	-	-	3.6	6.3	2.2
	5	-	0.5	-	0.1	-	*	-	-	-	1.0	1.6	0.8
	6	-	0.1	-	*	-	*	-	-	-	0.1	0.6	0.2
	7	-	*	-	*	-	*	-	-	-	*	0.1	*
	8	-	*	-	*	-	*	-	-	-	-	-	*
Total	----	-	4.4	-	0.3	-	*	-	*	-	8.3	13.2	5.3
61	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	*	-	-	-	-	-	-	-	0.1	*	*
	4	-	*	-	*	-	-	-	-	-	*	-	*
	5	-	*	-	*	-	-	-	-	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	-	-	-	-	0.1	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	-	2.0	-	0.1	-	*	-	*
	3	-	*	-	*	-	0.7	-	0.1	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	2.7	-	0.2	-	*	-	*
32	1 - 2	-	0.1	-	*	-	0.1	-	0.1	-	0.2	*	*
	3	-	0.4	-	0.1	-	0.3	-	0.2	-	1.6	0.4	0.3
	4	-	0.2	-	*	-	0.2	-	0.3	-	0.7	0.2	0.2
	5	-	*	-	*	-	*	-	0.2	-	0.1	*	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.7	-	0.1	-	0.7	-	0.9	-	2.6	0.7	0.6
42	1 - 2	-	*	-	*	-	*	-	*	-	0.1	0.1	*
	3	-	0.4	-	0.1	-	*	-	*	-	2.5	0.8	0.6
	4	-	0.5	-	0.1	-	*	-	0.1	-	2.2	2.4	0.9
	5	-	0.2	-	0.1	-	0.1	-	0.2	-	0.5	1.0	0.3
	6	-	0.1	-	*	-	*	-	0.1	-	0.1	0.2	0.1
	7	-	*	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	1.3	-	0.3	-	0.1	-	0.4	-	5.5	4.6	1.9

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 15, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.3	-	*	-	*	-	*	-	0.7	0.2	0.1
	4	-	0.4	-	*	-	*	-	*	-	1.0	1.0	0.3
	5	-	0.1	-	*	-	*	-	*	-	0.4	0.5	0.1
	6	-	*	-	*	-	*	-	*	-	0.1	0.3	*
	7	-	*	-	*	-	*	-	*	-	*	0.1	*
	8	-	*	-	*	-	*	-	*	-	-	-	*
Total	----	-	0.8	-	*	-	*	-	-	-	2.3	2.0	0.6
62	1 - 2	-	*	-	-	-	-	-	-	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	-	-	-	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	*	-	-	-	-	-	0.1	-	*
13 & 23	1 - 2	-	*	-	-	-	0.1	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.1	-	*	-	-	-	*
33	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	*	*
	5	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	0.1	-	0.1	*	*
43	1 - 2	-	*	-	*	-	-	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	0.1	0.1	*
	4	-	*	-	*	-	*	-	*	-	0.1	1.1	0.1
	5	-	*	-	*	-	*	-	0.1	-	*	0.4	*
	6	-	*	-	*	-	*	-	*	-	-	0.1	*
	7	-	*	-	-	-	-	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	*	-	0.1	-	0.2	1.7	0.1
53	1 - 2	-	*	-	-	-	-	-	-	-	*	-	*
	3	-	*	-	-	-	-	-	-	-	0.1	*	*
	4	-	*	-	*	-	-	-	-	-	0.1	0.4	*
	5	-	*	-	*	-	-	-	-	-	*	0.4	*
	6	-	*	-	-	-	-	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	*
Total	----	-	0.1	-	*	-	-	-	*	-	0.2	0.8	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	*	-	*
	4	-	*	-	-	-	-	-	-	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	*	-	*
24 - 54	1 - 8	-	*	-	*	-	*	-	-	-	*	0.2	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	0.1	-	*	-	-	-	-	-	*	-	*
32		-	0.4	-	*	-	*	-	-	-	0.3	*	0.1
33		-	1.7	-	0.1	-	0.2	-	*	-	2.5	0.9	1.3
34		-	5.8	-	0.5	-	1.0	-	0.6	-	9.8	4.5	6.2
35		-	13.8	-	5.9	-	6.2	-	6.2	-	22.4	14.9	16.5
36		-	23.7	-	20.9	-	16.8	-	16.6	-	25.2	28.3	27.8
37		-	36.7	-	50.0	-	33.7	-	39.9	-	25.8	37.7	34.1
38		-	13.6	-	18.4	-	24.5	-	19.5	-	9.5	12.3	10.9
39		-	3.5	-	3.8	-	12.9	-	11.9	-	3.8	1.2	2.7
40 & Longer		-	0.7	-	0.4	-	4.7	-	5.3	-	0.6	-	0.4
Average Staple		-	36.45	-	36.92	-	37.33	-	37.29	-	36.08	36.39	36.32
Average Length		-	1.14	-	1.15	-	1.17	-	1.16	-	1.12	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 15, 2024

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	7.1	-	3.2	-	7.3	-	5.9	-	3.9	-	58.6
	3	-	10.4	-	1.5	-	2.1	-	4.6	-	2.7	-	5.4
	4	-	2.5	-	*	-	*	-	0.2	-	0.1	-	*
	5	-	0.2	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	20.1	-	4.8	-	9.5	-	10.7	-	6.7	-	64.1
31	1 - 2	-	0.6	-	7.6	-	22.8	-	9.5	-	10.4	-	10.3
	3	-	7.0	-	24.1	-	43.4	-	38.6	0.9	43.1	-	14.2
	4	-	9.3	-	6.8	-	7.0	-	12.2	1.4	14.1	-	3.4
	5	-	3.4	-	0.3	-	0.2	-	0.9	-	0.9	-	0.3
	6	-	0.4	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	20.8	-	38.9	-	73.3	-	61.1	2.2	68.6	-	28.1
41	1 - 2	-	*	-	1.2	-	1.0	-	0.4	0.2	0.4	-	0.1
	3	-	0.8	-	16.6	-	9.1	-	8.2	2.6	8.4	-	0.9
	4	-	4.9	-	17.8	-	6.1	-	12.4	0.5	11.2	-	2.0
	5	-	8.0	-	4.4	-	0.9	-	4.5	-	2.8	-	0.9
	6	-	4.5	-	0.3	-	*	-	0.7	-	0.3	-	0.2
	7	-	0.8	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-	-	-
Total	----	-	19.1	-	40.4	-	17.1	-	26.1	3.2	23.2	-	4.2
51	1 - 2	-	-	-	*	-	*	-	*	0.7	*	-	-
	3	-	*	-	0.2	-	*	-	*	15.2	0.1	-	-
	4	-	0.2	-	0.6	-	*	-	*	45.6	0.3	-	-
	5	-	1.3	-	0.7	-	*	-	0.1	10.3	0.1	-	*
	6	-	2.7	-	0.1	-	*	-	*	0.3	*	-	*
	7	-	1.7	-	*	-	*	-	*	-	*	-	-
	8	-	0.3	-	-	-	-	-	*	-	-	-	-
Total	----	-	6.2	-	1.7	-	*	-	0.2	72.1	0.5	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	-	-	-	0.3	*	-	-
	5	-	-	-	*	-	-	-	*	0.3	*	-	-
	6	-	-	-	*	-	-	-	*	0.3	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	*	1.0	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	2.6	-	1.8	-	*	-	*	-	*	-	0.3
	3	-	5.5	-	0.7	-	*	-	*	-	*	-	0.1
	4	-	2.0	-	*	-	*	-	*	-	*	-	-
	5	-	0.1	-	-	-	-	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	10.2	-	2.6	-	*	-	*	-	*	-	0.4
32	1 - 2	-	0.1	-	0.9	-	*	-	0.1	-	*	-	0.6
	3	-	1.5	-	2.6	-	*	-	0.6	-	0.3	-	1.5
	4	-	3.6	-	0.6	-	*	-	0.2	0.2	0.1	-	0.4
	5	-	1.6	-	*	-	*	-	*	-	*	-	*
	6	-	0.3	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	7.1	-	4.1	-	*	-	0.9	0.2	0.4	-	2.6
42	1 - 2	-	*	-	0.4	-	*	-	*	0.3	*	-	*
	3	-	0.2	-	3.4	-	*	-	0.3	3.1	0.1	-	0.1
	4	-	2.6	-	2.3	-	*	-	0.4	1.0	0.2	-	0.1
	5	-	4.9	-	0.6	-	*	-	0.1	-	0.1	-	0.1
	6	-	3.5	-	0.1	-	*	-	*	-	*	-	*
	7	-	1.1	-	*	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	12.3	-	6.7	-	*	-	0.9	4.4	0.4	-	0.3

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 15, 2024

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	-	-	0.2	*	-	-
	3	-	-	-	0.2	-	*	-	*	3.2	*	-	-
	4	-	*	-	0.3	-	-	-	*	2.7	*	-	-
	5	-	0.4	-	0.2	-	*	-	*	-	*	-	-
	6	-	0.6	-	0.1	-	*	-	*	-	*	-	-
	7	-	0.6	-	*	-	-	-	*	-	*	-	-
	8	-	0.1	-	-	-	-	-	*	-	-	-	-
Total	----	-	1.8	-	0.7	-	*	-	*	6.2	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	0.1	-	*	-	-	-	-	-	*	-	-
	3	-	0.2	-	*	-	-	-	-	-	*	-	-
	4	-	0.1	-	-	-	-	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.4	-	0.1	-	-	-	*	-	*	-	-
33	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	0.2	-	*	-	*	-	*	-	*	-	*
	4	-	0.4	-	*	-	*	-	*	-	*	-	0.1
	5	-	0.2	-	-	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.8	-	*	-	*	-	*	-	*	-	0.1
43	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	*	-	*	-	*	0.7	*	-	0.1
	4	-	0.2	-	*	-	*	-	*	1.2	*	-	0.1
	5	-	0.4	-	*	-	*	-	*	-	*	-	0.1
	6	-	0.2	-	*	-	-	-	*	-	*	-	-
	7	-	0.1	-	-	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	0.9	-	0.1	-	*	-	*	1.9	*	-	0.2
53	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	2.7	*	-	-
	4	-	*	-	*	-	-	-	*	5.6	*	-	-
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	*	-	*	8.4	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	*	-	-
24 - 54	1 - 8	-	0.1	-	*	-	-	-	*	0.3	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	*	-	-	-	*	-	-
31		-	0.3	-	*	-	-	-	*	-	*	-	-
32		-	1.6	-	0.1	-	*	-	0.1	-	0.2	-	-
33		-	5.5	-	1.2	-	*	-	0.6	-	2.1	-	*
34		-	12.6	-	5.4	-	0.1	-	4.1	2.2	10.1	-	3.8
35		-	20.5	-	14.5	-	2.5	-	12.5	14.9	24.0	-	7.6
36		-	22.4	-	26.9	-	15.7	-	25.0	42.4	31.6	-	22.6
37		-	23.0	-	32.5	-	47.7	-	37.6	37.9	26.4	-	30.7
38		-	8.9	-	13.2	-	26.6	-	14.7	2.6	4.8	-	13.9
39		-	4.9	-	5.3	-	6.5	-	4.7	-	0.8	-	14.2
40 & Longer		-	0.4	-	0.9	-	0.9	-	0.8	-	0.1	-	7.3
Average Staple		-	35.87	-	36.49	-	37.22	-	36.62	36.24	35.88	-	37.17
Average Length		-	1.12	-	1.14	-	1.16	-	1.14	1.13	1.12	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	24.8	-	2.8	-	16.9	-	31.5	-	11.0
	3	-	4.5	-	2.7	-	6.7	-	12.6	-	8.2
	4	-	0.1	-	0.2	-	0.1	-	0.9	-	0.4
	5	-	*	-	*	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	29.4	-	5.8	-	23.7	-	45.0	-	19.7
31	1 - 2	-	11.8	-	4.5	-	25.0	-	6.8	-	18.0
	3	-	22.1	-	29.6	-	35.4	-	14.2	-	47.5
	4	-	4.0	-	15.9	-	6.4	-	4.0	-	7.5
	5	-	0.3	-	1.7	-	0.3	-	0.4	-	0.5
	6	-	*	-	0.1	-	*	-	*	-	*
	7	-	-	-	*	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	38.2	-	51.9	-	67.1	-	25.4	-	73.5
41	1 - 2	-	0.7	-	0.3	-	0.6	-	0.2	-	0.7
	3	-	5.6	-	10.8	-	4.0	-	1.6	-	3.8
	4	-	3.3	-	20.5	-	3.5	-	1.8	-	1.6
	5	-	1.1	-	7.0	-	0.8	-	0.8	-	0.2
	6	-	0.3	-	0.8	-	0.1	-	0.3	-	*
	7	-	*	-	*	-	*	-	0.1	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	11.0	-	39.4	-	8.9	-	4.9	-	6.3
51	1 - 2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	0.3	-	*	-	0.1	-	*
	4	-	*	-	0.6	-	*	-	0.1	-	*
	5	-	0.1	-	0.3	-	*	-	0.1	-	*
	6	-	0.1	-	0.1	-	*	-	0.1	-	*
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	0.4	-	1.4	-	*	-	0.4	-	*
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	-	4.2	-	*	-	*	-	8.8	-	*
	3	-	2.3	-	*	-	*	-	4.8	-	*
	4	-	0.2	-	*	-	*	-	0.6	-	*
	5	-	*	-	*	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	6.7	-	0.1	-	*	-	14.3	-	0.1
32	1 - 2	-	1.4	-	*	-	*	-	0.9	-	*
	3	-	3.9	-	0.1	-	*	-	2.8	-	0.1
	4	-	1.9	-	0.1	-	*	-	1.3	-	0.1
	5	-	0.3	-	0.1	-	*	-	0.3	-	*
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	7.6	-	0.3	-	0.1	-	5.3	-	0.2
42	1 - 2	-	0.1	-	*	-	*	-	0.1	-	*
	3	-	0.9	-	*	-	*	-	0.5	-	0.1
	4	-	1.3	-	0.2	-	*	-	0.6	-	0.1
	5	-	0.7	-	0.2	-	*	-	0.4	-	*
	6	-	0.2	-	0.1	-	*	-	0.2	-	*
	7	-	0.1	-	*	-	*	-	0.1	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	3.3	-	0.6	-	*	-	1.9	-	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Feb 15, 2024											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	*	-	0.1	-	*
	4	-	*	-	0.1	-	*	-	0.1	-	*
	5	-	0.1	-	0.2	-	*	-	*	-	-
	6	-	0.1	-	0.1	-	*	-	*	-	-
	7	-	0.1	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- 0.3	- 0.4		- *		- 0.2		- *	
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- -	- *		- *		- *		- -	
13 & 23	1 - 2	-	0.5	-	*	-	-	-	0.5	-	*
	3	-	0.5	-	*	-	-	-	0.5	-	*
	4	-	0.1	-	*	-	-	-	0.1	-	*
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- 1.1	- *		- -		- 1.2		- *	
33	1 - 2	-	0.1	-	-	-	*	-	0.1	-	*
	3	-	0.6	-	*	-	*	-	0.4	-	*
	4	-	0.4	-	*	-	*	-	0.3	-	*
	5	-	0.1	-	*	-	*	-	0.1	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- 1.2	- *		- *		- 0.9		- *	
43	1 - 2	-	*	-	*	-	-	-	*	-	-
	3	-	0.1	-	*	-	*	-	*	-	*
	4	-	0.3	-	*	-	*	-	0.1	-	*
	5	-	0.1	-	*	-	*	-	0.1	-	*
	6	-	*	-	*	-	-	-	0.1	-	*
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- 0.7	- 0.1		- *		- 0.3		- *	
53	1 - 2	-	-	-	*	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	-	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- *	- *		- *		- *		- -	
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- -	- *		- *		- *		- -	
24 - 54	1 - 8	-	0.2	-	*	-	-	-	0.2	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	*	-	-
30		-	*	-	-	-	-	-	0.1	-	-
31		-	0.5	-	*	-	-	-	0.4	-	*
32		-	2.3	-	*	-	*	-	1.9	-	*
33		-	4.6	-	0.5	-	*	-	6.0	-	1.0
34		-	8.3	-	3.5	-	0.2	-	14.7	-	5.9
35		-	12.6	-	13.3	-	2.5	-	22.7	-	19.9
36		-	19.0	-	25.9	-	15.8	-	22.8	-	42.4
37		-	29.5	-	38.2	-	57.6	-	19.8	-	26.9
38		-	13.8	-	13.3	-	20.1	-	7.4	-	3.4
39		-	6.0	-	4.3	-	3.4	-	3.2	-	0.5
40 & Longer		-	3.3	-	0.9	-	0.2	-	0.9	-	0.1
Average Staple		-	36.34	-	36.59	-	37.06	-	35.68	-	36.00
Average Length		-	1.13	-	1.14	-	1.16	-	1.11	-	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	0.3	-	*	-	0.7	-	0.5	-	0.5	6.9	1.7
Bark - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.1	-	0.1	-	0.4	-	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	-	*	-	0.7	-	*	-	*	1.4	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	-	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	-	-	-	-	*	-	*
23	-	*	-	*	-	*	-	-	-	*	-	*
24	-	*	-	*	-	0.1	-	-	-	*	0.1	*
25	-	0.1	-	*	-	0.3	-	0.2	-	0.1	0.5	0.1
26	-	0.3	-	*	-	1.2	-	0.7	-	0.4	2.8	0.5
27	-	1.4	-	0.5	-	2.4	-	1.2	-	1.2	8.9	2.4
28	-	5.0	-	4.3	-	5.1	-	5.1	-	3.5	17.5	8.5
29	-	16.0	-	19.7	-	9.3	-	15.2	-	7.5	28.9	18.7
30	-	28.9	-	35.0	-	13.3	-	19.2	-	14.2	24.8	26.1
31	-	24.9	-	25.6	-	16.8	-	15.4	-	19.2	12.7	22.5
32	-	14.8	-	10.7	-	19.4	-	7.6	-	18.8	3.3	12.9
33	-	6.2	-	3.1	-	14.9	-	6.1	-	14.6	0.5	5.5
34	-	1.8	-	0.8	-	8.1	-	7.7	-	9.7	*	2.0
35	-	0.5	-	0.2	-	4.9	-	6.3	-	6.3	-	0.6
36	-	0.1	-	0.1	-	2.4	-	4.7	-	3.4	*	0.2
37	-	*	-	*	-	1.1	-	5.6	-	0.9	-	*
38	-	*	-	-	-	0.4	-	3.9	-	0.1	-	*
39	-	-	-	-	-	0.2	-	0.9	-	*	-	*
40 & Above	-	-	-	-	-	0.1	-	0.2	-	*	-	*
Average	-	30.97	-	30.76	-	31.97	-	32.31	-	32.23	29.62	30.77
Mike	-	*	-	-	-	-	-	-	-	-	-	*
2.4 & Below	-	*	-	*	-	*	-	-	-	-	-	*
2.5	-	*	-	*	-	*	-	-	-	-	-	*
2.6	-	*	-	*	-	*	-	*	-	-	*	*
2.7	-	*	-	*	-	*	-	*	-	-	-	*
2.8	-	*	-	*	-	0.1	-	*	-	-	*	*
2.9	-	*	-	*	-	0.1	-	*	-	-	-	*
3.0	-	0.1	-	*	-	0.3	-	*	-	*	0.1	*
3.1	-	0.1	-	*	-	0.4	-	0.1	-	*	0.2	*
3.2	-	0.3	-	*	-	0.5	-	0.1	-	*	0.3	0.1
3.3	-	0.3	-	*	-	0.7	-	0.4	-	*	0.5	0.2
3.4	-	0.5	-	*	-	0.9	-	0.4	-	0.1	0.7	0.2
3.5	-	0.7	-	0.1	-	1.1	-	0.6	-	0.1	2.4	0.4
3.6	-	1.1	-	0.1	-	1.6	-	1.3	-	0.2	5.3	0.7
3.7	-	1.9	-	0.1	-	2.4	-	3.3	-	0.3	6.2	1.2
3.8	-	2.8	-	0.2	-	3.6	-	7.0	-	0.5	3.4	2.0
3.9	-	4.0	-	0.3	-	4.4	-	12.5	-	0.8	4.9	3.2
4.0	-	5.7	-	0.7	-	5.5	-	14.6	-	1.4	3.3	4.9
4.1	-	7.3	-	1.5	-	7.1	-	12.9	-	2.4	4.5	6.8
4.2	-	8.3	-	2.9	-	7.9	-	9.0	-	3.7	7.2	8.9
4.3	-	9.5	-	5.1	-	8.5	-	7.3	-	4.7	7.8	10.7
4.4	-	9.9	-	8.4	-	9.4	-	5.7	-	6.4	8.2	12.0
4.5	-	9.8	-	11.2	-	10.1	-	5.2	-	7.8	9.2	12.0
4.6	-	9.1	-	12.9	-	9.8	-	4.6	-	10.1	9.3	11.3
4.7	-	8.0	-	13.4	-	7.9	-	4.0	-	12.5	9.4	9.4
4.8	-	6.7	-	12.3	-	6.4	-	3.1	-	13.1	7.9	7.1
4.9	-	5.2	-	10.2	-	4.5	-	3.2	-	11.9	5.0	4.7
5.0	-	3.6	-	8.0	-	2.8	-	3.1	-	10.5	2.4	2.4
5.1	-	2.2	-	5.7	-	1.4	-	0.8	-	6.7	1.1	1.1
5.2	-	1.3	-	3.5	-	1.1	-	0.4	-	3.2	0.4	0.3
5.3	-	0.7	-	1.8	-	0.7	-	0.1	-	1.9	0.1	0.1
5.4	-	0.3	-	0.9	-	0.5	-	*	-	1.1	-	*
5.5 & Above	-	0.2	-	0.6	-	0.3	-	*	-	0.7	-	*
Average	-	4.41	-	4.70	-	4.36	-	4.21	-	4.71	4.32	4.42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	23.8	-	0.1	-	*	-	*	3.2	1.2	-	8.4
Bark - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	1.0	-	*	-	0.1	-	*	-	0.3	-	1.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	*	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	*	1.2	*	-	0.5
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	0.2	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	*	-	-	-	-
23	-	0.1	-	-	-	*	-	*	-	-	-	-
24	-	0.1	-	*	-	*	-	*	-	*	-	-
25	-	0.6	-	*	-	*	-	*	-	*	-	*
26	-	1.2	-	0.5	-	0.1	-	0.2	0.3	0.1	-	*
27	-	2.6	-	2.1	-	0.6	-	1.0	0.3	0.9	-	0.5
28	-	4.1	-	4.6	-	5.9	-	4.1	3.8	4.8	-	3.7
29	-	8.3	-	10.3	-	27.7	-	13.1	22.2	15.4	-	16.5
30	-	13.9	-	22.4	-	40.3	-	25.6	18.5	26.3	-	25.6
31	-	19.7	-	29.6	-	19.1	-	28.9	11.1	26.5	-	20.4
32	-	19.6	-	19.6	-	5.0	-	16.8	16.8	16.2	-	18.5
33	-	14.6	-	7.8	-	1.1	-	6.9	14.9	7.0	-	11.7
34	-	10.0	-	1.9	-	0.3	-	2.4	7.5	2.2	-	2.1
35	-	4.4	-	0.8	-	0.1	-	0.7	3.8	0.5	-	0.3
36	-	0.7	-	0.3	-	*	-	0.2	0.9	0.1	-	0.2
37	-	0.1	-	*	-	*	-	*	-	*	-	0.1
38	-	*	-	*	-	-	-	-	-	-	-	0.2
39	-	*	-	-	-	-	-	-	-	-	-	0.1
40 & Above	-	-	-	-	-	-	-	-	-	-	-	*
Average	-	31.81	-	31.22	-	30.37	-	31.17	31.60	31.09	-	31.25
Mike	-	-	-	-	-	-	-	-	-	-	-	-
2.4 & Below	-	0.1	-	-	-	-	-	-	-	-	-	-
2.5	-	0.5	-	-	-	-	-	-	-	*	-	-
2.6	-	0.5	-	-	-	-	-	*	-	*	-	-
2.7	-	1.1	-	-	-	*	-	*	-	*	-	*
2.8	-	1.4	-	-	-	*	-	*	-	*	-	*
2.9	-	1.8	-	-	-	*	-	*	-	*	-	*
3.0	-	2.9	-	*	-	*	-	*	-	*	-	-
3.1	-	3.5	-	*	-	*	-	*	-	*	-	*
3.2	-	4.4	-	*	-	*	-	*	-	*	-	0.2
3.3	-	4.7	-	*	-	*	-	*	-	*	-	0.2
3.4	-	6.2	-	*	-	*	-	*	-	0.1	-	1.2
3.5	-	7.3	-	*	-	*	-	0.1	0.2	0.1	-	1.5
3.6	-	7.6	-	*	-	0.1	-	0.1	0.7	0.2	-	1.9
3.7	-	8.2	-	0.1	-	0.2	-	0.2	3.1	0.3	-	1.4
3.8	-	8.3	-	0.2	-	0.5	-	0.3	5.0	0.6	-	1.9
3.9	-	8.9	-	0.5	-	1.0	-	0.5	8.4	1.0	-	2.3
4.0	-	8.0	-	1.0	-	1.9	-	0.7	16.8	1.6	-	4.6
4.1	-	6.3	-	1.9	-	3.2	-	1.1	8.2	2.2	-	6.2
4.2	-	4.9	-	3.3	-	5.2	-	1.9	5.5	3.0	-	5.7
4.3	-	4.7	-	4.8	-	8.0	-	2.9	7.2	4.1	-	9.6
4.4	-	3.5	-	6.2	-	11.5	-	4.2	10.9	5.3	-	11.3
4.5	-	2.6	-	8.0	-	14.1	-	6.2	13.3	7.0	-	8.9
4.6	-	1.2	-	10.8	-	15.3	-	8.5	11.1	8.0	-	11.9
4.7	-	0.9	-	12.0	-	14.0	-	10.2	4.6	9.5	-	10.6
4.8	-	0.4	-	12.7	-	10.6	-	12.2	4.6	10.4	-	6.9
4.9	-	0.2	-	9.9	-	6.9	-	13.6	0.5	11.0	-	4.5
5.0	-	*	-	9.0	-	4.0	-	12.2	-	10.9	-	4.3
5.1	-	*	-	6.7	-	1.9	-	9.5	-	9.4	-	2.7
5.2	-	-	-	5.2	-	0.8	-	6.9	-	7.2	-	1.5
5.3	-	-	-	3.4	-	0.3	-	4.4	-	4.4	-	0.6
5.4	-	-	-	2.4	-	0.1	-	2.5	-	2.1	-	0.1
5.5 & Above	-	-	-	2.0	-	0.1	-	1.9	-	1.6	-	-
Average	-	3.73	-	4.76	-	4.57	-	4.83	4.26	4.78	-	4.44

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	6.8	-	3.5	-	*	-	8.3	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.3	-	0.5	-	*	-	0.2	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	-	-	0.3	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	0.1	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	0.1	-	-	-	-	-	0.2	-	-
23	-	0.3	-	-	-	*	-	0.3	-	-
24	-	0.6	-	*	-	*	-	0.6	-	*
25	-	1.3	-	*	-	*	-	1.4	-	*
26	-	2.0	-	0.1	-	0.1	-	3.2	-	0.2
27	-	3.6	-	0.8	-	1.1	-	6.1	-	2.2
28	-	6.5	-	4.1	-	8.2	-	10.2	-	15.0
29	-	9.5	-	16.8	-	28.9	-	14.4	-	33.5
30	-	12.9	-	32.0	-	39.5	-	16.5	-	28.1
31	-	12.8	-	26.5	-	18.2	-	15.6	-	15.4
32	-	11.8	-	13.1	-	3.5	-	12.8	-	4.4
33	-	15.2	-	5.3	-	0.5	-	9.3	-	1.0
34	-	15.2	-	0.9	-	0.1	-	5.4	-	0.3
35	-	6.7	-	0.2	-	*	-	2.7	-	0.1
36	-	1.2	-	*	-	*	-	1.0	-	*
37	-	0.2	-	*	-	*	-	0.3	-	-
38	-	*	-	-	-	-	-	*	-	-
39	-	*	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	-	31.75	-	30.91	-	30.23	-	30.77	-	30.03
Mike										
2.4 & Below	-	*	-	-	-	-	-	*	-	-
2.5	-	*	-	-	-	-	-	*	-	-
2.6	-	*	-	-	-	*	-	0.1	-	*
2.7	-	*	-	*	-	*	-	0.1	-	*
2.8	-	*	-	*	-	*	-	0.1	-	*
2.9	-	0.1	-	*	-	*	-	0.2	-	*
3.0	-	0.2	-	*	-	*	-	0.2	-	*
3.1	-	0.2	-	*	-	0.1	-	0.3	-	*
3.2	-	0.4	-	0.1	-	0.1	-	0.5	-	*
3.3	-	0.7	-	0.2	-	0.2	-	0.7	-	0.1
3.4	-	1.1	-	0.3	-	0.3	-	0.9	-	0.2
3.5	-	1.5	-	0.4	-	0.5	-	1.2	-	0.4
3.6	-	1.9	-	0.7	-	1.0	-	1.5	-	0.5
3.7	-	2.7	-	1.1	-	1.6	-	2.0	-	0.9
3.8	-	3.5	-	2.0	-	2.4	-	2.6	-	1.5
3.9	-	5.7	-	2.9	-	3.7	-	3.3	-	2.2
4.0	-	7.6	-	4.2	-	5.7	-	4.1	-	3.2
4.1	-	8.7	-	5.9	-	7.9	-	5.2	-	4.9
4.2	-	9.7	-	8.0	-	10.8	-	6.6	-	6.8
4.3	-	10.7	-	10.1	-	14.1	-	7.9	-	8.6
4.4	-	9.6	-	10.8	-	15.1	-	8.9	-	10.2
4.5	-	10.0	-	10.9	-	12.8	-	9.6	-	11.2
4.6	-	8.1	-	11.0	-	10.0	-	9.7	-	12.3
4.7	-	5.5	-	9.7	-	6.7	-	9.2	-	11.5
4.8	-	4.7	-	7.9	-	3.9	-	8.0	-	9.9
4.9	-	3.2	-	5.7	-	1.6	-	6.1	-	6.6
5.0	-	2.3	-	3.8	-	1.0	-	4.3	-	4.5
5.1	-	1.1	-	2.3	-	0.4	-	2.8	-	2.3
5.2	-	0.4	-	1.2	-	0.1	-	1.7	-	1.2
5.3	-	0.1	-	0.6	-	*	-	1.0	-	0.6
5.4	-	*	-	0.2	-	*	-	0.6	-	0.2
5.5 & Above	-	*	-	0.1	-	*	-	0.5	-	0.2
Average	-	4.29	-	4.47	-	4.34	-	4.44	-	4.52

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	*
2.5 - 2.6	-	*	-	*	-	*	-	*	-	-	*	*
2.7 - 2.9	-	0.1	-	*	-	0.2	-	*	-	-	*	*
3.0 - 3.2	-	0.5	-	*	-	1.2	-	0.3	-	*	0.5	0.2
3.3 - 3.4	-	0.8	-	*	-	1.6	-	0.8	-	0.1	1.2	0.4
3.5 - 3.6	-	1.8	-	0.1	-	2.7	-	1.9	-	0.3	7.7	1.1
3.7 - 4.2	-	30.1	-	5.8	-	30.8	-	59.3	-	9.0	29.6	27.0
4.3 - 4.9	-	58.4	-	73.6	-	56.6	-	33.1	-	66.4	56.9	67.2
5.0 - 5.2	-	7.1	-	17.2	-	5.3	-	4.4	-	20.4	3.9	3.9
5.3 & Above	-	1.3	-	3.3	-	1.5	-	0.2	-	3.8	0.1	0.2
Average	-	4.41	-	4.70	-	4.36	-	4.21	-	4.71	4.32	4.42
Leaf												
1 - 2	-	20.3	-	21.4	-	78.0	-	71.7	-	9.4	10.4	10.7
3	-	50.9	-	49.7	-	18.3	-	19.7	-	50.2	49.3	50.1
4	-	23.3	-	23.8	-	3.1	-	6.6	-	32.4	30.7	30.8
5	-	4.8	-	4.7	-	0.5	-	1.7	-	7.0	7.6	7.2
6	-	0.7	-	0.4	-	0.1	-	0.2	-	0.8	1.8	1.1
7	-	0.1	-	*	-	*	-	*	-	0.1	0.3	0.2
8	-	*	-	*	-	*	-	-	-	*	-	*
Average	-	3.14	-	3.12	-	1.98	-	2.15	-	3.40	3.42	3.38
HVI Trash 1/												
00	-	-	-	*	-	*	-	*	-	-	-	*
01	-	3.9	-	3.7	-	43.7	-	35.7	-	0.9	0.6	1.2
02	-	21.8	-	21.5	-	36.8	-	36.7	-	12.1	12.2	13.7
03	-	28.4	-	26.6	-	12.1	-	14.0	-	25.3	25.3	26.2
04	-	21.4	-	20.6	-	4.3	-	5.8	-	25.3	23.9	24.2
05	-	12.5	-	13.1	-	1.7	-	3.5	-	17.5	16.7	16.3
06	-	6.3	-	7.4	-	0.7	-	2.1	-	10.0	9.8	9.2
07	-	3.0	-	3.8	-	0.3	-	1.1	-	5.0	5.4	4.8
08	-	1.4	-	1.8	-	0.1	-	0.5	-	2.2	2.6	2.3
09	-	0.7	-	0.8	-	0.1	-	0.3	-	1.0	1.4	1.1
10	-	0.3	-	0.4	-	*	-	0.1	-	0.4	0.8	0.5
11	-	0.1	-	0.2	-	*	-	0.1	-	0.2	0.6	0.3
12	-	0.1	-	0.1	-	*	-	*	-	0.1	0.3	0.1
13	-	*	-	*	-	*	-	*	-	*	0.3	0.1
14	-	*	-	*	-	*	-	*	-	*	0.2	*
15	-	*	-	*	-	*	-	-	-	*	0.1	*
16	-	*	-	*	-	*	-	-	-	*	*	*
17	-	*	-	*	-	*	-	-	-	-	*	*
18 & Above	-	*	-	*	-	*	-	-	-	*	-	*
Average	-	0.36	-	0.37	-	0.19	-	0.22	-	0.42	0.44	0.41
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	*	-	*
75	-	*	-	*	-	*	-	-	-	-	-	*
76	-	*	-	*	-	*	-	-	-	*	*	*
77	-	0.1	-	*	-	0.3	-	*	-	0.1	0.1	0.1
78	-	0.7	-	0.1	-	2.1	-	0.8	-	0.7	0.8	1.2
79	-	4.6	-	1.2	-	9.0	-	6.8	-	3.9	4.7	7.1
80	-	17.1	-	8.9	-	23.0	-	31.7	-	16.1	23.6	24.3
81	-	33.2	-	21.0	-	32.7	-	28.8	-	33.7	31.5	36.9
82	-	32.4	-	33.7	-	24.7	-	12.8	-	32.4	23.9	22.9
83	-	10.8	-	27.9	-	7.5	-	10.3	-	11.7	13.7	6.5
84	-	1.1	-	6.3	-	0.8	-	8.0	-	1.3	1.7	0.9
85 & Above	-	0.1	-	0.9	-	*	-	0.9	-	*	*	0.1
Average	-	81.74	-	82.45	-	81.39	-	81.58	-	81.78	81.65	81.41
Tenderable 3/	-	86.8	-	78.8	-	88.4	-	92.9	-	67.7	79.6	90.0
SAMPLES CLASSED	-	695,115	-	1,475,602	-	182,691	-	68,028	-	92,319	8,554	2,137,080

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	0.1	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	1.0	-	-	-	-	-	*	-	*	-	-
2.7 - 2.9	-	4.2	-	-	-	*	-	*	-	*	-	*
3.0 - 3.2	-	10.8	-	*	-	*	-	0.1	-	*	-	0.3
3.3 - 3.4	-	10.8	-	*	-	0.1	-	0.1	-	0.1	-	1.4
3.5 - 3.6	-	14.9	-	*	-	0.2	-	0.2	0.9	0.3	-	3.4
3.7 - 4.2	-	44.6	-	6.9	-	12.1	-	4.6	46.8	8.7	-	22.1
4.3 - 4.9	-	13.6	-	64.3	-	80.4	-	57.6	52.3	55.2	-	63.7
5.0 - 5.2	-	*	-	20.9	-	6.7	-	28.6	-	27.5	-	8.5
5.3 & Above	-	-	-	7.8	-	0.6	-	8.9	-	8.1	-	0.7
Average	-	3.73	-	4.76	-	4.57	-	4.83	4.26	4.78	-	4.44
Leaf												
1 - 2	-	10.4	-	15.2	-	31.1	-	15.9	1.4	14.7	-	69.9
3	-	25.9	-	49.4	-	54.6	-	52.3	28.4	54.9	-	22.3
4	-	25.9	-	28.4	-	13.2	-	25.4	59.0	26.1	-	6.1
5	-	20.6	-	6.3	-	1.1	-	5.6	10.6	3.9	-	1.3
6	-	12.3	-	0.6	-	*	-	0.7	0.7	0.3	-	0.3
7	-	4.4	-	0.1	-	*	-	0.1	-	*	-	-
8	-	0.6	-	*	-	-	-	*	-	-	-	-
Average	-	4.13	-	3.27	-	2.83	-	3.23	3.81	3.20	-	2.12
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	*	-	0.1
01	-	3.4	-	2.6	-	5.3	-	2.0	-	1.8	-	37.3
02	-	10.3	-	16.3	-	28.9	-	18.8	1.4	15.6	-	33.1
03	-	13.4	-	25.5	-	31.5	-	28.2	10.6	27.0	-	15.0
04	-	12.9	-	22.6	-	19.2	-	22.3	23.9	24.5	-	6.8
05	-	11.7	-	15.5	-	9.1	-	13.7	30.6	15.8	-	3.6
06	-	10.1	-	9.0	-	3.7	-	7.5	18.8	8.4	-	2.0
07	-	8.9	-	4.6	-	1.4	-	3.9	10.1	4.0	-	1.0
08	-	7.5	-	2.2	-	0.5	-	1.9	2.9	1.7	-	0.5
09	-	6.1	-	1.0	-	0.2	-	0.9	1.2	0.7	-	0.2
10	-	4.8	-	0.5	-	0.1	-	0.4	0.5	0.3	-	0.2
11	-	3.7	-	0.2	-	*	-	0.2	-	0.1	-	0.1
12	-	2.8	-	0.1	-	*	-	0.1	-	0.1	-	*
13	-	1.8	-	*	-	*	-	*	-	*	-	-
14	-	1.2	-	*	-	*	-	*	-	*	-	-
15	-	0.7	-	-	-	*	-	*	-	*	-	-
16	-	0.4	-	-	-	*	-	*	-	*	-	-
17	-	0.2	-	-	-	*	-	*	-	*	-	-
18 & Above	-	0.3	-	-	-	*	-	*	-	*	-	-
Average	-	0.60	-	0.40	-	0.32	-	0.39	0.51	0.40	-	0.22
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	-
75	-	0.1	-	-	-	*	-	-	-	*	-	-
76	-	1.0	-	-	-	*	-	*	-	*	-	-
77	-	5.1	-	*	-	*	-	*	-	*	-	0.1
78	-	17.3	-	0.5	-	0.1	-	0.3	-	0.2	-	1.1
79	-	29.1	-	3.1	-	0.9	-	1.7	0.5	1.8	-	5.0
80	-	24.2	-	10.8	-	9.0	-	7.9	9.6	11.7	-	18.3
81	-	15.8	-	30.7	-	23.4	-	22.3	26.8	30.0	-	43.9
82	-	6.9	-	35.2	-	36.2	-	37.7	44.1	36.5	-	27.2
83	-	0.6	-	17.8	-	25.5	-	23.9	18.3	17.6	-	4.2
84	-	*	-	1.9	-	4.3	-	5.7	0.7	2.1	-	0.2
85 & Above	-	-	-	0.1	-	0.4	-	0.4	-	0.1	-	-
Average	-	79.93	-	82.03	-	82.36	-	82.37	82.15	82.07	-	81.49
Tenderable 3/	-	39.6	-	63.8	-	92.4	-	61.0	73.0	62.5	-	80.6
SAMPLES CLASSED	-	124,092	-	207,195	-	790,678	-	833,038	585	748,492	-	16,119

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Quality Designation	OKLAHOMA WeekSeason	SOUTH CAROLINA WeekSeason	TENNESSEE WeekSeason	TEXAS WeekSeason	VIRGINIA WeekSeason
MIKE					
2.4 & Below	-*	-	-	-*	-
2.5 - 2.6	-*	-	-*	-0.1	-*
2.7 - 2.9	-0.2	-*	-*	-0.4	-*
3.0 - 3.2	-0.9	-0.1	-0.2	-1.1	-0.1
3.3 - 3.4	-1.8	-0.5	-0.5	-1.6	-0.4
3.5 - 3.6	-3.4	-1.1	-1.5	-2.7	-0.9
3.7 - 4.2	-37.9	-24.1	-32.0	-23.8	-19.4
4.3 - 4.9	-51.8	-66.1	-64.2	-59.4	-70.3
5.0 - 5.2	-3.8	-7.3	-1.6	-8.8	-8.0
5.3 & Above	-0.2	-0.9	-*	-2.1	-1.0
Average	-4.29	-4.47	-4.34	-4.44	-4.52
Leaf					
1 - 2	-43.6	-7.7	-42.5	-49.1	-29.8
3	-40.7	-43.6	-46.2	-37.8	-59.8
4	-11.8	-37.8	-10.2	-9.9	-9.8
5	-2.8	-9.6	-1.1	-2.2	-0.7
6	-0.8	-1.1	-0.1	-0.7	-*
7	-0.2	-0.1	-*	-0.2	-
8	-*	-	-	-0.1	-
Average	-2.68	-3.53	-2.66	-2.59	-2.80
HVI Trash 1/					
00	-0.1	-	-*	-0.1	-
01	-15.5	-0.8	-11.1	-17.9	-3.3
02	-30.8	-8.8	-34.6	-34.4	-29.0
03	-23.9	-19.4	-27.6	-23.2	-35.9
04	-13.9	-23.7	-14.8	-12.2	-19.8
05	-7.2	-19.7	-7.0	-5.9	-7.9
06	-3.7	-13.1	-3.0	-2.8	-2.8
07	-2.0	-7.4	-1.2	-1.4	-0.9
08	-1.1	-3.8	-0.5	-0.8	-0.3
09	-0.7	-1.8	-0.2	-0.5	-0.1
10	-0.4	-0.8	-0.1	-0.3	-*
11	-0.3	-0.4	-*	-0.2	-*
12	-0.2	-0.2	-*	-0.1	-*
13	-0.1	-0.1	-*	-0.1	-*
14	-0.1	-*	-*	-*	-
15	-*	-*	-*	-*	-
16	-*	-*	-*	-*	-
17	-*	-*	-*	-*	-
18 & Above	-*	-*	-	-*	-
Average	-0.31	-0.46	-0.29	-0.28	-0.31
UNIFORMITY 2/					
74 & Below	-*	-	-	-*	-
75	-0.1	-	-*	-0.1	-
76	-0.6	-*	-*	-0.7	-
77	-2.5	-*	-*	-2.6	-*
78	-8.0	-0.2	-0.1	-7.7	-0.2
79	-14.9	-2.0	-1.0	-17.0	-2.0
80	-21.8	-13.8	-6.6	-27.1	-13.2
81	-25.1	-37.9	-24.1	-28.0	-33.1
82	-22.1	-32.2	-44.4	-13.8	-35.5
83	-4.7	-12.5	-22.1	-2.6	-14.5
84	-0.1	-1.4	-1.7	-0.3	-1.4
85 & Above	-*	-0.1	-0.1	-*	-0.1
Average	-80.88	-81.88	-82.30	-80.66	-81.96
Tenderable 3/	-78.8	-85.5	-97.5	-72.1	-89.8
SAMPLES CLASSED	-140,874	-330,845	-657,268	-2,722,382	-186,422

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 15, 2024

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	80.6	76.7	-	5.9	-	28.9	8.5	10.4
	2	10.5	13.6	-	12.5	-	30.3	32.6	17.0
	3	-	0.7	-	0.5	-	1.1	3.1	0.9
	4	-	*	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		91.1	90.9	-	18.9	-	60.2	44.2	28.3
02	1	3.9	4.6	-	7.3	-	6.1	2.0	8.4
	2	4.7	3.6	-	49.6	-	22.7	37.5	45.8
	3	-	0.6	-	11.5	-	6.4	15.1	8.7
	4	-	0.1	-	0.6	-	0.3	0.4	0.2
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	*
Total -----		8.6	8.9	-	69.1	-	35.4	55.0	63.2
03	1	-	*	-	0.1	-	*	-	0.1
	2	0.2	0.1	-	3.2	-	1.2	0.1	3.3
	3	0.1	*	-	5.0	-	2.7	0.7	3.6
	4	-	*	-	1.6	-	0.4	-	0.5
	5	-	-	-	0.1	-	-	-	*
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		0.3	0.1	-	10.1	-	4.3	0.8	7.6
04	1	-	-	-	*	-	-	-	-
	2	-	*	-	0.1	-	*	-	0.1
	3	-	*	-	0.5	-	*	-	0.4
	4	-	-	-	0.6	-	*	-	0.4
	5	-	-	-	0.2	-	-	-	*
	6	-	-	-	0.1	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	*	-	1.4	-	0.1	-	0.9
05	1	-	-	-	-	-	-	-	-
	2	-	*	-	*	-	-	-	-
	3	-	*	-	*	-	-	-	*
	4	-	-	-	0.1	-	*	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	0.1	-	-	-	-
	7	-	-	-	0.2	-	-	-	-
Total -----		-	*	-	0.4	-	*	-	0.1
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	0.1	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	*
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	*	-	0.4	-	0.6	2.9	5.8
46		0.1	1.0	-	6.0	-	9.3	-	24.5
48		47.8	58.9	-	26.8	-	65.0	71.8	42.6
50		48.3	38.5	-	51.6	-	23.4	20.1	26.5
52 & Longer		3.9	1.6	-	15.1	-	1.6	5.2	0.6
Average Staple		49.12	48.81	-	49.50	-	48.32	48.50	47.83
Average Length		1.43	1.42	-	1.44	-	1.40	1.42	1.39
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	0.3	-	0.3
Grass		-	-	-	0.1	-	0.2	-	0.2
Spindle Twist		-	*	-	0.3	-	*	-	*
Preparation		-	*	-	*	-	-	-	*
All Other		-	*	-	*	-	*	-	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Feb 15, 2024								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	*	-	*	-	-	0.1	*
2.5 - 2.6	-	*	-	0.2	-	-	-	*
2.7 - 2.9	-	0.1	-	0.8	-	0.1	-	*
3.0 - 3.2	-	0.4	-	1.9	-	0.2	-	*
3.3 - 3.4	0.1	0.9	-	3.9	-	3.5	-	0.8
3.5 - 3.6	1.7	6.3	-	12.1	-	10.2	-	5.9
3.7 - 4.2	98.1	91.7	-	76.2	-	75.6	60.8	70.1
4.3 - 4.9	0.1	0.6	-	4.9	-	10.4	39.1	23.2
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.97	3.89	-	3.86	-	3.94	4.19	4.05
ALL RANGE MIKE								
2.4 & Below	-	*	-	*	-	-	0.1	*
2.5	-	*	-	*	-	-	-	*
2.6	-	*	-	0.1	-	-	-	-
2.7	-	*	-	0.2	-	*	-	-
2.8	-	*	-	0.3	-	*	-	*
2.9	-	*	-	0.3	-	*	-	-
3.0	-	0.2	-	0.4	-	*	-	*
3.1	-	0.1	-	0.6	-	*	-	-
3.2	-	0.1	-	1.0	-	0.2	-	*
3.3	-	0.2	-	1.4	-	0.9	-	0.3
3.4	0.1	0.7	-	2.5	-	2.6	-	0.5
3.5	0.1	2.1	-	4.4	-	4.2	-	2.9
3.6	1.7	4.2	-	7.7	-	6.0	-	3.0
3.7	3.2	10.5	-	10.4	-	8.1	-	5.6
3.8	11.2	18.8	-	13.8	-	11.4	3.0	8.1
3.9	20.4	24.2	-	16.0	-	15.7	1.6	12.6
4.0	33.4	22.5	-	16.1	-	15.3	8.2	11.0
4.1	25.9	12.1	-	12.6	-	13.7	26.9	15.6
4.2	4.0	3.5	-	7.3	-	11.4	21.1	17.3
4.3	-	0.5	-	3.2	-	6.1	25.0	14.5
4.4	0.1	0.1	-	1.2	-	3.1	14.0	6.5
4.5	-	*	-	0.3	-	1.0	0.1	1.9
4.6	-	*	-	0.1	-	0.3	-	0.2
4.7	-	-	-	*	-	*	-	*
4.8	-	-	-	*	-	*	-	-
4.9	-	-	-	*	-	*	-	-
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	3.97	3.89	-	3.86	-	3.94	4.19	4.05
STRENGTH 1/								
36 & Below	-	0.1	-	2.5	-	12.4	2.9	2.5
37	0.1	0.5	-	3.8	-	11.7	-	7.7
38	-	3.0	-	5.7	-	7.9	-	12.0
39	0.1	3.2	-	5.8	-	3.9	-	15.5
40	0.3	9.2	-	7.6	-	2.8	-	7.4
41	10.9	25.9	-	12.1	-	7.3	-	6.2
42	20.0	28.8	-	17.3	-	15.6	14.3	12.5
43	41.8	18.7	-	16.9	-	19.1	22.2	15.4
44	16.0	7.5	-	13.7	-	12.4	32.9	10.8
45	9.5	2.6	-	9.5	-	5.3	22.4	6.5
46	1.1	0.4	-	3.8	-	1.4	4.8	2.2
47	0.1	0.1	-	1.1	-	0.2	0.3	0.9
48 & Above	0.1	0.1	-	0.3	-	0.1	0.3	0.3
Average	43.43	42.22	-	42.37	-	41.22	43.96	41.45
UNIFORMITY								
83 & Below	-	0.1	-	0.6	-	0.1	-	0.1
84	-	0.5	-	4.0	-	3.1	2.9	5.2
85	2.7	14.9	-	18.1	-	32.7	12.8	29.8
86	52.8	56.7	-	49.3	-	44.5	57.1	40.4
87	44.4	27.3	-	26.3	-	19.5	27.0	24.1
88 & Above	0.1	0.5	-	1.7	-	0.2	0.3	0.5
Average	86.84	86.56	-	86.47	-	86.27	86.58	86.29
Samples Classed	1,499	18,608	-	221,097	-	28,774	767	25,450

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.