



Volume 23, No.24

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	13	78.3	59.8	3,615	29	87.9	76.7	637,430
AR	4	96.0	87.8	11,426	29	94.6	84.7	1,252,945
AZ	8	76.7	67.6	17,628	10	83.1	66.2	248,388
CA*	-	-	-	-	13	86.3	71.9	96,270
FL	2	72.0	60.0	1,962	4	86.9	76.6	93,852
GA	49	83.3	69.4	60,394	59	89.4	81.1	2,126,023
KS	2	67.1	53.6	11,265	3	64.4	49.4	106,927
LA	-	-	-	-	16	88.7	69.2	215,499
MO	3	98.3	85.9	1,836	21	97.1	90.7	737,823
MS	4	79.3	54.2	1,265	37	89.6	73.4	856,917
NC	2	94.4	89.1	2,659	33	96.1	87.2	787,348
NM*	-	-	-	-	2	70.7	58.0	19,012
OK	11	78.5	61.7	32,831	12	76.3	59.9	473,256
SC	7	95.2	89.0	17,138	13	94.4	88.8	352,632
TN	-	-	-	-	19	94.8	85.2	573,606
TX	105	69.9	52.3	468,444	177	74.5	57.7	7,032,632
VA*	-	-	-	-	4	97.9	92.3	161,438
United States	214	73.3	57.0	634,996	481	83.5	70.2	15,771,998
AMERICAN PIMA								
AZ	2			1,464	3			14,958
CA*	-			-	14			254,919
NM*	-			-	-			-
TX	2			1,796	3			21,269
United States	6			8,340	21			306,494
United States all cotton	220			643,336	494			16,078,492

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.1	0.9	0.1	0.1	27.9	47.1	-	60.3	2.2	1.7	4.7	3.1
	3	0.5	1.9	0.1	0.1	13.3	11.7	-	11.0	11.7	4.0	7.3	3.7
	4	0.1	0.4	*	*	0.5	0.3	-	0.4	0.6	0.3	0.6	0.3
	5	-	*	-	-	-	*	-	*	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.7	3.2	0.2	0.2	41.7	59.1	-	71.7	14.5	6.0	12.6	7.1
31	1 - 2	1.0	3.1	8.7	3.9	7.3	12.0	-	6.0	0.8	4.9	2.5	4.6
	3	12.9	22.4	26.5	21.7	27.2	17.3	-	7.9	20.6	27.0	15.8	22.4
	4	5.6	15.3	2.7	6.6	11.5	4.7	-	2.2	7.1	8.4	6.5	6.8
	5	0.3	2.3	*	0.2	1.1	0.6	-	0.3	0.2	0.6	0.4	0.4
	6	*	0.1	-	*	*	*	-	0.1	-	*	-	*
	7	-	*	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	19.8	43.2	37.9	32.3	47.2	34.6	-	16.5	28.8	40.9	25.2	34.3
41	1 - 2	1.5	0.6	2.9	1.5	*	0.1	-	1.9	0.1	0.9	2.6	1.0
	3	15.5	14.0	32.6	28.7	0.2	0.4	-	2.1	8.6	17.7	18.0	19.7
	4	17.2	22.5	19.6	31.4	1.6	0.7	-	1.7	13.5	18.1	13.9	21.9
	5	4.0	7.6	2.3	4.1	3.6	0.7	-	0.6	2.0	3.3	2.3	4.8
	6	0.5	0.9	0.1	0.1	2.0	0.3	-	0.1	0.1	0.2	0.1	0.4
	7	0.1	0.1	-	*	0.9	0.2	-	*	-	*	*	*
	8	-	*	-	*	0.3	*	-	-	-	-	-	*
Total	----	38.7	45.7	57.6	65.8	8.6	2.4	-	6.4	24.2	40.2	36.9	47.8
51	1 - 2	1.4	0.1	-	*	-	-	-	0.1	-	0.2	1.5	0.1
	3	18.0	1.1	0.2	0.1	-	*	-	0.4	2.9	1.7	11.2	1.4
	4	13.0	2.0	0.6	0.2	-	*	-	0.2	19.2	3.1	7.3	2.1
	5	1.7	1.2	0.2	0.1	*	*	-	0.1	8.7	1.3	1.2	1.0
	6	0.4	0.2	*	*	0.2	*	-	*	0.8	0.1	0.1	0.2
	7	0.1	*	-	*	0.2	*	-	*	0.1	*	*	*
	8	-	*	-	-	0.2	*	-	-	-	-	-	*
Total	----	34.4	4.6	1.1	0.4	0.6	0.1	-	0.8	31.7	6.4	21.2	4.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	*	*
	4	-	*	-	*	-	-	-	*	-	*	*	*
	5	-	*	-	-	-	-	-	-	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	*	*	-	-	-	-	-	*
Total	----	-	*	-	*	*	*	-	*	-	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	-	0.9	-	0.3	-	*	*	*
	3	-	*	-	*	0.1	0.8	-	1.0	-	*	0.1	*
	4	-	*	-	-	*	0.2	-	0.1	-	*	*	*
	5	-	*	-	-	-	*	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	0.1	1.9	-	1.4	-	*	0.1	*
32	1 - 2	-	*	*	*	*	0.1	-	0.1	-	*	*	*
	3	0.2	0.1	0.3	0.1	0.1	0.6	-	0.7	-	0.1	0.3	0.1
	4	0.5	0.2	0.1	0.1	0.1	0.5	-	0.5	-	0.1	0.2	0.1
	5	0.2	0.1	-	*	0.1	0.1	-	0.1	-	*	*	*
	6	-	*	-	*	*	*	-	0.1	-	-	-	*
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	0.4	0.3	0.2	0.3	1.3	-	1.4	-	0.2	0.6	0.2
42	1 - 2	-	*	-	*	-	*	-	*	-	*	*	*
	3	0.4	0.3	0.3	0.3	*	0.1	-	0.3	-	0.9	0.8	0.9
	4	1.1	0.7	0.3	0.5	0.1	0.1	-	0.2	0.4	1.5	0.9	1.8
	5	0.6	0.3	*	0.1	0.4	0.1	-	0.3	-	0.3	0.2	0.6
	6	0.3	0.1	-	*	0.4	0.1	-	0.1	-	*	*	0.1
	7	0.1	*	-	*	0.2	*	-	*	-	*	-	*
	8	-	*	-	-	0.1	*	-	-	-	-	-	-
Total	----	2.5	1.4	0.5	1.0	1.1	0.4	-	1.1	0.4	2.9	2.0	3.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	*	*	*
	3	0.2	0.1	-	*	-	*	-	*	-	0.5	0.4	0.3
	4	0.4	0.5	-	*	-	*	-	*	0.1	1.5	0.4	0.9
	5	0.2	0.4	-	*	*	*	-	*	0.3	0.7	0.1	0.6
	6	0.1	0.1	-	*	0.1	*	-	*	-	0.1	*	0.1
	7	-	*	-	-	0.1	*	-	*	-	*	*	*
	8	-	*	-	-	0.2	*	-	-	-	*	-	*
Total	----	0.9	1.2	-	0.1	0.4	*	-	0.1	0.4	2.8	0.9	1.9
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	*	-	*	-	*
	4	*	*	-	-	-	-	-	*	-	*	*	*
	5	-	*	-	-	-	-	-	-	-	0.1	-	*
	6	-	*	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	*	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	0.1	0.1	-	-	*	*	-	*	-	0.1	*	*
13 & 23	1 - 2	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	*	-	-	*	*
	4	-	*	*	*	-	*	-	*	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	*	-	0.1	-	-	*	*
33	1 - 2	-	*	-	*	-	*	-	*	-	*	*	*
	3	0.1	*	0.1	*	-	*	-	0.1	-	*	0.1	*
	4	0.2	*	*	*	-	*	-	0.1	-	*	*	*
	5	0.1	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.1	0.2	*	-	*	-	0.3	-	*	0.1	*
43	1 - 2	-	*	*	*	-	-	-	*	-	*	*	*
	3	0.1	*	0.9	*	-	*	-	*	-	0.1	0.1	*
	4	0.3	*	0.9	*	-	*	-	*	-	0.1	0.1	0.1
	5	0.5	*	*	*	-	*	-	*	-	*	*	*
	6	0.1	*	-	*	-	*	-	*	-	*	-	*
	7	0.1	*	-	-	-	*	-	*	-	-	-	*
	8	*	*	-	-	-	*	-	-	-	-	-	*
Total	----	1.1	0.1	1.8	0.1	-	*	-	0.1	-	0.2	0.2	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	*	*	*	*	-	-	-	*	-	*	*	*
	4	0.1	*	*	*	-	-	-	*	-	0.1	*	0.1
	5	0.1	*	*	*	-	*	-	*	-	0.1	*	0.1
	6	-	*	-	*	-	-	-	*	-	*	*	*
	7	*	*	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total	----	0.2	0.1	0.1	*	-	*	-	*	-	0.2	0.1	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	*
	4	-	*	-	-	-	-	-	*	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	*	-	*
24 - 54	1 - 8	0.4	*	0.2	*	-	*	-	*	-	*	0.1	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	-	-	*	-	*
32		-	0.1	-	*	-	-	-	*	-	0.1	0.1	0.1
33		1.3	0.5	-	*	*	*	-	*	-	0.2	1.9	0.9
34		4.1	2.7	*	0.1	0.5	0.4	-	0.7	0.1	1.3	7.6	5.1
35		13.5	7.5	0.8	2.6	2.4	4.5	-	4.8	0.3	5.2	15.1	12.1
36		15.1	14.7	7.2	11.1	13.9	13.5	-	13.4	17.7	14.4	23.5	19.9
37		43.8	33.3	22.8	24.7	22.1	35.7	-	30.8	21.7	24.6	37.1	38.8
38		18.0	23.4	24.7	31.3	25.8	25.5	-	24.1	14.9	20.8	11.6	17.7
39		3.9	13.0	27.1	24.2	26.1	15.3	-	19.8	21.6	22.3	2.4	4.9
40 & Longer		0.3	5.0	17.4	6.1	9.1	5.1	-	6.5	23.8	11.0	0.6	0.6
Average Staple		36.67	37.25	38.25	37.82	37.86	37.48	-	37.59	38.11	37.69	36.33	36.66
Average Length		1.15	1.16	1.20	1.18	1.18	1.17	-	1.17	1.19	1.18	1.13	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	5.9	20.6	-	0.6	0.2	0.1	1.5	0.6	0.9	0.9	-	88.8
	3	7.7	10.5	-	0.7	0.1	0.1	7.1	0.7	6.8	0.8	-	6.8
	4	1.0	1.3	-	*	-	*	0.5	0.1	1.3	0.1	-	0.1
	5	0.1	*	-	-	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	14.7	32.4	-	1.3	0.2	0.3	9.1	1.3	9.1	1.8	-	95.7
31	1 - 2	7.6	4.8	-	3.5	12.9	6.2	7.7	3.8	1.8	8.9	-	1.5
	3	43.3	25.8	-	33.7	18.6	29.1	61.3	20.7	36.7	30.8	-	1.8
	4	21.3	17.9	-	14.8	0.1	6.7	9.4	11.2	18.9	10.5	-	0.7
	5	2.3	3.5	-	0.5	-	0.1	-	1.1	0.4	0.6	-	*
	6	0.2	0.3	-	*	-	-	-	*	-	*	-	-
	7	*	*	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	74.8	52.3	-	52.6	31.5	42.1	78.5	36.8	57.8	50.8	-	4.0
41	1 - 2	0.1	*	-	0.2	12.3	1.6	0.1	1.4	0.2	1.7	-	*
	3	2.2	1.0	-	13.7	44.3	27.7	5.2	21.8	10.1	19.5	-	*
	4	5.0	3.7	-	26.1	10.9	24.3	1.7	29.1	12.3	20.4	-	*
	5	1.9	3.1	-	4.1	0.4	2.9	-	6.7	1.6	4.2	-	0.1
	6	0.1	1.0	-	0.1	-	0.1	-	0.4	-	0.3	-	0.1
	7	*	0.1	-	-	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	9.4	9.0	-	44.3	67.9	56.5	7.0	59.4	24.1	46.3	-	0.2
51	1 - 2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	*	0.1	*	0.2	0.2	0.8	*	-	-
	4	-	*	-	0.1	0.1	*	0.2	0.4	5.2	0.1	-	-
	5	*	*	-	0.1	-	*	-	0.2	1.6	0.1	-	-
	6	-	*	-	*	-	*	-	0.1	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	*	-	*	-	*	-	-
Total	----	*	0.1	-	0.2	0.2	0.1	0.4	0.8	7.6	0.2	-	-
61	1 - 2	*	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	*	*	-	-	-	-	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	2.2	-	*	-	-	0.1	*	-	*	-	*
	3	0.2	0.8	-	*	-	*	0.9	*	-	*	-	-
	4	0.2	0.2	-	*	-	*	0.2	*	-	*	-	*
	5	*	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	3.2	-	*	-	*	1.1	*	-	*	-	*
32	1 - 2	*	*	-	*	-	*	-	*	-	*	-	-
	3	0.2	0.6	-	0.1	-	0.1	1.4	0.1	0.1	0.3	-	-
	4	0.2	0.9	-	0.2	-	0.1	0.6	0.1	0.1	0.1	-	-
	5	0.1	0.4	-	*	-	*	-	*	-	*	-	-
	6	*	0.1	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	2.0	-	0.4	-	0.2	2.0	0.3	0.2	0.4	-	-
42	1 - 2	-	*	-	*	-	*	-	0.1	-	*	-	-
	3	-	*	-	0.1	-	0.2	0.4	0.4	*	0.1	-	-
	4	-	*	-	0.6	0.1	0.4	0.7	0.5	0.2	0.2	-	-
	5	-	0.1	-	0.3	0.2	0.1	-	0.1	0.2	0.1	-	-
	6	-	0.1	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	0.2	-	1.1	0.3	0.7	1.1	1.1	0.4	0.4	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	KANSAS <i>Week Season</i>		LOUISIANA <i>Week Season</i>		MISSOURI <i>Week Season</i>		MISSISSIPPI <i>Week Season</i>		NORTH CAROLINA <i>Week Season</i>		NEW MEXICO <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	0.6	0.1	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	*	-	*	-	*	<i>0.6</i>	<i>0.1</i>	-	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	*	-	*	-	*	-	-	-	-
13 & 23	1 - 2	-	0.3	-	-	-	-	-	*	-	*	-	-
	3	-	*	-	-	-	*	0.1	*	-	*	-	-
	4	-	*	-	-	-	-	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	<i>0.3</i>	-	-	-	*	<i>0.1</i>	*	-	*	-	-
33	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	*	-	*	-	*	-	*	-	-
	4	*	0.1	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	*	<i>0.2</i>	-	*	-	*	-	*	-	*	-	-
43	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	*	-	*	-	*	*	*	-	*
	4	-	*	-	*	-	*	0.2	*	0.2	*	-	-
	5	-	0.1	-	*	-	*	-	*	0.2	*	-	-
	6	-	*	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	<i>0.1</i>	-	<i>0.1</i>	-	<i>0.1</i>	<i>0.2</i>	*	<i>0.4</i>	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	*	0.1	*	-	-
	5	-	-	-	*	-	-	-	*	0.1	*	-	-
	6	-	*	-	*	-	-	-	*	0.1	*	-	-
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
<i>Total</i>	----	-	*	-	*	-	*	-	*	<i>0.3</i>	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	0.1	-	*	-	*	-	*	0.2	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	*	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	*	-	-
31		-	0.4	-	-	-	-	-	-	-	*	-	-
32		0.1	2.8	-	-	-	*	-	*	*	*	-	-
33		4.2	8.4	-	*	-	*	-	*	0.2	0.4	-	-
34		16.4	20.2	-	0.2	-	0.3	-	0.4	2.5	3.0	-	0.3
35		31.3	28.7	-	3.3	0.2	2.8	4.5	3.2	16.0	12.1	-	4.5
36		26.1	24.4	-	6.7	12.4	10.9	13.9	8.1	23.9	27.1	-	20.2
37		19.2	12.6	-	17.2	33.3	26.0	16.7	21.7	33.7	38.1	-	36.6
38		2.7	2.0	-	26.3	21.8	34.0	53.1	23.7	19.1	15.0	-	21.4
39		0.1	0.4	-	29.0	26.5	21.7	11.4	27.3	4.4	3.8	-	9.5
40 & Longer		-	0.1	-	17.4	5.7	4.2	0.4	15.6	0.2	0.5	-	7.5
<i>Average Staple</i>		<i>35.48</i>	<i>35.11</i>	-	<i>38.25</i>	<i>37.79</i>	<i>37.73</i>	<i>37.54</i>	<i>38.12</i>	<i>36.64</i>	<i>36.63</i>	-	<i>37.35</i>
<i>Average Length</i>		<i>1.10</i>	<i>1.09</i>	-	<i>1.20</i>	<i>1.18</i>	<i>1.18</i>	<i>1.17</i>	<i>1.19</i>	<i>1.14</i>	<i>1.14</i>	-	<i>1.17</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	47.8	41.0	3.9	1.3	-	1.2	69.8	53.6	-	0.2
	3	11.3	13.8	4.6	1.8	-	1.1	16.3	17.2	-	0.3
	4	0.6	0.9	0.1	0.1	-	0.1	1.2	1.8	-	*
	5	*	*	-	*	-	*	*	0.1	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	59.8	55.7	8.7	3.2	-	2.4	87.3	72.6	-	0.4
31	1 - 2	16.1	9.6	6.2	4.6	-	14.9	2.9	2.4	-	7.4
	3	15.7	17.1	34.5	30.1	-	40.1	4.5	8.4	-	30.4
	4	2.1	7.4	14.0	15.3	-	11.5	2.2	4.1	-	5.2
	5	0.2	1.1	0.7	1.3	-	0.9	0.5	0.6	-	0.1
	6	*	0.1	*	*	-	*	*	0.1	-	*
	7	-	*	-	-	-	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	34.3	35.3	55.4	51.4	-	67.5	10.2	15.5	-	43.0
41	1 - 2	0.9	0.2	1.2	0.5	-	1.2	*	0.2	-	3.2
	3	1.3	0.6	13.4	12.9	-	12.5	*	1.6	-	34.3
	4	1.2	1.2	14.9	21.8	-	13.0	0.1	1.9	-	17.1
	5	0.3	0.9	2.5	5.9	-	2.6	0.1	0.5	-	1.5
	6	*	0.3	0.1	0.3	-	0.2	0.1	0.1	-	*
	7	*	0.1	-	*	-	*	*	*	-	*
	8	-	*	-	-	-	*	*	*	-	-
Total	----	3.8	3.3	32.1	41.4	-	29.5	0.3	4.3	-	56.2
51	1 - 2	*	*	*	*	-	*	*	*	-	-
	3	*	*	1.2	0.2	-	*	*	*	-	*
	4	-	*	1.0	0.9	-	*	-	0.1	-	*
	5	-	*	0.1	0.7	-	*	*	*	-	*
	6	-	*	*	0.1	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
Total	----	*	*	2.3	1.8	-	*	*	0.2	-	0.1
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	*	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.2	1.6	-	*	-	*	1.0	2.6	-	*
	3	0.3	1.1	*	*	-	*	0.6	2.0	-	-
	4	*	0.3	*	*	-	*	0.1	0.4	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	3.0	*	*	-	*	1.7	5.1	-	*
32	1 - 2	*	0.3	-	*	-	*	0.1	0.1	-	*
	3	0.2	0.6	*	*	-	0.2	0.1	0.4	-	0.1
	4	0.1	0.5	0.1	0.1	-	0.1	0.1	0.3	-	*
	5	*	0.2	*	*	-	*	*	0.1	-	*
	6	*	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	*	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.4	1.7	0.1	0.2	-	0.3	0.3	0.9	-	0.1
42	1 - 2	*	*	-	*	-	*	*	*	-	*
	3	*	*	*	0.2	-	0.1	*	0.1	-	0.1
	4	-	*	0.4	0.7	-	*	*	0.3	-	0.1
	5	-	0.1	0.1	0.3	-	*	*	0.1	-	*
	6	*	*	-	*	-	*	*	*	-	-
	7	-	*	-	*	-	*	*	*	-	-
	8	-	*	-	-	-	*	*	*	-	-
Total	----	*	0.2	0.5	1.2	-	0.2	*	0.6	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	*	*	-	*
	4	*	*	0.5	0.3	-	*	*	0.1	-	*
	5	-	*	0.2	0.3	-	-	-	*	-	*
	6	-	*	0.1	*	-	-	-	*	-	-
	7	-	*	*	*	-	-	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
	Total	----	*	*	0.8	0.7	-	*	*	0.1	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	-	-	-	*	-	-	-	*	-
13 & 23	1 - 2	*	0.1	-	-	-	*	0.1	0.1	-	-
	3	*	0.1	*	*	-	*	*	0.2	-	-
	4	*	0.1	*	*	-	*	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.3	*	*	-	*	0.1	0.4	-
33	1 - 2	*	*	-	*	-	*	*	*	-	-
	3	*	0.1	*	*	-	*	*	0.1	-	*
	4	*	0.1	*	*	-	*	*	0.1	-	*
	5	*	*	-	*	-	*	*	*	-	-
	6	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	0.1	0.3	*	*	-	0.1	0.1	0.2	-
43	1 - 2	-	*	-	*	-	-	*	*	-	*
	3	-	*	-	*	-	*	*	*	-	*
	4	*	*	*	*	-	*	*	*	-	*
	5	*	*	-	*	-	*	*	*	-	*
	6	*	*	*	*	-	*	*	*	-	-
	7	-	*	-	-	-	*	*	*	-	-
	8	-	*	-	-	-	*	*	*	-	-
	Total	----	*	0.1	*	0.1	-	*	*	0.1	-
53	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	-	*	-	*	-	-	*	*	-	-
	4	-	*	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
	Total	----	-	*	-	*	-	-	*	*	-
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	*	-
24 - 54	1 - 8	*	0.1	*	*	-	*	*	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	0.1	-	-
31		0.1	0.1	-	-	-	-	0.6	0.3	-	*
32		1.9	1.0	*	*	-	-	2.6	1.2	-	*
33		4.0	2.8	0.4	0.4	-	0.1	8.4	4.1	-	0.3
34		11.0	7.0	4.8	3.6	-	0.6	18.2	10.6	-	2.5
35		13.9	12.9	16.7	9.0	-	2.9	23.8	17.9	-	10.0
36		16.1	15.6	10.0	15.5	-	13.6	21.1	22.6	-	23.5
37		17.7	25.6	32.5	36.5	-	39.1	17.7	27.7	-	34.9
38		12.1	17.8	28.6	25.9	-	27.4	5.4	11.1	-	21.8
39		12.7	11.9	6.6	7.9	-	14.1	1.7	3.8	-	6.4
40 & Longer		10.5	5.2	0.3	1.1	-	2.3	0.4	0.8	-	0.6
Average Staple		36.67	36.78	36.83	36.99	-	37.41	35.36	36.07	-	36.84
Average Length		1.14	1.15	1.15	1.16	-	1.17	1.10	1.12	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	4.3	1.1	0.6	0.7	4.1	0.5	-	0.3	1.9	0.6	2.8	0.7
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	*	-	0.1	0.2	0.1	-	0.5	0.1	0.1	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	*	*	-	*	-	*	*	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	9.0	0.9	0.1	*	3.9	0.8	-	0.2	22.8	1.6	4.3	1.8
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	*	-	*	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	0.1	*	1.3	0.1	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	0.1	*	-	-	-	-	*	*
23	*	*	-	-	*	*	-	-	-	*	0.2	*
24	0.2	*	-	*	*	*	-	-	-	*	0.6	0.1
25	0.5	0.1	-	*	*	*	-	*	-	0.1	1.8	0.5
26	2.8	0.4	-	*	0.2	0.1	-	*	0.1	0.3	5.8	1.9
27	8.3	2.2	0.1	0.3	1.6	0.7	-	0.3	0.2	1.4	13.7	6.3
28	16.4	8.6	1.5	2.3	4.4	3.7	-	1.0	3.1	5.0	21.3	15.8
29	30.1	23.0	8.6	10.0	9.0	9.0	-	3.2	14.0	15.4	26.0	27.8
30	20.3	29.9	24.8	24.8	17.2	16.5	-	9.0	32.8	28.5	19.1	27.0
31	12.1	21.2	30.7	32.8	22.5	23.8	-	18.5	23.0	23.7	7.9	13.6
32	8.6	9.7	21.2	19.4	22.1	21.0	-	15.0	19.0	13.7	2.6	4.8
33	0.5	3.5	8.8	7.5	12.3	13.2	-	9.1	6.6	7.8	0.7	1.6
34	0.1	1.0	3.1	2.2	5.1	7.3	-	11.1	1.0	3.1	0.1	0.4
35	-	0.2	1.0	0.5	2.5	3.2	-	10.2	0.1	0.7	*	0.1
36	-	0.1	0.2	0.1	1.5	1.1	-	7.3	0.2	0.1	*	*
37	-	*	-	*	0.9	0.3	-	7.9	0.1	*	*	*
38	-	*	-	-	0.3	0.1	-	5.3	-	*	-	*
39	-	-	-	-	0.1	*	-	1.5	-	*	-	*
40 & Above	-	-	-	-	*	*	-	0.4	-	-	-	-
Average	29.72	30.52	31.51	31.36	31.76	31.87	-	33.71	31.08	31.05	29.13	29.86
Mike												
2.4 & Below	-	-	-	-	0.1	*	-	-	-	-	*	*
2.5	-	*	-	-	*	*	-	-	-	-	*	*
2.6	-	*	-	-	0.1	*	-	*	-	*	*	*
2.7	-	*	-	-	0.7	0.2	-	*	-	*	0.1	*
2.8	-	0.1	-	*	1.3	0.2	-	*	-	-	0.1	*
2.9	-	0.1	-	*	1.2	0.4	-	0.1	-	-	0.2	*
3.0	-	0.2	-	*	0.9	0.3	-	0.2	-	*	0.4	0.1
3.1	-	0.4	*	*	1.1	0.5	-	0.2	-	*	0.7	0.1
3.2	0.1	0.6	-	*	2.0	0.8	-	0.3	-	0.1	1.3	0.2
3.3	0.9	1.2	*	*	2.1	1.0	-	0.4	-	0.1	1.7	0.4
3.4	3.1	1.9	0.1	*	2.0	1.3	-	1.0	-	0.2	2.0	0.6
3.5	4.7	2.7	0.2	0.1	3.8	1.7	-	1.6	-	0.5	3.3	1.0
3.6	7.7	3.9	1.0	0.2	4.0	2.0	-	2.2	-	0.9	4.4	1.5
3.7	10.8	5.1	3.0	0.5	5.1	2.1	-	2.8	0.1	1.4	6.3	2.2
3.8	12.6	6.7	4.7	1.0	4.7	3.2	-	4.2	0.2	1.9	7.0	3.1
3.9	9.8	7.9	6.4	1.9	4.9	3.8	-	6.1	1.5	2.9	8.8	4.6
4.0	8.2	8.9	9.0	3.9	5.7	4.5	-	6.5	-	3.9	9.4	6.4
4.1	12.0	9.5	9.6	6.7	7.7	5.4	-	7.4	1.6	6.1	10.5	8.6
4.2	6.1	9.3	11.7	9.9	10.5	6.6	-	8.5	5.2	8.1	10.5	10.6
4.3	3.1	9.1	11.6	12.5	9.0	7.7	-	9.4	4.9	10.6	9.6	12.8
4.4	3.3	8.4	9.9	14.5	9.4	9.4	-	8.3	14.7	11.8	7.3	13.6
4.5	2.3	6.9	10.4	14.2	7.8	10.1	-	8.9	24.1	11.8	6.3	12.5
4.6	4.1	5.4	8.4	12.2	5.8	8.9	-	7.4	17.3	12.6	4.9	9.9
4.7	3.3	4.5	7.0	9.3	4.6	7.7	-	5.6	12.8	11.4	2.8	6.1
4.8	1.4	3.1	5.1	6.1	1.8	7.0	-	5.5	10.2	6.6	1.5	3.2
4.9	4.4	2.0	1.5	3.5	1.3	5.6	-	4.7	4.1	3.9	0.6	1.5
5.0	1.9	1.1	0.3	1.8	0.8	3.9	-	3.0	1.6	2.6	0.2	0.6
5.1	0.1	0.6	0.1	0.9	0.9	2.8	-	2.5	1.5	1.6	0.2	0.3
5.2	-	0.2	*	0.4	0.7	1.4	-	1.6	0.1	0.6	*	0.1
5.3	-	0.1	-	0.1	-	0.8	-	0.8	-	0.2	*	*
5.4	-	0.1	-	0.1	-	0.4	-	0.3	-	0.1	*	*
5.5 & Above	-	*	-	*	-	0.2	-	0.3	-	0.1	*	*
Average	4.03	4.15	4.29	4.44	4.09	4.38	-	4.34	4.55	4.44	4.07	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	22.5	20.3	-	0.3	-	0.2	2.1	1.0	3.7	0.4	-	0.6
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.3	-	*	0.1	*	0.1	0.1	-	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	*	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.6	0.2	-	0.3	-	*	-	*	-	*	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	0.4	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	*	-	*
24	-	0.1	-	-	-	-	-	*	-	*	-	*
25	*	0.6	-	-	-	*	-	*	0.1	*	-	0.1
26	0.1	1.2	-	*	-	*	-	0.2	0.7	0.2	-	0.6
27	0.6	2.6	-	0.2	0.1	0.1	1.1	0.7	3.2	1.2	-	4.7
28	5.5	5.6	-	1.1	0.7	1.9	5.8	3.8	7.4	5.6	-	9.3
29	17.2	15.3	-	9.9	5.3	15.3	25.1	12.2	13.2	16.9	-	21.7
30	31.9	27.0	-	35.7	31.5	34.7	37.9	25.5	19.4	27.9	-	32.2
31	20.0	21.4	-	29.6	35.0	30.9	25.3	29.5	25.0	25.4	-	21.9
32	12.2	13.9	-	11.4	22.2	12.9	4.1	17.4	17.8	14.1	-	7.1
33	9.0	8.5	-	7.5	3.8	3.5	0.6	7.1	9.6	6.1	-	1.8
34	2.9	3.1	-	3.3	1.4	0.6	-	2.5	3.0	2.0	-	0.5
35	0.5	0.6	-	0.8	-	0.1	-	0.8	0.6	0.5	-	*
36	0.1	0.1	-	0.6	0.1	*	-	0.1	-	*	-	0.1
37	*	*	-	*	-	*	-	*	-	*	-	*
38	-	*	-	-	-	-	-	*	-	-	-	*
39	-	*	-	-	-	-	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.99	30.93	-	31.28	31.37	30.95	30.44	31.23	31.09	30.95	-	30.33
Mike												
2.4 & Below	*	*	-	-	-	-	-	*	-	-	-	0.1
2.5	0.1	0.1	-	-	-	*	-	*	-	*	-	0.1
2.6	0.6	0.2	-	-	-	*	-	*	-	*	-	0.6
2.7	0.4	0.1	-	-	-	*	-	*	-	*	-	1.2
2.8	0.4	0.1	-	-	-	*	0.1	*	-	*	-	1.8
2.9	0.3	0.4	-	-	-	*	-	*	-	*	-	3.4
3.0	0.2	0.7	-	-	-	*	0.2	*	-	*	-	2.2
3.1	0.7	0.8	-	-	-	*	1.3	*	-	*	-	3.2
3.2	0.7	1.0	-	-	-	0.1	1.3	0.1	*	*	-	4.2
3.3	0.7	1.4	-	*	-	0.2	4.7	0.1	0.3	0.1	-	4.9
3.4	1.4	2.0	-	*	0.1	0.3	10.4	0.2	0.4	0.1	-	5.7
3.5	3.0	2.1	-	*	0.1	0.6	6.3	0.3	1.5	0.2	-	6.4
3.6	4.9	3.3	-	0.1	0.8	1.0	19.1	0.4	2.7	0.4	-	4.4
3.7	5.4	4.5	-	0.2	1.6	1.6	12.5	0.8	4.5	0.7	-	5.0
3.8	4.3	4.5	-	0.4	3.5	2.6	20.9	1.2	6.4	1.3	-	7.2
3.9	6.2	5.9	-	0.5	9.4	4.3	10.8	1.8	10.3	2.3	-	7.2
4.0	5.8	6.1	-	0.8	13.9	6.4	7.9	2.5	9.9	4.3	-	7.3
4.1	6.6	6.8	-	1.4	14.3	10.1	2.6	3.8	13.3	6.6	-	5.9
4.2	4.2	5.7	-	3.2	10.0	13.1	0.9	5.6	14.2	9.5	-	6.3
4.3	4.8	6.8	-	6.2	8.5	14.6	0.6	8.5	12.9	12.4	-	5.6
4.4	6.2	7.2	-	9.2	3.5	13.6	0.2	11.3	10.6	14.5	-	5.1
4.5	8.0	8.7	-	13.5	6.3	11.8	-	13.4	5.8	15.2	-	4.1
4.6	9.8	7.4	-	17.7	4.6	8.4	0.2	13.9	4.1	12.8	-	2.9
4.7	7.1	7.1	-	17.2	10.8	5.2	0.1	12.8	1.9	9.2	-	2.0
4.8	6.1	6.0	-	12.0	9.0	3.2	-	9.9	1.1	5.5	-	1.0
4.9	5.1	4.9	-	7.7	2.5	1.7	-	6.1	0.3	2.7	-	0.9
5.0	4.2	3.5	-	5.1	0.9	0.7	-	3.5	*	1.3	-	0.3
5.1	2.5	2.0	-	3.1	-	0.3	-	1.9	-	0.5	-	0.4
5.2	0.5	0.7	-	0.9	-	0.1	-	1.0	-	0.2	-	0.4
5.3	*	0.2	-	0.4	0.1	*	-	0.6	-	0.1	-	0.3
5.4	-	*	-	0.2	-	*	-	0.2	-	*	-	*
5.5 & Above	-	*	-	0.1	-	*	-	0.1	-	*	-	-
Average	4.26	4.26	-	4.62	4.29	4.31	3.69	4.53	4.14	4.42	-	3.81

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	6.4	5.9	1.6	1.5	-	0.3	4.9	4.6	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	0.1	0.1	*	0.1	-	*	0.2	0.3	-	*
Grass - Level 2	-	-	-	*	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	*	*	*	*	-	*	0.6	0.7	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	-	*	*	-	-
23	*	*	-	-	-	-	*	*	-	*
24	0.3	0.1	0.1	*	-	*	0.2	0.1	-	*
25	0.7	0.3	0.4	0.2	-	*	1.1	0.5	-	0.1
26	2.0	1.1	1.4	1.1	-	*	3.5	1.9	-	0.2
27	5.7	3.6	7.0	3.5	-	0.2	8.6	5.6	-	1.5
28	12.4	8.3	23.9	11.2	-	2.7	16.2	12.4	-	8.7
29	14.0	13.4	33.6	25.1	-	17.1	21.3	18.9	-	26.0
30	15.0	16.8	23.5	30.0	-	35.9	19.5	20.7	-	31.9
31	17.4	17.9	7.4	18.7	-	29.4	14.1	17.3	-	19.3
32	15.1	16.8	2.1	7.2	-	11.3	8.4	12.0	-	8.5
33	10.7	12.1	0.5	2.4	-	2.7	4.2	6.6	-	2.8
34	5.1	6.7	0.1	0.6	-	0.5	1.9	2.8	-	0.9
35	1.3	2.2	*	0.1	-	0.1	0.7	1.0	-	0.2
36	0.1	0.5	*	*	-	*	0.2	0.2	-	*
37	*	0.1	-	*	-	-	*	0.1	-	-
38	*	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	*	*	-	-
Average	30.82	31.27	29.48	30.25	-	30.84	30.00	30.53	-	30.45
Mike										
2.4 & Below	*	*	-	-	-	*	0.1	0.1	-	-
2.5	*	*	-	*	-	*	0.3	0.2	-	-
2.6	*	0.2	-	*	-	0.1	0.4	0.3	-	-
2.7	*	0.2	-	*	-	0.1	0.8	0.5	-	-
2.8	0.2	0.4	-	*	-	0.1	1.0	0.7	-	-
2.9	0.6	0.7	-	*	-	0.1	1.4	1.0	-	*
3.0	1.3	1.3	*	*	-	0.1	2.1	1.5	-	*
3.1	1.8	2.1	*	0.1	-	0.2	2.7	2.1	-	*
3.2	1.9	2.7	0.4	0.1	-	0.3	3.5	2.8	-	*
3.3	3.1	3.9	0.3	0.1	-	0.5	4.6	3.5	-	0.1
3.4	4.8	5.4	0.7	0.4	-	0.7	5.5	4.2	-	0.2
3.5	5.9	6.4	1.4	0.5	-	1.0	6.6	4.9	-	0.4
3.6	7.6	7.2	2.1	0.9	-	1.6	7.5	5.5	-	0.8
3.7	8.2	8.0	4.0	1.7	-	2.4	8.2	6.2	-	1.3
3.8	9.5	9.0	4.9	2.7	-	3.5	8.8	6.7	-	2.2
3.9	9.9	9.2	6.8	4.6	-	4.6	8.8	7.2	-	3.5
4.0	9.2	9.4	8.7	7.0	-	5.9	8.4	7.4	-	5.6
4.1	8.7	8.5	9.4	10.6	-	7.9	7.6	7.6	-	8.6
4.2	8.3	7.4	11.7	13.8	-	9.7	6.1	7.3	-	12.3
4.3	7.3	6.1	14.1	15.6	-	11.0	4.7	6.8	-	15.4
4.4	4.1	4.3	13.3	14.4	-	12.2	3.4	6.0	-	15.8
4.5	3.7	3.0	9.8	11.3	-	11.8	2.5	5.3	-	13.6
4.6	2.1	2.0	7.2	7.3	-	10.1	1.7	4.4	-	9.5
4.7	1.0	1.4	3.6	4.5	-	7.0	1.2	3.3	-	5.2
4.8	0.4	0.6	1.4	2.3	-	4.5	0.9	2.1	-	2.9
4.9	0.3	0.3	0.2	1.1	-	2.5	0.7	1.1	-	1.2
5.0	0.1	0.1	0.1	0.5	-	1.3	0.4	0.6	-	0.7
5.1	*	0.1	*	0.2	-	0.6	0.2	0.4	-	0.3
5.2	-	*	-	0.1	-	0.2	0.1	0.2	-	0.1
5.3	-	*	*	*	-	*	*	0.1	-	0.1
5.4	-	*	-	*	-	*	*	*	-	*
5.5 & Above	-	-	-	*	-	*	*	*	-	*
Average	3.89	3.86	4.21	4.29	-	4.31	3.80	3.96	-	4.33

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	0.1	*	-	-	-	-	*	*
2.5 - 2.6	-	*	-	-	0.1	0.1	-	*	-	*	*	*
2.7 - 2.9	-	0.2	-	*	3.1	0.8	-	0.1	-	*	0.3	*
3.0 - 3.2	0.1	1.2	*	*	4.0	1.6	-	0.6	-	0.1	2.4	0.4
3.3 - 3.4	4.0	3.1	0.1	0.1	4.1	2.3	-	1.4	-	0.3	3.6	1.0
3.5 - 3.6	12.4	6.6	1.2	0.3	7.8	3.7	-	3.8	-	1.4	7.7	2.4
3.7 - 4.2	59.4	47.3	44.4	24.0	38.6	25.5	-	35.6	8.6	24.3	52.5	35.5
4.3 - 4.9	22.0	39.4	53.9	72.3	39.7	56.5	-	49.8	88.2	68.8	33.0	59.6
5.0 - 5.2	2.0	2.0	0.4	3.1	2.5	8.2	-	7.1	3.2	4.8	0.4	0.9
5.3 & Above	-	0.2	-	0.2	-	1.4	-	1.5	-	0.4	*	*
Average	4.03	4.15	4.29	4.44	4.09	4.38	-	4.34	4.55	4.44	4.07	4.30
Leaf												
1 - 2	4.0	4.8	11.8	5.5	35.2	60.4	-	68.8	3.2	7.7	11.5	9.0
3	47.9	39.9	61.1	50.9	40.8	30.9	-	23.7	43.8	52.1	54.0	48.5
4	38.4	41.8	24.3	38.9	14.0	6.4	-	5.5	40.9	33.4	29.9	34.1
5	8.0	11.9	2.7	4.6	5.2	1.5	-	1.5	11.2	6.4	4.3	7.6
6	1.4	1.5	0.2	0.1	2.7	0.5	-	0.4	0.9	0.5	0.3	0.7
7	0.3	0.1	-	*	1.4	0.2	-	0.1	0.1	*	*	*
8	*	*	-	*	0.8	0.1	-	-	-	*	-	*
Average	3.56	3.66	3.18	3.43	3.02	2.40	-	2.19	3.63	3.40	3.28	3.43
HVI Trash 1/												
00	-	*	-	-	-	*	-	0.1	-	-	-	*
01	0.2	0.5	0.3	0.3	12.3	24.6	-	34.7	0.1	0.7	1.8	1.1
02	6.3	6.3	11.1	6.4	28.7	41.9	-	36.8	6.7	10.9	14.0	11.9
03	20.7	17.9	28.0	19.8	24.5	19.1	-	15.8	20.7	25.7	27.4	24.6
04	27.0	23.9	28.1	26.1	14.4	7.6	-	6.0	21.2	25.5	25.8	25.0
05	21.3	20.9	17.5	22.1	6.6	3.2	-	2.8	19.2	17.8	16.6	17.7
06	12.1	14.1	8.8	13.8	3.6	1.5	-	1.6	14.1	10.2	8.4	10.2
07	5.9	8.1	3.9	6.9	2.4	0.8	-	0.9	10.3	5.1	3.6	5.2
08	3.2	4.2	1.5	2.9	2.1	0.5	-	0.6	5.2	2.4	1.5	2.4
09	1.8	2.1	0.5	1.1	1.5	0.3	-	0.3	1.8	1.0	0.5	1.1
10	0.7	1.0	0.2	0.4	1.0	0.2	-	0.2	0.6	0.4	0.2	0.4
11	0.2	0.5	0.1	0.1	0.9	0.1	-	0.1	0.1	0.2	0.1	0.2
12	0.1	0.2	*	*	0.6	0.1	-	*	0.1	0.1	*	0.1
13	0.1	0.1	*	*	0.4	0.1	-	*	-	*	*	*
14	0.1	*	-	*	0.4	*	-	*	-	*	*	*
15	0.1	*	-	*	0.2	*	-	*	-	*	*	*
16	-	*	-	*	0.1	*	-	-	-	*	*	*
17	-	*	-	-	0.1	*	-	*	-	*	-	*
18 & Above	*	*	-	-	0.2	*	-	-	-	*	*	*
Average	0.46	0.48	0.41	0.46	0.35	0.24	-	0.22	0.48	0.42	0.39	0.42
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-	*	-	*
76	-	*	-	*	0.2	*	-	*	-	*	*	0.1
77	0.2	0.2	*	*	0.7	0.2	-	0.1	-	0.1	0.2	0.4
78	1.1	1.2	0.1	0.1	2.3	1.5	-	0.6	-	0.6	1.7	2.5
79	4.7	6.8	1.0	1.1	9.6	10.0	-	6.2	0.2	2.8	9.2	11.8
80	28.6	25.0	7.9	8.2	30.9	30.3	-	26.2	1.2	12.6	27.7	31.4
81	47.6	38.2	27.1	29.7	34.0	37.2	-	31.4	17.4	39.9	37.4	33.3
82	16.0	22.8	35.8	38.0	19.5	17.9	-	18.2	76.7	33.7	18.4	16.0
83	1.8	5.2	22.3	19.9	2.5	2.7	-	10.4	4.1	9.3	4.7	3.9
84	0.1	0.6	5.4	2.9	0.3	0.2	-	6.7	0.4	1.0	0.6	0.5
85 & Above	-	0.1	0.5	0.2	*	*	-	0.2	0.1	0.1	*	*
Average	81.23	81.37	82.33	82.21	81.11	81.13	-	81.64	82.30	81.81	81.22	81.06
Tenderable 3/	78.3	87.9	96.0	94.6	76.7	83.1	-	86.3	72.0	86.9	83.3	89.4
SAMPLES CLASSED	3,615	637,430	11,426	1,252,945	17,628	248,388	-	96,270	1,962	93,852	60,394	2,126,023

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	-	-	-	-	-	*	-	-	-	0.1
2.5 - 2.6	0.7	0.3	-	-	-	*	-	*	-	*	-	0.6
2.7 - 2.9	1.1	0.6	-	-	-	*	0.1	*	-	*	-	6.4
3.0 - 3.2	1.7	2.5	-	-	-	0.1	2.8	0.1	*	0.1	-	9.7
3.3 - 3.4	2.2	3.3	-	*	0.1	0.5	15.1	0.3	0.7	0.2	-	10.6
3.5 - 3.6	7.9	5.4	-	0.1	0.9	1.6	25.5	0.7	4.2	0.6	-	10.8
3.7 - 4.2	32.3	33.4	-	6.5	52.8	38.1	55.6	15.7	58.5	24.7	-	39.0
4.3 - 4.9	47.0	48.1	-	83.6	45.3	58.5	1.0	75.8	36.6	72.2	-	21.6
5.0 - 5.2	7.1	6.2	-	9.1	0.9	1.1	-	6.4	*	2.1	-	1.0
5.3 & Above	*	0.2	-	0.6	0.1	0.1	-	0.9	-	0.1	-	0.3
Average	4.26	4.26	-	4.62	4.29	4.31	3.69	4.53	4.14	4.42	-	3.81
Leaf												
1 - 2	13.7	28.0	-	4.4	25.3	8.0	9.4	5.9	2.9	11.6	-	90.4
3	53.7	38.8	-	48.5	63.0	57.3	76.7	44.0	54.5	51.6	-	8.6
4	27.8	24.2	-	42.0	11.2	31.5	13.9	41.5	38.2	31.4	-	0.7
5	4.4	7.3	-	5.0	0.5	3.1	-	8.1	4.2	5.0	-	0.1
6	0.4	1.5	-	0.1	-	0.1	-	0.5	0.2	0.4	-	0.1
7	0.1	0.2	-	-	-	*	-	*	-	*	-	*
8	-	*	-	-	-	*	-	*	-	*	-	-
Average	3.23	3.12	-	3.48	2.87	3.30	3.05	3.53	3.44	3.31	-	1.70
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	1.7	10.4	-	0.2	1.2	0.4	0.1	0.3	*	1.1	-	56.9
02	16.6	20.0	-	5.6	25.3	8.5	11.5	6.3	4.9	12.0	-	34.3
03	30.0	18.9	-	19.3	36.8	23.8	40.9	17.5	22.0	22.8	-	6.5
04	24.6	17.1	-	27.2	19.7	27.2	31.9	24.0	30.0	24.5	-	1.4
05	14.5	12.6	-	22.7	9.2	20.2	12.8	21.8	22.8	18.5	-	0.5
06	7.3	8.3	-	13.9	4.9	11.4	1.9	14.7	10.5	10.9	-	0.1
07	3.1	5.1	-	6.7	1.9	5.3	0.5	8.3	5.6	5.6	-	0.1
08	1.3	3.1	-	2.8	0.8	2.1	0.3	4.0	2.5	2.6	-	*
09	0.6	1.9	-	1.0	0.3	0.7	0.1	1.8	0.8	1.1	-	*
10	0.2	1.2	-	0.4	-	0.3	-	0.8	0.6	0.5	-	*
11	0.1	0.6	-	0.1	-	0.1	-	0.3	0.2	0.2	-	*
12	*	0.4	-	*	-	*	-	0.1	*	0.1	-	*
13	*	0.2	-	*	-	*	-	*	0.1	*	-	-
14	-	0.2	-	*	-	*	-	*	*	*	-	-
15	-	0.1	-	-	-	*	-	*	-	*	-	-
16	-	*	-	-	-	*	-	*	-	*	-	-
17	-	*	-	-	-	*	-	*	-	*	-	-
18 & Above	-	*	-	-	-	*	-	*	-	*	-	-
Average	0.38	0.40	-	0.46	0.34	0.43	0.36	0.48	0.45	0.43	-	0.16
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	*	-	-
75	*	*	-	-	-	-	-	-	-	*	-	-
76	-	0.2	-	*	-	*	-	*	-	*	-	*
77	0.1	1.3	-	*	0.1	*	-	*	*	0.1	-	1.3
78	1.4	4.8	-	0.1	-	0.1	0.5	0.3	0.7	0.6	-	2.8
79	10.3	15.1	-	0.5	0.6	1.3	6.8	2.1	4.8	3.8	-	11.8
80	33.2	34.9	-	5.1	8.9	11.6	17.9	9.9	21.0	14.5	-	28.2
81	45.4	33.8	-	23.6	37.6	31.0	48.6	28.9	37.2	29.9	-	40.2
82	9.3	9.3	-	43.9	37.4	38.7	25.1	38.0	27.3	33.2	-	14.2
83	0.2	0.6	-	22.5	12.8	15.5	0.9	17.7	8.2	15.4	-	1.5
84	*	*	-	4.2	2.5	1.7	0.2	2.8	0.8	2.3	-	*
85 & Above	-	-	-	0.2	0.2	0.2	-	0.2	-	0.2	-	*
Average	80.96	80.70	-	82.41	82.05	82.06	81.42	82.12	81.59	81.92	-	80.97
Tenderable 3/	67.1	64.4	-	88.7	98.3	97.1	79.3	89.6	94.4	96.1	-	70.7
SAMPLES CLASSED	11,265	106,927	-	215,499	1,836	737,823	1,265	856,917	2,659	787,348	-	19,012

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	-	-	*	0.1	0.1	-	-
2.5 - 2.6	0.1	0.2	-	*	-	0.1	0.7	0.5	-	-
2.7 - 2.9	0.8	1.3	-	*	-	0.3	3.1	2.3	-	*
3.0 - 3.2	4.9	6.1	0.4	0.2	-	0.7	8.3	6.4	-	*
3.3 - 3.4	7.9	9.3	1.0	0.5	-	1.2	10.1	7.7	-	0.3
3.5 - 3.6	13.5	13.6	3.5	1.4	-	2.6	14.1	10.4	-	1.2
3.7 - 4.2	53.7	51.6	45.5	40.5	-	33.9	47.8	42.3	-	33.6
4.3 - 4.9	18.9	17.6	49.5	56.5	-	59.1	15.0	29.0	-	63.6
5.0 - 5.2	0.2	0.2	0.1	0.9	-	2.1	0.7	1.2	-	1.0
5.3 & Above	-	*	*	*	-	0.1	*	0.2	-	0.1
Average	3.89	3.86	4.21	4.29	-	4.31	3.80	3.96	-	4.33
Leaf										
1 - 2	66.2	52.9	11.4	6.4	-	17.3	73.8	58.9	-	10.7
3	29.0	33.5	53.8	45.3	-	54.0	21.6	30.1	-	65.2
4	4.1	10.6	31.0	39.2	-	24.8	3.7	9.1	-	22.4
5	0.6	2.4	3.6	8.6	-	3.6	0.6	1.6	-	1.6
6	0.1	0.4	0.2	0.5	-	0.3	0.1	0.2	-	*
7	*	0.1	*	*	-	*	*	*	-	*
8	-	*	-	*	-	*	*	*	-	-
Average	2.19	2.50	3.27	3.51	-	3.15	2.08	2.37	-	3.15
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	31.1	22.7	0.8	0.4	-	2.1	40.9	29.6	-	0.5
02	40.0	32.4	13.2	7.7	-	15.2	38.7	33.5	-	11.3
03	18.7	20.7	27.0	20.3	-	24.5	13.1	17.2	-	29.6
04	6.4	11.4	26.1	25.0	-	23.3	4.3	9.4	-	29.0
05	2.3	6.0	18.1	20.6	-	16.4	1.6	5.2	-	17.4
06	0.9	3.1	8.9	13.1	-	9.7	0.7	2.6	-	7.7
07	0.4	1.7	3.7	7.0	-	4.9	0.3	1.3	-	3.0
08	0.2	0.9	1.4	3.4	-	2.2	0.1	0.6	-	1.0
09	0.1	0.5	0.6	1.6	-	1.0	0.1	0.3	-	0.3
10	*	0.3	0.2	0.6	-	0.4	*	0.1	-	0.1
11	*	0.2	0.1	0.2	-	0.2	*	0.1	-	*
12	*	0.1	*	0.1	-	0.1	*	*	-	*
13	*	0.1	*	*	-	*	*	*	-	*
14	*	*	-	*	-	*	*	*	-	-
15	-	*	*	*	-	*	*	*	-	*
16	*	*	-	*	-	*	*	*	-	-
17	-	*	-	-	-	-	*	*	-	-
18 & Above	-	*	-	*	-	-	*	*	-	*
Average	0.21	0.27	0.40	0.46	-	0.41	0.19	0.25	-	0.39
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	0.1	*	-	-
75	*	*	-	*	-	-	0.5	0.2	-	-
76	0.3	0.3	*	*	-	*	2.1	1.1	-	*
77	1.9	1.6	0.1	0.2	-	*	6.7	3.8	-	*
78	8.9	6.7	0.9	1.3	-	0.1	16.4	10.6	-	0.3
79	22.3	18.6	12.1	7.5	-	1.0	28.0	21.3	-	2.3
80	32.1	31.6	41.8	26.9	-	8.1	27.2	27.4	-	11.9
81	23.5	28.7	29.6	37.6	-	30.2	14.1	22.0	-	29.6
82	9.2	10.6	11.3	20.5	-	39.8	4.1	10.9	-	36.7
83	1.7	1.8	3.8	5.3	-	18.8	0.7	2.4	-	16.8
84	0.1	0.1	0.3	0.6	-	1.8	0.1	0.2	-	2.4
85 & Above	-	*	*	0.1	-	0.1	*	*	-	0.2
Average	80.45	80.62	80.96	81.32	-	82.18	79.78	80.37	-	82.05
Tenderable 3/	78.5	76.3	95.2	94.4	-	94.8	69.9	74.5	-	97.9
SAMPLES CLASSED	32,831	473,256	17,138	352,632	-	573,606	468,444	7,032,632	-	161,438

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	64.7	55.6	-	48.9	-	-	55.7	39.5
	2	10.4	3.4	-	14.9	-	-	16.8	18.3
	3	0.1	*	-	0.1	-	-	0.1	0.2
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		75.1	59.0	-	63.9	-	-	72.6	57.9
02	1	12.7	34.8	-	13.7	-	-	14.0	23.1
	2	9.9	5.5	-	17.0	-	-	10.7	16.4
	3	0.3	0.1	-	1.4	-	-	0.2	0.9
	4	-	0.1	-	*	-	-	-	*
	5	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		23.0	40.5	-	32.1	-	-	24.9	40.4
03	1	0.1	0.1	-	0.2	-	-	0.1	0.1
	2	0.3	0.2	-	1.7	-	-	1.3	0.8
	3	1.2	0.1	-	0.8	-	-	0.3	0.4
	4	0.3	*	-	0.1	-	-	0.1	0.1
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.9	0.5	-	2.8	-	-	1.8	1.4
04	1	-	*	-	*	-	-	-	-
	2	-	*	-	0.3	-	-	-	*
	3	-	-	-	0.3	-	-	0.1	*
	4	-	-	-	*	-	-	0.2	0.1
	5	-	-	-	*	-	-	0.1	*
	6	-	-	-	-	-	-	0.1	*
	7	-	-	-	-	-	-	-	-
Total -----		-	*	-	0.6	-	-	0.4	0.2
05	1	-	-	-	*	-	-	-	-
	2	-	-	-	0.1	-	-	-	-
	3	-	-	-	0.2	-	-	-	-
	4	-	-	-	0.1	-	-	0.1	*
	5	-	-	-	*	-	-	0.1	*
	6	-	-	-	*	-	-	0.1	*
	7	-	-	-	*	-	-	0.1	*
Total -----		-	-	-	0.4	-	-	0.3	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.1	-	0.9	-	-	2.2	5.5
46		2.0	1.8	-	10.1	-	-	70.6	36.0
48		19.7	33.0	-	22.7	-	-	13.7	48.5
50		73.9	58.8	-	54.0	-	-	13.4	9.6
52 & Longer		4.4	6.3	-	12.3	-	-	0.1	0.4
Average Staple		49.61	49.39	-	49.33	-	-	46.73	47.27
Average Length		1.44	1.43	-	1.43	-	-	1.36	1.38
EXTRANEIOUS MATTER									
Bark		-	*	-	*	-	-	0.8	0.2
Grass		-	*	-	0.3	-	-	1.5	0.4
Spindle Twist		-	-	-	0.7	-	-	0.8	0.3
Preparation		-	-	-	*	-	-	0.1	0.3
All Other		-	*	-	*	-	-	0.1	0.3

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 27, 2022

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	0.2
2.7 - 2.9	-	-	-	0.2	-	-	1.2	3.8
3.0 - 3.2	0.2	0.6	-	0.3	-	-	9.1	11.2
3.3 - 3.4	6.1	1.9	-	0.6	-	-	34.2	13.3
3.5 - 3.6	11.8	3.1	-	2.0	-	-	20.7	8.7
3.7 - 4.2	58.0	67.1	-	54.4	-	-	32.1	50.0
4.3 - 4.9	23.9	27.3	-	42.6	-	-	2.6	12.8
5.0 - 5.2	-	*	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.00	4.11	-	4.18	-	-	3.61	3.79
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	*
2.6	-	-	-	*	-	-	-	0.1
2.7	-	-	-	*	-	-	-	0.7
2.8	-	-	-	*	-	-	-	1.2
2.9	-	-	-	0.1	-	-	1.2	1.9
3.0	-	*	-	0.1	-	-	0.3	2.8
3.1	0.1	0.1	-	0.1	-	-	1.8	2.1
3.2	0.1	0.4	-	0.1	-	-	7.0	6.3
3.3	1.2	0.9	-	0.2	-	-	9.7	5.9
3.4	4.8	1.0	-	0.4	-	-	24.4	7.4
3.5	3.0	0.9	-	0.8	-	-	14.1	5.4
3.6	8.8	2.2	-	1.2	-	-	6.6	3.3
3.7	2.5	2.3	-	2.2	-	-	0.3	4.8
3.8	8.6	4.8	-	3.5	-	-	5.4	4.5
3.9	8.3	6.4	-	6.6	-	-	3.0	6.6
4.0	9.2	11.9	-	11.0	-	-	10.5	8.4
4.1	13.4	18.8	-	14.5	-	-	8.9	11.6
4.2	16.1	22.9	-	16.6	-	-	4.0	14.1
4.3	17.3	16.8	-	16.8	-	-	1.4	8.4
4.4	6.4	7.9	-	14.1	-	-	1.2	2.6
4.5	0.1	1.8	-	7.4	-	-	-	1.3
4.6	0.1	0.5	-	3.0	-	-	0.1	0.5
4.7	-	0.3	-	1.0	-	-	-	*
4.8	-	-	-	0.2	-	-	-	-
4.9	-	-	-	*	-	-	-	*
5.0	-	*	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.00	4.11	-	4.18	-	-	3.61	3.79
STRENGTH 1/ 36 & Below	-	0.1	-	0.2	-	-	27.9	11.1
37	-	*	-	0.4	-	-	21.7	10.4
38	0.3	0.4	-	2.0	-	-	16.3	12.6
39	1.2	0.3	-	5.0	-	-	3.4	7.3
40	5.1	0.8	-	6.3	-	-	1.2	3.8
41	3.8	1.9	-	3.1	-	-	1.6	4.6
42	3.8	5.8	-	3.0	-	-	1.4	6.7
43	24.0	17.1	-	7.2	-	-	4.5	6.5
44	41.4	31.4	-	16.0	-	-	7.1	10.4
45	15.6	26.8	-	20.1	-	-	7.1	12.6
46	3.5	11.9	-	17.2	-	-	5.2	7.2
47	1.0	2.5	-	11.8	-	-	1.3	3.9
48 & Above	0.3	1.0	-	7.7	-	-	1.3	2.7
Average	44.00	44.66	-	44.80	-	-	39.54	41.68
UNIFORMITY								
83 & Below	-	*	-	0.3	-	-	1.4	1.7
84	-	0.7	-	3.6	-	-	19.0	10.5
85	2.3	7.3	-	17.2	-	-	51.1	35.0
86	28.8	35.2	-	38.2	-	-	18.4	39.4
87	66.0	53.1	-	37.8	-	-	10.1	13.3
88 & Above	2.9	3.7	-	2.8	-	-	0.1	0.2
Average	87.09	86.96	-	86.63	-	-	85.58	85.98
Samples Classed	1,464	14,958	-	254,919	-	-	1,796	21,269

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.