

Quality of Cotton Classed by State

mp_cn811

Volume 20, No. 21

21-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE** ,
For The Week Ending DECEMBER 20, 2018

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	26	50,194	29	618,470
Arizona	14	23,658	14	159,018
Arkansas	16	34,553	28	1,119,148
California	8	15,232	15	121,257
Florida	3	7,380	4	58,741
Georgia	58	131,887	59	1,383,272
Kansas	3	9,877	3	40,077
Louisiana	12	14,028	19	394,047
Mississippi	34	60,824	38	1,226,044
Missouri	15	28,147	21	712,011
New Mexico	2	3,077	2	18,122
North Carolina	29	35,350	33	650,438
Oklahoma	12	42,155	12	225,936
South Carolina	16	21,458	16	277,152
Tennessee	16	22,823	22	744,525
Texas	152	445,141	187	4,469,693
Virginia	4	14,072	4	163,911
United States	420	959,856	506	12,381,862
Percent Tenderable		67.1		67.3
AMERICAN PIMA				
Arizona	2	2,473	4	14,806
California	15	42,681	17	395,590
New Mexico *	1	-	1	-
Texas *	1	-	1	-
United States	19	45,154	23	410,396
United States all cotton	436	1,005,010	520	12,792,258

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	*	0.3	-	0.2	6.3	12.6	54.0	58.6	-	-	0.2	1.2
	4	0.1	0.5	-	0.2	1.8	4.8	10.5	11.8	-	*	0.2	2.3
	5	*	*	-	*	0.1	0.4	0.2	0.1	-	-	*	0.2
	6	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.1 0.8	-	0.4	8.1	17.8	64.7	70.5	-	*	0.4	3.7
31	1-2	1.0	1.6	0.1	0.5	16.4	10.9	12.2	10.0	0.3	0.2	1.0	3.7
	3	7.7	13.7	1.5	4.5	19.3	12.7	15.9	12.7	4.0	5.3	5.6	24.7
	4	3.3	6.9	1.2	3.1	5.0	2.2	2.6	1.8	2.7	3.3	2.2	12.1
	5	0.1	0.5	0.1	0.4	0.2	0.1	0.7	0.2	0.1	0.1	0.1	0.8
	6	*	*	*	*	*	*	0.1	*	-	-	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	*
	Total	-----	12.3 22.7	2.8 8.5	40.9 25.8	31.4 24.7	7.2 9.0	9.0	41.3				
41	1-2	1.6	1.0	0.3	0.6	6.2	6.7	0.4	0.1	0.8	0.5	2.0	1.1
	3	19.4	15.6	17.0	15.6	20.4	21.0	0.3	0.3	21.4	16.9	25.7	15.9
	4	28.5	23.0	35.5	30.4	13.0	9.6	0.1	0.1	26.9	34.9	30.1	19.8
	5	10.4	7.7	11.0	11.1	2.5	1.6	*	*	6.7	6.5	5.8	4.0
	6	1.2	1.0	0.8	1.0	0.2	0.2	*	*	0.5	0.2	0.3	0.2
	7	*	*	*	*	*	*	*	*	-	-	*	*
	Total	-----	61.2 48.3	64.6 58.7	42.5 39.1	0.9 0.6	56.4 59.0	63.9	40.9				
51	1-2	0.1	*	0.1	0.1	0.1	0.2	-	-	0.1	*	0.1	*
	3	1.3	0.5	2.9	1.7	0.9	2.1	-	*	2.6	1.5	1.8	0.6
	4	2.5	1.4	7.9	6.2	1.6	2.3	-	-	5.6	5.7	4.0	1.4
	5	1.9	1.4	8.1	5.2	0.6	0.7	-	-	2.7	3.5	1.7	0.7
	6	0.9	0.6	1.1	0.8	*	0.1	-	-	0.4	0.4	0.2	0.1
	7	0.1	0.1	*	*	*	*	-	-	-	*	*	*
	Total	-----	6.8 4.0	20.1 13.9	3.2 5.4	-	*	11.3 11.1	7.9 2.9				
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	*	*	-	-	*	*	-	*
	4	*	*	-	*	-	-	-	-	*	0.1	*	*
	5	-	*	*	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-	*	*
	7	*	*	-	*	-	-	-	-	-	*	*	*
	Total	-----	*	*	*	*	*	-	-	*	0.1	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	*	*	-	*	-	2.0	0.3	0.7	-	*	*	0.1
	3	*	*	-	*	-	1.0	0.4	0.5	-	-	0.1	0.1
	4	-	*	-	*	-	0.3	*	*	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	-	*	3.5	0.7	1.2	-	*	0.1	0.2
32	1-2	0.3	0.1	-	*	0.2	0.2	0.3	0.5	0.1	*	0.3	0.3
	3	1.5	1.6	*	0.3	0.1	1.1	1.2	1.9	0.2	0.2	0.8	2.1
	4	0.5	1.4	*	0.2	0.1	0.4	0.2	0.3	0.2	0.2	0.5	1.1
	5	*	0.2	0.1	*	*	0.2	-	*	0.1	*	0.1	0.1
	6	*	*	-	*	*	0.1	-	-	*	*	*	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	Total	-----	2.3 3.3	0.1 0.6	0.4 1.9	1.7 2.7	0.6 0.4	1.6 3.6					
42	1-2	0.3	0.2	*	0.1	0.2	0.2	0.1	*	0.3	0.1	0.2	0.1
	3	3.5	4.6	1.5	4.0	1.2	1.6	0.2	0.1	4.7	2.6	3.2	1.7
	4	4.2	8.2	4.4	7.5	1.5	1.8	0.1	*	6.1	4.7	5.7	2.8
	5	1.8	2.9	1.5	2.2	0.7	0.4	*	*	2.9	1.3	1.5	0.7
	6	0.4	0.4	0.1	0.2	0.1	0.1	*	*	0.4	0.1	0.1	*
	7	*	*	*	*	*	*	-	-	-	-	*	*
	Total	-----	10.1 16.3	7.5 13.8	3.7 4.2	0.5 0.1	14.4 8.7	10.6 5.3					
52	1-2	*	*	-	*	*	*	-	*	-	*	*	*
	3	0.6	0.3	0.1	0.3	0.2	0.2	-	-	1.1	1.2	0.2	0.1
	4	1.5	0.9	1.2	1.3	0.2	0.7	-	-	3.7	5.0	1.3	0.3
	5	1.1	0.7	1.1	1.1	0.3	0.3	-	-	1.5	2.9	0.9	0.2
	6	0.3	0.2	0.2	0.2	0.1	*	-	-	0.3	0.5	0.2	*
	7	*	*	*	*	*	*	-	-	-	*	*	*
	Total	-----	3.5 2.0	2.6 2.9	0.7 1.3	-	*	6.6 9.6	2.6 0.6				

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-
	3	*	*	*	*	*	*	-	-	*	*	-	*
	4	*	*	*	*	-	-	-	-	0.2	0.1	*	*
	5	*	*	*	*	-	*	-	-	*	0.1	*	*
	6	*	*	-	*	-	*	-	-	-	*	*	*
	7	*	*	-	-	-	-	-	-	-	-	*	*
Total	-----	*	*	*	*	*	*	-	-	0.2	0.2	*	*
13 & 23	1-2	-	*	-	*	-	0.1	*	*	-	-	*	*
	3	-	*	-	*	-	0.1	*	*	-	-	*	*
	4	-	-	-	*	-	0.1	-	-	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	*	-	*	-	0.3	*	*	-	-	*	*
33	1-2	*	*	-	-	-	*	*	*	*	*	0.1	0.1
	3	0.2	0.1	*	*	-	*	*	*	*	*	0.3	0.3
	4	0.1	0.1	*	*	-	0.1	*	*	*	*	0.1	0.1
	5	*	*	-	*	-	0.1	-	-	-	-	*	*
	6	-	*	-	-	-	*	-	-	-	-	*	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
Total	-----	0.3	0.2	*	*	-	0.2	0.1	*	*	*	0.5	0.5
43	1-2	*	*	*	*	-	-	-	-	0.1	*	*	*
	3	0.5	0.3	0.3	0.2	*	*	*	*	0.9	0.3	0.8	0.3
	4	0.9	0.8	0.8	0.5	0.1	0.1	0.1	*	0.9	0.5	1.3	0.4
	5	0.4	0.4	0.3	0.2	0.1	0.1	-	-	0.3	0.1	0.3	0.1
	6	0.1	0.1	*	*	0.1	*	-	-	*	*	*	*
	7	*	*	*	*	-	*	-	-	-	-	*	*
Total	-----	1.9	1.6	1.4	0.8	0.3	0.3	0.1	*	2.2	0.9	2.5	0.8
53	1-2	*	*	-	*	-	-	-	-	-	-	*	*
	3	0.1	0.1	0.1	*	-	*	-	*	0.2	0.1	0.1	*
	4	0.5	0.2	0.4	0.1	-	*	-	-	0.3	0.4	0.3	0.1
	5	0.4	0.1	0.2	0.1	*	*	-	-	0.3	0.4	0.1	*
	6	0.1	*	*	*	*	*	-	-	0.1	0.1	*	*
	7	*	*	*	*	*	*	-	-	-	*	*	*
Total	-----	1.1	0.4	0.7	0.3	0.1	*	-	*	0.9	0.9	0.5	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	*	*	-	-
	4	*	*	-	*	-	-	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	*	*	*	*
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	*	*
Total	-----	0.1	*	-	*	-	-	-	-	*	*	*	*
24 - 54	1-7	0.2	0.1	0.1	*	-	0.1	-	*	0.1	*	0.4	0.1
25 - 35	1-7	*	*	*	*	-	-	-	-	-	-	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	0.4	0.1
All Colors	8 2/	*	*	*	*	*	0.1	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		18.3	10.8	3.3	1.4	1.2	0.9	0.2	*	29.6	22.1	17.6	11.2
Bark - Level 2		-	-	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	0.1	0.1	*	*	-	0.1	-	*	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		0.1	0.1	0.5	0.1	-	-	-	*	-	*	0.1	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	*	*	-	*	-	*	0.1	0.1
33		0.7	0.4	0.1	*	0.1	0.2	-	0.1	*	0.1	1.6	1.0
34		5.0	3.1	0.7	0.4	1.5	2.3	*	0.1	2.4	0.8	7.3	5.5
35		12.4	10.7	2.2	2.9	7.3	8.2	1.4	2.1	6.0	3.3	16.5	13.9
36		22.6	21.5	9.7	11.8	15.6	19.8	2.6	7.5	17.1	12.1	18.9	18.8
37		36.5	37.2	34.6	36.9	23.1	30.4	18.4	25.5	42.1	35.5	28.9	28.7
38 & longer		22.8	27.1	52.7	47.9	52.4	39.2	77.6	64.7	32.4	48.1	26.7	32.0
Average staple		36.6	36.8	37.7	37.6	37.7	37.3	38.5	38.1	37.0	37.4	36.5	36.7

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	3.5	2.7	0.1	0.7	-	0.7	0.1	0.5	*	0.1	17.8	13.6
	4	3.8	3.5	0.3	1.2	-	0.7	0.1	0.9	0.2	0.2	4.4	5.8
	5	0.1	0.3	-	0.1	-	*	*	0.1	0.1	*	0.2	0.1
	6	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	7.3	6.5	0.4	1.9	-	1.5	0.2	1.5	0.3	0.3	22.4	19.5
31	1-2	12.5	7.2	1.2	2.9	0.1	0.8	1.3	1.9	0.6	1.7	15.4	19.6
	3	23.0	22.2	6.2	16.7	1.5	6.6	9.7	14.4	9.1	14.0	20.1	24.5
	4	5.9	7.4	2.6	6.8	0.8	3.2	3.6	7.3	6.9	7.5	2.3	2.8
	5	0.7	1.0	0.1	0.4	0.1	0.3	0.1	0.5	0.8	0.8	0.1	0.1
	6	*	*	-	*	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	42.1	37.8	10.1	26.8	2.5	11.0	14.7	24.0	17.4	23.9	38.0	47.0
41	1-2	1.0	0.6	2.9	1.8	0.9	0.8	1.9	1.2	1.1	1.6	2.4	2.4
	3	2.2	6.9	26.3	18.3	29.2	21.0	23.3	16.8	22.2	23.9	26.6	17.5
	4	10.5	12.5	25.4	19.6	34.0	33.9	31.1	30.9	28.7	24.0	10.0	9.6
	5	9.3	6.6	3.4	4.4	5.4	9.0	7.5	10.2	8.0	5.3	0.3	2.5
	6	2.8	1.2	*	0.3	0.1	0.4	0.7	0.7	0.8	0.4	-	0.3
	7	0.2	0.1	-	*	-	*	*	*	0.1	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	26.0	27.9	58.0	44.5	69.7	65.1	64.5	59.8	60.8	55.2	39.4	32.3
51	1-2	-	-	0.4	0.2	*	*	*	*	0.3	0.1	-	-
	3	*	*	4.0	1.5	2.9	0.6	1.2	0.4	2.8	1.3	-	*
	4	3.1	1.0	3.6	1.7	8.0	3.8	3.2	1.6	4.3	1.9	0.1	0.3
	5	3.7	1.3	0.7	0.6	5.0	3.0	1.5	1.5	3.4	1.0	0.1	0.2
	6	0.8	0.4	*	0.1	0.9	0.3	0.4	0.3	0.9	0.2	-	*
	7	*	*	-	*	0.1	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	7.7	2.8	8.8	4.0	17.0	7.8	6.5	3.8	11.7	4.5	0.2	0.5
61	1-2	-	-	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	-	*	*	*	-	*	0.1	*	-	-
	4	-	-	*	*	*	*	*	*	*	*	-	-
	5	-	-	*	*	-	-	-	*	*	*	-	-
	6	-	-	-	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	*	*	-	*	*	*	-	-
	7	-	-	-	-	*	*	-	*	*	*	-	-
Total	----	-	-	*	*	*	*	*	*	0.2	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.8	0.2	-	*	-	*	*	*	-	*	-	*
	3	0.6	0.9	-	*	-	*	*	*	*	*	-	*
	4	0.1	0.4	-	*	-	*	*	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	1.5	-	0.1	-	*	*	*	*	*	-	*
32	1-2	0.7	0.2	0.1	0.2	*	*	*	0.1	*	0.1	-	-
	3	2.8	1.7	0.7	1.2	0.1	0.4	0.6	0.5	0.5	0.8	-	*
	4	2.6	2.5	0.2	0.6	*	0.2	0.7	0.4	0.6	0.5	-	0.1
	5	0.5	0.9	*	*	-	*	0.1	*	0.1	*	-	*
	6	*	*	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.7	5.3	1.1	2.1	0.1	0.7	1.3	1.0	1.2	1.5	-	0.1
42	1-2	-	-	0.5	0.4	0.1	0.1	0.1	0.1	0.2	0.4	-	*
	3	0.1	*	4.5	4.5	2.3	3.6	1.9	1.4	1.6	4.9	-	0.3
	4	0.7	1.0	2.9	5.6	4.6	6.4	4.7	3.6	2.2	4.5	-	0.1
	5	1.1	1.2	0.7	1.3	0.8	1.6	2.0	2.0	0.7	0.8	-	-
	6	0.3	0.2	*	*	*	0.1	0.3	0.2	0.3	0.1	-	-
	7	0.1	*	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.3	2.5	8.7	11.8	7.8	11.9	8.9	7.2	5.0	10.6	-	0.4
52	1-2	-	-	0.2	0.2	-	*	-	*	*	0.1	-	-
	3	-	-	2.0	1.6	0.2	0.1	0.1	0.1	0.5	1.0	-	*
	4	0.1	0.5	3.5	2.4	0.4	0.7	0.4	0.5	0.6	1.3	-	-
	5	0.4	1.2	1.4	0.9	0.3	0.6	0.4	0.7	0.3	0.4	-	-
	6	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	-	-
	7	*	*	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.7	2.1	7.2	5.1	0.9	1.5	1.0	1.6	1.6	2.8	-	*

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	-	*	*	*	*	-	-
	3	-	-	*	*	-	*	*	*	0.1	*	-	-
	4	-	-	*	*	*	*	*	*	*	*	-	-
	5	-	-	*	*	-	-	*	*	*	*	-	-
	6	-	*	-	*	-	-	*	*	*	*	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
Total	-----	-	*	0.1	0.1	*	*	0.1	*	0.1	0.1	-	-
13 & 23	1-2	0.1	*	-	*	-	*	-	-	-	*	-	0.1
	3	*	0.8	-	-	-	-	-	-	-	*	-	0.1
	4	-	0.9	-	-	-	-	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	1.7	-	*	-	*	-	-	-	*	-	0.1
33	1-2	0.3	0.1	0.1	*	-	*	*	*	*	*	-	*
	3	1.3	0.8	0.1	0.1	*	*	0.1	*	0.1	*	-	*
	4	1.1	2.0	*	*	*	*	0.1	*	0.1	*	-	-
	5	0.3	0.9	-	*	-	*	*	*	*	*	-	-
	6	*	0.1	-	-	-	-	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
Total	-----	3.0	3.9	0.2	0.1	0.1	*	0.2	0.1	0.2	0.1	-	0.1
43	1-2	-	-	0.1	0.1	*	*	*	*	*	*	-	-
	3	0.1	*	1.4	0.5	0.4	0.1	0.4	0.1	0.3	0.2	-	*
	4	0.2	0.1	1.2	0.8	0.9	0.2	0.9	0.3	0.4	0.3	-	*
	5	0.5	0.3	0.2	0.3	0.4	0.1	0.5	0.2	0.2	0.1	-	-
	6	0.1	0.1	-	*	*	*	0.1	*	*	*	-	-
	7	*	*	-	-	-	*	*	*	*	*	-	-
Total	-----	0.9	0.6	3.0	1.6	1.7	0.5	1.9	0.6	0.9	0.6	-	*
53	1-2	-	-	*	*	-	-	-	*	*	*	-	-
	3	-	-	0.6	0.3	*	*	*	*	*	0.1	-	-
	4	-	*	0.9	0.6	*	*	0.1	0.1	0.1	0.1	-	-
	5	*	*	0.3	0.4	0.1	*	0.1	0.1	0.1	0.1	-	*
	6	0.1	*	*	*	*	*	*	*	*	*	-	-
	7	*	*	-	*	-	*	*	*	*	*	-	-
Total	-----	0.1	*	1.8	1.4	0.1	0.1	0.3	0.2	0.2	0.2	-	*
63	1-2	-	-	-	*	-	-	-	*	*	*	-	-
	3	-	-	*	0.1	-	-	*	*	*	*	-	-
	4	-	-	*	0.1	-	*	*	*	*	*	-	-
	5	-	-	*	0.1	-	-	-	*	-	*	-	-
	6	-	*	*	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
Total	-----	-	*	*	0.3	-	*	*	*	*	*	-	-
24 - 54	1-7	1.6	5.8	0.4	0.2	0.1	*	0.3	0.1	0.2	*	-	*
25 - 35	1-7	-	0.8	*	*	-	-	-	*	-	-	-	-
81 - 85 1/	1-7	*	0.9	*	*	*	*	*	*	0.1	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	0.1	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		28.1	25.0	6.5	2.5	0.8	0.7	2.5	1.0	4.2	2.1	1.2	0.7
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.6	0.1	0.2	0.1	0.1	0.2	*	*	-	-
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	-	-	*	*	*	0.5	0.5	0.1	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	*	*	*	*	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	*	*	-	-
31		*	*	-	*	*	*	*	*	-	*	-	-
32		*	*	*	*	-	*	*	*	0.1	0.1	-	-
33		1.1	0.3	0.3	0.3	*	*	0.2	0.3	1.0	0.8	-	0.4
34		5.9	2.6	1.3	2.7	0.3	0.3	1.5	2.3	6.0	5.3	0.1	0.9
35		34.6	20.3	9.5	10.0	5.2	2.7	8.1	7.9	18.4	18.0	4.9	4.1
36		35.2	37.9	21.5	17.8	12.2	11.1	16.9	15.2	26.6	26.3	16.3	10.1
37		19.8	33.7	22.4	26.9	42.2	41.4	30.6	29.3	31.2	28.0	28.0	29.0
38 & longer		3.2	5.2	44.9	42.2	40.0	44.4	42.8	45.0	16.7	21.4	50.7	55.4
Average staple		35.8	36.2	37.4	37.2	37.4	37.5	37.2	37.3	36.3	36.4	37.7	37.9

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 0.8	Pct. 1.1	Pct. *	Pct. 0.1	Pct. 0.4	Pct. 0.9	Pct. 6.3	Pct. 8.8	Pct. *	Pct. 0.1
	3	0.7	1.8	0.1	0.4	0.8	0.7	6.3	6.5	0.1	0.2
	4	0.2	0.2	-	*	*	*	0.7	0.6	-	*
	5	*	*	-	*	-	-	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	1.7 3.0	0.1 0.6	1.3 1.6	13.4 16.0	0.2 0.3	0.2 0.3	0.2 0.3	0.2 0.3	0.2 0.3
31	1-2	10.5	6.8	0.7	1.3	0.8	1.7	12.4	7.7	2.1	4.0
	3	31.7	25.9	4.9	11.2	3.1	5.6	27.6	20.1	11.3	23.6
	4	6.2	7.1	2.4	8.4	0.6	1.6	10.7	8.3	2.4	4.9
	5	0.3	0.4	0.2	0.7	*	0.1	1.5	1.2	0.1	0.1
	6	*	*	-	*	-	*	0.1	0.1	-	*
	7	*	*	-	-	-	-	*	*	-	-
	Total	-----	48.7 40.2	8.2 21.6	4.6 9.0	52.3 37.3	15.9 32.5	15.9 32.5	15.9 32.5	15.9 32.5	15.9 32.5
41	1-2	2.6	2.5	1.7	1.8	11.6	4.0	1.3	1.6	2.2	2.9
	3	23.8	22.2	21.1	18.4	23.2	21.7	6.9	8.9	43.9	34.9
	4	13.8	17.3	30.4	27.6	20.1	15.3	7.0	9.2	26.0	13.7
	5	2.8	4.0	9.2	7.8	4.3	2.4	3.6	3.8	1.3	0.5
	6	0.3	0.5	0.9	0.4	0.3	0.1	1.2	0.9	*	*
	7	0.1	0.1	0.1	*	-	-	0.3	0.2	-	-
	Total	-----	43.4 46.4	63.3 55.9	59.5 43.5	20.2 24.6	73.5 52.1	73.5 52.1	73.5 52.1	73.5 52.1	73.5 52.1
51	1-2	*	*	0.1	0.3	0.4	0.1	0.1	0.2	*	*
	3	0.2	0.2	2.0	1.8	4.4	2.2	0.5	0.8	2.1	0.5
	4	0.5	0.4	6.4	2.8	8.7	3.9	0.3	0.7	1.5	0.4
	5	0.6	0.6	3.8	1.9	2.7	1.5	0.1	0.3	0.2	*
	6	0.2	0.2	0.7	0.3	0.2	0.1	0.1	0.2	*	*
	7	*	*	*	*	-	*	*	0.1	-	-
	Total	-----	1.6 1.5	13.1 7.1	16.4 7.9	1.2 2.2	3.8 1.0	3.8 1.0	3.8 1.0	3.8 1.0	3.8 1.0
61	1-2	-	-	-	*	-	-	*	*	-	-
	3	-	-	*	*	-	-	*	*	-	-
	4	-	-	0.1	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	- -	0.1 *	* *	0.1 0.1	- -	- -	- -	- -	- -
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	- -	- -	- -	- -	- -	- -	- -	- -	- -
12 & 22	1-2	*	0.1	-	*	-	0.1	0.5	1.8	*	*
	3	*	0.2	-	0.1	*	0.1	0.9	1.9	*	*
	4	*	*	-	*	-	*	0.2	0.4	-	*
	5	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.1 0.4	- 0.1	* 0.1	1.6 4.1	* *	* *	* *	* *	* *
32	1-2	0.1	0.2	*	0.2	0.4	0.6	0.7	0.6	0.1	0.2
	3	0.2	1.1	0.7	1.3	0.9	1.8	2.5	2.4	1.3	1.4
	4	0.2	0.8	0.6	0.7	0.3	0.7	1.6	1.6	0.5	0.4
	5	0.1	0.2	0.1	0.1	-	*	0.4	0.4	-	*
	6	*	*	*	*	-	*	0.1	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	Total	-----	0.5 2.2	1.5 2.3	1.6 3.0	5.3 5.1	2.0 2.1	2.0 2.1	2.0 2.1	2.0 2.1	2.0 2.1
42	1-2	0.4	0.2	0.1	0.6	1.0	1.8	0.1	0.3	*	0.5
	3	1.1	1.4	2.0	3.3	5.5	14.1	0.6	1.7	2.1	6.5
	4	1.0	1.4	3.1	3.3	5.2	10.5	0.8	1.7	1.6	3.4
	5	0.4	0.6	1.5	1.0	1.5	1.7	0.4	0.6	0.1	0.2
	6	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	*	*
	7	*	*	*	*	-	-	*	*	-	-
	Total	-----	3.1 3.8	6.9 8.2	13.3 28.1	2.1 4.5	3.9 10.6	3.9 10.6	3.9 10.6	3.9 10.6	3.9 10.6
52	1-2	*	*	*	0.1	*	*	0.1	0.1	-	*
	3	*	0.1	0.8	0.9	0.1	0.8	0.3	0.7	*	0.7
	4	0.1	0.2	1.5	1.0	0.4	2.1	0.4	0.9	*	0.3
	5	0.2	0.2	0.8	0.4	0.4	1.0	0.1	0.4	*	*
	6	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	-	*
	7	*	*	*	*	-	*	*	*	-	-
	Total	-----	0.4 0.6	3.3 2.5	0.9 4.1	0.9 2.2	0.1 1.0	0.1 1.0	0.1 1.0	0.1 1.0	0.1 1.0

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	-	*	-	*	-	*	0.1	0.1	-	-
	4	*	*	0.1	*	-	*	0.2	0.2	-	-
	5	-	-	0.1	*	-	*	0.1	0.1	-	-
	6	*	*	-	*	-	*	*	*	-	-
	7	*	*	-	-	-	*	*	*	-	-
Total	-----	*	*	0.3	0.1	-	*	0.5	0.5	-	-
13 & 23	1-2	-	*	-	*	-	*	0.1	0.1	-	*
	3	-	*	*	*	-	*	0.1	0.2	-	*
	4	-	*	-	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	-	*	*	*	-	*	0.2	0.5	-	*
33	1-2	-	*	-	*	*	*	0.1	*	*	*
	3	*	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.1	*
	4	*	0.2	0.2	0.1	*	*	0.3	0.3	0.1	*
	5	-	*	*	*	-	*	0.2	0.1	-	*
	6	-	*	*	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
Total	-----	*	0.5	0.4	0.2	0.2	0.1	0.9	0.7	0.2	0.1
43	1-2	-	*	*	*	0.2	0.1	*	*	-	*
	3	-	0.1	0.5	0.3	1.0	1.0	0.1	0.2	0.1	0.2
	4	*	0.2	1.0	0.5	0.6	0.8	0.2	0.3	0.3	0.2
	5	0.1	0.2	0.5	0.2	0.1	0.1	0.1	0.1	*	*
	6	*	0.1	0.1	*	*	*	*	*	-	*
	7	*	*	*	*	-	-	*	*	-	-
Total	-----	0.1	0.6	2.2	1.1	1.9	2.1	0.5	0.7	0.4	0.4
53	1-2	-	*	*	*	-	*	*	*	-	*
	3	*	0.1	0.1	0.1	*	0.1	0.1	0.1	-	*
	4	*	0.1	0.2	0.1	*	0.2	0.1	0.3	-	*
	5	*	*	0.2	0.1	0.1	0.1	0.1	0.2	-	*
	6	*	*	*	*	*	*	*	0.1	*	*
	7	*	*	*	*	*	*	*	*	-	-
Total	-----	0.1	0.2	0.6	0.3	0.2	0.5	0.3	0.7	*	*
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	-	-	*	*	0.1	-	-
	4	-	*	*	*	-	*	0.1	0.2	-	-
	5	-	*	*	*	-	*	0.1	0.2	-	-
	6	-	-	-	-	-	*	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
Total	-----	-	*	*	*	-	*	0.3	0.5	-	-
24 - 54	1-7	0.1	0.4	0.2	*	0.1	0.1	0.2	0.2	0.1	*
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	*	0.1	*	*	*	*	*	0.1	*	*
All Colors	8 2/	*	*	*	*	*	*	0.1	0.1	*	*
EXTRANEEOUS MATTER											
Bark - Level 1		5.0	4.3	3.6	4.1	0.8	0.4	8.5	6.2	0.5	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.1	0.1	*	*	*	0.3	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	*	*	*	*	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	*	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	-	0.1	-	-
31		0.1	*	*	*	-	*	0.2	0.3	-	-
32		0.9	0.7	0.2	0.1	-	*	0.6	1.1	-	*
33		2.6	2.3	2.2	1.6	*	0.1	2.3	3.5	0.9	0.7
34		5.5	6.5	8.2	5.7	1.0	1.4	9.2	9.8	10.4	9.4
35		12.8	11.9	17.9	11.4	14.4	12.6	20.9	19.4	28.0	26.2
36		26.5	22.2	20.6	16.8	44.3	35.3	26.1	25.2	26.4	29.8
37		31.1	30.4	32.0	30.5	31.7	38.8	27.1	25.0	24.9	22.3
38 & longer		20.6	25.9	18.9	33.8	8.5	11.8	13.5	15.7	9.5	11.6
Average staple		36.4	36.6	36.3	36.8	36.3	36.5	36.1	36.1	35.9	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	-	*
23	*	*	-	*	-	-	-	-	-	*	*	*
24	*	0.1	*	*	-	-	-	-	*	0.1	0.1	0.1
25	0.3	0.4	0.1	*	-	*	-	-	0.1	0.6	1.0	0.8
26	2.4	1.9	0.6	0.5	*	0.1	-	-	1.5	3.3	4.5	4.1
27	10.7	8.0	2.7	2.7	0.1	0.5	0.1	*	9.9	11.7	10.8	11.5
28	22.7	22.3	9.4	9.6	1.5	3.5	-	0.1	27.2	31.1	17.9	20.4
29	30.8	32.5	26.2	26.2	3.7	11.2	0.1	1.0	30.1	32.6	22.7	26.0
30	20.2	21.7	31.1	28.9	11.8	18.9	2.3	2.5	19.9	14.0	21.8	20.5
31	7.9	9.0	17.5	18.4	23.0	24.0	10.8	5.0	10.4	5.5	12.0	10.5
32	3.9	3.0	8.0	9.1	24.1	20.2	13.0	9.9	1.0	0.8	5.3	4.1
33	0.9	0.8	3.1	3.4	19.8	12.9	9.1	17.0	0.1	0.1	2.5	1.4
34	0.1	0.2	1.2	0.8	10.3	5.4	11.6	14.1	-	*	1.0	0.4
35	*	*	0.2	0.2	3.7	2.2	19.2	10.9	-	*	0.3	0.1
36 & above	*	*	*	*	1.9	1.1	34.0	39.6	-	-	0.1	*
Average	28.9	29.0	29.9	29.9	31.9	31.2	34.4	34.6	28.9	28.6	29.2	29.0
MIKE												
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25	-	*	*	*	*	*	-	*	-	-	*	*
26	*	*	-	-	-	*	-	*	-	-	*	*
27	*	*	*	*	*	*	0.1	0.1	-	-	*	*
28	*	*	*	*	*	*	0.1	0.1	-	-	*	*
29	*	*	*	*	0.1	*	*	0.1	-	-	*	*
30	*	*	*	*	0.2	0.1	*	0.1	-	*	*	*
31	0.1	*	*	*	0.3	0.1	0.3	0.3	-	-	0.1	0.1
32	0.1	0.1	*	*	0.3	0.1	0.7	0.6	-	-	0.1	0.2
33	0.4	0.3	*	*	0.6	0.2	0.7	0.8	-	*	0.3	0.5
34	0.5	0.4	*	*	0.6	0.3	0.9	1.1	*	*	0.6	0.9
35	0.9	0.7	*	0.1	0.4	0.4	1.3	1.2	0.2	0.1	0.9	1.3
36	2.0	1.1	0.2	0.1	0.3	0.5	1.2	1.8	0.8	0.2	1.4	1.8
37	4.0	2.2	0.4	0.2	0.4	0.7	1.8	2.5	1.5	0.5	2.1	2.5
38	5.3	3.2	0.7	0.4	0.7	1.1	3.2	2.7	2.4	1.1	3.1	3.9
39	5.0	4.1	0.8	0.8	1.4	1.7	3.2	3.6	3.1	1.6	5.1	6.1
40	6.8	6.0	2.0	1.6	2.3	2.3	6.9	4.4	5.8	3.9	7.9	8.9
41	7.4	7.3	3.0	2.8	2.9	3.8	7.3	6.2	5.8	5.8	10.4	11.9
42	8.8	8.9	4.8	4.8	3.2	4.5	9.3	8.0	6.7	8.4	13.4	14.2
43	9.7	10.6	6.8	6.8	4.1	5.9	8.8	9.8	10.5	11.9	14.1	14.1
44	10.2	10.9	10.0	10.0	6.5	7.1	11.7	11.5	12.2	12.7	13.8	12.2
45	10.8	10.9	12.1	12.5	9.3	8.6	12.4	11.0	13.5	15.4	11.4	9.0
46	8.2	9.7	12.8	13.8	10.6	10.7	10.6	11.0	13.7	14.2	7.5	5.8
47	7.4	8.0	13.1	13.2	13.0	12.5	7.5	8.1	10.1	10.5	3.9	3.4
48	5.4	6.0	11.8	11.5	12.7	11.6	5.8	6.2	6.2	7.0	2.2	1.8
49	3.4	4.1	8.7	8.3	12.2	9.6	3.1	3.2	4.4	4.8	1.1	0.8
50	2.1	2.7	6.3	5.6	7.5	7.8	1.4	1.9	3.0	1.6	0.5	0.3
51	1.0	1.5	3.1	3.4	4.2	5.7	0.6	1.3	*	0.4	0.1	0.1
52	0.3	0.8	1.3	2.0	3.5	3.0	0.2	1.2	-	0.1	*	*
53	0.1	0.3	1.0	1.0	1.8	1.3	0.3	0.6	-	*	*	*
54	0.1	0.1	0.7	0.5	0.8	0.4	0.1	0.2	-	-	-	*
55	*	*	0.3	0.2	0.1	0.1	0.2	0.1	-	-	-	*
56	-	*	*	0.1	*	*	0.2	*	-	-	-	*
57	*	*	-	*	-	*	0.2	*	-	-	-	-
58	-	-	-	-	-	-	0.1	*	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	43	44	46	46	46	46	43	44	44	45	43	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	*	-	*	-	-	-	*	-	-	-	-
23	*	*	-	*	*	*	-	*	-	*	-	-
24	*	0.1	-	*	*	*	*	*	0.1	0.1	-	-
25	0.2	0.6	*	*	*	*	0.1	0.1	0.7	0.4	-	-
26	1.5	1.4	0.1	0.3	0.5	0.4	0.9	0.9	2.3	1.7	-	-
27	5.7	4.4	1.0	1.6	3.8	2.6	5.0	2.9	6.4	4.6	0.4	0.5
28	26.6	16.5	5.1	5.7	12.8	11.2	12.3	8.5	14.4	10.8	4.7	4.2
29	25.4	30.1	21.6	17.3	31.4	23.8	26.6	21.6	19.1	19.8	14.5	17.7
30	9.8	22.2	35.2	30.6	24.7	28.6	28.1	31.2	22.4	24.0	39.4	30.7
31	18.3	15.6	21.4	22.9	14.2	17.8	16.1	21.4	18.0	18.4	24.1	27.2
32	11.6	8.1	10.3	13.0	8.7	9.0	7.2	8.8	10.1	11.1	13.8	15.5
33	0.7	0.8	3.9	5.6	2.7	4.5	2.7	3.3	4.3	5.9	2.1	3.5
34	0.1	0.1	1.2	2.2	1.0	1.6	0.7	1.0	1.5	2.5	0.7	0.6
35	-	*	0.2	0.6	0.1	0.3	0.2	0.2	0.6	0.7	0.1	*
36 & above	*	*	*	0.2	*	*	*	*	0.1	0.1	*	*
Average	29.4	29.4	30.2	30.4	29.7	30.0	29.7	30.0	29.8	30.0	30.3	30.4
MIKE												
24 & below	*	*	-	-	-	-	-	-	*	*	-	-
25	0.1	0.2	-	*	-	-	-	-	-	-	-	-
26	0.3	0.5	-	-	-	-	-	-	-	-	-	-
27	0.6	0.7	-	-	-	*	-	-	-	*	-	*
28	1.1	1.0	-	-	-	-	-	-	-	*	-	0.2
29	0.5	0.7	-	-	-	-	-	*	*	*	-	0.1
30	0.8	1.2	-	*	-	*	-	*	*	*	*	0.3
31	1.3	2.2	-	*	-	*	-	*	*	*	0.4	0.3
32	1.4	2.9	-	*	-	*	*	*	*	*	1.2	0.4
33	1.5	4.8	-	*	*	*	*	*	0.1	0.1	1.0	0.7
34	3.7	6.4	-	*	-	*	0.1	*	0.1	0.1	4.5	2.1
35	5.1	6.3	-	*	0.1	*	0.1	*	0.3	0.2	2.2	2.6
36	9.1	7.8	-	*	0.1	0.1	0.1	0.1	0.5	0.3	4.6	5.0
37	5.9	9.3	-	*	0.2	0.2	0.2	0.2	0.8	0.5	2.3	3.5
38	5.6	8.7	*	0.1	0.3	0.4	0.4	0.4	0.9	0.8	5.2	6.9
39	5.2	8.5	0.1	0.3	0.7	0.7	0.7	0.7	2.5	1.4	9.4	8.3
40	5.1	7.2	0.3	0.5	1.7	1.1	1.0	1.1	2.5	2.1	4.7	8.5
41	6.2	7.5	0.5	1.1	3.1	2.1	1.9	1.9	2.9	3.2	7.7	6.4
42	14.9	7.2	0.7	1.9	5.1	4.0	2.6	3.0	4.6	4.8	5.2	9.0
43	11.5	6.6	1.1	2.7	6.4	6.0	3.7	4.4	6.0	6.9	11.9	9.4
44	6.2	4.7	3.4	3.6	5.5	8.2	5.6	6.5	9.1	9.7	12.7	8.4
45	6.6	3.1	8.0	6.3	10.2	10.6	8.5	9.1	11.5	13.1	10.4	7.3
46	3.2	1.5	13.7	9.6	13.4	11.7	12.4	13.3	15.4	15.1	7.3	6.5
47	2.1	0.6	15.0	13.7	12.2	12.4	14.6	16.1	15.2	14.3	5.0	6.2
48	1.2	0.3	16.1	16.4	10.6	11.2	15.4	16.3	12.2	11.2	1.7	4.0
49	0.6	0.2	12.0	15.7	8.7	10.0	14.5	13.1	7.0	7.3	0.7	1.7
50	0.3	0.1	11.5	12.8	7.2	7.6	10.1	7.5	3.5	4.5	1.4	1.1
51	-	*	8.6	8.1	5.1	5.7	5.5	3.5	2.4	2.5	-	0.9
52	-	-	6.8	4.6	4.8	4.1	1.7	1.6	1.3	1.3	0.4	0.2
53	-	-	2.0	1.9	3.7	2.5	0.6	0.8	0.7	0.5	*	*
54	-	-	0.4	0.5	0.9	1.0	0.1	0.3	0.3	0.2	-	-
55	-	-	*	0.1	0.2	0.3	*	*	*	*	-	-
56	-	-	*	*	-	*	*	*	*	*	-	-
57	-	-	-	*	-	*	-	*	-	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	40	38	48	48	47	47	47	47	46	46	42	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
18	-	-	-	-	-	-	-	*	-	-	
19	-	*	-	-	-	-	-	*	-	-	
20	-	-	-	-	-	-	*	*	-	-	
21	-	*	-	-	-	-	*	*	-	-	
22	*	*	-	-	-	-	*	0.1	-	-	
23	*	*	0.1	*	-	*	0.1	0.2	*	*	
24	0.1	*	0.5	0.2	-	*	0.1	0.4	0.1	0.1	
25	0.1	0.1	2.3	1.3	0.1	0.1	0.4	0.9	0.7	0.8	
26	0.6	0.4	7.6	4.6	1.6	1.0	1.1	1.8	3.7	4.0	
27	2.5	1.9	12.6	9.5	7.7	6.0	3.0	3.8	7.9	7.6	
28	7.7	6.4	18.9	16.5	19.4	18.5	7.8	8.4	16.1	18.2	
29	14.1	14.3	24.5	24.7	26.7	29.1	15.5	15.7	25.3	27.1	
30	24.8	23.8	19.4	23.7	14.8	22.6	19.9	19.8	21.3	21.3	
31	21.8	22.1	9.8	12.3	13.4	12.9	21.3	20.0	12.8	12.0	
32	13.9	14.5	3.1	4.6	11.0	6.5	16.7	15.1	7.6	5.8	
33	11.4	10.8	0.9	1.8	4.5	2.5	9.1	8.5	3.0	2.2	
34	2.3	4.3	0.2	0.7	0.6	0.7	3.5	3.7	1.2	0.8	
35	0.2	1.1	*	0.1	*	0.2	1.1	1.2	0.3	0.2	
36 & above	0.5	0.3	*	*	*	*	0.3	0.5	0.1	*	
Average	30.5	30.7	28.7	29.1	29.5	29.4	30.5	30.3	29.4	29.2	
MIKE 24 & below	*	*	-	-	-	-	0.2	*	-	-	
25	0.1	*	-	-	-	-	0.4	0.1	-	-	
26	*	*	-	*	-	-	0.5	0.1	-	-	
27	*	*	-	-	-	-	0.6	0.2	-	-	
28	*	0.1	-	-	-	-	0.6	0.2	-	-	
29	*	0.1	-	*	-	-	1.0	0.3	-	-	
30	*	0.1	*	*	-	*	1.3	0.4	-	-	
31	0.1	0.1	*	*	-	*	1.7	0.6	-	-	
32	0.2	0.2	*	*	*	*	2.2	0.9	-	-	
33	0.2	0.3	0.1	*	0.1	*	2.7	1.2	-	*	
34	0.7	0.5	0.2	0.1	0.2	*	3.3	1.5	-	-	
35	1.2	0.7	0.2	0.2	0.2	0.1	3.9	2.0	-	*	
36	1.4	0.9	0.2	0.4	0.5	0.1	4.4	2.4	*	*	
37	1.9	1.6	0.5	0.8	0.5	0.2	5.1	3.0	0.1	0.1	
38	4.2	2.8	1.0	1.6	0.5	0.3	5.7	3.6	0.2	0.1	
39	5.0	3.9	2.7	3.0	0.8	0.5	6.4	4.3	0.6	0.1	
40	6.3	5.8	3.7	5.5	0.9	1.0	6.7	5.0	0.7	0.3	
41	7.7	7.7	6.8	9.3	1.2	1.7	7.2	5.7	0.8	0.6	
42	9.1	8.7	11.6	12.6	1.5	2.5	7.2	6.3	1.4	1.6	
43	10.5	9.5	13.3	14.7	3.1	3.7	6.8	7.0	4.1	3.5	
44	10.4	10.7	16.3	15.3	5.2	5.5	6.5	7.5	7.5	7.2	
45	10.6	11.4	15.9	12.6	6.0	7.8	6.0	8.0	13.0	14.1	
46	10.3	10.0	11.6	9.5	6.3	9.9	5.4	8.1	18.5	20.4	
47	7.8	8.2	7.0	6.6	9.5	11.5	4.6	7.6	20.8	20.5	
48	6.2	6.6	4.2	4.2	14.1	12.9	3.3	6.7	16.1	15.6	
49	3.0	4.5	2.6	2.0	13.0	12.3	2.4	5.5	9.7	8.9	
50	1.5	2.7	1.2	1.1	10.2	11.0	1.7	4.1	3.9	4.2	
51	0.7	1.6	0.5	0.5	10.7	8.4	1.1	3.0	1.9	1.9	
52	0.3	0.9	0.4	0.2	7.0	5.5	0.6	2.0	0.6	0.7	
53	0.3	0.3	0.1	*	6.3	3.2	0.3	1.3	0.1	0.2	
54	0.2	0.2	*	*	1.8	1.5	0.1	0.8	*	*	
55	*	0.1	-	*	0.3	0.3	*	0.4	-	*	
56	-	*	*	*	-	*	*	0.1	-	*	
57	-	-	-	*	-	*	*	*	-	*	
58	-	-	-	*	-	*	*	*	-	*	
59	-	-	-	*	-	-	-	*	-	-	
60 & above	-	-	-	-	-	-	-	*	-	-	
Average	43	44	44	44	48	48	41	44	46	47	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25 - 26	*	*	*	*	*	*	-	*	-	-	*	*
27 - 29	*	*	*	*	0.1	0.1	0.2	0.2	-	-	*	*
30 - 32	0.2	0.1	*	0.1	0.8	0.3	0.9	1.0	-	*	0.2	0.4
33 - 34	0.9	0.7	*	0.1	1.2	0.5	1.6	1.9	*	*	0.9	1.3
35 - 36	2.9	1.8	0.2	0.2	0.7	0.9	2.5	3.0	1.1	0.4	2.3	3.1
37 - 42	37.3	31.7	11.7	10.8	10.9	14.1	31.7	27.5	25.2	21.2	42.0	47.5
43 - 49	55.1	60.1	75.3	76.1	68.4	65.9	59.8	60.9	70.7	76.4	54.0	47.2
50 - 52	3.3	5.0	10.7	11.0	15.2	16.5	2.3	4.4	3.0	2.0	0.6	0.5
53 & above	0.2	0.5	2.0	1.8	2.7	1.8	1.0	1.0	-	*	*	*
Average	43	44	46	46	46	46	43	44	44	45	43	42
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.3	0.2	*	0.1	6.5	9.8	27.5	31.1	0.1	*	0.3	0.5
02	5.2	5.1	1.1	2.3	26.3	28.4	42.3	43.2	2.5	1.5	5.0	8.5
03	16.5	17.7	9.1	10.8	26.3	26.5	20.1	18.7	14.3	11.1	16.4	22.1
04	22.3	24.4	19.2	20.1	18.3	16.8	6.5	5.0	26.0	25.4	24.3	25.8
05	19.4	20.8	22.5	22.4	11.3	9.3	2.0	1.3	23.0	26.9	22.8	20.2
06	15.2	14.0	18.9	18.6	6.1	4.6	1.0	0.4	15.9	18.4	15.3	12.1
07	9.7	8.5	13.5	12.4	2.8	2.2	0.4	0.1	9.6	9.6	8.5	6.2
08	5.6	4.7	8.1	7.0	1.2	1.0	0.1	*	5.0	4.4	4.2	2.7
09	3.1	2.5	4.4	3.6	0.7	0.6	0.1	*	2.6	1.9	1.8	1.1
10	1.5	1.2	2.0	1.6	0.3	0.3	*	*	0.9	0.7	0.8	0.5
11	0.6	0.6	0.7	0.7	0.1	0.2	-	*	0.1	0.2	0.3	0.2
12	0.3	0.3	0.3	0.3	0.1	0.1	-	-	0.1	0.1	0.2	0.1
13	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.1	*
14	0.1	0.1	0.1	*	*	*	-	-	-	*	*	*
15	*	*	*	*	*	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	*	*	-	-	-	-	*	*
18 & above	*	*	*	*	-	*	-	-	-	*	*	*
Average	0.51	0.49	0.57	0.55	0.35	0.33	0.22	0.20	0.50	0.51	0.49	0.44
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	*	-	*	-	-	-	-
75.5-76.4	*	*	-	*	*	*	*	*	-	-	*	*
76.5-77.4	0.2	0.1	*	*	*	*	-	*	0.1	0.1	0.1	0.1
77.5-78.4	1.3	0.8	0.5	0.2	0.2	0.3	0.1	0.3	0.3	0.3	0.6	0.7
78.5-79.4	6.0	4.5	2.5	1.2	2.9	2.6	0.1	1.2	2.7	3.0	3.9	4.3
79.5-80.4	22.2	20.0	11.4	7.3	8.2	12.2	0.7	3.0	24.8	34.5	17.4	19.4
80.5-81.4	43.9	41.9	30.4	26.3	24.8	32.0	11.0	13.2	56.8	52.1	36.7	39.8
81.5-82.4	21.6	26.0	35.3	37.7	41.6	37.0	40.3	29.6	14.3	9.1	29.8	26.9
82.5-83.4	4.3	5.8	17.0	22.9	17.9	13.4	14.2	19.1	1.0	0.8	9.6	7.6
83.5-84.4	0.5	0.8	2.5	4.2	3.7	2.1	15.7	20.1	0.1	0.1	1.8	1.2
84.5-85.4	*	0.1	0.3	0.2	0.5	0.3	17.0	12.7	-	*	0.2	0.1
85.5-86.4	-	*	*	*	0.1	*	0.7	0.6	-	-	*	*
86.5-87.4	-	*	*	*	-	*	0.1	0.1	-	-	-	*
87.5-88.4	-	*	*	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	*	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	80.9	81.0	81.6	81.8	81.7	81.5	82.8	82.7	80.8	80.6	81.2	81.1
Tenderable 3/	63.4	64.0	74.4	71.2	73.8	73.9	92.9	90.8	53.8	61.9	67.3	79.6
SAMPLES CLASSED												
WEEK	50,194		34,553		23,658		15,232		7,380		131,887	
SEASON		618,470		1,119,148		159,018		121,257		58,741		1,383,272

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	-	-	*	*	-	-
25 - 26	0.4	0.7	-	*	-	-	-	-	-	-	-	-
27 - 29	2.1	2.4	-	-	-	*	-	*	*	*	-	0.3
30 - 32	3.4	6.3	-	*	-	*	*	*	0.1	*	1.6	1.0
33 - 34	5.3	11.1	-	*	*	*	0.1	*	0.1	0.2	5.5	2.8
35 - 36	14.3	14.1	-	*	0.1	0.1	0.2	0.1	0.8	0.5	6.8	7.6
37 - 42	42.8	48.4	1.7	3.9	11.0	8.5	6.9	7.4	14.2	12.7	34.5	42.6
43 - 49	31.4	16.9	69.2	68.0	66.9	70.2	74.8	78.8	76.5	77.6	49.8	43.5
50 - 52	0.3	0.1	26.8	25.6	17.1	17.4	17.3	12.6	7.2	8.3	1.9	2.3
53 & above	-	-	2.4	2.5	4.8	3.8	0.7	1.1	1.0	0.7	*	*
Average	40	38	48	48	47	47	47	47	46	46	42	42
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	3.5	1.7	0.3	0.6	*	0.1	0.2	0.2	0.1	0.2	6.7	6.2
02	18.0	11.9	7.2	9.2	2.2	3.1	5.7	5.6	3.8	5.8	30.0	30.5
03	19.6	19.1	20.5	22.2	14.0	12.3	17.8	16.5	16.0	20.2	32.4	30.2
04	12.2	17.6	26.0	24.9	25.6	20.8	24.1	22.6	23.1	26.5	18.9	17.0
05	10.1	14.3	21.6	19.6	24.4	23.0	21.4	21.4	21.5	21.1	7.4	8.3
06	9.1	12.0	13.5	12.1	16.2	18.6	14.6	15.7	14.9	13.2	3.6	4.4
07	8.1	8.8	6.5	6.4	9.2	11.7	8.2	9.4	9.3	7.0	0.8	1.9
08	6.8	6.1	2.8	3.0	4.4	6.0	4.2	4.9	5.3	3.4	0.2	0.9
09	5.0	3.8	1.2	1.3	2.2	2.7	2.0	2.2	2.9	1.5	-	0.4
10	3.1	2.2	0.3	0.5	1.0	1.1	0.9	0.9	1.6	0.7	-	0.1
11	2.0	1.3	0.1	0.2	0.4	0.4	0.5	0.4	0.7	0.2	-	0.1
12	1.2	0.7	*	0.1	0.2	0.1	0.2	0.1	0.4	0.1	-	*
13	0.7	0.3	*	*	0.1	*	0.1	0.1	0.2	*	-	-
14	0.3	0.1	-	*	*	*	0.1	*	0.1	*	-	-
15	0.2	0.1	-	*	*	*	*	*	0.1	*	-	-
16	0.1	*	-	-	*	*	-	*	*	*	-	-
17	*	*	-	-	-	*	-	*	*	*	-	-
18 & above	*	*	-	-	*	*	-	*	*	*	-	-
Average	0.49	0.49	0.45	0.44	0.51	0.52	0.48	0.49	0.51	0.46	0.31	0.32
UNIFORMITY 2/												
72.4 & below	-	*	-	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	*	*	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	*	*	*	-	-
74.5-75.4	*	*	*	*	-	-	*	*	*	*	-	-
75.5-76.4	0.1	0.1	*	0.1	*	*	*	*	*	*	-	-
76.5-77.4	0.5	0.3	0.1	0.3	*	*	*	0.1	0.4	0.3	-	*
77.5-78.4	2.8	1.9	0.8	1.4	0.1	*	1.2	0.9	2.2	1.5	-	*
78.5-79.4	5.9	6.7	5.6	6.9	0.6	0.3	6.0	4.3	9.9	7.8	1.0	0.8
79.5-80.4	28.7	35.3	22.5	20.5	6.4	2.4	21.7	18.2	27.4	25.1	2.9	3.5
80.5-81.4	40.8	41.9	37.9	36.7	23.8	14.1	37.5	38.4	32.3	36.0	10.3	13.1
81.5-82.4	20.6	12.1	27.1	25.0	43.4	36.8	26.7	29.2	22.1	23.1	21.9	32.7
82.5-83.4	0.6	1.7	5.5	7.4	22.9	36.1	6.3	7.8	5.1	5.4	54.2	44.9
83.5-84.4	*	*	0.5	1.5	2.6	9.6	0.5	0.9	0.5	0.7	9.5	4.8
84.5-85.4	*	*	*	0.2	0.2	0.6	0.1	0.1	0.1	0.1	0.1	0.1
85.5-86.4	*	*	-	*	*	*	*	*	*	*	-	*
86.5-87.4	*	*	-	*	-	*	-	-	-	*	-	-
87.5-88.4	0.1	*	-	*	*	*	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	*	*	-	-	-	-
89.5 & above	*	*	-	-	-	-	-	-	-	-	-	-
Average	80.7	80.6	81.0	81.0	81.8	82.3	81.0	81.1	80.7	80.8	82.5	82.3
Tenderable 3/	58.6	54.0	52.9	57.1	70.6	68.6	69.4	76.4	79.1	76.2	90.3	92.3
SAMPLES CLASSED												
WEEK	9,877		14,028		28,147		60,824		35,350		3,077	
SEASON		40,077		394,047		712,011		1,226,044		650,438		18,122

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 20, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
24 & below	*	*	-	-	-	-	0.2	*	-	-	
25 - 26	0.1	*	-	*	-	-	0.9	0.2	-	-	
27 - 29	*	0.1	-	*	-	-	2.2	0.7	-	-	
30 - 32	0.3	0.3	*	*	*	*	5.2	1.9	-	-	
33 - 34	0.9	0.7	0.2	0.1	0.3	*	6.0	2.7	-	*	
35 - 36	2.6	1.6	0.4	0.5	0.7	0.2	8.3	4.4	*	*	
37 - 42	34.3	30.5	26.3	32.7	5.4	6.3	38.3	27.8	3.9	2.7	
43 - 49	58.7	60.9	70.9	64.9	57.2	63.6	35.1	50.4	89.7	90.2	
50 - 52	2.5	5.2	2.1	1.7	27.9	24.9	3.4	9.0	6.4	6.8	
53 & above	0.5	0.6	0.1	0.1	8.4	5.0	0.5	2.7	0.1	0.3	
Average	43	44	44	44	48	48	41	44	46	47	
HVI TRASH 1/											
00	-	-	-	-	-	-	*	*	-	-	
01	1.3	0.9	0.1	0.3	1.9	0.8	3.9	4.4	0.2	0.3	
02	17.1	12.2	3.4	5.6	14.0	10.1	22.5	19.6	5.9	10.6	
03	30.9	25.5	13.7	16.2	19.3	22.0	26.3	23.8	26.4	32.5	
04	24.4	24.7	21.7	23.5	19.2	24.5	19.1	19.3	31.9	31.8	
05	13.2	16.8	22.8	22.5	17.3	19.2	11.8	13.2	21.2	16.4	
06	6.4	9.5	17.1	15.6	12.9	11.9	6.9	8.3	9.4	5.8	
07	3.2	5.0	10.4	8.8	8.1	6.4	4.0	4.9	3.6	1.8	
08	1.6	2.5	5.8	4.3	4.1	3.0	2.4	2.8	1.0	0.5	
09	0.9	1.3	2.6	1.9	1.9	1.3	1.4	1.6	0.3	0.1	
10	0.4	0.7	1.4	0.8	0.7	0.5	0.8	0.9	0.1	*	
11	0.2	0.4	0.5	0.3	0.3	0.2	0.5	0.5	*	*	
12	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.3	*	*	
13	0.1	0.1	0.1	*	0.1	*	0.2	0.2	*	*	
14	0.1	0.1	*	*	*	*	0.1	0.1	-	*	
15	*	*	*	*	*	*	*	0.1	*	*	
16	*	*	*	*	-	*	*	*	*	*	
17	*	*	*	*	*	*	*	*	-	-	
18 & above	*	*	*	*	*	*	*	*	-	-	
Average	0.38	0.43	0.52	0.49	0.45	0.44	0.38	0.40	0.42	0.38	
UNIFORMITY 2/											
72.4 & below	-	-	-	-	-	-	-	*	-	-	
72.5-73.4	-	*	-	-	-	-	*	*	-	-	
73.5-74.4	-	*	-	*	-	-	*	*	-	*	
74.5-75.4	*	*	*	*	-	-	0.1	0.1	-	*	
75.5-76.4	*	*	0.1	0.1	*	*	0.3	0.3	*	*	
76.5-77.4	0.3	0.3	0.6	0.4	*	*	0.8	1.0	0.2	0.2	
77.5-78.4	2.3	1.4	3.4	2.4	0.2	0.2	3.1	2.8	1.4	1.2	
78.5-79.4	8.1	6.3	14.3	11.8	1.6	1.9	11.0	8.0	8.8	8.6	
79.5-80.4	27.7	22.4	40.2	33.7	19.1	11.9	26.5	20.1	31.9	32.2	
80.5-81.4	42.9	37.6	30.2	35.2	31.5	29.6	33.0	30.5	39.4	38.0	
81.5-82.4	16.3	24.7	9.6	13.6	30.2	35.5	19.5	24.8	14.9	16.3	
82.5-83.4	2.2	6.2	1.5	2.6	14.7	17.9	5.2	10.5	2.9	3.2	
83.5-84.4	0.2	0.9	0.1	0.3	2.5	2.8	0.6	1.8	0.4	0.3	
84.5-85.4	*	0.1	*	*	0.2	0.2	*	0.2	*	*	
85.5-86.4	*	*	-	*	*	*	*	*	-	-	
86.5-87.4	*	*	-	-	-	-	*	*	-	-	
87.5-88.4	*	*	-	-	-	-	*	*	-	-	
88.5-89.4	*	*	-	-	-	-	*	*	-	-	
89.5 & above	-	*	-	-	-	-	*	*	-	-	
Average	80.6	80.9	80.3	80.5	81.4	81.6	80.6	81.0	80.6	80.6	
Tenderable 3/	87.9	83.4	78.3	80.7	53.7	46.4	69.9	67.0	88.2	81.6	
SAMPLES CLASSED											
WEEK	42,155		21,458		22,823		445,141		14,072		
SEASON		225,936		277,152		744,525		4,469,693		163,911	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 20, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	0.9	3.6	25.0	21.4	-	-	-	-
	2	0.4	16.0	27.9	23.0	-	-	-	-
	3	-	1.7	0.4	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.4	21.2	53.2	44.8	-	-	-	-
02	1	27.2	11.2	5.8	6.0	-	-	-	-
	2	32.7	21.3	34.3	38.2	-	-	-	-
	3	0.5	1.7	4.4	7.7	-	-	-	-
	4	-	*	*	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		60.4	34.2	44.6	52.1	-	-	-	-
03	1	1.1	1.9	0.1	*	-	-	-	-
	2	14.8	23.3	1.0	1.3	-	-	-	-
	3	4.4	7.7	0.9	1.4	-	-	-	-
	4	0.1	0.3	0.1	0.2	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		20.5	33.1	1.9	3.0	-	-	-	-
04	1	-	*	-	*	-	-	-	-
	2	6.8	4.8	0.1	*	-	-	-	-
	3	7.6	4.9	0.1	0.1	-	-	-	-
	4	0.5	0.3	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		14.9	10.1	0.1	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.7	0.3	*	*	-	-	-	-
	3	1.9	0.9	0.1	*	-	-	-	-
	4	0.3	0.1	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		2.8	1.3	0.1	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE		-	-	-	-	-	-	-	-
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		0.1	0.1	0.1	0.2	-	-	-	-
46		0.7	21.3	2.3	4.2	-	-	-	-
48 & longer		99.2	78.7	97.6	95.6	-	-	-	-
Average		49.3	48.6	49.5	49.2	-	-	-	-
UNIFORMITY		-	-	-	-	-	-	-	-
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	0.1	*	-	-	-	-
83		-	*	0.6	0.3	-	-	-	-
84		0.3	0.1	2.1	1.8	-	-	-	-
85		3.4	13.2	9.2	11.8	-	-	-	-
86		46.9	45.5	42.2	40.1	-	-	-	-
87		47.4	38.4	39.4	40.6	-	-	-	-
88		1.9	2.7	6.0	5.1	-	-	-	-
89		0.1	*	0.5	0.3	-	-	-	-
90 & above		-	-	*	*	-	-	-	-
Average		86.5	86.3	86.3	86.3	-	-	-	-
SAMPLES CLASSED		-	-	-	-	-	-	-	-
WEEK		2,473	-	42,681	-	-	-	-	-
SEASON		-	14,806	-	395,590	-	-	-	-

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 20, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	-	-	*	-	-	-	-
27 - 29	-	-	0.2	0.1	-	-	-	-
30 - 32	-	*	0.8	0.5	-	-	-	-
33 - 34	0.5	0.4	1.9	1.1	-	-	-	-
35 - 36	2.5	1.6	4.9	3.8	-	-	-	-
37 - 42	78.4	78.7	52.7	52.2	-	-	-	-
43 - 49	18.5	19.3	39.5	42.3	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
Average	40	41	41	42	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	-	*	-	-	-	-
26	-	-	-	*	-	-	-	-
27	-	-	*	*	-	-	-	-
28	-	-	0.1	*	-	-	-	-
29	-	-	0.1	0.1	-	-	-	-
30	-	-	0.1	0.1	-	-	-	-
31	-	-	0.2	0.1	-	-	-	-
32	-	*	0.5	0.3	-	-	-	-
33	-	0.1	0.7	0.4	-	-	-	-
34	0.5	0.3	1.2	0.7	-	-	-	-
35	0.5	0.2	1.9	1.5	-	-	-	-
36	2.0	1.4	3.0	2.3	-	-	-	-
37	6.0	4.0	3.5	3.4	-	-	-	-
38	6.2	8.9	4.4	5.4	-	-	-	-
39	19.3	17.8	8.5	7.8	-	-	-	-
40	18.5	19.6	9.4	10.1	-	-	-	-
41	15.5	15.4	12.4	11.5	-	-	-	-
42	12.9	13.0	14.6	14.0	-	-	-	-
43	8.9	11.0	15.3	15.6	-	-	-	-
44	8.7	5.1	11.5	13.6	-	-	-	-
45	0.8	2.5	7.1	8.2	-	-	-	-
46	*	0.6	3.7	3.6	-	-	-	-
47	-	0.1	1.5	1.1	-	-	-	-
48	-	*	0.4	0.3	-	-	-	-
49	-	*	0.1	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	-	*	-	-	-	-
53	-	-	*	*	-	-	-	-
54	-	-	*	*	-	-	-	-
55	-	-	*	*	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	40	41	41	42	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	*	*	-	-	-	-
36	-	*	0.2	0.1	-	-	-	-
37	-	*	0.7	0.4	-	-	-	-
38	-	0.5	1.4	1.3	-	-	-	-
39	0.1	3.6	1.4	2.9	-	-	-	-
40	0.1	8.7	1.7	3.9	-	-	-	-
41	0.9	7.5	2.9	3.6	-	-	-	-
42	9.3	7.2	6.8	6.2	-	-	-	-
43	26.7	20.4	14.0	12.8	-	-	-	-
44	34.0	27.7	22.3	21.6	-	-	-	-
45 & above	28.8	24.2	48.5	47.2	-	-	-	-
Average	43.8	43.1	44.1	44.0	-	-	-	-
EXTRANEEOUS MATTER								
Bark	-	-	-	*	-	-	-	-
Grass	-	0.2	0.1	0.2	-	-	-	-
Spindle Twist	-	-	*	*	-	-	-	-
Preparation	-	*	*	*	-	-	-	-

* Less than 0.05 percent.

Extraneous Matter By State

21-Dec-18

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Week ending Thursday, December 20, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	18.3%	-	*	-	0.2%	-	-	-	-	-	-	-	18.6%	-	50,194
Arizona	-	-	1.2%	-	*	-	1.3%	-	-	-	-	-	-	-	2.6%	-	23,658
Arkansas	0.5%	-	3.3%	-	0.1%	-	0.1%	-	*	-	-	-	-	-	4.0%	-	34,553
California	-	-	0.2%	-	-	-	-	-	-	-	-	-	-	-	0.2%	-	15,232
Florida	-	-	29.6%	-	-	-	0.1%	-	-	-	-	-	-	-	29.7%	-	7,380
Georgia	0.1%	-	17.6%	-	*	-	0.5%	-	-	-	-	-	-	-	18.1%	-	131,887
Kansas	-	-	28.1%	-	-	-	-	-	-	-	-	-	-	-	28.1%	-	9,877
Louisiana	-	-	6.5%	-	0.6%	-	0.5%	-	-	-	-	-	*	-	7.7%	-	14,028
Mississippi	0.5%	-	2.5%	-	0.1%	-	0.3%	-	-	-	-	-	*	-	3.4%	-	60,824
Missouri	*	-	0.8%	-	0.2%	-	-	-	-	-	-	-	*	-	1.0%	-	28,147
New Mexico	-	-	1.2%	-	-	-	-	-	-	-	-	-	-	-	1.2%	-	3,077
North Carolina	0.1%	-	4.2%	-	*	-	-	-	-	-	-	-	-	-	4.3%	-	35,350
Oklahoma	-	-	5.0%	-	-	-	-	-	-	-	-	-	-	-	5.0%	-	42,155
South Carolina	*	-	3.6%	-	0.1%	-	*	-	-	-	-	-	*	-	3.8%	-	21,458
Tennessee	*	-	0.8%	-	*	-	-	-	-	-	-	-	-	-	0.8%	-	22,823
Texas	*	-	8.5%	-	*	-	0.6%	-	*	-	-	-	*	-	9.1%	-	445,141
Virginia	*	-	0.5%	-	-	-	-	-	-	-	-	-	-	-	0.5%	-	14,072
United States	0.1%	-	8.7%	-	*	-	0.4%	-	*	-	-	-	*	-	9.3%	*	959,856

* Less than 0.05 percent.

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Season ending Thursday, December 20, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	10.8%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	11.2%	*	618,470
Arizona	-	-	0.9%	-	*	-	1.7%	-	-	-	-	-	-	-	2.6%	-	159,018
Arkansas	0.1%	-	1.4%	-	0.1%	-	*	-	*	-	*	-	*	-	1.7%	-	1,119,148
California	*	-	*	-	0.1%	-	-	-	-	-	-	-	-	-	0.2%	-	121,257
Florida	*	-	22.1%	*	*	-	0.3%	-	-	-	-	-	-	-	22.4%	*	58,741
Georgia	*	-	11.2%	*	0.1%	-	0.1%	-	-	-	-	-	*	-	11.4%	*	1,383,272
Kansas	-	-	25.0%	-	*	-	0.1%	-	-	-	-	-	*	-	25.1%	-	40,077
Louisiana	*	-	2.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.7%	-	394,047
Mississippi	0.5%	-	1.0%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	1.8%	*	1,226,044
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	-	-	*	-	0.8%	-	712,011
New Mexico	-	-	0.7%	-	-	-	-	-	-	-	-	-	-	-	0.7%	-	18,122
North Carolina	*	-	2.1%	-	*	-	-	-	*	-	-	-	-	-	2.1%	-	650,438
Oklahoma	*	-	4.3%	-	*	-	*	-	*	-	-	-	-	-	4.3%	-	225,936
South Carolina	*	-	4.1%	-	0.1%	-	*	-	-	-	-	-	*	-	4.2%	-	277,152
Tennessee	*	-	0.4%	-	*	-	*	-	*	-	-	-	-	-	0.4%	-	744,525
Texas	*	-	6.2%	-	0.3%	-	1.3%	-	*	-	-	-	*	*	7.8%	*	4,469,693
Virginia	*	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.3%	-	163,911
United States	0.1%	-	4.9%	*	0.2%	*	0.5%	-	*	-	*	-	*	*	5.6%	*	12,381,862

* Less than 0.05 percent.