



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL*	-	-	-	-	29	62.7	51.6	811,603
AR*	-	-	-	-	28	70.4	51.3	1,269,358
AZ*	-	-	-	-	14	72.4	52.1	405,036
CA*	-	-	-	-	16	90.5	77.0	197,795
FL*	-	-	-	-	4	59.3	48.4	82,621
GA*	-	-	-	-	59	73.6	59.2	1,948,748
KS	3	17.0	11.4	12,433	3	37.1	29.7	244,108
LA*	-	-	-	-	19	56.1	31.3	415,861
MO*	-	-	-	-	21	68.8	48.4	754,865
MS*	-	-	-	-	38	74.9	48.1	1,399,089
NC*	-	-	-	-	33	76.0	57.9	703,484
NM*	-	-	-	-	3	88.7	75.6	33,828
OK	3	18.4	11.8	2,229	12	75.0	62.9	599,845
SC*	-	-	-	-	16	78.1	62.0	363,584
TN*	-	-	-	-	22	46.7	28.6	762,551
TX	4	27.9	16.4	5,876	191	63.5	47.1	6,746,378
VA*	-	-	-	-	4	82.0	56.2	184,393
United States	14	20.5	12.8	21,039	512	67.0	49.7	16,923,147
AMERICAN PIMA								
AZ*	-			-	5			28,359
CA*	-			-	18			709,231
NM*	-			-	-			-
TX*	-			-	2			31,277
United States*	-			-	27			781,215
United States all cotton	14			21,039	527			17,704,381

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	0.2	-	0.2	-	8.8	-	51.1	-	*	-	0.9
	3	-	0.4	-	0.2	-	3.7	-	12.1	-	*	-	1.7
	4	-	*	-	*	-	0.3	-	0.2	-	-	-	0.2
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.6	-	0.4	-	12.8	-	63.3	-	*	-	2.7
31	1 - 2	-	1.4	-	0.5	-	11.1	-	11.1	-	0.4	-	2.8
	3	-	11.9	-	4.1	-	17.5	-	16.2	-	5.6	-	18.6
	4	-	6.1	-	2.8	-	4.3	-	2.1	-	2.8	-	9.3
	5	-	0.4	-	0.3	-	0.6	-	0.2	-	0.1	-	0.6
	6	-	*	-	*	-	0.1	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total		----	19.8	-	7.7	-	33.7	-	29.6	-	8.9	-	31.3
41	1 - 2	-	1.1	-	0.6	-	4.9	-	0.2	-	0.5	-	1.4
	3	-	15.8	-	15.6	-	18.6	-	0.6	-	17.1	-	16.0
	4	-	23.2	-	30.3	-	11.0	-	0.3	-	31.0	-	18.8
	5	-	7.6	-	10.7	-	2.8	-	0.1	-	6.0	-	3.7
	6	-	1.0	-	0.9	-	0.6	-	*	-	0.2	-	0.2
	7	-	*	-	*	-	0.2	-	*	-	*	-	*
	8	-	-	-	*	-	*	-	-	-	-	-	*
Total		----	48.7	-	58.1	-	38.0	-	1.3	-	54.8	-	40.1
51	1 - 2	-	0.1	-	0.1	-	0.2	-	*	-	*	-	0.4
	3	-	1.0	-	1.7	-	1.5	-	*	-	1.9	-	3.7
	4	-	2.4	-	6.6	-	1.7	-	*	-	6.4	-	4.9
	5	-	1.7	-	5.5	-	0.7	-	0.1	-	3.7	-	1.6
	6	-	0.6	-	0.8	-	0.2	-	*	-	0.6	-	0.2
	7	-	0.1	-	*	-	0.1	-	*	-	0.1	-	*
	8	-	*	-	*	-	*	-	-	-	*	-	*
Total		----	5.8	-	14.7	-	4.5	-	0.1	-	12.6	-	10.7
61	1 - 2	-	*	-	-	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	*	-	-	-	*	-	0.1
	4	-	0.1	-	*	-	*	-	-	-	0.1	-	0.4
	5	-	*	-	*	-	*	-	-	-	0.1	-	0.2
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	*	-	*
Total		----	0.1	-	*	-	*	-	-	-	0.1	-	0.7
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total		----	*	-	-	-	*	-	-	-	*	-	*
12 & 22	1 - 2	-	*	-	*	-	0.8	-	0.6	-	*	-	*
	3	-	*	-	*	-	0.5	-	0.6	-	*	-	0.1
	4	-	*	-	*	-	0.2	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	*	-	*	-	1.5	-	1.2	-	*	-	0.1
32	1 - 2	-	0.1	-	*	-	0.2	-	0.4	-	0.1	-	0.3
	3	-	1.5	-	0.3	-	0.9	-	1.7	-	0.4	-	1.7
	4	-	1.3	-	0.2	-	0.4	-	0.5	-	0.4	-	0.9
	5	-	0.2	-	*	-	0.1	-	0.1	-	*	-	0.1
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total		----	3.2	-	0.6	-	1.7	-	2.6	-	0.9	-	3.0
42	1 - 2	-	0.2	-	0.1	-	0.1	-	*	-	0.1	-	0.1
	3	-	4.1	-	3.9	-	1.2	-	0.2	-	2.7	-	2.1
	4	-	7.4	-	7.7	-	1.9	-	0.4	-	4.6	-	3.2
	5	-	2.8	-	2.2	-	0.9	-	0.5	-	1.2	-	0.9
	6	-	0.4	-	0.1	-	0.3	-	0.2	-	0.1	-	0.1
	7	-	*	-	*	-	0.1	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	*	-	-	-	-
Total		----	15.0	-	14.0	-	4.6	-	1.3	-	8.6	-	6.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 25, 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	0.1	-	*	-	*	-	*	-	*	-	*
	3	-	0.6	-	0.3	-	0.2	-	*	-	1.4	-	0.4
	4	-	1.2	-	1.5	-	0.5	-	*	-	5.3	-	1.1
	5	-	0.8	-	1.1	-	0.4	-	*	-	3.1	-	0.7
	6	-	0.2	-	0.2	-	0.3	-	0.1	-	0.4	-	0.1
	7	-	*	-	*	-	0.2	-	0.1	-	*	-	*
	8	-	*	-	*	-	0.1	-	*	-	*	-	*
Total	----	-	2.9	-	3.1	-	1.8	-	0.3	-	10.3	-	2.3
62	1 - 2	-	*	-	-	-	*	-	-	-	-	-	*
	3	-	0.1	-	*	-	*	-	-	-	*	-	*
	4	-	0.1	-	*	-	*	-	-	-	0.2	-	0.1
	5	-	0.1	-	*	-	*	-	*	-	0.2	-	0.2
	6	-	0.1	-	*	-	*	-	-	-	0.1	-	0.1
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-	-	*
Total	----	-	0.4	-	*	-	0.1	-	*	-	0.6	-	0.4
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	0.1	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	-	-	*	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	*	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	0.1	-	0.2
	4	-	0.2	-	*	-	0.1	-	*	-	0.1	-	0.1
	5	-	*	-	*	-	0.1	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	0.3	-	*	-	0.2	-	0.1	-	0.1	-	0.5
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.4	-	0.2	-	*	-	*	-	0.3	-	0.4
	4	-	0.9	-	0.5	-	0.2	-	0.1	-	0.5	-	0.6
	5	-	0.4	-	0.2	-	0.2	-	*	-	0.1	-	0.2
	6	-	0.1	-	*	-	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	1.8	-	0.9	-	0.5	-	0.2	-	1.0	-	1.2
53	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	0.3	-	0.1
	4	-	0.3	-	0.2	-	0.1	-	*	-	0.7	-	0.2
	5	-	0.2	-	0.1	-	0.2	-	*	-	0.4	-	0.1
	6	-	0.1	-	*	-	0.1	-	*	-	0.1	-	*
	7	-	*	-	*	-	0.1	-	*	-	*	-	*
	8	-	*	-	*	-	0.1	-	*	-	-	-	*
Total	----	-	0.7	-	0.4	-	0.5	-	*	-	1.4	-	0.4
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*	-	*
	4	-	*	-	*	-	*	-	-	-	0.2	-	*
	5	-	*	-	*	-	*	-	-	-	0.2	-	*
	6	-	*	-	*	-	*	-	-	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	*	-	*	-	*	-	-	-	*
Total	----	-	0.1	-	*	-	0.1	-	*	-	0.4	-	0.1
24 - 54	1 - 8	-	0.2	-	0.1	-	0.1	-	*	-	0.1	-	0.2
25 - 35	1 - 8	-	*	-	*	-	-	-	-	-	-	-	*
81 - 85	1 - 8	-	*	-	*	-	*	-	-	-	0.1	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	*	-	*	-	*	-	*
32		-	0.1	-	*	-	*	-	*	-	*	-	0.2
33		-	0.7	-	*	-	0.3	-	0.2	-	0.4	-	1.8
34		-	3.5	-	0.4	-	2.3	-	0.4	-	2.7	-	7.6
35		-	11.3	-	2.9	-	7.7	-	2.7	-	6.3	-	15.4
36		-	22.4	-	11.8	-	19.3	-	8.5	-	12.4	-	19.1
37		-	36.6	-	38.2	-	29.3	-	27.2	-	33.5	-	27.9
38		-	19.3	-	26.4	-	18.7	-	25.5	-	32.1	-	19.8
39		-	5.4	-	14.8	-	13.9	-	19.7	-	12.3	-	7.2
40 & Longer		-	0.7	-	5.4	-	8.4	-	15.7	-	0.4	-	0.9
Average Staple		-	36.74	-	37.54	-	37.31	-	37.99	-	37.23	-	36.56
Average Length		-	1.15	-	1.17	-	1.16	-	1.19	-	1.16	-	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.8	2.4	-	0.6	-	0.7	-	0.4	-	0.1	-	13.9
	3	8.0	4.1	-	1.1	-	0.7	-	0.9	-	0.2	-	6.1
	4	0.7	0.5	-	0.1	-	*	-	0.1	-	*	-	0.2
	5	*	*	-	*	-	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	11.5	7.0	-	1.8	-	1.4	-	1.4	-	0.3	-	20.2
31	1 - 2	0.2	2.7	-	2.8	-	0.9	-	1.7	-	1.6	-	17.8
	3	4.8	12.9	-	16.1	-	6.8	-	13.6	-	13.5	-	26.8
	4	6.6	9.5	-	6.5	-	3.1	-	7.1	-	7.3	-	5.1
	5	2.7	2.2	-	0.4	-	0.3	-	0.5	-	0.8	-	0.8
	6	0.7	0.2	-	*	-	*	-	*	-	*	-	0.1
	7	*	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	*	-	-
Total	----	15.1	27.6	-	25.9	-	11.0	-	22.9	-	23.2	-	50.7
41	1 - 2	*	0.3	-	1.9	-	0.8	-	1.1	-	1.6	-	2.6
	3	1.0	3.1	-	18.6	-	21.5	-	16.9	-	23.7	-	14.3
	4	5.0	11.4	-	19.5	-	33.8	-	30.8	-	24.1	-	7.6
	5	10.9	13.3	-	4.2	-	8.8	-	10.0	-	5.4	-	2.0
	6	4.1	4.0	-	0.3	-	0.4	-	0.7	-	0.4	-	0.6
	7	0.8	0.6	-	*	-	*	-	*	-	*	-	0.2
	8	0.1	*	-	-	-	-	-	*	-	*	-	*
Total	----	21.9	32.7	-	44.5	-	65.3	-	59.5	-	55.2	-	27.2
51	1 - 2	-	-	-	0.3	-	*	-	*	-	0.1	-	-
	3	-	*	-	1.6	-	0.7	-	0.6	-	1.7	-	*
	4	0.1	0.6	-	1.8	-	3.9	-	1.8	-	2.2	-	0.2
	5	0.7	1.8	-	0.6	-	2.9	-	1.6	-	1.0	-	0.1
	6	1.1	1.0	-	0.1	-	0.3	-	0.3	-	0.2	-	*
	7	1.1	0.4	-	*	-	*	-	*	-	*	-	*
	8	0.3	0.1	-	*	-	-	-	*	-	*	-	-
Total	----	3.2	3.8	-	4.3	-	7.8	-	4.3	-	5.2	-	0.3
61	1 - 2	-	-	-	*	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	0.1	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	0.1	-	*	-	*	-	0.1	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	*	-	-
12 & 22	1 - 2	0.4	0.2	-	*	-	*	-	*	-	*	-	*
	3	1.0	0.7	-	*	-	*	-	*	-	*	-	*
	4	0.3	0.2	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.8	1.1	-	0.1	-	*	-	*	-	*	-	0.1
32	1 - 2	0.1	0.1	-	0.2	-	*	-	*	-	0.1	-	-
	3	1.9	1.6	-	1.2	-	0.4	-	0.5	-	0.8	-	0.1
	4	6.6	3.5	-	0.6	-	0.2	-	0.5	-	0.5	-	0.3
	5	5.9	1.7	-	*	-	*	-	0.1	-	*	-	*
	6	1.1	0.3	-	*	-	-	-	*	-	*	-	*
	7	0.2	*	-	-	-	-	-	-	-	-	-	-
	8	0.1	*	-	-	-	-	-	-	-	-	-	-
Total	----	15.8	7.1	-	2.0	-	0.7	-	1.2	-	1.5	-	0.5
42	1 - 2	-	*	-	0.4	-	0.1	-	0.1	-	0.3	-	*
	3	0.1	0.4	-	4.5	-	3.5	-	1.4	-	4.8	-	0.2
	4	2.3	2.5	-	5.5	-	6.3	-	3.9	-	4.4	-	0.1
	5	7.1	5.0	-	1.3	-	1.6	-	2.2	-	0.8	-	0.1
	6	4.0	2.5	-	*	-	0.1	-	0.2	-	0.1	-	*
	7	1.5	0.7	-	*	-	-	-	*	-	*	-	-
	8	0.4	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	15.3	11.3	-	11.8	-	11.6	-	7.8	-	10.4	-	0.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 25, 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	0.2	-	*	-	*	-	0.1	-	-
	3	-	*	-	1.7	-	0.1	-	0.1	-	0.9	-	*
	4	*	0.2	-	2.5	-	0.7	-	0.5	-	1.2	-	-
	5	0.6	0.8	-	1.0	-	0.6	-	0.7	-	0.4	-	-
	6	1.0	0.6	-	0.1	-	0.1	-	0.2	-	0.1	-	*
	7	1.2	0.3	-	*	-	*	-	*	-	*	-	*
	8	0.3	0.1	-	-	-	*	-	*	-	*	-	-
Total	----	3.1	1.9	-	5.4	-	1.4	-	1.6	-	2.8	-	*
62	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	*	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	*	-	-	-	*	-	-
Total	----	-	*	-	0.1	-	*	-	*	-	0.1	-	-
13 & 23	1 - 2	*	*	-	*	-	*	-	-	-	*	-	*
	3	0.1	0.2	-	-	-	-	-	*	-	*	-	*
	4	0.1	0.2	-	-	-	-	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.4	-	*	-	*	-	*	-	*	-	0.1
33	1 - 2	0.1	0.1	-	*	-	*	-	*	-	*	-	*
	3	1.6	0.7	-	0.1	-	*	-	*	-	0.1	-	*
	4	2.4	1.5	-	*	-	*	-	*	-	0.1	-	0.1
	5	2.2	0.8	-	*	-	*	-	*	-	*	-	*
	6	0.8	0.1	-	-	-	-	-	*	-	*	-	-
	7	0.1	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	7.2	3.2	-	0.1	-	*	-	0.1	-	0.1	-	0.1
43	1 - 2	-	-	-	0.1	-	*	-	*	-	*	-	-
	3	*	*	-	0.5	-	0.1	-	0.1	-	0.2	-	*
	4	0.3	0.4	-	0.8	-	0.3	-	0.3	-	0.3	-	0.1
	5	1.3	1.0	-	0.3	-	0.1	-	0.2	-	0.1	-	0.1
	6	1.6	0.5	-	*	-	*	-	*	-	*	-	0.1
	7	0.8	0.2	-	-	-	*	-	*	-	*	-	-
	8	0.3	*	-	-	-	*	-	*	-	*	-	-
Total	----	4.3	2.1	-	1.7	-	0.5	-	0.8	-	0.7	-	0.2
53	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	0.4	-	*	-	*	-	0.1	-	-
	4	*	*	-	0.7	-	*	-	0.1	-	0.1	-	*
	5	0.1	*	-	0.4	-	*	-	0.1	-	0.1	-	*
	6	0.1	0.1	-	0.1	-	*	-	0.1	-	*	-	-
	7	*	*	-	*	-	*	-	*	-	*	-	-
	8	*	*	-	*	-	-	-	*	-	-	-	-
Total	----	0.2	0.1	-	1.6	-	0.1	-	0.3	-	0.2	-	*
63	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	0.1	-	-	-	*	-	*	-	-
	4	-	*	-	0.1	-	*	-	*	-	*	-	-
	5	*	*	-	0.1	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	*	*	-	0.3	-	*	-	*	-	*	-	-
24 - 54	1 - 8	0.3	1.2	-	0.2	-	*	-	0.1	-	0.1	-	*
25 - 35	1 - 8	-	0.1	-	*	-	-	-	*	-	-	-	-
81 - 85	1 - 8	*	0.1	-	*	-	*	-	*	-	*	-	-
STAPLE													
28 & Shorter		-	*	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	*	-	-
30		-	*	-	*	-	-	-	-	-	*	-	-
31		-	*	-	*	-	*	-	*	-	*	-	-
32		*	*	-	*	-	*	-	*	-	0.1	-	-
33		0.1	0.4	-	0.4	-	*	-	0.3	-	0.9	-	0.2
34		5.1	4.4	-	2.7	-	0.3	-	2.3	-	5.6	-	0.6
35		35.4	28.6	-	10.1	-	2.9	-	7.8	-	18.1	-	4.1
36		32.1	39.6	-	18.1	-	11.4	-	15.5	-	26.3	-	8.4
37		23.0	23.9	-	27.0	-	41.9	-	29.8	-	28.4	-	26.0
38		4.2	2.8	-	21.6	-	27.7	-	26.5	-	15.9	-	25.6
39		0.1	0.2	-	14.5	-	11.5	-	14.8	-	4.3	-	17.8
40 & Longer		*	0.1	-	5.7	-	4.3	-	2.9	-	0.4	-	17.3
Average Staple		35.86	35.92	-	37.20	-	37.46	-	37.26	-	36.42	-	37.97
Average Length		1.12	1.12	-	1.16	-	1.17	-	1.16	-	1.14	-	1.19

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.1	3.7	-	0.1	-	0.8	*	7.5	-	0.1
	3	-	2.7	-	0.4	-	0.7	0.1	6.3	-	0.2
	4	-	0.3	-	*	-	*	*	0.7	-	*
	5	-	*	-	*	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	0.1	6.8	-	0.5	-	1.6	0.1	14.6	-
31	1 - 2	0.2	10.5	-	1.3	-	1.7	0.3	8.2	-	3.7
	3	1.3	25.4	-	10.2	-	5.5	1.2	21.1	-	21.7
	4	0.4	6.4	-	7.4	-	1.5	2.7	9.2	-	4.5
	5	*	0.6	-	0.6	-	0.1	0.9	1.5	-	0.1
	6	-	*	-	*	-	*	0.1	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	1.9	42.9	-	19.5	-	8.8	5.1	40.1	-
41	1 - 2	-	2.5	-	1.8	-	4.0	0.9	1.4	-	3.4
	3	2.2	16.4	-	17.8	-	21.7	1.4	7.7	-	35.5
	4	10.3	12.7	-	26.2	-	15.4	3.6	8.2	-	14.3
	5	5.3	3.5	-	7.3	-	2.4	5.1	3.8	-	0.7
	6	0.6	0.5	-	0.4	-	0.1	0.9	1.1	-	*
	7	*	0.1	-	*	-	-	0.4	0.3	-	-
	8	*	*	-	-	-	-	0.1	*	-	-
	Total	----	18.5	35.6	-	53.6	-	43.7	12.5	22.4	-
51	1 - 2	-	*	-	0.4	-	0.1	0.5	0.1	-	0.3
	3	1.3	0.1	-	2.6	-	2.3	5.5	0.7	-	1.4
	4	14.8	0.4	-	3.8	-	4.1	14.9	0.7	-	0.7
	5	3.8	0.5	-	2.3	-	1.7	3.1	0.3	-	0.1
	6	0.5	0.2	-	0.4	-	0.1	0.1	0.1	-	*
	7	0.2	0.1	-	*	-	*	*	0.1	-	*
	8	0.1	*	-	-	-	*	0.1	*	-	-
	Total	----	20.6	1.2	-	9.5	-	8.4	24.2	2.0	-
61	1 - 2	-	-	-	*	-	-	0.1	*	-	-
	3	-	*	-	0.1	-	*	4.3	*	-	-
	4	-	-	-	0.1	-	*	4.4	0.1	-	*
	5	-	-	-	0.1	-	*	1.7	*	-	-
	6	-	-	-	*	-	*	0.1	*	-	-
	7	-	-	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	*
	Total	----	-	*	-	0.3	-	*	10.6	0.1	-
71	1 - 2	-	-	-	*	-	-	-	*	-	-
	3	-	-	-	*	-	-	0.2	*	-	-
	4	-	-	-	*	-	-	0.2	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	*	-	-	0.4	*	-
12 & 22	1 - 2	-	0.2	-	*	-	0.1	-	1.3	-	*
	3	*	0.3	-	0.1	-	0.1	-	1.6	-	*
	4	-	0.1	-	*	-	*	*	0.4	-	*
	5	-	*	-	*	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	*	0.6	-	0.1	-	0.1	*	3.3	-
32	1 - 2	0.1	0.2	-	0.3	-	0.6	0.2	0.7	-	0.2
	3	3.0	1.3	-	1.3	-	1.7	0.3	2.9	-	1.4
	4	1.5	0.9	-	0.7	-	0.6	1.4	2.0	-	0.4
	5	0.6	0.2	-	0.1	-	*	0.5	0.5	-	*
	6	-	*	-	*	-	*	0.1	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	5.2	2.8	-	2.4	-	3.0	2.6	6.2	-
42	1 - 2	-	0.2	-	0.5	-	1.7	0.1	0.2	-	0.5
	3	1.6	1.4	-	3.2	-	13.8	0.5	1.4	-	5.9
	4	5.6	1.7	-	3.6	-	10.3	0.8	1.6	-	3.3
	5	4.8	0.9	-	1.2	-	1.6	2.0	0.7	-	0.3
	6	1.9	0.3	-	0.1	-	0.1	0.3	0.2	-	*
	7	*	*	-	*	-	-	0.1	0.1	-	-
	8	-	*	-	-	-	-	*	*	-	-
	Total	----	13.9	4.5	-	8.5	-	27.6	3.7	4.2	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Apr 25, 2019

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	0.1	-	*	*	0.1	-	*
	3	-	0.1	-	0.9	-	0.8	2.7	0.6	-	0.6
	4	0.3	0.2	-	1.2	-	2.1	14.2	1.0	-	0.3
	5	1.6	0.2	-	0.6	-	1.0	4.8	0.4	-	*
	6	1.0	0.1	-	0.2	-	0.1	0.4	0.1	-	*
	7	0.3	*	-	*	-	*	*	*	-	-
	8	*	*	-	-	-	-	0.7	*	-	-
Total	----	3.2	0.7	-	2.9	-	4.1	22.8	2.1	-	1.0
62	1 - 2	-	-	-	*	-	-	0.3	*	-	-
	3	-	*	-	*	-	*	3.1	0.1	-	-
	4	-	*	-	0.1	-	*	4.9	0.3	-	-
	5	-	-	-	*	-	*	2.6	0.1	-	-
	6	-	*	-	*	-	*	0.4	*	-	-
	7	-	*	-	*	-	*	*	*	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	*	-	0.2	-	*	11.4	0.6	-	-
13 & 23	1 - 2	-	*	-	*	-	*	-	0.1	-	*
	3	-	0.1	-	*	-	*	-	0.2	-	*
	4	-	*	-	*	-	-	-	0.1	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.2	-	*	-	*	-	0.4	-	*
33	1 - 2	*	*	-	*	-	*	-	0.1	-	*
	3	1.1	0.5	-	0.1	-	0.1	0.1	0.4	-	0.1
	4	1.7	0.4	-	0.1	-	*	-	0.5	-	*
	5	0.2	0.1	-	*	-	*	-	0.2	-	*
	6	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	3.1	1.1	-	0.3	-	0.1	0.1	1.2	-	0.1
43	1 - 2	*	*	-	*	-	0.1	*	*	-	*
	3	2.7	0.3	-	0.4	-	1.0	0.1	0.2	-	0.2
	4	7.4	0.7	-	0.7	-	0.8	0.1	0.3	-	0.2
	5	3.0	0.5	-	0.3	-	0.1	*	0.2	-	*
	6	1.8	0.2	-	*	-	*	0.1	0.1	-	*
	7	0.4	*	-	*	-	*	*	*	-	-
	8	*	*	-	-	-	-	-	*	-	-
Total	----	15.4	1.8	-	1.5	-	2.1	0.3	0.8	-	0.4
53	1 - 2	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	-	0.1	-	0.1	0.2	0.1	-	*
	4	1.4	0.2	-	0.2	-	0.2	1.7	0.3	-	*
	5	3.4	0.2	-	0.1	-	0.1	1.7	0.2	-	*
	6	2.7	0.1	-	*	-	*	0.5	0.1	-	*
	7	1.1	0.1	-	*	-	*	0.1	*	-	-
	8	0.2	*	-	*	-	*	-	*	-	-
Total	----	8.9	0.7	-	0.5	-	0.5	4.2	0.7	-	*
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	*	0.1	*	-	-
	4	*	*	-	*	-	*	0.4	0.2	-	-
	5	0.1	*	-	*	-	*	1.1	0.2	-	-
	6	-	*	-	*	-	*	0.1	0.1	-	*
	7	*	*	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
Total	----	0.2	*	-	*	-	*	1.7	0.5	-	*
24 - 54	1 - 8	7.5	0.9	-	0.2	-	0.1	0.2	0.3	-	*
25 - 35	1 - 8	-	*	-	-	-	-	*	-	-	
81 - 85	1 - 8	1.4	0.2	-	*	-	*	0.3	0.1	-	*
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		-	*	-	-	-	-	-	*	-	-
30		-	*	-	*	-	-	-	0.1	-	-
31		-	0.1	-	*	-	*	0.6	0.3	-	*
32		0.3	0.8	-	0.2	-	*	1.4	1.0	-	*
33		12.2	3.8	-	2.3	-	0.1	5.9	3.5	-	0.9
34		21.7	10.7	-	7.0	-	1.4	5.6	10.5	-	9.6
35		34.0	17.5	-	12.8	-	12.6	22.5	21.0	-	26.1
36		20.3	23.7	-	17.6	-	35.4	40.5	25.4	-	29.6
37		8.2	25.6	-	30.6	-	38.6	13.5	24.3	-	22.6
38		3.1	11.9	-	22.3	-	9.3	9.7	9.5	-	9.2
39		0.2	4.9	-	6.4	-	2.2	0.2	3.7	-	1.7
40 & Longer		-	1.0	-	0.7	-	0.4	*	0.8	-	0.1
Average Staple		35.00	36.14	-	36.63	-	36.50	35.74	35.99	-	35.98
Average Length		1.09	1.13	-	1.14	-	1.14	1.11	1.12	-	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	11.9	-	1.6	-	3.6	-	2.3	-	21.0	-	11.9
Bark - Level 1	-	*	-	-	-	-	-	-	-	*	-	*
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	-	0.1	-	*	-	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.1	-	0.2	-	*	-	*	-	*	-	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	1.1	-	0.1	-	0.9	-	*	-	2.9	-	2.6
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	*	-	*	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	-	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	-	-	*	-	*
23	-	*	-	*	-	*	-	-	-	0.1	-	0.1
24	-	0.3	-	*	-	*	-	-	-	0.8	-	0.7
25	-	1.2	-	0.2	-	0.1	-	*	-	2.7	-	3.1
26	-	4.7	-	1.6	-	0.5	-	*	-	8.2	-	9.1
27	-	15.4	-	6.0	-	1.7	-	0.1	-	20.8	-	16.6
28	-	28.9	-	18.5	-	5.9	-	0.3	-	35.1	-	23.3
29	-	28.0	-	29.8	-	14.1	-	1.5	-	21.6	-	22.8
30	-	14.0	-	23.4	-	21.4	-	3.6	-	8.3	-	14.4
31	-	5.2	-	12.6	-	21.3	-	7.3	-	1.9	-	6.4
32	-	1.6	-	5.7	-	17.2	-	13.9	-	0.3	-	2.4
33	-	0.5	-	1.7	-	9.6	-	17.8	-	*	-	0.8
34	-	0.1	-	0.4	-	5.0	-	14.8	-	*	-	0.2
35	-	*	-	0.1	-	2.1	-	12.6	-	*	-	0.1
36	-	*	-	*	-	0.6	-	13.4	-	-	-	*
37	-	*	-	-	-	0.2	-	10.6	-	-	-	*
38	-	-	-	-	-	0.1	-	3.5	-	-	-	*
39	-	-	-	-	-	*	-	0.4	-	-	-	*
40 & Above	-	-	-	-	-	*	-	0.2	-	-	-	*
Average	-	28.97	-	29.84	-	31.32	-	34.42	-	28.41	-	28.84
Mike	-	-	-	-	-	*	-	-	-	-	-	-
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5	-	*	-	*	-	*	-	*	-	-	-	*
2.6	-	*	-	*	-	0.1	-	0.1	-	-	-	*
2.7	-	*	-	*	-	0.1	-	0.1	-	-	-	*
2.8	-	*	-	*	-	0.1	-	0.1	-	-	-	*
2.9	-	*	-	*	-	0.1	-	0.1	-	-	-	*
3.0	-	*	-	*	-	0.2	-	0.1	-	*	-	*
3.1	-	*	-	*	-	0.2	-	0.3	-	*	-	0.1
3.2	-	0.1	-	*	-	0.3	-	0.5	-	-	-	0.2
3.3	-	0.3	-	*	-	0.4	-	0.8	-	*	-	0.4
3.4	-	0.4	-	*	-	0.5	-	1.0	-	*	-	0.8
3.5	-	0.7	-	0.1	-	0.7	-	1.2	-	0.1	-	1.2
3.6	-	1.1	-	0.1	-	0.8	-	1.8	-	0.3	-	1.6
3.7	-	2.1	-	0.2	-	1.0	-	2.5	-	0.5	-	2.3
3.8	-	3.0	-	0.4	-	1.4	-	2.7	-	1.0	-	3.5
3.9	-	4.1	-	0.8	-	1.9	-	3.7	-	1.6	-	5.5
4.0	-	5.9	-	1.6	-	2.7	-	4.7	-	3.8	-	8.0
4.1	-	7.2	-	2.8	-	4.1	-	6.7	-	6.0	-	10.9
4.2	-	9.1	-	4.8	-	5.2	-	8.6	-	9.1	-	13.3
4.3	-	10.5	-	7.0	-	6.7	-	10.3	-	12.1	-	13.9
4.4	-	11.1	-	10.1	-	7.8	-	11.5	-	13.1	-	12.6
4.5	-	11.2	-	12.5	-	9.0	-	11.6	-	14.8	-	9.9
4.6	-	10.0	-	13.8	-	10.2	-	11.4	-	13.9	-	6.9
4.7	-	8.2	-	13.2	-	10.8	-	8.2	-	10.2	-	4.4
4.8	-	6.0	-	11.4	-	10.5	-	5.8	-	6.7	-	2.5
4.9	-	4.1	-	8.2	-	8.9	-	2.7	-	4.6	-	1.2
5.0	-	2.4	-	5.6	-	6.9	-	1.4	-	1.6	-	0.5
5.1	-	1.3	-	3.5	-	4.8	-	0.8	-	0.5	-	0.2
5.2	-	0.7	-	2.0	-	2.4	-	0.8	-	0.1	-	*
5.3	-	0.3	-	1.0	-	1.2	-	0.4	-	*	-	*
5.4	-	0.1	-	0.4	-	0.5	-	0.1	-	*	-	*
5.5 & Above	-	*	-	0.3	-	0.5	-	0.1	-	-	-	*
Average	-	4.38	-	4.61	-	4.56	-	4.34	-	4.45	-	4.25

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	60.1	42.6	-	2.5	-	0.7	-	1.3	-	2.2	-	1.7
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.1	-	0.1	-	0.2	-	0.1	-	-
Grass - Level 2	-	*	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	*	*	-	*	-	*	-	0.6	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 1	-	*	-	0.1	-	*	-	0.2	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
STRENGTH 1/ 22 & Below	0.3	*	-	*	-	*	-	*	-	*	-	-
23	0.1	0.1	-	*	-	*	-	*	-	*	-	-
24	0.1	0.2	-	*	-	*	-	0.1	-	0.2	-	-
25	0.6	0.8	-	0.1	-	0.2	-	0.4	-	1.0	-	*
26	5.6	4.2	-	0.7	-	1.2	-	1.7	-	3.5	-	0.2
27	16.9	16.5	-	3.1	-	6.0	-	5.2	-	7.9	-	3.2
28	31.1	29.3	-	10.4	-	18.4	-	14.5	-	15.6	-	12.8
29	20.7	23.7	-	26.4	-	28.5	-	29.0	-	23.0	-	24.0
30	15.3	13.3	-	28.2	-	23.4	-	27.7	-	21.3	-	28.5
31	7.6	7.5	-	17.1	-	12.3	-	13.9	-	14.2	-	21.5
32	1.4	3.3	-	8.8	-	6.2	-	5.3	-	7.9	-	7.2
33	0.2	0.9	-	3.4	-	2.9	-	1.8	-	3.8	-	2.2
34	*	0.1	-	1.1	-	0.7	-	0.4	-	1.3	-	0.4
35	*	*	-	0.3	-	0.1	-	0.1	-	0.2	-	0.1
36	-	*	-	0.1	-	*	-	*	-	*	-	*
37	-	*	-	*	-	*	-	*	-	*	-	*
38	-	*	-	*	-	-	-	-	-	*	-	*
39	-	-	-	-	-	*	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	28.94	29.08	-	30.36	-	29.93	-	29.94	-	29.95	-	30.30
Mike												
2.4 & Below	0.2	0.2	-	-	-	-	-	-	-	*	-	*
2.5	0.8	1.1	-	*	-	-	-	-	-	-	-	0.1
2.6	4.0	1.3	-	-	-	-	-	-	-	-	-	0.2
2.7	3.3	1.2	-	*	-	*	-	-	-	*	-	0.4
2.8	4.1	1.4	-	-	-	-	-	-	-	*	-	0.6
2.9	4.1	1.3	-	-	-	-	-	*	-	*	-	0.5
3.0	2.3	1.3	-	*	-	*	-	*	-	*	-	0.9
3.1	3.5	1.9	-	*	-	*	-	*	-	*	-	0.8
3.2	3.1	2.7	-	*	-	*	-	*	-	*	-	0.9
3.3	4.4	3.6	-	*	-	*	-	*	-	0.1	-	1.0
3.4	3.9	4.4	-	*	-	*	-	*	-	0.1	-	2.5
3.5	4.7	4.8	-	*	-	*	-	*	-	0.2	-	3.7
3.6	3.4	5.6	-	*	-	0.1	-	0.1	-	0.4	-	5.0
3.7	4.1	6.6	-	*	-	0.2	-	0.2	-	0.6	-	4.4
3.8	5.5	6.8	-	0.1	-	0.4	-	0.5	-	0.9	-	6.6
3.9	6.1	7.8	-	0.3	-	0.7	-	0.8	-	1.5	-	8.0
4.0	7.3	8.8	-	0.5	-	1.1	-	1.2	-	2.3	-	9.1
4.1	9.0	8.6	-	1.0	-	2.2	-	1.9	-	3.4	-	7.7
4.2	8.7	7.5	-	1.9	-	4.1	-	3.0	-	4.9	-	8.5
4.3	3.6	6.3	-	2.6	-	6.1	-	4.5	-	6.9	-	8.0
4.4	4.8	5.3	-	3.5	-	8.2	-	6.6	-	9.6	-	8.2
4.5	2.0	4.7	-	6.2	-	10.4	-	9.2	-	13.0	-	5.8
4.6	2.1	3.2	-	9.4	-	11.6	-	12.9	-	15.0	-	5.3
4.7	1.3	1.8	-	13.5	-	12.4	-	15.7	-	14.1	-	5.1
4.8	1.7	1.1	-	16.3	-	11.3	-	16.0	-	11.0	-	3.2
4.9	1.9	0.4	-	15.6	-	10.1	-	13.0	-	7.2	-	1.5
5.0	0.2	0.1	-	13.0	-	7.6	-	7.6	-	4.5	-	0.9
5.1	-	0.1	-	8.3	-	5.7	-	3.8	-	2.4	-	0.7
5.2	-	*	-	4.7	-	4.0	-	1.7	-	1.2	-	0.2
5.3	*	*	-	2.1	-	2.5	-	0.8	-	0.5	-	0.1
5.4	-	*	-	0.5	-	1.1	-	0.3	-	0.1	-	0.1
5.5 & Above	-	*	-	0.2	-	0.4	-	*	-	*	-	*
Average	3.71	3.86	-	4.80	-	4.69	-	4.68	-	4.57	-	4.10

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	59.8	11.4	-	3.9	-	0.5	17.5	10.1	-	0.4
Bark - Level 2	-	*	-	-	-	-	-	*	-	-
Grass - Level 1	-	*	-	0.1	-	*	-	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.1	-	*	16.1	1.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	*	*	-	*	-	*	0.2	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	0.2	0.1	-	*
23	-	*	-	0.2	-	*	1.2	0.2	-	*
24	0.1	0.2	-	1.0	-	*	4.4	0.5	-	0.5
25	0.1	0.8	-	4.1	-	0.3	5.6	1.3	-	2.3
26	4.4	2.6	-	9.0	-	2.7	17.5	2.9	-	6.0
27	17.0	7.7	-	14.9	-	11.6	14.3	6.4	-	13.3
28	19.3	15.5	-	21.8	-	25.4	28.1	13.0	-	23.9
29	25.8	22.0	-	23.4	-	27.3	17.9	18.8	-	25.3
30	26.6	21.3	-	15.4	-	17.1	4.8	20.2	-	15.4
31	5.1	14.7	-	6.5	-	9.4	3.4	17.4	-	8.2
32	1.3	9.3	-	2.4	-	4.2	2.5	11.1	-	3.3
33	0.3	4.2	-	1.0	-	1.5	*	5.2	-	1.2
34	0.1	1.2	-	0.2	-	0.3	-	2.0	-	0.4
35	*	0.3	-	*	-	0.1	-	0.6	-	0.1
36	-	0.1	-	*	-	*	-	0.2	-	*
37	-	*	-	*	-	*	-	*	-	-
38	-	*	-	-	-	-	-	*	-	-
39	-	-	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	29.22	30.06	-	28.84	-	29.43	28.01	30.25	-	29.13
Mike										
2.4 & Below	*	*	-	-	-	-	-	0.1	-	-
2.5	-	0.1	-	-	-	-	-	0.3	-	-
2.6	0.1	0.2	-	*	-	-	-	0.4	-	-
2.7	-	0.2	-	-	-	-	0.1	0.4	-	-
2.8	*	0.3	-	-	-	-	0.1	0.5	-	*
2.9	1.1	0.4	-	*	-	-	0.3	0.7	-	*
3.0	1.2	0.5	-	*	-	*	0.3	0.9	-	*
3.1	0.6	0.6	-	*	-	*	0.1	1.2	-	*
3.2	0.2	0.9	-	*	-	*	0.1	1.5	-	*
3.3	*	1.0	-	*	-	*	0.1	1.8	-	*
3.4	*	1.3	-	0.1	-	*	1.0	2.3	-	*
3.5	*	1.6	-	0.2	-	0.1	0.9	2.7	-	*
3.6	0.4	1.9	-	0.4	-	0.1	1.1	3.2	-	0.1
3.7	*	2.7	-	0.7	-	0.2	1.4	3.6	-	0.1
3.8	0.8	3.8	-	1.5	-	0.3	1.3	4.2	-	0.1
3.9	3.6	4.7	-	2.9	-	0.5	1.0	4.8	-	0.2
4.0	5.3	6.3	-	5.3	-	1.0	2.4	5.3	-	0.3
4.1	6.9	8.0	-	8.7	-	1.7	1.9	5.8	-	0.6
4.2	4.8	8.5	-	11.9	-	2.5	4.5	6.3	-	1.8
4.3	5.3	9.1	-	14.6	-	3.8	3.8	6.7	-	3.8
4.4	4.7	9.5	-	15.3	-	5.6	8.0	7.0	-	7.5
4.5	14.7	10.0	-	12.9	-	7.8	11.5	7.2	-	14.2
4.6	12.6	8.6	-	9.9	-	9.9	14.5	7.2	-	20.0
4.7	15.3	6.8	-	6.9	-	11.5	17.9	6.6	-	20.3
4.8	12.3	5.1	-	4.4	-	12.8	15.2	5.7	-	15.5
4.9	6.1	3.3	-	2.2	-	12.2	8.6	4.5	-	8.6
5.0	3.2	2.2	-	1.2	-	11.0	3.4	3.2	-	4.1
5.1	0.5	1.3	-	0.5	-	8.4	0.5	2.3	-	1.9
5.2	0.1	0.7	-	0.2	-	5.5	0.1	1.5	-	0.7
5.3	*	0.3	-	0.1	-	3.1	*	1.0	-	0.2
5.4	-	0.1	-	*	-	1.5	-	0.6	-	*
5.5 & Above	-	*	-	*	-	0.3	-	0.4	-	*
Average	4.46	4.28	-	4.38	-	4.76	4.53	4.24	-	4.65

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5 - 2.6	-	*	-	*	-	0.1	-	0.1	-	-	-	*
2.7 - 2.9	-	*	-	*	-	0.3	-	0.2	-	-	-	*
3.0 - 3.2	-	0.1	-	0.1	-	0.7	-	0.9	-	*	-	0.3
3.3 - 3.4	-	0.7	-	0.1	-	0.9	-	1.8	-	*	-	1.2
3.5 - 3.6	-	1.8	-	0.2	-	1.5	-	2.9	-	0.4	-	2.8
3.7 - 4.2	-	31.4	-	10.7	-	16.3	-	28.9	-	22.0	-	43.6
4.3 - 4.9	-	61.1	-	76.1	-	63.9	-	61.6	-	75.3	-	51.4
5.0 - 5.2	-	4.5	-	11.1	-	14.0	-	3.0	-	2.2	-	0.7
5.3 & Above	-	0.4	-	1.7	-	2.2	-	0.6	-	*	-	*
Average	-	4.38	-	4.61	-	4.56	-	4.34	-	4.45	-	4.25
Leaf												
1 - 2	-	3.2	-	1.4	-	26.2	-	63.4	-	1.2	-	5.9
3	-	36.2	-	26.4	-	44.2	-	31.4	-	29.7	-	45.0
4	-	43.4	-	49.9	-	20.7	-	3.6	-	52.1	-	39.9
5	-	14.5	-	20.2	-	6.0	-	0.9	-	15.2	-	8.4
6	-	2.5	-	2.1	-	1.8	-	0.4	-	1.6	-	0.7
7	-	0.2	-	*	-	0.8	-	0.2	-	0.2	-	0.1
8	-	*	-	*	-	0.4	-	0.1	-	*	-	*
Average	-	3.78	-	3.95	-	3.14	-	2.32	-	3.87	-	3.53
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	-	0.2	-	0.1	-	6.7	-	25.1	-	*	-	0.5
02	-	5.0	-	2.2	-	23.8	-	42.6	-	2.0	-	7.6
03	-	17.1	-	10.6	-	25.7	-	20.9	-	12.1	-	20.5
04	-	24.0	-	20.0	-	18.1	-	6.8	-	24.8	-	25.0
05	-	20.8	-	22.8	-	10.9	-	2.2	-	25.4	-	20.6
06	-	14.2	-	18.9	-	6.0	-	0.9	-	17.6	-	13.0
07	-	8.7	-	12.4	-	3.2	-	0.5	-	9.7	-	6.9
08	-	4.9	-	6.9	-	1.9	-	0.3	-	4.7	-	3.3
09	-	2.6	-	3.5	-	1.2	-	0.2	-	2.2	-	1.5
10	-	1.3	-	1.6	-	0.7	-	0.2	-	0.9	-	0.6
11	-	0.7	-	0.7	-	0.5	-	0.1	-	0.3	-	0.3
12	-	0.3	-	0.3	-	0.4	-	0.1	-	0.2	-	0.1
13	-	0.1	-	0.1	-	0.2	-	0.1	-	0.1	-	*
14	-	0.1	-	*	-	0.2	-	*	-	*	-	*
15	-	*	-	*	-	0.1	-	*	-	*	-	*
16	-	*	-	*	-	0.1	-	*	-	*	-	*
17	-	*	-	*	-	0.1	-	*	-	*	-	*
18 & Above	-	*	-	*	-	0.1	-	*	-	*	-	*
Average	-	0.50	-	0.55	-	0.37	-	0.23	-	0.51	-	0.46
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	*	-	*	-	-	-	-
75	-	*	-	-	-	*	-	*	-	*	-	*
76	-	0.1	-	*	-	0.1	-	0.1	-	*	-	*
77	-	0.5	-	0.1	-	0.5	-	0.3	-	0.3	-	0.4
78	-	2.3	-	0.5	-	1.9	-	1.2	-	1.9	-	2.4
79	-	11.0	-	3.1	-	7.4	-	3.4	-	14.5	-	11.1
80	-	33.8	-	16.0	-	22.7	-	8.8	-	52.1	-	31.7
81	-	37.0	-	36.1	-	36.6	-	25.6	-	27.7	-	36.1
82	-	13.0	-	31.9	-	23.6	-	25.2	-	3.2	-	14.8
83	-	2.1	-	11.5	-	6.3	-	14.3	-	0.3	-	3.0
84	-	0.2	-	0.8	-	0.8	-	18.1	-	*	-	0.3
85 & Above	-	*	-	*	-	0.1	-	3.0	-	*	-	*
Average	-	80.98	-	81.78	-	81.38	-	82.44	-	80.61	-	81.04
Tenderable 3/	-	62.7	-	70.4	-	72.4	-	90.5	-	59.3	-	73.6
SAMPLES CLASSED	-	811,603	-	1,269,358	-	405,036	-	197,795	-	82,621	-	1,948,748

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.2	0.2	-	-	-	-	-	-	-	*	-	*
2.5 - 2.6	4.8	2.4	-	*	-	-	-	-	-	-	-	0.3
2.7 - 2.9	11.4	3.8	-	*	-	*	-	*	-	*	-	1.4
3.0 - 3.2	8.9	5.9	-	*	-	*	-	*	-	*	-	2.6
3.3 - 3.4	8.3	8.1	-	*	-	*	-	*	-	0.2	-	3.5
3.5 - 3.6	8.1	10.4	-	*	-	0.1	-	0.1	-	0.6	-	8.7
3.7 - 4.2	40.7	46.2	-	3.8	-	8.5	-	7.6	-	13.6	-	44.2
4.3 - 4.9	17.4	22.8	-	67.3	-	70.1	-	77.9	-	76.9	-	37.1
5.0 - 5.2	0.2	0.2	-	26.0	-	17.3	-	13.2	-	8.1	-	1.8
5.3 & Above	*	0.1	-	2.8	-	3.9	-	1.2	-	0.7	-	0.3
Average	3.71	3.86	-	4.80	-	4.69	-	4.68	-	4.57	-	4.10
Leaf												
1 - 2	3.6	5.8	-	6.6	-	2.5	-	3.5	-	4.0	-	34.4
3	18.6	24.0	-	46.2	-	33.9	-	34.3	-	46.1	-	47.6
4	24.4	31.1	-	38.3	-	48.2	-	45.3	-	40.4	-	13.7
5	31.6	27.1	-	8.4	-	14.4	-	15.5	-	8.7	-	3.3
6	14.7	9.4	-	0.6	-	0.9	-	1.5	-	0.8	-	0.8
7	5.7	2.2	-	*	-	*	-	0.1	-	*	-	0.2
8	1.3	0.4	-	*	-	*	-	*	-	*	-	*
Average	4.58	4.18	-	3.50	-	3.77	-	3.77	-	3.56	-	2.87
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.2	0.7	-	0.6	-	0.1	-	0.2	-	0.2	-	5.2
02	4.5	6.7	-	9.1	-	3.1	-	5.3	-	5.7	-	30.3
03	8.6	11.4	-	22.2	-	12.7	-	16.1	-	20.0	-	29.0
04	9.1	12.1	-	25.0	-	21.2	-	22.5	-	26.4	-	17.1
05	9.2	12.3	-	19.6	-	23.0	-	21.6	-	21.1	-	8.9
06	11.0	12.4	-	12.0	-	18.4	-	16.0	-	13.2	-	4.6
07	12.9	11.9	-	6.4	-	11.5	-	9.7	-	7.1	-	2.3
08	11.8	10.3	-	3.0	-	5.8	-	5.0	-	3.5	-	1.2
09	9.9	7.7	-	1.3	-	2.6	-	2.3	-	1.6	-	0.7
10	6.9	5.3	-	0.5	-	1.0	-	0.9	-	0.7	-	0.3
11	5.0	3.5	-	0.2	-	0.4	-	0.4	-	0.3	-	0.3
12	3.7	2.3	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1
13	2.4	1.4	-	*	-	*	-	0.1	-	*	-	*
14	1.9	0.8	-	*	-	*	-	*	-	*	-	*
15	1.0	0.5	-	*	-	*	-	*	-	*	-	*
16	0.8	0.3	-	*	-	*	-	*	-	*	-	*
17	0.4	0.2	-	-	-	*	-	*	-	*	-	-
18 & Above	0.6	0.3	-	-	-	*	-	*	-	*	-	-
Average	0.73	0.64	-	0.44	-	0.52	-	0.50	-	0.47	-	0.33
UNIFORMITY 2/												
74 & Below	*	*	-	*	-	-	-	*	-	*	-	-
75	*	*	-	*	-	-	-	*	-	*	-	-
76	0.1	0.1	-	0.1	-	*	-	*	-	0.1	-	-
77	0.6	0.5	-	0.6	-	*	-	0.3	-	0.8	-	*
78	1.4	2.5	-	3.3	-	0.1	-	2.0	-	4.1	-	0.4
79	13.7	13.2	-	12.8	-	0.8	-	9.1	-	16.1	-	1.7
80	48.5	42.1	-	30.2	-	6.7	-	29.9	-	33.1	-	6.2
81	33.4	36.5	-	34.4	-	26.2	-	38.6	-	31.5	-	31.2
82	2.1	4.7	-	14.4	-	41.2	-	16.9	-	12.1	-	43.0
83	0.2	0.3	-	3.5	-	22.2	-	2.9	-	2.0	-	16.9
84	-	*	-	0.6	-	2.7	-	0.3	-	0.2	-	0.5
85 & Above	-	*	-	0.1	-	0.1	-	*	-	*	-	*
Average	80.63	80.72	-	80.99	-	82.30	-	81.13	-	80.81	-	82.13
Tenderable 3/	17.0	37.1	-	56.1	-	68.8	-	74.9	-	76.0	-	88.7
SAMPLES CLASSED	12,433	244,108	-	415,861	-	754,865	-	1,399,089	-	703,484	-	33,828

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	-	-	-	-	0.1	-	-
2.5 - 2.6	0.1	0.3	-	*	-	-	-	0.7	-	-
2.7 - 2.9	1.2	0.9	-	*	-	-	0.4	1.7	-	*
3.0 - 3.2	2.0	1.9	-	*	-	*	0.5	3.6	-	*
3.3 - 3.4	0.1	2.3	-	0.1	-	*	1.0	4.1	-	*
3.5 - 3.6	0.5	3.5	-	0.5	-	0.2	1.9	5.9	-	0.1
3.7 - 4.2	21.4	34.1	-	31.1	-	6.3	12.5	30.1	-	3.1
4.3 - 4.9	70.9	52.4	-	66.1	-	63.6	79.6	44.9	-	89.9
5.0 - 5.2	3.8	4.1	-	2.0	-	24.9	4.0	7.0	-	6.7
5.3 & Above	*	0.4	-	0.1	-	4.9	*	1.9	-	0.3
Average	4.46	4.28	-	4.38	-	4.76	4.53	4.24	-	4.65
Leaf										
1 - 2	0.5	17.5	-	4.6	-	9.2	2.5	19.8	-	8.1
3	13.6	49.0	-	37.2	-	47.9	19.6	43.6	-	66.9
4	46.1	24.4	-	44.2	-	35.3	49.3	25.5	-	23.7
5	26.5	7.0	-	12.7	-	7.2	23.6	8.4	-	1.2
6	10.3	1.6	-	1.3	-	0.5	3.4	2.0	-	*
7	2.4	0.4	-	0.1	-	*	0.8	0.5	-	*
8	0.6	0.1	-	*	-	*	0.9	0.1	-	*
Average	4.42	3.27	-	3.69	-	3.42	4.12	3.30	-	3.18
HVI Trash 1/										
00	-	*	-	-	-	-	-	*	-	-
01	-	2.8	-	0.3	-	0.8	0.1	3.9	-	0.4
02	1.2	18.1	-	5.6	-	10.0	2.4	19.0	-	10.9
03	5.2	25.5	-	16.0	-	21.8	7.6	23.7	-	32.2
04	12.5	20.7	-	23.1	-	24.4	13.6	19.3	-	31.1
05	17.7	13.7	-	22.2	-	19.2	20.7	13.3	-	16.4
06	17.9	8.1	-	15.6	-	12.0	20.5	8.4	-	6.1
07	14.0	4.6	-	9.0	-	6.5	15.3	5.1	-	2.0
08	9.8	2.7	-	4.5	-	3.1	8.9	3.0	-	0.6
09	7.2	1.5	-	2.1	-	1.4	4.3	1.7	-	0.2
10	5.2	0.9	-	0.9	-	0.6	2.2	1.0	-	0.1
11	2.7	0.5	-	0.4	-	0.2	1.4	0.6	-	*
12	2.4	0.3	-	0.2	-	0.1	0.8	0.4	-	*
13	1.3	0.2	-	0.1	-	*	0.4	0.2	-	*
14	1.4	0.1	-	*	-	*	0.3	0.1	-	*
15	0.7	0.1	-	*	-	*	0.2	0.1	-	*
16	0.2	*	-	*	-	*	0.1	*	-	*
17	0.2	*	-	*	-	*	0.2	*	-	*
18 & Above	0.5	*	-	*	-	*	0.9	*	-	-
Average	0.68	0.41	-	0.49	-	0.44	0.61	0.41	-	0.38
UNIFORMITY 2/										
74 & Below	-	*	-	*	-	-	0.2	*	-	*
75	-	0.1	-	*	-	-	0.1	0.2	-	*
76	0.3	0.3	-	0.3	-	*	0.8	0.6	-	0.1
77	1.3	1.6	-	1.5	-	0.1	3.4	2.1	-	0.5
78	11.5	7.1	-	7.2	-	0.6	17.6	6.3	-	3.6
79	20.2	21.3	-	24.1	-	5.3	31.0	16.0	-	19.9
80	40.0	34.6	-	38.1	-	21.1	29.1	28.1	-	40.7
81	24.9	25.7	-	22.3	-	35.2	14.4	27.9	-	26.7
82	1.7	7.9	-	5.6	-	28.9	3.4	14.6	-	7.4
83	*	1.2	-	0.8	-	8.0	0.1	3.8	-	1.0
84	-	0.1	-	0.1	-	0.8	0.1	0.4	-	0.1
85 & Above	-	*	-	*	-	*	-	*	-	*
Average	80.24	80.49	-	80.37	-	81.59	79.84	80.77	-	80.60
Tenderable 3/	18.4	75.0	-	78.1	-	46.7	27.9	63.5	-	82.0
SAMPLES CLASSED	2,229	599,845	-	363,584	-	762,551	5,876	6,746,378	-	184,393

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	6.3	-	22.7	-	-	-	1.7
	2	-	9.5	-	23.1	-	-	-	6.3
	3	-	0.9	-	0.4	-	-	-	0.5
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	16.8	-	46.2	-	-	-	8.5
02	1	-	12.6	-	6.6	-	-	-	4.3
	2	-	24.3	-	38.0	-	-	-	39.4
	3	-	2.1	-	6.2	-	-	-	17.4
	4	-	*	-	0.1	-	-	-	0.9
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	39.1	-	50.9	-	-	-	62.0
03	1	-	1.4	-	*	-	-	-	0.2
	2	-	21.2	-	1.3	-	-	-	9.9
	3	-	9.9	-	1.2	-	-	-	11.5
	4	-	1.0	-	0.2	-	-	-	2.8
	5	-	*	-	*	-	-	-	0.1
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	33.4	-	2.8	-	-	-	24.5
04	1	-	0.1	-	*	-	-	-	*
	2	-	3.7	-	*	-	-	-	0.8
	3	-	4.5	-	0.1	-	-	-	1.6
	4	-	1.0	-	*	-	-	-	0.8
	5	-	0.1	-	*	-	-	-	*
	6	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-
Total -----		-	9.3	-	0.1	-	-	-	3.2
05	1	-	*	-	*	-	-	-	-
	2	-	0.3	-	*	-	-	-	0.2
	3	-	0.9	-	*	-	-	-	0.5
	4	-	0.1	-	*	-	-	-	0.8
	5	-	-	-	*	-	-	-	0.2
	6	-	-	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	*
Total -----		-	1.3	-	*	-	-	-	1.7
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	-	-	*
	4	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*
	7	-	0.1	-	-	-	-	-	*
Total -----		-	0.1	-	*	-	-	-	0.1
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*
Total -----		-	-	-	*	-	-	-	*
STAPLE									
44 & Shorter		-	*	-	0.2	-	-	-	0.2
46		-	11.6	-	4.5	-	-	-	12.6
48		-	34.7	-	34.4	-	-	-	68.4
50		-	50.1	-	54.6	-	-	-	17.5
52 & Longer		-	3.6	-	6.3	-	-	-	1.3
Average Staple		-	48.91	-	49.24	-	-	-	48.14
Average Length		-	1.42	-	1.43	-	-	-	1.40
EXTRANEIOUS MATTER									
Bark		-	0.7	-	*	-	-	-	0.5
Grass		-	0.1	-	0.1	-	-	-	0.1
Spindle Twist		-	0.1	-	0.2	-	-	-	0.3
Preparation		-	*	-	*	-	-	-	-
All Other		-	*	-	*	-	-	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Apr 25, 2019

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5 - 2.6	-	-	-	0.1	-	-	-	-
2.7 - 2.9	-	*	-	0.4	-	-	-	*
3.0 - 3.2	-	*	-	1.1	-	-	-	0.6
3.3 - 3.4	-	0.2	-	2.1	-	-	-	0.7
3.5 - 3.6	-	1.7	-	5.2	-	-	-	2.2
3.7 - 4.2	-	78.0	-	50.9	-	-	-	63.1
4.3 - 4.9	-	20.0	-	40.2	-	-	-	33.5
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	4.06	-	4.12	-	-	-	4.13
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5	-	-	-	*	-	-	-	-
2.6	-	-	-	*	-	-	-	-
2.7	-	*	-	0.1	-	-	-	*
2.8	-	-	-	0.1	-	-	-	*
2.9	-	-	-	0.2	-	-	-	*
3.0	-	*	-	0.3	-	-	-	*
3.1	-	*	-	0.4	-	-	-	0.1
3.2	-	*	-	0.5	-	-	-	0.5
3.3	-	0.1	-	0.8	-	-	-	0.5
3.4	-	0.2	-	1.4	-	-	-	0.2
3.5	-	0.3	-	2.1	-	-	-	0.6
3.6	-	1.4	-	3.1	-	-	-	1.6
3.7	-	3.6	-	4.3	-	-	-	3.7
3.8	-	8.2	-	5.9	-	-	-	6.3
3.9	-	17.0	-	7.8	-	-	-	10.7
4.0	-	19.4	-	9.7	-	-	-	15.0
4.1	-	17.4	-	10.6	-	-	-	15.9
4.2	-	12.4	-	12.5	-	-	-	11.6
4.3	-	10.2	-	13.7	-	-	-	8.9
4.4	-	6.4	-	12.3	-	-	-	10.0
4.5	-	2.8	-	8.2	-	-	-	8.1
4.6	-	0.4	-	4.1	-	-	-	4.4
4.7	-	0.1	-	1.5	-	-	-	1.7
4.8	-	*	-	0.4	-	-	-	0.3
4.9	-	*	-	0.1	-	-	-	*
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	4.06	-	4.12	-	-	-	4.13
STRENGTH 1/ 36 & Below	-	*	-	0.4	-	-	-	0.5
37	-	0.1	-	1.1	-	-	-	0.5
38	-	0.6	-	3.0	-	-	-	0.8
39	-	3.7	-	4.5	-	-	-	0.7
40	-	5.4	-	4.3	-	-	-	1.9
41	-	5.1	-	4.6	-	-	-	7.7
42	-	12.6	-	9.1	-	-	-	16.8
43	-	28.6	-	16.4	-	-	-	19.2
44	-	26.4	-	22.4	-	-	-	18.0
45	-	13.3	-	19.1	-	-	-	16.1
46	-	3.4	-	9.7	-	-	-	11.2
47	-	0.5	-	3.7	-	-	-	5.3
48 & Above	-	0.2	-	1.8	-	-	-	1.3
Average	-	43.55	-	43.86	-	-	-	44.05
UNIFORMITY								
83 & Below	-	0.2	-	1.2	-	-	-	0.4
84	-	1.7	-	7.5	-	-	-	1.8
85	-	25.9	-	25.7	-	-	-	11.6
86	-	56.5	-	49.1	-	-	-	68.4
87	-	15.4	-	15.0	-	-	-	17.6
88 & Above	-	0.2	-	1.5	-	-	-	0.2
Average	-	86.29	-	86.19	-	-	-	86.47
Samples Classed	-	28,359	-	709,231	-	-	-	31,277

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.