



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	29	63.4	53.2	57,330	29	63.8	52.8	449,377
AR	27	69.4	46.9	102,204	28	70.7	52.5	937,596
AZ	10	74.2	52.8	18,646	11	75.4	51.6	77,111
CA	8	94.1	80.6	12,746	12	88.9	73.2	78,581
FL	3	56.1	46.4	8,111	4	65.8	54.0	37,273
GA	56	75.4	64.2	155,139	57	83.8	68.5	965,170
KS	2	88.3	82.2	6,822	2	55.6	50.3	18,858
LA	17	53.6	25.1	23,558	19	58.4	32.8	338,720
MO	19	75.9	56.9	65,136	21	67.1	47.8	573,410
MS	37	77.6	50.2	113,010	38	77.8	50.4	956,851
NC	33	76.2	55.6	69,112	33	75.0	57.5	488,311
NM	2	98.7	87.0	3,120	2	95.6	84.2	7,545
OK	10	87.3	73.4	32,888	10	82.0	68.9	112,930
SC	15	83.2	64.6	31,872	15	80.5	69.6	195,426
TN	21	53.3	31.0	77,872	22	43.3	27.1	615,290
TX	152	73.1	60.7	449,836	177	64.3	45.4	2,980,033
VA	4	84.6	57.6	16,176	4	79.4	55.7	114,765
United States	445	72.8	56.3	1,243,578	484	68.7	49.9	8,947,247
AMERICAN PIMA								
AZ	2			1,695	4			9,193
CA	15			42,883	17			265,763
NM*	-			-	-			-
TX*	-			-	-			-
United States	19			47,359	23			283,097
United States all cotton	463			1,290,937	500			9,230,344

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 29 2018

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.1	0.3	0.4	0.2	3.5	17.9	66.2	59.8	-	-	0.8	1.6
	3	0.1	0.6	0.1	0.2	0.7	7.9	10.6	13.6	-	*	1.5	3.1
	4	*	*	*	*	*	0.7	0.1	0.1	-	-	0.1	0.3
	5	-	*	-	-	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	1.0	0.5	0.4	4.2	26.5	76.9	73.6	-	*	2.4	4.9
31	1 - 2	1.7	1.7	0.3	0.6	8.8	5.5	10.1	8.3	0.4	0.2	2.8	4.8
	3	10.9	16.0	3.0	4.8	11.1	7.9	8.1	11.0	5.3	5.6	17.5	31.8
	4	6.2	8.2	0.8	3.4	1.3	1.4	0.9	1.8	1.5	3.1	7.1	15.8
	5	0.4	0.6	*	0.4	*	0.1	*	0.2	*	0.1	0.4	1.0
	6	*	*	-	*	*	*	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	19.1	26.4	4.1	9.2	21.2	14.9	19.2	21.3	7.2	9.0	27.7	53.4
41	1 - 2	1.5	0.8	1.0	0.5	11.1	5.0	0.1	*	0.6	0.4	1.2	0.8
	3	16.7	14.3	22.5	14.7	31.0	20.2	0.2	0.1	21.2	16.6	18.8	11.4
	4	26.8	21.0	31.1	30.4	10.3	8.9	0.1	0.1	32.2	38.1	27.4	15.3
	5	8.3	6.5	5.7	11.7	1.2	1.1	*	*	3.9	7.0	5.4	3.2
	6	0.8	0.7	0.2	1.1	0.2	0.1	-	*	*	0.1	0.2	0.1
	7	*	*	-	*	*	*	-	*	-	-	*	*
	8	*	*	-	*	-	*	-	-	-	-	-	-
Total	----	54.1	43.3	60.4	58.4	53.9	35.3	0.5	0.2	57.9	62.3	53.0	30.8
51	1 - 2	*	*	0.1	*	0.3	0.3	-	-	-	*	*	*
	3	1.0	0.3	3.5	1.1	5.4	3.2	-	-	2.0	1.3	1.1	0.2
	4	2.7	0.9	8.2	5.5	4.0	3.5	-	-	5.1	4.7	2.7	0.5
	5	2.5	0.9	4.9	5.1	0.9	1.0	-	-	1.6	3.2	1.4	0.3
	6	0.7	0.3	0.6	0.8	0.1	0.1	-	-	0.2	0.4	0.2	*
	7	*	*	*	*	*	*	-	-	-	*	*	*
	8	-	*	-	-	-	-	-	-	-	*	*	*
Total	----	7.0	2.5	17.3	12.5	10.7	8.1	-	-	8.9	9.6	5.4	1.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-	*	*
	4	-	*	-	*	-	-	-	-	0.2	0.1	-	-
	5	-	-	-	*	-	-	-	-	0.1	*	-	*
	6	-	*	-	*	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	*	-	*	*	*	-	-	0.3	0.1	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	*
Total	----	-	-	-	-	-	-	-	-	-	-	*	*
12 & 22	1 - 2	*	*	-	*	0.1	3.9	0.3	0.9	-	*	*	0.1
	3	*	*	-	*	*	1.7	0.4	0.6	-	-	0.1	0.1
	4	-	*	-	*	-	0.7	*	0.1	-	-	*	*
	5	-	-	-	-	-	0.1	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	0.1	0.1	6.4	0.8	1.5	-	*	0.2	0.2
32	1 - 2	0.1	0.1	*	*	*	0.1	0.5	0.6	*	*	0.2	0.3
	3	1.4	1.8	0.3	0.4	0.1	0.8	1.5	2.3	0.3	0.1	2.2	2.5
	4	0.8	1.6	0.1	0.2	*	0.5	0.6	0.4	0.2	0.2	1.0	1.3
	5	0.1	0.2	*	*	-	0.4	*	*	-	*	0.1	0.1
	6	*	*	-	*	-	0.1	-	-	-	-	*	*
	7	*	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	2.4	3.9	0.4	0.7	0.2	2.0	2.6	3.3	0.6	0.3	3.5	4.3
42	1 - 2	0.2	0.2	0.1	0.1	0.5	0.2	*	*	0.3	0.1	0.1	0.1
	3	3.3	5.2	4.2	4.3	2.8	1.3	*	*	4.5	2.2	1.6	1.3
	4	5.8	9.8	6.9	7.9	3.8	1.8	-	*	4.8	3.7	2.9	2.1
	5	2.4	3.2	1.5	2.3	0.7	0.4	*	*	0.7	0.9	0.7	0.6
	6	0.4	0.4	0.1	0.2	*	0.1	-	-	*	*	*	*
	7	*	*	*	*	-	0.1	-	-	-	-	*	*
	8	*	*	-	-	-	*	-	-	-	-	-	-
Total	----	12.2	18.8	12.8	14.8	7.8	3.9	*	0.1	10.3	6.9	5.4	4.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 29 2018

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	*	*	*	*	*	*	-	*	*	*
	3	0.3	0.2	0.5	0.3	0.2	0.3	-	-	1.7	1.4	0.1	*
	4	0.8	0.8	1.7	1.3	0.4	1.3	-	-	7.4	5.0	0.4	0.1
	5	0.6	0.6	0.8	1.1	0.4	0.4	-	-	3.2	3.0	0.3	0.1
	6	0.2	0.2	0.1	0.2	0.1	*	-	-	0.1	0.6	*	*
	7	*	*	*	*	0.1	*	-	-	-	*	*	*
	8	*	*	-	-	0.1	*	-	-	-	*	-	*
Total	----	1.9	1.9	3.0	2.8	1.2	2.2	*	*	12.4	10.1	0.9	0.2
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	*	*	-	-	0.1	*	-	*
	4	-	*	-	*	-	-	-	-	0.3	0.1	*	*
	5	-	*	-	*	-	-	-	-	0.3	0.1	*	*
	6	-	*	-	*	-	-	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	*	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	*	*	-	-	0.7	0.2	*	*
13 & 23	1 - 2	-	*	-	*	-	0.1	-	*	-	-	*	*
	3	*	*	-	*	-	0.1	-	*	-	-	*	*
	4	-	-	-	*	-	*	-	-	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	0.2	-	*	-	-	*	*
33	1 - 2	*	*	-	-	-	*	-	-	-	-	*	0.1
	3	0.1	0.1	*	*	*	*	-	*	-	*	0.4	0.3
	4	0.1	0.1	*	*	*	0.1	-	*	-	*	0.2	0.1
	5	*	*	-	*	-	0.1	-	-	-	-	*	*
	6	*	*	-	-	-	*	-	-	-	-	*	*
	7	*	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	0.3	0.2	*	*	*	0.2	-	*	-	*	0.6	0.5
43	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.4	0.3	0.3	0.2	*	*	-	*	0.5	0.2	0.2	0.1
	4	0.9	0.8	0.6	0.4	0.3	0.1	-	*	0.6	0.3	0.3	0.2
	5	0.5	0.4	0.2	0.1	0.2	0.1	-	-	0.1	*	0.1	0.1
	6	0.1	0.1	*	*	*	*	-	-	-	*	*	*
	7	*	*	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	2.0	1.6	1.0	0.8	0.5	0.3	-	*	1.1	0.5	0.7	0.4
53	1 - 2	*	*	-	*	-	-	-	-	-	-	-	-
	3	0.1	0.1	*	*	-	*	-	-	*	*	*	*
	4	0.1	0.1	0.2	0.1	*	*	-	-	0.3	0.3	*	*
	5	0.1	0.1	0.2	0.1	*	*	-	-	0.2	0.3	*	*
	6	*	*	*	*	*	*	-	-	-	0.1	*	*
	7	*	*	*	*	-	*	-	-	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	-
Total	----	0.3	0.3	0.4	0.2	*	0.1	-	-	0.5	0.8	0.1	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	*	-	-
	4	*	*	-	*	-	-	-	-	*	*	-	*
	5	*	*	*	*	-	-	-	-	*	*	-	-
	6	*	*	*	*	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	*	*	*	*
24 - 54	1 - 8	0.3	0.1	0.1	*	-	*	-	*	*	*	0.1	0.1
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*
81 - 85	1 - 8	*	*	*	*	-	-	-	-	-	*	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	-	*	-	*	-	*	*	0.1
33		0.3	0.4	*	*	*	0.1	-	0.2	-	*	1.2	0.9
34		2.7	2.9	0.3	0.4	1.4	1.8	*	0.2	*	0.4	5.8	5.1
35		8.6	10.4	3.8	2.7	8.1	8.2	1.0	2.2	4.3	2.6	13.1	13.6
36		19.4	21.1	15.7	11.5	20.6	22.9	7.4	6.5	10.2	10.0	19.2	18.7
37		38.5	37.0	38.1	36.8	31.7	35.2	31.4	24.7	44.3	36.2	27.7	28.8
38		22.5	21.0	24.6	27.4	21.3	16.8	28.8	26.6	31.2	34.7	22.9	23.2
39		7.2	6.3	12.2	15.4	12.9	10.4	16.7	22.0	9.8	15.6	8.9	8.6
40 & Longer		0.8	0.8	5.2	5.8	3.9	4.6	14.7	17.6	0.1	0.4	1.1	1.1
Average Staple		36.93	36.84	37.41	37.58	37.19	37.08	37.99	38.15	37.32	37.51	36.76	36.78
Average Length		1.15	1.15	1.17	1.17	1.16	1.16	1.19	1.19	1.17	1.17	1.15	1.15

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	5.0	2.1	1.0	0.8	*	0.9	0.2	0.6	0.1	0.1	9.9	11.2
	3	0.8	2.0	0.6	1.4	*	0.9	0.5	1.1	0.2	0.2	7.5	5.6
	4	*	0.3	-	0.1	-	*	*	0.1	*	*	0.2	0.1
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.8	4.5	1.6	2.2	*	1.8	0.7	1.8	0.3	0.3	17.6	16.9
31	1 - 2	9.1	5.4	3.3	3.1	0.2	0.9	2.4	2.0	1.5	2.0	18.8	18.2
	3	34.6	24.5	13.2	18.1	3.4	7.1	13.9	15.7	12.4	15.0	30.0	29.6
	4	12.7	9.0	3.5	7.4	0.9	3.7	5.0	8.0	9.0	7.5	2.9	3.0
	5	1.1	0.9	0.1	0.5	*	0.4	0.2	0.5	1.4	0.8	0.1	*
	6	-	*	-	*	*	*	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	57.5	39.8	20.1	29.2	4.5	12.1	21.5	26.3	24.5	25.3	51.8	50.8
41	1 - 2	0.5	0.3	4.4	1.7	1.0	0.8	1.5	0.9	1.2	1.6	1.5	1.8
	3	12.4	8.5	23.7	17.3	24.4	19.3	19.6	15.7	22.5	24.0	17.1	17.0
	4	14.0	10.8	16.6	19.5	39.9	33.6	29.4	30.9	25.5	22.7	7.6	8.7
	5	6.3	3.5	4.4	4.5	10.4	9.5	8.9	10.5	6.8	4.5	3.7	3.0
	6	1.1	0.5	0.4	0.3	0.4	0.4	0.4	0.7	0.7	0.2	0.2	0.3
	7	0.1	*	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	-	*	-	-
Total	----	34.3	23.7	49.5	43.2	76.2	63.7	59.9	58.7	56.7	53.0	30.2	30.9
51	1 - 2	-	-	0.3	0.2	*	*	*	*	0.2	0.1	-	-
	3	*	*	1.2	1.1	0.6	0.4	0.5	0.2	1.1	1.0	0.1	*
	4	-	-	1.5	1.4	4.9	3.0	2.7	1.1	2.3	1.4	0.3	0.1
	5	*	*	0.7	0.5	3.8	2.6	2.1	1.3	1.3	0.6	0.1	0.1
	6	-	-	*	0.1	0.3	0.3	0.2	0.3	0.3	0.1	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-
	8	-	-	-	*	-	-	-	*	-	-	-	-
Total	----	*	*	3.7	3.2	9.7	6.2	5.5	2.9	5.1	3.1	0.4	0.3
61	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	*	-	-	-	*	0.1	*	-	-
	4	-	-	*	*	-	*	-	-	*	*	-	-
	5	-	-	*	*	-	-	*	*	-	*	-	-
	6	-	-	-	*	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	*	*	*	0.1	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	0.1	*	*	-	*	*	*	-	*	-	*
	3	-	1.4	*	0.1	-	*	*	*	*	*	-	*
	4	-	0.8	-	*	-	*	-	*	-	-	-	-
	5	-	0.1	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	2.3	*	0.1	-	*	*	*	*	*	-	0.1
32	1 - 2	-	*	0.3	0.2	*	*	0.1	0.1	0.1	0.1	-	-
	3	*	1.0	1.5	1.2	0.2	0.5	0.8	0.5	0.6	0.9	-	*
	4	*	2.3	0.9	0.7	0.1	0.2	0.5	0.4	0.5	0.5	-	0.2
	5	-	1.0	*	*	0.1	*	*	*	0.1	*	-	*
	6	-	0.1	*	*	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	0.1
Total	----	*	4.3	2.8	2.2	0.4	0.8	1.4	1.0	1.3	1.6	-	0.3
42	1 - 2	-	-	0.7	0.4	0.1	0.1	0.1	0.1	0.3	0.4	-	-
	3	*	*	5.7	4.3	1.9	4.1	1.6	1.3	3.7	5.9	-	0.1
	4	0.4	0.2	6.4	5.7	3.6	7.0	3.6	3.4	3.1	5.2	-	0.1
	5	0.3	0.2	0.9	1.4	1.1	1.9	1.8	1.9	0.7	0.9	-	-
	6	0.1	0.1	*	0.1	0.1	0.1	0.2	0.2	0.1	*	-	-
	7	-	*	*	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.8	0.6	13.7	11.8	6.8	13.2	7.2	6.9	7.9	12.4	-	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 29 2018

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	0.2	0.2	-	*	*	*	0.1	0.1	-	-
	3	-	-	1.0	1.5	*	0.1	0.1	0.1	0.9	1.1	-	-
	4	-	-	0.8	2.2	0.5	0.8	0.6	0.5	1.1	1.4	-	-
	5	-	-	0.5	0.9	0.6	0.7	0.8	0.8	0.4	0.5	-	-
	6	-	-	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	-	-
	7	-	-	-	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	2.5	4.8	1.2	1.7	1.7	1.6	2.7	3.2	-	-
62	1 - 2	-	-	-	*	-	-	-	-	*	*	-	-
	3	-	-	-	0.1	-	-	-	*	0.1	*	-	-
	4	-	-	*	*	-	*	*	*	*	*	-	-
	5	-	-	-	*	-	-	*	*	*	*	-	-
	6	-	-	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	*	0.1	-	*	*	*	0.1	*	-	-
13 & 23	1 - 2	-	*	*	*	-	-	-	-	-	*	-	0.1
	3	-	1.7	-	-	-	-	-	-	*	*	-	0.1
	4	-	1.9	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	3.6	*	*	-	-	-	-	*	*	-	0.3
33	1 - 2	-	*	0.1	*	-	*	*	*	*	*	-	*
	3	*	0.9	0.1	0.1	-	*	0.1	*	0.1	*	-	0.1
	4	-	3.5	0.1	*	*	*	0.1	*	0.1	*	-	-
	5	-	1.5	*	*	*	*	*	*	*	*	-	-
	6	-	0.1	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	6.0	0.4	0.1	0.1	*	0.2	0.1	0.2	0.1	-	0.1
43	1 - 2	-	-	0.1	*	-	*	*	*	*	*	-	-
	3	-	*	1.0	0.4	0.1	0.1	0.2	0.1	0.2	0.2	-	*
	4	*	0.1	1.9	0.7	0.4	0.2	0.5	0.2	0.4	0.2	-	*
	5	0.1	0.3	0.6	0.3	0.3	0.1	0.4	0.1	0.2	0.1	-	-
	6	*	0.1	*	*	*	*	0.1	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.5	3.6	1.4	0.8	0.4	1.3	0.4	0.8	0.5	-	0.1
53	1 - 2	-	-	0.1	*	-	-	-	*	*	*	-	-
	3	-	-	0.4	0.2	*	*	*	*	*	0.1	-	-
	4	-	*	0.6	0.6	0.1	*	0.1	0.1	0.1	0.1	-	-
	5	-	-	0.3	0.4	0.1	*	0.2	0.1	0.1	0.1	*	*
	6	-	*	0.1	*	*	*	0.1	*	*	*	-	-
	7	-	*	*	*	-	-	*	*	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	1.5	1.3	0.2	0.1	0.4	0.2	0.2	0.2	*	*
63	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	*	0.1	-	-	-	*	-	*	-	-
	4	-	-	0.1	0.1	*	*	*	*	-	*	-	-
	5	-	-	*	0.1	-	-	*	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	-	-	0.1	0.3	*	*	*	*	-	*	-	-
24 - 54	1 - 8	1.4	11.2	0.6	0.1	0.1	*	0.1	*	0.1	*	-	*
25 - 35	1 - 8	-	1.7	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	1.9	0.1	*	-	-	-	-	*	*	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	-	-	-	-
31		-	-	-	*	-	*	-	*	-	*	-	-
32		-	*	*	*	*	*	*	*	*	*	-	-
33		0.2	0.1	0.3	0.4	*	*	0.6	0.3	1.2	0.6	-	-
34		2.4	1.4	3.3	2.8	0.3	0.2	2.9	2.3	8.2	5.1	-	0.1
35		10.6	13.6	12.2	10.0	3.3	2.6	10.4	7.9	20.9	17.5	3.6	2.4
36		48.2	32.5	16.4	17.5	12.0	11.1	18.2	14.6	26.1	26.4	5.9	9.6
37		34.9	44.0	23.5	27.0	41.5	41.1	30.7	29.2	28.9	27.7	34.3	31.1
38		3.7	5.9	29.4	21.8	29.1	29.0	26.0	27.5	12.0	17.2	16.5	21.1
39		-	0.7	11.5	14.9	9.1	11.8	9.7	15.1	2.4	5.1	20.4	17.8
40 & Longer		-	1.8	3.4	5.6	4.7	4.1	1.4	3.1	0.2	0.5	19.3	17.9
Average Staple		36.26	36.48	37.11	37.21	37.42	37.48	36.99	37.28	36.20	36.50	38.09	37.99
Average Length		1.13	1.14	1.16	1.16	1.17	1.17	1.16	1.16	1.13	1.14	1.19	1.19

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.3	1.4	0.2	0.2	*	1.0	2.6	10.8	*	0.1
	3	0.2	2.9	0.4	0.4	*	0.8	2.6	7.1	0.1	0.2
	4	0.1	0.2	*	*	-	*	0.4	0.6	*	*
	5	*	*	-	*	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.6	4.5	0.6	0.7	0.1	1.9	5.6	18.5	0.1	0.2
31	1 - 2	5.6	4.8	1.8	1.4	1.5	1.8	8.3	6.3	3.8	4.4
	3	23.8	23.7	13.5	13.2	3.0	6.0	24.4	16.4	33.7	25.7
	4	8.6	7.7	8.8	10.1	0.6	1.7	11.8	6.7	9.0	4.9
	5	0.7	0.4	0.8	0.9	*	0.1	2.2	0.8	0.1	0.1
	6	*	*	-	*	-	*	0.1	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	38.8	36.6	25.0	25.5	5.2	9.7	46.9	30.3	46.7	35.1
41	1 - 2	3.3	2.3	2.5	1.7	5.3	3.4	1.6	1.7	2.1	3.1
	3	24.0	20.7	18.4	17.8	29.3	20.8	11.3	9.5	27.4	32.7
	4	19.5	17.5	26.0	26.7	15.8	14.7	13.1	9.4	12.2	11.4
	5	3.8	3.6	5.8	7.4	1.8	2.1	6.5	3.5	0.6	0.3
	6	0.6	0.4	0.1	0.3	*	0.1	1.7	0.7	-	*
	7	0.1	*	-	*	-	-	0.3	0.1	-	-
	8	*	*	-	*	-	-	*	*	-	-
Total	----	51.3	44.6	52.9	54.0	52.2	41.1	34.5	25.0	42.3	47.5
51	1 - 2	0.1	*	0.4	0.3	0.5	0.1	0.1	0.1	-	*
	3	0.2	0.2	2.3	1.5	6.2	1.3	0.5	0.7	0.1	0.4
	4	0.7	0.5	3.4	1.3	8.7	2.3	0.4	0.7	0.3	0.2
	5	1.0	0.7	2.4	0.8	2.8	1.0	0.2	0.3	*	*
	6	0.4	0.3	0.2	0.1	0.2	0.1	0.2	0.2	-	-
	7	0.1	0.1	*	*	-	*	0.1	0.1	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	2.5	1.8	8.8	3.9	18.4	4.7	1.6	2.2	0.4	0.6
61	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
12 & 22	1 - 2	*	0.2	*	*	*	0.1	0.2	2.5	-	-
	3	0.1	0.4	*	0.1	*	0.1	0.3	2.5	-	-
	4	-	*	*	*	-	*	0.1	0.5	*	*
	5	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.1	0.6	0.1	0.1	*	0.1	0.5	5.5	*	*
32	1 - 2	0.1	0.3	0.6	0.3	0.2	0.6	0.2	0.7	0.1	0.2
	3	0.6	1.9	1.6	1.5	0.8	2.0	1.4	2.8	1.3	1.4
	4	0.5	1.3	0.6	0.8	0.2	0.8	1.2	1.8	0.6	0.4
	5	0.1	0.2	0.1	0.1	*	*	0.3	0.4	*	*
	6	*	*	*	*	*	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.2	3.8	2.9	2.6	1.2	3.4	3.2	5.8	2.0	2.1
42	1 - 2	0.1	0.1	0.2	0.8	0.8	2.0	0.2	0.3	0.2	0.6
	3	1.4	1.7	2.4	3.9	7.4	15.9	1.0	2.2	4.4	7.9
	4	1.7	1.7	2.5	3.6	6.3	11.9	1.3	2.2	2.7	4.0
	5	0.7	0.8	0.6	0.9	1.4	1.8	0.6	0.8	0.1	0.2
	6	0.1	0.2	*	0.1	*	0.1	0.1	0.1	-	*
	7	*	*	-	*	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	4.0	4.5	5.7	9.3	15.9	31.7	3.2	5.7	7.5	12.8

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 29 2018

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	*	0.1	*	*	0.1	0.1	-	0.1
	3	0.2	0.1	0.6	1.0	0.8	0.9	0.4	0.8	0.1	0.9
	4	0.2	0.2	0.9	0.9	2.2	2.4	0.7	1.1	0.3	0.4
	5	0.1	0.2	0.9	0.4	0.9	1.1	0.3	0.5	*	*
	6	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	-	*
	7	*	*	-	*	*	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.6	0.7	2.5	2.4	4.1	4.5	1.5	2.7	0.4	1.4
62	1 - 2	-	-	-	*	-	-	*	*	-	-
	3	-	*	*	*	-	*	0.1	0.1	-	-
	4	-	*	*	*	*	*	0.2	0.2	-	-
	5	-	-	-	*	*	*	0.1	0.1	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	*	*	*	0.1	*	0.5	0.4	-	-
13 & 23	1 - 2	-	*	-	*	-	*	0.1	0.2	-	-
	3	*	*	-	*	*	*	0.1	0.3	-	-
	4	*	*	*	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	*	*	0.1	0.6	-	-
33	1 - 2	*	*	*	*	*	*	*	0.1	*	*
	3	0.1	0.4	0.1	0.1	0.1	0.1	0.2	0.3	0.1	*
	4	0.1	0.4	0.1	0.1	*	*	0.3	0.3	*	*
	5	*	0.1	*	*	-	*	*	0.1	*	*
	6	-	*	-	*	-	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.3	0.9	0.2	0.2	0.1	0.1	0.6	0.7	0.1	*
43	1 - 2	*	*	*	*	0.1	0.1	*	*	-	*
	3	0.1	0.2	0.3	0.3	1.2	1.0	0.1	0.2	0.2	0.1
	4	0.1	0.3	0.5	0.5	1.0	0.9	0.2	0.3	0.2	0.1
	5	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.2	*	*
	6	*	0.1	*	*	*	*	*	0.1	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.4	0.9	1.0	1.0	2.4	2.2	0.5	0.8	0.4	0.2
53	1 - 2	*	*	-	*	*	*	*	*	-	*
	3	*	0.1	*	*	0.1	0.1	0.1	0.2	*	*
	4	*	*	0.1	0.1	0.2	0.2	0.2	0.4	*	*
	5	*	0.1	0.1	0.1	0.1	0.1	0.2	0.3	-	*
	6	*	0.1	*	*	*	*	0.1	0.1	-	-
	7	-	*	-	-	*	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.1	0.2	0.2	0.3	0.4	0.6	0.6	0.9	0.1	0.1
63	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	-	-	-	*	0.1	-	-
	4	-	*	*	*	-	*	0.2	0.2	-	-
	5	-	*	-	-	-	-	0.2	0.1	-	-
	6	-	-	-	-	*	*	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	*	*	*	*	*	0.5	0.4	-	-
24 - 54	1 - 8	0.2	0.6	*	*	0.1	*	0.2	0.2	*	*
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	0.2	*	*	*	*	0.1	0.1	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	*	0.1	-	-
31		0.1	*	*	*	-	*	0.1	0.4	-	-
32		0.7	0.5	0.2	0.1	-	*	0.5	1.3	*	*
33		1.3	2.0	3.0	1.1	0.1	0.1	2.2	3.9	1.1	0.5
34		6.6	7.0	9.1	4.7	1.9	1.2	8.4	9.9	11.5	7.9
35		10.2	11.9	13.6	9.5	15.9	11.7	20.6	18.5	30.1	24.3
36		17.8	20.9	19.5	15.5	39.3	35.1	26.3	24.6	28.1	32.1
37		28.1	29.6	32.2	29.3	33.6	39.8	27.3	24.3	21.5	22.0
38		19.7	16.6	18.2	29.1	6.9	9.2	10.1	11.0	6.4	10.9
39		12.3	9.2	3.9	9.7	2.2	2.4	3.7	5.0	1.3	2.2
40 & Longer		3.2	2.3	0.2	1.1	0.2	0.4	0.8	1.0	*	0.1
Average Staple		36.87	36.65	36.39	36.98	36.35	36.53	36.15	36.07	35.82	36.09
Average Length		1.15	1.14	1.14	1.16	1.13	1.14	1.13	1.12	1.12	1.13

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	15.7	8.3	1.8	1.2	*	0.9	*	*	24.8	18.2	15.7	8.0
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	*	*
Grass - Level 1	0.2	0.1	0.1	0.1	-	*	0.2	0.2	*	*	*	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	0.1	*	0.1	*	-	-	*	*	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.3	0.2	*	*	2.7	1.0	-	-	-	0.4	0.2	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	*	-	-	-	-	-	-	-	*
23	*	*	-	*	-	-	-	-	-	*	*	*
24	0.1	0.2	*	*	-	-	-	-	0.1	0.3	0.1	0.3
25	0.4	1.0	0.6	0.1	-	*	-	-	1.3	1.5	1.1	2.1
26	2.5	3.9	2.0	1.2	0.1	0.1	-	*	5.1	7.2	4.6	7.8
27	11.7	14.5	6.0	4.9	0.5	1.1	-	*	20.0	22.3	12.6	16.4
28	30.2	29.8	18.2	17.3	3.6	8.7	0.1	0.5	34.2	39.5	22.6	25.4
29	31.5	29.3	28.0	30.2	15.3	19.2	0.6	2.2	25.2	19.6	27.1	24.5
30	16.0	14.2	23.4	24.5	32.4	23.4	3.2	3.8	9.8	7.2	18.4	14.5
31	5.9	5.2	13.5	13.1	22.2	22.8	8.2	6.1	3.7	1.8	8.8	6.2
32	1.2	1.4	6.3	6.2	16.5	15.8	14.4	13.0	0.5	0.4	3.3	2.1
33	0.3	0.4	1.6	1.8	6.2	6.2	27.1	17.5	-	0.1	0.9	0.6
34	0.1	0.1	0.3	0.4	2.8	2.1	16.8	10.8	*	*	0.2	0.2
35	*	*	*	0.1	0.5	0.5	7.3	10.8	*	*	0.1	*
36	-	*	*	*	0.1	0.1	10.0	17.4	-	-	*	*
37	-	-	-	-	*	*	9.5	12.9	-	-	*	*
38	-	-	-	-	-	*	2.7	4.2	-	-	-	-
39	-	-	-	-	-	-	0.1	0.5	-	-	-	-
40 & Above	-	-	-	-	*	*	0.1	0.2	-	-	-	-
Average	29.15	29.00	29.84	29.93	31.10	30.89	34.17	34.59	28.68	28.43	29.30	28.90
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	*	*	-	-	-	-	-	-
2.6	-	-	-	-	*	*	-	*	-	-	-	*
2.7	-	*	-	-	*	*	-	0.1	-	-	*	*
2.8	-	-	-	-	*	*	-	0.1	-	-	*	*
2.9	-	*	-	-	*	*	-	0.1	-	-	*	*
3.0	*	*	*	*	0.2	*	-	0.2	-	*	0.1	*
3.1	*	*	*	*	0.1	*	*	0.4	-	-	0.1	0.1
3.2	0.1	0.1	0.2	*	0.1	0.1	0.5	0.7	-	-	0.2	0.2
3.3	0.6	0.2	0.1	*	*	0.1	1.3	1.0	-	*	0.4	0.5
3.4	0.7	0.4	0.1	*	0.2	0.3	1.8	1.4	-	*	0.7	0.9
3.5	0.9	0.6	0.1	0.1	0.4	0.5	2.0	1.5	0.4	0.1	1.5	1.4
3.6	1.5	1.0	0.1	0.1	0.4	0.8	2.9	2.3	0.6	0.2	2.3	1.9
3.7	2.9	1.9	0.2	0.2	0.7	1.1	4.0	2.7	0.4	0.4	3.1	2.7
3.8	4.0	2.8	0.2	0.4	0.8	1.5	3.9	2.8	0.3	0.8	4.1	4.3
3.9	4.3	3.7	0.6	0.8	1.5	2.3	5.7	4.1	0.9	1.0	6.6	6.7
4.0	5.6	5.8	1.3	1.6	2.1	2.6	5.3	4.6	2.9	2.4	9.7	9.2
4.1	6.3	7.2	2.4	2.9	2.9	4.6	6.4	6.6	5.5	5.4	13.3	12.0
4.2	9.6	8.8	3.9	4.9	3.6	5.4	6.7	8.3	7.7	9.1	16.0	14.2
4.3	11.0	10.5	5.9	7.0	4.3	6.3	9.4	9.6	13.9	13.5	14.2	13.9
4.4	12.7	11.2	9.0	10.2	6.0	7.1	10.9	10.6	10.8	14.3	10.5	11.6
4.5	11.6	11.1	11.3	12.7	8.8	7.6	12.3	10.0	14.4	15.4	7.0	8.5
4.6	8.1	10.1	13.2	13.8	13.4	10.3	12.5	10.2	15.3	12.5	4.7	5.4
4.7	6.9	8.1	13.7	13.1	15.5	12.5	6.6	7.4	13.0	10.2	3.0	3.3
4.8	5.1	6.2	12.9	11.2	13.5	11.3	4.1	5.5	7.6	7.2	1.3	1.8
4.9	3.1	4.4	9.5	8.1	9.3	8.7	2.5	3.3	4.6	5.3	0.6	0.8
5.0	2.3	2.9	6.1	5.5	9.1	7.9	0.7	2.4	1.6	1.6	0.3	0.3
5.1	1.3	1.6	3.6	3.5	5.1	5.4	0.3	1.6	0.1	0.5	0.1	0.1
5.2	0.7	0.9	2.5	2.0	1.8	2.4	0.4	1.5	-	0.1	*	*
5.3	0.3	0.4	1.8	1.1	0.3	0.9	0.1	0.5	-	*	*	*
5.4	0.1	0.1	0.9	0.5	0.1	0.3	*	0.2	-	-	*	*
5.5 & Above	0.2	*	0.5	0.3	*	*	-	0.1	-	-	*	*
Average	4.35	4.40	4.65	4.61	4.63	4.58	4.27	4.34	4.47	4.47	4.18	4.20

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	4.5	24.1	4.3	2.1	1.9	0.6	1.1	0.7	3.0	1.8	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	*	0.1	0.1	0.1	0.3	0.2	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	*	*	1.2	0.5	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.2	0.1	0.1	*	*	0.1	0.1	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	0.1	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	*	*	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	*	*	-	*	*	*	-	-	-	-
23	*	*	*	*	*	*	*	*	*	*	-	-
24	0.1	0.3	*	*	*	*	0.1	0.1	0.2	0.1	-	-
25	0.2	1.7	0.1	0.1	0.4	0.1	1.0	0.3	1.2	0.7	-	-
26	0.2	3.8	0.9	0.7	2.3	1.1	3.2	1.5	4.5	2.7	-	-
27	3.6	8.1	5.9	3.1	7.8	5.6	6.9	4.7	9.9	6.5	1.0	0.4
28	24.0	24.2	14.6	9.7	20.3	16.9	17.7	13.2	17.0	14.6	11.1	6.8
29	37.2	35.8	33.1	25.0	29.7	27.7	29.6	28.3	19.3	24.0	27.1	25.8
30	22.3	15.1	28.7	28.2	18.2	25.0	24.7	28.4	18.9	22.7	30.4	30.4
31	9.7	7.4	11.9	18.0	10.9	13.0	10.8	14.9	13.5	14.9	23.1	27.6
32	2.3	3.4	4.0	9.6	6.4	6.5	4.4	5.8	8.5	8.3	7.1	8.6
33	0.5	0.2	0.5	3.8	2.7	3.0	1.3	2.1	4.5	4.0	0.1	0.4
34	*	*	0.1	1.2	1.1	0.8	0.2	0.5	1.9	1.3	*	*
35	-	*	*	0.3	0.1	0.1	*	0.1	0.5	0.2	*	*
36	-	-	*	0.1	*	*	*	*	*	*	-	-
37	-	-	-	*	-	*	-	*	*	*	-	-
38	-	-	-	*	-	-	-	-	-	*	-	-
39	-	-	-	-	-	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	29.65	29.26	29.82	30.44	29.76	30.00	29.66	30.04	29.91	30.07	30.31	30.52
Mike												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5	-	0.2	-	*	-	-	-	-	-	-	-	-
2.6	-	0.8	-	-	-	-	-	-	-	-	-	-
2.7	-	1.0	-	-	-	-	-	-	-	*	-	-
2.8	*	1.4	-	-	-	-	-	-	-	*	-	*
2.9	0.1	1.2	-	-	-	-	-	*	-	*	-	*
3.0	0.1	1.5	-	*	*	*	-	*	-	*	-	0.2
3.1	0.1	1.6	-	*	*	*	-	*	*	*	-	0.1
3.2	0.2	2.3	-	*	*	*	*	*	*	*	-	0.3
3.3	2.1	6.7	-	*	*	*	*	*	0.1	0.1	-	0.1
3.4	3.7	7.7	-	*	*	*	*	*	0.3	0.1	0.7	0.3
3.5	2.5	6.0	-	*	*	*	*	*	0.3	0.2	4.4	2.2
3.6	4.0	5.6	-	*	*	0.1	0.1	0.1	0.4	0.3	5.2	3.2
3.7	9.5	11.6	-	0.1	0.2	0.2	0.1	0.2	0.7	0.4	4.3	3.1
3.8	13.0	10.0	0.1	0.1	0.4	0.4	0.3	0.4	1.0	0.6	5.0	8.6
3.9	8.8	7.9	0.4	0.3	0.9	0.7	0.4	0.7	1.5	1.2	9.7	9.2
4.0	9.1	8.4	1.0	0.5	1.6	1.1	1.3	1.2	2.2	1.9	15.0	10.8
4.1	10.7	8.9	1.4	1.2	3.1	2.0	2.7	2.0	3.2	3.0	10.7	6.9
4.2	6.4	4.6	1.9	2.0	4.7	3.8	4.6	3.1	4.4	4.7	16.3	10.7
4.3	12.5	6.0	1.9	2.8	7.2	5.9	6.0	4.4	6.8	6.9	10.2	10.1
4.4	10.9	4.1	2.0	3.6	10.0	8.3	7.1	6.5	9.5	9.7	3.9	6.7
4.5	4.7	1.9	4.3	6.2	12.7	10.7	9.7	9.4	11.8	13.3	6.8	6.8
4.6	1.4	0.6	6.6	9.8	13.0	11.6	12.7	13.4	13.7	15.5	2.8	7.5
4.7	*	*	12.2	13.9	12.9	12.4	14.8	16.3	13.8	14.5	2.3	5.1
4.8	0.1	*	18.7	16.4	9.5	11.1	16.0	16.5	12.0	11.4	0.7	4.6
4.9	*	*	18.4	15.6	7.8	9.8	13.4	12.9	7.8	7.3	1.5	1.8
5.0	-	*	14.9	12.5	5.8	7.6	6.4	7.0	5.0	4.6	0.4	0.7
5.1	-	-	9.6	8.0	4.2	5.8	2.6	3.2	2.5	2.4	-	1.0
5.2	-	-	4.5	4.4	3.0	4.3	1.1	1.5	1.7	1.2	-	*
5.3	-	-	1.4	1.9	1.9	2.6	0.6	0.7	0.9	0.5	-	-
5.4	-	-	0.5	0.5	0.6	1.1	0.2	0.2	0.4	0.2	-	-
5.5 & Above	-	-	0.1	0.2	0.3	0.4	0.1	*	*	*	-	-
Average	4.00	3.75	4.82	4.79	4.63	4.69	4.65	4.67	4.58	4.58	4.10	4.20

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Nov 29 2018										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.8	4.4	4.6	4.3	0.4	0.3	8.4	5.5	0.4	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	*	0.1	*	*	*	0.4	-	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	*	*	1.8	1.3	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	0.1	0.2	-	-
23	*	*	0.2	*	*	*	0.1	0.3	*	*
24	*	0.1	0.9	0.2	*	*	0.4	0.7	0.5	0.2
25	0.1	0.2	5.1	1.9	0.4	0.2	0.8	1.4	1.9	1.9
26	0.4	0.8	10.6	5.7	3.5	2.1	1.9	2.8	5.8	4.9
27	3.6	3.9	17.1	11.3	15.8	10.4	4.9	6.0	15.5	11.2
28	11.9	10.1	25.0	20.0	30.3	25.0	10.8	12.4	24.7	23.7
29	21.7	20.5	21.3	28.3	23.5	28.6	17.3	18.8	21.5	27.8
30	24.7	24.3	11.8	20.1	12.5	18.1	21.0	20.5	12.7	16.7
31	19.6	17.0	5.0	8.0	8.2	9.6	20.7	17.3	9.3	8.6
32	10.6	11.8	2.1	2.9	3.8	4.1	13.3	11.0	5.1	3.4
33	5.9	7.3	0.7	1.2	1.4	1.5	6.0	5.6	2.1	1.2
34	1.5	3.2	0.3	0.3	0.5	0.4	2.0	2.2	0.8	0.4
35	0.1	0.7	*	*	0.1	0.1	0.5	0.7	0.1	*
36	*	0.1	-	*	*	*	0.1	0.2	-	*
37	*	*	-	*	-	*	*	*	-	-
38	-	*	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	*	*	-	-
Average	30.52	30.68	28.60	29.28	29.20	29.50	30.53	30.27	29.20	29.27
Mike										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5	*	*	-	-	-	-	*	*	-	-
2.6	*	*	-	-	-	-	*	*	-	-
2.7	*	*	-	-	-	-	0.1	*	-	-
2.8	0.1	*	-	-	-	-	0.2	0.1	-	-
2.9	0.1	0.1	-	*	-	-	0.3	0.1	-	-
3.0	0.1	0.1	-	-	-	-	0.5	0.2	-	-
3.1	0.1	0.1	-	*	-	*	0.7	0.3	-	-
3.2	0.2	0.2	-	*	*	*	1.1	0.5	-	-
3.3	0.3	0.2	*	*	*	*	1.5	0.7	-	*
3.4	0.3	0.3	*	0.1	*	*	2.1	0.9	-	-
3.5	0.2	0.3	0.1	0.2	0.1	*	2.6	1.2	-	*
3.6	0.6	0.5	0.4	0.4	0.1	0.1	3.4	1.6	*	*
3.7	1.4	1.0	1.1	0.9	0.2	0.2	4.2	2.1	*	*
3.8	2.3	2.0	2.3	1.7	0.3	0.3	4.9	2.7	*	*
3.9	4.0	3.4	3.7	3.3	0.4	0.5	5.9	3.3	*	0.1
4.0	6.3	5.8	5.4	6.2	1.0	1.0	7.0	4.1	0.2	0.2
4.1	7.9	7.9	8.7	10.0	1.7	1.6	7.5	4.9	0.2	0.5
4.2	9.5	9.0	12.2	13.5	2.5	2.5	8.0	5.8	1.1	1.7
4.3	8.9	9.1	15.2	15.1	3.7	3.6	7.9	6.8	4.1	3.5
4.4	10.7	11.3	14.7	14.9	5.1	5.4	8.0	7.8	8.0	7.5
4.5	11.0	12.2	13.5	11.9	6.4	7.7	7.7	8.7	13.8	14.2
4.6	11.2	10.6	9.6	8.9	9.1	10.1	7.0	9.1	17.6	20.9
4.7	8.9	8.5	6.4	6.2	12.3	11.6	5.7	8.9	21.7	20.6
4.8	8.7	6.8	3.7	3.8	14.0	12.8	4.6	7.9	17.4	15.7
4.9	3.7	5.0	1.9	1.6	13.0	12.1	3.6	6.7	8.8	8.1
5.0	1.9	2.9	0.5	0.9	13.0	11.0	2.6	5.1	5.0	4.2
5.1	1.1	1.5	0.2	0.3	9.2	8.7	1.6	3.9	1.3	1.9
5.2	0.3	0.6	*	0.1	4.9	5.7	0.8	2.7	0.6	0.7
5.3	*	0.2	*	*	2.1	3.2	0.3	1.9	0.2	0.2
5.4	-	0.1	-	*	0.7	1.6	0.1	1.2	*	*
5.5 & Above	-	0.1	-	*	0.3	0.4	*	0.8	*	*
Average	4.39	4.42	4.35	4.34	4.77	4.77	4.22	4.48	4.67	4.66

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	*	*	-	*	-	-	-	*
2.7 - 2.9	-	*	-	-	*	0.1	-	0.3	-	-	*	*
3.0 - 3.2	0.2	0.1	0.2	*	0.3	0.1	0.5	1.3	-	*	0.3	0.4
3.3 - 3.4	1.3	0.6	0.2	0.1	0.2	0.4	3.1	2.3	-	*	1.1	1.4
3.5 - 3.6	2.5	1.6	0.2	0.2	0.8	1.2	4.9	3.8	1.0	0.3	3.9	3.3
3.7 - 4.2	32.7	30.2	8.5	10.8	11.5	17.5	31.9	29.1	17.8	19.2	52.8	49.1
4.3 - 4.9	58.5	61.5	75.4	76.1	70.7	63.6	58.1	56.6	79.5	78.2	41.4	45.4
5.0 - 5.2	4.3	5.4	12.3	11.0	16.1	15.7	1.4	5.6	1.8	2.2	0.5	0.5
5.3 & Above	0.6	0.5	3.2	1.8	0.4	1.2	0.1	0.9	-	*	*	*
Average	4.35	4.40	4.65	4.61	4.63	4.58	4.27	4.34	4.47	4.47	4.18	4.20
Leaf												
1 - 2	3.7	3.2	1.9	1.4	24.3	32.9	77.3	69.6	1.3	0.7	5.2	7.7
3	34.4	38.9	34.3	26.1	51.3	43.5	20.8	27.6	35.6	27.5	43.5	50.9
4	44.4	43.5	49.6	49.3	20.2	18.9	1.8	2.5	52.7	55.7	42.3	35.8
5	15.1	12.6	13.3	20.9	3.5	3.8	0.1	0.3	10.0	14.7	8.5	5.3
6	2.2	1.7	0.9	2.3	0.5	0.6	-	*	0.3	1.2	0.5	0.2
7	0.2	0.1	*	*	0.1	0.2	-	*	-	*	*	*
8	*	*	-	*	0.1	0.1	-	-	-	*	*	*
Average	3.78	3.71	3.77	3.97	3.04	2.92	2.05	2.17	3.72	3.88	3.56	3.39
HVI Trash 1/												
00	-	-	-	-	-	*	*	*	-	-	-	-
01	0.3	0.2	0.1	0.1	4.4	11.7	36.3	30.8	*	*	0.4	0.6
02	5.1	5.0	2.9	2.2	25.3	27.3	45.4	44.4	2.6	1.4	6.9	9.8
03	16.3	18.4	14.5	10.3	31.0	25.3	13.2	18.5	14.7	10.8	19.2	23.9
04	23.3	25.6	24.9	19.6	20.6	16.5	3.8	4.6	27.2	25.6	25.0	26.2
05	21.1	21.2	23.8	22.4	9.9	9.7	1.0	1.2	26.7	27.5	21.7	19.4
06	14.6	13.6	16.2	18.9	4.3	4.8	0.3	0.4	16.8	18.4	13.8	11.1
07	9.0	7.9	9.4	12.7	1.8	2.2	0.1	0.1	7.5	9.2	7.3	5.4
08	5.1	4.2	4.7	7.3	1.0	1.1	*	*	3.1	4.2	3.3	2.2
09	2.7	2.1	2.0	3.7	0.6	0.6	-	*	0.9	1.8	1.4	0.9
10	1.3	1.0	0.9	1.7	0.3	0.3	-	*	0.2	0.6	0.6	0.3
11	0.7	0.4	0.3	0.7	0.2	0.2	*	*	0.1	0.2	0.2	0.1
12	0.3	0.2	0.1	0.3	0.2	0.1	-	-	*	0.1	0.1	*
13	0.2	0.1	*	0.1	0.1	0.1	-	-	-	*	*	*
14	0.1	*	*	*	0.1	0.1	-	-	-	*	*	*
15	*	*	*	*	*	*	-	-	-	-	*	*
16	*	*	-	*	0.1	*	-	-	-	-	-	*
17	*	*	*	*	*	*	-	-	-	-	*	*
18 & Above	*	*	-	*	0.1	*	-	-	-	*	*	*
Average	0.50	0.48	0.50	0.55	0.34	0.33	0.19	0.20	0.48	0.51	0.46	0.43
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	*	-	-	-	-
75	*	*	-	-	-	*	-	-	-	-	-	*
76	0.1	*	*	*	*	*	*	*	-	*	*	*
77	0.4	0.3	0.1	0.1	0.1	*	0.1	0.1	0.2	0.2	0.2	0.2
78	2.1	1.8	0.7	0.4	1.0	0.7	1.8	1.0	1.2	0.9	1.3	1.9
79	10.2	9.8	4.7	2.6	5.8	5.2	4.6	2.7	12.5	14.9	7.5	10.2
80	33.3	32.9	20.6	14.1	27.7	23.4	10.4	7.2	53.9	57.8	28.9	33.3
81	39.4	38.4	34.3	34.7	42.5	41.8	31.2	19.9	30.0	23.8	39.1	36.8
82	12.6	14.1	29.4	34.1	18.0	24.9	34.1	26.7	2.1	2.1	18.5	14.4
83	1.7	2.3	9.6	13.2	4.3	3.6	9.9	20.9	0.1	0.3	4.1	2.8
84	0.1	0.3	0.5	0.9	0.6	0.3	7.0	18.9	-	*	0.4	0.3
85 & Above	*	*	*	*	0.1	*	0.7	2.7	-	-	*	*
Average	81.00	81.05	81.63	81.87	81.31	81.41	81.95	82.64	80.62	80.57	81.25	81.06
Tenderables	63.4	63.8	69.4	70.7	74.2	75.4	94.1	88.9	56.1	65.8	75.4	83.8
SAMPLES CLASSED	57,330	449,377	102,204	937,596	18,646	77,111	12,746	78,581	8,111	37,273	155,139	965,170

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 29 2018

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	1.0	-	*	-	-	-	-	-	-	-	-
2.7 - 2.9	0.1	3.7	-	-	-	-	-	*	-	*	-	0.1
3.0 - 3.2	0.4	5.4	-	*	*	*	*	*	*	*	-	0.5
3.3 - 3.4	5.8	14.4	-	*	0.1	*	*	*	0.4	0.2	0.7	0.4
3.5 - 3.6	6.5	11.5	-	*	0.1	0.1	0.1	0.1	0.7	0.4	9.6	5.3
3.7 - 4.2	57.5	51.4	4.9	4.3	11.0	8.2	9.5	7.6	12.9	11.9	61.1	49.2
4.3 - 4.9	29.7	12.7	64.1	68.2	73.1	69.9	79.5	79.5	75.4	78.6	28.2	42.6
5.0 - 5.2	-	*	29.0	25.0	13.0	17.7	10.1	11.8	9.2	8.2	0.4	1.8
5.3 & Above	-	-	2.1	2.5	2.7	4.1	0.9	1.0	1.3	0.7	-	-
Average	4.00	3.75	4.82	4.79	4.63	4.69	4.65	4.67	4.58	4.58	4.10	4.20
Leaf												
1 - 2	14.5	8.0	10.4	6.6	1.3	2.8	4.3	3.6	3.5	4.5	30.2	31.4
3	47.9	41.8	48.7	45.8	30.6	32.5	37.4	34.7	42.0	48.4	54.7	52.7
4	27.9	36.1	32.6	38.5	50.6	48.5	42.5	44.8	42.2	39.2	11.1	12.2
5	8.3	12.1	7.6	8.5	16.4	15.2	14.5	15.4	11.0	7.4	3.8	3.2
6	1.3	2.0	0.7	0.6	1.0	1.0	1.2	1.4	1.3	0.5	0.2	0.3
7	0.1	0.1	*	*	*	*	*	*	*	*	-	*
8	-	*	-	*	-	-	*	*	*	*	-	0.1
Average	3.33	3.58	3.39	3.51	3.85	3.79	3.71	3.76	3.65	3.51	2.88	2.86
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	3.1	1.2	1.5	0.6	*	0.2	0.2	0.2	0.2	0.3	2.8	4.9
02	15.6	9.0	13.4	9.3	1.9	3.2	6.8	5.5	5.0	6.2	28.7	26.7
03	23.8	19.4	25.5	22.1	10.7	11.9	18.8	16.4	18.0	21.2	33.5	31.8
04	22.2	22.0	24.1	24.8	20.7	20.1	23.1	22.6	25.0	27.0	17.8	18.4
05	14.3	17.4	16.2	19.6	23.7	22.8	20.5	21.4	21.3	21.0	9.2	9.3
06	9.2	12.9	9.5	12.1	20.0	19.0	14.6	15.8	14.3	12.7	4.3	4.7
07	5.2	7.6	5.3	6.4	12.6	12.1	8.7	9.5	8.1	6.5	2.2	2.3
08	3.0	4.6	2.6	3.0	6.1	6.2	4.3	4.9	4.3	3.0	1.1	1.1
09	1.6	2.7	1.1	1.3	2.6	2.8	1.8	2.2	2.2	1.3	0.4	0.5
10	0.9	1.5	0.6	0.5	1.1	1.1	0.8	0.9	0.9	0.5	0.1	0.1
11	0.4	0.7	0.2	0.2	0.4	0.4	0.3	0.4	0.4	0.2	*	0.1
12	0.4	0.5	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	-	*
13	0.1	0.2	*	*	*	*	*	*	0.1	*	-	-
14	0.1	0.1	-	*	*	*	*	*	*	*	-	-
15	-	*	*	*	*	*	*	*	*	*	-	-
16	-	*	-	-	-	*	-	*	-	*	-	-
17	-	*	-	-	*	*	-	*	*	*	-	-
18 & Above	-	*	-	-	-	*	-	*	*	*	-	0.1
Average	0.42	0.48	0.42	0.45	0.54	0.53	0.48	0.49	0.48	0.46	0.33	0.34
UNIFORMITY 2/												
74 & Below	*	*	*	*	-	-	*	*	*	*	-	-
75	-	*	0.1	*	-	-	*	*	*	*	-	-
76	0.1	0.2	0.2	0.1	*	*	*	*	0.1	0.1	-	-
77	0.3	1.1	0.6	0.7	*	*	0.4	0.3	0.7	0.5	-	-
78	1.1	3.7	5.8	3.2	0.1	0.1	3.0	1.7	4.1	3.2	0.1	*
79	20.5	18.4	16.7	12.5	1.0	0.6	13.4	8.2	17.1	14.7	0.1	0.1
80	50.8	46.9	31.3	29.3	8.4	5.1	38.1	29.0	32.4	34.0	3.8	3.5
81	22.1	25.3	33.2	34.2	30.8	23.9	33.7	39.3	30.3	33.0	28.2	24.2
82	4.4	3.6	11.0	15.2	39.5	42.4	10.0	17.9	12.2	12.2	54.3	52.4
83	0.7	0.7	0.9	3.9	17.6	24.9	1.2	3.3	2.6	2.0	13.0	19.3
84	-	-	0.1	0.7	2.3	2.9	0.1	0.3	0.4	0.2	0.5	0.4
85 & Above	-	-	*	0.1	0.2	0.1	*	*	0.1	*	-	*
Average	80.55	80.49	80.72	81.03	82.16	82.40	80.82	81.19	80.82	80.86	82.19	82.33
Tenderables	88.3	55.6	53.6	58.4	75.9	67.1	77.6	77.8	76.2	75.0	98.7	95.6
SAMPLES CLASSED	6,822	18,858	23,558	338,720	65,136	573,410	113,010	956,851	69,112	488,311	3120	7545

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5 - 2.6	*	*	-	-	-	-	*	*	-	-
2.7 - 2.9	0.2	0.1	-	*	-	-	0.7	0.2	-	-
3.0 - 3.2	0.4	0.4	-	*	*	*	2.3	1.0	-	-
3.3 - 3.4	0.6	0.5	*	0.1	0.1	*	3.6	1.6	-	*
3.5 - 3.6	0.8	0.8	0.5	0.6	0.1	0.1	5.9	2.8	*	*
3.7 - 4.2	31.4	29.1	33.5	35.6	6.0	6.0	37.5	22.8	1.6	2.4
4.3 - 4.9	63.2	63.5	65.1	62.3	63.6	63.4	44.6	55.9	91.2	90.5
5.0 - 5.2	3.4	5.0	0.8	1.3	27.1	25.4	5.0	11.7	6.9	6.8
5.3 & Above	*	0.5	*	*	3.1	5.1	0.5	3.9	0.2	0.3
Average	4.39	4.42	4.35	4.34	4.77	4.77	4.22	4.48	4.67	4.66
Leaf										
1 - 2	9.6	9.2	5.8	4.9	8.5	9.1	13.4	23.0	6.4	8.4
3	50.7	52.5	39.7	39.7	48.8	49.0	42.5	43.4	67.3	69.4
4	31.6	30.2	42.9	44.0	35.1	35.1	30.2	24.7	25.3	21.5
5	6.6	6.6	11.0	10.7	7.2	6.4	10.8	7.2	1.0	0.6
6	1.2	1.3	0.6	0.6	0.4	0.4	2.4	1.4	-	*
7	0.3	0.2	*	*	*	*	0.5	0.3	-	-
8	0.1	*	-	*	-	-	0.1	*	-	-
Average	3.40	3.39	3.61	3.62	3.42	3.40	3.48	3.19	3.21	3.14
HVI Trash 1/										
00	-	-	-	-	-	-	-	*	-	-
01	0.6	0.6	0.4	0.3	0.4	0.7	1.9	5.2	0.2	0.4
02	10.8	9.6	7.1	6.0	10.3	9.9	14.0	19.8	9.4	11.5
03	22.7	22.9	17.9	16.8	23.0	22.1	21.9	23.1	31.0	33.8
04	23.8	25.0	24.3	24.0	24.1	25.1	20.4	19.1	32.5	31.6
05	18.3	18.6	21.6	22.4	18.9	19.5	15.4	13.3	17.7	15.6
06	11.4	11.0	14.4	15.2	11.8	11.8	10.4	8.3	6.6	5.2
07	6.3	5.9	7.9	8.4	6.5	6.1	6.6	4.9	1.9	1.5
08	2.9	3.0	3.8	4.0	3.0	2.8	4.0	2.8	0.6	0.4
09	1.5	1.5	1.7	1.7	1.3	1.2	2.3	1.5	0.1	0.1
10	0.7	0.8	0.6	0.7	0.5	0.5	1.3	0.9	*	*
11	0.4	0.5	0.2	0.2	0.2	0.2	0.8	0.5	*	*
12	0.2	0.2	0.1	0.1	0.1	0.1	0.4	0.3	*	*
13	0.1	0.1	*	*	*	*	0.2	0.2	-	*
14	0.1	0.1	*	*	*	*	0.2	0.1	-	*
15	*	*	-	*	*	*	0.1	*	-	*
16	*	*	-	*	*	*	0.1	*	-	*
17	*	*	-	*	*	*	*	*	-	-
18 & Above	*	*	*	*	-	*	0.1	*	-	-
Average	0.44	0.45	0.47	0.48	0.44	0.44	0.45	0.40	0.39	0.37
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	*	*	*	*
75	*	*	*	*	-	-	0.1	0.2	*	*
76	0.1	0.1	0.2	0.1	*	*	0.3	0.6	0.1	0.1
77	0.5	0.4	1.3	0.8	0.1	0.1	1.1	1.6	0.6	0.4
78	2.5	2.1	8.3	4.6	0.8	0.4	4.0	4.0	3.4	2.8
79	10.8	10.8	28.7	19.5	10.3	4.3	14.8	11.1	20.1	17.5
80	30.6	30.5	39.3	40.5	28.0	18.8	31.3	24.2	39.7	40.7
81	38.6	34.8	17.3	26.7	36.3	36.1	31.1	30.4	27.2	29.2
82	15.0	16.9	4.3	6.7	20.0	30.9	14.2	20.7	7.7	8.2
83	1.8	3.7	0.5	1.0	3.9	8.5	2.8	6.3	1.2	1.0
84	0.2	0.5	0.1	0.1	0.5	0.9	0.3	0.8	0.1	0.1
85 & Above	*	0.1	*	*	*	*	*	*	*	*
Average	81.03	81.11	80.23	80.57	81.24	81.67	80.86	81.11	80.61	80.69
Tenderables	87.3	82.0	83.2	80.5	53.3	43.3	73.1	64.3	84.6	79.4
SAMPLES CLASSED	32,888	112,930	31,872	195,426	77,872	615,290	449,836	2,980,033	16,176	114,765

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	1.6	5.3	20.3	22.3	-	-	-	-
	2	0.3	25.5	24.7	22.3	-	-	-	-
	3	-	2.7	0.4	0.3	-	-	-	-
	4	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.9	33.5	45.4	45.0	-	-	-	-
02	1	8.7	5.4	5.5	6.5	-	-	-	-
	2	21.3	16.8	37.2	38.3	-	-	-	-
	3	1.5	2.0	8.0	7.2	-	-	-	-
	4	-	-	0.1	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		31.4	24.2	50.9	52.1	-	-	-	-
03	1	6.5	1.9	*	*	-	-	-	-
	2	45.6	23.7	1.5	1.3	-	-	-	-
	3	4.4	7.9	1.6	1.4	-	-	-	-
	4	0.8	0.3	0.2	0.2	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		57.4	33.8	3.4	2.8	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	5.5	3.6	0.1	*	-	-	-	-
	3	3.1	4.0	0.1	*	-	-	-	-
	4	0.4	0.3	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	0.1	-	-	-	-	-	-
Total -----		9.0	8.0	0.2	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.1	0.1	*	*	-	-	-	-
	3	0.2	0.4	*	*	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.3	0.5	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.1	0.1	0.3	-	-	-	-
46		2.6	34.1	4.6	4.6	-	-	-	-
48		48.4	27.7	37.2	37.4	-	-	-	-
50		48.1	37.2	52.4	53.2	-	-	-	-
52 & Longer		0.9	0.9	5.6	4.5	-	-	-	-
Average Staple		48.95	48.09	49.18	49.14	-	-	-	-
Average Length		1.42	1.40	1.43	1.43	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	-	-
Grass		-	0.3	*	0.3	-	-	-	-
Spindle Twist		-	-	*	*	-	-	-	-
Preperation		-	*	-	*	-	-	-	-
All Other		0.1	0.1	*	*	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 29 2018

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5 - 2.6	-	-	*	*	-	-	-	-
2.7 - 2.9	-	-	0.2	0.1	-	-	-	-
3.0 - 3.2	0.4	0.1	0.8	0.2	-	-	-	-
3.3 - 3.4	1.8	0.4	1.4	0.7	-	-	-	-
3.5 - 3.6	1.1	0.9	4.0	3.1	-	-	-	-
3.7 - 4.2	65.7	80.2	57.6	51.6	-	-	-	-
4.3 - 4.9	30.9	18.4	35.9	44.3	-	-	-	-
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	4.13	4.05	4.11	4.17	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5	-	-	*	*	-	-	-	-
2.6	-	-	*	*	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	0.1	*	-	-	-	-
2.9	-	-	0.1	*	-	-	-	-
3.0	-	-	0.2	0.1	-	-	-	-
3.1	-	-	0.3	0.1	-	-	-	-
3.2	0.4	0.1	0.3	0.1	-	-	-	-
3.3	0.4	0.1	0.6	0.2	-	-	-	-
3.4	1.4	0.3	0.9	0.5	-	-	-	-
3.5	0.4	0.1	1.2	1.1	-	-	-	-
3.6	0.8	0.8	2.8	2.0	-	-	-	-
3.7	1.9	3.0	5.1	3.1	-	-	-	-
3.8	8.2	9.7	8.6	5.4	-	-	-	-
3.9	5.7	18.7	9.2	7.7	-	-	-	-
4.0	18.1	22.6	9.8	10.1	-	-	-	-
4.1	22.8	15.6	10.4	11.2	-	-	-	-
4.2	9.0	10.6	14.5	14.2	-	-	-	-
4.3	7.6	9.8	13.7	16.5	-	-	-	-
4.4	6.0	4.0	10.2	14.6	-	-	-	-
4.5	11.9	3.3	7.5	8.6	-	-	-	-
4.6	4.5	1.0	3.4	3.5	-	-	-	-
4.7	0.9	0.2	0.9	0.9	-	-	-	-
4.8	0.1	*	0.2	0.2	-	-	-	-
4.9	-	*	*	*	-	-	-	-
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	4.13	4.05	4.11	4.17	-	-	-	-
STRENGTH 1/ 36 & Below	-	0.1	0.2	0.2	-	-	-	-
37	-	0.2	0.8	0.6	-	-	-	-
38	-	1.8	2.5	1.9	-	-	-	-
39	-	11.0	5.0	3.7	-	-	-	-
40	1.1	14.6	6.2	4.0	-	-	-	-
41	6.8	8.5	4.7	4.0	-	-	-	-
42	16.6	9.0	9.7	8.8	-	-	-	-
43	38.9	23.0	17.4	17.2	-	-	-	-
44	19.9	20.6	25.2	25.2	-	-	-	-
45	12.1	7.7	19.2	20.5	-	-	-	-
46	4.0	2.8	6.5	9.3	-	-	-	-
47	0.3	0.5	2.0	3.2	-	-	-	-
48 & Above	0.2	0.2	0.7	1.4	-	-	-	-
Average	43.73	42.69	43.63	44.02	-	-	-	-
UNIFORMITY								
83 & Below	-	0.1	0.8	0.5	-	-	-	-
84	1.8	4.1	5.5	4.9	-	-	-	-
85	18.8	38.5	24.9	20.6	-	-	-	-
86	59.5	39.8	52.2	54.8	-	-	-	-
87	19.4	17.3	15.5	17.7	-	-	-	-
88 & Above	0.5	0.2	1.1	1.5	-	-	-	-
Average	86.38	86.13	86.24	86.34	-	-	-	-
Samples Classed	1,695	9,193	42,883	265,763	-	-	-	-