



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	29	91.9	80.6	65,795	29	90.2	80.2	321,758
AR	29	95.1	85.6	98,350	29	94.5	84.7	766,487
AZ	9	86.2	70.5	21,693	9	80.1	57.4	96,905
CA	7	83.9	74.4	7,832	9	84.1	66.8	53,689
FL	4	86.6	78.8	13,847	4	83.4	71.6	39,863
GA	56	93.2	86.3	190,815	57	86.9	79.1	857,627
KS	3	64.1	42.7	10,685	3	63.2	46.5	32,965
LA	11	89.6	61.5	18,117	16	89.9	71.0	200,521
MO	20	95.9	87.9	61,184	21	97.1	90.8	373,347
MS	36	92.9	78.9	115,967	37	88.9	71.7	645,295
NC	33	95.9	87.3	89,299	33	96.2	87.1	513,629
NM	2	81.9	64.3	3,240	2	84.4	71.5	10,702
OK	12	81.6	65.6	35,888	12	76.8	58.2	200,234
SC	13	95.4	90.0	32,558	13	94.2	87.4	155,376
TN	19	96.3	88.1	71,018	19	96.1	85.9	347,219
TX	151	73.9	57.7	484,600	173	78.9	62.1	3,789,258
VA	4	97.7	93.9	18,459	4	98.5	94.3	105,299
United States	438	86.0	73.7	1,339,347	470	85.6	72.0	8,510,174
AMERICAN PIMA								
AZ	2			746	3			5,544
CA	9			17,980	12			152,639
NM*	-			-	-			-
TX	2			1,677	3			6,930
United States	14			22,522	19			171,609
United States all cotton	450			1,361,869	483			8,681,783

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.3	0.4	0.1	0.1	54.0	51.6	24.7	65.6	0.7	0.4	1.1	0.3
	3	1.2	0.4	0.3	0.1	9.9	10.4	7.7	6.9	1.1	0.5	0.7	0.2
	4	0.1	*	*	*	0.1	0.1	0.3	0.2	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Total</i>	<i>----</i>	<i>2.7 0.9</i>	<i>0.4 0.2</i>		<i>64.1 62.2</i>		<i>32.7 72.7</i>		<i>1.9 0.9</i>		<i>1.8 0.6</i>	
31	1 - 2	5.7	3.1	3.7	4.5	13.5	13.4	5.6	7.8	6.0	4.1	4.9	2.7
	3	28.4	20.3	23.0	24.1	17.0	13.7	9.7	6.2	25.3	17.6	24.4	16.2
	4	15.7	11.1	7.4	7.0	2.1	2.2	2.6	1.1	4.8	3.6	6.1	4.4
	5	1.2	0.8	0.2	0.2	0.1	0.1	1.3	0.3	0.3	0.2	0.3	0.2
	6	*	*	-	*	-	*	0.5	0.1	-	-	*	*
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Total</i>	<i>----</i>	<i>51.0 35.3</i>	<i>34.2 35.8</i>		<i>32.6 29.4</i>		<i>19.7 15.4</i>		<i>36.3 25.4</i>		<i>35.7 23.5</i>	
41	1 - 2	0.8	0.7	1.5	1.3	*	0.3	9.5	2.1	1.4	1.1	1.0	0.9
	3	13.2	17.4	29.2	27.8	0.1	0.6	11.7	2.9	21.4	23.7	23.1	24.2
	4	22.3	28.0	30.1	29.7	0.1	0.1	7.6	1.9	22.8	26.4	25.9	28.8
	5	6.8	8.0	3.7	3.7	*	0.1	2.5	0.7	5.2	4.8	5.6	6.5
	6	0.4	0.6	0.1	0.1	-	0.1	0.4	0.1	0.4	0.3	0.4	0.5
	7	*	*	-	-	-	*	0.1	*	*	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
	<i>Total</i>	<i>----</i>	<i>43.5 54.7</i>	<i>64.6 62.4</i>		<i>0.3 1.2</i>		<i>31.8 7.8</i>		<i>51.2 56.4</i>		<i>56.1 61.0</i>	
51	1 - 2	-	*	*	*	-	-	1.0	0.2	*	*	*	*
	3	0.1	0.5	0.1	0.1	-	*	4.4	0.7	0.5	0.9	0.4	0.7
	4	0.8	2.0	0.1	0.2	-	-	0.5	0.1	3.4	4.0	1.2	2.3
	5	0.7	1.5	*	0.1	-	*	0.1	*	2.3	1.8	0.8	1.4
	6	0.1	0.3	*	*	-	*	*	*	0.2	0.2	0.1	0.2
	7	*	*	-	-	-	*	-	-	-	*	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
	<i>Total</i>	<i>----</i>	<i>1.8 4.4</i>	<i>0.2 0.3</i>		<i>- *</i>		<i>6.1 1.0</i>		<i>6.4 6.9</i>		<i>2.5 4.6</i>	
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	*	*	-	-	-	*
	4	-	*	-	*	-	-	*	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	*	*
	<i>Total</i>	<i>----</i>	<i>- *</i>	<i>- *</i>		<i>- -</i>		<i>0.1 *</i>		<i>- *</i>		<i>* *</i>	
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
	<i>Total</i>	<i>----</i>	<i>- *</i>	<i>- -</i>		<i>- -</i>		<i>- -</i>		<i>- -</i>		<i>* *</i>	
12 & 22	1 - 2	-	-	-	*	0.2	1.9	0.3	0.3	-	-	-	*
	3	*	*	*	*	0.1	1.8	0.3	0.4	-	-	*	*
	4	*	*	-	-	*	0.4	*	*	-	-	*	*
	5	-	-	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Total</i>	<i>----</i>	<i>* *</i>	<i>* *</i>		<i>0.4 4.2</i>		<i>0.7 0.7</i>		<i>- -</i>		<i>* *</i>	
32	1 - 2	*	*	*	*	0.4	0.2	0.2	0.1	-	*	*	*
	3	0.1	0.1	0.1	0.1	1.1	1.1	2.1	0.5	-	*	*	0.1
	4	0.2	0.1	*	*	0.5	0.9	0.9	0.2	*	*	*	0.1
	5	*	*	-	*	*	0.2	0.2	0.1	*	*	*	*
	6	*	*	-	-	-	*	0.2	0.1	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Total</i>	<i>----</i>	<i>0.3 0.3</i>	<i>0.1 0.1</i>		<i>2.1 2.5</i>		<i>3.6 1.0</i>		<i>* 0.1</i>		<i>* 0.2</i>	
42	1 - 2	-	*	*	*	-	*	0.2	0.1	*	*	*	*
	3	*	0.5	0.2	0.3	0.1	0.1	1.9	0.4	0.5	1.3	0.5	1.5
	4	0.1	1.1	0.2	0.5	0.2	0.1	1.0	0.2	1.1	2.6	1.2	3.3
	5	0.1	0.4	*	0.1	0.1	0.1	0.4	0.1	0.5	0.5	0.4	1.1
	6	*	*	*	*	-	*	0.5	0.2	0.1	0.1	*	0.1
	7	-	*	-	-	-	-	0.1	0.1	0.1	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Total</i>	<i>----</i>	<i>0.2 2.0</i>	<i>0.4 1.0</i>		<i>0.3 0.4</i>		<i>4.1 0.9</i>		<i>2.2 4.5</i>		<i>2.2 6.0</i>	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	*	*	-	*
	3	*	0.2	*	*	-	*	0.1	*	0.1	0.7	0.1	0.5
	4	0.1	1.0	*	*	-	*	0.1	*	0.6	3.0	0.7	1.8
	5	0.1	0.7	-	*	-	-	-	-	0.9	1.3	0.5	1.1
	6	*	0.1	-	*	-	-	-	*	0.2	0.1	0.1	0.2
	7	*	*	-	-	-	-	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	*
Total	----	0.3	2.0	*	0.1	-	*	0.2	*	1.8	5.0	1.5	3.6
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	*	-	*
	4	-	*	-	-	-	-	-	-	-	0.1	*	*
	5	-	*	-	-	-	-	-	-	-	0.1	*	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.1	-	-	-	-	-	-	-	0.1	*	*
13 & 23	1 - 2	-	-	-	-	-	*	*	*	-	-	-	-
	3	*	*	-	-	*	*	0.1	0.1	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	*	*	0.1	0.1	-	-	-	-
33	1 - 2	-	*	-	*	-	-	0.1	*	-	-	-	*
	3	*	*	*	*	*	*	0.2	*	-	-	-	*
	4	0.1	*	-	*	0.1	*	0.3	0.1	-	-	-	*
	5	*	*	-	-	*	*	-	*	-	-	-	*
	6	*	*	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	0.1	*	0.5	0.2	-	-	-	*
43	1 - 2	-	*	-	*	-	-	*	*	-	-	-	*
	3	-	*	*	*	*	*	0.2	*	-	*	*	*
	4	*	*	*	*	0.1	*	*	*	*	0.1	*	0.1
	5	0.1	*	-	*	0.1	*	*	*	0.1	0.1	*	0.1
	6	*	*	-	-	*	*	-	*	*	*	-	*
	7	*	*	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	0.1	0.1	*	*	0.2	0.1	0.3	0.1	0.1	0.2	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	*	*	*	*
	4	*	*	*	*	-	-	0.1	*	*	0.3	0.1	0.2
	5	-	*	-	*	-	-	*	*	*	0.1	*	0.1
	6	-	*	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	*	*	-	-	0.1	*	0.1	0.5	0.1	0.3
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	*	*	*
24 - 54	1 - 8	*	*	*	*	-	*	-	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	-	-	0.1	*	*
32		0.1	0.1	-	*	-	-	-	-	-	0.2	0.1	0.2
33		0.6	0.7	*	*	*	*	-	-	*	0.3	0.6	1.3
34		3.6	3.7	0.1	0.1	0.4	0.3	0.5	0.7	0.3	1.2	4.8	6.0
35		7.1	8.7	2.2	2.7	4.3	5.7	2.4	5.7	2.7	4.3	12.2	12.6
36		13.2	15.4	8.6	12.2	11.6	17.8	4.3	12.3	13.5	13.0	18.6	19.7
37		29.7	31.9	23.5	26.1	40.5	40.7	16.2	29.7	24.2	23.4	36.6	36.8
38		23.4	20.9	33.5	30.3	22.5	20.1	26.2	22.8	17.2	21.9	18.8	17.4
39		15.6	13.4	24.2	23.1	16.2	11.6	31.5	19.8	28.7	25.0	7.5	5.4
40 & Longer		6.7	5.2	7.9	5.4	4.4	3.8	18.9	9.0	13.3	10.7	1.0	0.6
Average Staple		37.34	37.16	37.93	37.75	37.47	37.25	38.36	37.64	37.95	37.76	36.77	36.61
Average Length		1.17	1.16	1.19	1.18	1.17	1.16	1.20	1.18	1.19	1.18	1.15	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	19.6	19.9	1.9	0.6	0.2	0.2	0.3	0.6	0.9	0.9	95.9	95.7
	3	12.2	11.8	1.2	0.7	0.1	0.1	0.7	0.5	0.3	0.6	2.0	2.9
	4	0.9	2.6	-	*	-	*	0.1	*	*	*	-	*
	5	-	*	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	32.7	34.4	3.1	1.4	0.2	0.3	1.0	1.1	1.2	1.6	97.9	98.6
31	1 - 2	5.2	2.0	5.7	3.6	9.0	7.1	3.6	4.2	9.4	9.5	1.8	0.9
	3	24.1	15.5	36.7	34.0	31.0	31.3	19.6	21.4	27.1	30.4	0.3	0.4
	4	17.7	18.6	12.5	14.7	6.1	7.1	9.1	10.0	9.2	8.8	-	*
	5	3.8	6.4	0.5	0.5	0.1	0.1	0.7	0.7	0.4	0.4	-	-
	6	0.4	0.6	-	*	-	-	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	51.2	43.1	55.3	52.8	46.2	45.6	33.0	36.3	46.1	49.1	2.1	1.3
41	1 - 2	-	-	0.1	0.2	1.5	1.6	1.1	1.6	1.9	1.7	-	*
	3	1.2	0.7	13.0	13.8	23.7	25.0	23.3	23.0	21.5	20.9	-	-
	4	3.3	2.0	22.6	26.0	24.0	23.1	32.1	28.8	23.1	21.2	-	-
	5	3.7	3.1	3.9	4.0	3.2	2.9	7.3	6.1	4.8	4.1	-	-
	6	1.2	1.7	0.1	0.1	0.1	0.1	0.4	0.3	0.4	0.3	-	-
	7	0.1	0.2	-	-	-	-	*	*	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
Total	----	9.5	7.7	39.8	44.1	52.5	52.8	64.3	59.8	51.7	48.2	-	*
51	1 - 2	-	-	-	*	-	*	*	*	*	*	-	-
	3	-	-	*	*	*	*	0.1	0.2	0.1	*	-	-
	4	-	-	0.1	0.1	0.1	0.1	0.3	0.4	0.1	0.1	-	-
	5	-	-	0.1	0.1	0.1	0.1	0.2	0.2	*	*	-	-
	6	-	-	-	*	*	*	0.1	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
Total	----	-	-	0.2	0.2	0.3	0.1	0.7	0.8	0.2	0.1	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	2.7	4.4	-	*	-	-	*	*	-	*	-	*
	3	1.1	2.3	*	*	-	-	*	*	-	*	-	-
	4	*	0.5	-	*	-	-	*	*	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.8	7.2	*	*	-	-	*	*	-	*	-	*
32	1 - 2	0.1	0.1	*	*	*	*	*	*	*	*	-	-
	3	0.2	1.1	0.3	0.1	0.3	0.2	0.1	0.1	0.2	0.3	-	-
	4	1.3	2.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	-	-
	5	0.5	1.2	*	*	-	*	*	*	*	*	-	-
	6	*	0.3	-	-	-	-	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.1	4.8	0.6	0.4	0.4	0.3	0.3	0.3	0.3	0.5	-	-
42	1 - 2	-	-	-	*	*	*	*	0.1	*	*	-	-
	3	*	*	*	0.1	0.2	0.3	0.3	0.6	0.2	0.2	-	-
	4	0.1	0.1	0.5	0.7	0.2	0.5	0.2	0.6	0.2	0.2	-	-
	5	0.2	0.2	0.4	0.3	*	0.1	0.1	0.1	0.1	0.1	-	-
	6	0.1	0.2	*	*	-	-	*	*	*	*	-	-
	7	*	0.1	-	-	-	-	*	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.6	0.9	1.1	0.4	0.9	0.6	1.4	0.5	0.5	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	*	-	*	*	0.1	*	*	-	-
	4	-	*	-	*	*	*	*	0.1	*	*	-	-
	5	-	*	-	*	-	*	*	*	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	- *	- *		*	*	*	0.2	*	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	- -	- *		- -		- *		- -		- -	
13 & 23	1 - 2	*	1.0	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	* 1.0	- -		- -		- -		- -		- -	
33	1 - 2	-	-	-	*	-	*	*	*	*	*	-	-
	3	*	0.1	*	*	*	*	*	*	*	*	-	-
	4	*	0.3	*	*	*	*	*	*	*	*	-	-
	5	-	0.1	-	*	-	-	*	*	-	*	-	-
	6	-	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	* 0.5	* *		* *		* *		* *		- -	
43	1 - 2	-	-	-	-	-	*	*	*	-	-	-	-
	3	-	*	*	*	*	*	*	*	*	*	-	-
	4	*	0.1	*	*	*	*	*	*	*	*	-	-
	5	*	0.2	0.1	*	-	*	*	*	*	*	-	-
	6	*	0.1	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	* 0.3	0.1 0.1		* *		* *		* *		- -	
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	*	-	-
	6	*	*	*	*	-	-	-	*	-	-	-	-
	7	*	*	-	-	-	-	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	*	-	-	-	-
Total		----	0.1 *	* *		- -		- *		- *		- -	
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	- -	- -		- -		- *		- -		- -	
24 - 54	1 - 8	*	0.2	-	*	-	-	*	*	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	-	-	-	-
31		0.3	0.8	-	-	-	-	-	-	*	*	-	-
32		3.6	5.7	-	-	-	*	-	*	*	*	-	-
33		10.2	10.1	*	*	*	*	*	*	0.4	0.4	-	-
34		22.0	22.6	0.3	0.2	0.6	0.3	0.3	0.3	2.4	3.5	-	0.3
35		24.3	26.1	6.3	3.3	4.0	3.0	2.8	3.1	9.1	13.2	4.8	3.6
36		18.9	18.4	5.8	6.9	13.0	11.5	6.8	8.1	25.3	28.4	11.3	19.6
37		15.7	13.4	11.6	17.7	25.0	27.9	20.2	21.7	40.9	36.9	26.8	40.0
38		4.3	2.5	32.1	26.6	31.3	33.1	20.9	23.8	15.7	13.9	22.9	20.4
39		0.6	0.3	25.9	28.7	21.6	20.6	31.8	27.9	5.5	3.2	22.7	11.0
40 & Longer		-	*	18.0	16.5	4.3	3.5	17.2	15.0	0.7	0.3	11.5	5.1
Average Staple		35.11	34.91	38.22	38.22	37.65	37.67	38.25	38.11	36.77	36.54	37.84	37.31
Average Length		1.09	1.09	1.20	1.19	1.18	1.18	1.20	1.19	1.15	1.14	1.18	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	41.4	39.9	1.2	1.0	1.4	1.2	54.7	42.5	0.1	0.1
	3	12.4	16.3	1.4	1.0	1.7	0.7	20.5	17.1	0.2	0.1
	4	0.7	1.3	0.1	*	0.1	*	2.4	1.8	*	*
	5	*	*	-	-	-	-	0.1	0.1	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	54.5	57.5	2.6	2.0	3.1	1.9	77.8	61.4	0.3	0.1
31	1 - 2	6.9	5.6	5.1	5.0	15.7	18.6	1.3	2.9	6.7	6.9
	3	16.9	16.5	30.5	29.1	38.8	40.1	5.2	12.3	23.7	29.4
	4	11.4	8.8	14.1	13.3	13.2	9.5	3.2	5.4	3.6	4.4
	5	2.1	1.4	1.4	0.9	1.2	0.6	0.8	0.6	0.1	0.1
	6	0.1	0.1	*	*	*	*	0.1	0.1	*	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	37.4	32.5	51.2	48.3	68.8	68.8	10.5	21.3	34.1	40.8
41	1 - 2	*	*	0.3	0.6	2.0	1.3	0.3	0.3	2.7	3.8
	3	0.3	0.1	13.2	14.2	9.8	12.7	2.0	2.5	37.2	37.5
	4	1.8	0.8	22.7	24.0	12.5	12.3	1.6	3.0	22.7	16.2
	5	1.7	0.8	5.9	6.3	3.1	2.4	0.3	0.7	2.2	1.1
	6	0.4	0.3	0.4	0.3	0.3	0.1	0.1	0.1	0.1	*
	7	*	0.1	*	*	*	*	*	*	-	*
	8	-	0.1	-	-	-	-	*	*	-	-
Total	----	4.3	2.3	42.5	45.2	27.8	28.9	4.3	6.6	64.9	58.6
51	1 - 2	-	-	-	*	-	*	*	*	-	-
	3	-	-	0.1	0.1	*	*	0.2	0.1	*	*
	4	*	*	1.1	0.6	*	*	0.2	0.1	0.1	*
	5	*	*	0.8	0.6	*	*	*	0.1	*	*
	6	-	*	*	0.1	*	*	*	*	-	-
	7	-	*	-	*	*	*	*	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	*	2.0	1.4	*	*	0.4	0.3	0.1	0.1
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.0	2.2	-	-	*	*	2.0	3.6	-	*
	3	0.6	1.5	-	-	*	*	1.7	2.8	-	-
	4	0.1	0.4	-	-	*	*	0.5	0.6	-	-
	5	*	*	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	4.2	-	-	*	*	4.2	7.0	-	*
32	1 - 2	0.2	0.4	-	*	*	*	0.1	0.1	*	*
	3	0.3	1.0	*	0.1	*	0.1	0.3	0.5	0.3	0.1
	4	0.4	0.7	0.1	0.1	*	0.1	0.3	0.5	*	*
	5	0.2	0.3	*	*	*	*	0.1	0.2	-	*
	6	*	0.1	-	-	*	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	1.1	2.4	0.1	0.2	0.1	0.2	0.9	1.3	0.4	0.2
42	1 - 2	-	*	-	*	-	*	*	*	-	*
	3	*	*	0.1	0.4	-	0.1	0.2	0.2	*	0.1
	4	0.1	*	0.8	1.1	*	*	0.4	0.5	*	0.1
	5	0.1	0.1	0.3	0.4	*	*	0.1	0.2	*	*
	6	*	*	*	*	*	*	*	*	-	-
	7	0.1	*	-	-	-	-	*	*	-	-
	8	0.1	*	-	-	-	-	*	*	-	-
Total	----	0.3	0.2	1.2	1.9	*	0.1	0.7	1.0	0.1	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	-	*	*	-	*
	4	-	*	0.1	0.3	-	-	0.2	0.1	-	*
	5	-	-	0.1	0.3	-	-	0.1	*	-	*
	6	-	-	*	0.1	-	-	*	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	*	*	*	-	-	*	*	-	-
<i>Total</i>	----	-	*	<i>0.3</i>	<i>0.7</i>	-	-	<i>0.3</i>	<i>0.2</i>	-	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	*	-	-	*	*	-	-
13 & 23	1 - 2	0.2	0.1	-	-	-	-	0.2	0.2	-	-
	3	0.1	0.2	-	-	-	-	0.2	0.3	-	-
	4	*	0.1	-	-	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.3</i>	<i>0.3</i>	-	-	-	-	<i>0.4</i>	<i>0.6</i>	-	-
33	1 - 2	*	*	-	*	-	*	*	*	-	-
	3	0.1	0.1	*	*	*	*	0.1	0.1	*	*
	4	*	0.1	-	*	*	*	0.1	0.1	*	*
	5	*	*	*	*	*	*	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.3</i>	<i>0.3</i>	<i>*</i>	<i>*</i>	<i>*</i>	<i>*</i>	<i>0.2</i>	<i>0.2</i>	<i>0.1</i>	<i>*</i>
43	1 - 2	-	*	-	-	-	-	*	*	*	*
	3	*	*	-	*	-	*	*	*	0.1	*
	4	*	*	-	*	*	*	*	*	*	*
	5	*	*	-	*	*	*	*	*	-	-
	6	*	*	-	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	-	<i>0.1</i>	<i>*</i>	<i>*</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>*</i>
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	-	*	*	-	-
	4	-	*	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	-	*	-	*	-	-	<i>0.1</i>	<i>*</i>	-	-
63	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	<i>*</i>	<i>*</i>	-	-
24 - 54	1 - 8	0.2	0.1	-	*	-	-	0.1	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	*	-	-
31		*	0.1	-	-	-	-	0.2	0.2	-	*
32		0.8	0.8	*	*	-	-	0.9	0.6	-	*
33		2.3	1.7	0.6	0.6	*	0.1	3.7	2.3	*	0.1
34		6.2	5.2	3.8	4.1	*	0.7	10.8	7.1	1.0	1.8
35		9.9	10.9	8.1	10.1	2.2	3.2	19.2	14.5	3.9	9.7
36		14.6	14.6	16.6	17.3	12.0	13.7	23.1	23.0	16.9	23.4
37		25.1	29.5	35.1	37.4	40.1	37.0	26.2	33.1	36.8	34.0
38		19.6	21.5	26.8	23.9	29.6	28.5	10.9	13.7	28.1	24.0
39		15.8	11.8	8.2	6.0	13.3	14.2	4.1	4.7	12.1	6.5
40 & Longer		5.6	4.0	0.7	0.6	2.6	2.6	0.7	0.8	1.2	0.5
<i>Average Staple</i>		<i>37.02</i>	<i>36.94</i>	<i>36.98</i>	<i>36.85</i>	<i>37.48</i>	<i>37.42</i>	<i>36.06</i>	<i>36.39</i>	<i>37.28</i>	<i>36.90</i>
<i>Average Length</i>		<i>1.16</i>	<i>1.15</i>	<i>1.16</i>	<i>1.15</i>	<i>1.17</i>	<i>1.17</i>	<i>1.12</i>	<i>1.14</i>	<i>1.16</i>	<i>1.15</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.4	0.5	0.7	0.6	*	0.1	0.4	0.1	0.5	0.5	0.4	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.2	0.1	*	*	1.0	0.8	0.2	0.2	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	-	-	-	-	-	*	*	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.4	*	*	0.3	0.4	0.2	*	0.7	0.7	0.6	1.0
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	*	*
23	-	*	-	-	-	*	-	-	-	*	*	*
24	*	*	-	*	-	*	-	-	-	0.1	*	0.1
25	*	0.1	*	*	-	*	-	*	-	0.2	0.2	0.5
26	0.3	0.5	*	*	0.1	0.1	*	0.1	*	0.4	1.0	2.2
27	2.0	2.2	0.4	0.2	0.3	0.4	*	0.3	0.3	1.6	4.2	7.2
28	7.5	8.6	2.6	1.9	3.1	3.1	*	1.0	1.3	4.9	13.0	17.2
29	22.4	23.8	10.2	9.2	9.1	10.4	3.4	2.8	13.7	16.6	27.9	28.9
30	29.3	30.5	23.7	23.1	16.5	18.4	5.9	7.5	34.3	32.4	29.8	25.9
31	21.9	20.4	31.7	33.5	25.5	24.5	8.2	14.3	24.1	22.2	16.1	12.1
32	10.7	9.4	19.9	20.9	23.1	20.5	13.5	14.0	10.1	10.7	5.5	4.1
33	4.4	3.4	7.8	8.2	10.5	13.1	7.2	9.8	10.8	7.1	1.7	1.3
34	1.1	0.9	2.8	2.4	7.8	6.5	8.3	11.6	4.2	3.0	0.4	0.4
35	0.2	0.2	0.8	0.5	3.8	2.4	9.7	8.7	1.1	0.6	0.1	0.1
36	0.1	0.1	0.1	0.1	0.3	0.6	10.7	9.0	*	0.1	*	*
37	*	*	*	*	*	0.1	18.1	11.1	0.1	0.1	*	*
38	*	*	-	-	*	*	11.7	7.0	*	*	*	*
39	-	-	-	-	-	*	2.2	2.2	-	-	-	-
40 & Above	-	-	-	-	-	-	1.0	0.7	-	-	-	-
Average	30.63	30.49	31.38	31.44	31.84	31.73	34.94	34.14	31.29	30.92	30.08	29.75
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	-	-	-	-	-	-	*	*
2.6	*	*	-	-	-	-	-	-	-	-	*	*
2.7	*	*	-	-	-	*	-	-	-	-	*	*
2.8	*	*	-	-	*	*	-	*	-	-	*	*
2.9	*	*	-	-	-	-	-	*	-	-	*	*
3.0	0.2	*	*	*	-	*	0.9	0.1	-	-	*	*
3.1	0.2	0.1	*	*	*	*	0.7	0.1	-	-	*	*
3.2	0.3	0.1	*	*	0.1	0.1	-	-	*	*	*	*
3.3	0.9	0.3	*	*	0.6	0.2	0.3	0.1	-	-	*	*
3.4	1.8	0.8	0.1	*	0.9	0.2	0.5	0.4	*	*	0.1	0.1
3.5	2.5	1.1	0.1	*	1.1	0.3	1.3	0.7	0.5	0.2	0.2	0.1
3.6	3.9	2.0	0.3	0.1	1.1	0.4	0.5	1.0	0.4	0.2	0.5	0.3
3.7	5.5	3.0	0.5	0.4	1.6	0.7	0.9	0.9	0.9	0.4	0.9	0.6
3.8	6.9	4.4	1.4	0.9	2.8	1.2	1.5	1.5	0.7	0.5	1.4	1.1
3.9	8.5	6.6	2.5	1.7	2.0	1.2	6.2	3.3	1.0	1.1	3.2	2.2
4.0	8.6	8.6	4.9	3.7	2.6	2.0	4.5	3.8	3.2	2.2	5.1	4.0
4.1	8.6	9.8	7.6	6.4	3.2	2.8	4.6	4.8	6.0	4.0	7.6	6.6
4.2	8.8	10.4	9.9	9.6	6.0	5.0	7.3	6.7	6.2	5.4	11.5	10.1
4.3	9.2	10.8	11.8	12.2	7.8	7.1	11.4	9.5	11.5	9.6	14.2	13.7
4.4	9.0	10.2	13.1	14.6	11.8	10.1	12.0	9.5	14.4	12.0	16.0	16.1
4.5	7.5	8.6	13.9	14.4	14.7	11.4	13.9	11.2	12.1	11.9	14.0	15.8
4.6	5.4	7.1	12.2	12.8	10.1	10.3	11.8	10.3	15.4	17.0	11.2	12.9
4.7	4.9	6.3	9.1	9.7	9.2	9.9	8.4	8.0	12.7	15.5	6.6	8.3
4.8	2.6	4.3	5.8	6.2	6.7	10.5	4.8	8.2	3.9	8.7	3.8	4.5
4.9	1.9	2.7	3.3	3.7	6.6	9.5	2.3	7.0	2.1	5.1	2.1	2.1
5.0	1.1	1.4	1.8	1.9	4.2	6.6	1.2	4.5	3.3	3.0	0.9	0.8
5.1	0.7	0.7	0.9	0.9	3.9	5.3	1.6	3.8	3.8	1.9	0.4	0.3
5.2	0.2	0.3	0.3	0.4	1.8	2.7	0.3	2.3	1.4	0.8	0.1	0.1
5.3	0.3	0.1	0.2	0.1	0.3	1.4	1.6	1.1	0.3	0.2	*	*
5.4	0.2	0.1	0.1	0.1	0.7	0.8	0.7	0.5	*	0.1	*	*
5.5 & Above	*	*	0.1	0.1	0.1	0.2	0.8	0.4	-	*	-	*
Average	4.17	4.27	4.42	4.45	4.49	4.61	4.39	4.51	4.49	4.54	4.37	4.41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	18.1	18.6	0.5	0.2	0.2	0.3	1.2	0.8	0.4	0.2	-	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.5	0.6	-	*	*	*	0.1	0.1	0.1	*	-	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	*	*	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.2	0.4	*	*	*	*	*	-	*	-	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	-	*
24	-	0.3	-	-	-	-	*	*	*	*	-	*
25	*	1.8	-	-	-	*	*	*	*	*	-	*
26	0.1	2.2	*	*	*	*	0.1	0.1	0.1	0.2	-	-
27	1.4	5.3	0.1	0.2	0.1	0.1	0.9	0.5	0.8	1.3	0.5	0.5
28	2.6	5.8	0.7	1.1	1.4	1.4	5.4	3.1	3.9	5.7	5.1	6.1
29	13.0	12.8	14.4	9.8	12.9	12.5	16.4	10.6	15.0	17.1	20.5	19.9
30	22.2	21.8	40.6	35.1	34.5	34.0	31.6	23.6	26.2	28.2	37.5	36.9
31	21.5	19.3	32.9	29.1	32.6	32.9	25.7	30.2	26.1	25.6	24.2	27.2
32	21.7	15.7	9.6	11.7	14.5	14.1	12.3	19.5	16.4	14.1	9.8	7.8
33	11.4	8.9	1.5	8.0	3.4	4.1	5.3	8.3	8.2	5.7	2.2	1.3
34	3.8	4.8	0.2	3.5	0.5	0.7	1.9	3.0	2.5	1.6	0.2	0.2
35	1.6	1.0	*	0.9	0.1	0.1	0.4	0.9	0.8	0.5	-	*
36	0.7	0.3	*	0.7	*	*	*	0.1	0.1	*	0.1	*
37	*	*	-	*	-	*	*	*	-	*	-	*
38	*	*	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	31.49	30.90	30.88	31.31	31.02	31.06	30.90	31.38	31.17	30.91	30.65	30.61
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	*	*	*	*	-	-
2.6	-	*	-	-	-	-	*	*	*	*	0.3	0.2
2.7	-	*	-	-	-	-	*	*	*	*	2.0	0.7
2.8	-	*	-	-	-	-	*	*	*	*	3.1	1.3
2.9	*	*	-	-	-	-	*	*	*	*	3.5	1.4
3.0	-	*	-	-	*	*	*	*	*	*	0.6	0.6
3.1	0.4	0.4	-	-	0.1	*	*	*	*	*	0.5	0.8
3.2	1.5	1.0	-	-	0.2	*	0.1	*	*	*	0.5	1.3
3.3	0.9	1.1	*	*	0.5	0.1	0.1	*	*	*	3.8	3.0
3.4	2.9	1.6	0.1	*	0.6	0.2	0.1	0.1	*	0.1	3.8	4.6
3.5	2.6	1.6	-	*	0.5	0.3	0.2	0.1	0.2	0.1	9.9	6.7
3.6	3.2	2.7	0.2	0.1	1.2	0.6	0.3	0.2	0.3	0.3	3.9	3.2
3.7	2.7	3.9	0.4	0.2	1.7	1.1	0.8	0.4	0.6	0.5	5.4	3.1
3.8	3.6	4.1	0.5	0.4	2.8	2.2	1.1	0.6	1.5	1.0	9.6	7.2
3.9	3.6	4.9	0.9	0.5	3.8	3.7	1.6	1.2	2.3	1.9	8.3	9.6
4.0	5.1	5.7	1.5	0.8	6.0	6.1	3.0	1.8	5.5	3.9	6.4	9.8
4.1	6.1	7.0	2.6	1.5	10.1	9.8	4.3	3.0	8.4	6.1	5.7	7.7
4.2	6.1	6.0	4.1	3.2	12.3	13.2	7.1	4.9	10.3	9.4	6.8	8.1
4.3	4.9	7.3	5.3	6.3	12.4	15.2	11.4	8.1	12.1	12.8	6.6	7.1
4.4	6.9	7.5	9.1	9.5	11.2	14.2	13.7	11.3	13.4	14.8	6.9	7.5
4.5	8.2	10.0	9.5	13.7	12.3	12.5	13.4	13.8	14.5	15.8	3.1	5.9
4.6	4.1	7.0	12.2	18.2	9.8	8.6	12.6	14.7	11.8	13.1	2.8	3.9
4.7	7.3	8.2	16.8	17.5	6.6	5.5	12.1	13.8	8.4	9.2	2.8	2.2
4.8	10.7	7.9	17.0	11.9	3.6	3.6	8.7	10.8	5.2	5.6	2.2	1.5
4.9	9.1	5.8	11.2	7.3	2.3	1.9	5.0	6.6	3.0	2.9	1.6	1.4
5.0	5.0	3.1	5.7	4.6	1.4	0.8	2.5	3.9	1.6	1.4	-	0.1
5.1	3.9	2.3	2.3	2.8	0.4	0.2	0.8	2.3	0.5	0.6	-	0.4
5.2	0.6	0.5	0.5	0.8	0.1	0.1	0.3	1.2	0.3	0.2	-	0.4
5.3	0.5	0.3	0.1	0.4	*	0.1	0.4	0.7	0.1	0.1	-	0.3
5.4	*	*	-	0.1	-	*	0.2	0.3	*	*	-	*
5.5 & Above	*	*	-	0.1	-	*	*	0.1	*	*	-	-
Average	4.37	4.33	4.62	4.62	4.32	4.33	4.48	4.57	4.40	4.43	3.87	3.99

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	4.2	3.8	1.1	1.1	0.6	0.4	5.4	4.5	0.6	0.2
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	*	*	0.1	0.1	*	*	0.2	0.5	*	*
Grass - Level 2	-	-	-	*	-	-	-	*	-	-
Prep - Level 1	-	*	*	*	-	*	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	-	*	-	-	0.5	1.0	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	*	*	-	-
23	-	*	-	-	-	-	*	*	-	*
24	0.1	*	-	*	*	*	0.1	0.1	-	*
25	0.3	0.1	0.1	0.1	-	*	0.3	0.3	*	*
26	0.5	0.5	0.5	1.1	*	*	1.4	1.1	0.1	0.1
27	2.0	2.1	3.4	2.9	0.1	0.1	4.7	3.9	0.7	1.3
28	7.2	5.7	11.0	10.8	1.8	1.9	11.4	10.2	5.0	7.9
29	13.5	12.1	21.8	24.7	15.6	13.9	18.1	18.1	21.4	26.1
30	16.5	17.0	28.1	30.5	37.2	35.4	20.4	21.6	35.0	32.8
31	18.8	19.6	20.9	19.1	30.1	31.8	18.7	18.7	21.6	19.6
32	15.7	19.5	9.0	7.1	12.2	12.9	13.2	13.7	10.9	8.5
33	12.1	13.1	4.0	2.7	2.6	3.2	7.2	7.8	3.9	2.6
34	8.0	7.2	1.1	0.8	0.5	0.6	3.0	3.2	1.1	0.8
35	3.9	2.4	0.2	0.1	0.1	0.1	1.1	1.1	0.3	0.2
36	0.9	0.5	*	*	*	*	0.3	0.2	-	*
37	0.7	0.1	-	*	-	-	0.1	0.1	-	-
38	0.1	*	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	31.56	31.55	30.45	30.30	30.90	30.97	30.69	30.78	30.73	30.47
Mike										
2.4 & Below	-	-	-	-	-	-	0.1	*	-	-
2.5	*	*	-	-	-	-	0.2	0.1	-	-
2.6	0.2	0.2	-	-	-	*	0.3	0.1	-	-
2.7	0.1	0.2	-	-	-	*	0.4	0.2	-	-
2.8	0.2	0.3	-	-	*	*	0.6	0.4	-	-
2.9	0.4	0.8	*	*	*	*	1.1	0.6	-	-
3.0	0.8	1.3	*	*	*	*	1.5	1.0	-	-
3.1	1.8	1.9	*	*	0.1	0.1	2.1	1.4	-	-
3.2	2.5	2.8	0.1	*	0.2	0.2	2.9	1.9	0.1	*
3.3	2.9	4.3	*	*	0.5	0.3	3.9	2.5	0.2	0.1
3.4	4.1	6.5	0.6	0.1	0.7	0.5	4.9	3.0	0.4	0.2
3.5	6.8	7.4	0.6	0.2	1.2	0.8	5.7	3.6	0.6	0.3
3.6	7.5	7.3	0.7	0.4	1.9	1.3	6.2	4.1	0.9	0.5
3.7	9.7	7.0	1.4	0.8	2.2	2.0	6.8	4.8	1.6	0.9
3.8	9.9	7.9	2.2	1.3	3.5	3.0	7.5	5.5	2.5	1.5
3.9	7.4	7.7	4.5	3.0	5.1	4.2	8.0	6.1	4.4	3.1
4.0	9.4	8.7	6.9	5.8	6.9	5.5	8.2	6.8	6.9	5.3
4.1	9.6	8.4	10.5	9.3	9.1	7.5	8.1	7.6	9.6	8.2
4.2	7.7	7.4	15.6	12.5	10.8	9.6	7.5	8.0	12.6	12.2
4.3	7.4	6.5	17.2	15.3	11.4	11.0	6.3	8.1	19.1	16.6
4.4	4.5	5.2	14.9	15.2	12.4	12.3	5.3	7.8	16.5	17.4
4.5	2.9	3.2	10.0	13.4	12.3	12.2	4.2	7.5	12.6	14.9
4.6	2.2	2.1	6.8	9.6	8.9	11.2	3.3	6.6	6.7	9.9
4.7	1.4	1.6	4.0	6.2	6.2	7.9	2.2	5.0	2.5	5.0
4.8	0.4	0.8	2.4	3.5	3.7	5.2	1.5	3.2	1.2	2.3
4.9	*	0.3	0.8	1.8	1.7	3.0	0.7	1.8	0.8	0.9
5.0	*	0.1	0.4	0.9	0.6	1.4	0.3	1.0	0.4	0.4
5.1	-	*	0.3	0.4	0.2	0.5	0.1	0.6	0.2	0.2
5.2	-	*	0.1	0.1	0.1	0.1	*	0.4	*	0.1
5.3	-	-	*	*	*	*	*	0.2	*	0.1
5.4	-	-	*	*	-	*	*	0.1	-	*
5.5 & Above	-	-	-	*	-	-	*	*	-	-
Average	3.88	3.87	4.28	4.36	4.28	4.35	3.90	4.10	4.28	4.34

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	0.1	*	-	-	*	0.1	-	0.1	-	-	*	*
3.0 - 3.2	0.7	0.2	0.1	*	0.1	0.1	1.6	0.2	*	*	0.1	*
3.3 - 3.4	2.7	1.1	0.1	*	1.4	0.4	0.8	0.5	*	*	0.1	0.1
3.5 - 3.6	6.4	3.1	0.5	0.2	2.2	0.7	1.9	1.8	0.9	0.5	0.7	0.4
3.7 - 4.2	46.9	42.8	26.9	22.7	18.2	12.8	25.0	20.9	18.0	13.7	29.8	24.7
4.3 - 4.9	40.5	50.0	69.2	73.5	66.9	68.8	64.6	63.9	72.2	79.8	67.9	73.5
5.0 - 5.2	2.1	2.5	3.0	3.3	9.9	14.6	3.1	10.7	8.5	5.7	1.3	1.2
5.3 & Above	0.6	0.2	0.3	0.2	1.2	2.5	3.1	2.0	0.3	0.3	*	*
Average	4.17	4.27	4.42	4.45	4.49	4.61	4.39	4.51	4.49	4.54	4.37	4.41
Leaf												
1 - 2	7.8	4.3	5.3	5.9	68.1	67.5	41.6	76.2	8.1	5.6	7.0	4.0
3	43.1	39.5	52.8	52.4	28.4	27.9	38.4	18.0	49.0	44.7	49.1	43.5
4	39.4	43.5	37.9	37.5	3.2	3.9	13.4	3.9	32.6	40.0	35.4	40.9
5	9.1	11.5	3.9	4.1	0.2	0.6	4.6	1.3	9.3	8.9	7.7	10.5
6	0.7	1.2	0.1	0.1	*	0.1	1.7	0.5	0.9	0.7	0.7	1.1
7	*	0.1	-	-	-	*	0.3	0.1	0.1	*	0.1	0.1
8	-	*	-	-	-	*	-	-	-	*	*	*
Average	3.51	3.66	3.41	3.40	2.25	2.24	2.81	2.02	3.46	3.55	3.46	3.61
HVI Trash 1/												
00	*	*	-	-	*	*	-	0.1	-	-	-	-
01	1.4	0.5	0.2	0.3	25.6	28.1	11.6	42.1	0.7	0.5	0.8	0.3
02	9.0	5.7	6.2	6.8	48.3	45.9	32.4	34.2	13.2	8.7	10.6	6.7
03	19.9	17.5	21.4	20.7	18.1	17.4	24.0	13.4	25.8	21.8	25.2	21.1
04	24.0	24.6	26.3	26.3	5.7	5.5	11.3	4.3	21.9	25.0	26.3	26.3
05	19.8	21.9	21.4	21.7	1.6	1.8	7.5	2.2	15.9	20.3	18.1	20.6
06	13.0	14.6	13.4	13.3	0.5	0.7	5.7	1.5	10.3	12.2	10.1	12.6
07	6.9	8.0	6.6	6.6	0.1	0.3	3.6	0.9	6.4	6.3	5.0	6.7
08	3.5	4.0	2.7	2.8	0.1	0.1	2.2	0.6	3.3	3.0	2.3	3.2
09	1.4	1.8	1.1	1.1	*	0.1	0.8	0.3	1.4	1.3	1.0	1.4
10	0.6	0.8	0.4	0.4	-	0.1	0.4	0.1	0.6	0.5	0.4	0.6
11	0.3	0.4	0.1	0.1	-	*	0.2	0.1	0.3	0.2	0.2	0.2
12	0.1	0.2	*	*	-	*	0.1	*	0.1	0.1	0.1	0.1
13	*	0.1	*	*	-	*	*	*	0.1	*	*	*
14	*	*	*	*	-	*	*	*	*	*	*	*
15	*	*	-	*	-	-	*	*	-	*	*	*
16	-	*	-	*	-	*	-	-	*	*	*	*
17	*	*	-	-	-	-	*	*	*	*	*	*
18 & Above	-	*	-	-	-	-	-	-	-	-	*	*
Average	0.45	0.48	0.45	0.45	0.21	0.21	0.32	0.21	0.43	0.45	0.42	0.46
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	-	-	-	-	*	-	*
76	*	*	*	*	*	*	-	*	-	*	0.1	0.1
77	0.2	0.2	*	*	0.3	0.2	*	*	*	0.2	0.5	0.8
78	1.3	1.5	0.1	0.1	2.3	1.2	0.4	0.3	0.2	0.9	2.9	4.1
79	7.3	8.6	0.9	0.9	11.6	7.6	3.3	2.4	2.1	4.4	13.5	16.8
80	25.2	28.3	7.0	8.1	36.1	30.7	11.0	14.2	13.6	17.5	33.6	35.2
81	39.4	37.8	31.1	29.3	35.5	41.0	17.9	31.7	43.1	45.3	32.1	28.4
82	20.5	18.6	38.3	37.8	12.5	17.5	21.7	26.3	32.5	26.2	13.6	11.4
83	5.5	4.3	19.6	20.8	1.5	1.6	33.2	13.9	7.8	4.9	3.2	2.8
84	0.6	0.6	2.8	2.9	0.1	0.1	11.9	10.9	0.6	0.5	0.4	0.4
85 & Above	0.1	0.1	0.2	0.1	*	*	0.6	0.3	*	*	*	*
Average	81.34	81.23	82.23	82.23	80.94	81.16	82.51	82.14	81.79	81.54	80.95	80.78
Tenderable 3/	91.9	90.2	95.1	94.5	86.2	80.1	83.9	84.1	86.6	83.4	93.2	86.9
SAMPLES CLASSED	65,795	321,758	98,350	766,487	21,693	96,905	7,832	53,689	13,847	39,863	190,815	857,627

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	-	*	*	*	*	0.3	0.2
2.7 - 2.9	*	*	-	-	-	-	0.1	*	*	*	8.5	3.4
3.0 - 3.2	1.9	1.5	-	-	0.4	0.1	0.1	*	0.1	*	1.6	2.7
3.3 - 3.4	3.8	2.7	0.1	*	1.0	0.3	0.2	0.1	0.1	0.1	7.6	7.5
3.5 - 3.6	5.8	4.3	0.2	0.1	1.7	0.9	0.6	0.3	0.5	0.4	13.8	9.9
3.7 - 4.2	27.3	31.6	10.0	6.7	36.8	36.1	17.9	12.0	28.5	22.9	42.2	45.6
4.3 - 4.9	51.2	53.7	81.2	84.4	58.3	61.4	76.9	79.2	68.4	74.2	25.9	29.5
5.0 - 5.2	9.5	6.0	8.5	8.2	1.8	1.1	3.6	7.3	2.4	2.2	-	0.9
5.3 & Above	0.5	0.3	0.1	0.6	*	0.1	0.6	1.1	0.1	0.1	-	0.3
Average	4.37	4.33	4.62	4.62	4.32	4.33	4.48	4.57	4.40	4.43	3.87	3.99
Leaf												
1 - 2	27.6	27.4	7.7	4.4	10.7	8.9	5.0	6.6	12.2	12.2	97.7	96.7
3	38.9	31.6	51.3	48.8	55.4	57.0	44.1	45.9	49.3	52.5	2.3	3.3
4	23.4	26.3	36.0	41.8	30.4	30.8	42.0	40.0	32.8	30.4	-	*
5	8.2	11.3	5.0	4.9	3.4	3.2	8.4	7.1	5.3	4.6	-	-
6	1.8	3.0	0.1	0.1	0.1	0.1	0.5	0.3	0.4	0.3	-	-
7	0.1	0.3	-	-	-	-	0.1	*	*	*	-	-
8	*	*	-	-	-	-	*	*	-	-	-	-
Average	3.15	3.25	3.38	3.47	3.27	3.28	3.55	3.49	3.32	3.28	1.45	1.51
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	0.1	0.1
01	9.7	13.5	0.6	0.2	0.7	0.5	0.2	0.4	1.4	1.2	70.7	66.4
02	22.4	15.9	9.3	5.6	11.0	9.2	5.9	6.8	12.4	12.3	26.5	30.4
03	17.2	12.4	23.4	19.5	23.7	23.6	17.6	18.4	21.6	23.2	2.2	2.7
04	15.0	13.7	26.9	27.4	25.1	26.7	23.9	24.5	23.8	24.8	0.3	0.3
05	11.7	12.8	19.6	22.7	19.2	20.0	21.6	21.6	19.0	18.3	0.1	0.1
06	8.8	10.0	11.4	13.8	11.5	11.5	15.1	14.2	11.4	10.7	-	*
07	5.7	7.3	5.3	6.6	5.3	5.4	8.5	7.7	5.9	5.3	-	-
08	3.7	5.2	2.3	2.7	2.3	2.1	4.2	3.7	2.7	2.4	-	-
09	2.4	3.4	0.8	1.0	0.8	0.7	1.8	1.6	1.2	1.0	-	-
10	1.7	2.4	0.3	0.3	0.3	0.2	0.7	0.6	0.4	0.4	-	-
11	0.7	1.3	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.2	-	-
12	0.4	0.9	*	*	*	*	0.1	0.1	0.1	0.1	-	-
13	0.3	0.6	-	*	*	*	*	*	*	*	-	-
14	0.1	0.3	*	*	*	*	*	*	*	*	-	-
15	0.1	0.2	-	-	*	*	*	*	*	*	-	-
16	*	0.1	-	-	-	-	-	*	*	*	-	-
17	*	*	-	-	-	-	-	*	-	*	-	-
18 & Above	*	*	-	-	-	-	-	*	-	*	-	-
Average	0.41	0.45	0.43	0.46	0.43	0.43	0.48	0.47	0.43	0.42	0.13	0.14
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	*	-	-	-	-	-	-	-	*	-	-
76	0.3	0.4	-	-	*	*	*	*	*	*	-	*
77	1.4	3.0	-	-	*	*	*	*	*	0.1	1.4	0.5
78	8.9	9.9	0.1	0.1	0.1	0.1	0.4	0.3	0.3	0.8	3.0	1.7
79	26.7	19.2	0.7	0.5	2.0	1.2	2.0	2.0	2.4	4.5	11.7	11.6
80	36.7	31.6	6.4	5.2	13.1	10.1	10.0	9.5	14.2	16.4	22.7	27.8
81	14.8	24.4	32.9	24.0	30.7	29.4	30.5	28.1	27.4	30.6	41.6	39.1
82	7.8	9.9	38.4	43.6	40.0	39.2	37.9	38.2	32.2	31.8	16.5	17.2
83	3.3	1.4	18.0	22.2	13.0	17.8	16.4	18.6	19.6	13.6	3.0	2.0
84	*	*	3.5	4.3	1.0	2.0	2.7	3.1	3.4	1.9	0.1	*
85 & Above	-	-	0.1	0.2	0.1	0.2	0.1	0.2	0.4	0.2	-	*
Average	80.35	80.44	82.23	82.40	81.97	82.14	82.10	82.16	82.08	81.82	81.05	81.08
Tenderable 3/	64.1	63.2	89.6	89.9	95.9	97.1	92.9	88.9	95.9	96.2	81.9	84.4
SAMPLES CLASSED	10,685	32,965	18,117	200,521	61,184	373,347	115,967	645,295	89,299	513,629	3,240	10,702

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	0.1	*	-	-
2.5 - 2.6	0.3	0.2	-	-	-	*	0.4	0.2	-	-
2.7 - 2.9	0.7	1.3	*	*	*	*	2.1	1.2	-	-
3.0 - 3.2	5.1	6.0	0.1	*	0.4	0.3	6.6	4.2	0.1	*
3.3 - 3.4	7.0	10.8	0.6	0.2	1.2	0.8	8.8	5.5	0.6	0.2
3.5 - 3.6	14.3	14.7	1.4	0.6	3.1	2.2	11.9	7.7	1.5	0.8
3.7 - 4.2	53.7	47.1	41.1	32.7	37.7	31.9	46.1	38.8	37.7	31.2
4.3 - 4.9	18.8	19.8	56.0	65.1	56.6	62.8	23.5	40.1	59.4	67.1
5.0 - 5.2	*	0.2	0.8	1.4	1.0	2.0	0.4	2.0	0.7	0.6
5.3 & Above	-	-	*	*	*	*	*	0.3	*	0.1
Average	3.88	3.87	4.28	4.36	4.28	4.35	3.90	4.10	4.28	4.34
Leaf										
1 - 2	49.7	48.3	6.6	6.6	19.0	21.2	58.5	49.5	9.6	10.8
3	30.8	35.8	45.3	44.9	50.4	53.8	30.4	35.9	61.6	67.2
4	14.6	12.3	39.0	39.5	25.8	21.9	9.0	12.3	26.4	20.7
5	4.2	2.7	8.5	8.6	4.4	3.0	1.7	2.0	2.3	1.2
6	0.6	0.5	0.5	0.4	0.3	0.2	0.3	0.2	0.1	*
7	0.1	0.2	*	*	*	*	0.1	*	-	*
8	0.1	0.1	*	*	-	-	*	*	-	-
Average	2.64	2.60	3.51	3.51	3.16	3.06	2.38	2.55	3.22	3.12
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	18.9	18.7	0.5	0.4	2.5	3.0	29.1	21.9	0.3	0.4
02	32.0	31.3	7.9	7.7	15.8	17.8	34.7	30.8	9.9	11.5
03	18.7	21.8	20.8	19.8	22.6	25.4	17.5	20.1	26.9	30.4
04	12.1	13.2	25.6	24.7	21.3	22.1	9.0	12.7	28.0	29.5
05	7.9	7.1	21.1	20.7	16.3	15.0	4.9	7.3	19.3	17.0
06	4.5	3.5	12.5	13.5	10.5	8.8	2.4	3.8	9.3	7.2
07	2.5	1.9	6.3	7.2	5.9	4.5	1.1	1.8	4.0	2.7
08	1.5	1.0	3.0	3.5	2.8	2.0	0.5	0.8	1.4	0.8
09	0.8	0.6	1.4	1.5	1.3	0.9	0.3	0.4	0.6	0.3
10	0.5	0.3	0.6	0.6	0.6	0.4	0.1	0.2	0.2	0.1
11	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*
12	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*
13	0.1	0.1	*	*	*	*	*	*	-	*
14	*	0.1	*	*	*	*	*	*	-	-
15	*	*	-	*	*	*	*	*	-	-
16	*	*	-	-	-	-	*	*	-	-
17	-	*	-	-	-	-	*	*	-	-
18 & Above	-	*	*	*	-	-	*	*	*	*
Average	0.30	0.29	0.45	0.46	0.42	0.39	0.24	0.28	0.41	0.39
UNIFORMITY 2/										
74 & Below	0.1	*	-	-	-	-	*	*	-	-
75	0.2	0.1	-	-	-	-	0.2	0.1	-	-
76	0.5	0.3	*	*	-	*	1.3	0.6	-	*
77	1.4	1.4	0.2	0.2	*	*	4.2	2.2	-	*
78	5.5	6.0	1.4	1.5	0.1	0.1	11.4	6.9	0.1	0.3
79	17.7	17.5	7.9	8.3	0.5	0.9	23.4	16.3	0.9	2.5
80	31.1	30.3	21.7	27.1	8.0	8.2	30.3	26.5	6.5	11.4
81	30.9	30.4	40.9	36.6	31.1	29.2	20.6	27.5	24.6	28.6
82	11.2	11.9	22.8	20.7	40.8	38.6	7.2	15.9	36.8	37.9
83	1.3	2.0	4.5	4.9	18.1	20.6	1.2	3.6	25.9	17.1
84	0.1	0.2	0.4	0.6	1.3	2.5	0.1	0.4	4.8	2.0
85 & Above	-	*	0.1	*	0.1	0.1	*	*	0.4	0.1
Average	80.66	80.70	81.36	81.28	82.17	82.23	80.19	80.77	82.41	82.06
Tenderable 3/	81.6	76.8	95.4	94.2	96.3	96.1	73.9	78.9	97.7	98.5
SAMPLES CLASSED	35,888	200,234	32,558	155,376	71,018	347,219	484,600	3,789,258	18,459	105,299

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	41.8	40.0	47.1	53.0	-	-	30.8	33.3
	2	3.8	1.3	14.5	13.0	-	-	11.7	9.1
	3	-	0.1	0.1	0.1	-	-	0.1	*
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		45.6	41.4	61.7	66.1	-	-	42.6	42.4
02	1	48.4	53.4	12.3	15.2	-	-	36.3	37.6
	2	5.8	4.2	18.2	14.8	-	-	20.8	18.3
	3	-	0.2	3.3	1.2	-	-	0.2	0.3
	4	-	0.1	*	*	-	-	-	-
	5	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		54.2	58.0	33.7	31.3	-	-	57.4	56.2
03	1	-	0.3	0.2	0.2	-	-	-	0.1
	2	0.3	0.3	1.9	1.2	-	-	0.1	0.6
	3	-	*	0.4	0.6	-	-	-	0.3
	4	-	-	-	0.1	-	-	-	0.1
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.3	0.6	2.5	2.0	-	-	0.1	1.1
04	1	-	*	*	*	-	-	-	-
	2	-	*	0.6	0.2	-	-	-	-
	3	-	-	0.2	0.2	-	-	-	*
	4	-	-	-	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	*	0.8	0.4	-	-	-	0.2
05	1	-	-	-	-	-	-	-	-
	2	-	-	0.4	0.1	-	-	-	-
	3	-	-	0.3	0.1	-	-	-	-
	4	-	-	*	*	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.7	0.1	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	0.1	*	-	-	-	-
	3	-	-	0.1	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.3	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	0.1	*	-	-	-	-
	4	-	-	0.1	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-
Total -----		-	-	0.3	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.3	0.7	1.0	-	-	1.3	0.5
46		0.4	1.1	4.6	10.1	-	-	39.7	30.2
48		33.4	33.4	15.5	21.6	-	-	57.6	63.8
50		65.3	64.7	62.7	55.6	-	-	1.4	5.4
52 & Longer		0.9	0.5	16.5	11.7	-	-	0.1	0.1
Average Staple		49.34	49.28	49.79	49.34	-	-	47.18	47.49
Average Length		1.43	1.43	1.44	1.43	-	-	1.37	1.38
EXTRANEOUS MATTER									
Bark		-	-	*	*	-	-	-	-
Grass		-	0.1	0.3	0.2	-	-	-	*
Spindle Twist		-	-	0.3	0.2	-	-	-	0.2
Preparation		-	-	*	*	-	-	1.9	0.5
All Other		-	*	0.2	*	-	-	0.1	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 02, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	0.8	0.2
2.7 - 2.9	-	-	-	*	-	-	6.7	1.6
3.0 - 3.2	-	0.9	0.2	0.1	-	-	23.6	12.7
3.3 - 3.4	-	2.2	0.3	0.4	-	-	0.1	5.2
3.5 - 3.6	-	3.6	0.9	1.9	-	-	6.2	1.5
3.7 - 4.2	95.4	65.8	40.3	53.3	-	-	53.6	52.3
4.3 - 4.9	4.6	27.5	58.3	44.2	-	-	8.9	26.6
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.07	4.11	4.27	4.20	-	-	3.66	3.96
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	0.1	*
2.6	-	-	-	*	-	-	0.8	0.2
2.7	-	-	-	*	-	-	2.9	0.7
2.8	-	-	-	*	-	-	0.2	*
2.9	-	-	-	*	-	-	3.6	0.9
3.0	-	0.1	*	*	-	-	13.9	3.8
3.1	-	0.2	0.1	*	-	-	4.8	3.1
3.2	-	0.6	*	*	-	-	4.9	5.8
3.3	-	1.3	0.2	0.1	-	-	-	4.3
3.4	-	0.9	0.1	0.3	-	-	0.1	0.9
3.5	-	1.4	0.2	0.8	-	-	4.1	1.0
3.6	-	2.1	0.7	1.1	-	-	2.1	0.5
3.7	2.5	2.8	1.3	2.1	-	-	14.6	3.5
3.8	8.2	4.1	1.8	3.7	-	-	6.0	2.4
3.9	9.5	4.1	4.0	6.5	-	-	3.5	2.2
4.0	10.5	10.4	5.8	10.3	-	-	7.1	9.5
4.1	38.5	21.6	9.7	14.3	-	-	8.6	13.2
4.2	26.3	22.9	17.8	16.5	-	-	13.8	21.4
4.3	4.3	13.1	21.3	16.8	-	-	6.9	17.8
4.4	0.3	9.7	16.1	14.4	-	-	1.3	4.9
4.5	-	3.2	12.4	8.1	-	-	0.7	2.4
4.6	-	0.8	5.2	3.5	-	-	0.1	1.5
4.7	-	0.6	2.7	1.1	-	-	-	*
4.8	-	-	0.5	0.3	-	-	-	-
4.9	-	-	*	*	-	-	-	*
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	4.07	4.11	4.27	4.20	-	-	3.66	3.96
STRENGTH 1/ 36 & Below	-	0.3	*	0.2	-	-	14.0	4.3
37	-	*	0.2	0.4	-	-	10.1	5.3
38	0.3	0.6	1.0	2.1	-	-	28.5	12.5
39	0.5	0.3	2.8	5.0	-	-	6.0	4.0
40	0.1	0.5	3.3	6.0	-	-	1.0	2.6
41	2.7	2.1	1.2	2.5	-	-	0.4	8.0
42	11.9	5.7	1.6	2.7	-	-	2.6	14.4
43	43.3	16.1	6.0	7.8	-	-	2.7	10.2
44	25.1	27.7	17.7	16.8	-	-	8.1	9.2
45	12.7	31.1	23.4	21.2	-	-	11.7	13.4
46	2.9	11.7	22.3	16.9	-	-	9.2	9.1
47	0.1	2.9	13.4	11.8	-	-	4.6	5.2
48 & Above	0.3	0.8	7.1	6.6	-	-	1.0	1.7
Average	43.85	44.69	45.38	44.78	-	-	40.93	42.59
UNIFORMITY								
83 & Below	-	0.1	0.2	0.1	-	-	3.1	1.0
84	1.2	0.6	3.7	3.3	-	-	10.3	3.1
85	10.3	9.7	7.7	15.9	-	-	39.9	26.4
86	35.7	44.9	32.2	39.1	-	-	40.5	54.6
87	52.4	44.0	53.5	38.7	-	-	5.8	14.8
88 & Above	0.4	0.7	2.6	2.7	-	-	0.3	0.2
Average	86.83	86.79	86.86	86.66	-	-	85.78	86.23
Samples Classed	746	5,544	17,980	152,639	-	-	1,677	6,930

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.