



Volume 25, No.14

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	24	87.5	73.1	49,553	24	87.4	72.1	96,184
AR	28	82.6	60.3	153,950	28	80.6	55.9	422,935
AZ*	-	-	-	-	-	-	-	-
CA	2	97.6	99.0	3,260	2	97.7	99.1	3,407
FL	3	88.9	71.2	5,620	3	89.2	71.2	13,425
GA	43	93.0	80.0	76,725	43	92.5	80.7	131,422
KS*	-	-	-	-	-	-	-	-
LA	17	57.4	31.5	26,788	17	67.9	41.2	145,037
MO	19	88.7	70.0	73,025	19	90.3	71.9	160,095
MS	34	55.7	29.3	91,100	34	61.9	36.9	314,957
NC	24	67.0	43.9	43,180	24	70.3	48.3	54,504
NM	-	-	-	-	-	-	-	-
OK	10	84.8	56.7	13,632	10	85.1	56.6	14,074
SC	9	96.6	84.7	13,193	9	96.6	85.7	16,501
TN	18	96.6	89.4	64,347	18	96.7	88.9	137,208
TX	63	74.6	40.6	89,485	92	81.2	44.0	1,047,358
VA*	-	-	-	-	-	-	-	-
United States	297	79.8	58.9	713,276	326	80.1	52.6	2,582,988
AMERICAN PIMA								
AZ	-			-	-			-
CA*	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	298			717,802	327			2,587,952

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 26, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	4.7	6.3	8.1	13.3	-	-	28.7	28.1	5.6	4.0	5.1	5.2
	3	8.1	8.5	3.7	4.6	-	-	7.9	7.7	3.1	3.0	2.2	2.6
	4	0.5	0.4	0.1	0.1	-	-	6.8	6.6	0.1	0.1	0.1	0.1
	5	*	*	-	-	-	-	0.2	0.2	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	13.3	15.2	11.9	18.1	-	-	43.6	42.6	8.8	7.1	7.3	7.8
31	1 - 2	7.3	9.5	15.0	16.0	-	-	2.7	2.6	8.9	9.8	14.4	16.0
	3	38.9	41.8	41.1	39.5	-	-	12.1	12.3	31.6	37.5	38.5	39.9
	4	16.7	15.8	9.5	9.9	-	-	27.5	28.5	13.4	14.8	12.1	11.8
	5	1.4	1.4	0.4	0.5	-	-	10.8	10.7	1.2	1.5	1.2	1.2
	6	*	0.1	*	*	-	-	0.9	0.8	*	0.1	0.1	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	64.4	68.5	66.0	65.9	-	-	54.0	54.9	55.2	63.7	66.3	68.9
41	1 - 2	0.4	0.3	0.5	0.4	-	-	-	-	0.4	0.4	0.5	0.4
	3	5.9	4.0	7.5	5.5	-	-	-	-	10.5	7.3	9.0	7.9
	4	8.2	6.0	10.3	7.4	-	-	*	*	13.7	8.6	10.5	8.9
	5	2.6	1.8	2.7	1.9	-	-	0.9	1.0	1.9	1.8	2.8	2.5
	6	0.3	0.2	0.3	0.1	-	-	0.9	0.8	0.1	0.1	0.3	0.3
	7	*	*	*	*	-	-	-	-	*	*	*	*
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	17.4	12.3	21.3	15.4	-	-	1.7	1.9	26.6	18.2	23.2	20.1
51	1 - 2	-	*	*	*	-	-	-	-	-	-	-	*
	3	*	*	0.1	*	-	-	-	-	-	-	*	*
	4	*	*	0.1	0.1	-	-	-	-	-	-	*	*
	5	-	*	0.1	*	-	-	-	-	-	-	*	*
	6	-	-	0.1	*	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.4	0.2	-	-	-	-	-	-	*	0.1
61	1 - 2	-	*	-	*	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	*	*	-	-	-	-	-	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	*	-	*	-	-	-	-	0.1	0.1	*	*
	3	*	*	*	*	-	-	-	-	-	*	*	*
	4	-	-	*	*	-	-	*	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	*	*	0.1	0.1	*	*
32	1 - 2	0.1	0.2	*	*	-	-	-	-	0.6	0.6	0.1	0.1
	3	0.7	0.9	0.1	0.1	-	-	0.1	0.1	1.2	3.2	0.7	0.8
	4	0.5	0.5	0.1	*	-	-	0.2	0.2	0.7	1.5	0.4	0.3
	5	0.1	0.1	*	*	-	-	0.1	0.1	0.1	0.2	*	*
	6	*	*	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.4	1.6	0.2	0.2	-	-	0.4	0.4	2.6	5.5	1.2	1.3
42	1 - 2	*	*	*	*	-	-	-	-	0.1	0.1	*	*
	3	0.8	0.5	0.1	0.1	-	-	-	-	2.4	2.1	0.6	0.5
	4	1.4	0.9	0.1	0.1	-	-	-	-	3.3	2.5	1.0	0.8
	5	0.9	0.5	*	*	-	-	0.1	0.1	0.6	0.5	0.3	0.3
	6	0.3	0.1	*	*	-	-	0.2	0.1	0.1	0.1	*	*
	7	*	*	-	*	-	-	-	-	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-	*	*
Total	----	3.4	2.1	0.2	0.2	-	-	0.2	0.2	6.4	5.2	1.9	1.7

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 26, 2023

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	-	-	-	-	-	-	-	-	-
	3	*	*	*	*	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	*	*	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	*	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	*	*	*	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	*	*
	4	-	*	-	-	-	-	-	-	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	-	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	*	*	*	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	0.1	*	-	-
	3	*	*	-	*	-	-	-	-	0.2	0.1	*	*
	4	*	*	*	*	-	-	-	-	*	*	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	*	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	0.3	0.1	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	*	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	-	-	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	*	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	-
31		*	*	*	*	-	-	-	-	-	*	*	*
32		0.3	0.3	0.1	*	-	-	-	-	0.1	0.2	0.2	0.2
33		2.3	1.9	0.4	0.2	-	-	-	-	0.7	1.4	1.4	1.1
34		7.4	7.8	0.5	0.5	-	-	-	-	6.2	10.6	9.2	8.0
35		17.5	15.1	6.4	5.5	-	-	-	-	17.1	19.2	22.2	22.3
36		26.4	24.3	23.4	23.6	-	-	1.3	1.3	34.7	26.0	30.8	31.6
37		33.5	38.0	52.2	54.7	-	-	21.0	20.8	28.9	27.2	28.1	28.3
38		10.1	10.3	14.5	13.5	-	-	30.0	28.7	9.1	8.9	7.1	7.7
39		2.3	2.1	2.4	1.9	-	-	23.5	26.1	3.1	5.5	1.0	0.8
40 & Longer		0.2	0.2	0.2	0.1	-	-	24.1	23.1	*	1.1	*	*
Average Staple		36.21	36.28	36.80	36.81	-	-	38.48	38.49	36.25	36.21	35.99	36.04
Average Length		1.13	1.13	1.15	1.15	-	-	1.20	1.20	1.13	1.13	1.12	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 26, 2023

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	2.3	3.1	8.3	18.1	3.8	5.4	5.9	6.1	-	-
	3	-	-	0.8	1.5	1.9	4.1	2.6	6.0	3.2	2.9	-	-
	4	-	-	*	*	*	0.1	*	0.2	*	*	-	-
	5	-	-	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	3.1	4.6	10.2	22.3	6.5	11.6	9.1	9.0	-	-
31	1 - 2	-	-	6.9	7.6	20.2	21.5	8.0	8.8	15.6	15.5	-	-
	3	-	-	27.9	24.1	43.6	38.4	34.8	38.6	47.9	47.7	-	-
	4	-	-	7.9	6.0	7.5	5.8	13.5	13.0	10.2	10.3	-	-
	5	-	-	0.4	0.3	0.3	0.2	1.2	1.2	0.6	0.5	-	-
	6	-	-	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	43.1	38.0	71.7	65.8	57.5	61.5	74.2	74.0	-	-
41	1 - 2	-	-	1.6	1.5	0.7	0.4	0.5	0.3	0.3	0.3	-	-
	3	-	-	20.7	15.8	8.9	5.7	10.5	7.1	5.7	5.8	-	-
	4	-	-	18.0	15.2	7.1	4.8	16.2	10.5	7.0	7.0	-	-
	5	-	-	3.5	4.1	1.3	0.8	5.9	4.4	1.2	1.1	-	-
	6	-	-	0.2	0.4	0.1	*	0.6	0.8	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	0.1	-	*	-	-
	8	-	-	-	*	-	-	-	*	-	-	-	-
Total	----	-	-	44.0	37.0	18.0	11.7	33.8	23.3	14.2	14.3	-	-
51	1 - 2	-	-	-	*	*	*	-	-	-	-	-	-
	3	-	-	0.2	0.2	*	*	*	*	*	*	-	-
	4	-	-	0.5	0.5	*	*	*	*	*	*	-	-
	5	-	-	0.4	0.8	*	*	*	*	-	*	-	-
	6	-	-	*	0.1	*	*	*	*	-	-	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	*	*	-	-	-	*	-	-	-	-
Total	----	-	-	1.1	1.7	0.1	*	0.1	0.1	*	*	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	0.1	2.6	*	*	*	*	*	*	-	-
	3	-	-	*	1.0	-	-	*	0.1	*	*	-	-
	4	-	-	-	*	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	3.6	*	*	*	0.1	0.1	0.1	-	-
32	1 - 2	-	-	0.8	1.3	*	*	*	0.1	0.1	0.1	-	-
	3	-	-	1.4	3.6	*	*	0.5	1.3	0.9	1.1	-	-
	4	-	-	0.3	0.8	-	*	0.2	0.4	0.3	0.3	-	-
	5	-	-	*	0.1	-	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	2.6	5.6	*	*	0.8	1.9	1.3	1.5	-	-
42	1 - 2	-	-	0.2	0.5	*	*	*	*	*	*	-	-
	3	-	-	2.5	4.4	*	*	0.4	0.5	0.4	0.4	-	-
	4	-	-	1.9	2.8	*	*	0.5	0.6	0.5	0.5	-	-
	5	-	-	0.5	0.7	*	*	0.3	0.2	0.1	0.1	-	-
	6	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	-	-	5.2	8.5	*	*	1.2	1.4	1.0	1.0	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	0.1	0.2	*	*	*	*	-	-	-	-
	4	-	-	0.2	0.3	-	-	*	*	*	*	-	-
	5	-	-	0.3	0.2	*	*	*	*	-	-	-	-
	6	-	-	*	0.1	-	-	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	-	-	0.6	0.8	*	*	*	*	*	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	0.1	-	-	-	-	*	*	-	-
	3	-	-	-	*	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	-	*	*	*	*	-	-
33	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	*	*	*	*	-	-
	4	-	-	*	*	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	*	*	0.1	*	-	-
43	1 - 2	-	-	-	*	-	*	-	-	-	-	-	-
	3	-	-	*	*	-	*	*	*	-	-	-	-
	4	-	-	0.1	*	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	-	-	0.1	0.1	-	*	*	*	-	-	-	-
53	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	*	*	-	-	-	-
	5	-	-	0.1	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	*	-	*	*	*	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	*	*	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	*	*	-	-	-	*	-	-	-	-
32		-	-	0.2	0.1	-	-	*	0.1	0.1	0.2	-	-
33		-	-	3.2	1.4	*	*	0.7	0.9	3.1	3.1	-	-
34		-	-	7.0	6.8	0.2	0.1	4.4	5.5	13.6	13.1	-	-
35		-	-	15.9	18.0	2.6	2.7	12.1	14.6	26.2	26.6	-	-
36		-	-	26.6	30.7	17.1	15.1	25.5	29.0	33.3	33.0	-	-
37		-	-	30.2	27.8	52.5	52.5	38.3	35.2	21.2	21.6	-	-
38		-	-	10.4	10.9	23.1	24.6	14.2	11.8	2.4	2.3	-	-
39		-	-	6.1	4.2	3.7	4.3	4.1	2.7	0.2	0.1	-	-
40 & Longer		-	-	0.5	0.2	0.8	0.7	0.7	0.3	*	*	-	-
Average Staple		-	-	36.31	36.27	37.10	37.15	36.59	36.40	35.63	35.64	-	-
Average Length		-	-	1.13	1.13	1.16	1.16	1.14	1.13	1.11	1.11	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 26, 2023											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	54.3	54.0	2.8	2.5	7.7	13.1	37.9	30.2	-	-
	3	6.4	6.4	2.0	1.8	2.2	2.9	13.2	18.7	-	-
	4	*	*	0.1	0.1	*	0.1	0.6	1.7	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	60.7	60.4	4.9	4.4	9.9	16.1	51.8	50.6	-
31	1 - 2	4.4	4.3	8.3	7.5	28.6	30.1	1.8	2.3	-	-
	3	4.2	4.1	46.7	47.8	41.9	37.9	6.0	5.1	-	-
	4	0.6	0.6	16.4	19.2	6.8	5.9	1.9	1.6	-	-
	5	*	*	0.6	0.9	0.2	0.2	0.2	0.1	-	-
	6	-	-	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	9.2	9.1	71.9	75.4	77.5	74.1	9.9	9.1	-
41	1 - 2	*	*	0.2	0.2	0.9	0.8	0.2	0.3	-	-
	3	0.1	0.1	6.1	5.1	6.2	4.8	1.9	1.3	-	-
	4	0.1	*	12.3	10.6	4.5	3.5	1.8	0.5	-	-
	5	-	-	2.7	2.7	0.7	0.7	0.4	0.1	-	-
	6	-	-	0.2	0.2	*	*	0.1	*	-	-
	7	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
	Total	----	0.2	0.2	21.5	18.7	12.3	9.7	4.6	2.3	-
51	1 - 2	-	-	*	*	*	*	*	*	-	-
	3	-	-	*	0.1	*	*	0.3	0.2	-	-
	4	-	-	-	0.1	*	*	0.2	0.1	-	-
	5	-	-	-	-	*	*	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.1	0.1	*	*	0.5	0.3	-
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	*	*	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	*	-
12 & 22	1 - 2	13.6	14.0	*	*	-	*	11.6	18.2	-	-
	3	6.6	6.6	0.1	*	-	-	8.6	9.2	-	-
	4	0.6	0.6	0.1	0.1	-	-	1.4	1.1	-	-
	5	-	-	-	-	-	-	0.2	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	20.8	21.2	0.2	0.1	-	*	21.9	28.6	-
32	1 - 2	1.4	1.4	0.1	0.1	*	*	0.5	0.8	-	-
	3	2.3	2.4	0.7	0.5	0.1	*	3.1	2.2	-	-
	4	0.9	0.9	0.4	0.3	*	*	1.6	1.1	-	-
	5	0.2	0.2	*	*	*	*	0.3	0.2	-	-
	6	*	*	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
	Total	----	4.8	4.9	1.2	0.9	0.1	0.1	5.7	4.2	-
42	1 - 2	*	*	-	-	*	*	0.1	0.2	-	-
	3	-	-	0.1	*	*	*	0.5	0.7	-	-
	4	0.1	0.1	0.2	0.2	*	*	0.9	0.5	-	-
	5	0.1	0.1	0.1	0.1	*	*	0.3	0.1	-	-
	6	0.1	0.1	-	-	-	-	0.1	*	-	-
	7	0.1	*	-	-	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
	Total	----	0.4	0.4	0.3	0.3	0.1	*	1.9	1.6	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 26, 2023

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	0.2	0.1	-	-
	4	-	-	-	*	-	-	0.2	0.1	-	-
	5	-	-	-	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	*	*	*	*	<i>0.4</i>	<i>0.3</i>	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	*	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	*	-	-	*	*	-	-
13 & 23	1 - 2	1.2	1.2	-	-	-	-	0.4	1.0	-	-
	3	1.6	1.6	-	-	-	-	0.6	0.8	-	-
	4	0.2	0.2	-	-	-	-	0.5	0.2	-	-
	5	*	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>3.0</i>	<i>2.9</i>	-	-	-	-	<i>1.6</i>	<i>2.1</i>	-	-
33	1 - 2	0.1	0.1	-	-	-	-	*	0.1	-	-
	3	0.1	0.1	-	-	*	*	0.3	0.2	-	-
	4	0.1	0.1	-	-	*	*	0.4	0.2	-	-
	5	0.1	0.1	-	-	-	-	0.2	0.1	-	-
	6	*	*	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.5</i>	<i>0.5</i>	-	-	*	*	<i>1.2</i>	<i>0.6</i>	-	-
43	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	*	*	-	-	*	*	0.1	*	-	-
	4	*	*	-	-	*	*	*	*	-	-
	5	0.2	0.2	-	-	-	-	*	*	-	-
	6	0.1	0.1	-	-	-	-	0.1	*	-	-
	7	0.1	0.1	-	-	-	-	0.1	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.4</i>	<i>0.4</i>	-	-	*	*	<i>0.3</i>	<i>0.2</i>	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	*	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	*	*	-	-	-	-	<i>0.1</i>	*	-	-
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	-	-	-	-	-	-	*	*	-	-
24 - 54	1 - 8	*	*	-	-	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.2	*	-	-
31		0.4	0.4	-	-	-	-	0.8	0.3	-	-
32		1.4	1.3	0.1	0.1	-	-	2.3	1.8	-	-
33		4.3	4.4	0.6	0.6	*	*	5.5	6.8	-	-
34		11.9	12.3	6.4	5.3	0.2	0.2	10.4	19.0	-	-
35		15.6	15.6	16.8	15.5	3.2	3.1	18.1	27.7	-	-
36		25.4	25.4	31.1	28.2	20.2	19.3	20.8	22.7	-	-
37		24.3	24.5	34.9	38.8	58.2	57.1	21.7	14.7	-	-
38		12.9	12.4	9.7	11.1	15.1	16.7	12.6	4.9	-	-
39		2.9	2.8	0.3	0.4	3.0	3.4	6.3	1.8	-	-
40 & Longer		0.9	0.8	*	*	0.1	0.1	1.3	0.3	-	-
<i>Average Staple</i>		<i>36.02</i>	<i>36.00</i>	<i>36.23</i>	<i>36.34</i>	<i>36.94</i>	<i>36.97</i>	<i>36.01</i>	<i>35.36</i>	-	-
<i>Average Length</i>		<i>1.12</i>	<i>1.12</i>	<i>1.13</i>	<i>1.13</i>	<i>1.15</i>	<i>1.15</i>	<i>1.12</i>	<i>1.10</i>	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 26, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.3	0.3	*	*	-	-	-	-	0.2	0.3	0.5	0.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	*	*	-	-	-	-	0.2	0.1	0.4	0.4
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.1	-	-	-	-	-	-	0.1	*	0.1	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	0.1	0.1	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	*	*	*
23	-	*	-	-	-	-	-	-	-	-	*	*
24	*	*	*	*	-	-	-	-	*	*	*	*
25	0.1	0.1	*	*	-	-	-	-	*	*	0.2	0.1
26	0.2	0.3	*	0.1	-	-	-	-	0.1	0.2	0.7	0.6
27	1.9	1.7	0.5	0.6	-	-	-	-	1.0	1.5	3.7	3.4
28	6.6	6.1	5.5	4.5	-	-	-	-	3.2	6.6	12.1	11.6
29	17.6	18.3	25.3	20.2	-	-	0.8	0.8	10.4	15.7	24.8	26.0
30	31.2	31.3	36.6	35.1	-	-	5.6	5.4	26.7	26.8	29.3	29.9
31	24.2	24.3	23.6	26.9	-	-	16.6	16.6	26.2	25.8	19.1	18.3
32	11.6	12.1	6.5	9.4	-	-	13.2	12.7	16.1	11.4	7.3	7.3
33	4.8	4.4	1.5	2.5	-	-	3.0	2.9	6.7	5.3	2.1	2.0
34	1.5	1.2	0.3	0.6	-	-	6.5	7.1	6.9	4.9	0.5	0.5
35	0.3	0.2	0.1	0.1	-	-	30.2	31.6	2.4	1.4	0.1	0.1
36	0.1	0.1	*	*	-	-	23.6	22.5	0.4	0.2	*	*
37	*	*	*	*	-	-	0.2	0.2	0.1	*	*	*
38	-	*	-	-	-	-	*	*	-	-	-	-
39	-	-	-	-	-	-	0.1	0.1	-	-	-	-
40 & Above	-	-	-	-	-	-	0.1	0.1	-	-	-	-
Average	30.77	30.75	30.50	30.70	-	-	34.16	34.18	31.43	31.02	30.24	30.24
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	*	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-	-	-	-	*
2.7	-	*	-	-	-	-	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-	-	-	-	-
2.9	-	-	*	*	-	-	-	-	-	-	*	*
3.0	-	*	*	*	-	-	-	-	-	-	-	*
3.1	-	*	*	*	-	-	-	-	-	-	-	*
3.2	*	0.1	*	*	-	-	-	-	-	-	*	*
3.3	*	*	*	*	-	-	-	-	-	-	*	*
3.4	0.1	0.1	*	*	-	-	-	-	-	-	*	*
3.5	0.1	0.2	*	*	-	-	-	-	-	-	0.2	0.2
3.6	0.6	0.4	*	*	-	-	-	-	-	-	0.3	0.3
3.7	0.9	0.7	0.1	0.1	-	-	-	-	-	-	0.6	0.9
3.8	1.0	0.9	0.2	0.2	-	-	0.9	0.8	-	0.1	1.5	2.0
3.9	2.2	1.9	0.3	0.3	-	-	0.4	0.4	0.3	0.7	2.7	3.6
4.0	3.8	3.6	0.6	0.5	-	-	7.6	7.3	0.1	1.3	4.5	5.6
4.1	5.1	5.5	1.6	1.3	-	-	6.3	6.8	1.4	2.6	7.3	7.9
4.2	7.5	7.4	3.7	2.9	-	-	12.6	12.1	2.9	4.5	10.1	9.6
4.3	10.2	10.3	5.9	5.1	-	-	20.2	19.3	4.2	6.5	11.8	11.7
4.4	11.3	11.6	9.8	8.6	-	-	19.1	18.3	6.4	10.8	12.4	12.8
4.5	12.6	12.1	11.1	10.4	-	-	16.7	19.5	13.4	14.4	12.1	12.0
4.6	12.3	11.7	13.6	12.8	-	-	8.5	8.1	23.4	19.6	11.7	10.3
4.7	10.4	9.9	14.0	14.1	-	-	7.5	7.2	25.0	20.0	9.7	8.7
4.8	8.1	8.6	12.9	13.6	-	-	0.2	0.2	14.8	12.1	7.7	6.6
4.9	6.1	5.9	9.5	11.1	-	-	-	-	4.3	4.0	4.5	4.1
5.0	4.3	3.8	6.4	8.0	-	-	-	-	3.1	2.6	1.8	2.1
5.1	2.1	2.5	4.0	5.1	-	-	-	-	0.7	0.7	0.9	1.1
5.2	0.7	1.0	3.3	3.4	-	-	-	-	-	0.1	0.3	0.4
5.3	0.4	0.8	1.9	1.6	-	-	-	-	-	-	0.1	0.1
5.4	0.1	0.5	0.7	0.6	-	-	-	-	-	0.1	*	*
5.5 & Above	0.1	0.2	0.4	0.3	-	-	-	-	-	-	*	*
Average	4.50	4.51	4.68	4.70	-	-	4.36	4.36	4.62	4.57	4.44	4.41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	0.1	*	*	*	*	*	*	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	-	*	0.1	0.1	*	*	0.2	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	*	*	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	*	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	-	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	*	*	-	-	-	-	-	-
24	-	-	0.2	*	*	*	*	*	-	-	-	-
25	-	-	0.1	*	*	*	0.1	*	*	*	-	-
26	-	-	0.7	0.7	0.1	0.1	0.3	0.3	0.2	0.1	-	-
27	-	-	3.1	2.5	0.5	0.6	1.4	1.4	1.1	1.3	-	-
28	-	-	6.2	5.3	7.2	6.4	4.3	4.7	6.1	7.2	-	-
29	-	-	13.1	11.5	30.0	26.6	14.4	14.8	13.6	14.4	-	-
30	-	-	23.2	25.8	39.9	40.2	26.2	26.7	24.3	24.4	-	-
31	-	-	28.2	28.8	17.3	19.6	28.9	29.4	27.8	25.7	-	-
32	-	-	16.2	16.4	3.9	5.2	16.7	14.8	18.1	17.8	-	-
33	-	-	7.3	6.4	1.0	1.0	5.7	5.4	5.7	6.4	-	-
34	-	-	1.6	1.7	0.1	0.2	1.5	1.9	2.3	2.1	-	-
35	-	-	0.2	0.6	*	*	0.3	0.5	0.7	0.5	-	-
36	-	-	*	0.2	*	*	0.1	0.1	0.1	0.1	-	-
37	-	-	-	*	-	-	*	*	-	-	-	-
38	-	-	*	*	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.97	31.04	30.28	30.37	31.03	31.01	31.09	31.03	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	*	-	-	-	-
2.8	-	-	-	-	-	-	*	*	-	-	-	-
2.9	-	-	-	-	-	-	-	*	*	*	-	-
3.0	-	-	-	*	-	-	*	*	-	-	-	-
3.1	-	-	*	*	*	*	0.1	*	-	-	-	-
3.2	-	-	-	-	-	*	*	*	-	-	-	-
3.3	-	-	*	*	*	*	*	*	*	*	-	-
3.4	-	-	-	*	*	*	*	*	-	-	-	-
3.5	-	-	*	*	*	*	*	0.1	*	*	-	-
3.6	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	-	-
3.7	-	-	*	*	0.2	0.2	0.1	0.1	0.2	0.1	-	-
3.8	-	-	0.1	0.2	0.5	0.7	0.2	0.4	0.3	0.3	-	-
3.9	-	-	0.1	0.6	1.0	1.2	0.3	0.5	0.7	0.7	-	-
4.0	-	-	0.1	1.2	1.7	2.1	0.4	0.7	1.7	1.6	-	-
4.1	-	-	0.3	2.5	2.7	2.8	0.6	1.1	2.3	2.3	-	-
4.2	-	-	0.9	4.3	4.2	4.7	1.3	2.0	3.5	3.7	-	-
4.3	-	-	3.2	6.2	6.3	7.4	2.3	3.1	4.2	4.5	-	-
4.4	-	-	5.5	7.6	10.2	11.7	3.7	4.5	4.6	6.1	-	-
4.5	-	-	6.0	9.2	14.1	13.5	5.4	6.9	7.7	8.6	-	-
4.6	-	-	9.2	11.7	15.7	15.1	6.9	8.7	8.8	9.8	-	-
4.7	-	-	9.7	12.2	13.5	12.8	9.0	10.4	11.1	11.4	-	-
4.8	-	-	15.6	12.6	10.7	10.9	12.3	12.2	11.3	11.3	-	-
4.9	-	-	11.5	9.3	8.0	7.4	14.6	13.2	11.7	10.6	-	-
5.0	-	-	8.8	7.3	5.4	4.8	13.2	11.8	12.0	11.1	-	-
5.1	-	-	8.3	4.9	3.2	2.6	10.4	9.2	9.0	7.9	-	-
5.2	-	-	7.5	3.9	1.5	1.5	8.2	6.4	5.6	4.9	-	-
5.3	-	-	4.5	2.7	0.7	0.5	5.0	3.7	2.8	2.6	-	-
5.4	-	-	4.7	2.1	0.2	0.1	3.5	2.5	1.3	1.1	-	-
5.5 & Above	-	-	3.7	1.7	*	*	2.4	2.2	1.3	1.1	-	-
Average	-	-	4.87	4.71	4.60	4.58	4.88	4.82	4.76	4.74	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	2.5	2.6	0.3	0.2	*	*	4.9	0.6	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.4	0.3	*	*	0.4	0.4	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	-	-	*	0.6	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	0.1	0.1	-	-	-	-	0.6	0.4	-	-
23	0.2	0.1	-	-	-	*	0.3	0.6	-	-
24	0.2	0.2	-	-	-	*	0.4	1.3	-	-
25	0.6	0.6	-	-	*	*	1.2	2.6	-	-
26	1.4	1.4	*	*	0.1	0.2	3.4	5.0	-	-
27	4.0	3.8	0.1	0.1	1.7	2.4	6.5	8.3	-	-
28	6.0	5.8	2.5	2.4	14.3	15.3	11.1	11.6	-	-
29	6.7	7.2	15.0	14.4	34.1	33.9	15.4	14.5	-	-
30	9.9	10.3	31.9	31.3	33.3	33.5	18.7	14.9	-	-
31	13.8	14.0	34.1	34.8	11.9	11.4	17.2	12.6	-	-
32	9.7	10.2	11.6	11.2	3.5	2.7	12.6	10.4	-	-
33	13.1	12.9	3.0	3.7	1.0	0.7	7.3	8.5	-	-
34	24.3	23.5	1.3	1.5	*	0.1	3.6	5.2	-	-
35	8.9	8.6	0.3	0.4	*	*	1.2	2.7	-	-
36	1.1	1.0	0.1	0.1	-	*	0.2	1.0	-	-
37	0.1	0.1	-	-	-	-	0.1	0.2	-	-
38	-	-	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	32.25	32.22	30.99	31.02	29.99	29.92	30.45	30.35	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	*	*	-	-	-	-	*	0.1	-	-
2.7	*	*	-	-	-	-	*	0.1	-	-
2.8	*	*	-	-	-	-	0.1	0.1	-	-
2.9	0.1	0.1	*	*	-	-	0.2	0.2	-	-
3.0	0.2	0.2	-	*	-	-	0.2	0.2	-	-
3.1	0.4	0.4	-	*	*	*	0.4	0.4	-	-
3.2	0.5	0.5	*	0.1	*	*	0.5	0.6	-	-
3.3	1.0	0.9	0.2	0.4	*	*	0.6	0.8	-	-
3.4	1.8	1.7	0.2	0.5	0.1	0.1	0.7	1.1	-	-
3.5	2.0	1.9	0.1	0.6	0.1	0.2	1.0	1.4	-	-
3.6	2.2	2.1	0.1	0.4	0.2	0.2	1.3	1.7	-	-
3.7	2.7	2.6	0.3	0.6	0.7	0.7	1.5	2.3	-	-
3.8	3.1	3.3	0.7	1.0	1.3	1.2	1.8	3.0	-	-
3.9	4.7	5.0	2.2	2.6	2.3	2.1	2.2	3.9	-	-
4.0	6.7	6.8	5.0	6.6	3.8	4.0	2.9	5.1	-	-
4.1	5.5	5.4	5.8	7.3	6.2	6.5	3.4	6.6	-	-
4.2	6.4	6.4	10.2	10.2	9.9	9.9	4.8	8.5	-	-
4.3	10.4	10.2	15.8	15.5	15.4	15.4	6.4	10.0	-	-
4.4	9.8	9.8	17.3	16.2	16.4	16.0	8.7	10.6	-	-
4.5	10.9	11.5	11.0	10.7	15.2	15.3	10.1	10.6	-	-
4.6	10.1	10.2	6.4	6.2	11.5	11.4	11.8	9.4	-	-
4.7	8.5	8.2	11.8	10.0	6.9	6.8	12.5	7.8	-	-
4.8	5.5	5.3	8.7	7.4	4.2	4.6	11.1	5.8	-	-
4.9	3.4	3.3	3.0	2.5	2.6	2.6	7.5	3.9	-	-
5.0	2.7	2.6	0.6	0.5	2.2	2.0	4.2	2.5	-	-
5.1	0.7	0.7	0.4	0.3	0.8	0.8	2.5	1.7	-	-
5.2	0.7	0.7	0.2	0.2	0.1	0.2	1.5	0.9	-	-
5.3	0.1	0.1	*	*	*	*	1.0	0.4	-	-
5.4	-	-	*	*	*	*	0.7	0.2	-	-
5.5 & Above	-	-	*	*	*	*	0.5	0.1	-	-
Average	4.32	4.31	4.42	4.37	4.41	4.41	4.51	4.35	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-	-	-	-	*
2.7 - 2.9	-	*	*	*	-	-	-	-	-	-	*	*
3.0 - 3.2	*	0.1	*	*	-	-	-	-	-	-	*	*
3.3 - 3.4	0.1	0.1	*	*	-	-	-	-	-	-	*	0.1
3.5 - 3.6	0.7	0.6	*	*	-	-	-	-	-	-	0.4	0.5
3.7 - 4.2	20.5	20.1	6.5	5.3	-	-	27.9	27.4	4.7	9.3	26.6	29.5
4.3 - 4.9	71.0	70.2	76.7	75.8	-	-	72.1	72.6	91.5	87.3	69.9	66.2
5.0 - 5.2	7.2	7.2	13.7	16.4	-	-	-	-	3.8	3.4	3.0	3.5
5.3 & Above	0.6	1.6	3.1	2.5	-	-	-	-	-	0.1	0.1	0.1
Average	4.50	4.51	4.68	4.70	-	-	4.36	4.36	4.62	4.57	4.44	4.41
Leaf												
1 - 2	12.4	16.3	23.6	29.8	-	-	31.4	30.8	15.7	14.9	20.1	21.8
3	54.3	55.8	52.6	49.9	-	-	20.0	20.0	49.1	53.2	51.1	51.7
4	27.5	23.7	20.2	17.6	-	-	34.7	35.3	31.2	27.6	24.0	22.1
5	5.0	3.8	3.3	2.5	-	-	12.1	12.1	3.7	4.0	4.4	4.0
6	0.6	0.4	0.4	0.2	-	-	1.9	1.8	0.2	0.3	0.4	0.4
7	0.1	*	*	*	-	-	-	-	*	*	*	*
8	*	*	*	*	-	-	-	-	-	-	*	*
Average	3.27	3.16	3.03	2.91	-	-	3.20	3.21	3.23	3.21	3.13	3.08
HVI Trash 1/												
00	-	-	*	*	-	-	0.1	0.1	-	-	-	-
01	1.6	2.2	3.9	6.7	-	-	18.2	18.1	2.5	2.1	3.5	4.0
02	14.6	19.2	24.3	28.2	-	-	12.9	12.4	18.4	18.0	21.6	23.1
03	27.4	29.7	28.6	28.0	-	-	7.9	7.7	23.7	27.1	27.5	28.2
04	25.6	23.5	20.3	18.4	-	-	14.1	14.3	23.7	24.1	21.3	20.7
05	16.0	13.5	11.8	10.0	-	-	17.6	17.8	17.1	15.2	13.2	12.2
06	8.0	6.6	6.0	4.8	-	-	13.5	13.6	9.4	8.0	6.9	6.3
07	3.8	3.0	2.8	2.2	-	-	8.1	8.3	3.5	3.4	3.4	3.0
08	1.6	1.3	1.2	0.9	-	-	3.5	3.6	1.2	1.2	1.5	1.4
09	0.8	0.6	0.6	0.4	-	-	2.2	2.2	0.3	0.5	0.7	0.6
10	0.3	0.2	0.3	0.2	-	-	1.1	1.1	0.1	0.2	0.3	0.3
11	0.2	0.1	0.1	0.1	-	-	0.5	0.5	0.1	0.1	0.1	0.1
12	0.1	0.1	0.1	*	-	-	0.3	0.3	-	*	*	*
13	*	*	*	*	-	-	-	-	-	-	*	*
14	*	*	*	*	-	-	0.1	0.1	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	*	*
16	-	*	*	*	-	-	-	-	-	-	-	-
17	-	*	*	*	-	-	-	-	-	-	*	*
18 & Above	-	-	*	*	-	-	-	-	*	*	*	*
Average	0.40	0.37	0.35	0.33	-	-	0.42	0.42	0.39	0.38	0.37	0.36
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	*	*
75	-	*	*	*	-	-	-	-	-	-	*	*
76	*	*	*	*	-	-	-	-	-	-	*	*
77	0.1	0.1	*	*	-	-	-	-	-	0.1	0.3	0.3
78	0.8	1.3	0.2	0.2	-	-	-	-	0.3	1.2	2.6	2.6
79	7.2	7.2	1.8	1.5	-	-	-	-	2.7	7.6	14.0	14.0
80	20.3	21.2	11.7	9.1	-	-	11.8	11.3	26.0	33.4	33.4	33.6
81	31.5	30.6	22.0	18.7	-	-	29.5	29.8	49.6	42.6	34.1	33.4
82	26.2	26.9	32.5	35.8	-	-	36.7	37.9	19.5	14.1	12.9	13.2
83	12.4	11.2	25.2	28.9	-	-	21.7	20.8	1.7	1.1	2.4	2.6
84	1.3	1.3	6.0	5.2	-	-	0.1	0.1	0.1	*	0.2	0.3
85 & Above	0.2	0.2	0.7	0.6	-	-	0.1	0.1	-	-	*	*
Average	81.62	81.59	82.33	82.44	-	-	82.14	82.15	81.34	81.08	80.92	80.93
Tenderable 3/	87.5	87.4	82.6	80.6	-	-	97.6	97.7	88.9	89.2	93.0	92.5
SAMPLES CLASSED	49,553	96,184	153,950	422,935	-	-	3,260	3,407	5,620	13,425	76,725	131,422

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	*	*	*	*	-	-
3.0 - 3.2	-	-	*	*	*	*	0.2	0.1	-	-	-	-
3.3 - 3.4	-	-	*	*	*	*	0.1	0.1	*	*	-	-
3.5 - 3.6	-	-	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	-	-
3.7 - 4.2	-	-	1.6	8.6	10.4	11.6	2.9	4.8	8.7	8.9	-	-
4.3 - 4.9	-	-	60.8	68.7	78.4	78.8	54.1	59.0	59.3	62.3	-	-
5.0 - 5.2	-	-	24.7	16.1	10.2	8.9	31.8	27.4	26.6	23.8	-	-
5.3 & Above	-	-	12.9	6.5	0.9	0.6	10.9	8.4	5.4	4.9	-	-
Average	-	-	4.87	4.71	4.60	4.58	4.88	4.82	4.76	4.74	-	-
Leaf												
1 - 2	-	-	12.0	16.6	29.2	40.1	12.4	14.7	21.8	22.0	-	-
3	-	-	53.7	50.8	54.5	48.3	48.9	53.6	58.2	58.0	-	-
4	-	-	28.8	25.7	14.6	10.7	30.6	24.8	18.1	18.2	-	-
5	-	-	5.1	6.2	1.6	1.0	7.5	5.9	1.8	1.7	-	-
6	-	-	0.4	0.7	0.1	*	0.7	1.0	0.1	0.1	-	-
7	-	-	*	0.1	-	-	*	0.1	-	*	-	-
8	-	-	*	*	-	-	-	*	-	-	-	-
Average	-	-	3.28	3.23	2.88	2.69	3.35	3.25	2.99	2.99	-	-
HVI Trash 1/												
00	-	-	-	-	*	*	*	*	-	-	-	-
01	-	-	1.9	2.8	4.7	10.3	1.6	1.5	2.5	2.7	-	-
02	-	-	14.6	18.1	27.1	32.9	14.9	18.6	20.9	20.7	-	-
03	-	-	28.2	27.6	30.4	28.0	25.6	29.4	31.2	30.2	-	-
04	-	-	24.2	22.2	19.7	15.9	22.8	22.3	22.2	22.7	-	-
05	-	-	15.5	13.9	10.4	7.6	16.2	13.2	12.7	13.2	-	-
06	-	-	8.1	7.7	4.5	3.2	9.6	7.4	6.1	6.2	-	-
07	-	-	4.1	4.0	2.0	1.3	5.1	3.9	2.7	2.7	-	-
08	-	-	2.0	2.0	0.7	0.5	2.4	1.9	1.1	1.1	-	-
09	-	-	0.9	1.0	0.3	0.2	1.1	0.9	0.4	0.4	-	-
10	-	-	0.4	0.4	0.1	0.1	0.5	0.5	0.2	0.1	-	-
11	-	-	0.1	0.2	*	*	0.2	0.2	*	*	-	-
12	-	-	*	0.1	*	*	0.1	0.1	*	*	-	-
13	-	-	*	*	*	*	*	*	*	*	-	-
14	-	-	*	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	-	*	-	-
16	-	-	-	-	-	-	*	*	-	-	-	-
17	-	-	-	-	-	-	-	*	-	*	-	-
18 & Above	-	-	-	-	-	-	-	*	-	-	-	-
Average	-	-	0.40	0.39	0.33	0.30	0.41	0.39	0.36	0.36	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	*	*	-	-	*	*	-	-
76	-	-	-	-	-	*	-	-	*	*	-	-
77	-	-	*	*	*	*	0.1	*	*	*	-	-
78	-	-	0.7	0.6	0.1	0.1	0.4	0.5	0.3	0.3	-	-
79	-	-	4.1	3.7	0.9	1.1	1.6	2.5	3.2	3.5	-	-
80	-	-	12.8	12.9	8.0	7.4	6.7	9.8	16.6	17.5	-	-
81	-	-	31.4	34.9	23.2	21.0	23.8	24.3	27.2	28.2	-	-
82	-	-	32.4	35.1	32.9	34.4	34.9	37.7	37.3	36.6	-	-
83	-	-	15.5	11.8	28.7	30.1	24.7	20.5	14.4	13.2	-	-
84	-	-	2.8	0.9	5.6	5.6	7.2	4.4	0.8	0.7	-	-
85 & Above	-	-	0.2	0.1	0.5	0.4	0.7	0.3	*	*	-	-
Average	-	-	81.93	81.84	82.44	82.48	82.42	82.22	81.91	81.86	-	-
Tenderable 3/	-	-	57.4	67.9	88.7	90.3	55.7	61.9	67.0	70.3	-	-
SAMPLES CLASSED	-	-	26,788	145,037	73,025	160,095	91,100	314,957	43,180	54,504	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	*	*	-	-	-	-	*	0.1	-	-
2.7 - 2.9	0.2	0.1	*	*	-	-	0.3	0.3	-	-
3.0 - 3.2	1.1	1.1	*	0.1	*	*	1.1	1.2	-	-
3.3 - 3.4	2.7	2.7	0.4	0.9	0.1	0.1	1.3	2.0	-	-
3.5 - 3.6	4.2	4.0	0.2	1.1	0.3	0.4	2.4	3.1	-	-
3.7 - 4.2	29.0	29.6	24.1	28.5	24.2	24.3	16.6	29.4	-	-
4.3 - 4.9	58.6	58.5	74.1	68.5	72.2	72.1	67.9	58.1	-	-
5.0 - 5.2	4.1	4.0	1.2	1.0	3.1	3.0	8.2	5.0	-	-
5.3 & Above	0.1	0.1	0.1	*	*	*	2.1	0.7	-	-
Average	4.32	4.31	4.42	4.37	4.41	4.41	4.51	4.35	-	-
Leaf										
1 - 2	75.1	75.1	11.4	10.2	37.2	43.9	52.6	53.1	-	-
3	21.3	21.2	55.6	55.4	50.4	45.6	34.9	38.6	-	-
4	2.6	2.6	29.3	30.5	11.5	9.5	9.8	7.2	-	-
5	0.6	0.6	3.4	3.7	0.9	0.9	1.9	0.9	-	-
6	0.2	0.2	0.2	0.2	*	*	0.5	0.2	-	-
7	0.1	0.1	-	-	*	*	0.2	*	-	-
8	*	0.1	-	-	-	-	*	*	-	-
Average	2.05	2.06	3.25	3.28	2.73	2.62	2.50	2.47	-	-
HVI Trash 1/										
00	0.1	0.1	-	-	*	*	0.1	*	-	-
01	36.9	36.3	0.8	0.7	8.3	12.8	22.2	16.7	-	-
02	39.4	40.0	13.0	11.8	31.3	33.8	32.6	37.3	-	-
03	14.9	14.9	25.4	24.9	29.7	27.1	21.0	25.2	-	-
04	4.6	4.5	26.6	26.9	17.5	14.9	11.7	12.3	-	-
05	1.7	1.7	18.2	18.7	8.1	6.8	6.1	5.1	-	-
06	1.0	1.0	9.0	9.6	3.3	2.8	3.0	1.9	-	-
07	0.4	0.4	4.0	4.3	1.2	1.1	1.5	0.8	-	-
08	0.3	0.3	1.6	1.8	0.3	0.4	0.8	0.3	-	-
09	0.2	0.2	0.8	0.8	0.1	0.1	0.4	0.2	-	-
10	0.2	0.2	0.3	0.3	*	0.1	0.3	0.1	-	-
11	0.1	0.1	0.2	0.2	*	*	0.2	*	-	-
12	0.1	0.1	0.1	0.1	*	*	0.1	*	-	-
13	0.1	0.1	*	*	*	*	0.1	*	-	-
14	*	*	*	*	-	*	*	*	-	-
15	*	*	*	*	-	-	*	*	-	-
16	*	*	-	-	-	-	*	*	-	-
17	*	*	-	-	-	-	*	*	-	-
18 & Above	*	0.1	-	-	-	-	*	*	-	-
Average	0.21	0.21	0.41	0.42	0.30	0.29	0.27	0.26	-	-
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	0.1	*	-	-
75	*	*	-	-	-	-	0.3	0.1	-	-
76	0.3	0.3	-	-	*	*	1.1	0.4	-	-
77	2.5	2.4	*	*	*	*	3.6	1.6	-	-
78	9.0	8.7	0.1	0.1	0.1	0.1	8.7	4.5	-	-
79	14.9	14.7	1.4	1.5	1.2	1.4	18.8	11.4	-	-
80	21.4	22.2	13.8	14.9	9.1	8.1	26.2	24.9	-	-
81	20.6	21.1	39.9	43.2	24.7	25.2	24.5	35.2	-	-
82	28.3	27.5	35.7	32.0	40.4	39.9	12.8	18.9	-	-
83	2.9	2.8	8.2	7.4	22.8	23.5	3.1	2.8	-	-
84	0.1	*	0.9	0.8	1.7	1.7	0.6	0.2	-	-
85 & Above	-	-	*	*	0.1	0.1	0.1	*	-	-
Average	80.90	80.90	81.82	81.75	82.23	82.25	80.54	81.00	-	-
Tenderable 3/	84.8	85.1	96.6	96.6	96.6	96.7	74.6	81.2	-	-
SAMPLES CLASSED	13,632	14,074	13,193	16,501	64,347	137,208	89,485	1,047,358	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	-	-	-	-	-	-
Average Length		-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 26, 2023

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Samples Classed	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.