



Volume 24, No.12

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	16	91.8	74.4	23,790	17	91.3	70.4	36,815
AR	23	79.0	57.0	65,075	23	74.9	52.5	114,997
AZ*	-	-	-	-	-	-	-	-
CA*	-	-	-	-	-	-	-	-
FL*	-	-	-	-	-	-	-	-
GA	35	87.0	75.6	57,291	36	87.1	74.8	73,353
KS*	-	-	-	-	-	-	-	-
LA	17	61.3	29.9	45,031	17	55.3	29.9	105,527
MO	10	97.2	89.8	21,405	10	97.1	89.7	26,416
MS	32	71.0	48.1	107,122	32	70.7	48.3	188,952
NC	14	85.0	67.0	21,403	14	84.9	65.7	23,312
NM	-	-	-	-	-	-	-	-
OK*	-	-	-	-	-	-	-	-
SC	8	89.0	77.0	11,785	8	89.8	77.3	12,779
TN	15	76.8	54.5	32,196	15	75.9	53.1	36,923
TX	38	66.8	47.1	75,670	55	81.2	64.3	1,047,735
VA	2	99.8	93.7	1,975	2	99.8	93.7	1,975
United States	217	76.4	56.3	469,338	236	78.8	60.3	1,690,154
AMERICAN PIMA								
AZ	-			-	-			-
CA*	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	218			471,252	237			1,692,068

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	13.1	12.8	31.8	27.3	-	-	-	-	-	-	7.3	6.4
	3	9.5	8.9	2.5	2.7	-	-	-	-	-	-	3.1	2.8
	4	0.2	0.1	*	*	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	22.8	21.8	34.3	30.1	-	-	-	-	-	-	10.5	9.3
31	1 - 2	12.1	12.7	25.7	22.5	-	-	-	-	-	-	17.4	16.3
	3	42.1	43.2	27.3	28.7	-	-	-	-	-	-	32.2	31.2
	4	9.0	9.5	2.8	3.8	-	-	-	-	-	-	3.5	3.9
	5	0.4	0.4	0.1	0.1	-	-	-	-	-	-	0.1	0.1
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	63.7	65.7	55.8	55.0	-	-	-	-	-	-	53.2	51.5
41	1 - 2	1.0	0.7	1.0	1.0	-	-	-	-	-	-	2.7	2.6
	3	6.0	4.9	5.7	6.9	-	-	-	-	-	-	15.1	16.2
	4	3.7	2.8	2.5	5.1	-	-	-	-	-	-	7.3	8.4
	5	0.5	0.4	0.3	0.6	-	-	-	-	-	-	1.2	1.3
	6	*	*	*	*	-	-	-	-	-	-	0.1	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	11.3	8.7	9.6	13.7	-	-	-	-	-	-	26.5	28.7
51	1 - 2	-	-	*	*	-	-	-	-	-	-	*	*
	3	-	*	*	*	-	-	-	-	-	-	0.2	0.2
	4	*	*	*	*	-	-	-	-	-	-	0.4	0.4
	5	-	-	*	*	-	-	-	-	-	-	0.1	0.1
	6	-	-	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	0.1	-	-	-	-	-	-	0.9	0.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.2	0.1	-	*	-	-	-	-	-	-	*	*
	3	*	*	-	*	-	-	-	-	-	-	*	*
	4	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.1	-	*	-	-	-	-	-	-	*	0.1
32	1 - 2	0.7	0.6	-	*	-	-	-	-	-	-	0.1	0.2
	3	0.4	1.2	*	*	-	-	-	-	-	-	0.3	0.5
	4	0.2	0.8	*	*	-	-	-	-	-	-	0.1	0.1
	5	*	*	-	-	-	-	-	-	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.3	2.6	*	0.1	-	-	-	-	-	-	0.4	0.9
42	1 - 2	*	*	*	*	-	-	-	-	-	-	0.2	0.2
	3	0.3	0.2	0.1	0.2	-	-	-	-	-	-	2.8	2.9
	4	0.4	0.4	0.1	0.5	-	-	-	-	-	-	2.6	2.6
	5	0.1	0.2	*	0.1	-	-	-	-	-	-	0.5	0.5
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.8	0.9	0.2	0.8	-	-	-	-	-	-	6.0	6.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	-	-	-	-	*	*
	3	*	*	*	*	-	-	-	-	-	-	0.6	0.6
	4	*	*	*	0.2	-	-	-	-	-	-	1.1	1.2
	5	*	*	*	0.1	-	-	-	-	-	-	0.5	0.5
	6	*	*	-	*	-	-	-	-	-	-	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.1	*	*	0.2	-	-	-	-	-	2.3	2.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	*	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	*	-	-	-	-	-	-	-	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	*	*	-	*	-	-	-	-	-	-	0.1	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	*	*	-	*	-	-	-	-	-	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	*	*
31		*	*	-	-	-	-	-	-	-	-	*	*
32		0.4	0.3	-	*	-	-	-	-	-	-	0.5	0.5
33		1.8	1.3	*	*	-	-	-	-	-	-	3.4	3.7
34		10.0	9.1	0.4	0.7	-	-	-	-	-	-	12.5	13.1
35		17.5	18.1	2.3	3.0	-	-	-	-	-	-	21.8	20.4
36		18.5	21.5	15.1	15.4	-	-	-	-	-	-	26.9	27.3
37		34.0	34.3	31.7	37.1	-	-	-	-	-	-	26.9	28.0
38		15.4	12.7	27.4	25.9	-	-	-	-	-	-	6.5	6.0
39		2.2	2.4	18.7	14.5	-	-	-	-	-	-	1.1	0.9
40 & Longer		0.2	0.3	4.3	3.3	-	-	-	-	-	-	0.2	0.1
Average Staple		36.27	36.27	37.57	37.42	-	-	-	-	-	-	35.85	35.83
Average Length		1.13	1.13	1.17	1.17	-	-	-	-	-	-	1.12	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	1.3	0.7	77.9	76.4	15.7	15.4	6.5	7.3	-	-
	3	-	-	0.4	0.2	2.8	2.5	3.9	4.3	8.5	8.8	-	-
	4	-	-	*	*	*	*	*	*	0.3	0.2	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	1.7	0.9	80.6	78.9	19.6	19.8	15.3	16.4	-	-
31	1 - 2	-	-	7.1	5.1	14.8	15.2	18.9	17.8	6.3	7.0	-	-
	3	-	-	18.5	13.4	3.9	5.1	37.6	36.2	42.3	41.6	-	-
	4	-	-	2.6	2.0	0.3	0.3	6.0	5.3	16.0	14.8	-	-
	5	-	-	*	*	-	-	0.2	0.2	0.6	0.6	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	28.3	20.5	18.9	20.5	62.7	59.6	65.2	64.0	-	-
41	1 - 2	-	-	2.8	2.2	*	*	0.8	1.1	0.1	0.1	-	-
	3	-	-	28.8	27.3	0.3	0.3	7.5	9.2	5.1	4.7	-	-
	4	-	-	21.0	22.6	0.1	0.2	5.9	6.3	7.3	6.7	-	-
	5	-	-	1.6	3.1	-	-	0.8	0.8	1.2	1.1	-	-
	6	-	-	0.1	0.1	-	-	0.1	0.1	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	54.3	55.3	0.4	0.5	15.1	17.4	13.8	12.7	-	-
51	1 - 2	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	3	-	-	1.3	1.2	-	-	0.1	0.1	-	-	-	-
	4	-	-	2.6	2.8	-	-	0.2	0.1	*	*	-	-
	5	-	-	0.7	0.9	-	-	0.1	0.1	-	-	-	-
	6	-	-	*	0.1	-	-	*	*	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	4.8	5.0	-	-	0.4	0.3	*	*	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	*	*	*	*	0.2	0.3	-	-
	3	-	-	-	*	-	-	*	*	0.1	0.3	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	*	*	0.3	0.6	-	-
32	1 - 2	-	-	*	*	-	-	*	*	0.4	0.6	-	-
	3	-	-	0.1	0.2	*	*	0.2	0.1	2.9	3.7	-	-
	4	-	-	*	*	-	-	0.1	0.1	0.9	0.9	-	-
	5	-	-	*	*	-	-	*	*	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.3	*	*	0.3	0.3	4.2	5.2	-	-
42	1 - 2	-	-	0.1	0.5	*	*	*	*	-	-	-	-
	3	-	-	3.0	4.8	-	*	0.4	0.7	0.4	0.3	-	-
	4	-	-	2.7	3.1	-	*	0.6	0.9	0.5	0.5	-	-
	5	-	-	0.3	0.4	-	-	0.2	0.3	0.3	0.2	-	-
	6	-	-	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	6.1	8.8	*	*	1.3	1.9	1.2	1.1	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	0.2	-	-	*	*	-	-	-	-
	3	-	-	1.2	3.5	-	*	*	0.1	-	-	-	-
	4	-	-	2.5	3.8	*	*	0.2	0.3	-	-	-	-
	5	-	-	0.7	0.8	-	*	0.2	0.3	-	-	-	-
	6	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	4.4	8.2	*	*	0.6	0.7	-	-	-	-
62	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	-	-	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.1	-	-	-	*	*	*	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	*	*	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	*	*	-	-
	4	-	-	*	*	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	*	*	*	-	-
	6	-	-	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.1	-	-	-	*	*	*	-	-
53	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	0.1	-	-	-	*	-	-	-	-
	4	-	-	0.2	0.3	-	-	-	*	-	-	-	-
	5	-	-	*	0.1	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.3	0.6	-	-	*	*	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	*	0.1	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.2	-	-	-	*	-	-	-	-
24 - 54 25 - 35 81 - 85	1 - 8	-	-	-	*	-	-	-	-	*	*	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	*	*	-	-
31		-	-	-	*	-	-	*	*	-	-	-	-
32		-	-	*	0.4	*	*	*	*	0.1	0.2	-	-
33		-	-	0.9	2.0	*	*	0.2	0.4	1.1	1.7	-	-
34		-	-	4.2	7.7	0.2	0.2	1.4	2.3	4.5	5.8	-	-
35		-	-	8.9	12.6	2.1	2.0	3.7	5.9	15.1	16.2	-	-
36		-	-	16.3	18.5	12.1	15.3	8.7	12.7	33.9	33.3	-	-
37		-	-	27.1	27.4	25.3	24.8	33.3	33.9	30.9	29.2	-	-
38		-	-	18.3	16.7	28.7	28.2	27.1	25.3	9.3	8.8	-	-
39		-	-	19.0	11.8	27.9	26.5	19.8	15.3	4.5	4.2	-	-
40 & Longer		-	-	5.2	2.9	3.6	3.1	5.8	4.1	0.5	0.5	-	-
Average Staple		-	-	37.22	36.72	37.78	37.71	37.63	37.36	36.37	36.28	-	-
Average Length		-	-	1.16	1.15	1.18	1.18	1.18	1.17	1.13	1.13	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	2.3	2.1	60.7	61.0	10.4	37.3	19.7	19.7
	3	-	-	2.0	1.9	4.4	4.0	2.1	5.2	9.9	9.9
	4	-	-	0.1	0.1	*	*	*	0.1	0.2	0.2
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	4.4	4.1	65.2	65.1	12.5	42.6	29.8	29.8
31	1 - 2	-	-	4.6	4.7	23.3	24.1	6.3	6.9	12.6	12.6
	3	-	-	37.4	38.8	10.9	10.2	14.5	8.9	48.2	48.2
	4	-	-	14.5	14.4	0.4	0.3	2.1	1.1	8.5	8.5
	5	-	-	1.9	1.8	*	*	*	*	-	-
	6	-	-	0.1	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	58.4	59.7	34.5	34.5	22.8	17.0	69.2	69.2
41	1 - 2	-	-	0.2	0.2	0.1	0.1	4.9	2.9	-	-
	3	-	-	8.9	9.1	0.1	0.1	17.9	8.7	0.3	0.3
	4	-	-	18.9	18.3	*	*	5.6	3.1	0.2	0.2
	5	-	-	4.5	4.2	-	-	0.3	0.4	0.1	0.1
	6	-	-	0.2	0.2	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	32.6	31.9	0.2	0.2	28.8	15.1	0.6	0.6
51	1 - 2	-	-	-	-	-	-	1.0	0.6	-	-
	3	-	-	*	*	*	*	4.6	2.4	0.1	0.1
	4	-	-	0.2	0.2	-	-	1.7	1.0	-	-
	5	-	-	0.4	0.4	-	-	0.3	0.2	-	-
	6	-	-	0.1	0.1	*	*	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	0.7	0.7	*	*	7.8	4.3	0.1	0.1
61	1 - 2	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	-	-	-	-	0.2	0.1	-	-
	4	-	-	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	0.4	0.2	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	-	-	-	-	0.1	0.1	1.3	4.5	-	-
	3	-	-	-	-	*	*	1.0	0.9	-	-
	4	-	-	-	-	-	-	*	0.1	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	0.1	0.1	2.3	5.5	-	-
32	1 - 2	-	-	*	*	*	*	1.3	1.5	-	-
	3	-	-	0.6	0.6	*	*	1.6	1.8	0.3	0.3
	4	-	-	0.5	0.5	-	-	0.4	0.3	-	-
	5	-	-	*	*	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	1.2	1.1	0.1	0.1	3.4	3.6	0.3	0.3
42	1 - 2	-	-	-	-	*	*	1.4	0.9	-	-
	3	-	-	0.1	0.1	*	*	4.9	2.9	-	-
	4	-	-	1.2	1.1	*	*	3.3	1.4	0.1	0.1
	5	-	-	0.7	0.6	*	*	0.7	0.3	-	-
	6	-	-	0.2	0.2	-	-	0.1	*	-	-
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	2.2	2.0	*	*	10.4	5.5	0.1	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	*	0.4	0.3	-	-
	3	-	-	*	*	*	*	3.4	1.7	-	-
	4	-	-	0.1	0.1	-	-	2.6	1.0	-	-
	5	-	-	0.2	0.1	-	-	0.5	0.3	-	-
	6	-	-	*	*	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	0.3	0.3	*	*	7.0	3.3	-	-
62	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.6	0.2	-	-
	4	-	-	-	-	-	-	0.4	0.1	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	-	-	1.1	0.3	-	-
13 & 23	1 - 2	-	-	-	-	-	-	0.1	0.3	-	-
	3	-	-	-	-	-	-	0.1	0.2	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.2	0.5	-	-
33	1 - 2	-	-	*	*	-	-	0.3	0.1	-	-
	3	-	-	-	-	-	-	0.3	0.3	-	-
	4	-	-	*	*	-	-	*	0.2	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	0.6	0.6	-	-
43	1 - 2	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	*	*	-	-	0.4	0.3	-	-
	4	-	-	0.1	0.1	-	-	0.4	0.3	-	-
	5	-	-	0.1	0.1	-	-	0.1	0.2	-	-
	6	-	-	-	-	-	-	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	0.2	0.2	-	-	1.1	0.9	-	-
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.6	0.2	-	-
	4	-	-	-	-	-	-	0.7	0.2	-	-
	5	-	-	-	-	-	-	0.3	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	-	-	1.6	0.5	-	-
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	-	-	0.1	*	-	-
24 - 54	1 - 8	-	-	-	-	-	-	*	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	*	*	-	-
29		-	-	-	-	-	-	0.2	*	-	-
30		-	-	-	-	-	-	0.5	0.2	-	-
31		-	-	-	-	-	-	1.4	1.0	-	-
32		-	-	*	*	-	-	3.2	3.1	-	-
33		-	-	0.6	0.6	*	*	6.7	8.2	-	-
34		-	-	4.0	3.7	1.2	1.6	16.6	18.0	-	-
35		-	-	13.8	13.9	6.8	7.6	22.5	24.9	1.2	1.2
36		-	-	21.2	22.3	12.6	12.8	22.3	23.3	22.5	22.5
37		-	-	39.0	39.2	40.1	39.5	22.0	16.4	45.5	45.5
38		-	-	15.9	15.1	23.2	23.5	4.2	3.8	28.8	28.8
39		-	-	5.2	4.8	13.5	12.6	0.4	0.8	2.0	2.0
40 & Longer		-	-	0.3	0.3	2.6	2.3	*	0.1	-	-
Average Staple		-	-	36.64	36.62	37.28	37.23	35.32	35.22	37.08	37.08
Average Length		-	-	1.14	1.14	1.16	1.16	1.10	1.10	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.1	*	*	-	-	-	-	-	-	0.1	0.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.2	-	-	-	-	-	-	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.2	0.1	-	*	-	-	-	-	-	-	0.6	0.7
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	*	*	-	-	-	-	-	-	-	-	*	*
24	*	*	-	*	-	-	-	-	-	-	0.2	0.3
25	0.2	0.2	-	*	-	-	-	-	-	-	1.1	1.3
26	1.0	0.9	*	0.1	-	-	-	-	-	-	4.0	5.0
27	5.0	5.0	0.1	0.4	-	-	-	-	-	-	11.5	13.7
28	12.9	12.4	1.1	1.8	-	-	-	-	-	-	25.0	26.1
29	22.6	25.1	8.1	10.0	-	-	-	-	-	-	29.6	28.2
30	26.6	26.2	26.8	28.7	-	-	-	-	-	-	17.1	15.5
31	19.8	19.9	38.7	34.9	-	-	-	-	-	-	7.6	6.6
32	9.4	8.6	17.7	16.1	-	-	-	-	-	-	2.6	2.2
33	2.0	1.5	5.8	5.8	-	-	-	-	-	-	0.8	0.7
34	0.2	0.2	1.1	1.3	-	-	-	-	-	-	0.3	0.2
35	0.1	*	0.4	0.6	-	-	-	-	-	-	0.1	0.1
36	*	*	0.1	0.1	-	-	-	-	-	-	*	*
37	*	*	*	*	-	-	-	-	-	-	*	*
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.22	30.18	31.33	31.23	-	-	-	-	-	-	29.25	29.10
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-	-	-	-	-
2.9	-	-	*	*	-	-	-	-	-	-	*	*
3.0	-	-	*	*	-	-	-	-	-	-	*	*
3.1	*	*	*	*	-	-	-	-	-	-	-	-
3.2	*	*	0.1	0.1	-	-	-	-	-	-	*	*
3.3	*	*	0.1	0.1	-	-	-	-	-	-	*	*
3.4	*	*	0.2	0.1	-	-	-	-	-	-	*	*
3.5	0.2	0.1	0.2	0.2	-	-	-	-	-	-	0.1	0.1
3.6	0.4	0.3	0.2	0.2	-	-	-	-	-	-	0.2	0.1
3.7	0.6	0.6	0.7	0.5	-	-	-	-	-	-	0.5	0.4
3.8	1.7	1.8	1.6	1.1	-	-	-	-	-	-	1.2	1.2
3.9	2.5	2.9	1.8	1.3	-	-	-	-	-	-	2.1	2.2
4.0	3.5	3.2	2.1	1.6	-	-	-	-	-	-	4.0	4.1
4.1	7.0	5.7	2.5	1.9	-	-	-	-	-	-	5.5	5.9
4.2	11.0	9.0	3.8	3.0	-	-	-	-	-	-	9.6	10.2
4.3	13.1	10.7	6.4	5.6	-	-	-	-	-	-	13.4	14.5
4.4	9.3	9.2	8.3	7.4	-	-	-	-	-	-	14.8	14.6
4.5	9.5	9.5	7.1	7.7	-	-	-	-	-	-	17.2	16.1
4.6	9.6	10.3	10.9	10.8	-	-	-	-	-	-	12.0	12.1
4.7	8.8	10.3	12.0	11.7	-	-	-	-	-	-	7.9	7.7
4.8	9.3	11.5	11.5	11.5	-	-	-	-	-	-	4.5	4.5
4.9	6.8	8.4	10.1	10.7	-	-	-	-	-	-	3.6	3.3
5.0	3.3	3.2	6.7	8.1	-	-	-	-	-	-	1.8	1.6
5.1	2.1	1.8	5.3	6.4	-	-	-	-	-	-	0.9	0.8
5.2	0.5	0.9	4.2	4.7	-	-	-	-	-	-	0.3	0.3
5.3	0.1	0.2	2.5	2.7	-	-	-	-	-	-	0.2	0.2
5.4	0.2	0.1	0.9	1.5	-	-	-	-	-	-	0.1	0.1
5.5 & Above	0.4	0.3	0.8	1.1	-	-	-	-	-	-	*	*
Average	4.47	4.50	4.65	4.70	-	-	-	-	-	-	4.44	4.43

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	0.1	0.1	*	*	0.1	0.1	0.2	0.2	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.3	0.5	-	-	0.5	0.4	0.6	0.6	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	*	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.6	1.2	-	-	0.1	0.1	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	*	*	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	*	*	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	*	-	-	-	*	-	-	-	-
25	-	-	*	0.2	*	*	*	0.1	0.2	0.2	-	-
26	-	-	0.5	1.5	*	*	*	0.4	1.2	1.7	-	-
27	-	-	1.4	3.0	0.1	0.4	0.3	1.8	5.8	6.7	-	-
28	-	-	5.0	7.9	0.9	3.4	2.1	6.1	13.8	13.7	-	-
29	-	-	15.0	17.8	10.5	12.8	11.1	16.3	25.7	25.0	-	-
30	-	-	28.3	27.4	46.3	44.6	31.9	30.3	24.1	24.6	-	-
31	-	-	29.3	23.7	31.8	30.1	36.7	30.1	13.9	13.9	-	-
32	-	-	14.1	13.0	9.0	7.6	14.1	11.5	11.0	10.1	-	-
33	-	-	5.4	4.7	1.3	1.1	3.0	2.6	3.2	2.9	-	-
34	-	-	0.8	0.7	0.1	0.1	0.7	0.6	1.0	0.9	-	-
35	-	-	*	*	*	*	0.1	0.1	0.1	0.1	-	-
36	-	-	*	*	-	-	*	*	-	-	-	-
37	-	-	*	*	-	-	*	*	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.91	30.61	30.87	30.74	31.06	30.73	30.19	30.13	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	*	*	-	-	-	-
3.1	-	-	-	-	-	-	*	*	-	-	-	-
3.2	-	-	-	-	-	*	*	*	-	-	-	-
3.3	-	-	*	*	-	0.1	*	*	*	*	-	-
3.4	-	-	*	*	*	0.1	*	*	0.1	0.1	-	-
3.5	-	-	*	*	0.1	0.3	*	*	*	*	-	-
3.6	-	-	*	*	0.3	0.7	0.1	0.1	0.4	0.3	-	-
3.7	-	-	*	*	0.9	1.5	0.2	0.2	0.6	0.6	-	-
3.8	-	-	0.1	*	2.7	3.0	0.5	0.4	1.5	1.4	-	-
3.9	-	-	0.1	0.1	5.2	5.7	0.8	0.8	2.3	2.1	-	-
4.0	-	-	0.7	0.5	5.4	5.4	1.2	1.1	3.7	3.5	-	-
4.1	-	-	0.7	0.6	7.1	7.1	1.7	1.5	4.5	4.3	-	-
4.2	-	-	1.3	1.5	10.5	10.0	2.3	2.3	5.8	5.8	-	-
4.3	-	-	1.8	2.0	13.3	14.0	3.6	3.5	7.4	7.5	-	-
4.4	-	-	3.1	3.6	14.7	14.0	6.5	5.8	11.5	11.2	-	-
4.5	-	-	5.5	6.2	11.5	11.8	9.1	8.8	13.8	13.4	-	-
4.6	-	-	8.0	8.6	10.7	10.3	11.3	12.1	11.4	11.8	-	-
4.7	-	-	11.3	11.2	7.9	7.0	12.0	12.9	9.2	9.6	-	-
4.8	-	-	18.0	15.5	4.0	3.4	12.3	12.1	8.1	8.2	-	-
4.9	-	-	18.1	16.2	3.0	2.9	10.9	10.7	7.1	7.4	-	-
5.0	-	-	13.9	15.9	1.9	1.6	9.4	9.6	5.1	5.1	-	-
5.1	-	-	10.8	9.4	0.3	0.5	7.2	7.4	2.9	2.7	-	-
5.2	-	-	3.6	4.0	0.1	0.2	5.3	5.2	1.7	1.6	-	-
5.3	-	-	1.4	2.4	0.2	0.2	3.3	3.1	1.1	1.3	-	-
5.4	-	-	1.1	1.1	0.2	0.1	1.5	1.7	1.4	1.5	-	-
5.5 & Above	-	-	0.4	1.1	*	*	0.8	0.7	0.5	0.5	-	-
Average	-	-	4.82	4.83	4.38	4.36	4.75	4.75	4.55	4.56	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	-	0.2	0.2	*	*	0.9	0.4	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.6	0.5	0.1	0.1	3.6	1.2	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.1	0.1	-	-	0.6	0.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	-	-	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	0.8	0.8	-	-
23	-	-	-	-	-	-	1.1	0.9	-	-
24	-	-	-	-	-	-	2.2	1.7	-	-
25	-	-	0.1	0.1	-	-	3.6	2.7	-	-
26	-	-	1.2	1.1	*	*	5.5	4.7	0.1	0.1
27	-	-	6.5	6.2	0.4	0.5	8.3	8.4	0.1	0.1
28	-	-	21.9	21.3	2.1	2.2	13.9	14.1	15.1	15.1
29	-	-	31.5	30.5	13.8	14.3	18.9	18.9	43.2	43.2
30	-	-	22.5	23.1	39.5	39.6	19.5	18.9	23.7	23.7
31	-	-	10.3	11.2	30.3	29.3	13.4	13.5	9.8	9.8
32	-	-	4.0	4.4	11.4	11.3	6.4	7.9	6.8	6.8
33	-	-	1.4	1.5	2.2	2.3	4.1	4.4	1.2	1.2
34	-	-	0.5	0.5	0.3	0.4	1.8	2.2	-	-
35	-	-	0.2	0.2	*	*	0.4	0.7	-	-
36	-	-	-	-	*	*	0.1	0.2	-	-
37	-	-	-	-	-	-	*	*	-	-
38	-	-	-	-	-	-	-	*	-	-
39	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	-	-	29.68	29.74	30.86	30.84	29.54	29.74	29.99	29.99
Mike										
2.4 & Below	-	-	-	-	-	-	-	*	-	-
2.5	-	-	-	-	-	-	-	*	-	-
2.6	-	-	-	-	-	-	-	*	-	-
2.7	-	-	-	-	-	-	-	*	-	-
2.8	-	-	-	-	-	-	-	*	-	-
2.9	-	-	-	-	-	-	-	*	-	-
3.0	-	-	-	-	-	-	*	*	-	-
3.1	-	-	-	-	-	-	*	*	-	-
3.2	-	-	-	-	*	*	*	*	-	-
3.3	-	-	-	-	*	*	0.1	0.1	-	-
3.4	-	-	*	*	*	*	0.1	0.1	-	-
3.5	-	-	*	*	0.1	0.1	0.1	0.3	-	-
3.6	-	-	0.1	0.1	0.2	0.2	0.3	0.5	2.7	2.7
3.7	-	-	0.5	0.4	0.3	0.2	0.5	1.1	7.2	7.2
3.8	-	-	0.3	0.3	0.6	0.5	1.0	2.3	4.4	4.4
3.9	-	-	1.1	1.0	0.9	0.8	1.7	3.9	3.5	3.5
4.0	-	-	2.2	2.1	1.4	1.3	2.5	6.3	7.4	7.4
4.1	-	-	3.2	3.1	2.5	2.3	3.6	9.3	13.8	13.8
4.2	-	-	6.4	6.2	3.7	3.4	5.2	12.5	28.9	28.9
4.3	-	-	11.1	10.9	6.5	6.0	6.7	13.5	11.8	11.8
4.4	-	-	16.0	16.2	8.5	8.3	10.4	12.2	5.8	5.8
4.5	-	-	17.4	17.1	9.3	8.9	12.7	10.7	3.5	3.5
4.6	-	-	14.0	14.5	9.8	9.9	15.3	9.6	3.8	3.8
4.7	-	-	9.3	9.7	11.4	11.7	15.4	7.5	4.0	4.0
4.8	-	-	6.5	7.1	12.0	12.3	10.9	4.8	1.6	1.6
4.9	-	-	4.7	4.7	9.9	10.1	7.8	2.8	1.4	1.4
5.0	-	-	3.8	3.6	7.8	8.5	3.2	1.3	0.1	0.1
5.1	-	-	1.0	0.9	6.8	6.7	1.5	0.6	-	-
5.2	-	-	1.7	1.6	5.0	5.0	0.4	0.3	-	-
5.3	-	-	0.4	0.3	2.3	2.4	0.2	0.1	-	-
5.4	-	-	0.1	0.1	1.1	1.2	0.2	*	-	-
5.5 & Above	-	-	-	-	0.1	0.2	0.3	*	-	-
Average	-	-	4.52	4.52	4.69	4.70	4.55	4.36	4.18	4.18

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	-	-	*	*	-	-	-	-	-	-	*	*
3.0 - 3.2	*	*	0.2	0.1	-	-	-	-	-	-	*	*
3.3 - 3.4	*	*	0.2	0.2	-	-	-	-	-	-	*	*
3.5 - 3.6	0.6	0.5	0.4	0.4	-	-	-	-	-	-	0.2	0.2
3.7 - 4.2	26.2	23.1	12.5	9.4	-	-	-	-	-	-	22.9	24.1
4.3 - 4.9	66.5	69.9	66.3	65.5	-	-	-	-	-	-	73.4	72.7
5.0 - 5.2	5.9	5.9	16.2	19.2	-	-	-	-	-	-	3.1	2.7
5.3 & Above	0.7	0.6	4.2	5.3	-	-	-	-	-	-	0.3	0.2
Average	4.47	4.50	4.65	4.70	-	-	-	-	-	-	4.44	4.43
Leaf												
1 - 2	27.2	27.0	58.5	50.9	-	-	-	-	-	-	27.7	25.8
3	58.3	58.4	35.7	38.6	-	-	-	-	-	-	54.5	54.7
4	13.5	13.6	5.4	9.6	-	-	-	-	-	-	15.2	16.8
5	1.0	0.9	0.4	0.9	-	-	-	-	-	-	2.4	2.5
6	0.1	*	*	*	-	-	-	-	-	-	0.2	0.2
7	-	-	-	-	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	2.88	2.88	2.34	2.51	-	-	-	-	-	-	2.92	2.96
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	*	*
01	5.3	4.6	25.5	20.2	-	-	-	-	-	-	5.9	5.3
02	32.9	32.2	38.2	36.2	-	-	-	-	-	-	32.2	31.0
03	34.3	34.4	21.7	22.8	-	-	-	-	-	-	32.0	31.9
04	17.8	18.4	9.6	11.6	-	-	-	-	-	-	16.7	17.4
05	6.7	7.1	3.3	5.5	-	-	-	-	-	-	7.5	8.2
06	2.1	2.3	1.1	2.3	-	-	-	-	-	-	3.4	3.7
07	0.7	0.7	0.4	0.9	-	-	-	-	-	-	1.4	1.5
08	0.2	0.2	0.2	0.4	-	-	-	-	-	-	0.5	0.6
09	*	*	0.1	0.1	-	-	-	-	-	-	0.2	0.2
10	*	*	*	*	-	-	-	-	-	-	0.1	0.1
11	*	*	*	*	-	-	-	-	-	-	*	*
12	-	-	*	*	-	-	-	-	-	-	*	*
13	-	*	*	*	-	-	-	-	-	-	*	*
14	-	-	*	*	-	-	-	-	-	-	*	*
15	-	-	-	-	-	-	-	-	-	-	*	*
16	*	*	*	*	-	-	-	-	-	-	-	-
17	-	-	*	*	-	-	-	-	-	-	-	-
18 & Above	-	-	-	*	-	-	-	-	-	-	-	-
Average	0.30	0.30	0.23	0.26	-	-	-	-	-	-	0.31	0.31
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	*	*
76	0.1	*	-	-	-	-	-	-	-	-	0.4	0.4
77	0.3	0.3	*	*	-	-	-	-	-	-	2.4	2.4
78	2.4	2.1	0.1	0.3	-	-	-	-	-	-	10.3	10.8
79	16.1	15.2	1.2	1.6	-	-	-	-	-	-	32.1	32.4
80	33.3	36.0	10.5	11.4	-	-	-	-	-	-	30.9	31.3
81	33.5	33.7	26.5	25.9	-	-	-	-	-	-	17.4	16.9
82	12.8	11.3	32.3	31.7	-	-	-	-	-	-	5.6	5.0
83	1.4	1.3	24.7	23.5	-	-	-	-	-	-	0.7	0.6
84	*	0.1	4.2	5.0	-	-	-	-	-	-	0.1	0.1
85 & Above	-	-	0.4	0.5	-	-	-	-	-	-	*	*
Average	80.86	80.85	82.27	82.25	-	-	-	-	-	-	80.15	80.12
Tenderable 3/	91.8	91.3	79.0	74.9	-	-	-	-	-	-	87.0	87.1
SAMPLES CLASSED	23,790	36,815	65,075	114,997	-	-	-	-	-	-	57,291	73,353

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	*	*	*	-	-	-	-
3.3 - 3.4	-	-	*	*	*	0.1	*	*	0.1	0.1	-	-
3.5 - 3.6	-	-	*	*	0.4	1.0	0.1	0.1	0.4	0.4	-	-
3.7 - 4.2	-	-	2.9	2.7	31.8	32.6	6.7	6.3	18.4	17.7	-	-
4.3 - 4.9	-	-	65.8	63.3	65.0	63.5	65.7	66.0	68.6	69.1	-	-
5.0 - 5.2	-	-	28.4	29.4	2.3	2.3	22.0	22.2	9.6	9.5	-	-
5.3 & Above	-	-	2.9	4.6	0.4	0.4	5.6	5.5	2.9	3.2	-	-
Average	-	-	4.82	4.83	4.38	4.36	4.75	4.75	4.55	4.56	-	-
Leaf												
1 - 2	-	-	11.3	8.7	92.7	91.6	35.4	34.5	13.5	15.4	-	-
3	-	-	53.3	50.7	6.9	7.9	49.7	50.7	59.4	59.5	-	-
4	-	-	31.8	34.9	0.4	0.5	13.1	13.0	24.9	23.1	-	-
5	-	-	3.4	5.3	-	*	1.6	1.6	2.2	2.0	-	-
6	-	-	0.1	0.3	-	-	0.3	0.2	0.1	0.1	-	-
7	-	-	*	*	-	-	*	*	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.28	3.38	1.74	1.76	2.78	2.79	3.16	3.12	-	-
HVI Trash 1/												
00	-	-	-	-	0.1	0.1	-	-	-	-	-	-
01	-	-	1.2	0.8	58.9	58.0	9.0	8.5	1.5	1.7	-	-
02	-	-	15.4	12.4	34.9	34.8	33.0	33.0	16.6	18.6	-	-
03	-	-	29.8	28.0	4.6	5.3	28.8	29.3	28.5	29.3	-	-
04	-	-	27.1	27.3	1.1	1.4	16.6	16.6	24.2	23.2	-	-
05	-	-	15.9	17.2	0.3	0.4	7.5	7.5	16.4	15.2	-	-
06	-	-	6.7	8.5	0.1	0.1	2.9	2.9	7.8	7.2	-	-
07	-	-	2.5	3.5	-	*	1.2	1.2	3.1	2.9	-	-
08	-	-	0.9	1.4	-	-	0.5	0.5	1.2	1.1	-	-
09	-	-	0.2	0.5	-	-	0.2	0.2	0.5	0.5	-	-
10	-	-	0.1	0.2	-	-	0.1	0.1	0.2	0.2	-	-
11	-	-	*	0.1	-	-	*	*	0.1	0.1	-	-
12	-	-	*	*	-	-	*	*	*	*	-	-
13	-	-	*	*	-	-	*	*	-	-	-	-
14	-	-	*	*	-	-	*	*	*	*	-	-
15	-	-	*	*	-	-	*	*	*	*	-	-
16	-	-	*	*	-	-	*	*	-	-	-	-
17	-	-	*	*	-	-	*	*	-	-	-	-
18 & Above	-	-	*	*	-	-	*	*	-	-	-	-
Average	-	-	0.38	0.40	0.15	0.15	0.30	0.30	0.38	0.38	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	*	-	-	-	-	-	-	-	-
76	-	-	*	*	-	*	*	*	*	*	-	-
77	-	-	0.1	0.2	*	*	*	*	0.1	0.3	-	-
78	-	-	1.0	2.3	0.1	0.4	0.3	0.5	1.6	2.2	-	-
79	-	-	4.9	7.1	3.5	4.9	1.4	2.9	6.6	8.3	-	-
80	-	-	25.3	23.8	12.0	12.4	8.4	13.0	18.8	19.7	-	-
81	-	-	34.4	35.8	27.4	29.0	28.3	30.9	26.8	25.8	-	-
82	-	-	26.3	24.3	41.7	40.0	39.1	35.4	29.7	28.5	-	-
83	-	-	7.6	6.1	13.4	11.8	20.2	15.5	13.3	12.3	-	-
84	-	-	0.3	0.2	1.8	1.5	2.2	1.6	2.9	2.7	-	-
85 & Above	-	-	*	*	*	*	0.1	0.1	0.2	0.2	-	-
Average	-	-	81.49	81.36	82.00	81.90	82.19	81.96	81.73	81.63	-	-
Tenderable 3/	-	-	61.3	55.3	97.2	97.1	71.0	70.7	85.0	84.9	-	-
SAMPLES CLASSED	-	-	45,031	105,527	21,405	26,416	107,122	188,952	21,403	23,312	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	OKLAHOMA WeekSeason	SOUTH CAROLINA WeekSeason	TENNESSEE WeekSeason	TEXAS WeekSeason	VIRGINIA WeekSeason
MIKE					
2.4 & Below	- -	- -	- -	- *	- -
2.5 - 2.6	- -	- -	- -	- *	- -
2.7 - 2.9	- -	- -	- -	- *	- -
3.0 - 3.2	- -	- -	* *	* 0.1	- -
3.3 - 3.4	- -	* *	* *	0.1 0.2	- -
3.5 - 3.6	- -	0.1 0.1	0.3 0.3	0.4 0.8	2.7 2.7
3.7 - 4.2	- -	13.7 13.2	9.3 8.6	14.4 35.3	65.2 65.2
4.3 - 4.9	- -	79.2 80.2	67.3 67.1	79.3 61.2	32.0 32.0
5.0 - 5.2	- -	6.5 6.1	19.6 20.2	5.1 2.2	0.1 0.1
5.3 & Above	- -	0.4 0.4	3.5 3.8	0.7 0.2	- -
Average	- -	4.52 4.52	4.69 4.70	4.55 4.36	4.18 4.18
Leaf					
1 - 2	- -	7.1 7.1	84.2 85.3	27.6 55.4	32.3 32.3
3	- -	49.1 50.5	15.4 14.3	52.2 33.8	58.7 58.7
4	- -	35.5 34.7	0.4 0.3	17.3 9.0	8.9 8.9
5	- -	7.7 7.2	* *	2.4 1.5	0.1 0.1
6	- -	0.5 0.4	* *	0.4 0.2	- -
7	- -	* *	- -	0.1 *	- -
8	- -	- -	- -	* *	- -
Average	- -	3.45 3.43	1.88 1.86	2.90 2.41	2.76 2.76
HVI Trash 1/					
00	- -	- -	* *	0.1 0.1	- -
01	- -	0.5 0.4	45.7 47.0	8.8 22.6	5.4 5.4
02	- -	9.3 9.2	39.1 38.9	20.6 30.8	33.5 33.5
03	- -	22.7 23.2	11.5 10.8	28.5 21.2	32.9 32.9
04	- -	24.8 25.5	2.9 2.7	21.5 12.6	19.2 19.2
05	- -	18.4 18.4	0.6 0.5	11.4 6.6	6.8 6.8
06	- -	12.2 11.8	0.1 0.1	5.0 3.2	1.8 1.8
07	- -	6.7 6.3	* *	2.1 1.5	0.3 0.3
08	- -	3.1 2.9	* *	1.0 0.7	0.1 0.1
09	- -	1.5 1.4	* *	0.5 0.3	- -
10	- -	0.6 0.5	- -	0.2 0.2	- -
11	- -	0.2 0.2	- -	0.2 0.1	- -
12	- -	0.1 0.1	- -	0.1 *	- -
13	- -	* *	- -	0.1 *	- -
14	- -	- -	- -	* *	- -
15	- -	- -	- -	* *	- -
16	- -	- -	- -	* *	- -
17	- -	- -	- -	* *	- -
18 & Above	- -	- -	- -	* *	- -
Average	- -	0.45 0.44	0.17 0.17	0.34 0.27	0.30 0.30
UNIFORMITY 2/					
74 & Below	- -	- -	- -	0.1 *	- -
75	- -	- -	- -	0.3 0.1	- -
76	- -	0.1 0.1	* *	1.1 0.6	- -
77	- -	0.2 0.2	* *	3.1 1.8	- -
78	- -	1.3 1.2	0.2 0.2	6.7 4.2	- -
79	- -	9.7 9.4	2.7 3.5	15.4 11.3	0.1 0.1
80	- -	25.0 24.5	15.9 16.2	32.1 29.4	3.6 3.6
81	- -	34.7 34.4	29.5 30.1	29.9 35.5	26.8 26.8
82	- -	22.7 23.2	33.2 32.7	9.9 14.8	34.7 34.7
83	- -	5.3 6.0	17.8 16.7	1.4 2.1	33.6 33.6
84	- -	1.0 1.0	0.6 0.6	0.1 0.1	1.1 1.1
85 & Above	- -	* *	- -	- *	- -
Average	- -	81.33 81.36	81.94 81.89	80.55 80.89	82.46 82.46
Tenderable 3/	- -	89.0 89.8	76.8 75.9	66.8 81.2	99.8 99.8
SAMPLES CLASSED	- -	11,785 12,779	32,196 36,923	75,670 1,047,735	1,975 1,975

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	-	-	-	-	-	-
Average Length		-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 13, 2022

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Samples Classed	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.