



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	24	57.0	48.5	31,581	29	63.6	52.6	683,777
AR	9	65.4	40.5	27,582	28	71.3	52.1	1,169,535
AZ	14	77.6	57.9	18,268	14	74.0	50.9	202,031
CA	6	93.0	74.9	8,353	16	90.9	76.0	136,337
FL	3	58.7	51.2	3,470	4	61.6	51.1	64,470
GA	55	60.4	49.5	99,256	59	77.5	63.9	1,553,770
KS	3	43.4	38.0	3,523	3	52.0	42.4	47,961
LA	9	45.8	20.3	7,896	19	56.7	31.6	404,812
MO	8	73.0	54.6	5,217	21	68.7	48.5	740,061
MS	30	68.3	40.6	33,069	38	76.0	48.6	1,290,351
NC	18	69.5	43.3	9,482	33	76.1	58.0	676,352
NM	2	88.9	70.1	3,451	2	89.9	76.3	24,466
OK	12	78.6	67.0	27,006	12	83.0	70.5	279,083
SC	14	73.5	47.8	21,163	16	80.0	65.1	305,791
TN	5	67.5	50.1	3,067	22	46.6	28.6	758,527
TX	143	65.9	50.2	390,854	189	67.0	49.8	5,174,639
VA	2	84.7	51.4	589	4	81.5	56.0	167,795
United States	357	66.0	49.9	693,827	509	69.4	51.4	13,679,758
AMERICAN PIMA								
AZ*	-			-	4			16,026
CA	15			33,594	17			457,339
NM*	-			-	-			-
TX*	-			-	-			-
United States	19			36,322	23			499,678
United States all cotton	373			730,149	522			14,179,436

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	0.3	*	0.2	9.4	11.8	39.6	56.6	0.1	*	0.1	1.1
	3	0.1	0.4	*	0.2	3.5	4.4	16.8	12.2	0.1	*	0.1	2.0
	4	*	*	-	*	0.2	0.3	0.3	0.1	-	-	*	0.2
	5	-	*	-	-	0.1	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.10.7	*0.4		13.216.6		56.768.9		0.1*		0.23.3	
31	1 - 2	0.3	1.5	*	0.5	15.2	11.7	9.9	10.2	1.0	0.3	0.7	3.4
	3	3.1	12.8	0.3	4.3	22.3	14.1	19.1	13.6	6.2	5.8	5.4	22.5
	4	2.5	6.6	0.9	3.0	5.0	2.7	3.0	2.0	1.1	3.2	2.9	11.1
	5	0.2	0.5	0.1	0.4	1.3	0.3	*	0.2	-	0.1	0.2	0.7
	6	-	*	-	*	0.2	*	-	*	-	-	*	*
	7	-	-	-	-	*	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	6.021.4	1.48.2		43.928.8		32.026.1		8.39.4		9.137.7	
41	1 - 2	1.5	1.0	0.1	0.6	5.0	6.4	*	0.1	1.6	0.5	2.3	1.3
	3	16.6	15.6	9.1	15.4	15.3	20.5	0.5	0.4	23.2	17.2	21.9	16.6
	4	30.6	23.7	37.9	30.7	10.1	9.9	0.4	0.1	24.6	33.7	22.6	20.2
	5	11.6	8.0	13.8	11.2	3.0	1.8	-	*	4.5	6.3	4.5	4.1
	6	1.3	1.0	0.8	1.0	0.4	0.2	-	*	0.1	0.2	0.3	0.2
	7	0.1	*	*	*	0.1	*	-	*	-	-	*	*
	8	-	-	-	*	-	-	-	-	-	-	*	*
Total		----	61.849.3	61.858.8		33.838.9		0.90.6		54.157.8		51.742.4	
51	1 - 2	0.1	*	*	0.1	*	0.2	-	-	0.7	0.1	0.2	*
	3	0.9	0.6	1.4	1.7	0.3	1.9	-	*	2.1	1.6	3.7	0.9
	4	3.8	1.6	7.6	6.3	0.6	2.0	-	-	6.8	6.0	6.7	1.9
	5	3.6	1.6	10.3	5.4	0.5	0.7	*	*	2.6	3.4	2.9	0.9
	6	0.9	0.6	2.0	0.8	0.1	0.1	*	*	0.4	0.3	0.5	0.1
	7	0.2	0.1	*	*	*	*	*	*	0.1	*	*	*
	8	*	*	-	*	-	*	-	-	-	*	*	*
Total		----	9.54.5	21.414.3		1.64.9		0.1*		12.611.4		14.03.9	
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	*	*	*
	4	-	*	*	*	-	-	-	-	-	*	*	*
	5	*	*	*	*	-	-	-	-	0.1	*	*	*
	6	-	*	-	*	-	-	-	-	-	-	*	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	*	-	-
Total		----	**	**		-*		-	-	0.10.1		**	
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total		----	-*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	*	1.6	1.2	0.7	-	*	*	0.1
	3	*	*	-	*	0.3	0.8	2.8	0.7	-	-	*	0.1
	4	*	*	-	*	0.2	0.3	0.1	*	-	-	*	*
	5	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	**	-*		0.52.8		4.01.4		-*		*0.1	
32	1 - 2	*	0.1	-	*	*	0.2	0.7	0.5	0.1	*	0.2	0.3
	3	0.8	1.6	0.1	0.3	0.4	0.9	4.0	2.0	2.0	0.3	1.0	2.0
	4	1.0	1.3	*	0.2	0.3	0.4	0.6	0.3	1.9	0.3	0.8	1.0
	5	0.1	0.2	*	*	0.1	0.2	*	*	*	*	0.1	0.1
	6	-	*	*	*	*	*	-	-	-	*	*	*
	7	-	*	-	-	0.1	*	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
Total		----	2.03.2	0.20.6		1.01.7		5.42.8		4.00.6		2.13.4	
42	1 - 2	*	0.2	*	0.1	0.1	0.1	*	*	*	0.1	0.3	0.1
	3	1.8	4.3	0.9	3.8	0.7	1.5	0.2	0.1	4.5	2.7	4.0	2.0
	4	5.5	8.0	4.4	7.3	2.7	1.9	0.3	0.1	4.6	4.7	6.6	3.2
	5	3.6	2.9	3.0	2.2	1.2	0.5	*	*	0.9	1.2	2.2	0.9
	6	0.9	0.4	0.4	0.2	*	0.1	-	*	*	0.1	0.2	*
	7	0.1	*	*	*	*	*	-	-	-	-	*	*
	8	-	*	-	-	*	*	-	-	-	-	-	-
Total		----	11.915.9	8.713.6		4.84.3		0.60.2		10.18.7		13.46.2	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 03 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	*	*	-	*	*	*	*	*
	3	0.5	0.3	0.1	0.3	0.1	0.2	-	-	0.7	1.2	0.5	0.1
	4	1.5	0.9	1.8	1.3	0.2	0.6	-	-	3.9	5.1	1.7	0.4
	5	1.7	0.7	2.2	1.1	0.2	0.3	*	*	2.4	2.9	1.2	0.3
	6	0.6	0.2	0.4	0.2	*	0.1	*	*	0.4	0.4	0.2	0.1
	7	0.1	*	*	*	-	*	-	-	0.1	*	*	*
	8	-	*	*	*	-	*	-	-	-	*	*	*
Total	----	4.4	2.2	4.6	2.9	0.5	1.2	*	*	7.4	9.7	3.7	0.9
62	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-
	3	*	*	-	*	-	*	-	-	-	*	-	*
	4	*	*	-	*	-	*	-	-	0.2	0.1	*	*
	5	0.1	*	-	*	*	*	-	-	0.3	0.1	*	*
	6	*	*	-	*	-	-	-	-	-	*	*	*
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	*	*	*	*	-	*	-	-	-	-	*	*
Total	----	0.2	*	*	*	*	*	-	-	0.6	0.2	*	*
13 & 23	1 - 2	-	*	-	*	-	0.1	-	*	-	-	*	*
	3	-	*	-	*	-	0.1	-	*	-	-	*	*
	4	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	*	0.2	-	*	-	-	*	*
33	1 - 2	*	*	-	-	-	*	-	*	-	*	0.1	0.1
	3	*	0.1	*	*	0.1	*	0.2	*	0.5	*	0.2	0.3
	4	0.1	0.1	-	*	0.2	0.1	0.1	*	0.3	*	0.2	0.1
	5	0.1	*	-	*	0.1	0.1	-	*	-	-	*	*
	6	*	*	-	-	0.1	*	-	-	-	-	*	*
	7	-	*	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
Total	----	0.3	0.2	*	*	0.5	0.2	0.3	*	0.7	0.1	0.4	0.5
43	1 - 2	*	*	-	*	-	-	-	-	-	*	0.1	*
	3	0.2	0.3	0.1	0.2	*	*	-	*	0.3	0.3	1.1	0.3
	4	1.1	0.8	0.6	0.5	0.1	0.1	*	*	0.4	0.5	2.0	0.5
	5	0.7	0.4	0.3	0.2	*	0.1	*	*	0.1	0.1	0.8	0.2
	6	0.3	0.1	0.1	*	*	*	-	-	-	*	0.1	*
	7	*	*	*	*	*	*	-	-	-	-	*	*
	8	-	-	-	-	*	*	-	-	-	-	-	-
Total	----	2.2	1.6	1.1	0.8	0.1	0.3	*	*	0.9	0.9	4.0	1.1
53	1 - 2	-	*	-	*	-	-	-	-	-	-	*	*
	3	*	0.1	*	*	-	*	-	*	0.1	0.1	0.1	*
	4	0.3	0.2	0.3	0.1	*	*	-	-	0.2	0.4	0.3	0.1
	5	0.4	0.1	0.3	0.1	-	*	-	-	0.2	0.4	0.3	0.1
	6	0.2	*	0.1	*	-	*	-	-	-	0.1	0.1	*
	7	*	*	*	*	-	*	-	-	-	*	*	*
	8	*	*	-	*	-	*	-	-	-	-	*	*
Total	----	1.0	0.5	0.7	0.3	*	*	-	*	0.5	0.9	0.8	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*	-	*
	4	*	*	-	*	-	-	-	-	*	*	*	*
	5	*	*	-	*	-	-	-	-	0.3	*	*	*
	6	0.1	*	-	*	-	-	-	-	0.1	*	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	*
	8	*	*	-	*	-	-	-	-	-	-	*	*
Total	----	0.1	*	-	*	-	-	-	-	0.4	0.1	*	*
24 - 54	1 - 8	0.4	0.1	0.2	*	*	0.1	-	*	0.1	*	0.4	0.1
25 - 35	1 - 8	-	*	-	*	-	-	-	-	-	-	*	*
81 - 85	1 - 8	*	*	-	*	*	*	-	-	-	*	0.1	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	-	*	-	*	-	*	0.1	0.1
33		0.4	0.5	-	*	*	0.2	*	0.1	0.6	0.1	1.7	1.1
34		2.6	3.1	*	0.4	0.9	2.2	0.3	0.1	6.5	1.2	9.0	5.9
35		7.7	10.6	0.5	2.8	6.0	8.0	0.7	2.0	6.4	3.4	16.6	14.2
36		20.2	21.7	5.6	11.6	15.6	18.9	6.8	7.4	5.5	11.8	19.5	18.8
37		41.8	37.5	40.2	36.9	27.9	29.9	23.4	25.4	30.7	35.2	26.2	28.5
38		20.4	20.0	27.0	26.8	21.6	18.4	45.1	25.4	42.5	34.0	17.1	22.1
39		5.8	5.8	19.8	15.6	18.8	13.6	15.1	21.1	6.9	13.9	8.3	8.3
40 & Longer		0.9	0.7	6.9	5.8	9.3	8.8	8.5	18.4	0.9	0.4	1.5	1.1
Average Staple		36.89	36.80	37.82	37.58	37.59	37.33	37.94	38.14	37.19	37.40	36.51	36.72
Average Length		1.15	1.15	1.18	1.17	1.17	1.17	1.19	1.19	1.16	1.17	1.14	1.15

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 03 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.5	2.7	-	0.7	-	0.7	0.1	0.4	0.1	0.1	15.1	14.1
	3	3.0	3.2	-	1.2	-	0.7	0.5	0.9	0.9	0.2	7.2	6.3
	4	0.1	0.2	*	0.1	-	*	*	0.1	0.1	*	0.3	0.2
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.6	6.2	*	1.9	-	1.4	0.6	1.4	1.1	0.3	22.6	20.6
31	1 - 2	7.2	6.8	0.4	2.8	1.8	0.8	0.9	1.8	0.5	1.7	18.0	18.1
	3	16.5	20.8	8.1	16.4	15.9	6.7	9.1	14.1	10.2	13.8	25.5	23.7
	4	5.3	7.1	4.6	6.7	1.9	3.1	4.3	7.1	5.1	7.4	5.2	3.7
	5	1.8	1.0	0.3	0.4	0.4	0.3	0.3	0.5	0.3	0.8	1.5	0.6
	6	*	*	-	*	*	*	*	*	*	*	0.1	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	-
Total	----	30.8	35.8	13.3	26.3	20.0	11.0	14.5	23.5	16.1	23.6	50.2	46.3
41	1 - 2	*	0.5	1.2	1.8	1.3	0.8	0.9	1.2	0.3	1.6	4.8	2.8
	3	2.7	6.1	30.1	18.6	30.2	21.5	21.5	17.0	17.2	23.9	11.8	16.6
	4	16.1	12.8	23.4	19.7	23.9	33.8	31.0	30.9	29.4	24.3	8.0	9.5
	5	22.8	8.8	1.3	4.3	6.6	8.8	8.2	10.0	8.7	5.4	1.0	2.3
	6	6.4	1.8	-	0.3	0.4	0.4	0.4	0.7	0.9	0.4	0.9	0.7
	7	0.3	0.1	-	*	-	*	*	*	*	*	0.4	0.2
	8	-	-	-	-	-	-	-	*	-	*	*	*
Total	----	48.3	30.0	56.0	44.7	62.4	65.3	62.1	59.8	56.5	55.5	26.8	32.0
51	1 - 2	-	-	0.6	0.2	*	*	*	*	*	0.1	-	-
	3	-	*	1.6	1.5	3.1	0.7	1.2	0.4	0.6	1.3	*	*
	4	*	1.1	1.7	1.7	5.3	3.8	4.3	1.7	4.6	2.0	*	0.2
	5	1.8	1.9	0.1	0.6	0.8	2.9	2.5	1.6	4.3	1.0	-	0.2
	6	2.4	1.2	-	0.1	0.2	0.3	0.3	0.3	0.5	0.2	-	*
	7	0.3	0.4	-	*	-	*	*	*	-	*	-	*
	8	0.2	0.1	-	*	-	-	-	*	-	*	-	-
Total	----	4.9	4.8	4.0	4.1	9.5	7.8	8.3	4.0	10.0	4.6	0.1	0.4
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	*	*	-	*	-	-
	4	-	-	*	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	*	*	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	0.2	-	*	-	*	-	*	-	*	-	*
	3	-	0.8	-	*	-	*	*	*	*	*	-	*
	4	*	0.3	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	1.3	-	0.1	-	*	*	*	*	*	-	*
32	1 - 2	-	0.2	*	0.2	-	*	*	0.1	*	0.1	-	-
	3	0.7	1.4	0.7	1.2	0.2	0.4	0.7	0.5	1.2	0.8	-	*
	4	0.2	2.2	0.6	0.6	0.2	0.2	0.9	0.5	1.0	0.5	0.1	0.1
	5	0.2	0.8	*	*	*	*	0.1	0.1	*	*	0.1	*
	6	-	*	-	*	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	4.6	1.3	2.1	0.4	0.7	1.7	1.1	2.2	1.5	0.2	0.1
42	1 - 2	-	-	0.3	0.4	-	0.1	*	0.1	*	0.4	-	*
	3	-	*	5.6	4.5	1.4	3.6	1.4	1.4	2.3	4.8	-	0.2
	4	1.2	1.1	4.6	5.5	3.2	6.3	5.0	3.6	4.7	4.4	*	0.1
	5	4.1	1.8	0.5	1.3	0.8	1.6	2.1	2.0	2.0	0.8	0.1	*
	6	2.6	0.5	-	*	*	0.1	0.2	0.2	0.4	0.1	-	*
	7	0.2	*	-	*	-	-	-	*	0.1	*	-	-
	8	*	*	-	-	-	-	-	-	-	*	-	-
Total	----	8.1	3.5	11.1	11.8	5.5	11.7	8.7	7.3	9.4	10.5	0.1	0.3

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 03 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	0.3	0.2	-	*	-	*	-	0.1	-	-
	3	-	-	3.8	1.6	0.1	0.1	0.3	0.1	0.1	0.9	-	*
	4	0.1	0.5	2.6	2.4	0.3	0.7	0.7	0.5	0.5	1.2	-	-
	5	0.4	1.4	0.6	0.9	0.1	0.6	0.3	0.7	0.3	0.4	-	-
	6	0.6	0.5	*	0.1	-	0.1	0.1	0.2	0.1	0.1	*	*
	7	-	*	-	*	-	*	*	*	-	*	0.1	*
	8	-	*	-	-	-	*	-	-	-	*	-	-
Total	----	1.0	2.4	7.3	5.2	0.5	1.5	1.4	1.6	0.9	2.8	0.1	*
62	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	*	*	-	*	-	*	-	*	-	-
	4	-	-	0.2	*	-	*	*	*	-	*	-	-
	5	-	-	0.1	*	-	*	-	*	-	*	-	-
	6	-	*	*	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	*	-	-	-	*	-	-
Total	----	-	*	0.3	0.1	-	*	*	*	-	0.1	-	-
13 & 23	1 - 2	-	*	-	*	-	*	-	-	-	*	-	*
	3	-	0.7	-	-	-	-	*	*	-	*	-	*
	4	-	0.7	-	-	-	-	*	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.4	-	*	-	*	*	*	-	*	-	0.1
33	1 - 2	-	0.1	-	*	-	*	*	*	-	*	-	*
	3	-	0.6	0.1	0.1	0.2	*	0.1	*	0.2	*	-	*
	4	0.1	1.7	0.1	*	0.2	*	0.1	*	0.1	*	-	-
	5	-	0.8	*	*	*	*	*	*	*	*	-	-
	6	-	0.1	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	*	*	-	-
Total	----	0.1	3.2	0.2	0.1	0.3	*	0.2	0.1	0.3	0.1	-	*
43	1 - 2	-	-	0.1	0.1	-	*	-	*	-	*	-	-
	3	-	*	1.1	0.5	0.2	0.1	0.2	0.1	0.6	0.2	-	*
	4	-	0.1	1.3	0.8	0.7	0.3	0.9	0.3	1.0	0.3	-	*
	5	*	0.2	0.3	0.3	0.3	0.1	0.5	0.2	0.2	0.1	-	-
	6	-	0.1	-	*	*	*	0.1	*	0.1	*	-	-
	7	0.1	*	-	-	-	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	*	-	-
Total	----	0.1	0.5	2.8	1.6	1.2	0.5	1.6	0.7	1.8	0.6	-	*
53	1 - 2	-	-	*	*	-	-	-	*	-	*	-	-
	3	-	-	1.6	0.3	*	*	*	*	0.1	0.1	-	-
	4	-	*	1.0	0.6	0.1	*	0.2	0.1	0.2	0.1	-	-
	5	*	*	0.2	0.4	0.1	*	0.2	0.1	0.1	*	-	*
	6	-	*	*	*	*	*	0.1	*	*	*	-	-
	7	-	*	-	*	-	*	*	*	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
Total	----	*	*	2.8	1.5	0.2	0.1	0.5	0.3	0.3	0.2	-	*
63	1 - 2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	*	0.1	-	-	-	*	-	*	-	-
	4	-	-	0.2	0.1	-	*	-	*	-	*	-	-
	5	-	-	0.2	0.1	-	-	*	*	-	*	-	-
	6	-	*	*	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-
Total	----	-	*	0.4	0.3	-	*	*	*	-	*	-	-
24 - 54	1 - 8	0.1	4.8	0.3	0.2	*	*	0.1	0.1	1.1	0.1	-	*
25 - 35	1 - 8	-	0.7	-	*	-	-	-	*	-	-	-	-
81 - 85	1 - 8	*	0.7	*	*	-	*	*	*	0.1	*	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	-	*	-	-
31		-	*	-	*	-	*	-	*	-	*	-	-
32		-	*	0.1	*	-	*	*	*	-	*	-	-
33		0.1	0.4	1.0	0.4	-	*	0.3	0.3	0.9	0.9	-	0.3
34		1.2	2.4	2.0	2.7	-	0.3	1.7	2.3	6.9	5.5	0.7	0.9
35		20.0	20.0	10.1	9.9	2.1	2.9	5.7	7.9	19.8	18.1	7.9	5.1
36		31.3	38.1	19.5	18.0	8.3	11.2	13.9	15.2	27.0	26.2	5.9	9.7
37		26.7	33.1	29.5	27.0	50.9	41.7	30.3	29.4	34.0	28.3	24.5	28.7
38		18.1	4.7	19.1	21.7	24.6	28.0	24.5	26.9	8.9	16.2	32.5	24.0
39		2.5	0.5	13.1	14.6	3.7	11.6	19.3	15.0	2.2	4.5	11.9	15.2
40 & Longer		0.1	0.7	5.6	5.8	10.4	4.3	4.2	3.0	0.2	0.4	16.7	16.2
Average Staple		36.48	36.21	37.12	37.21	37.51	37.47	37.44	37.27	36.23	36.44	37.84	37.83
Average Length		1.14	1.13	1.16	1.16	1.17	1.17	1.17	1.16	1.13	1.14	1.18	1.18

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.0	1.3	*	0.1	-	0.8	5.6	8.4	-	0.1
	3	1.0	1.7	0.1	0.4	-	0.7	6.2	6.5	-	0.2
	4	0.1	0.2	*	*	-	*	0.8	0.7	-	*
	5	*	*	-	*	-	-	*	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	3.2	3.1	0.1	0.6	-	1.6	12.7	15.7	-	0.3
31	1 - 2	12.2	7.9	0.8	1.2	-	1.7	11.3	8.3	0.5	3.9
	3	29.4	26.5	5.7	10.6	-	5.5	28.4	21.1	1.7	23.3
	4	7.3	7.1	5.5	8.0	-	1.5	11.8	8.7	0.8	4.8
	5	0.6	0.4	0.7	0.7	-	0.1	1.7	1.2	-	0.1
	6	*	*	*	*	-	*	0.1	0.1	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	49.5	41.9	12.7	20.6	-	8.8	53.2	39.4	3.1	32.1
41	1 - 2	2.1	2.4	0.9	1.7	1.0	4.0	0.8	1.5	1.2	2.8
	3	18.7	22.1	15.1	18.0	13.0	21.8	6.0	8.5	32.9	34.8
	4	12.8	16.5	26.3	27.5	23.0	15.4	7.0	8.8	44.8	14.2
	5	3.9	3.9	6.8	7.8	5.3	2.4	3.4	3.8	6.6	0.6
	6	0.3	0.4	0.6	0.5	0.3	0.1	1.0	0.9	-	*
	7	*	*	*	*	-	-	0.2	0.2	-	-
	8	-	*	-	*	-	-	*	*	-	-
Total	----	38.0	45.4	49.7	55.6	42.6	43.7	18.3	23.7	85.6	52.5
51	1 - 2	-	*	*	0.3	-	0.1	0.1	0.2	-	*
	3	*	0.2	2.5	1.9	3.8	2.3	0.4	0.8	-	0.5
	4	0.2	0.4	8.6	3.3	18.9	4.0	0.3	0.6	0.7	0.4
	5	0.2	0.6	5.6	2.2	18.2	1.6	0.1	0.3	2.7	0.1
	6	0.1	0.2	1.2	0.4	4.9	0.1	0.1	0.1	0.2	*
	7	0.1	*	0.1	*	0.3	*	*	0.1	-	*
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.6	1.4	18.0	8.1	46.2	8.2	1.0	2.0	3.6	1.0
61	1 - 2	-	-	-	*	-	-	*	*	-	-
	3	-	-	*	*	0.1	*	*	*	-	-
	4	-	-	*	*	1.0	*	*	*	-	*
	5	-	-	*	*	1.3	*	*	*	-	-
	6	-	-	*	*	0.5	*	*	*	-	-
	7	-	-	-	*	0.1	*	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	*
Total	----	-	-	0.1	*	3.0	*	0.1	0.1	-	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
12 & 22	1 - 2	0.2	0.1	*	*	-	0.1	0.4	1.6	-	*
	3	0.5	0.2	0.1	0.1	-	0.1	0.7	1.7	-	*
	4	*	*	-	*	-	*	0.2	0.4	-	*
	5	-	*	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.7	0.4	0.1	0.1	-	0.1	1.4	3.7	-	*
32	1 - 2	0.1	0.1	0.1	0.2	-	0.6	0.9	0.7	0.8	0.2
	3	0.8	1.0	1.1	1.3	*	1.7	3.6	2.6	1.4	1.4
	4	0.3	0.7	0.7	0.7	-	0.6	2.1	1.7	-	0.4
	5	0.1	0.2	0.1	0.1	-	*	0.7	0.4	-	*
	6	*	*	*	*	-	*	0.1	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	1.3	2.0	2.1	2.2	*	3.0	7.4	5.4	2.2	2.1
42	1 - 2	0.4	0.2	0.2	0.5	-	1.8	0.1	0.2	-	0.5
	3	1.9	1.4	1.5	3.1	1.1	13.9	0.6	1.6	1.9	6.4
	4	1.3	1.3	4.3	3.3	1.0	10.3	0.8	1.6	1.5	3.4
	5	0.4	0.5	1.9	1.0	0.2	1.6	0.5	0.6	0.2	0.2
	6	0.2	0.1	0.3	0.1	-	0.1	0.2	0.1	-	*
	7	*	*	*	*	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	4.2	3.6	8.3	8.2	2.3	27.7	2.2	4.2	3.6	10.5

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Jan 03 2019											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	*	0.1	-	*	*	0.1	-	*
	3	0.3	0.1	0.4	0.9	*	0.8	0.2	0.6	-	0.7
	4	0.5	0.2	1.6	1.0	1.3	2.1	0.4	0.8	1.2	0.3
	5	0.1	0.2	1.6	0.5	1.2	1.0	0.2	0.4	0.7	*
	6	0.1	0.1	0.7	0.1	1.0	0.1	*	0.1	-	*
	7	*	*	0.1	*	0.1	*	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	1.0	0.6	4.4	2.7	3.7	4.0	0.8	2.0	1.9	1.0
62	1 - 2	-	-	-	*	-	-	*	*	-	-
	3	-	*	*	*	-	*	*	0.1	-	-
	4	-	*	0.1	*	-	*	0.1	0.2	-	-
	5	-	-	*	*	0.2	*	*	0.1	-	-
	6	-	*	*	*	0.2	*	*	*	-	-
	7	-	*	0.1	*	*	*	*	*	-	-
	8	-	-	0.2	*	-	-	-	*	-	-
Total	----	-	*	0.4	0.1	0.5	*	0.2	0.5	-	-
13 & 23	1 - 2	*	*	-	*	-	*	0.1	0.1	-	*
	3	*	*	*	*	-	*	0.1	0.2	-	*
	4	*	*	-	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	*	*	*	-	*	0.2	0.4	-	*
33	1 - 2	-	*	-	*	-	*	0.1	*	-	*
	3	0.1	0.2	0.2	0.1	-	0.1	0.5	0.3	-	*
	4	0.1	0.2	0.2	0.1	-	*	0.5	0.3	-	*
	5	*	*	*	*	-	*	0.2	0.1	-	*
	6	-	*	*	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.2	0.4	0.4	0.2	-	0.1	1.3	0.7	-	0.1
43	1 - 2	*	*	*	*	*	0.1	*	*	-	*
	3	0.2	0.1	0.4	0.3	0.3	1.0	0.1	0.2	-	0.2
	4	0.2	0.2	1.0	0.5	*	0.8	0.2	0.2	-	0.2
	5	0.1	0.2	0.6	0.2	*	0.1	0.2	0.1	0.2	*
	6	*	0.1	0.2	*	-	*	0.1	*	-	*
	7	*	*	*	*	-	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.5	0.6	2.3	1.2	0.4	2.1	0.5	0.7	0.2	0.4
53	1 - 2	*	*	*	*	-	*	*	*	-	*
	3	0.2	0.1	0.1	0.1	-	0.1	*	0.1	-	*
	4	0.3	0.1	0.4	0.2	0.1	0.2	*	0.3	-	*
	5	*	*	0.3	0.1	0.6	0.1	*	0.2	-	*
	6	-	*	0.2	*	0.3	*	*	0.1	-	*
	7	-	*	0.1	*	*	*	*	*	-	-
	8	-	*	*	*	-	*	*	*	-	-
Total	----	0.4	0.2	1.1	0.4	1.0	0.5	0.1	0.7	-	*
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	-	-	*	*	*	-	-
	4	-	*	*	*	-	*	0.1	0.2	-	-
	5	-	*	*	*	-	*	0.2	0.2	-	-
	6	-	-	-	-	-	*	*	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	*	*	-	-	-	*	-	-
Total	----	-	*	*	*	-	*	0.3	0.5	-	-
24 - 54	1 - 8	0.2	0.4	0.2	0.1	0.1	0.1	0.2	0.2	-	*
25 - 35	1 - 8	-	*	-	-	-	-	-	*	-	-
81 - 85	1 - 8	*	0.1	*	*	0.2	*	0.1	0.1	-	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	*	*	-	-	*	0.1	-	-
31		0.3	0.1	*	*	-	*	0.1	0.3	-	-
32		0.6	0.6	0.3	0.1	-	*	0.4	1.0	-	*
33		3.6	2.5	4.2	1.9	*	0.1	2.6	3.4	4.4	0.7
34		9.2	6.8	10.1	6.1	*	1.4	10.6	9.9	20.0	9.5
35		15.4	12.5	18.9	12.0	3.1	12.6	23.0	19.9	19.0	26.3
36		21.5	22.4	18.5	17.0	24.7	35.5	26.7	25.3	18.8	29.6
37		27.3	29.9	31.2	30.6	39.2	38.6	25.0	25.0	23.9	22.4
38		14.8	16.0	14.2	24.2	22.1	9.2	8.1	10.1	11.0	9.6
39		6.0	7.6	2.3	7.2	6.8	2.2	2.8	4.1	2.7	1.9
40 & Longer		1.4	1.6	0.2	0.8	4.0	0.4	0.8	0.8	-	0.1
Average Staple		36.32	36.55	36.14	36.73	37.17	36.50	35.99	36.05	35.82	36.00
Average Length		1.13	1.14	1.13	1.15	1.16	1.14	1.12	1.12	1.12	1.12

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	26.1	11.9	6.4	1.6	0.6	1.0	0.8	0.1	24.4	22.3	19.6	12.1
Bark - Level 2	-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1	*	0.1	0.2	0.2	*	*	-	0.1	*	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	0.1	1.2	0.1	-	*	-	*	*	*	0.1	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.7	0.2	0.3	*	0.1	1.6	*	*	0.6	0.3	0.9	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	*	*	*	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	*	-	-	-	-	-	-	*	*
23	-	*	-	*	-	-	-	-	-	*	*	*
24	0.1	0.2	*	*	*	*	-	-	0.2	0.2	0.4	0.3
25	0.6	0.9	0.1	0.2	*	*	*	*	1.1	1.4	1.9	2.0
26	3.3	3.9	1.3	1.3	0.3	0.2	*	*	6.2	6.1	7.4	7.5
27	12.9	14.4	7.7	5.1	1.5	1.5	*	*	14.1	19.5	14.8	15.7
28	25.2	29.1	20.4	17.5	3.1	6.3	0.1	0.3	40.8	37.3	19.7	23.9
29	29.0	29.0	28.8	30.5	8.0	14.5	2.6	1.7	27.7	23.3	21.5	24.3
30	17.4	14.7	20.8	24.2	19.2	21.8	4.1	3.7	7.0	9.4	17.1	15.6
31	7.2	5.5	13.6	13.0	22.2	21.8	3.7	6.9	2.2	2.3	9.6	6.9
32	2.8	1.6	5.2	5.9	20.9	17.4	9.1	13.5	0.3	0.3	4.7	2.6
33	1.1	0.5	1.4	1.7	14.0	9.6	12.0	16.7	0.4	0.1	1.8	0.8
34	0.3	0.1	0.5	0.4	6.4	4.5	17.9	12.1	-	*	0.7	0.3
35	0.1	*	0.1	0.1	3.4	1.6	20.8	11.7	-	*	0.3	0.1
36	*	*	*	*	0.9	0.5	11.4	15.3	-	-	0.1	*
37	-	*	-	-	0.2	0.2	10.3	12.7	-	-	*	*
38	-	-	-	-	*	0.1	7.1	4.4	-	-	*	*
39	-	-	-	-	*	*	0.6	0.5	-	-	-	*
40 & Above	-	-	-	-	*	*	0.2	0.3	-	-	-	*
Average	29.28	29.04	29.78	29.90	31.80	31.29	34.81	34.57	28.68	28.59	29.27	29.00
Mike												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5	-	*	*	*	0.1	*	-	*	-	-	-	*
2.6	-	*	*	*	0.1	*	0.2	0.1	-	-	*	*
2.7	-	*	*	*	*	*	0.1	0.1	-	-	*	*
2.8	-	*	*	*	*	*	0.2	0.1	-	-	*	*
2.9	-	*	*	*	*	*	0.2	0.1	-	-	*	*
3.0	-	*	*	*	0.3	0.1	0.4	0.2	-	*	0.1	*
3.1	*	*	*	*	0.1	0.1	0.2	0.3	-	-	0.1	0.1
3.2	0.2	0.1	*	*	0.2	0.1	0.1	0.6	-	-	0.1	0.2
3.3	0.4	0.3	*	*	0.1	0.2	0.8	0.9	-	*	0.3	0.5
3.4	0.4	0.4	*	*	0.3	0.3	1.9	1.3	-	*	0.7	0.8
3.5	0.8	0.7	*	0.1	0.2	0.4	0.9	1.3	0.1	0.1	1.0	1.3
3.6	1.1	1.2	0.3	0.1	0.3	0.5	1.6	1.7	*	0.2	1.6	1.7
3.7	2.1	2.2	0.4	0.2	1.0	0.8	2.3	2.5	0.1	0.4	2.1	2.5
3.8	3.1	3.2	0.7	0.4	1.2	1.2	4.8	2.8	1.3	1.0	3.0	3.8
3.9	4.6	4.1	0.8	0.8	1.8	1.7	7.7	3.8	2.3	1.6	4.3	6.0
4.0	5.6	5.9	1.3	1.6	3.0	2.3	8.4	4.7	4.7	3.8	5.9	8.6
4.1	8.0	7.3	2.9	2.9	4.0	3.7	7.7	6.4	9.1	5.9	8.7	11.6
4.2	10.0	9.0	4.5	4.8	5.6	4.6	8.9	8.2	16.6	8.8	12.0	14.0
4.3	11.3	10.6	8.5	6.9	7.9	5.8	9.5	9.6	15.0	12.0	14.3	14.1
4.4	12.8	11.0	8.8	9.9	7.3	7.1	6.9	11.3	13.3	12.6	14.9	12.4
4.5	12.7	11.0	10.9	12.5	7.7	8.6	7.7	11.0	17.5	15.6	11.8	9.3
4.6	10.3	9.7	12.1	13.8	11.5	10.7	9.7	11.1	9.2	13.9	8.5	6.1
4.7	7.7	8.0	12.6	13.3	12.5	12.5	11.9	8.4	4.8	10.4	5.3	3.7
4.8	4.8	6.0	11.6	11.5	11.3	11.8	5.3	5.9	2.2	6.8	2.9	1.9
4.9	3.0	4.1	10.2	8.3	9.2	9.8	1.9	3.1	1.9	4.6	1.3	0.9
5.0	0.6	2.6	6.6	5.6	7.3	7.7	0.8	1.8	1.4	1.6	0.7	0.4
5.1	0.2	1.4	4.2	3.4	3.5	5.4	-	1.1	0.4	0.4	0.3	0.1
5.2	0.1	0.8	1.9	2.0	1.3	2.8	-	1.1	0.1	0.1	0.1	*
5.3	*	0.3	1.0	1.0	0.5	1.1	-	0.6	*	*	*	*
5.4	*	0.1	0.4	0.5	0.2	0.4	-	0.2	-	-	*	*
5.5 & Above	0.1	*	0.2	0.3	1.5	0.5	-	0.1	-	-	*	*
Average	4.34	4.38	4.62	4.61	4.58	4.61	4.26	4.35	4.37	4.46	4.29	4.22

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	36.4	27.8	2.5	2.5	0.4	0.7	2.5	1.1	6.3	2.2	2.7	1.2
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	*	0.1	*	0.1	0.2	0.2	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	-	-	*	-	*	1.7	0.6	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	*	*	-	-	-	-
Seed Coat - Level 1	-	0.1	0.2	0.1	-	*	0.5	0.1	0.1	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	*	*	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	*	-	*	*	*	-	-
23	-	*	-	*	-	*	*	*	0.2	*	-	-
24	*	0.1	*	*	-	*	0.1	0.1	0.9	0.1	-	-
25	0.2	0.8	0.2	0.1	-	0.2	0.5	0.4	3.4	0.9	-	*
26	0.1	2.2	0.3	0.7	0.1	1.1	2.1	1.7	12.4	3.2	0.7	0.2
27	4.3	7.7	1.5	3.0	5.2	5.9	6.7	5.2	22.5	7.5	7.3	2.6
28	20.0	26.4	14.0	10.1	33.0	18.2	20.5	14.2	25.3	15.3	21.0	12.7
29	34.2	29.6	33.6	26.4	23.0	28.5	29.4	28.8	16.7	23.2	24.5	24.9
30	24.5	17.7	24.1	28.5	18.0	23.6	25.2	28.0	10.1	21.6	24.6	30.9
31	12.8	11.1	13.4	17.3	8.9	12.4	10.9	14.1	5.2	14.4	14.7	20.8
32	3.6	4.0	8.3	8.9	6.4	6.3	3.4	5.4	2.1	8.1	6.3	6.5
33	0.1	0.2	3.4	3.5	3.5	2.9	0.9	1.9	0.9	3.9	0.8	1.5
34	*	*	0.8	1.1	1.9	0.8	0.3	0.4	0.3	1.4	*	0.1
35	*	*	0.2	0.3	-	0.1	0.1	0.1	0.1	0.2	-	*
36	-	-	0.1	0.1	-	*	-	*	-	*	-	*
37	-	-	*	*	-	*	-	*	-	*	-	-
38	-	-	-	*	-	-	-	-	-	*	-	*
39	-	-	-	-	-	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	29.76	29.45	30.22	30.38	29.81	29.95	29.63	29.96	28.50	29.99	29.85	30.26
Mike												
2.4 & Below	-	*	-	-	-	-	-	-	-	*	-	*
2.5	-	0.1	-	*	-	-	-	-	-	-	-	*
2.6	-	0.4	-	-	-	-	-	-	-	-	*	0.1
2.7	-	0.6	-	-	-	*	-	-	-	*	-	0.1
2.8	*	0.8	-	-	-	-	-	-	-	*	0.4	0.4
2.9	-	0.6	-	-	-	-	-	*	*	*	0.8	0.4
3.0	0.7	1.0	-	*	-	*	-	*	-	*	2.2	1.0
3.1	2.8	2.1	-	*	-	*	-	*	-	*	1.1	0.6
3.2	4.5	2.8	-	*	-	*	-	*	*	*	1.0	0.6
3.3	4.1	4.3	-	*	-	*	-	*	*	0.1	1.6	1.0
3.4	3.2	5.7	-	*	-	*	-	*	*	0.1	1.9	2.1
3.5	3.6	5.9	-	*	-	*	-	*	0.1	0.2	7.0	3.5
3.6	4.0	7.4	-	*	-	0.1	*	0.1	0.3	0.3	4.6	4.8
3.7	2.6	9.5	-	*	-	0.2	*	0.2	0.7	0.5	5.5	4.1
3.8	5.1	9.0	-	0.1	*	0.4	0.3	0.4	1.8	0.8	5.9	6.8
3.9	7.9	8.9	-	0.3	0.7	0.7	0.6	0.7	2.8	1.4	9.0	7.8
4.0	11.8	8.1	0.2	0.5	1.3	1.1	1.2	1.1	3.7	2.1	8.0	8.2
4.1	11.0	7.6	0.6	1.1	2.1	2.2	2.1	1.9	4.2	3.2	8.9	6.9
4.2	10.1	7.2	1.4	1.9	6.0	4.0	3.5	3.0	4.8	4.8	6.3	8.1
4.3	9.8	6.6	2.4	2.7	7.8	6.1	5.3	4.4	4.6	6.9	4.2	8.2
4.4	4.5	4.5	3.1	3.6	8.6	8.2	5.6	6.4	7.1	9.6	6.3	8.4
4.5	5.3	3.4	6.4	6.3	7.8	10.5	8.5	9.1	10.2	13.0	2.2	6.4
4.6	2.2	2.1	5.0	9.5	13.8	11.7	9.4	13.1	15.5	15.1	5.9	6.0
4.7	2.9	0.8	7.4	13.6	9.9	12.3	13.3	16.0	13.0	14.3	8.8	6.2
4.8	3.5	0.5	17.7	16.5	11.1	11.3	16.6	16.3	11.1	11.1	5.6	3.9
4.9	-	0.1	17.3	15.7	9.5	10.0	14.5	13.2	7.8	7.3	1.5	1.7
5.0	-	0.1	16.5	13.0	3.5	7.6	10.4	7.6	6.2	4.6	0.8	1.1
5.1	-	*	9.3	8.2	3.5	5.7	4.9	3.6	3.4	2.5	0.3	0.8
5.2	-	-	5.2	4.6	5.2	4.1	2.3	1.6	1.8	1.3	-	0.3
5.3	-	-	5.1	2.0	5.8	2.5	1.1	0.8	0.5	0.5	0.4	0.2
5.4	-	-	1.8	0.5	2.4	1.1	0.3	0.3	0.3	0.2	*	0.2
5.5 & Above	-	-	0.5	0.2	0.8	0.4	0.1	*	0.3	*	-	*
Average	3.99	3.84	4.86	4.79	4.69	4.69	4.71	4.68	4.57	4.57	4.08	4.14

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	8.5	4.9	4.2	4.1	13.1	0.4	11.2	6.8	2.9	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	-	0.1	-	*	*	0.2	2.5	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	0.1	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	0.1	*	-	*	0.6	1.2	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	*	*	-	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	0.1	*	-	*	*	0.1	-	-
23	*	*	0.6	0.2	-	*	*	0.3	0.5	*
24	0.1	0.1	2.5	0.7	0.1	*	0.1	0.5	0.8	0.3
25	0.5	0.2	8.1	3.2	1.9	0.3	0.5	1.2	5.8	2.1
26	1.2	0.8	17.7	7.9	13.0	2.7	2.0	2.5	16.8	5.5
27	3.9	4.0	25.7	13.7	14.8	11.6	5.8	5.7	22.4	12.2
28	9.7	9.9	25.3	21.3	18.1	25.5	13.1	12.1	27.7	23.6
29	20.5	20.0	13.0	24.8	26.3	27.3	18.9	18.4	17.1	26.1
30	27.0	24.6	4.4	17.0	15.0	17.1	20.7	20.5	6.5	16.0
31	19.2	18.0	1.7	7.2	4.2	9.4	18.6	18.1	1.9	8.7
32	12.5	13.0	0.5	2.7	5.4	4.2	12.4	11.9	0.3	3.5
33	4.3	6.7	0.2	1.1	1.2	1.5	5.4	5.7	0.2	1.3
34	1.0	2.0	0.1	0.3	0.1	0.3	1.8	2.1	-	0.4
35	0.2	0.5	*	*	*	0.1	0.6	0.6	-	0.1
36	0.1	0.1	*	*	-	*	0.1	0.2	-	*
37	*	*	-	*	-	*	*	*	-	-
38	-	*	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	30.48	30.63	27.76	29.00	28.99	29.44	30.42	30.35	28.02	29.22
Mike										
2.4 & Below	*	*	-	-	-	-	0.2	0.1	-	-
2.5	*	*	-	-	-	-	0.6	0.2	-	-
2.6	0.1	*	-	*	-	-	0.8	0.2	-	-
2.7	*	*	-	-	-	-	0.8	0.2	-	-
2.8	0.1	0.1	-	-	-	-	1.1	0.3	-	-
2.9	0.1	0.1	-	*	-	-	1.4	0.4	-	-
3.0	0.1	0.1	-	*	-	*	1.7	0.6	-	-
3.1	0.2	0.1	-	*	-	*	2.0	0.8	-	-
3.2	0.3	0.2	*	*	-	*	2.6	1.1	-	-
3.3	0.3	0.3	*	*	-	*	2.8	1.4	-	*
3.4	0.8	0.5	0.1	0.1	-	*	3.4	1.8	-	-
3.5	0.8	0.7	0.2	0.2	-	0.1	4.1	2.2	-	*
3.6	0.8	1.0	0.4	0.4	-	0.1	4.7	2.7	-	*
3.7	1.8	1.7	0.7	0.8	-	0.2	4.9	3.3	-	0.1
3.8	2.9	2.9	1.3	1.5	*	0.3	5.2	3.8	-	0.1
3.9	6.2	4.2	2.7	2.9	0.4	0.5	5.7	4.5	-	0.2
4.0	6.8	5.9	5.4	5.5	0.5	1.0	6.2	5.1	0.2	0.3
4.1	7.9	7.7	7.0	9.1	5.9	1.7	6.3	5.8	2.0	0.6
4.2	7.9	8.5	10.3	12.3	7.6	2.5	6.6	6.4	4.9	1.7
4.3	8.5	9.3	13.2	14.6	15.6	3.7	6.8	7.0	12.9	3.6
4.4	10.5	10.4	16.5	15.3	16.5	5.5	6.4	7.4	14.8	7.3
4.5	10.7	11.4	15.2	12.8	14.9	7.8	6.1	7.7	10.5	14.0
4.6	8.8	10.0	10.5	9.7	11.1	9.9	5.4	7.8	11.9	20.2
4.7	8.4	8.3	6.5	6.7	7.1	11.5	4.4	7.2	20.0	20.4
4.8	6.0	6.4	4.3	4.2	2.8	12.9	3.4	6.3	9.7	15.6
4.9	4.3	4.4	3.0	2.1	3.9	12.3	2.6	5.1	10.0	8.9
5.0	3.0	2.8	1.5	1.1	4.3	11.0	1.8	3.8	3.1	4.2
5.1	1.8	1.6	0.5	0.5	5.4	8.5	1.0	2.7	-	1.9
5.2	0.8	0.9	0.4	0.2	2.2	5.5	0.6	1.8	-	0.7
5.3	0.2	0.3	0.2	0.1	1.0	3.1	0.3	1.2	-	0.2
5.4	*	0.2	-	*	0.7	1.5	0.1	0.7	-	*
5.5 & Above	*	0.1	-	*	0.2	0.3	*	0.5	-	*
Average	4.37	4.39	4.40	4.37	4.54	4.76	4.02	4.32	4.57	4.66

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Jan 03 2019												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	-	-	-	-	-
2.5 - 2.6	-	*	*	*	0.1	*	0.2	0.1	-	-	*	*
2.7 - 2.9	-	*	0.1	*	0.1	0.1	0.4	0.3	-	-	0.1	*
3.0 - 3.2	0.2	0.1	0.1	0.1	0.6	0.3	0.6	1.0	-	*	0.3	0.4
3.3 - 3.4	0.8	0.7	*	0.1	0.4	0.5	2.7	2.2	-	*	1.0	1.3
3.5 - 3.6	1.9	1.9	0.3	0.2	0.5	0.9	2.5	3.0	0.1	0.4	2.6	3.0
3.7 - 4.2	33.4	31.7	10.5	10.8	16.6	14.2	39.7	28.2	34.2	21.6	36.1	46.3
4.3 - 4.9	62.6	60.4	74.7	76.2	67.5	66.2	52.9	60.4	63.8	75.9	58.9	48.4
5.0 - 5.2	1.0	4.8	12.7	11.0	12.1	15.9	0.8	4.0	1.9	2.1	1.0	0.5
5.3 & Above	0.1	0.4	1.6	1.7	2.2	2.0	-	0.9	*	*	*	*
Average	4.34	4.38	4.62	4.61	4.58	4.61	4.26	4.35	4.37	4.46	4.29	4.22
Leaf												
1 - 2	2.0	3.2	0.1	1.4	29.7	32.0	51.5	68.1	3.5	1.0	3.9	6.3
3	24.2	36.3	12.2	26.3	42.9	44.6	43.6	28.8	39.6	29.2	38.1	47.0
4	46.7	43.3	53.4	49.5	19.8	18.4	4.7	2.8	44.1	54.0	44.0	38.9
5	22.2	14.6	30.3	20.5	6.6	4.0	0.2	0.3	11.6	14.6	12.5	7.3
6	4.4	2.4	3.8	2.2	0.8	0.7	*	*	1.1	1.1	1.4	0.5
7	0.5	0.2	0.1	*	0.3	0.2	*	*	0.2	*	0.1	*
8	*	*	*	*	*	0.1	-	-	-	*	*	*
Average	4.05	3.77	4.26	3.96	3.03	2.94	2.47	2.20	3.68	3.86	3.70	3.49
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.2	0.2	*	0.1	7.3	9.2	17.4	29.7	0.1	*	0.4	0.5
02	2.7	4.9	0.3	2.2	26.1	27.9	41.7	43.0	5.1	1.8	4.9	8.2
03	10.1	17.1	3.5	10.6	25.7	26.4	26.8	19.4	17.2	11.6	16.1	21.5
04	19.7	24.0	12.6	19.8	16.8	17.1	10.4	5.6	25.2	25.3	22.7	25.5
05	21.2	20.8	21.9	22.4	11.2	9.7	2.7	1.5	22.0	26.5	21.6	20.3
06	17.4	14.3	23.6	18.7	6.7	4.9	0.8	0.5	14.6	18.1	15.4	12.5
07	11.9	8.7	17.9	12.6	3.1	2.3	0.2	0.1	8.1	9.5	9.3	6.5
08	7.7	4.9	10.4	7.1	1.4	1.1	0.1	0.1	4.3	4.3	5.0	3.0
09	4.4	2.6	5.5	3.7	0.6	0.6	*	*	1.8	1.9	2.5	1.2
10	2.3	1.3	2.4	1.7	0.4	0.3	*	*	0.9	0.7	1.2	0.5
11	1.3	0.6	1.1	0.7	0.2	0.2	*	*	0.3	0.2	0.5	0.2
12	0.6	0.3	0.4	0.3	0.1	0.1	-	-	0.3	0.1	0.3	0.1
13	0.3	0.1	0.2	0.1	0.1	0.1	-	*	-	*	0.1	*
14	0.1	0.1	0.1	*	0.1	*	*	*	*	*	0.1	*
15	*	*	*	*	0.1	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	*	*	*	*
17	*	*	*	*	*	*	-	-	*	*	*	*
18 & Above	*	*	*	*	*	*	-	-	-	*	*	*
Average	0.56	0.50	0.62	0.55	0.35	0.33	0.24	0.21	0.48	0.51	0.50	0.45
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	*	-	-	-	-
75	-	*	-	-	-	*	-	*	-	-	-	*
76	*	*	-	*	*	*	-	*	-	*	*	*
77	0.2	0.3	0.2	0.1	0.3	0.1	-	0.1	0.1	0.2	0.1	0.2
78	1.9	2.0	1.3	0.5	1.6	1.1	0.1	0.6	0.7	0.9	1.4	1.7
79	9.0	10.0	5.4	3.1	7.5	6.3	0.7	1.9	11.6	12.9	7.9	9.6
80	32.6	33.4	19.3	15.6	23.1	21.2	8.4	6.5	53.5	54.6	27.7	31.4
81	38.5	38.1	38.7	35.4	35.9	37.7	25.8	23.1	29.7	28.6	39.7	37.4
82	15.0	13.6	26.4	32.4	23.5	26.2	44.9	28.2	3.8	2.6	18.2	15.8
83	2.5	2.2	8.0	12.1	7.1	6.4	15.2	16.2	0.5	0.3	4.4	3.3
84	0.2	0.3	0.7	0.8	1.0	0.8	3.3	19.7	0.1	*	0.5	0.4
85 & Above	*	*	*	*	0.1	0.1	1.6	3.8	*	*	*	*
Average	81.08	81.03	81.56	81.81	81.41	81.49	82.25	82.67	80.73	80.65	81.25	81.12
Tenderables	57.0	63.6	65.4	71.3	77.6	74.0	93.0	90.9	58.7	61.6	60.4	77.5
SAMPLES CLASSED	31,581	683,777	27,582	1,169,535	18,268	202,031	8,353	136,337	3,470	64,470	99,256	1,553,770

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 03 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	*	-	*
2.5 - 2.6	-	0.5	-	*	-	-	-	-	-	-	*	0.1
2.7 - 2.9	*	2.0	-	-	-	*	-	*	*	*	1.2	1.0
3.0 - 3.2	8.0	5.9	-	*	-	*	-	*	*	*	4.3	2.2
3.3 - 3.4	7.4	10.0	-	*	-	*	-	*	*	0.2	3.5	3.1
3.5 - 3.6	7.6	13.2	-	*	-	0.1	*	0.1	0.4	0.5	11.6	8.3
3.7 - 4.2	48.6	50.3	2.2	3.8	10.2	8.5	7.7	7.4	18.0	13.0	43.5	41.9
4.3 - 4.9	28.3	18.0	59.4	67.8	68.6	70.1	73.4	78.5	69.1	77.3	34.5	40.8
5.0 - 5.2	-	0.1	31.0	25.7	12.2	17.4	17.5	12.8	11.4	8.3	1.0	2.3
5.3 & Above	-	-	7.5	2.6	9.0	3.9	1.4	1.1	1.0	0.7	0.4	0.3
Average	3.99	3.84	4.86	4.79	4.69	4.69	4.71	4.68	4.57	4.57	4.08	4.14
Leaf												
1 - 2	9.9	10.5	2.9	6.5	3.1	2.5	1.9	3.6	1.0	4.1	37.8	35.1
3	22.8	34.7	52.9	46.1	51.3	33.8	35.1	34.7	33.5	46.2	44.5	47.0
4	23.0	30.8	40.4	38.5	35.7	48.3	47.5	44.9	47.2	40.3	13.6	13.8
5	31.2	18.5	3.7	8.4	9.2	14.4	14.2	15.2	16.0	8.7	2.6	3.1
6	12.0	4.7	0.1	0.5	0.7	0.9	1.2	1.5	2.1	0.8	1.0	0.8
7	0.9	0.6	-	*	-	*	0.1	0.1	0.1	*	0.4	0.3
8	0.3	0.2	-	*	-	*	*	*	*	*	*	*
Average	4.16	3.74	3.45	3.50	3.53	3.77	3.78	3.76	3.85	3.56	2.85	2.86
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.9	1.6	0.2	0.6	*	0.1	0.1	0.2	*	0.2	3.8	5.6
02	11.4	11.4	4.9	9.1	4.4	3.1	3.7	5.5	2.3	5.7	37.2	30.8
03	11.8	17.4	22.5	22.1	23.7	12.6	16.2	16.5	13.6	20.1	27.7	29.3
04	8.8	16.0	32.3	25.0	29.7	21.1	24.2	22.7	23.3	26.4	14.1	16.5
05	9.3	13.5	22.7	19.6	19.9	23.0	22.2	21.5	22.5	21.2	8.5	8.5
06	8.9	11.7	11.1	12.1	12.1	18.4	16.4	15.7	16.0	13.2	4.6	4.7
07	11.0	9.3	4.1	6.4	6.1	11.5	9.4	9.4	10.4	7.1	1.7	2.1
08	11.2	7.1	1.5	3.0	2.6	5.8	4.5	4.9	5.8	3.4	0.8	1.0
09	9.6	4.8	0.5	1.3	1.1	2.6	2.0	2.2	3.1	1.6	0.2	0.6
10	6.4	2.9	0.3	0.5	0.3	1.0	0.9	0.9	1.6	0.7	0.4	0.3
11	4.5	1.8	*	0.2	0.1	0.4	0.3	0.4	0.8	0.3	0.3	0.3
12	2.7	1.1	*	0.1	-	0.1	0.2	0.1	0.4	0.1	0.5	0.1
13	1.4	0.6	-	*	*	*	*	0.1	0.1	*	0.1	0.1
14	0.8	0.3	-	*	-	*	*	*	0.1	*	0.1	*
15	0.3	0.2	-	*	-	*	*	*	*	*	*	*
16	0.3	0.1	-	-	-	*	*	*	*	*	-	*
17	0.1	0.1	-	-	-	*	*	*	*	*	-	-
18 & Above	0.5	0.1	-	-	-	*	-	*	*	*	-	-
Average	0.64	0.53	0.43	0.44	0.45	0.52	0.50	0.49	0.53	0.47	0.32	0.33
UNIFORMITY 2/												
74 & Below	-	*	-	*	-	-	*	*	-	*	-	-
75	-	*	*	*	-	-	-	*	*	*	-	-
76	*	0.2	0.1	0.1	-	*	0.1	*	0.1	0.1	-	-
77	0.1	0.9	0.5	0.6	-	*	0.4	0.3	1.1	0.7	-	*
78	0.3	2.9	3.5	3.3	*	0.1	2.4	2.1	8.7	3.7	0.2	0.2
79	8.9	16.0	13.4	12.7	0.5	0.8	12.5	9.3	24.8	15.7	0.2	1.3
80	42.8	45.4	30.0	30.2	6.6	6.7	31.9	30.0	32.9	33.2	7.5	6.2
81	36.9	28.9	34.5	34.4	40.9	26.2	34.4	38.2	22.3	32.0	41.3	27.1
82	10.0	5.1	15.9	14.4	40.9	41.1	15.9	16.9	8.3	12.4	39.1	44.9
83	0.8	0.5	2.0	3.5	10.5	22.3	2.2	2.9	1.6	2.0	11.6	19.7
84	0.1	*	0.2	0.6	0.5	2.7	0.2	0.3	0.2	0.2	0.1	0.7
85 & Above	0.1	0.1	-	0.1	-	0.1	*	*	*	*	-	*
Average	80.96	80.60	80.97	81.00	82.00	82.30	80.99	81.12	80.45	80.83	82.02	82.21
Tenderables	43.4	52.0	45.8	56.7	73.0	68.7	68.3	76.0	69.5	76.1	88.9	89.9
SAMPLES CLASSED	3,523	47,961	7,896	404,812	5,217	740,061	33,069	1,290,351	9,482	676,352	3451	24466

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 03 2019

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	-	-	-	0.2	0.1	-	-
2.5 - 2.6	0.1	*	-	*	-	-	1.4	0.4	-	-
2.7 - 2.9	0.2	0.1	-	*	-	-	3.4	1.0	-	-
3.0 - 3.2	0.5	0.4	*	*	-	*	6.3	2.4	-	-
3.3 - 3.4	1.1	0.9	0.2	0.1	-	*	6.2	3.2	-	*
3.5 - 3.6	1.6	1.7	0.6	0.5	-	0.2	8.7	5.0	-	*
3.7 - 4.2	33.5	30.8	27.4	32.1	14.3	6.2	34.9	28.9	7.1	2.9
4.3 - 4.9	57.1	60.2	69.4	65.4	71.8	63.6	35.1	48.4	89.8	90.0
5.0 - 5.2	5.7	5.3	2.3	1.8	11.9	25.0	3.3	8.3	3.1	6.8
5.3 & Above	0.2	0.6	0.2	0.1	1.9	4.9	0.5	2.4	-	0.3
Average	4.37	4.39	4.40	4.37	4.54	4.76	4.02	4.32	4.57	4.66
Leaf										
1 - 2	17.1	12.1	2.1	4.3	1.1	9.2	19.3	21.2	2.5	7.6
3	53.1	53.6	27.3	36.9	18.4	48.1	47.0	44.5	37.9	67.6
4	23.3	26.9	48.8	44.8	45.3	35.2	24.4	24.7	49.1	23.7
5	5.6	6.1	17.9	12.8	27.3	7.0	7.2	7.5	10.4	1.0
6	0.8	1.0	3.3	1.2	7.4	0.5	1.7	1.6	0.2	*
7	0.2	0.2	0.4	0.1	0.6	*	0.4	0.4	-	*
8	*	*	0.2	*	-	*	*	*	-	*
Average	3.20	3.31	3.95	3.70	4.23	3.41	3.25	3.23	3.68	3.18
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	-	-
01	2.4	1.1	0.1	0.3	*	0.8	3.3	4.3	-	0.3
02	18.5	13.5	2.7	5.4	1.2	10.1	20.6	20.0	3.1	10.4
03	27.8	26.2	10.8	15.7	5.8	21.9	26.3	24.2	12.2	32.3
04	22.7	24.2	20.9	23.2	13.3	24.5	20.0	19.3	28.2	31.7
05	13.5	16.1	23.3	22.5	18.8	19.2	12.6	13.0	28.4	16.6
06	7.7	9.1	18.1	15.8	20.3	11.9	7.3	8.1	14.1	6.0
07	3.7	4.7	11.1	9.1	15.3	6.4	4.2	4.8	8.7	1.9
08	1.9	2.4	5.9	4.5	9.4	3.0	2.4	2.7	3.9	0.6
09	0.8	1.2	3.3	2.0	6.5	1.3	1.4	1.5	0.7	0.2
10	0.5	0.6	1.8	0.9	4.4	0.5	0.8	0.9	0.5	*
11	0.2	0.3	0.9	0.3	2.8	0.2	0.5	0.5	0.3	*
12	0.1	0.2	0.6	0.1	1.4	0.1	0.3	0.3	-	*
13	0.1	0.1	0.3	0.1	0.4	*	0.1	0.2	-	*
14	*	0.1	0.1	*	0.2	*	0.1	0.1	-	*
15	*	*	0.1	*	0.1	*	*	*	-	*
16	*	*	*	*	-	*	*	*	-	*
17	*	*	*	*	*	*	*	*	-	*
18 & Above	-	*	*	*	*	*	*	*	-	-
Average	0.39	0.42	0.54	0.49	0.63	0.44	0.39	0.40	0.49	0.38
UNIFORMITY 2/										
74 & Below	-	*	*	*	-	-	*	*	-	*
75	*	*	0.1	*	-	-	0.1	0.2	0.2	*
76	0.1	0.1	0.6	0.2	*	*	0.4	0.6	0.7	0.1
77	1.1	0.7	2.1	1.1	0.1	0.1	1.7	1.7	2.4	0.5
78	4.9	3.5	11.1	6.2	0.7	0.6	7.2	5.0	8.3	3.2
79	18.9	13.9	33.0	22.9	1.8	5.3	19.7	14.0	26.7	18.7
80	38.2	33.7	37.4	39.1	9.7	21.1	31.8	27.3	39.0	40.9
81	27.8	33.0	13.3	23.6	61.5	35.2	26.4	29.4	18.7	27.8
82	8.1	12.5	2.1	5.9	24.3	28.9	10.6	16.7	3.9	7.7
83	0.8	2.2	0.2	0.9	1.8	8.0	1.9	4.5	0.2	1.0
84	*	0.3	*	0.1	0.1	0.8	0.2	0.5	-	0.1
85 & Above	*	0.1	-	*	*	*	*	*	-	*
Average	80.60	80.87	79.98	80.44	81.60	81.59	80.58	80.91	80.18	80.64
Tenderables	78.6	83.0	73.5	80.0	67.5	46.6	65.9	67.0	84.7	81.5
SAMPLES CLASSED	27,006	279,083	21,163	305,791	3,067	758,527	390,854	5,174,639	589	167,795

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	3.4	18.5	20.9	-	-	-	-
	2	-	14.8	22.8	23.4	-	-	-	-
	3	-	1.6	0.2	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	19.7	41.6	44.7	-	-	-	-
02	1	-	11.2	7.3	5.9	-	-	-	-
	2	-	22.3	41.7	38.7	-	-	-	-
	3	-	1.7	4.2	7.4	-	-	-	-
	4	-	*	*	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	35.2	53.3	52.1	-	-	-	-
03	1	-	1.8	0.1	*	-	-	-	-
	2	-	24.1	2.7	1.4	-	-	-	-
	3	-	7.8	1.8	1.4	-	-	-	-
	4	-	0.3	0.2	0.2	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	34.0	4.8	3.1	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	-	4.7	0.1	*	-	-	-	-
	3	-	4.7	0.1	0.1	-	-	-	-
	4	-	0.3	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-
Total -----		-	9.8	0.2	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	0.3	-	*	-	-	-	-
	3	-	0.8	*	*	-	-	-	-
	4	-	0.1	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	1.2	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	0.1	0.2	0.2	-	-	-	-
46		-	19.7	5.4	4.2	-	-	-	-
48		-	28.9	29.8	34.2	-	-	-	-
50		-	48.5	58.1	55.0	-	-	-	-
52 & Longer		-	2.9	6.4	6.4	-	-	-	-
Average Staple		-	48.69	49.30	49.26	-	-	-	-
Average Length		-	1.42	1.43	1.43	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	-	-
Grass		-	0.2	*	0.2	-	-	-	-
Spindle Twist		-	-	0.4	0.1	-	-	-	-
Preperation		-	*	*	*	-	-	-	-
All Other		-	0.1	*	*	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 03 2019

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5 - 2.6	-	-	0.1	0.1	-	-	-	-
2.7 - 2.9	-	-	0.5	0.2	-	-	-	-
3.0 - 3.2	-	*	1.6	0.6	-	-	-	-
3.3 - 3.4	-	0.3	2.1	1.2	-	-	-	-
3.5 - 3.6	-	1.8	7.5	4.0	-	-	-	-
3.7 - 4.2	-	78.3	55.7	52.2	-	-	-	-
4.3 - 4.9	-	19.6	32.6	41.7	-	-	-	-
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	4.06	4.07	4.15	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	*	-	-	-	-
2.5	-	-	*	*	-	-	-	-
2.6	-	-	*	*	-	-	-	-
2.7	-	-	0.1	*	-	-	-	-
2.8	-	-	0.2	0.1	-	-	-	-
2.9	-	-	0.2	0.1	-	-	-	-
3.0	-	-	0.3	0.1	-	-	-	-
3.1	-	-	0.5	0.2	-	-	-	-
3.2	-	*	0.7	0.3	-	-	-	-
3.3	-	*	1.0	0.4	-	-	-	-
3.4	-	0.3	1.1	0.7	-	-	-	-
3.5	-	0.2	2.9	1.5	-	-	-	-
3.6	-	1.6	4.6	2.5	-	-	-	-
3.7	-	4.2	6.0	3.6	-	-	-	-
3.8	-	8.3	7.9	5.5	-	-	-	-
3.9	-	16.9	8.5	7.7	-	-	-	-
4.0	-	18.8	11.1	10.0	-	-	-	-
4.1	-	16.6	11.1	11.4	-	-	-	-
4.2	-	13.3	11.1	13.9	-	-	-	-
4.3	-	11.3	9.8	15.3	-	-	-	-
4.4	-	5.2	9.8	13.3	-	-	-	-
4.5	-	2.3	7.8	8.1	-	-	-	-
4.6	-	0.6	4.2	3.6	-	-	-	-
4.7	-	0.1	0.9	1.1	-	-	-	-
4.8	-	*	0.2	0.3	-	-	-	-
4.9	-	*	*	*	-	-	-	-
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	4.06	4.07	4.15	-	-	-	-
STRENGTH 1/ 36 & Below	-	0.1	0.2	0.3	-	-	-	-
37	-	0.1	0.4	0.6	-	-	-	-
38	-	1.0	2.6	2.1	-	-	-	-
39	-	6.4	4.4	3.6	-	-	-	-
40	-	8.6	5.6	3.7	-	-	-	-
41	-	6.3	4.0	4.2	-	-	-	-
42	-	11.2	8.6	9.2	-	-	-	-
43	-	26.7	14.1	17.0	-	-	-	-
44	-	24.8	17.0	24.0	-	-	-	-
45	-	11.1	20.1	20.7	-	-	-	-
46	-	2.7	14.0	9.6	-	-	-	-
47	-	0.6	5.8	3.4	-	-	-	-
48 & Above	-	0.2	3.2	1.6	-	-	-	-
Average	-	43.22	44.17	44.02	-	-	-	-
UNIFORMITY								
83 & Below	-	0.1	1.8	1.0	-	-	-	-
84	-	2.5	9.5	5.7	-	-	-	-
85	-	27.4	31.0	22.1	-	-	-	-
86	-	49.5	43.5	53.2	-	-	-	-
87	-	20.3	13.0	16.6	-	-	-	-
88 & Above	-	0.2	1.1	1.5	-	-	-	-
Average	-	86.31	86.04	86.28	-	-	-	-
Samples Classed	-	16,026	33,594	457,339	-	-	-	-