



Volume 21, No.10

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	18	90.2	70.8	14,660	18	88.4	66.7	21,563
AR	12	97.2	90.1	16,746	12	97.4	89.6	32,358
AZ*	-	-	-	-	-	-	-	-
CA	-	-	-	-	-	-	-	-
FL*	-	-	-	-	-	-	-	-
GA	34	89.3	63.9	50,434	34	88.7	61.1	81,920
KS	-	-	-	-	2	2.80	2.30	17,071
LA	12	97.4	90.8	38,228	12	97.6	91.6	42,257
MO	3	94.2	43.6	1,556	3	94.2	43.6	1,556
MS	16	94.7	83.9	25,793	17	95.3	84.4	29,432
NC	10	84.4	53.8	10,285	10	83.8	53.6	11,060
NM	-	-	-	-	-	-	-	-
OK	-	-	-	-	-	-	-	-
SC	9	83.0	65.0	7,813	9	83.3	64.6	9,062
TN	9	96.7	89.6	8,446	9	96.7	90.1	8,998
TX	58	85.2	54.8	203,372	59	85.8	61.4	1,008,498
VA*	-	-	-	-	-	-	-	-
United States	184	88.6	64.8	380,849	188	85.9	62.9	1,276,299
AMERICAN PIMA								
AZ	-			-	-			-
CA	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	184			380,849	188			1,276,299

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 03, 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	30.5	25.0	21.5	28.1	-	-	-	-	-	-	17.6	14.9
	3	30.9	27.1	24.1	27.2	-	-	-	-	-	-	16.5	14.7
	4	1.5	1.8	1.1	1.4	-	-	-	-	-	-	0.6	0.5
	5	*	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	63.0	53.9	46.6	56.7	-	-	-	-	-	-	34.8	30.1
31	1 - 2	2.3	2.3	4.3	2.8	-	-	-	-	-	-	4.1	4.5
	3	18.6	20.6	24.1	20.4	-	-	-	-	-	-	29.9	30.4
	4	6.9	7.9	11.4	11.3	-	-	-	-	-	-	10.4	10.0
	5	1.0	0.8	2.9	2.2	-	-	-	-	-	-	0.4	0.4
	6	*	*	*	0.1	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	28.8	31.7	42.7	36.7	-	-	-	-	-	-	44.7	45.3
41	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.2	0.5	0.5	0.3	-	-	-	-	-	-	2.0	1.7
	4	0.8	1.0	4.2	2.4	-	-	-	-	-	-	4.0	3.4
	5	0.4	0.3	4.6	2.6	-	-	-	-	-	-	0.9	0.7
	6	*	*	0.3	0.2	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.4	1.8	9.7	5.6	-	-	-	-	-	-	6.9	5.9
51	1 - 2	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	0.1	0.1	-	-	-	-	-	-	*	*
	4	-	-	*	*	-	-	-	-	-	-	*	0.1
	5	-	-	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.2	0.2	-	-	-	-	-	-	0.1	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.6	1.2	*	0.1	-	-	-	-	-	-	2.0	2.1
	3	1.4	2.1	*	0.1	-	-	-	-	-	-	1.0	1.3
	4	0.1	0.2	-	*	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.1	3.5	0.1	0.2	-	-	-	-	-	-	3.0	3.4
32	1 - 2	0.1	0.7	*	*	-	-	-	-	-	-	1.4	1.9
	3	1.6	4.6	0.1	0.1	-	-	-	-	-	-	5.5	8.4
	4	1.4	2.2	0.1	0.1	-	-	-	-	-	-	1.4	2.4
	5	0.1	0.2	*	*	-	-	-	-	-	-	0.1	0.1
	6	-	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.2	7.6	0.2	0.3	-	-	-	-	-	-	8.5	12.8
42	1 - 2	-	-	*	*	-	-	-	-	-	-	*	*
	3	0.3	0.3	*	*	-	-	-	-	-	-	0.5	0.6
	4	0.6	0.6	0.2	0.1	-	-	-	-	-	-	0.9	1.2
	5	0.1	0.1	0.2	0.1	-	-	-	-	-	-	0.4	0.3
	6	*	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	1.1	0.5	0.3	-	-	-	-	-	-	1.9	2.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	0.1	0.1	-	-	-	-	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.2	0.2	*	*	-	-	-	-	-	*	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	0.1	*	-	-	-	-	-	-	-	-	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	*	-	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	*	0.1	-	-	-	-	-	-	-	-	*	*
	4	*	*	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.1	-	-	-	-	-	-	-	*	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	-	*	0.1
	4	0.1	0.1	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.1	-	*	-	-	-	-	-	0.1	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	*	*	-	*	-	-	-	-	-	-	*	*
	4	*	*	-	-	-	-	-	-	-	-	*	*
	5	-	-	*	*	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	0.1	*	*	-	-	-	-	-	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	-	-	-	-	-	-	-	-	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	-	-	-	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	*	*
31		0.4	0.4	-	-	-	-	-	-	-	-	0.2	0.2
32		3.3	3.8	-	-	-	-	-	-	-	-	1.9	1.7
33		6.0	7.0	-	*	-	-	-	-	-	-	6.5	7.0
34		12.8	11.5	*	0.2	-	-	-	-	-	-	14.6	17.1
35		21.8	20.2	0.9	5.8	-	-	-	-	-	-	17.5	19.2
36		27.1	29.1	10.5	13.1	-	-	-	-	-	-	22.6	22.2
37		20.7	21.6	47.8	40.6	-	-	-	-	-	-	30.5	28.0
38		6.0	5.0	21.4	22.5	-	-	-	-	-	-	5.8	4.3
39		1.5	1.0	15.2	14.7	-	-	-	-	-	-	0.4	0.3
40 & Longer		0.3	0.2	4.1	3.0	-	-	-	-	-	-	*	*
Average Staple		35.58	35.54	37.52	37.36	-	-	-	-	-	-	35.69	35.55
Average Length		1.11	1.11	1.17	1.17	-	-	-	-	-	-	1.11	1.11

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	39.4	40.9	48.5	48.5	34.0	37.2	22.9	23.3	-	-
	3	-	-	29.6	30.1	18.4	18.4	26.3	26.5	25.3	25.5	-	-
	4	-	*	1.3	1.3	-	-	4.0	4.2	1.2	1.2	-	-
	5	-	*	*	*	-	-	0.2	0.2	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	70.3	72.3	66.8	66.8	64.5	68.0	49.4	50.0	-	-
31	1 - 2	-	-	1.5	1.4	20.3	20.3	1.3	1.2	2.6	2.6	-	-
	3	-	*	10.3	9.7	12.2	12.2	15.0	13.5	25.6	26.0	-	-
	4	-	0.5	7.1	6.7	0.1	0.1	13.7	12.2	13.8	13.3	-	-
	5	-	0.6	0.6	0.5	-	-	2.6	2.3	1.5	1.4	-	-
	6	-	0.1	-	-	-	-	0.1	0.1	-	-	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.2	19.5	18.4	32.6	32.6	32.6	29.3	43.5	43.3	-	-
41	1 - 2	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	3	-	0.1	2.6	2.3	0.1	0.1	0.2	0.2	0.7	0.7	-	-
	4	-	0.8	4.0	3.7	-	-	0.6	0.5	2.1	1.9	-	-
	5	-	1.8	1.0	0.9	-	-	0.2	0.2	0.5	0.5	-	-
	6	-	1.0	*	*	-	-	0.1	0.1	-	-	-	-
	7	-	0.3	-	-	-	-	*	*	-	-	-	-
	8	-	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	-	4.1	7.8	7.0	0.1	0.1	1.0	0.9	3.3	3.1	-	-
51	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	4	-	0.1	*	*	-	-	*	*	-	*	-	-
	5	-	0.5	0.1	0.1	-	-	-	-	-	-	-	-
	6	-	0.2	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.9	0.2	0.1	-	-	0.1	0.1	-	*	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	0.7	0.7	-	-	0.4	0.5	0.3	0.3	-	-
	3	-	*	0.1	0.1	-	-	0.2	0.2	0.4	0.4	-	-
	4	-	0.1	*	*	-	-	*	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	0.9	0.8	-	-	0.6	0.7	0.8	0.8	-	-
32	1 - 2	-	-	0.1	0.1	0.1	0.1	*	*	0.1	0.1	-	-
	3	-	0.2	0.3	0.3	0.2	0.2	0.4	0.4	0.8	0.8	-	-
	4	-	0.9	0.1	0.1	-	-	0.6	0.5	1.3	1.2	-	-
	5	-	1.7	*	*	-	-	*	*	*	*	-	-
	6	-	0.6	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	3.4	0.5	0.5	0.3	0.3	1.1	1.0	2.2	2.2	-	-
42	1 - 2	-	-	*	*	0.1	0.1	*	*	-	-	-	-
	3	-	0.2	0.3	0.2	-	-	*	*	0.1	0.1	-	-
	4	-	1.6	0.5	0.4	-	-	*	*	0.4	0.4	-	-
	5	-	5.7	0.1	0.1	-	-	-	-	*	*	-	-
	6	-	5.0	-	-	-	-	-	-	-	-	-	-
	7	-	1.8	-	-	-	-	-	-	-	-	-	-
	8	-	0.6	-	-	-	-	-	-	-	-	-	-
Total	----	-	14.8	0.8	0.8	0.1	0.1	*	*	0.5	0.5	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	4	-	0.1	*	*	-	-	*	*	-	-	-	-
	5	-	0.5	*	*	-	-	*	*	-	-	-	-
	6	-	0.8	-	-	-	-	-	-	-	-	-	-
	7	-	0.5	-	-	-	-	-	-	-	-	-	-
	8	-	0.6	-	-	-	-	-	-	-	-	-	-
Total	----	-	2.6	*	*	-	-	0.1	0.1	-	-	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	0.2	-	-	-	-	-	-	0.2	0.2	-	-
	4	-	1.0	-	-	-	-	-	-	*	*	-	-
	5	-	3.1	-	-	-	-	-	-	-	-	-	-
	6	-	1.6	-	-	-	-	-	-	-	-	-	-
	7	-	0.3	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	6.2	-	-	-	-	*	*	0.2	0.2	-	-
43	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	0.4	*	*	-	-	-	-	*	*	-	-
	4	-	2.8	-	-	-	-	-	-	*	*	-	-
	5	-	6.4	-	-	-	-	-	-	-	-	-	-
	6	-	6.2	-	-	-	-	-	-	-	-	-	-
	7	-	3.0	-	-	-	-	-	-	-	-	-	-
	8	-	2.6	-	-	-	-	-	-	-	-	-	-
Total	----	-	21.4	*	*	-	-	-	-	*	*	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-
	4	-	0.6	-	-	-	-	-	-	-	-	-	-
	5	-	1.5	-	-	-	-	-	-	-	-	-	-
	6	-	3.1	-	-	-	-	-	-	-	-	-	-
	7	-	4.2	-	-	-	-	-	-	-	-	-	-
	8	-	3.1	-	-	-	-	-	-	-	-	-	-
Total	----	-	12.5	-	-	-	-	-	-	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	0.1	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.2	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	21.1	*	*	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	11.4	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	-	-	-	*	*	-	-
32		-	*	-	-	-	-	-	-	0.2	0.2	-	-
33		-	1.2	-	-	-	-	-	-	0.5	0.5	-	-
34		-	13.6	*	*	-	-	*	*	5.2	4.8	-	-
35		-	43.5	0.7	0.6	13.0	13.0	1.3	1.1	17.2	17.0	-	-
36		-	31.2	9.4	9.1	55.0	55.0	5.9	6.1	31.2	32.0	-	-
37		-	9.8	22.7	24.1	31.6	31.6	24.3	25.1	32.3	31.8	-	-
38		-	0.5	41.5	42.0	0.1	0.1	42.6	43.5	11.9	12.4	-	-
39		-	*	24.6	23.1	0.3	0.3	23.9	22.3	1.4	1.3	-	-
40 & Longer		-	-	1.2	1.1	-	-	2.0	1.9	0.1	0.1	-	-
Average Staple		-	35.37	37.83	37.81	36.20	36.20	37.88	37.86	36.31	36.32	-	-
Average Length		-	1.10	1.18	1.18	1.12	1.12	1.18	1.18	1.13	1.13	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	12.5	11.6	45.1	42.7	26.0	33.7	-	-
	3	-	-	30.6	29.2	14.6	14.4	13.6	18.4	-	-
	4	-	-	2.6	2.4	0.2	0.3	1.3	1.5	-	-
	5	-	-	-	*	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	45.7	43.2	59.9	57.3	41.0	53.7	-	-
31	1 - 2	-	-	3.0	2.9	6.9	6.5	4.2	4.8	-	-
	3	-	-	24.6	25.5	16.3	16.5	10.7	11.2	-	-
	4	-	-	13.3	12.7	6.3	8.5	3.5	3.9	-	-
	5	-	-	1.1	1.0	2.0	2.7	0.3	0.4	-	-
	6	-	-	-	-	0.1	0.1	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	42.1	42.1	31.6	34.3	18.7	20.2	-	-
41	1 - 2	-	-	-	*	*	*	1.5	1.2	-	-
	3	-	-	0.3	0.3	0.7	0.6	5.3	4.2	-	-
	4	-	-	0.3	0.3	2.1	2.0	2.9	2.5	-	-
	5	-	-	0.1	0.1	2.3	2.4	0.4	0.4	-	-
	6	-	-	-	-	0.4	0.5	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.7	0.7	5.5	5.5	10.1	8.4	-	-
51	1 - 2	-	-	-	-	-	-	0.2	0.1	-	-
	3	-	-	*	0.2	-	-	1.1	0.4	-	-
	4	-	-	-	*	-	-	1.1	0.3	-	-
	5	-	-	-	*	*	*	0.3	0.1	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.3	*	*	2.7	1.0	-	-
61	1 - 2	-	-	-	*	-	-	*	*	-	-
	3	-	-	-	*	-	-	0.2	0.1	-	-
	4	-	-	-	*	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	0.1	-	-	0.4	0.2	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
12 & 22	1 - 2	-	-	0.7	0.8	0.2	0.2	9.3	6.0	-	-
	3	-	-	1.3	2.1	0.2	0.2	7.0	4.3	-	-
	4	-	-	0.2	0.2	*	*	1.1	0.8	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	2.2	3.1	0.4	0.4	17.5	11.2	-	-
32	1 - 2	-	-	0.5	0.5	0.1	0.1	0.9	0.5	-	-
	3	-	-	5.1	5.4	1.7	1.6	2.4	1.3	-	-
	4	-	-	2.7	2.4	0.4	0.3	1.2	0.8	-	-
	5	-	-	0.5	0.5	*	*	0.2	0.2	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	8.8	8.8	2.2	2.1	4.8	2.8	-	-
42	1 - 2	-	-	-	*	*	*	0.5	0.2	-	-
	3	-	-	0.1	0.2	0.1	0.1	1.2	0.8	-	-
	4	-	-	0.1	0.1	0.2	0.1	1.0	0.6	-	-
	5	-	-	0.1	0.1	*	*	0.2	0.2	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	0.4	0.4	0.3	0.3	2.9	1.8	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	*	*	-	-
	3	-	-	-	0.2	-	-	0.3	0.1	-	-
	4	-	-	-	0.2	-	-	0.2	0.1	-	-
	5	-	-	-	*	-	-	0.1	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	-	-	-	<i>0.5</i>	-	-	<i>0.6</i>	<i>0.3</i>	-	-
62	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	0.1	-	-	0.1	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	<i>0.1</i>	-	-	<i>0.1</i>	<i>*</i>	-	-
13 & 23	1 - 2	-	-	-	-	-	-	0.2	0.1	-	-
	3	-	-	-	*	-	-	0.2	0.1	-	-
	4	-	-	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	<i>*</i>	-	-	<i>0.5</i>	<i>0.3</i>	-	-
33	1 - 2	-	-	*	*	-	-	0.1	*	-	-
	3	-	-	0.1	0.3	-	-	0.2	0.1	-	-
	4	-	-	-	*	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	<i>0.1</i>	<i>0.4</i>	-	-	<i>0.4</i>	<i>0.1</i>	-	-
43	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	*	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	<i>*</i>	-	-	<i>0.1</i>	<i>0.1</i>	-	-
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	*	-	-	*	*	-	-
	4	-	-	-	0.1	-	-	*	*	-	-
	5	-	-	-	0.1	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	<i>0.3</i>	-	-	<i>0.1</i>	<i>*</i>	-	-
63	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	<i>0.1</i>	-	-	<i>*</i>	<i>*</i>	-	-
24 - 54	1 - 8	-	-	-	*	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	*	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	*	*	-	-
31		-	-	-	*	-	-	0.3	0.2	-	-
32		-	-	*	0.2	-	-	1.1	1.1	-	-
33		-	-	0.8	1.9	*	*	4.2	4.0	-	-
34		-	-	5.4	7.9	1.6	1.5	9.0	10.0	-	-
35		-	-	10.7	11.5	23.1	21.7	18.1	18.6	-	-
36		-	-	21.6	19.1	60.3	59.2	23.5	23.8	-	-
37		-	-	41.5	37.3	14.0	16.7	26.4	26.9	-	-
38		-	-	16.2	17.8	0.9	0.9	11.9	11.5	-	-
39		-	-	3.7	4.1	-	-	4.3	3.4	-	-
40 & Longer		-	-	*	0.1	-	-	1.2	0.4	-	-
<i>Average Staple</i>		-	-	<i>36.61</i>	<i>36.51</i>	<i>35.90</i>	<i>35.94</i>	<i>36.13</i>	<i>36.06</i>	-	-
<i>Average Length</i>		-	-	<i>1.14</i>	<i>1.14</i>	<i>1.12</i>	<i>1.12</i>	<i>1.13</i>	<i>1.12</i>	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	1.2	1.2	1.3	1.3	-	-	-	-	-	-	1.9	1.5
Bark - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.4	0.6	0.2	0.1	-	-	-	-	-	-	0.3	0.3
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.3	0.2	*	*	-	-	-	-	-	-	0.1	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	0.1	*	*	-	-	-	-	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	*	-	-	-	-	-	-	*	*
23	0.1	0.1	-	*	-	-	-	-	-	-	0.2	0.2
24	0.7	0.5	*	*	-	-	-	-	-	-	0.9	0.9
25	3.8	3.1	*	0.1	-	-	-	-	-	-	3.7	4.0
26	11.1	11.0	0.3	0.5	-	-	-	-	-	-	10.9	11.6
27	28.0	25.7	1.5	2.0	-	-	-	-	-	-	21.3	21.6
28	31.7	31.9	12.2	11.9	-	-	-	-	-	-	29.1	27.5
29	17.1	18.6	29.5	30.8	-	-	-	-	-	-	20.0	19.2
30	6.0	6.7	26.2	27.4	-	-	-	-	-	-	9.0	9.9
31	1.2	1.8	18.0	17.1	-	-	-	-	-	-	3.6	3.6
32	0.4	0.5	8.4	7.5	-	-	-	-	-	-	1.0	1.1
33	*	*	2.6	1.9	-	-	-	-	-	-	0.2	0.4
34	-	-	1.0	0.7	-	-	-	-	-	-	0.1	0.1
35	-	-	0.2	0.2	-	-	-	-	-	-	*	*
36	-	-	*	*	-	-	-	-	-	-	*	*
37	-	-	*	*	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	28.15	28.26	30.33	30.24	-	-	-	-	-	-	28.40	28.40
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	*
3.1	0.1	0.1	-	*	-	-	-	-	-	-	*	*
3.2	*	*	-	0.1	-	-	-	-	-	-	-	*
3.3	0.5	0.4	-	-	-	-	-	-	-	-	-	0.1
3.4	0.6	0.5	*	*	-	-	-	-	-	-	*	0.2
3.5	0.5	0.8	*	*	-	-	-	-	-	-	0.1	0.3
3.6	1.7	1.6	*	0.2	-	-	-	-	-	-	0.3	0.6
3.7	1.7	1.6	0.1	0.4	-	-	-	-	-	-	0.5	0.9
3.8	2.9	2.8	0.2	1.3	-	-	-	-	-	-	1.0	1.4
3.9	4.1	5.0	0.7	1.8	-	-	-	-	-	-	1.9	2.1
4.0	5.2	5.5	1.2	3.2	-	-	-	-	-	-	4.1	4.1
4.1	6.9	8.1	1.2	3.6	-	-	-	-	-	-	5.9	6.0
4.2	9.5	8.8	3.6	7.7	-	-	-	-	-	-	9.0	9.5
4.3	14.5	13.2	10.2	13.1	-	-	-	-	-	-	12.3	13.0
4.4	13.0	13.0	18.3	16.3	-	-	-	-	-	-	14.6	15.2
4.5	14.2	13.8	22.1	17.9	-	-	-	-	-	-	16.1	15.5
4.6	12.8	12.0	21.2	16.3	-	-	-	-	-	-	12.2	11.7
4.7	7.6	7.7	13.8	10.6	-	-	-	-	-	-	8.5	8.0
4.8	2.7	2.9	6.1	6.0	-	-	-	-	-	-	6.8	6.0
4.9	1.1	1.3	1.1	1.2	-	-	-	-	-	-	3.9	3.1
5.0	0.4	0.7	0.3	0.2	-	-	-	-	-	-	1.5	1.3
5.1	0.1	0.2	0.1	*	-	-	-	-	-	-	0.5	0.5
5.2	*	*	-	-	-	-	-	-	-	-	0.5	0.4
5.3	*	*	-	*	-	-	-	-	-	-	0.3	0.2
5.4	-	-	-	*	-	-	-	-	-	-	*	*
5.5 & Above	*	*	*	*	-	-	-	-	-	-	-	*
Average	4.33	4.33	4.51	4.44	-	-	-	-	-	-	4.45	4.42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	75.5	0.1	0.1	-	-	0.3	0.3	0.1	0.1	-	-
Bark - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.3	0.3	-	-	0.1	0.1	*	*	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	*	0.1	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	*	*	-	-	-	-	-	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	0.1	*	*	-	-	*	*	-	-	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	1.0	-	-	-	-	-	-	-	-	-	-
23	-	1.2	-	-	-	-	-	-	-	-	-	-
24	-	3.9	-	-	-	-	-	-	*	*	-	-
25	-	11.4	*	*	-	-	-	-	0.1	0.1	-	-
26	-	24.7	*	*	1.2	1.2	0.1	0.1	1.6	1.5	-	-
27	-	30.7	1.3	1.2	38.4	38.4	0.8	1.2	3.7	3.5	-	-
28	-	18.5	8.8	9.0	42.4	42.4	4.4	5.2	5.6	5.3	-	-
29	-	6.5	31.2	31.9	16.1	16.1	9.7	12.9	15.4	14.9	-	-
30	-	1.5	28.9	29.6	0.6	0.6	38.2	37.4	24.0	24.5	-	-
31	-	0.3	14.7	14.1	1.1	1.1	33.7	31.5	21.2	21.1	-	-
32	-	*	10.0	9.3	0.1	0.1	8.4	7.6	17.2	18.5	-	-
33	-	*	4.0	3.8	0.1	0.1	3.3	3.0	8.6	8.2	-	-
34	-	-	0.9	0.9	-	-	1.1	0.9	2.2	2.1	-	-
35	-	-	0.1	0.1	-	-	0.2	0.2	0.4	0.3	-	-
36	-	-	*	*	-	-	*	*	-	-	-	-
37	-	-	*	*	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	27.12	30.44	30.40	28.25	28.25	30.90	30.79	30.91	30.93	-	-
Mike	-	-	-	-	-	-	-	-	-	-	-	-
2.4 & Below	-	0.4	-	-	-	-	-	-	-	-	-	-
2.5	-	1.2	-	-	-	-	-	-	-	-	-	-
2.6	-	1.0	-	-	-	-	-	-	-	-	-	-
2.7	-	1.6	-	-	-	-	-	-	-	-	-	-
2.8	-	1.6	-	-	-	-	-	-	-	-	-	-
2.9	-	1.9	-	-	-	-	-	-	-	-	-	-
3.0	-	1.8	*	*	-	-	-	-	-	-	-	-
3.1	-	3.2	*	*	-	-	-	-	-	-	-	-
3.2	-	3.1	*	*	-	-	-	-	-	-	-	-
3.3	-	1.6	0.1	0.1	-	-	*	*	-	-	-	-
3.4	-	2.3	0.1	0.1	-	-	-	-	-	-	-	-
3.5	-	3.1	*	*	-	-	*	*	-	-	-	-
3.6	-	5.0	0.2	0.2	-	-	*	*	-	-	-	-
3.7	-	6.9	0.1	0.1	-	-	*	*	0.2	0.1	-	-
3.8	-	7.3	0.1	0.1	-	-	0.4	0.8	*	*	-	-
3.9	-	8.6	1.2	1.1	-	-	1.2	1.4	0.1	0.1	-	-
4.0	-	6.4	1.7	2.0	-	-	6.4	5.8	0.2	0.2	-	-
4.1	-	7.5	4.7	5.2	0.1	0.1	5.6	5.1	1.2	1.2	-	-
4.2	-	7.5	9.1	10.4	0.1	0.1	5.6	5.1	1.8	1.8	-	-
4.3	-	6.3	21.5	21.5	0.1	0.1	8.8	8.8	5.3	5.2	-	-
4.4	-	6.2	19.3	19.1	1.5	1.5	13.8	14.5	6.2	6.2	-	-
4.5	-	5.3	16.1	15.6	2.8	2.8	16.4	16.9	10.0	10.0	-	-
4.6	-	3.5	10.0	10.1	10.7	10.7	15.7	15.9	10.9	11.0	-	-
4.7	-	3.6	9.2	8.6	28.5	28.5	11.2	11.3	20.5	20.4	-	-
4.8	-	1.8	4.3	4.0	24.9	24.9	7.3	7.5	17.7	17.2	-	-
4.9	-	0.9	1.1	1.0	25.6	25.6	3.2	3.1	12.3	12.3	-	-
5.0	-	0.3	0.5	0.5	5.7	5.7	0.5	0.4	8.4	8.8	-	-
5.1	-	0.1	0.4	0.3	-	-	0.6	0.6	3.5	3.8	-	-
5.2	-	*	*	*	-	-	0.9	0.7	1.0	0.9	-	-
5.3	-	*	-	-	-	-	1.5	1.3	0.4	0.4	-	-
5.4	-	-	-	-	-	-	0.9	0.8	0.2	0.2	-	-
5.5 & Above	-	-	*	*	-	-	*	*	*	*	-	-
Average	-	3.89	4.42	4.41	4.77	4.77	4.49	4.49	4.70	4.70	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	-	0.3	0.4	0.2	0.3	0.7	0.4	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.2	*	*	0.4	0.3	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	0.8	*	*	*	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	-	-	-	-	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	0.3	-	-	*	*	-	-
23	-	-	-	0.4	-	-	0.1	*	-	-
24	-	-	*	0.3	-	-	0.2	0.1	-	-
25	-	-	0.1	0.4	0.2	0.2	0.5	0.5	-	-
26	-	-	1.8	2.7	1.5	1.4	1.9	1.8	-	-
27	-	-	3.2	4.6	9.3	8.7	5.4	5.0	-	-
28	-	-	13.8	15.4	32.6	30.6	10.7	11.4	-	-
29	-	-	33.3	32.5	38.5	38.2	17.7	19.3	-	-
30	-	-	23.4	21.7	9.9	13.2	23.0	23.7	-	-
31	-	-	13.7	12.3	2.3	2.3	19.7	18.8	-	-
32	-	-	6.9	6.2	2.9	2.7	12.0	10.5	-	-
33	-	-	2.9	2.6	2.5	2.4	5.1	4.9	-	-
34	-	-	0.7	0.6	0.2	0.2	2.2	2.5	-	-
35	-	-	0.2	0.2	*	*	1.2	1.1	-	-
36	-	-	*	*	-	-	0.3	0.3	-	-
37	-	-	-	-	-	-	0.1	*	-	-
38	-	-	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.09	29.86	29.21	29.27	30.54	30.49	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	-	*	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	*	-	-
2.7	-	-	-	-	-	-	-	*	-	-
2.8	-	-	-	-	-	-	-	*	-	-
2.9	-	-	-	-	-	-	*	*	-	-
3.0	-	-	-	-	-	-	*	*	-	-
3.1	-	-	-	-	-	-	*	0.1	-	-
3.2	-	-	-	-	-	-	0.1	0.2	-	-
3.3	-	-	-	-	*	*	0.3	0.4	-	-
3.4	-	-	-	-	*	*	0.5	0.7	-	-
3.5	-	-	-	-	*	*	0.9	1.1	-	-
3.6	-	-	-	-	-	-	1.4	1.7	-	-
3.7	-	-	-	-	0.9	0.8	2.3	2.6	-	-
3.8	-	-	0.1	0.1	1.1	1.0	3.5	3.8	-	-
3.9	-	-	0.7	0.8	3.0	2.8	3.5	4.6	-	-
4.0	-	-	1.6	1.7	1.8	1.9	4.8	5.3	-	-
4.1	-	-	3.0	2.6	3.1	3.4	6.4	6.6	-	-
4.2	-	-	5.1	5.2	3.6	5.1	8.0	7.7	-	-
4.3	-	-	10.1	10.8	5.5	6.2	10.5	9.1	-	-
4.4	-	-	14.4	14.2	12.3	12.2	11.2	10.1	-	-
4.5	-	-	13.0	14.5	26.8	26.2	10.6	9.6	-	-
4.6	-	-	13.3	13.6	23.4	22.7	10.4	9.0	-	-
4.7	-	-	9.4	9.7	11.2	10.6	9.6	8.7	-	-
4.8	-	-	8.1	7.9	3.1	2.9	7.5	6.9	-	-
4.9	-	-	7.5	7.1	2.5	2.3	3.9	4.6	-	-
5.0	-	-	5.6	4.9	1.7	1.6	2.3	3.3	-	-
5.1	-	-	2.1	1.8	*	*	1.3	1.8	-	-
5.2	-	-	1.2	1.1	-	*	0.7	0.9	-	-
5.3	-	-	1.4	1.2	-	-	0.4	0.4	-	-
5.4	-	-	2.3	2.0	-	-	0.1	0.2	-	-
5.5 & Above	-	-	0.9	0.8	-	-	0.1	0.3	-	-
Average	-	-	4.60	4.59	4.49	4.48	4.40	4.38	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	0.1	0.1	-	0.1	-	-	-	-	-	-	*	*
3.3 - 3.4	1.1	0.8	*	*	-	-	-	-	-	-	*	0.2
3.5 - 3.6	2.2	2.4	*	0.3	-	-	-	-	-	-	0.4	0.8
3.7 - 4.2	30.2	31.9	6.9	18.0	-	-	-	-	-	-	22.3	24.0
4.3 - 4.9	65.8	64.0	92.7	81.4	-	-	-	-	-	-	74.5	72.6
5.0 - 5.2	0.5	0.9	0.4	0.3	-	-	-	-	-	-	2.4	2.1
5.3 & Above	*	*	*	*	-	-	-	-	-	-	0.3	0.2
Average	4.33	4.33	4.51	4.44	-	-	-	-	-	-	4.45	4.42
Leaf												
1 - 2	33.6	29.2	26.0	31.1	-	-	-	-	-	-	25.1	23.4
3	53.0	55.3	49.0	48.3	-	-	-	-	-	-	55.5	57.3
4	11.7	14.0	16.9	15.3	-	-	-	-	-	-	17.5	17.7
5	1.7	1.5	7.8	5.0	-	-	-	-	-	-	1.7	1.6
6	0.1	*	0.4	0.3	-	-	-	-	-	-	0.1	0.1
7	-	-	*	*	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	2.79	2.86	3.07	2.94	-	-	-	-	-	-	2.95	2.97
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	8.6	7.0	3.9	5.5	-	-	-	-	-	-	4.8	4.1
02	31.9	28.7	27.4	31.5	-	-	-	-	-	-	27.5	26.1
03	31.0	30.9	28.6	28.1	-	-	-	-	-	-	31.3	32.5
04	16.4	18.7	14.6	14.8	-	-	-	-	-	-	20.0	20.8
05	6.8	8.5	8.9	8.3	-	-	-	-	-	-	9.7	9.9
06	3.1	3.8	6.4	5.2	-	-	-	-	-	-	4.1	4.1
07	1.3	1.4	4.7	3.3	-	-	-	-	-	-	1.6	1.6
08	0.5	0.6	2.9	1.8	-	-	-	-	-	-	0.6	0.6
09	0.3	0.3	1.5	0.9	-	-	-	-	-	-	0.2	0.2
10	0.1	0.1	0.7	0.4	-	-	-	-	-	-	0.1	0.1
11	*	*	0.3	0.1	-	-	-	-	-	-	*	*
12	-	*	0.1	*	-	-	-	-	-	-	*	*
13	-	-	*	*	-	-	-	-	-	-	*	*
14	-	-	*	*	-	-	-	-	-	-	*	*
15	-	-	-	*	-	-	-	-	-	-	*	*
16	-	-	-	-	-	-	-	-	-	-	*	*
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	0.30	0.32	0.37	0.34	-	-	-	-	-	-	0.33	0.33
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	0.1	0.1	*	*	-	-	-	-	-	-	*	*
77	0.8	0.6	0.1	0.2	-	-	-	-	-	-	0.6	0.6
78	6.4	6.0	0.7	1.4	-	-	-	-	-	-	3.6	4.0
79	24.3	23.1	3.8	5.9	-	-	-	-	-	-	14.7	15.8
80	41.6	41.3	13.9	15.7	-	-	-	-	-	-	35.2	36.8
81	22.2	24.4	39.6	39.4	-	-	-	-	-	-	34.8	33.1
82	4.4	4.4	31.6	29.2	-	-	-	-	-	-	10.0	8.6
83	0.2	0.2	9.2	7.4	-	-	-	-	-	-	1.1	0.9
84	*	*	1.1	0.7	-	-	-	-	-	-	0.1	0.1
85 & Above	-	*	*	*	-	-	-	-	-	-	*	*
Average	80.37	80.41	81.74	81.59	-	-	-	-	-	-	80.79	80.73
Tenderable 3/	90.2	88.4	97.2	97.4	-	-	-	-	-	-	89.3	88.7
SAMPLES CLASSED	14,660	21,563	16,746	32,358	-	-	-	-	-	-	50,434	81,920

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	0.4	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	2.2	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	5.1	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	8.1	0.1	0.1	-	-	-	-	-	-	-	-
3.3 - 3.4	-	3.9	0.2	0.2	-	-	*	*	-	-	-	-
3.5 - 3.6	-	8.1	0.3	0.2	-	-	*	*	-	-	-	-
3.7 - 4.2	-	44.2	17.0	18.9	0.1	0.1	19.1	18.1	3.5	3.5	-	-
4.3 - 4.9	-	27.6	81.5	79.8	94.2	94.2	76.4	77.9	82.9	82.3	-	-
5.0 - 5.2	-	0.4	0.9	0.8	5.7	5.7	2.0	1.7	12.9	13.6	-	-
5.3 & Above	-	*	*	*	-	-	2.5	2.2	0.7	0.6	-	-
Average	-	3.89	4.42	4.41	4.77	4.77	4.49	4.49	4.70	4.70	-	-
Leaf												
1 - 2	-	*	41.8	43.2	69.0	69.0	35.7	38.9	26.0	26.3	-	-
3	-	1.4	43.2	42.8	30.9	30.9	42.2	40.9	53.1	53.7	-	-
4	-	12.8	13.1	12.3	0.1	0.1	18.9	17.4	18.8	18.0	-	-
5	-	30.1	1.9	1.7	-	-	3.0	2.6	2.1	2.0	-	-
6	-	26.2	*	*	-	-	0.2	0.2	-	-	-	-
7	-	16.1	-	-	-	-	*	*	-	-	-	-
8	-	13.5	-	-	-	-	-	-	-	-	-	-
Average	-	5.83	2.73	2.70	2.29	2.29	2.87	2.80	2.95	2.94	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	*	-	-	-	-
01	-	-	10.4	10.9	10.2	10.2	9.6	11.4	5.7	5.5	-	-
02	-	*	38.6	39.6	62.7	62.7	31.6	33.6	25.0	25.3	-	-
03	-	0.2	23.9	23.7	24.4	24.4	24.3	23.3	28.9	29.0	-	-
04	-	1.0	13.2	12.6	2.5	2.5	16.6	15.3	18.8	19.1	-	-
05	-	2.6	7.5	7.1	0.1	0.1	9.6	8.9	11.7	11.7	-	-
06	-	4.9	4.0	3.7	0.1	0.1	4.7	4.4	5.9	5.6	-	-
07	-	8.6	1.7	1.5	-	-	2.0	1.9	2.6	2.4	-	-
08	-	9.5	0.6	0.5	-	-	0.9	0.8	1.0	0.9	-	-
09	-	10.6	0.2	0.2	-	-	0.3	0.3	0.3	0.3	-	-
10	-	10.7	*	*	-	-	0.1	0.1	0.1	0.1	-	-
11	-	9.7	*	*	-	-	*	*	*	*	-	-
12	-	8.7	*	*	-	-	*	*	*	*	-	-
13	-	6.9	-	-	-	-	-	-	-	-	-	-
14	-	5.8	-	-	-	-	*	*	-	-	-	-
15	-	4.4	-	-	-	-	-	-	-	-	-	-
16	-	3.7	-	-	-	-	-	-	-	-	-	-
17	-	2.8	-	-	-	-	-	-	-	-	-	-
18 & Above	-	9.6	-	-	-	-	-	-	-	-	-	-
Average	-	1.15	0.29	0.29	0.22	0.22	0.32	0.30	0.34	0.34	-	-
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	-	-	-
75	-	0.1	-	-	-	-	-	-	-	-	-	-
76	-	0.3	-	-	-	-	-	-	-	-	-	-
77	-	0.8	-	-	-	-	*	*	*	*	-	-
78	-	2.2	0.2	0.2	-	-	0.2	0.2	0.2	0.2	-	-
79	-	14.1	1.4	1.8	0.1	0.1	1.1	1.2	4.5	4.3	-	-
80	-	42.7	22.0	23.6	0.1	0.1	17.7	20.5	24.1	23.2	-	-
81	-	36.0	58.6	57.9	6.0	6.0	52.6	52.1	44.4	44.7	-	-
82	-	3.7	16.2	15.1	23.5	23.5	25.6	23.4	22.2	23.2	-	-
83	-	0.1	1.4	1.3	68.6	68.6	2.5	2.3	4.2	4.1	-	-
84	-	*	0.2	0.2	1.7	1.7	0.2	0.2	0.3	0.2	-	-
85 & Above	-	-	*	*	-	-	*	*	*	*	-	-
Average	-	80.65	81.40	81.36	83.12	83.12	81.55	81.49	81.43	81.45	-	-
Tenderable 3/	-	2.80	97.4	97.6	94.2	94.2	94.7	95.3	84.4	83.8	-	-
SAMPLES CLASSED	-	17,071	38,228	42,257	1,556	1,556	25,793	29,432	10,285	11,060	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	OKLAHOMA WeekSeason	SOUTH CAROLINA WeekSeason	TENNESSEE WeekSeason	TEXAS WeekSeason	VIRGINIA WeekSeason
MIKE					
2.4 & Below	- -	- -	- -	- *	- -
2.5 - 2.6	- -	- -	- -	- *	- -
2.7 - 2.9	- -	- -	- -	* *	- -
3.0 - 3.2	- -	- -	- -	0.1 0.3	- -
3.3 - 3.4	- -	- -	* *	0.8 1.1	- -
3.5 - 3.6	- -	- -	* *	2.3 2.8	- -
3.7 - 4.2	- -	10.5 10.4	13.4 15.1	28.4 30.7	- -
4.3 - 4.9	- -	75.9 77.7	84.8 83.2	63.6 58.1	- -
5.0 - 5.2	- -	8.9 7.8	1.8 1.7	4.2 6.0	- -
5.3 & Above	- -	4.7 4.1	- -	0.6 1.0	- -
Average	- -	4.60 4.59	4.49 4.48	4.40 4.38	- -
Leaf					
1 - 2	- -	16.8 15.9	52.4 49.5	43.0 46.6	- -
3	- -	62.1 63.5	33.5 33.5	42.3 40.9	- -
4	- -	19.2 18.7	9.2 11.2	12.7 10.8	- -
5	- -	1.9 1.9	4.5 5.2	1.8 1.5	- -
6	- -	- 0.1	0.5 0.6	0.2 0.1	- -
7	- -	- -	- -	* *	- -
8	- -	- -	- -	* *	- -
Average	- -	3.06 3.06	2.56 2.63	2.67 2.60	- -
HVI Trash 1/					
00	- -	- -	* *	0.1 *	- -
01	- -	1.7 1.5	22.7 21.3	13.1 15.0	- -
02	- -	17.9 17.0	31.4 30.0	31.4 33.6	- -
03	- -	33.0 33.3	20.1 19.9	24.4 24.5	- -
04	- -	24.8 25.4	10.9 11.5	15.2 13.9	- -
05	- -	12.8 13.0	5.7 6.6	8.4 7.0	- -
06	- -	5.8 5.7	3.7 4.4	4.0 3.3	- -
07	- -	2.6 2.6	2.6 3.1	1.9 1.5	- -
08	- -	0.9 0.9	1.7 1.8	0.8 0.6	- -
09	- -	0.3 0.3	0.7 0.8	0.4 0.3	- -
10	- -	0.1 0.1	0.3 0.3	0.2 0.1	- -
11	- -	* *	0.1 0.1	0.1 0.1	- -
12	- -	- -	0.1 0.1	* *	- -
13	- -	* *	* *	* *	- -
14	- -	- -	- -	* *	- -
15	- -	- -	- -	* *	- -
16	- -	- -	- -	* *	- -
17	- -	- -	- -	* *	- -
18 & Above	- -	- -	- -	* *	- -
Average	- -	0.36 0.37	0.28 0.30	0.30 0.29	- -
UNIFORMITY 2/					
74 & Below	- -	- -	- -	* *	- -
75	- -	- -	- -	* *	- -
76	- -	- *	* *	0.1 0.1	- -
77	- -	- 0.1	0.1 0.1	0.7 0.7	- -
78	- -	0.2 0.5	0.4 0.4	3.2 3.1	- -
79	- -	6.3 6.7	9.0 8.4	11.6 11.7	- -
80	- -	35.1 34.5	29.8 28.0	25.6 27.6	- -
81	- -	43.4 43.4	29.6 29.1	35.1 34.8	- -
82	- -	13.4 13.3	25.4 28.6	19.7 18.5	- -
83	- -	1.5 1.4	5.6 5.2	3.5 3.2	- -
84	- -	0.1 0.1	0.2 0.2	0.3 0.3	- -
85 & Above	- -	- -	* *	* *	- -
Average	- -	81.15 81.12	81.33 81.39	81.11 81.07	- -
Tenderable 3/	- -	83.0 83.3	96.7 96.7	85.2 85.8	- -
SAMPLES CLASSED	- -	7,813 9,062	8,446 8,998	203,372 1,008,498	- -

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	-	-	-	-	-	-
Average Length		-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 03, 2019

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Samples Classed	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.