



Volume 22, No.20

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	28	60.5	51.8	75,771	28	64.3	53.8	573,079
AR	21	92.0	81.5	89,445	29	95.3	87.1	1,151,411
AZ	10	88.3	69.9	25,311	10	80.9	56.1	178,332
CA	7	94.7	83.9	12,969	13	94.4	82.5	90,919
FL	4	30.3	28.6	11,051	4	42.5	40.5	69,223
GA	59	44.6	38.3	231,485	59	51.1	44.0	1,392,100
KS	3	35.1	23.2	17,310	3	33.5	20.8	82,124
LA	6	89.2	78.2	7,632	19	87.6	70.3	331,380
MO	17	95.4	87.3	72,641	20	94.5	84.3	529,550
MS	26	87.9	66.8	40,138	37	86.8	63.7	1,096,929
NC	33	92.5	81.4	65,212	33	92.7	82.4	441,844
NM	2	85.8	67.2	9,219	2	88.3	70.7	21,332
OK	12	71.8	57.1	39,802	12	81.1	67.8	282,449
SC	15	90.5	80.9	29,486	15	91.3	82.4	170,480
TN	18	90.0	72.6	47,599	21	90.5	73.7	562,554
TX	112	53.0	37.8	229,631	175	74.8	60.1	4,259,591
VA	4	95.0	86.0	15,295	4	94.4	86.4	78,930
United States	377	67.6	56.2	1,019,997	484	77.7	64.3	11,312,227
AMERICAN PIMA								
AZ	3			1,372	3			3,693
CA	12			31,885	14			258,026
NM*	-			-	-			-
TX	2			2,169	3			20,858
United States	18			36,192	21			292,510
United States all cotton	392			1,056,189	497			11,604,737

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.1	0.1	0.1	0.2	75.9	78.8	50.8	55.5	*	0.2	0.5	0.4
	3	0.1	0.2	0.2	0.2	3.4	3.9	15.7	9.1	*	0.3	0.5	0.4
	4	*	*	*	*	*	0.1	1.0	0.6	*	*	*	*
	5	-	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.10.4	0.40.5	79.382.7	67.565.3	0.10.5	1.10.8					
31	1 - 2	3.1	2.4	0.6	1.7	11.9	5.7	18.5	20.1	0.6	1.4	3.2	2.6
	3	14.5	16.6	7.7	13.8	6.0	4.2	9.5	10.3	12.6	12.9	18.0	16.6
	4	5.6	8.5	4.2	6.8	0.4	0.9	1.1	1.4	5.0	5.7	5.3	6.1
	5	0.3	0.7	0.3	0.4	*	0.1	-	0.1	0.2	0.4	0.3	0.3
	6	*	*	*	*	-	*	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	23.528.2	12.922.6	18.311.0	29.131.9	18.420.3	26.825.6					
41	1 - 2	2.1	1.4	0.4	0.6	0.2	0.2	1.5	0.5	0.3	0.3	2.0	1.2
	3	28.9	21.4	23.0	21.0	0.2	0.2	0.9	0.9	14.4	16.1	29.7	22.8
	4	28.9	27.1	44.9	39.9	*	0.2	0.5	0.4	33.1	34.5	25.1	26.5
	5	5.5	6.5	9.5	10.3	*	0.1	*	0.1	8.5	9.6	4.1	5.5
	6	0.4	0.5	0.4	0.5	-	*	-	*	0.7	0.8	0.3	0.3
	7	*	*	*	*	-	*	-	-	*	*	*	*
	8	*	*	*	*	-	-	-	-	-	-	*	*
Total		----	65.856.7	78.272.4	0.40.7	2.91.9	57.061.3	61.256.3					
51	1 - 2	0.1	*	*	*	*	*	-	-	*	*	*	*
	3	0.5	0.5	0.5	0.3	*	*	*	*	2.9	1.2	0.8	0.6
	4	1.4	1.7	4.1	1.9	-	-	-	-	8.0	4.2	2.5	2.3
	5	1.0	1.2	2.5	1.2	-	-	-	-	3.1	2.0	1.3	1.4
	6	0.3	0.2	0.2	0.1	-	*	-	-	0.4	0.3	0.3	0.3
	7	0.1	*	*	*	-	*	-	-	*	*	*	*
	8	*	*	*	*	-	*	-	-	-	-	*	*
Total		----	3.33.6	7.33.5	**	**	14.47.7	5.04.7					
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	*	*	-	*
	4	*	*	-	-	-	-	-	-	0.1	*	-	*
	5	-	*	-	-	-	-	-	-	*	*	*	*
	6	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	**	**	-	-	-	-	0.1*	**	**		
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total		----	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	*	-	*	0.3	4.2	0.1	0.1	-	-	*	*
	3	-	*	*	*	0.1	0.9	*	0.1	-	-	*	*
	4	-	*	-	-	-	0.1	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	*	**	0.45.2	0.10.2	-	-	**	**		
32	1 - 2	*	0.1	-	*	0.8	0.2	*	0.3	-	*	*	0.1
	3	0.3	0.6	*	0.1	0.8	0.1	0.1	0.2	0.2	0.1	0.1	0.5
	4	0.3	0.5	0.1	0.1	*	0.1	*	*	0.4	0.2	0.1	0.2
	5	*	0.1	0.1	*	-	*	-	-	*	*	*	*
	6	*	*	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.61.3	0.20.2	1.60.4	0.20.6	0.50.3	0.20.8					
42	1 - 2	*	0.1	-	*	*	*	*	*	*	*	*	0.1
	3	1.2	1.8	0.1	0.1	*	*	-	0.1	0.7	1.2	1.2	2.5
	4	2.2	3.3	0.4	0.4	-	-	*	*	1.4	2.1	1.7	3.7
	5	0.7	1.1	0.2	0.2	-	*	*	*	0.3	0.5	0.4	0.9
	6	0.1	0.1	*	*	-	-	-	-	-	*	*	0.1
	7	*	*	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	*	-	*	-	-	-	-	-	-
Total		----	4.36.3	0.70.7	0.1*	0.10.1	2.43.8	3.47.2					

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	-	-	-	-	*	*	*	*
	3	0.2	0.3	*	*	-	-	-	*	1.3	0.9	0.2	0.4
	4	0.7	1.0	0.1	*	-	-	-	-	2.8	2.5	0.9	1.5
	5	0.4	0.7	*	*	-	-	-	-	1.0	1.1	0.4	1.0
	6	0.1	0.2	*	*	-	-	-	-	0.1	0.1	0.1	0.3
	7	*	*	-	*	-	-	-	-	-	*	*	*
	8	-	*	-	*	-	-	-	-	-	-	-	*
Total	----	1.4	2.3	0.1	0.1	-	-	-	*	5.1	4.5	1.6	3.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	*	*	-	-	-	-	*	*	*	*
	4	*	0.1	-	*	-	-	-	-	0.4	0.1	*	*
	5	*	0.1	-	-	-	-	-	-	0.5	0.1	*	*
	6	*	*	-	-	-	-	-	-	0.1	*	*	*
	7	*	*	-	-	-	-	-	-	*	*	-	*
	8	*	*	-	-	-	-	-	-	-	-	-	*
Total	----	0.1	0.2	*	*	-	-	-	-	1.0	0.3	*	0.1
13 & 23	1 - 2	-	-	-	-	-	0.1	*	*	-	-	*	*
	3	-	*	-	-	-	*	*	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.1	*	*	-	-	*	*
33	1 - 2	*	*	-	-	-	*	-	*	-	-	*	*
	3	*	*	*	*	*	*	-	*	-	*	*	*
	4	*	*	0.1	*	*	*	-	*	*	*	*	*
	5	*	*	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	0.1	*	*	*	-	*	*	*	*	0.1
43	1 - 2	*	*	-	-	-	-	-	-	-	*	*	*
	3	0.1	0.1	*	*	-	-	-	-	0.1	0.2	0.1	0.2
	4	0.2	0.2	0.1	*	-	*	-	*	0.2	0.2	0.2	0.3
	5	0.1	0.1	0.1	*	-	*	-	-	0.1	*	0.1	0.1
	6	*	*	*	*	-	-	-	-	*	*	*	*
	7	-	*	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.4	0.2	0.1	-	*	-	*	0.5	0.5	0.4	0.6
53	1 - 2	*	*	-	*	-	-	-	-	-	*	-	*
	3	*	0.1	-	*	-	-	-	-	0.1	0.2	*	0.1
	4	0.1	0.1	-	*	-	-	-	-	0.2	0.3	0.1	0.3
	5	0.1	0.1	-	*	-	-	-	-	0.1	0.1	0.1	0.2
	6	*	*	-	-	-	-	-	-	*	*	*	0.1
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	-	*	-	-	-	-	0.4	0.6	0.2	0.6
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	*	*	-	-	-	-	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	*	*	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	*	0.1	-	*	-	-	-	-	*	*	*	0.1
24 - 54	1 - 8	0.1	*	*	*	-	-	-	-	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	-	-	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	*	-	-	-	*	*	*
32		*	*	-	-	-	*	-	*	-	*	*	*
33		0.1	0.2	*	*	0.5	0.4	0.2	*	*	0.3	0.4	0.4
34		1.2	1.3	0.1	*	2.5	1.9	2.0	0.7	0.3	1.1	2.6	2.2
35		5.2	5.3	0.7	0.4	11.3	9.7	4.4	4.7	2.4	3.4	8.2	7.6
36		14.5	14.1	3.9	2.7	20.4	21.2	9.8	17.0	7.8	8.2	17.9	16.4
37		34.9	32.5	26.9	21.8	26.9	32.7	26.3	27.7	28.3	23.5	36.4	33.7
38		26.7	27.7	25.1	24.0	23.3	22.2	30.3	29.0	42.4	41.8	24.1	25.6
39		14.7	15.4	26.8	28.6	11.1	9.6	24.7	18.2	16.7	20.2	9.0	12.1
40 & Longer		2.7	3.6	16.4	22.4	4.0	2.4	2.3	2.7	2.1	1.4	1.3	2.1
Average Staple		37.35	37.40	38.24	38.48	37.05	37.01	37.61	37.45	37.69	37.67	37.02	37.16
Average Length		1.17	1.17	1.20	1.20	1.16	1.16	1.18	1.17	1.18	1.18	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	21.8	25.8	1.0	1.7	0.2	0.7	2.5	0.8	*	0.2	91.5	91.9
	3	9.4	17.5	4.7	3.7	0.3	0.4	0.3	1.0	0.2	0.3	2.6	2.1
	4	0.3	2.2	0.1	0.2	*	*	*	*	*	*	-	-
	5	-	0.1	-	*	-	-	-	*	*	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	31.6	45.6	5.7	5.6	0.6	1.1	2.9	1.8	0.3	0.5	94.1	94.0
31	1 - 2	4.0	2.3	3.3	1.6	3.0	5.6	3.5	2.5	0.8	3.1	3.4	3.8
	3	20.1	15.2	29.0	18.6	17.4	17.5	14.8	17.6	11.3	19.1	2.1	1.3
	4	11.0	14.5	7.5	11.0	5.6	4.4	3.9	9.8	4.7	6.5	0.1	*
	5	1.0	3.4	0.3	0.5	0.4	0.2	0.2	0.8	0.3	0.3	-	-
	6	*	0.3	-	*	*	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	36.2	35.7	40.2	31.8	26.3	27.7	22.4	30.8	17.1	29.0	5.6	5.2
41	1 - 2	-	*	0.2	0.4	2.1	2.0	3.5	1.0	1.7	1.9	*	*
	3	0.3	0.2	22.7	16.2	34.0	30.3	34.5	19.4	36.5	33.3	*	*
	4	2.1	1.6	22.4	29.7	27.8	29.6	28.5	32.1	30.3	24.8	-	-
	5	3.0	2.8	2.8	6.5	5.2	4.6	4.2	9.3	3.3	2.7	-	*
	6	1.3	1.4	*	0.3	0.2	0.1	0.3	0.6	0.2	0.1	-	-
	7	0.4	0.6	-	*	*	*	*	*	*	*	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	7.2	6.6	48.3	53.1	69.3	66.7	71.1	62.3	72.0	62.8	*	*
51	1 - 2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	*	-	0.2	0.4	0.8	0.1	0.2	1.8	0.9	-	-
	4	-	-	0.1	0.9	1.5	2.1	0.4	0.9	3.9	1.5	-	-
	5	*	*	*	0.3	0.8	1.0	0.4	0.8	1.0	0.3	-	-
	6	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-
	7	0.2	0.1	-	*	*	*	-	*	*	*	-	-
	8	0.7	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	0.9	0.3	0.1	1.4	2.8	4.0	1.0	2.0	6.8	2.8	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.8	0.5	-	*	0.2	*	*	*	*	*	*	0.5
	3	2.1	1.2	0.2	0.1	0.1	*	*	*	*	*	*	*
	4	0.2	0.2	*	*	-	*	-	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.1	1.9	0.2	0.1	0.3	0.1	*	*	*	*	0.1	0.5
32	1 - 2	1.6	0.4	-	0.1	0.1	*	*	*	*	0.1	0.1	*
	3	7.1	2.6	1.1	0.9	0.3	0.1	0.6	0.3	0.4	0.6	*	*
	4	3.5	1.7	0.9	0.6	0.1	*	0.2	0.3	0.3	0.3	-	*
	5	1.3	0.8	*	0.1	*	*	*	*	*	*	-	-
	6	0.1	0.2	-	*	-	-	*	*	*	*	-	-
	7	*	*	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	13.8	5.8	2.1	1.6	0.5	0.1	0.8	0.6	0.8	1.0	0.1	*
42	1 - 2	-	-	-	0.1	*	*	*	*	*	0.1	-	-
	3	*	*	0.9	1.2	0.1	0.1	0.2	0.4	0.8	1.3	-	-
	4	0.1	0.1	1.2	3.0	*	0.2	0.6	1.1	0.9	1.5	-	-
	5	0.3	0.2	*	1.0	*	*	0.3	0.6	0.3	0.3	-	-
	6	0.1	0.2	-	0.1	*	*	*	0.1	0.1	*	-	-
	7	*	*	-	*	*	*	-	*	*	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	0.5	2.1	5.2	0.1	0.3	1.2	2.2	2.1	3.2	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	-	*	*	*	-	-
	3	-	-	*	0.1	*	*	*	*	*	0.1	-	-
	4	-	-	*	0.3	*	*	0.1	0.1	0.3	0.2	-	-
	5	-	-	*	0.1	*	*	0.1	0.1	0.2	0.1	-	-
	6	-	*	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	*	-	*	*	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	*	0.1	0.5	*	*	0.2	0.2	0.6	0.3	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	-	-	-	-
13 & 23	1 - 2	0.1	0.1	-	-	-	-	-	-	-	*	-	0.1
	3	0.7	0.3	-	-	-	-	-	-	-	-	0.1	0.1
	4	0.2	0.1	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	0.4	-	-	-	-	-	-	-	*	0.1	0.1
33	1 - 2	0.2	0.1	-	*	-	*	*	*	*	*	-	*
	3	1.5	0.9	0.3	0.1	*	*	0.1	*	*	0.1	*	0.1
	4	1.5	1.0	0.3	0.1	*	*	*	*	0.1	*	*	*
	5	0.5	0.3	*	*	-	*	-	*	*	*	-	-
	6	0.1	*	-	-	-	-	-	-	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.7	2.3	0.6	0.1	*	*	0.1	*	0.1	0.1	0.1	0.1
43	1 - 2	-	*	-	*	-	*	-	*	-	*	-	-
	3	*	*	0.1	0.1	*	*	*	*	*	0.1	-	*
	4	0.1	0.1	0.3	0.2	*	*	0.1	*	0.1	0.1	-	*
	5	0.6	0.2	0.1	0.1	*	*	0.1	*	0.1	*	-	-
	6	0.7	0.2	-	*	*	*	*	*	*	*	-	-
	7	0.1	*	-	*	-	-	*	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	0.5	0.4	0.4	*	*	0.2	0.1	0.2	0.2	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	*	*	-	*	-	-
	4	-	-	0.1	*	-	*	*	*	*	*	-	-
	5	-	*	*	*	-	*	*	*	*	*	-	-
	6	-	*	-	*	-	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	*	-	-	-	-	*	*	-	-	-	-
Total	----	-	*	0.1	0.1	-	*	0.1	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	*	*	-	*	-	-
24 - 54 25 - 35 81 - 85	1 - 8	0.3	0.3	*	*	-	-	*	*	-	*	-	-
	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
	1 - 8	*	*	-	-	-	-	*	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	*	-	-	-	-	-	-
31		*	*	-	-	-	*	-	-	-	*	-	-
32		0.6	0.4	-	-	-	-	-	*	-	*	-	-
33		3.4	3.1	-	*	-	*	0.1	*	*	0.1	0.1	0.1
34		19.6	18.1	-	0.1	-	*	0.4	0.2	0.5	0.6	2.9	1.7
35		37.4	38.4	-	0.8	*	0.1	2.3	1.8	4.8	4.2	15.3	13.3
36		22.5	28.7	0.1	3.2	1.4	1.6	8.2	6.0	18.2	15.0	28.8	24.0
37		11.9	9.6	13.8	15.9	29.6	23.5	23.8	19.9	39.5	37.2	33.9	31.2
38		4.2	1.4	25.8	26.0	29.8	27.8	31.5	26.0	20.4	22.7	12.1	13.9
39		0.4	0.2	44.9	32.1	25.2	28.7	23.6	29.5	12.3	14.8	5.2	10.4
40 & Longer		*	*	15.5	21.8	14.0	18.2	10.2	16.6	4.3	5.6	1.7	5.3
Average Staple		35.32	35.27	38.62	38.54	38.22	38.40	37.96	38.26	37.29	37.44	36.59	36.95
Average Length		1.10	1.10	1.21	1.21	1.20	1.20	1.19	1.20	1.16	1.17	1.14	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	40.7	55.6	0.2	0.5	0.9	2.9	37.9	42.4	*	*
	3	9.7	8.5	0.3	0.8	0.8	1.0	14.4	13.0	*	0.1
	4	0.2	0.2	*	*	*	*	1.5	1.3	*	*
	5	*	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	50.6	64.3	0.5	1.3	1.7	3.9	53.8	56.7	*	0.1
31	1 - 2	13.7	8.4	1.4	1.8	14.0	16.2	3.7	2.9	1.8	1.6
	3	16.8	13.1	11.2	17.8	25.1	34.8	8.0	11.7	6.5	6.9
	4	3.3	3.7	5.6	8.6	6.2	6.9	6.6	5.5	0.9	1.3
	5	0.5	0.5	0.3	0.5	0.5	0.2	2.4	1.0	*	0.1
	6	*	*	*	*	*	*	0.4	0.2	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	34.3	25.7	18.5	28.8	45.8	58.2	21.1	21.3	9.2	9.9
41	1 - 2	0.3	0.1	0.8	0.5	3.5	2.1	0.2	0.5	4.7	5.6
	3	1.4	0.3	20.5	19.1	24.5	17.9	1.1	3.5	46.9	51.2
	4	1.5	0.7	35.6	32.9	19.6	13.9	0.8	2.7	28.7	23.2
	5	0.6	0.6	8.1	8.3	3.1	2.0	0.7	0.7	1.9	1.4
	6	0.1	0.2	0.6	0.5	0.2	0.1	0.7	0.3	*	*
	7	*	*	*	*	*	*	0.4	0.1	-	-
	8	-	-	-	-	-	-	0.2	0.1	-	-
Total	----	3.9	1.9	65.6	61.3	51.0	36.0	4.1	8.1	82.2	81.4
51	1 - 2	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	0.6	0.3	*	*	*	0.2	1.5	2.1
	4	-	*	4.4	1.8	*	*	*	0.2	3.4	2.1
	5	*	*	3.6	1.4	*	*	*	0.1	0.9	0.3
	6	*	*	0.6	0.2	*	*	*	*	0.1	*
	7	-	*	*	*	*	*	*	*	-	*
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	*	9.3	3.7	0.1	0.1	0.1	0.4	5.8	4.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	1.5	1.9	-	*	*	*	6.0	3.4	-	*
	3	0.8	0.9	-	*	*	*	1.6	1.5	-	*
	4	0.1	0.1	-	*	-	*	0.2	0.2	-	*
	5	-	*	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.3	2.8	-	*	0.1	*	7.7	5.2	-	*
32	1 - 2	1.3	0.7	-	*	0.1	0.2	1.0	0.3	0.1	*
	3	2.8	1.4	0.3	0.3	0.6	0.8	1.5	1.0	0.3	0.5
	4	1.2	0.6	0.3	0.3	0.2	0.2	0.9	0.7	0.1	0.2
	5	0.1	0.1	*	*	*	*	0.4	0.2	-	*
	6	*	*	-	-	-	*	0.1	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	5.5	2.9	0.6	0.7	0.9	1.2	3.9	2.3	0.4	0.8
42	1 - 2	*	*	*	*	*	*	*	0.1	0.1	*
	3	0.2	*	0.7	0.7	0.1	0.2	0.2	0.7	0.8	1.2
	4	0.4	0.1	2.0	1.5	0.1	0.1	0.2	0.8	1.2	1.4
	5	0.2	0.1	1.0	0.7	*	*	0.1	0.3	0.1	0.2
	6	*	*	0.1	0.1	*	*	0.1	0.1	-	*
	7	-	*	*	*	*	*	0.1	*	-	-
	8	-	*	-	-	-	-	0.1	*	-	-
Total	----	0.8	0.3	3.8	3.1	0.3	0.4	0.9	2.2	2.1	2.8

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	*	-	*	-	*
	3	*	*	*	*	-	*	*	0.3	*	0.1
	4	-	*	0.5	0.3	-	*	*	0.3	0.1	0.1
	5	-	*	0.5	0.3	*	*	*	0.2	*	*
	6	*	*	0.4	0.1	-	*	*	0.1	-	*
	7	-	*	*	*	-	-	*	*	-	-
	8	-	-	-	*	-	-	0.1	*	-	-
<i>Total</i>	----	<i>*</i>	<i>*</i>	<i>1.4</i>	<i>0.8</i>	<i>*</i>	<i>*</i>	<i>0.2</i>	<i>0.9</i>	<i>0.1</i>	<i>0.1</i>
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<i>Total</i>	----	-	<i>*</i>	-	-	-	-	<i>*</i>	<i>*</i>	-	-
13 & 23	1 - 2	0.6	0.4	-	-	*	*	2.7	0.8	-	-
	3	0.2	0.2	-	-	*	*	0.8	0.3	-	-
	4	*	*	-	-	-	-	0.1	*	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.7</i>	<i>0.7</i>	-	-	<i>0.1</i>	<i>*</i>	<i>3.6</i>	<i>1.1</i>	-	-
33	1 - 2	0.6	0.3	*	*	*	*	1.1	0.2	*	*
	3	0.6	0.5	*	*	0.2	0.1	1.0	0.2	*	*
	4	0.2	0.1	*	*	0.1	*	0.3	0.1	*	*
	5	*	*	*	*	*	*	0.1	*	-	*
	6	-	*	*	*	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>1.4</i>	<i>1.0</i>	<i>0.1</i>	<i>*</i>	<i>0.3</i>	<i>0.1</i>	<i>2.6</i>	<i>0.6</i>	<i>*</i>	<i>*</i>
43	1 - 2	-	-	-	-	-	*	*	*	-	*
	3	*	*	*	*	*	*	*	0.1	0.1	0.1
	4	*	*	0.1	0.1	*	*	0.1	0.2	0.1	0.1
	5	*	*	0.1	0.1	-	*	*	0.1	-	*
	6	*	*	*	*	-	-	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	<i>0.2</i>	<i>0.1</i>	<i>*</i>	<i>*</i>	<i>0.2</i>	<i>0.4</i>	<i>0.2</i>	<i>0.1</i>
53	1 - 2	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	*	0.1	-	-
	4	-	-	*	*	-	*	*	0.1	-	*
	5	-	*	*	*	-	-	-	0.1	-	-
	6	*	*	*	*	-	-	*	0.1	-	-
	7	-	*	*	*	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>*</i>	<i>*</i>	<i>0.1</i>	<i>0.1</i>	-	<i>*</i>	<i>*</i>	<i>0.4</i>	-	<i>*</i>
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	<i>*</i>	-	<i>*</i>	<i>*</i>	<i>*</i>	-	<i>*</i>	-	<i>*</i>
24 - 54	1 - 8	0.2	0.2	*	*	-	*	1.8	0.4	-	*
25 - 35	1 - 8	*	*	-	-	-	-	*	*	-	-
81 - 85	1 - 8	-	*	-	-	-	-	0.1	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	*	*	-	-
29		-	*	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	0.1	-	-
31		0.5	0.4	-	-	-	-	0.8	0.4	-	-
32		1.3	1.3	-	*	-	*	3.2	1.6	-	-
33		4.3	3.6	0.1	0.1	-	*	8.1	4.5	-	-
34		7.0	6.2	1.1	1.1	*	0.1	13.5	9.9	*	0.1
35		7.3	7.7	5.5	4.2	1.1	2.8	16.8	16.1	0.7	0.9
36		9.6	11.2	11.1	10.4	16.3	15.4	17.8	22.7	3.6	5.8
37		23.7	26.0	28.6	26.7	41.2	39.7	22.1	27.0	28.0	27.6
38		20.1	21.6	30.7	29.8	27.1	25.9	11.5	11.9	28.8	26.1
39		16.8	15.1	18.1	21.0	11.4	13.7	4.8	4.4	28.4	24.4
40 & Longer		9.5	6.9	4.8	6.7	2.8	2.4	1.4	1.4	10.6	15.1
<i>Average Staple</i>		<i>37.12</i>	<i>37.05</i>	<i>37.56</i>	<i>37.70</i>	<i>37.40</i>	<i>37.39</i>	<i>35.80</i>	<i>36.12</i>	<i>38.14</i>	<i>38.15</i>
<i>Average Length</i>		<i>1.16</i>	<i>1.16</i>	<i>1.17</i>	<i>1.18</i>	<i>1.17</i>	<i>1.17</i>	<i>1.12</i>	<i>1.13</i>	<i>1.19</i>	<i>1.19</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 17, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.8	0.7	1.5	1.0	*	*	0.1	*	1.3	1.0	0.6	0.6
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	0.1	*	0.1	0.2	0.4	*	*	*	*
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	-	*	-	*	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	30.3	23.4	0.3	*	5.1	3.7	-	0.1	66.4	51.7	52.1	40.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	-	-	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	*	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	-	-	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	*	*
23	*	*	-	*	*	*	-	-	-	*	*	*
24	*	0.1	*	*	0.1	*	-	*	-	*	0.1	*
25	0.2	0.1	*	*	0.2	0.2	-	*	0.1	0.1	0.5	0.3
26	0.8	0.5	0.1	0.1	0.7	0.6	*	0.1	0.8	0.7	2.6	1.4
27	3.6	2.4	0.4	0.4	3.2	2.8	0.5	0.6	3.7	2.3	7.4	5.2
28	11.8	9.6	2.3	2.3	8.1	9.6	1.8	1.7	14.9	9.2	17.7	13.4
29	27.7	24.6	9.8	10.8	12.4	15.0	8.5	7.7	27.3	27.2	28.6	25.0
30	30.8	30.8	34.9	28.1	15.3	19.8	21.1	16.3	27.1	33.0	23.9	26.6
31	15.6	19.6	29.8	31.0	20.7	19.6	19.4	20.0	18.7	18.2	11.7	16.2
32	7.1	8.1	13.2	16.4	13.3	13.5	10.3	13.6	5.5	6.2	4.9	7.2
33	1.8	2.8	6.7	7.2	7.9	8.1	9.7	8.5	1.4	2.2	1.8	3.0
34	0.4	0.9	2.4	3.0	10.0	5.8	9.5	5.7	0.5	0.7	0.5	1.1
35	0.1	0.3	0.5	0.7	5.8	3.1	11.8	9.2	0.1	0.1	0.1	0.4
36	0.1	0.1	0.1	0.1	1.7	1.3	5.5	9.7	0.1	*	*	0.1
37	*	*	*	*	0.4	0.4	1.5	5.0	-	*	*	*
38	-	*	-	*	*	*	0.1	1.3	*	*	*	*
39	-	*	-	-	*	*	0.1	0.2	*	*	-	*
40 & Above	-	*	-	-	-	*	0.2	0.2	-	-	-	*
Average	30.17	30.41	31.18	31.29	31.57	31.20	32.46	32.82	30.10	30.30	29.76	30.17
Mike												
2.4 & Below	*	*	*	*	*	*	-	-	-	-	-	-
2.5	-	*	*	*	0.1	*	-	-	-	-	*	*
2.6	*	*	*	*	*	*	-	-	-	-	*	*
2.7	*	*	0.1	*	0.1	*	-	*	-	-	*	*
2.8	*	*	*	*	0.1	*	-	*	-	-	*	*
2.9	*	*	0.1	*	0.1	*	-	*	-	*	*	*
3.0	0.1	*	0.1	*	*	*	-	*	-	*	*	*
3.1	0.2	0.1	0.1	*	*	*	*	*	0.1	*	*	*
3.2	0.4	0.1	0.1	*	*	0.1	-	*	0.1	*	*	*
3.3	0.5	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3.4	0.6	0.4	0.3	0.2	0.2	0.2	0.2	0.4	0.1	0.1	0.2	0.1
3.5	0.9	0.6	0.5	0.4	0.1	0.2	0.1	0.6	0.1	0.4	0.2	0.2
3.6	1.4	1.0	0.8	0.8	0.3	0.3	2.5	1.4	0.2	1.0	0.5	0.4
3.7	2.2	1.6	1.6	1.3	0.1	0.4	8.2	3.6	0.8	1.7	0.9	0.7
3.8	2.6	2.5	3.2	2.1	0.2	0.6	6.9	4.8	2.7	3.4	1.6	1.2
3.9	3.7	3.6	5.0	3.6	1.0	0.8	7.8	7.4	5.5	5.2	2.8	2.1
4.0	5.0	4.8	6.0	5.2	1.6	1.4	8.9	6.8	8.6	8.7	4.0	3.4
4.1	7.9	6.4	8.0	7.9	2.6	2.2	10.8	7.6	9.1	10.7	6.0	5.4
4.2	8.5	7.7	10.0	10.8	4.7	3.8	10.0	9.0	10.5	12.6	8.2	8.0
4.3	10.2	9.0	12.0	12.9	7.9	5.7	7.1	9.2	14.5	13.3	10.9	10.9
4.4	10.2	10.5	12.7	14.2	10.1	8.7	5.0	9.5	11.0	12.7	13.0	13.3
4.5	10.5	11.2	11.4	14.0	13.9	11.7	6.1	10.0	11.5	10.8	13.3	14.0
4.6	9.9	11.1	9.2	10.9	18.6	13.6	7.8	8.9	8.6	8.4	12.4	13.0
4.7	8.8	9.7	7.0	7.2	15.1	13.7	5.8	6.8	7.0	4.7	10.3	10.4
4.8	6.5	7.4	4.9	4.2	9.5	11.5	4.7	4.9	5.8	2.7	7.4	7.6
4.9	4.1	5.1	2.9	2.3	7.5	9.3	3.2	4.4	2.4	1.5	4.2	4.7
5.0	2.3	3.2	1.6	1.0	3.5	6.3	2.1	2.5	0.7	1.0	2.3	2.7
5.1	1.5	1.8	0.9	0.4	1.6	4.7	1.9	1.2	0.2	0.5	1.0	1.2
5.2	1.3	1.1	0.7	0.2	0.8	2.7	0.6	0.5	0.1	0.2	0.3	0.4
5.3	0.5	0.5	0.4	0.1	0.1	1.1	*	0.1	*	0.1	0.2	0.2
5.4	0.1	0.2	0.1	*	0.1	0.7	-	*	0.1	0.1	0.1	0.1
5.5 & Above	*	0.1	*	*	*	0.3	*	*	0.3	0.1	*	0.1
Average	4.38	4.44	4.35	4.37	4.56	4.64	4.25	4.33	4.34	4.30	4.44	4.47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	19.4	16.9	0.1	0.6	0.6	0.4	0.6	0.5	0.6	0.3	0.6	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.7	*	*	*	*	0.1	*	*	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	*	*	-	*	*	*	0.1	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 1	-	*	-	*	*	*	-	0.1	-	*	0.5	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	-
23	*	0.1	-	-	-	-	-	-	*	*	-	-
24	0.1	0.3	-	-	-	*	*	*	*	*	-	-
25	0.6	1.2	-	*	-	*	0.1	*	0.5	0.2	*	*
26	2.2	3.0	-	*	*	*	0.4	0.2	3.4	1.5	0.8	0.4
27	4.3	9.3	*	0.1	0.2	0.1	1.8	1.3	12.3	6.0	7.0	5.5
28	17.8	20.9	0.2	1.1	1.9	1.2	7.0	4.9	24.8	14.7	13.6	15.4
29	30.6	25.1	7.4	8.1	12.4	8.6	17.2	15.5	26.0	22.7	19.8	20.7
30	21.3	19.5	46.4	28.3	36.8	31.0	33.9	30.4	17.9	22.8	29.5	27.4
31	10.0	11.2	22.9	28.9	29.1	34.7	23.1	26.4	10.2	16.6	19.8	20.0
32	5.6	6.6	4.6	14.3	14.5	16.6	9.5	12.1	3.4	9.0	6.9	8.6
33	4.3	1.9	7.0	9.8	4.4	5.6	5.4	5.8	1.0	4.0	2.3	1.7
34	2.6	0.7	10.3	6.3	0.6	1.7	1.2	2.5	0.2	1.6	0.1	0.1
35	0.5	0.1	1.2	2.4	0.1	0.4	0.4	0.7	0.1	0.6	0.1	*
36	0.1	*	-	0.5	*	0.1	*	0.1	*	0.1	*	*
37	*	*	-	0.1	*	*	*	*	-	*	0.1	0.1
38	*	*	-	*	-	*	-	*	-	*	-	-
39	-	-	-	-	-	*	*	*	-	-	*	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.01	29.63	31.38	31.63	31.02	31.28	30.71	30.97	29.37	30.24	30.17	30.20
Mike												
2.4 & Below	0.8	0.5	-	-	-	-	*	*	*	*	-	-
2.5	4.1	3.7	-	-	-	-	0.1	*	*	*	-	-
2.6	2.6	2.9	-	-	*	*	0.1	*	0.1	*	-	-
2.7	2.7	3.4	-	-	*	*	*	*	0.1	*	-	-
2.8	4.4	5.2	-	*	*	*	*	*	0.2	*	-	*
2.9	5.1	6.3	-	*	0.1	*	*	*	0.2	*	0.2	0.1
3.0	4.6	6.6	-	*	0.1	*	0.1	*	0.2	0.1	0.7	0.4
3.1	5.0	6.4	*	*	0.2	0.1	0.1	*	0.3	0.2	1.1	0.9
3.2	8.7	6.6	*	*	0.5	0.2	0.1	*	0.5	0.2	0.9	0.9
3.3	6.2	7.1	0.2	*	0.7	0.3	0.2	*	0.7	0.5	2.0	1.0
3.4	7.0	8.1	0.4	0.1	1.4	0.5	0.2	*	1.2	0.8	3.2	2.0
3.5	6.3	7.8	0.3	0.1	2.1	0.9	0.3	0.1	1.8	1.1	4.7	2.4
3.6	4.9	6.6	0.3	0.2	2.8	1.5	0.4	0.1	3.0	1.9	4.4	3.0
3.7	5.7	6.4	0.5	0.2	4.2	2.2	0.5	0.1	4.2	2.8	3.6	2.8
3.8	7.5	5.7	1.4	0.4	6.5	3.5	1.0	0.3	6.4	4.5	5.7	4.1
3.9	6.2	4.6	1.6	1.1	8.5	5.3	0.7	0.5	7.5	6.0	7.5	5.0
4.0	6.1	3.5	4.1	1.9	10.7	7.2	1.1	0.9	9.4	7.9	4.2	4.8
4.1	5.5	3.2	7.5	3.0	13.8	9.2	2.1	1.9	10.4	9.3	7.5	7.2
4.2	4.2	2.6	10.0	5.2	12.4	10.6	4.1	3.3	11.6	10.6	5.8	7.4
4.3	1.6	1.5	9.1	7.9	11.1	11.4	5.6	5.5	11.9	11.5	6.4	7.6
4.4	0.3	0.6	7.6	11.0	9.1	11.9	8.7	8.6	10.0	11.3	7.5	8.7
4.5	0.2	0.2	12.7	13.8	6.6	10.3	15.0	12.7	8.1	10.3	5.0	8.3
4.6	0.3	0.3	14.5	16.5	3.9	8.1	16.5	15.9	5.7	8.0	7.8	8.0
4.7	-	0.1	13.0	15.2	2.5	6.2	14.2	16.7	3.4	6.0	7.4	7.9
4.8	*	0.1	4.7	11.0	1.4	4.2	11.7	14.0	1.6	3.8	5.3	6.5
4.9	-	*	5.9	7.3	1.0	2.9	8.3	9.7	1.2	2.1	3.7	5.3
5.0	-	*	5.6	3.5	0.5	1.7	4.5	5.4	0.3	0.8	2.8	3.2
5.1	-	-	0.2	1.2	0.1	1.0	2.5	2.7	0.1	0.2	0.6	1.1
5.2	-	-	0.5	0.3	*	0.6	1.2	1.1	*	0.1	0.8	0.9
5.3	-	-	-	0.1	*	0.1	0.5	0.4	*	*	0.7	0.5
5.4	-	-	-	*	*	0.1	0.1	0.1	*	*	0.4	0.2
5.5 & Above	-	-	-	*	-	*	*	*	*	*	*	*
Average	3.43	3.36	4.47	4.56	4.13	4.32	4.58	4.63	4.16	4.26	4.20	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	12.2	6.7	1.3	1.3	0.6	0.1	13.6	5.3	1.1	0.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	-	*	0.1	0.1	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	*	*	*	*	-	-	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	0.4	0.2	-	*	0.1	0.1	-	-
Seed Coat - Level 2	*	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	*	*	*	*	-	*
Oil - Level 2	-	-	-	-	-	-	*	*	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	*	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	0.1	*	-	-
23	*	*	*	*	-	-	0.2	0.1	*	*
24	0.1	0.1	*	*	*	*	0.3	0.3	*	*
25	0.4	0.4	0.3	0.3	*	*	0.9	0.8	0.2	0.2
26	1.6	1.2	2.7	1.7	0.1	0.1	2.4	2.1	3.2	1.3
27	4.5	3.5	11.4	6.2	0.6	0.5	5.8	5.1	12.3	5.9
28	10.1	8.3	26.6	16.9	4.3	4.6	11.5	10.4	33.1	16.9
29	16.4	14.7	29.6	27.3	22.7	21.3	17.0	17.1	28.8	26.6
30	17.1	18.0	17.7	25.4	40.4	36.8	20.6	20.6	13.4	23.3
31	16.9	18.5	7.1	13.6	23.2	24.7	17.9	18.2	5.7	15.8
32	14.2	15.8	2.5	5.6	6.6	8.5	11.9	12.6	2.2	6.3
33	9.4	10.8	1.2	1.9	1.6	2.7	6.3	7.6	0.8	2.7
34	5.8	5.5	0.5	0.7	0.4	0.7	3.3	3.4	0.2	0.7
35	2.3	2.1	0.2	0.2	0.1	0.1	1.3	1.2	0.1	0.2
36	1.1	0.8	0.1	0.1	*	*	0.4	0.4	*	*
37	0.2	0.2	*	*	*	*	0.1	0.1	*	*
38	0.1	*	-	-	*	*	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	*	*	-	-	-	-	*	*	-	-
Average	31.02	31.18	29.35	29.91	30.55	30.66	30.54	30.64	29.14	30.02
Mike										
2.4 & Below	-	*	-	-	*	*	1.1	0.2	-	-
2.5	0.1	*	-	-	*	*	2.2	0.5	-	-
2.6	0.1	*	-	-	*	*	2.3	0.8	-	-
2.7	0.2	0.1	-	*	*	*	2.2	0.8	-	-
2.8	0.4	0.1	-	*	*	*	2.6	1.0	-	-
2.9	0.5	0.3	-	*	0.2	*	3.2	1.2	*	*
3.0	1.4	0.6	-	*	0.1	*	3.7	1.4	-	*
3.1	1.6	0.9	*	*	0.5	0.1	3.7	1.6	*	0.1
3.2	2.2	1.4	0.1	*	0.3	0.1	3.9	1.8	0.2	0.1
3.3	2.4	2.2	0.1	0.1	0.3	0.2	4.0	2.1	0.4	0.3
3.4	3.6	3.1	0.3	0.3	1.0	0.3	4.4	2.4	0.7	0.5
3.5	4.5	3.8	0.7	0.5	1.1	0.5	4.5	2.8	1.0	0.9
3.6	5.0	4.6	1.3	1.0	1.4	0.8	4.9	3.3	2.0	1.5
3.7	5.7	5.2	3.1	2.1	1.7	1.6	5.3	4.0	2.5	2.4
3.8	6.3	6.4	5.5	3.7	3.5	2.2	5.2	4.9	5.5	3.8
3.9	7.6	7.4	7.7	5.6	4.1	3.0	5.4	5.8	5.6	4.9
4.0	6.7	8.9	9.4	7.7	6.0	4.3	5.7	6.8	10.9	7.8
4.1	7.3	9.8	10.6	9.6	7.3	5.7	5.7	7.6	11.8	8.6
4.2	8.7	10.0	10.7	11.2	8.1	7.7	5.9	8.2	12.7	11.7
4.3	9.8	9.0	11.9	12.8	8.8	9.2	5.8	8.5	11.1	12.9
4.4	7.3	7.8	12.4	13.0	9.2	10.2	5.0	8.3	12.3	13.5
4.5	5.4	6.0	10.0	10.7	8.6	10.7	4.6	7.6	10.7	11.9
4.6	4.0	4.8	7.5	8.4	9.5	10.8	3.7	6.5	7.1	8.5
4.7	3.2	3.0	4.6	5.7	7.3	9.8	2.3	4.8	2.7	5.8
4.8	2.1	1.9	2.2	3.5	8.1	8.7	1.4	3.3	1.9	3.0
4.9	1.7	1.1	1.1	2.1	6.8	6.3	0.7	2.0	0.8	1.1
5.0	1.2	0.8	0.5	1.2	3.4	3.8	0.3	1.1	0.1	0.4
5.1	0.5	0.5	0.3	0.5	1.8	2.3	0.1	0.6	*	0.2
5.2	0.2	0.2	0.1	0.2	0.7	1.2	*	0.2	-	0.1
5.3	0.1	0.1	*	0.1	0.2	0.4	*	0.1	*	*
5.4	*	*	*	*	*	0.1	*	*	-	-
5.5 & Above	-	*	*	*	*	*	*	*	-	-
Average	4.03	4.07	4.24	4.31	4.38	4.46	3.73	4.08	4.21	4.28

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	*	*	*	*	-	-	-	-	-	-
2.5 - 2.6	*	*	*	*	0.1	*	-	-	-	-	*	*
2.7 - 2.9	*	*	0.2	*	0.2	*	-	0.1	-	*	*	*
3.0 - 3.2	0.7	0.2	0.3	0.1	0.1	0.1	*	0.1	0.2	0.1	0.1	0.1
3.3 - 3.4	1.1	0.6	0.6	0.3	0.3	0.3	0.3	0.5	0.2	0.2	0.3	0.2
3.5 - 3.6	2.3	1.6	1.2	1.1	0.4	0.5	2.6	2.1	0.3	1.3	0.7	0.6
3.7 - 4.2	30.0	26.5	33.9	30.9	10.3	9.1	52.7	39.2	37.2	42.2	23.5	20.7
4.3 - 4.9	60.3	64.1	60.0	65.8	82.6	74.3	39.8	53.7	60.8	54.1	71.5	73.8
5.0 - 5.2	5.1	6.1	3.3	1.7	5.9	13.6	4.6	4.2	1.0	1.8	3.6	4.3
5.3 & Above	0.6	0.8	0.5	0.1	0.2	2.1	*	0.1	0.5	0.3	0.3	0.4
Average	4.38	4.44	4.35	4.37	4.56	4.64	4.25	4.33	4.34	4.30	4.44	4.47
Leaf												
1 - 2	5.4	4.1	1.2	2.5	89.1	89.1	70.9	76.6	1.0	2.0	5.8	4.3
3	45.9	41.7	31.6	35.6	10.4	9.3	26.3	20.8	32.3	33.2	50.8	44.1
4	39.5	42.6	53.9	49.1	0.5	1.3	2.7	2.5	51.5	49.8	35.9	40.9
5	8.1	10.4	12.7	12.1	*	0.2	*	0.1	13.8	13.8	6.7	9.5
6	1.0	1.1	0.6	0.7	-	*	-	*	1.4	1.2	0.7	1.1
7	0.1	0.1	*	*	-	*	-	-	0.1	0.1	0.1	0.1
8	*	*	*	*	-	*	-	-	-	-	*	*
Average	3.54	3.63	3.80	3.73	1.78	1.72	2.10	2.01	3.83	3.79	3.46	3.59
HVI Trash 1/												
00	*	*	-	-	*	*	0.1	0.1	-	-	-	*
01	0.5	0.3	*	0.1	53.0	60.1	39.0	41.6	*	0.1	0.4	0.3
02	6.9	5.4	1.7	3.1	37.9	30.9	36.3	37.3	2.3	3.4	8.4	6.5
03	20.6	17.9	10.1	12.6	7.0	5.9	16.4	13.6	12.2	13.6	23.4	20.1
04	26.6	25.3	21.9	22.1	1.5	1.8	6.1	4.6	23.0	24.0	26.7	25.8
05	20.9	22.0	25.7	23.5	0.4	0.7	1.7	1.8	24.7	23.9	19.7	21.0
06	12.4	14.2	19.8	18.1	0.1	0.3	0.4	0.7	18.2	17.1	11.3	13.1
07	6.2	7.8	11.6	10.8	*	0.2	0.1	0.2	10.8	9.6	5.6	7.0
08	3.1	3.8	5.6	5.5	*	0.1	*	0.1	5.2	4.6	2.6	3.4
09	1.4	1.8	2.3	2.5	-	0.1	-	*	2.2	2.2	1.1	1.6
10	0.7	0.8	0.8	1.1	-	*	-	*	0.9	0.9	0.4	0.7
11	0.3	0.4	0.3	0.4	-	*	-	*	0.4	0.4	0.2	0.3
12	0.1	0.2	0.1	0.2	-	*	-	*	0.2	0.2	0.1	0.1
13	0.1	0.1	*	0.1	-	*	-	*	0.1	*	*	0.1
14	*	*	*	*	-	*	-	-	-	*	*	*
15	*	*	*	*	-	*	-	-	-	*	*	*
16	*	*	*	*	-	-	-	-	*	*	*	*
17	*	*	-	*	-	-	-	-	-	-	*	*
18 & Above	*	*	*	*	-	*	-	-	-	*	*	*
Average	0.46	0.48	0.53	0.52	0.16	0.16	0.20	0.19	0.52	0.51	0.44	0.46
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	*	*	-	-	-	-	-	-	*	*
76	*	*	*	*	*	*	*	*	*	*	*	*
77	0.1	0.2	0.1	*	0.5	0.2	*	0.1	0.2	0.2	0.3	0.3
78	1.0	1.2	0.6	0.4	3.4	2.3	2.0	0.8	1.4	1.1	1.4	1.6
79	7.4	6.9	2.8	2.0	13.2	11.1	6.5	7.8	5.8	5.6	7.0	7.4
80	27.2	26.6	12.5	11.9	24.1	28.7	33.5	30.2	28.0	30.8	25.6	23.6
81	40.1	40.0	37.5	35.8	39.6	37.4	40.9	32.6	45.3	44.3	37.9	36.8
82	20.8	20.4	36.6	35.5	15.1	16.6	6.9	10.3	13.7	14.2	21.3	22.8
83	3.2	4.1	9.0	12.6	3.7	3.2	9.0	13.3	4.8	3.4	5.7	6.6
84	0.2	0.4	0.8	1.6	0.4	0.4	1.0	4.7	0.7	0.5	0.8	1.0
85 & Above	*	*	*	0.1	*	*	0.1	0.2	*	*	*	0.1
Average	81.27	81.30	81.81	81.94	81.06	81.10	81.21	81.49	81.25	81.21	81.35	81.40
Tenderable 3/	60.5	64.3	92.0	95.3	88.3	80.9	94.7	94.4	30.3	42.5	44.6	51.1
SAMPLES CLASSED	75,771	573,079	89,445	1,151,411	25,311	178,332	12,969	90,919	11,051	69,223	231,485	1,392,100

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.8	0.5	-	-	-	-	*	*	*	*	-	-
2.5 - 2.6	6.7	6.6	-	-	*	*	0.2	*	0.1	*	-	-
2.7 - 2.9	12.1	14.9	-	*	0.1	*	*	*	0.4	0.1	0.2	0.1
3.0 - 3.2	18.3	19.5	0.1	*	0.8	0.3	0.3	*	0.9	0.5	2.7	2.2
3.3 - 3.4	13.2	15.2	0.5	0.1	2.0	0.8	0.5	0.1	1.8	1.3	5.1	3.0
3.5 - 3.6	11.1	14.4	0.5	0.2	4.9	2.4	0.6	0.1	4.8	3.0	9.1	5.4
3.7 - 4.2	35.3	26.0	25.1	11.9	56.0	38.1	9.6	7.0	49.5	41.2	34.5	31.3
4.3 - 4.9	2.4	2.7	67.4	82.6	35.6	55.0	79.9	83.1	41.9	52.9	43.1	52.2
5.0 - 5.2	-	*	6.3	5.0	0.6	3.3	8.2	9.1	0.5	1.0	4.2	5.2
5.3 & Above	-	-	-	0.2	*	0.2	0.6	0.5	*	*	1.1	0.6
Average	3.43	3.36	4.47	4.56	4.13	4.32	4.58	4.63	4.16	4.26	4.20	4.30
Leaf												
1 - 2	28.6	29.2	4.6	4.0	5.6	8.3	9.5	4.4	2.7	5.4	95.1	96.3
3	41.4	37.8	59.1	40.9	52.6	49.2	50.6	39.0	51.2	55.7	4.8	3.6
4	19.0	21.5	32.9	46.1	35.0	36.4	33.8	44.3	40.6	35.0	0.1	0.1
5	7.0	7.9	3.4	8.5	6.4	5.9	5.3	11.6	5.1	3.8	-	*
6	2.4	2.4	*	0.4	0.3	0.2	0.6	0.8	0.4	0.2	-	-
7	0.8	0.8	-	*	*	*	0.1	*	*	*	-	-
8	0.8	0.4	-	-	-	-	*	*	-	*	-	-
Average	3.16	3.16	3.35	3.60	3.43	3.40	3.36	3.65	3.49	3.38	1.58	1.55
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	*	*
01	9.8	11.6	0.5	0.3	0.2	0.6	1.6	0.3	0.1	0.3	68.2	68.4
02	24.6	22.1	6.2	4.9	6.9	8.5	9.4	4.9	4.2	7.2	28.0	28.3
03	21.0	18.9	25.8	16.0	22.5	20.4	23.3	15.1	21.0	24.8	3.3	2.9
04	14.6	14.6	32.6	24.5	26.4	24.5	24.5	21.8	31.1	30.1	0.5	0.4
05	9.6	10.8	19.9	23.5	20.0	20.6	19.0	21.4	23.6	20.8	0.1	0.1
06	6.2	7.3	9.2	16.1	12.5	13.4	11.5	16.1	11.9	10.3	*	*
07	4.1	4.9	3.6	8.5	6.6	7.0	5.7	10.1	5.0	4.2	*	*
08	3.0	3.3	1.6	3.8	3.1	3.1	2.7	5.5	1.9	1.5	-	-
09	1.8	2.1	0.4	1.5	1.2	1.2	1.2	2.7	0.8	0.5	-	-
10	1.5	1.5	0.1	0.6	0.5	0.4	0.5	1.2	0.3	0.2	-	*
11	1.0	1.0	*	0.2	0.2	0.1	0.2	0.5	0.1	0.1	-	-
12	0.7	0.7	*	0.1	*	*	0.1	0.2	0.1	*	-	-
13	0.7	0.5	-	*	*	*	0.1	0.1	*	*	-	-
14	0.5	0.3	*	*	*	*	*	*	*	*	-	-
15	0.3	0.2	-	*	*	*	*	*	*	*	-	-
16	0.3	0.1	*	*	-	*	-	*	*	*	-	-
17	0.2	0.1	-	*	-	*	-	*	-	*	-	-
18 & Above	0.3	0.1	-	*	-	*	*	*	-	*	-	-
Average	0.40	0.40	0.42	0.48	0.45	0.45	0.44	0.51	0.45	0.42	0.14	0.14
UNIFORMITY 2/												
74 & Below	*	*	-	*	-	-	-	-	-	-	-	-
75	0.1	0.2	-	*	-	-	-	*	-	-	-	-
76	0.7	1.3	-	*	-	*	*	*	*	*	*	*
77	4.9	6.8	-	*	*	*	0.3	0.1	0.3	0.2	0.1	*
78	12.5	16.1	0.1	0.1	0.1	0.1	1.9	0.8	2.1	1.2	3.2	1.9
79	22.5	27.4	0.3	0.7	0.9	0.6	7.2	3.8	8.8	6.0	18.2	12.3
80	40.3	35.0	2.9	6.9	9.6	6.1	25.0	16.5	26.1	20.6	31.6	24.9
81	18.4	12.7	19.4	34.2	36.4	29.1	36.8	39.9	36.6	35.8	34.5	38.4
82	0.6	0.5	58.8	45.6	38.0	41.9	21.8	31.3	22.2	27.4	11.9	20.6
83	*	*	17.7	11.4	12.1	18.8	6.2	6.7	3.6	7.6	0.5	1.9
84	-	*	0.8	1.1	2.6	3.1	0.8	0.8	0.4	1.1	*	*
85 & Above	-	*	*	0.1	0.3	0.3	*	0.1	*	0.1	-	*
Average	79.98	79.72	82.38	82.08	82.04	82.28	81.36	81.65	81.25	81.55	80.81	81.15
Tenderable 3/	35.1	33.5	89.2	87.6	95.4	94.5	87.9	86.8	92.5	92.7	85.8	88.3
SAMPLES CLASSED	17,310	82,124	7,632	331,380	72,641	529,550	40,138	1,096,929	65,212	441,844	9,219	21,332

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	*	*	1.1	0.2	-	-
2.5 - 2.6	0.1	*	-	-	*	*	4.5	1.3	-	-
2.7 - 2.9	1.1	0.5	-	*	0.2	0.1	8.0	3.0	*	*
3.0 - 3.2	5.2	2.9	0.1	0.1	0.9	0.3	11.3	4.7	0.2	0.2
3.3 - 3.4	6.0	5.2	0.3	0.4	1.3	0.6	8.4	4.5	1.1	0.8
3.5 - 3.6	9.5	8.4	2.0	1.5	2.5	1.3	9.4	6.1	3.0	2.4
3.7 - 4.2	42.3	47.8	47.1	39.9	30.7	24.4	33.2	37.3	49.0	39.2
4.3 - 4.9	33.7	33.6	49.7	56.2	58.2	65.7	23.6	41.0	46.6	56.7
5.0 - 5.2	1.9	1.4	0.8	1.9	5.8	7.2	0.5	1.9	0.1	0.7
5.3 & Above	0.1	0.2	*	0.1	0.2	0.5	*	0.1	*	*
Average	4.03	4.07	4.24	4.31	4.38	4.46	3.73	4.08	4.21	4.28
Leaf										
1 - 2	58.7	67.6	2.4	2.8	18.5	21.5	53.7	50.9	6.6	7.4
3	32.7	25.1	33.8	39.2	51.2	54.8	29.2	32.8	56.1	62.1
4	6.9	5.6	48.4	45.6	26.4	21.2	10.8	12.2	34.3	28.3
5	1.5	1.4	13.6	11.3	3.6	2.3	3.8	2.9	2.9	2.0
6	0.2	0.3	1.7	1.0	0.3	0.1	1.3	0.8	0.1	0.1
7	*	*	0.1	*	*	*	0.6	0.3	-	*
8	*	*	-	*	-	-	0.6	0.1	-	-
Average	2.36	2.15	3.79	3.69	3.15	3.04	2.59	2.53	3.34	3.25
HVI Trash 1/										
00	*	0.2	-	-	-	*	0.2	0.2	-	-
01	22.9	34.9	0.1	0.1	2.2	3.1	25.7	26.4	0.4	0.4
02	35.7	32.2	2.9	3.9	17.2	19.0	32.8	26.8	7.8	9.1
03	20.9	16.8	13.0	16.2	25.6	27.4	17.5	18.4	24.1	27.7
04	11.2	8.1	24.3	25.3	23.0	23.2	9.6	12.4	30.3	30.8
05	4.8	3.7	24.5	23.4	16.4	14.4	5.7	7.3	21.3	18.9
06	2.4	1.9	17.0	15.4	9.0	7.4	3.3	3.9	10.0	8.4
07	1.2	1.0	9.5	8.5	4.0	3.4	1.9	2.1	4.0	3.2
08	0.5	0.5	4.6	4.1	1.8	1.4	1.1	1.1	1.3	1.0
09	0.3	0.3	2.2	1.9	0.6	0.5	0.7	0.6	0.5	0.3
10	0.1	0.2	1.0	0.8	0.3	0.2	0.4	0.4	0.2	0.1
11	*	0.1	0.5	0.3	0.1	0.1	0.3	0.2	*	*
12	*	*	0.2	0.1	*	*	0.2	0.1	-	*
13	*	*	0.1	0.1	*	*	0.1	0.1	-	*
14	*	*	*	*	*	*	0.1	*	-	-
15	*	*	*	*	-	*	0.1	*	-	*
16	-	*	-	*	-	*	0.1	*	-	*
17	-	*	-	*	-	*	*	*	-	*
18 & Above	-	*	-	-	-	*	0.2	*	-	-
Average	0.26	0.23	0.51	0.49	0.39	0.37	0.28	0.28	0.42	0.41
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	0.2	*	-	-
75	0.1	0.1	-	-	-	-	0.4	0.2	-	-
76	0.5	0.4	*	*	*	*	1.6	0.8	-	*
77	1.2	1.6	0.4	0.2	*	*	5.4	2.7	0.1	0.1
78	7.0	5.9	2.4	1.3	0.1	0.1	14.4	8.2	0.4	0.5
79	18.3	16.6	9.9	7.3	1.1	1.5	27.1	18.1	2.4	2.6
80	32.3	31.5	32.8	26.6	11.9	14.1	27.4	27.0	16.7	13.0
81	27.5	30.8	37.4	38.4	39.6	39.1	16.0	26.3	44.6	36.5
82	10.5	11.3	14.3	20.3	35.9	33.2	6.2	13.4	28.7	33.8
83	2.3	1.5	2.6	5.1	10.4	10.6	1.2	3.0	6.4	11.9
84	0.2	0.1	0.2	0.7	0.9	1.3	0.1	0.3	0.7	1.4
85 & Above	*	*	*	*	*	0.1	*	*	*	0.1
Average	80.62	80.68	81.04	81.32	81.90	81.86	79.96	80.62	81.66	81.87
Tenderable 3/	71.8	81.1	90.5	91.3	90.0	90.5	53.0	74.8	95.0	94.4
SAMPLES CLASSED	39,802	282,449	29,486	170,480	47,599	562,554	229,631	4,259,591	15,295	78,930

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	80.5	86.4	13.9	15.0	-	-	33.7	35.0
	2	8.9	4.7	11.2	6.6	-	-	10.5	12.5
	3	0.2	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		89.6	91.2	25.3	21.6	-	-	44.2	47.7
02	1	9.8	8.3	22.7	30.2	-	-	18.3	22.7
	2	0.5	0.4	44.2	40.3	-	-	33.4	25.4
	3	-	-	3.7	1.9	-	-	1.0	2.1
	4	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		10.3	8.7	70.7	72.5	-	-	52.7	50.3
03	1	-	*	0.3	1.2	-	-	0.4	0.2
	2	-	-	1.9	3.7	-	-	2.0	1.1
	3	-	*	1.2	0.6	-	-	0.7	0.6
	4	-	-	0.2	*	-	-	-	0.1
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	0.1	3.6	5.6	-	-	3.1	1.9
04	1	-	-	*	0.1	-	-	-	-
	2	-	-	0.1	0.1	-	-	-	*
	3	-	-	0.2	*	-	-	-	-
	4	0.1	*	0.1	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.1	*	0.4	0.2	-	-	-	*
05	1	-	-	-	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
06	1	-	-	-	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	-	0.8	1.3	-	-	3.6	5.4
46		1.6	0.7	12.2	11.2	-	-	36.3	23.4
48		58.1	50.4	11.1	19.8	-	-	38.6	54.9
50		40.2	48.7	57.5	59.6	-	-	20.1	13.9
52 & Longer		0.1	0.1	18.3	8.2	-	-	1.3	2.4
Average Staple		48.78	48.97	49.61	49.25	-	-	47.59	47.69
Average Length		1.41	1.42	1.44	1.43	-	-	1.38	1.39
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	-	0.1
Grass		-	-	0.5	0.3	-	-	-	0.3
Spindle Twist		-	-	*	*	-	-	0.2	0.9
Preparation		-	-	*	*	-	-	-	0.2
All Other		-	-	*	*	-	-	*	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 17, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	*	*	-	-	-	*
2.7 - 2.9	-	-	*	*	-	-	0.9	1.0
3.0 - 3.2	-	-	0.1	0.1	-	-	2.0	4.3
3.3 - 3.4	-	-	0.9	0.4	-	-	4.2	4.6
3.5 - 3.6	0.4	0.2	1.9	2.3	-	-	11.8	6.7
3.7 - 4.2	78.2	77.9	37.0	34.8	-	-	69.2	54.8
4.3 - 4.9	21.4	21.9	60.0	62.4	-	-	12.0	28.5
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	4.09	4.13	4.27	4.29	-	-	3.89	4.01
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	-	-	-
2.6	-	-	*	*	-	-	-	*
2.7	-	-	*	*	-	-	0.1	0.2
2.8	-	-	*	*	-	-	0.1	0.3
2.9	-	-	-	*	-	-	0.6	0.6
3.0	-	-	-	*	-	-	0.4	0.8
3.1	-	-	-	*	-	-	0.4	1.4
3.2	-	-	0.1	*	-	-	1.2	2.1
3.3	-	-	0.2	0.1	-	-	2.0	2.3
3.4	-	-	0.8	0.3	-	-	2.2	2.3
3.5	-	-	0.8	0.9	-	-	3.9	2.9
3.6	0.4	0.2	1.1	1.4	-	-	7.9	3.8
3.7	1.7	0.6	1.7	2.1	-	-	12.5	4.6
3.8	2.6	1.0	2.8	3.0	-	-	9.3	4.7
3.9	14.1	7.3	4.3	5.1	-	-	18.9	9.2
4.0	27.8	19.4	7.4	6.2	-	-	14.8	10.8
4.1	20.0	30.5	8.9	7.5	-	-	6.2	13.5
4.2	11.9	19.0	11.9	11.0	-	-	7.4	12.0
4.3	19.3	17.1	14.3	15.8	-	-	5.0	10.8
4.4	1.3	2.2	18.3	17.6	-	-	5.4	11.3
4.5	0.8	1.8	14.9	13.8	-	-	1.5	4.8
4.6	-	0.8	9.0	9.2	-	-	0.1	1.5
4.7	-	*	2.9	4.5	-	-	-	*
4.8	-	-	0.5	1.3	-	-	-	-
4.9	-	-	0.1	0.2	-	-	-	-
5.0	-	-	*	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	4.09	4.13	4.27	4.29	-	-	3.89	4.01
STRENGTH 1/ 36 & Below	-	-	0.3	0.3	-	-	1.4	4.4
37	0.1	*	1.2	2.0	-	-	3.5	3.9
38	-	-	3.6	5.0	-	-	5.3	4.6
39	-	0.1	6.7	4.9	-	-	10.2	5.0
40	2.3	1.0	3.7	2.4	-	-	10.4	8.4
41	8.1	3.3	2.2	2.7	-	-	9.6	11.3
42	2.0	8.0	5.8	7.0	-	-	16.4	13.6
43	12.0	25.3	13.4	16.1	-	-	8.7	14.4
44	44.8	43.0	20.3	22.7	-	-	13.9	15.9
45	27.0	16.1	17.5	20.7	-	-	10.3	11.9
46	2.6	2.6	14.1	11.0	-	-	7.4	5.0
47	0.9	0.4	8.4	3.8	-	-	2.8	1.3
48 & Above	0.1	0.2	2.9	1.4	-	-	0.2	0.3
Average	44.28	44.11	44.15	43.86	-	-	42.49	42.44
UNIFORMITY								
83 & Below	-	-	0.1	0.2	-	-	1.8	2.1
84	-	*	4.4	6.3	-	-	6.5	5.7
85	17.0	6.8	16.8	12.2	-	-	24.6	17.7
86	49.3	35.5	34.6	38.2	-	-	49.7	50.2
87	33.7	57.1	39.7	39.7	-	-	17.0	23.8
88 & Above	-	0.6	4.4	3.3	-	-	0.5	0.5
Average	86.66	86.96	86.69	86.65	-	-	86.19	86.34
Samples Classed	1,372	3,693	31,885	258,026	-	-	2,169	20,858

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.