



Volume 22, No.19

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	28	57.3	48.1	72,025	28	64.8	54.2	497,308
AR	24	92.0	81.5	105,098	29	95.5	87.6	1,061,985
AZ	10	86.0	70.3	16,339	10	79.7	53.8	153,102
CA	8	99.2	92.0	8,900	13	94.3	82.2	77,950
FL	4	31.2	30.8	9,780	4	44.8	42.8	58,172
GA	59	35.0	30.2	207,860	59	52.4	45.1	1,160,630
KS	3	29.0	16.2	17,996	3	33.1	20.2	64,830
LA	9	87.9	72.3	12,733	19	87.6	70.2	323,748
MO	19	94.9	85.9	74,722	20	94.4	83.8	456,909
MS	30	88.2	66.2	120,555	37	86.8	63.6	1,056,791
NC	33	90.5	80.8	78,430	33	92.7	82.6	376,632
NM*	-	-	-	-	2	90.1	73.4	12,113
OK	12	74.8	60.3	36,271	12	82.6	69.5	242,703
SC	15	88.7	78.2	26,362	15	91.5	82.7	140,994
TN	21	93.0	80.3	57,294	21	90.6	73.8	514,955
TX	128	56.7	40.5	355,691	175	76.0	61.4	4,030,143
VA	4	95.6	88.4	14,573	4	94.3	86.5	63,635
United States	408	67.6	55.2	1,215,365	484	78.7	65.1	10,292,600
AMERICAN PIMA								
AZ*	-			-	-			-
CA	12			36,399	14			226,244
NM*	-			-	-			-
TX	2			4,230	3			18,689
United States	16			42,567	19			256,421
United States all cotton	422			1,257,932	495			10,549,021

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.1	0.1	0.1	0.2	74.3	79.2	68.4	56.3	0.9	0.2	0.4	0.3
	3	0.2	0.3	0.1	0.3	5.0	3.9	11.1	8.1	1.2	0.3	0.4	0.4
	4	*	*	*	*	*	0.1	0.4	0.5	*	*	*	*
	5	-	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.4	0.2	0.5	79.3	83.2	79.9	64.9	2.1	0.5	0.9	0.7
31	1 - 2	3.0	2.3	1.5	1.8	10.2	4.7	14.2	20.4	2.0	1.6	3.4	2.4
	3	16.3	16.9	9.8	14.3	8.1	4.0	5.0	10.5	17.8	12.9	19.1	16.4
	4	5.9	9.0	4.2	7.0	1.5	1.0	0.6	1.5	6.2	5.8	5.2	6.3
	5	0.3	0.7	0.2	0.4	0.1	0.1	*	0.1	0.4	0.4	0.2	0.3
	6	*	*	*	*	-	*	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	25.6	28.9	15.8	23.4	19.9	9.8	19.8	32.4	26.4	20.7	27.9	25.4
41	1 - 2	2.6	1.2	0.9	0.6	0.1	0.2	0.1	0.3	0.2	0.3	2.1	1.0
	3	29.8	20.2	25.7	20.9	0.2	0.2	0.1	0.9	18.1	16.5	29.7	21.4
	4	26.5	26.8	40.0	39.4	0.3	0.2	*	0.4	35.7	34.7	24.0	26.7
	5	5.1	6.6	10.3	10.4	0.1	0.2	-	0.1	8.9	9.8	4.1	5.7
	6	0.3	0.5	0.8	0.6	*	*	-	*	0.7	0.8	0.3	0.3
	7	*	*	*	*	*	*	-	-	*	*	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	64.4	55.4	77.7	71.9	0.7	0.7	0.3	1.7	63.7	62.2	60.1	55.3
51	1 - 2	*	*	*	*	-	-	-	-	-	*	*	*
	3	0.3	0.5	0.4	0.3	-	-	-	-	0.3	0.8	0.8	0.6
	4	1.0	1.8	2.6	1.7	-	-	-	-	1.9	3.5	2.4	2.2
	5	0.5	1.2	1.7	1.1	-	-	-	-	1.6	1.8	1.1	1.4
	6	0.1	0.2	0.2	0.1	-	*	-	-	0.4	0.2	0.2	0.3
	7	*	*	*	*	-	*	-	-	0.1	*	*	*
	8	-	*	*	*	-	*	-	-	-	-	*	*
Total	----	2.0	3.7	4.9	3.2	-	*	-	-	4.2	6.4	4.6	4.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	-	-	-	-	-	*	-	*
	4	*	*	-	-	-	-	-	-	-	*	*	*
	5	*	*	-	-	-	-	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	-	-	-	-	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	*	-	*	*	4.9	*	0.1	-	-	*	*
	3	*	*	-	*	-	1.0	*	0.1	-	-	*	*
	4	*	*	-	-	-	0.1	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	*	6.0	*	0.2	-	-	*	*
32	1 - 2	*	0.1	*	*	*	0.1	-	0.3	-	*	*	0.1
	3	0.3	0.7	0.1	0.1	*	*	*	0.3	0.1	0.1	0.4	0.5
	4	0.2	0.5	0.1	0.1	-	0.1	*	*	0.2	0.1	0.1	0.2
	5	*	0.1	*	*	-	*	-	-	0.1	*	*	*
	6	*	*	-	*	-	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	1.4	0.2	0.2	0.1	0.2	*	0.6	0.3	0.3	0.6	0.9
42	1 - 2	0.1	0.1	-	*	-	*	-	*	*	0.1	0.1	0.1
	3	1.3	1.9	0.2	0.1	-	*	-	0.1	0.5	1.3	1.4	2.7
	4	2.4	3.4	0.4	0.4	-	-	-	*	0.8	2.2	1.7	4.0
	5	0.6	1.2	0.2	0.2	-	*	-	-	0.2	0.6	0.4	1.0
	6	0.1	0.1	0.1	*	-	-	-	-	*	*	*	0.1
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	*	*	-	*	-	-	-	-	-	-
Total	----	4.4	6.7	0.9	0.7	-	*	-	0.2	1.5	4.1	3.6	7.9

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	-	-	-	-	-	*	*	*
	3	0.2	0.4	*	*	-	-	-	*	0.3	0.8	0.2	0.4
	4	0.7	1.1	*	*	-	-	-	-	1.0	2.4	0.9	1.7
	5	0.5	0.7	*	*	-	-	-	-	0.2	1.1	0.5	1.2
	6	0.1	0.2	*	*	-	-	-	-	*	0.1	0.1	0.3
	7	*	*	0.1	*	-	-	-	-	-	*	*	0.1
	8	*	*	*	*	-	-	-	-	-	-	-	*
Total		----	1.62.4	0.20.1		-	-	-	*	1.54.4		1.73.6	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	*	*	*
	4	*	0.1	-	*	-	-	-	-	-	0.1	*	*
	5	*	0.1	-	-	-	-	-	-	-	*	*	*
	6	*	*	-	-	-	-	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total		----	0.10.2	-*		-	-	-	-	-	0.1	*	0.1
13 & 23	1 - 2	-	-	-	-	-	0.1	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	-	*	*
	4	-	*	-	-	-	*	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-*	-	-	-	0.1	-	*	-	-	*	*
33	1 - 2	*	*	-	-	-	*	-	*	-	-	*	*
	3	*	*	*	*	-	*	*	*	-	*	*	*
	4	*	*	*	*	-	*	*	*	*	*	*	*
	5	-	*	-	*	-	*	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.1*	**		-	*	*	*	0.1*		0.10.1	
43	1 - 2	*	*	-	-	-	-	-	-	*	*	*	*
	3	0.3	0.1	*	*	-	-	-	-	*	0.3	0.1	0.2
	4	0.3	0.2	*	*	-	*	-	*	0.1	0.2	0.1	0.3
	5	0.1	0.1	*	*	-	*	-	-	*	*	*	0.1
	6	*	*	*	*	-	-	-	-	-	-	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.70.4	0.10.1		-	*	-	*	0.10.6		0.30.6	
53	1 - 2	-	*	-	*	-	-	-	-	-	*	*	*
	3	*	0.1	-	*	-	-	-	-	*	0.2	*	0.1
	4	0.1	0.1	*	*	-	-	-	-	0.1	0.3	0.1	0.3
	5	0.1	0.1	*	*	-	-	-	-	-	0.1	*	0.2
	6	*	*	-	-	-	-	-	-	-	*	*	0.1
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total		----	0.30.4	**		-	-	-	-	0.10.6		0.20.6	
63	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total		----	*0.1	-*		-	-	-	-	-	*	*	0.1
24 - 54	1 - 8	0.1	*	-	*	-	-	-	-	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		*	*	-	-	-	*	-	-	-	*	*	*
32		*	*	-	-	-	*	-	*	-	*	*	*
33		0.3	0.2	-	*	0.1	0.4	-	*	0.2	0.4	0.3	0.4
34		1.2	1.3	*	*	1.0	1.8	1.2	0.5	1.1	1.3	2.1	2.1
35		5.4	5.3	0.3	0.4	4.8	9.4	8.1	4.8	3.6	3.6	7.7	7.4
36		14.4	14.0	1.5	2.6	10.7	21.3	35.7	18.1	6.8	8.3	16.3	16.1
37		30.4	32.1	19.4	21.3	31.7	33.6	21.6	27.9	22.0	22.5	35.2	33.2
38		26.5	27.8	28.5	23.9	30.9	22.0	25.2	28.8	46.9	41.7	25.5	25.8
39		17.3	15.5	31.3	28.8	17.5	9.3	8.1	17.1	18.5	20.9	11.2	12.7
40 & Longer		4.5	3.7	19.0	23.0	3.3	2.2	0.2	2.8	0.9	1.3	1.5	2.3
Average Staple		37.45	37.41	38.49	38.51	37.52	37.00	36.87	37.42	37.68	37.66	37.13	37.19
Average Length		1.17	1.17	1.20	1.20	1.17	1.16	1.15	1.17	1.18	1.18	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	20.9	26.8	1.5	1.7	0.1	0.8	0.4	0.7	0.1	0.2	-	92.2
	3	12.9	19.6	5.4	3.6	0.1	0.4	0.3	1.0	0.3	0.3	-	1.7
	4	1.5	2.7	0.1	0.2	*	*	*	*	*	*	-	-
	5	0.2	0.1	-	*	-	-	-	*	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	35.3	49.3	7.1	5.6	0.2	1.1	0.8	1.7	0.5	0.5	-	93.9
31	1 - 2	3.9	1.8	2.9	1.6	2.0	6.0	2.9	2.5	2.0	3.5	-	4.1
	3	19.9	13.9	23.7	18.3	12.9	17.5	15.7	17.7	15.4	20.4	-	0.7
	4	12.7	15.4	7.2	11.1	3.2	4.2	6.3	10.1	4.6	6.8	-	*
	5	2.5	4.0	0.2	0.5	0.2	0.2	0.4	0.8	0.1	0.3	-	-
	6	0.1	0.4	-	*	*	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	39.2	35.6	34.0	31.6	18.3	27.9	25.3	31.1	22.1	31.0	-	4.8
41	1 - 2	*	*	0.5	0.4	2.6	1.9	2.2	0.9	2.3	2.0	-	*
	3	0.3	0.2	21.3	16.0	39.6	29.7	29.2	18.8	37.3	32.8	-	*
	4	1.8	1.5	20.8	29.9	30.8	29.9	31.7	32.2	24.7	23.8	-	-
	5	2.8	2.7	4.2	6.5	3.7	4.5	6.5	9.4	2.2	2.6	-	*
	6	1.9	1.4	0.2	0.3	0.1	0.1	0.2	0.6	0.1	0.1	-	-
	7	0.9	0.6	*	*	*	*	*	*	*	*	-	-
	8	0.3	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	8.0	6.5	47.0	53.2	76.9	66.2	69.8	61.9	66.5	61.2	-	*
51	1 - 2	-	-	-	*	*	*	*	*	*	*	-	-
	3	-	*	0.2	0.2	1.1	0.8	0.2	0.2	1.5	0.7	-	-
	4	-	-	1.7	0.9	1.9	2.2	0.7	0.9	2.6	1.1	-	-
	5	-	-	0.3	0.3	0.9	1.1	0.5	0.8	0.5	0.2	-	-
	6	-	*	*	*	0.1	0.1	*	0.1	*	*	-	-
	7	*	*	-	*	*	*	*	*	-	*	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	0.1	0.1	2.2	1.5	4.0	4.2	1.4	2.0	4.6	2.1	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.6	0.4	*	*	-	-	*	*	*	*	-	0.8
	3	1.5	0.9	0.2	0.1	*	*	*	*	*	*	-	0.1
	4	0.4	0.2	*	*	-	*	-	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.5	1.6	0.3	0.1	*	*	*	*	*	*	-	0.8
32	1 - 2	0.3	0.1	0.1	0.1	*	*	*	*	0.1	0.1	-	*
	3	3.2	1.4	1.5	0.9	0.1	0.1	0.3	0.3	0.6	0.6	-	-
	4	2.3	1.2	0.6	0.6	0.1	*	0.1	0.3	0.3	0.3	-	*
	5	0.8	0.7	*	0.1	-	*	*	*	*	*	-	-
	6	0.1	0.2	-	*	-	-	-	*	*	*	-	-
	7	-	*	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	6.7	3.6	2.2	1.6	0.2	0.1	0.4	0.6	1.0	1.0	-	*
42	1 - 2	-	-	0.1	0.1	*	*	*	*	0.1	0.1	-	-
	3	*	*	2.8	1.2	0.1	0.1	0.4	0.4	1.9	1.4	-	-
	4	0.1	0.1	2.2	3.0	0.1	0.2	1.0	1.1	2.2	1.7	-	-
	5	0.5	0.2	0.6	1.0	*	*	0.3	0.6	0.2	0.3	-	-
	6	0.4	0.2	*	0.1	*	*	*	0.1	*	*	-	-
	7	0.1	0.1	-	*	-	-	*	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	1.1	0.5	5.7	5.3	0.3	0.4	1.8	2.2	4.4	3.4	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	-	-	*	*	*	-	-
	3	-	-	0.1	0.1	-	*	*	*	0.2	0.1	-	-
	4	-	-	0.1	0.3	*	*	0.1	0.1	0.4	0.2	-	-
	5	-	-	-	0.1	*	*	0.1	0.1	*	0.1	-	-
	6	-	*	-	*	-	*	*	*	*	*	-	-
	7	-	-	-	*	-	*	*	*	-	-	-	-
	8	-	*	-	-	-	-	-	*	-	-	-	-
Total	----	-	*	0.1	0.6	*	*	0.2	0.2	0.7	0.3	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-	-	-
13 & 23	1 - 2	0.2	0.1	-	-	-	-	-	-	-	*	-	0.1
	3	0.5	0.2	-	-	-	-	-	-	-	-	-	0.1
	4	0.1	*	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	0.3	-	-	-	-	-	-	-	*	-	0.2
33	1 - 2	0.2	0.1	-	*	-	*	*	*	*	*	-	*
	3	2.2	0.7	0.2	0.1	*	*	0.1	*	0.1	0.1	-	0.1
	4	2.5	0.9	0.4	0.1	*	*	*	*	*	*	-	-
	5	0.4	0.3	*	*	-	*	*	*	*	*	-	-
	6	*	*	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.3	2.0	0.7	0.1	*	*	0.1	*	0.1	0.1	-	0.1
43	1 - 2	-	*	-	*	*	*	-	*	*	*	-	-
	3	*	*	0.3	0.1	*	*	*	*	0.1	0.1	-	*
	4	0.1	*	0.5	0.2	*	*	0.1	*	0.1	0.1	-	*
	5	0.2	0.1	*	0.1	*	*	0.1	*	*	*	-	-
	6	0.1	0.1	-	*	-	*	*	*	*	*	-	-
	7	*	*	-	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.2	0.7	0.4	0.1	0.1	0.2	0.1	0.2	0.2	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	*	*	*	*	-	-
	4	-	-	*	*	-	*	*	*	*	*	-	-
	5	-	*	-	*	-	*	*	*	*	*	-	-
	6	-	*	*	*	*	*	*	*	-	*	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	0.1	*	*	*	*	*	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	*	-	-
24 - 54	1 - 8	0.2	0.2	*	*	-	-	*	*	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	-	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	*	-	-	-	-	-	-
31		*	0.1	-	-	-	*	-	-	-	*	-	-
32		0.8	0.4	-	-	-	-	-	*	*	*	-	-
33		3.7	3.0	-	*	-	*	*	*	0.1	0.1	-	*
34		21.5	17.7	-	0.1	*	*	0.3	0.2	0.7	0.6	-	0.8
35		40.4	38.6	0.6	0.9	0.1	0.1	2.0	1.7	5.3	4.0	-	11.8
36		26.1	30.4	3.0	3.3	1.7	1.6	8.3	5.9	18.4	14.4	-	20.4
37		7.6	8.9	11.3	15.9	19.3	22.6	22.8	19.7	38.2	36.8	-	29.2
38		*	0.7	30.9	26.0	26.0	27.5	27.8	25.8	22.3	23.1	-	15.3
39		*	0.2	35.5	31.8	28.1	29.3	26.2	29.7	11.2	15.2	-	14.4
40 & Longer		-	0.1	18.8	22.0	24.9	18.9	12.6	16.9	3.7	5.8	-	8.1
Average Staple		35.10	35.26	38.56	38.54	38.59	38.43	38.07	38.28	37.25	37.47	-	37.22
Average Length		1.09	1.10	1.21	1.21	1.21	1.20	1.19	1.20	1.16	1.17	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	47.4	58.0	0.4	0.5	0.5	3.1	46.7	42.6	-	*
	3	6.9	8.3	0.6	0.9	0.4	1.0	13.3	13.0	-	0.1
	4	0.2	0.2	0.1	*	*	*	1.3	1.2	-	*
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	54.5	66.6	1.0	1.4	0.9	4.1	61.3	56.9	-	0.1
31	1 - 2	10.5	7.6	1.7	1.9	14.1	16.4	2.8	2.9	1.6	1.6
	3	14.1	12.5	12.6	19.2	29.0	35.7	6.5	11.9	7.9	7.0
	4	2.8	3.8	4.9	9.3	5.4	7.0	4.3	5.4	1.1	1.4
	5	0.4	0.5	0.2	0.6	0.2	0.2	1.5	0.9	*	0.1
	6	*	*	-	*	-	*	0.4	0.1	-	*
	7	-	-	-	-	-	-	0.1	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	27.7	24.3	19.3	31.0	48.7	59.3	15.6	21.3	10.6	10.0
41	1 - 2	0.1	*	0.8	0.5	3.4	2.0	0.2	0.6	4.8	5.8
	3	0.4	0.1	24.8	18.9	25.9	17.3	1.0	3.7	53.3	52.3
	4	0.7	0.5	32.9	32.3	18.0	13.3	0.5	2.9	20.2	21.8
	5	0.4	0.6	7.5	8.3	2.2	1.9	0.5	0.7	0.7	1.2
	6	0.2	0.2	0.4	0.5	*	0.1	0.7	0.3	*	*
	7	*	*	*	*	*	*	0.5	0.1	-	-
	8	-	-	-	-	-	-	0.2	0.1	-	-
Total	----	1.7	1.6	66.4	60.4	49.5	34.6	3.5	8.3	79.1	81.3
51	1 - 2	-	-	-	*	-	*	*	*	0.1	0.1
	3	-	-	0.4	0.2	*	*	0.1	0.2	3.5	2.2
	4	*	*	2.3	1.3	0.1	0.1	*	0.2	3.0	1.8
	5	-	*	1.5	0.9	*	0.1	*	0.1	0.3	0.2
	6	-	*	0.2	0.2	*	*	*	*	-	*
	7	-	*	*	*	-	*	*	*	-	*
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	*	4.5	2.6	0.1	0.1	0.1	0.5	6.8	4.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	3.3	2.0	*	*	*	*	6.2	3.2	-	*
	3	1.0	0.9	0.1	*	*	*	1.9	1.5	*	*
	4	0.1	0.1	*	*	-	*	0.3	0.2	-	*
	5	*	*	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	4.4	2.9	0.1	*	*	*	8.4	5.0	*	*
32	1 - 2	2.4	0.7	*	*	*	0.2	0.8	0.3	*	*
	3	2.9	1.2	0.5	0.3	0.2	0.8	1.2	1.0	0.4	0.5
	4	1.1	0.5	0.6	0.3	0.1	0.2	0.8	0.7	0.1	0.2
	5	0.3	0.1	*	*	*	*	0.2	0.2	-	0.1
	6	*	*	-	-	*	*	0.1	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	6.6	2.5	1.1	0.7	0.3	1.2	3.0	2.3	0.5	0.9
42	1 - 2	*	*	*	*	*	*	*	0.1	*	*
	3	*	*	1.5	0.7	0.2	0.2	0.1	0.8	1.0	1.3
	4	0.1	*	2.7	1.4	0.1	0.1	0.1	0.9	1.6	1.4
	5	0.1	0.1	1.2	0.7	*	*	0.1	0.3	0.1	0.2
	6	*	*	0.2	0.1	*	*	*	0.1	-	*
	7	*	*	*	*	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	0.3	0.2	5.6	2.9	0.3	0.4	0.4	2.2	2.6	3.0

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	-	-	*	*	*	-	*
	3	*	*	0.1	*	*	*	*	0.3	0.1	0.1
	4	-	*	0.4	0.3	*	*	*	0.3	0.2	0.1
	5	*	*	0.6	0.3	-	-	*	0.2	*	*
	6	*	*	0.2	0.1	-	*	*	0.1	*	*
	7	-	*	0.1	*	-	-	*	*	-	-
	8	-	-	*	*	-	-	*	*	-	-
Total	----	*	*	1.3	0.7	*	*	0.1	0.9	0.2	0.2
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	*	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	*	*	-	-	-	-	-	*	-	-
13 & 23	1 - 2	1.3	0.4	-	-	-	*	2.6	0.7	-	-
	3	0.4	0.2	-	-	*	*	0.8	0.3	-	-
	4	0.1	*	-	-	-	-	0.1	*	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.7	0.6	-	-	*	*	3.5	1.0	-	-
33	1 - 2	0.9	0.3	-	-	*	*	0.7	0.1	-	*
	3	1.1	0.4	0.1	*	0.1	*	0.8	0.2	-	*
	4	0.3	0.1	0.1	*	*	*	0.4	0.1	-	*
	5	*	*	-	*	*	*	0.2	*	-	*
	6	*	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.4	0.9	0.1	*	0.1	0.1	2.0	0.5	-	*
43	1 - 2	-	-	-	-	-	*	*	*	-	*
	3	*	*	*	*	*	*	*	0.1	*	0.1
	4	*	*	0.1	0.1	*	*	*	0.2	0.1	0.1
	5	*	*	0.1	0.1	-	*	*	0.1	-	*
	6	-	*	*	*	-	-	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	0.1	0.2	0.1	*	*	0.1	0.4	0.1	0.1
53	1 - 2	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	*	0.1	-	-
	4	-	-	*	*	-	*	*	0.1	-	*
	5	*	*	0.1	0.1	-	-	*	0.1	-	-
	6	*	*	0.1	*	-	-	-	0.1	-	-
	7	-	*	*	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
Total	----	*	*	0.3	0.1	-	*	*	0.5	-	*
63	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	*	-	-	-	*	-	*
24 - 54	1 - 8	0.5	0.2	*	*	-	*	1.7	0.3	-	*
25 - 35	1 - 8	-	*	-	-	-	-	*	*	-	-
81 - 85	1 - 8	-	*	-	-	-	-	0.1	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		*	*	-	-	-	-	*	*	-	-
30		0.1	*	-	-	-	-	0.1	0.1	-	-
31		0.8	0.4	-	-	-	-	0.7	0.3	-	-
32		1.8	1.3	*	*	*	*	3.2	1.5	-	-
33		5.5	3.4	0.5	0.2	*	*	7.8	4.3	-	-
34		8.0	6.0	2.4	1.1	0.4	0.1	14.5	9.7	0.1	0.1
35		9.9	7.7	6.6	3.9	3.8	3.0	19.3	16.1	1.8	0.9
36		11.0	11.4	15.0	10.2	11.9	15.3	19.7	23.0	8.3	6.4
37		23.1	26.4	30.8	26.3	38.0	39.6	21.1	27.3	36.2	27.5
38		17.6	21.9	25.5	29.6	27.0	25.8	8.2	11.9	22.6	25.5
39		14.4	14.9	15.1	21.5	16.4	13.9	3.9	4.4	17.8	23.4
40 & Longer		7.8	6.5	4.2	7.1	2.5	2.3	1.4	1.4	13.3	16.2
Average Staple		36.80	37.04	37.32	37.73	37.47	37.39	35.66	36.14	37.88	38.15
Average Length		1.15	1.16	1.17	1.18	1.17	1.17	1.11	1.13	1.18	1.19

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Dec 10, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.5	0.7	1.9	1.0	0.1	*	-	*	0.3	1.0	0.4	0.6
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.4	0.1	0.2	0.1	-	0.5	-	*	*	*
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	-	*	-	*	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	35.0	22.3	0.1	*	1.9	3.4	-	0.1	67.6	48.9	62.2	37.9
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	*	-	-	-	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	-	-	-	-	-	-	*
23	*	*	-	*	*	*	-	-	-	*	*	*
24	*	0.1	*	*	*	*	-	*	*	*	*	*
25	0.1	0.1	*	*	*	0.2	-	*	*	0.1	0.4	0.3
26	0.6	0.5	*	0.1	0.2	0.6	-	0.2	0.3	0.6	1.8	1.2
27	3.5	2.2	0.3	0.4	1.2	2.8	0.2	0.6	1.5	2.0	6.0	4.8
28	13.4	9.3	1.8	2.3	3.4	9.9	3.1	1.7	10.8	8.2	14.9	12.6
29	26.7	24.1	11.3	10.9	8.0	15.4	5.9	7.6	29.5	27.2	28.0	24.2
30	30.4	30.8	27.6	27.6	12.2	20.5	16.4	15.5	33.0	34.2	25.9	27.1
31	17.3	20.2	30.7	31.1	16.6	19.4	39.5	20.1	16.9	18.1	13.9	17.1
32	5.7	8.3	16.2	16.7	18.8	13.6	14.2	14.1	5.6	6.4	5.8	7.7
33	1.7	3.0	8.0	7.2	14.2	8.2	13.6	8.3	1.7	2.4	2.2	3.2
34	0.4	1.0	3.5	3.1	9.6	5.0	4.3	5.1	0.4	0.7	0.7	1.2
35	0.1	0.3	0.5	0.7	8.4	2.7	1.5	8.8	0.2	0.1	0.2	0.4
36	*	0.1	*	0.1	5.6	1.3	0.9	10.4	*	*	*	0.1
37	*	*	*	*	1.6	0.4	0.3	5.6	-	*	*	*
38	-	*	*	*	0.2	*	0.1	1.5	-	-	*	*
39	-	*	-	-	*	*	*	0.2	-	-	*	*
40 & Above	-	*	-	-	*	*	-	0.3	-	-	-	*
Average	30.14	30.44	31.34	31.30	32.49	31.13	31.74	32.88	30.23	30.34	29.96	30.25
Mike												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	-	-	-	-	-	*	*
2.6	*	*	-	-	-	-	-	-	-	-	*	*
2.7	*	*	-	-	*	*	-	*	-	-	*	*
2.8	*	*	*	*	*	*	-	*	-	-	*	*
2.9	*	*	*	*	*	*	-	*	-	*	*	*
3.0	*	*	*	*	*	*	-	0.1	-	*	*	*
3.1	0.1	*	0.1	*	0.1	*	-	0.1	-	*	*	*
3.2	0.2	0.1	0.2	*	0.2	0.1	-	*	-	*	0.1	*
3.3	0.5	0.2	0.2	0.1	0.4	0.1	-	0.1	*	*	0.1	0.1
3.4	0.7	0.4	0.5	0.2	0.7	0.2	0.2	0.4	0.1	0.1	0.2	0.1
3.5	0.9	0.6	0.6	0.4	0.6	0.2	*	0.7	0.6	0.4	0.3	0.2
3.6	1.4	0.9	1.0	0.8	0.7	0.3	1.7	1.3	0.7	1.1	0.5	0.4
3.7	2.4	1.5	1.6	1.3	1.1	0.4	5.1	2.8	2.0	1.8	0.7	0.6
3.8	3.6	2.5	2.2	2.0	1.9	0.6	11.3	4.5	4.7	3.5	1.3	1.1
3.9	5.6	3.6	3.3	3.4	1.3	0.8	16.4	7.3	8.6	5.2	2.5	2.0
4.0	6.1	4.8	4.9	5.1	2.3	1.3	8.7	6.5	13.7	8.7	3.7	3.3
4.1	7.3	6.1	8.0	7.9	3.6	2.2	12.1	7.1	14.8	11.0	5.8	5.2
4.2	8.9	7.6	10.5	10.9	5.4	3.6	12.3	8.8	14.7	13.0	8.3	8.0
4.3	8.8	8.8	11.2	13.0	8.3	5.3	12.9	9.5	15.4	13.1	11.2	10.8
4.4	10.0	10.6	12.2	14.3	9.3	8.5	5.5	10.3	7.5	13.0	12.8	13.4
4.5	8.3	11.3	12.8	14.3	13.2	11.3	2.1	10.6	6.2	10.6	13.8	14.1
4.6	8.9	11.3	10.6	11.1	12.7	12.8	2.1	9.1	6.5	8.4	13.3	13.1
4.7	8.6	9.9	8.6	7.2	12.1	13.5	3.5	6.9	2.2	4.2	10.0	10.4
4.8	7.1	7.6	5.4	4.2	8.1	11.8	2.2	5.0	0.5	2.2	7.0	7.7
4.9	4.6	5.3	3.3	2.3	6.7	9.6	3.2	4.6	0.2	1.3	4.3	4.8
5.0	3.1	3.3	1.5	1.0	3.6	6.8	0.4	2.6	0.4	1.1	2.3	2.7
5.1	1.3	1.8	0.7	0.4	3.3	5.2	-	1.1	0.5	0.6	1.1	1.3
5.2	0.9	1.1	0.4	0.2	2.1	3.0	0.2	0.5	0.4	0.3	0.5	0.5
5.3	0.4	0.5	0.2	0.1	1.0	1.3	-	0.1	0.3	0.2	0.2	0.2
5.4	0.2	0.3	*	*	1.0	0.8	-	*	0.2	0.1	0.1	0.1
5.5 & Above	0.1	0.1	*	*	0.2	0.3	-	*	*	*	0.1	0.1
Average	4.37	4.44	4.38	4.37	4.53	4.65	4.14	4.34	4.20	4.29	4.45	4.48

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	17.6	16.3	0.2	0.6	0.4	0.3	0.4	0.5	0.4	0.3	-	0.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	*	*	*	*	0.1	0.1	*	*	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	-	-	*	*	*	0.1	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 1	-	*	*	*	*	*	*	0.1	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	*	-	-	-	-	-	-
23	*	0.1	-	-	-	-	-	-	*	*	-	-
24	*	0.4	-	-	-	*	*	*	*	*	-	-
25	1.0	1.4	-	*	-	*	*	*	0.4	0.2	-	-
26	1.5	3.2	*	*	*	*	0.3	0.2	2.3	1.2	-	0.1
27	9.4	10.6	0.1	0.1	0.2	0.1	1.9	1.3	9.6	4.9	-	4.4
28	18.8	21.8	2.1	1.2	1.7	1.1	5.7	4.8	22.3	13.0	-	16.7
29	24.6	23.6	16.3	8.1	8.4	8.0	15.9	15.4	27.7	22.1	-	21.4
30	20.3	19.1	31.8	27.9	33.4	30.0	30.4	30.3	19.0	23.6	-	25.8
31	12.6	11.5	19.4	29.0	33.8	35.6	22.6	26.6	10.9	17.8	-	20.2
32	10.0	6.9	12.5	14.5	16.7	16.9	11.0	12.2	5.1	10.0	-	10.0
33	1.8	1.2	9.8	9.9	3.9	5.8	8.1	5.8	1.9	4.5	-	1.4
34	0.1	0.2	6.8	6.2	0.9	1.9	3.0	2.6	0.6	1.9	-	0.1
35	*	*	0.7	2.5	0.7	0.5	0.9	0.7	0.1	0.7	-	*
36	-	*	0.3	0.6	0.3	0.1	0.1	0.1	*	0.1	-	*
37	-	*	0.2	0.1	*	*	*	*	*	*	-	*
38	-	-	*	*	*	*	*	*	-	*	-	-
39	-	-	-	-	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	29.82	29.53	31.32	31.63	31.20	31.32	30.97	30.98	29.62	30.40	-	30.21
Mike												
2.4 & Below	1.0	0.4	-	-	-	-	-	-	-	-	-	-
2.5	3.5	3.6	-	-	-	-	-	-	*	*	-	-
2.6	3.8	3.0	-	-	*	*	*	*	-	*	-	-
2.7	2.9	3.6	-	-	*	*	*	*	*	*	-	-
2.8	8.4	5.4	*	*	*	*	*	*	*	*	-	*
2.9	8.8	6.6	0.1	*	0.1	*	*	*	*	*	-	-
3.0	8.9	7.1	*	*	0.1	*	*	*	0.1	*	-	0.2
3.1	6.8	6.7	-	*	0.2	0.1	0.1	*	0.4	0.1	-	0.7
3.2	5.6	6.0	*	*	0.3	0.1	*	*	0.6	0.2	-	0.9
3.3	6.3	7.4	0.2	*	0.5	0.2	0.2	*	0.7	0.4	-	0.3
3.4	6.5	8.4	*	*	1.2	0.4	0.1	*	1.2	0.7	-	1.1
3.5	7.6	8.2	*	0.1	1.6	0.7	0.2	*	1.4	1.0	-	0.7
3.6	7.4	7.1	0.3	0.1	2.8	1.3	0.2	0.1	2.7	1.7	-	2.0
3.7	6.1	6.6	0.1	0.2	3.6	1.9	0.3	0.1	4.3	2.6	-	2.2
3.8	6.2	5.2	0.7	0.4	5.0	3.1	0.4	0.3	6.5	4.1	-	2.8
3.9	3.9	4.1	1.6	1.1	7.3	4.8	0.9	0.5	8.4	5.8	-	3.0
4.0	1.9	2.8	2.1	1.9	8.7	6.7	1.4	0.9	9.4	7.7	-	5.3
4.1	1.4	2.6	3.4	2.9	9.4	8.5	3.0	1.9	10.2	9.1	-	6.9
4.2	1.0	2.2	10.6	5.1	11.2	10.3	3.7	3.3	12.0	10.5	-	8.7
4.3	0.9	1.5	6.8	7.8	11.5	11.4	5.7	5.5	11.2	11.4	-	8.5
4.4	0.9	0.7	9.3	11.1	12.6	12.3	8.7	8.6	9.7	11.5	-	9.6
4.5	0.3	0.2	16.0	13.8	8.0	10.9	13.1	12.7	8.1	10.7	-	10.8
4.6	0.1	0.3	14.4	16.5	6.0	8.8	16.0	15.8	5.3	8.4	-	8.1
4.7	0.1	0.1	13.0	15.3	4.0	6.7	15.3	16.7	3.6	6.5	-	8.3
4.8	-	0.1	9.4	11.2	2.7	4.7	13.1	14.1	2.1	4.2	-	7.4
4.9	-	*	6.5	7.3	1.5	3.2	9.0	9.7	1.3	2.2	-	6.5
5.0	-	*	2.0	3.4	0.8	1.9	4.7	5.4	0.5	0.8	-	3.5
5.1	-	-	2.8	1.3	0.4	1.1	2.2	2.7	0.1	0.2	-	1.5
5.2	-	-	0.7	0.3	0.4	0.6	0.9	1.1	*	0.1	-	1.0
5.3	-	-	-	0.1	0.2	0.2	0.7	0.4	*	*	-	0.2
5.4	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-
5.5 & Above	-	-	-	*	*	*	*	*	-	*	-	-
Average	3.28	3.35	4.53	4.56	4.21	4.35	4.60	4.64	4.16	4.28	-	4.38

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	9.1	5.8	0.9	1.2	0.2	0.1	8.9	4.8	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	-	*	0.1	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	*	*	-	-	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	*	*	-	-
Seed Coat - Level 1	*	*	0.1	0.1	-	*	0.1	0.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	*	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	-	*
Plastic - Level 2	-	*	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	*	*	-	-	-	-	*	*	-	-
23	*	*	*	*	-	-	0.1	0.1	-	-
24	0.1	0.1	*	*	*	*	0.4	0.3	*	*
25	0.2	0.4	1.0	0.4	*	*	1.0	0.8	0.4	0.2
26	1.2	1.1	3.8	1.5	*	*	2.6	2.1	1.6	0.8
27	3.8	3.3	11.4	5.1	0.3	0.5	6.3	5.0	7.3	4.4
28	11.7	8.0	25.2	14.9	3.2	4.7	12.3	10.3	19.2	13.0
29	15.9	14.4	28.1	26.9	18.6	21.2	18.4	17.1	30.3	26.1
30	20.4	18.2	17.5	27.0	39.7	36.5	20.6	20.6	21.7	25.7
31	18.6	18.8	8.2	14.9	27.3	24.8	17.6	18.2	11.9	18.2
32	14.0	16.0	3.4	6.3	7.8	8.7	11.0	12.6	4.6	7.2
33	8.6	11.1	1.0	2.1	2.6	2.7	5.5	7.7	2.3	3.1
34	3.6	5.5	0.4	0.7	0.4	0.7	2.6	3.4	0.4	0.9
35	1.3	2.1	0.1	0.2	0.1	0.1	1.1	1.2	0.1	0.3
36	0.4	0.7	*	*	*	*	0.5	0.4	*	0.1
37	*	0.2	-	-	-	*	0.1	0.1	-	*
38	*	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	*	*	-	-
Average	30.84	31.21	29.32	30.03	30.72	30.67	30.41	30.65	29.75	30.23
Mike										
2.4 & Below	*	*	-	-	-	-	0.5	0.1	-	-
2.5	*	*	-	-	-	-	1.5	0.5	-	-
2.6	0.1	*	-	-	*	*	2.3	0.7	-	-
2.7	*	*	-	*	-	*	2.6	0.7	-	-
2.8	0.2	0.1	-	*	*	*	2.9	0.9	-	-
2.9	0.2	0.2	*	*	*	*	3.1	1.0	-	*
3.0	0.2	0.5	*	*	0.1	*	3.3	1.2	-	*
3.1	1.0	0.7	-	*	0.3	0.1	3.6	1.5	-	0.1
3.2	1.5	1.3	*	*	0.3	0.1	4.1	1.7	*	0.1
3.3	2.7	2.2	0.1	0.1	0.4	0.2	4.2	2.0	0.2	0.3
3.4	4.1	3.0	0.4	0.3	0.4	0.3	4.3	2.3	0.5	0.5
3.5	4.1	3.7	0.8	0.5	0.9	0.5	4.9	2.7	1.2	0.9
3.6	4.6	4.5	1.9	1.0	1.6	0.8	4.9	3.2	2.4	1.4
3.7	5.5	5.1	3.8	1.9	2.6	1.6	5.2	3.9	4.3	2.4
3.8	7.1	6.4	5.6	3.3	3.8	2.1	5.3	4.8	4.8	3.4
3.9	7.6	7.4	6.5	5.2	5.0	2.9	5.7	5.8	7.7	4.7
4.0	7.6	9.3	7.4	7.3	6.0	4.1	5.8	6.9	9.5	7.1
4.1	8.8	10.2	9.9	9.3	7.4	5.5	6.1	7.7	10.2	7.8
4.2	9.5	10.2	10.8	11.3	10.7	7.6	5.8	8.3	11.0	11.4
4.3	9.1	8.8	11.8	12.9	11.4	9.2	5.3	8.6	11.7	13.4
4.4	8.1	7.8	12.5	13.2	9.6	10.3	5.1	8.5	12.3	13.8
4.5	5.2	6.1	9.8	10.8	8.3	10.9	4.5	7.8	9.8	12.1
4.6	4.3	4.9	7.1	8.6	8.2	10.9	3.5	6.6	7.2	8.8
4.7	2.8	2.9	4.8	5.9	8.1	10.0	2.3	5.0	5.3	6.6
4.8	2.1	1.9	3.1	3.7	5.8	8.8	1.4	3.4	1.3	3.3
4.9	1.1	1.0	1.6	2.4	4.4	6.3	0.9	2.1	0.3	1.2
5.0	1.0	0.7	1.1	1.4	2.1	3.9	0.5	1.1	0.1	0.5
5.1	0.7	0.5	0.4	0.5	1.4	2.3	0.3	0.6	0.2	0.2
5.2	0.4	0.2	0.2	0.2	0.8	1.2	0.1	0.2	*	0.1
5.3	0.3	0.1	*	0.1	0.3	0.4	*	0.1	-	*
5.4	0.1	*	*	*	*	0.1	*	*	-	-
5.5 & Above	-	*	*	*	*	*	*	*	-	-
Average	4.06	4.08	4.26	4.32	4.34	4.47	3.75	4.10	4.21	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	*	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	*	*	*	*	0.1	*	-	0.1	-	*	*	*
3.0 - 3.2	0.3	0.1	0.3	0.1	0.3	0.1	-	0.1	-	*	0.1	*
3.3 - 3.4	1.1	0.6	0.7	0.2	1.1	0.3	0.2	0.5	0.2	0.2	0.3	0.2
3.5 - 3.6	2.4	1.5	1.5	1.1	1.3	0.5	1.7	2.0	1.2	1.6	0.8	0.5
3.7 - 4.2	33.9	26.0	30.5	30.6	15.6	8.9	65.9	37.0	58.4	43.2	22.2	20.1
4.3 - 4.9	56.3	64.7	64.2	66.3	70.4	72.9	31.6	56.0	38.4	52.8	72.4	74.3
5.0 - 5.2	5.4	6.2	2.6	1.6	9.0	14.9	0.6	4.2	1.3	2.0	3.8	4.5
5.3 & Above	0.6	0.9	0.2	0.1	2.2	2.4	-	0.1	0.6	0.2	0.3	0.4
Average	4.37	4.44	4.38	4.37	4.53	4.65	4.14	4.34	4.20	4.29	4.45	4.48
Leaf												
1 - 2	5.9	3.9	2.5	2.6	84.7	89.1	82.7	77.5	3.1	2.2	6.1	4.0
3	48.8	41.0	36.2	35.9	13.3	9.1	16.3	19.9	38.2	33.3	52.2	42.8
4	37.2	43.1	47.4	48.7	1.8	1.4	1.0	2.5	45.9	49.4	34.5	41.9
5	7.4	10.8	12.6	12.0	0.2	0.3	*	0.1	11.5	13.8	6.5	10.0
6	0.7	1.1	1.1	0.7	*	*	-	*	1.2	1.2	0.6	1.2
7	0.1	0.1	0.1	*	*	*	-	-	0.1	0.1	0.1	0.1
8	*	*	*	*	-	*	-	-	-	-	*	*
Average	3.48	3.64	3.74	3.72	1.91	1.71	1.86	2.00	3.70	3.78	3.44	3.62
HVI Trash 1/												
00	-	*	-	-	*	*	0.1	0.1	-	-	-	*
01	0.5	0.3	0.1	0.1	48.8	61.2	53.3	42.0	0.2	0.1	0.4	0.3
02	8.1	5.2	3.4	3.2	39.2	29.7	32.5	37.5	5.3	3.7	8.9	6.1
03	22.4	17.5	13.5	12.8	8.0	5.7	10.3	13.2	16.4	13.9	24.9	19.4
04	26.5	25.2	22.3	22.2	2.4	1.8	3.0	4.4	25.4	24.2	27.0	25.6
05	20.1	22.1	22.6	23.3	0.9	0.8	0.7	1.8	22.9	23.8	18.9	21.2
06	11.6	14.4	17.3	17.9	0.4	0.3	0.1	0.7	15.3	16.9	10.6	13.4
07	5.9	8.0	10.8	10.7	0.1	0.2	-	0.3	8.1	9.3	5.3	7.3
08	2.7	4.0	5.5	5.5	0.1	0.1	-	0.1	3.8	4.5	2.3	3.6
09	1.2	1.8	2.5	2.5	*	0.1	-	*	1.6	2.2	1.0	1.7
10	0.6	0.8	1.0	1.1	*	*	-	*	0.5	0.9	0.4	0.8
11	0.3	0.4	0.5	0.4	*	*	-	*	0.3	0.4	0.2	0.3
12	0.1	0.2	0.3	0.2	*	*	-	*	0.1	0.2	0.1	0.1
13	*	0.1	0.1	0.1	-	*	-	*	*	*	*	0.1
14	*	*	0.1	*	-	*	-	-	*	*	*	*
15	*	*	*	*	-	*	-	-	*	*	*	*
16	*	*	*	*	-	-	-	-	-	*	*	*
17	*	*	*	*	-	-	-	-	-	-	-	*
18 & Above	*	*	*	*	-	*	-	-	-	*	-	*
Average	0.44	0.48	0.52	0.52	0.17	0.15	0.17	0.19	0.48	0.50	0.43	0.47
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	*	*	-	-	-	-	-	-	-	-	*	*
76	*	*	-	*	*	*	-	*	-	*	*	*
77	0.2	0.2	0.1	*	0.2	0.2	*	0.1	*	0.2	0.2	0.3
78	1.1	1.3	0.7	0.3	1.8	2.2	0.1	0.6	0.7	1.0	1.4	1.6
79	7.2	6.8	3.5	1.9	8.6	10.7	11.3	8.1	4.2	5.6	6.5	7.4
80	29.0	26.5	15.1	11.9	25.2	29.5	49.5	29.6	31.1	31.3	23.3	23.1
81	39.1	40.0	35.2	35.7	34.8	37.1	29.2	31.2	46.1	44.1	39.1	36.5
82	19.7	20.4	32.4	35.4	23.1	16.8	8.3	10.9	14.4	14.3	22.5	23.0
83	3.4	4.2	11.8	12.9	6.0	3.1	1.4	14.0	3.2	3.1	6.0	6.7
84	0.3	0.5	1.2	1.7	0.3	0.4	0.3	5.3	0.3	0.4	0.9	1.1
85 & Above	*	*	*	0.1	*	*	*	0.2	*	*	0.1	0.1
Average	81.25	81.30	81.80	81.95	81.32	81.11	80.88	81.53	81.25	81.20	81.41	81.41
Tenderable 3/	57.3	64.8	92.0	95.5	86.0	79.7	99.2	94.3	31.2	44.8	35.0	52.4
SAMPLES CLASSED	72,025	497,308	105,098	1,061,985	16,339	153,102	8,900	77,950	9,780	58,172	207,860	1,160,630

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	1.0	0.4	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	7.2	6.6	-	-	*	*	*	*	*	*	-	-
2.7 - 2.9	20.2	15.6	0.1	*	0.1	*	*	*	0.1	*	-	*
3.0 - 3.2	21.3	19.9	*	*	0.6	0.2	0.1	*	1.1	0.4	-	1.8
3.3 - 3.4	12.8	15.8	0.2	0.1	1.7	0.6	0.2	*	1.9	1.2	-	1.4
3.5 - 3.6	14.9	15.3	0.3	0.2	4.5	2.0	0.4	0.1	4.2	2.7	-	2.7
3.7 - 4.2	20.4	23.5	18.4	11.6	45.1	35.2	9.7	6.9	50.8	39.7	-	28.9
4.3 - 4.9	2.2	2.8	75.5	83.0	46.3	58.1	80.8	83.2	41.3	54.8	-	59.1
5.0 - 5.2	-	*	5.5	5.0	1.6	3.7	7.8	9.1	0.6	1.1	-	6.0
5.3 & Above	-	-	-	0.2	0.2	0.2	0.8	0.5	*	*	-	0.2
Average	3.28	3.35	4.53	4.56	4.21	4.35	4.60	4.64	4.16	4.28	-	4.38
Leaf												
1 - 2	26.1	29.3	5.1	4.0	4.8	8.7	5.6	4.2	4.6	5.9	-	97.2
3	40.7	36.9	55.8	40.5	54.0	48.7	46.1	38.5	57.3	56.4	-	2.7
4	21.7	22.2	33.6	46.4	36.2	36.6	40.0	44.7	34.8	34.0	-	*
5	7.4	8.2	5.3	8.7	4.8	5.8	7.9	11.8	3.1	3.5	-	*
6	2.7	2.4	0.3	0.4	0.2	0.2	0.4	0.8	0.1	0.1	-	-
7	1.0	0.7	*	*	*	*	*	*	*	*	-	-
8	0.4	0.3	-	-	-	-	-	*	-	*	-	-
Average	3.22	3.16	3.40	3.61	3.42	3.40	3.51	3.67	3.37	3.36	-	1.54
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	9.5	12.1	0.2	0.3	0.1	0.7	0.4	0.2	0.2	0.3	-	68.5
02	22.3	21.4	8.0	4.9	5.8	8.8	6.6	4.8	6.5	7.8	-	28.5
03	20.0	18.3	24.9	15.8	21.7	20.1	19.7	14.8	25.6	25.5	-	2.5
04	16.3	14.6	28.7	24.3	28.0	24.2	24.9	21.6	32.1	29.9	-	0.3
05	11.4	11.0	19.3	23.6	21.7	20.7	20.9	21.5	20.7	20.3	-	0.1
06	7.0	7.6	10.9	16.3	12.8	13.5	13.7	16.3	9.5	10.1	-	*
07	4.6	5.1	5.0	8.7	6.1	7.1	7.7	10.2	3.5	4.0	-	-
08	3.1	3.4	2.0	3.8	2.5	3.1	3.6	5.6	1.2	1.4	-	-
09	2.0	2.2	0.7	1.5	0.9	1.2	1.6	2.7	0.4	0.5	-	-
10	1.4	1.5	0.1	0.6	0.3	0.4	0.6	1.3	0.2	0.2	-	*
11	0.9	1.0	0.1	0.2	0.1	0.1	0.3	0.6	0.1	0.1	-	-
12	0.6	0.6	*	0.1	*	*	0.1	0.2	*	*	-	-
13	0.4	0.4	*	*	*	*	*	0.1	*	*	-	-
14	0.2	0.3	*	*	*	*	*	*	*	*	-	-
15	0.1	0.1	-	*	*	*	*	*	*	*	-	-
16	0.1	0.1	*	*	-	*	*	*	*	*	-	-
17	*	0.1	*	*	-	*	*	*	-	*	-	-
18 & Above	0.1	0.1	*	*	*	*	*	*	*	*	-	-
Average	0.40	0.40	0.43	0.48	0.45	0.45	0.47	0.51	0.42	0.42	-	0.13
UNIFORMITY 2/												
74 & Below	0.1	*	*	*	-	-	-	-	-	-	-	-
75	0.3	0.2	*	*	-	-	-	*	-	-	-	-
76	2.0	1.5	*	*	-	*	*	*	*	*	-	*
77	8.5	7.3	*	*	*	*	0.2	0.1	0.3	0.2	-	*
78	20.5	17.1	0.1	0.1	0.1	0.1	1.4	0.8	1.8	1.0	-	0.9
79	30.6	28.7	0.7	0.7	0.9	0.6	5.9	3.7	9.5	5.5	-	7.9
80	29.1	33.5	5.0	7.0	6.3	5.6	21.9	16.2	26.7	19.6	-	19.8
81	8.4	11.1	35.6	34.5	31.7	27.9	39.2	40.0	35.5	35.6	-	41.3
82	0.6	0.5	47.8	45.2	42.3	42.5	24.9	31.7	21.8	28.3	-	27.1
83	*	*	10.0	11.3	15.8	19.8	5.5	6.7	3.8	8.3	-	2.9
84	-	*	0.6	1.1	2.6	3.2	0.9	0.8	0.5	1.3	-	-
85 & Above	-	*	*	0.1	0.3	0.3	*	0.1	*	0.1	-	*
Average	79.47	79.65	82.07	82.07	82.19	82.31	81.45	81.67	81.24	81.60	-	81.41
Tenderable 3/	29.0	33.1	87.9	87.6	94.9	94.4	88.2	86.8	90.5	92.7	-	90.1
SAMPLES CLASSED	17,996	64,830	12,733	323,748	74,722	456,909	120,555	1,056,791	78,430	376,632	-	12,113

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	-	-	-	0.5	0.1	-	-
2.5 - 2.6	0.1	*	-	-	*	*	3.8	1.1	-	-
2.7 - 2.9	0.5	0.3	*	*	0.1	*	8.7	2.7	-	*
3.0 - 3.2	2.7	2.6	*	*	0.7	0.2	11.0	4.4	*	0.2
3.3 - 3.4	6.8	5.1	0.5	0.4	0.8	0.5	8.5	4.2	0.7	0.7
3.5 - 3.6	8.6	8.2	2.8	1.4	2.5	1.2	9.8	5.9	3.5	2.3
3.7 - 4.2	46.1	48.6	44.1	38.3	35.5	23.8	33.8	37.5	47.5	36.8
4.3 - 4.9	32.7	33.6	50.8	57.5	55.7	66.4	23.0	42.0	47.9	59.2
5.0 - 5.2	2.2	1.3	1.7	2.1	4.3	7.4	0.8	2.0	0.3	0.8
5.3 & Above	0.4	0.2	0.1	0.1	0.3	0.5	*	0.1	-	*
Average	4.06	4.08	4.26	4.32	4.34	4.47	3.75	4.10	4.21	4.30
Leaf										
1 - 2	66.3	69.0	3.0	2.9	18.0	21.8	61.0	50.7	6.6	7.6
3	26.8	23.9	40.7	40.3	55.8	55.1	26.2	33.0	66.1	63.6
4	5.3	5.4	43.9	45.0	23.6	20.8	8.0	12.3	26.2	26.9
5	1.3	1.4	11.2	10.9	2.5	2.2	2.6	2.9	1.1	1.8
6	0.2	0.3	1.1	0.9	0.1	0.1	1.3	0.8	*	0.1
7	*	*	0.1	*	*	*	0.6	0.2	-	*
8	-	*	*	*	-	-	0.3	0.1	-	-
Average	2.20	2.11	3.67	3.67	3.10	3.03	2.41	2.53	3.22	3.23
HVI Trash 1/										
00	0.1	0.3	-	-	-	*	0.1	0.1	-	-
01	30.4	36.9	0.1	0.1	2.5	3.2	31.1	26.4	0.2	0.4
02	36.2	31.6	4.8	4.1	17.2	19.2	34.9	26.4	8.6	9.3
03	18.0	16.1	17.9	16.8	27.7	27.6	16.1	18.4	30.4	28.6
04	8.4	7.6	26.0	25.5	24.2	23.2	7.9	12.6	32.9	31.0
05	3.5	3.5	22.0	23.2	15.1	14.2	4.0	7.4	17.6	18.3
06	1.8	1.8	14.2	15.1	7.8	7.3	2.1	3.9	7.2	8.0
07	0.9	1.0	7.8	8.2	3.3	3.3	1.3	2.1	2.3	3.0
08	0.4	0.5	4.0	4.0	1.4	1.4	0.9	1.1	0.5	1.0
09	0.2	0.3	1.9	1.8	0.5	0.5	0.6	0.6	0.1	0.3
10	*	0.2	0.8	0.8	0.2	0.2	0.4	0.4	*	0.1
11	*	0.1	0.4	0.3	0.1	0.1	0.2	0.2	-	*
12	*	0.1	0.1	0.1	*	*	0.1	0.1	*	*
13	-	*	*	0.1	*	*	0.1	0.1	-	*
14	*	*	*	*	*	*	*	*	-	-
15	-	*	*	*	*	*	*	*	-	*
16	-	*	-	*	-	*	*	*	-	*
17	-	*	-	*	*	*	*	*	-	*
18 & Above	-	*	-	-	-	*	*	*	-	-
Average	0.23	0.23	0.48	0.49	0.38	0.37	0.25	0.28	0.39	0.40
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	0.1	*	-	-
75	0.1	0.1	-	-	-	-	0.3	0.2	-	-
76	0.5	0.4	*	*	*	*	1.4	0.7	-	*
77	1.8	1.6	0.5	0.2	*	*	5.0	2.5	0.1	0.1
78	6.8	5.7	2.5	1.1	0.2	0.1	14.5	7.8	0.6	0.5
79	19.9	16.4	11.9	6.8	1.8	1.5	27.0	17.6	2.9	2.7
80	31.6	31.4	35.6	25.3	10.9	14.3	27.8	27.0	18.5	12.1
81	29.3	31.3	33.2	38.6	35.5	39.0	17.2	26.9	42.3	34.5
82	9.2	11.5	13.4	21.6	38.7	32.9	5.7	13.8	27.4	35.1
83	0.7	1.4	2.7	5.6	11.7	10.6	0.9	3.1	7.2	13.2
84	*	0.1	0.3	0.8	1.1	1.3	0.1	0.3	0.9	1.6
85 & Above	-	*	-	*	0.1	0.1	*	*	0.1	0.1
Average	80.54	80.69	80.96	81.38	81.96	81.86	79.98	80.65	81.63	81.92
Tenderable 3/	74.8	82.6	88.7	91.5	93.0	90.6	56.7	76.0	95.6	94.3
SAMPLES CLASSED	36,271	242,703	26,362	140,994	57,294	514,955	355,691	4,030,143	14,573	63,635

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	16.8	15.1	-	-	45.7	35.1
	2	-	-	6.9	6.0	-	-	12.4	12.7
	3	-	-	*	*	-	-	*	0.3
	4	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	23.7	21.1	-	-	58.1	48.1
02	1	-	-	27.8	31.3	-	-	24.2	23.2
	2	-	-	39.9	39.8	-	-	16.3	24.5
	3	-	-	2.3	1.7	-	-	0.3	2.2
	4	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	70.1	72.8	-	-	40.8	50.1
03	1	-	-	0.8	1.4	-	-	0.1	0.2
	2	-	-	4.3	3.9	-	-	0.9	1.0
	3	-	-	0.6	0.5	-	-	0.1	0.5
	4	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	5.8	5.9	-	-	1.1	1.8
04	1	-	-	0.1	0.1	-	-	-	-
	2	-	-	0.2	0.1	-	-	-	*
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.3	0.2	-	-	-	*
05	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	-
06	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	-
STAPLE									
44 & Shorter		-	-	0.5	1.3	-	-	3.7	5.5
46		-	-	9.2	11.0	-	-	13.0	21.9
48		-	-	13.4	21.0	-	-	60.3	56.8
50		-	-	65.0	59.9	-	-	22.8	13.2
52 & Longer		-	-	11.9	6.8	-	-	0.2	2.5
Average Staple		-	-	49.57	49.19	-	-	48.05	47.70
Average Length		-	-	1.44	1.43	-	-	1.40	1.39
EXTRANEIOUS MATTER									
Bark		-	-	*	*	-	-	*	0.1
Grass		-	-	0.2	0.3	-	-	-	0.4
Spindle Twist		-	-	*	*	-	-	0.1	1.0
Preparation		-	-	-	*	-	-	0.1	0.3
All Other		-	-	*	*	-	-	*	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Dec 10, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	-	-	-	-	-	*
2.7 - 2.9	-	-	*	*	-	-	0.4	1.0
3.0 - 3.2	-	-	0.2	0.1	-	-	1.8	4.6
3.3 - 3.4	-	-	0.2	0.3	-	-	4.5	4.6
3.5 - 3.6	-	-	1.6	2.3	-	-	3.1	6.1
3.7 - 4.2	-	-	37.8	34.5	-	-	59.6	53.1
4.3 - 4.9	-	-	60.2	62.7	-	-	30.6	30.5
5.0 - 5.2	-	-	*	0.1	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	-	4.27	4.29	-	-	4.08	4.02
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	*
2.7	-	-	-	-	-	-	-	0.2
2.8	-	-	-	-	-	-	-	0.3
2.9	-	-	*	*	-	-	0.4	0.5
3.0	-	-	*	*	-	-	0.1	0.9
3.1	-	-	*	*	-	-	0.5	1.5
3.2	-	-	0.1	*	-	-	1.2	2.2
3.3	-	-	0.1	0.1	-	-	2.6	2.3
3.4	-	-	0.2	0.2	-	-	2.0	2.3
3.5	-	-	0.7	0.9	-	-	1.6	2.8
3.6	-	-	0.9	1.4	-	-	1.5	3.3
3.7	-	-	1.7	2.1	-	-	1.8	3.7
3.8	-	-	2.4	3.0	-	-	2.6	4.1
3.9	-	-	5.5	5.2	-	-	8.1	8.1
4.0	-	-	6.8	6.0	-	-	12.3	10.3
4.1	-	-	8.3	7.3	-	-	22.0	14.4
4.2	-	-	13.1	10.9	-	-	12.9	12.5
4.3	-	-	19.8	16.0	-	-	15.1	11.5
4.4	-	-	16.8	17.5	-	-	10.0	12.0
4.5	-	-	12.4	13.6	-	-	3.5	5.2
4.6	-	-	7.7	9.2	-	-	2.0	1.7
4.7	-	-	2.9	4.7	-	-	-	*
4.8	-	-	0.6	1.5	-	-	-	-
4.9	-	-	0.1	0.2	-	-	-	-
5.0	-	-	*	*	-	-	-	-
5.1	-	-	*	*	-	-	-	-
5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	-	4.27	4.29	-	-	4.08	4.02
STRENGTH 1/ 36 & Below	-	-	0.2	0.2	-	-	1.7	4.7
37	-	-	0.6	2.1	-	-	2.1	3.9
38	-	-	1.9	5.2	-	-	3.1	4.5
39	-	-	5.0	4.6	-	-	3.4	4.4
40	-	-	3.9	2.2	-	-	3.9	8.2
41	-	-	2.0	2.8	-	-	8.2	11.5
42	-	-	4.7	7.2	-	-	12.1	13.2
43	-	-	12.2	16.5	-	-	15.5	15.1
44	-	-	20.7	23.1	-	-	22.1	16.2
45	-	-	25.1	21.1	-	-	20.5	12.0
46	-	-	14.9	10.5	-	-	5.6	4.7
47	-	-	6.2	3.2	-	-	1.2	1.2
48 & Above	-	-	2.6	1.2	-	-	0.6	0.4
Average	-	-	44.44	43.82	-	-	43.38	42.44
UNIFORMITY								
83 & Below	-	-	0.2	0.3	-	-	0.6	2.1
84	-	-	3.4	6.6	-	-	3.6	5.6
85	-	-	13.7	11.6	-	-	12.5	16.9
86	-	-	39.0	38.7	-	-	50.5	50.3
87	-	-	41.0	39.7	-	-	32.4	24.6
88 & Above	-	-	2.7	3.2	-	-	0.4	0.5
Average	-	-	86.69	86.65	-	-	86.54	86.36
Samples Classed	-	-	36,399	226,244	-	-	4,230	18,689

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.