



Volume 26, No.13

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	16	61.6	52.4	19,298	16	62.5	52.0	25,269
AR	24	73.5	56.5	122,229	24	68.4	52.3	191,670
AZ*	-	-	-	-	-	-	-	-
CA*	-	-	-	-	-	-	-	-
FL*	-	-	-	-	-	-	-	-
GA	6	52.5	34.2	6,244	6	55.0	37.9	6,728
KS*	-	-	-	-	-	-	-	-
LA	15	85.7	71.4	37,629	15	81.0	68.2	65,890
MO	13	69.2	56.6	31,618	13	62.2	51.1	44,948
MS	29	71.2	52.1	102,291	29	70.1	50.1	191,509
NC	2	98.7	93.8	1,024	2	98.7	93.8	1,024
NM	-	-	-	-	-	-	-	-
OK	2	96.9	66.2	1,291	2	97.2	67.8	1,505
SC	3	95.2	84.4	1,178	3	95.2	84.4	1,178
TN	16	46.5	41.5	34,105	16	47.8	42.9	40,416
TX	60	75.2	60.0	101,177	69	76.5	58.8	1,043,435
VA	-	-	-	-	-	-	-	-
United States	190	71.5	56.1	461,208	201	73.6	56.6	1,623,477
AMERICAN PIMA								
AZ	-			-	-			-
CA	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	190			461,208	201			1,623,485

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.6	2.9	*	0.3	-	-	-	-	-	-	*	*
	3	2.7	3.1	*	0.2	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	5.36.1	*0.5		-	-	-	-	-	-	**	
31	1 - 2	2.0	2.7	0.4	0.8	-	-	-	-	-	-	2.0	1.9
	3	14.8	16.6	4.3	4.4	-	-	-	-	-	-	12.2	12.0
	4	5.9	5.9	2.8	2.2	-	-	-	-	-	-	1.0	0.9
	5	0.4	0.3	0.1	0.1	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	23.025.4	7.67.5		-	-	-	-	-	-	15.214.8	
41	1 - 2	0.2	0.3	1.0	0.8	-	-	-	-	-	-	0.6	0.7
	3	9.8	10.3	29.0	23.7	-	-	-	-	-	-	14.9	18.1
	4	16.5	16.1	29.9	29.8	-	-	-	-	-	-	7.5	8.1
	5	3.3	3.2	4.5	5.8	-	-	-	-	-	-	0.5	0.5
	6	0.1	0.1	0.1	0.2	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	29.929.9	64.560.2		-	-	-	-	-	-	23.627.4	
51	1 - 2	-	-	0.1	0.1	-	-	-	-	-	-	-	-
	3	0.3	0.3	2.8	2.4	-	-	-	-	-	-	*	*
	4	0.7	0.5	2.7	2.8	-	-	-	-	-	-	*	*
	5	0.6	0.5	0.5	0.9	-	-	-	-	-	-	*	*
	6	0.1	0.1	*	0.1	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	1.81.4	6.26.3		-	-	-	-	-	-	0.10.1	
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	**	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	*	*	*	-	-	-	-	-	-	-	-
	3	*	0.2	*	*	-	-	-	-	-	-	-	-
	4	-	*	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.10.2	**		-	-	-	-	-	-	-	-
32	1 - 2	0.2	0.2	*	0.1	-	-	-	-	-	-	1.0	0.9
	3	3.5	3.0	0.4	0.5	-	-	-	-	-	-	13.3	12.4
	4	2.2	1.8	0.1	0.1	-	-	-	-	-	-	4.1	3.8
	5	0.1	0.1	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	6.15.1	0.50.7		-	-	-	-	-	-	18.417.1	
42	1 - 2	0.2	0.5	0.2	0.3	-	-	-	-	-	-	0.8	0.7
	3	10.9	10.2	8.7	10.6	-	-	-	-	-	-	13.9	13.4
	4	12.3	11.4	7.0	7.5	-	-	-	-	-	-	22.2	20.9
	5	3.6	3.7	0.7	0.8	-	-	-	-	-	-	3.3	3.0
	6	0.1	0.1	*	*	-	-	-	-	-	-	0.1	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	27.125.9	16.619.3		-	-	-	-	-	-	40.238.1	

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	0.1	0.1	-	-	-	-	-	-	-	-
	3	1.8	1.4	2.2	2.5	-	-	-	-	-	-	0.1	0.1
	4	3.0	2.3	1.9	2.4	-	-	-	-	-	-	0.8	0.7
	5	1.0	0.9	0.3	0.4	-	-	-	-	-	-	0.3	0.3
	6	*	0.1	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.9	4.8	4.5	5.4	-	-	-	-	-	-	1.2	1.1
62	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	0.1	0.1	-	-	-	-	-	-	-	-	-	-
	4	0.1	0.1	-	-	-	-	-	-	-	-	0.1	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.1	-	-	-	-	-	-	-	-	0.1	0.1
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	0.1	0.1	*	*	-	-	-	-	-	-	0.1	0.1
	4	0.3	0.5	*	*	-	-	-	-	-	-	1.0	0.9
	5	0.2	0.2	*	*	-	-	-	-	-	-	0.3	0.3
	6	*	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	0.9	*	*	-	-	-	-	-	-	1.4	1.3
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	*	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	-	*	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	-	-
32		-	-	*	*	-	-	-	-	-	-	*	*
33		0.1	0.1	-	*	-	-	-	-	-	-	0.5	0.5
34		5.9	4.7	0.2	0.2	-	-	-	-	-	-	4.8	5.4
35		14.5	13.3	3.9	3.4	-	-	-	-	-	-	22.1	24.2
36		21.2	20.8	15.4	15.0	-	-	-	-	-	-	32.4	32.4
37		36.2	37.7	64.7	62.9	-	-	-	-	-	-	32.6	30.5
38		15.7	17.8	15.1	16.8	-	-	-	-	-	-	7.5	6.9
39		5.8	5.2	0.8	1.6	-	-	-	-	-	-	0.1	0.1
40 & Longer		0.5	0.5	*	0.1	-	-	-	-	-	-	-	-
Average Staple		36.61	36.68	36.93	36.98	-	-	-	-	-	-	36.15	36.08
Average Length		1.14	1.14	1.15	1.15	-	-	-	-	-	-	1.13	1.12

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE													
For The Week Ending Oct 10, 2024													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	0.9	0.8	0.2	2.0	0.1	0.7	0.8	0.8	-	-
	3	-	-	0.1	0.1	*	0.2	0.1	0.4	-	-	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	1.1	0.9	0.3	2.1	0.2	1.0	0.8	0.8	-	-
31	1 - 2	-	-	3.0	2.8	2.4	2.2	0.9	2.2	9.4	9.4	-	-
	3	-	-	12.6	11.2	9.1	7.7	6.3	8.4	25.2	25.2	-	-
	4	-	-	4.8	3.9	1.6	1.2	3.4	4.4	17.3	17.3	-	-
	5	-	-	0.2	0.2	*	*	0.2	0.3	1.8	1.8	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	20.7	18.1	13.2	11.1	10.9	15.3	53.6	53.6	-	-
41	1 - 2	-	-	0.4	0.4	4.7	3.7	0.6	0.6	0.5	0.5	-	-
	3	-	-	17.7	18.2	36.9	33.1	18.1	18.3	10.4	10.4	-	-
	4	-	-	37.6	37.5	13.7	11.5	34.3	31.7	26.9	26.9	-	-
	5	-	-	13.0	13.2	0.3	0.2	10.8	8.4	6.8	6.8	-	-
	6	-	-	0.8	0.8	*	*	0.7	0.6	-	-	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	69.6	70.0	55.6	48.5	64.5	59.6	44.6	44.6	-	-
51	1 - 2	-	-	*	*	0.1	0.1	*	*	-	-	-	-
	3	-	-	0.4	0.3	1.2	0.9	0.7	0.8	-	-	-	-
	4	-	-	1.9	1.3	0.7	0.5	3.7	3.0	-	-	-	-
	5	-	-	0.6	0.6	*	*	2.2	1.7	-	-	-	-
	6	-	-	0.1	0.1	*	*	0.2	0.1	-	-	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	3.0	2.4	2.0	1.6	6.8	5.7	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	*	*	0.2	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	0.2	-	-	-	-
32	1 - 2	-	-	-	0.1	0.3	0.3	0.1	0.4	-	-	-	-
	3	-	-	0.1	0.7	2.0	2.2	0.7	1.0	0.1	0.1	-	-
	4	-	-	*	0.1	0.4	0.3	0.3	0.4	-	-	-	-
	5	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	0.9	2.7	2.9	1.1	1.8	0.1	0.1	-	-
42	1 - 2	-	-	*	*	1.2	1.9	0.3	0.4	-	-	-	-
	3	-	-	1.4	2.4	15.5	21.0	4.3	4.6	0.4	0.4	-	-
	4	-	-	2.1	3.0	7.5	7.8	5.9	5.9	0.3	0.3	-	-
	5	-	-	0.5	1.0	0.4	0.3	1.6	1.5	0.2	0.2	-	-
	6	-	-	0.1	0.1	*	*	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	4.0	6.5	24.7	31.1	12.2	12.5	0.9	0.9	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	0.1	*	*	-	-	-	-
	3	-	-	0.3	0.3	1.0	1.7	0.4	0.7	-	-	-	-
	4	-	-	1.0	0.7	0.4	0.7	2.6	2.0	-	-	-	-
	5	-	-	0.2	0.1	*	0.1	1.0	0.8	-	-	-	-
	6	-	-	*	*	*	*	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	1.5	1.2	1.6	2.5	4.1	3.6	-	-	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	*	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	-	-	-	-
43	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	*	*	*	0.1	*	-	-	-	-
	4	-	-	*	0.1	*	0.1	*	*	-	-	-	-
	5	-	-	-	*	-	*	*	*	-	-	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	0.1	0.1	0.2	0.1	0.1	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	0.1	0.1	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	-	-
32		-	-	-	-	-	-	*	*	-	-	-	-
33		-	-	*	*	-	-	0.1	0.2	-	-	-	-
34		-	-	0.3	0.3	*	*	1.7	1.9	-	-	-	-
35		-	-	6.1	6.3	2.1	1.8	9.3	9.2	-	-	-	-
36		-	-	25.5	28.9	15.6	14.4	25.0	25.2	16.6	16.6	-	-
37		-	-	46.3	43.4	63.0	64.9	46.8	46.7	71.4	71.4	-	-
38		-	-	16.0	13.9	18.1	18.0	13.9	13.3	12.0	12.0	-	-
39		-	-	5.5	6.3	1.1	0.9	3.0	3.3	-	-	-	-
40 & Longer		-	-	0.3	0.8	*	*	0.2	0.2	-	-	-	-
Average Staple		-	-	36.89	36.86	37.00	37.02	36.71	36.70	36.95	36.95	-	-
Average Length		-	-	1.15	1.15	1.16	1.16	1.14	1.14	1.15	1.15	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 10, 2024											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	69.0	71.2	0.8	0.8	1.1	2.2	10.3	5.5	-	-
	3	17.3	15.0	4.4	4.4	0.4	0.7	9.6	6.2	-	-
	4	0.1	0.1	0.1	0.1	*	*	0.6	0.4	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	86.4	86.2	5.3	5.3	1.6	2.9	20.5	12.1	-	-
31	1 - 2	1.1	1.1	0.8	0.8	1.0	1.4	2.6	2.4	-	-
	3	5.7	4.9	6.4	6.4	3.4	3.9	22.5	19.5	-	-
	4	0.7	0.6	1.8	1.8	0.2	0.2	10.9	8.0	-	-
	5	-	-	0.1	0.1	-	-	0.8	0.6	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	7.4	6.5	9.1	9.1	4.6	5.5	36.7	30.5	-	-
41	1 - 2	-	-	0.1	0.1	4.6	4.4	0.4	1.0	-	-
	3	-	0.1	20.5	20.5	24.2	23.9	8.6	15.4	-	-
	4	-	-	53.3	53.3	3.9	3.9	11.7	15.0	-	-
	5	-	-	10.9	10.9	0.1	0.1	2.4	2.7	-	-
	6	-	-	-	-	*	*	0.2	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.1	84.7	84.7	32.8	32.3	23.2	34.3	-	-
51	1 - 2	-	-	-	-	0.3	0.3	-	0.1	-	-
	3	-	-	0.1	0.1	2.7	2.5	0.1	1.0	-	-
	4	-	-	0.4	0.4	1.1	0.9	0.5	1.9	-	-
	5	-	-	0.2	0.2	0.1	*	0.2	0.9	-	-
	6	-	-	-	-	-	-	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	0.7	0.7	4.2	3.8	0.8	4.0	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	3.7	4.8	-	-	*	0.1	2.3	0.7	-	-
	3	1.9	1.7	-	-	0.2	0.2	2.9	0.9	-	-
	4	-	-	-	-	*	*	0.5	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	5.6	6.4	-	-	0.2	0.2	5.7	1.7	-	-
32	1 - 2	0.3	0.3	-	-	0.8	0.8	0.1	0.2	-	-
	3	0.2	0.4	-	-	2.7	2.5	1.6	1.7	-	-
	4	-	-	-	-	0.2	0.1	1.7	1.1	-	-
	5	-	-	-	-	*	*	0.4	0.2	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.7	-	-	3.6	3.5	3.8	3.2	-	-
42	1 - 2	-	-	-	-	8.0	9.3	*	0.1	-	-
	3	-	-	-	-	31.4	30.3	0.9	2.5	-	-
	4	-	-	-	-	5.4	4.8	3.4	5.2	-	-
	5	-	-	-	-	0.1	0.1	1.5	1.8	-	-
	6	-	-	0.1	0.1	*	*	0.2	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	0.1	0.1	44.9	44.6	6.1	9.8	-	-

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Oct 10, 2024											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	1.4	1.2	*	*	-	-
	3	-	-	-	-	4.4	3.7	0.1	0.2	-	-
	4	-	-	0.1	0.1	1.6	1.4	0.4	1.3	-	-
	5	-	-	-	-	0.1	0.1	0.5	1.1	-	-
	6	-	-	-	-	-	-	0.2	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	0.1	0.1	7.4	6.4	1.3	2.9	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	*	*	*	*	-	-
13 & 23	1 - 2	-	-	-	-	-	-	0.2	*	-	-
	3	-	-	-	-	-	-	0.2	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	0.4	0.1	-	-
33	1 - 2	0.1	0.1	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.1	0.1	-	-
	4	-	-	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	-	-	-	-	0.2	0.1	-	-
43	1 - 2	-	-	-	-	0.1	0.1	*	*	-	-
	3	-	-	-	-	0.5	0.6	0.1	0.1	-	-
	4	-	-	-	-	0.1	0.1	0.4	0.2	-	-
	5	-	-	-	-	*	*	0.2	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	0.7	0.8	0.7	0.5	-	-
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	0.1	0.3	-	-
	5	-	-	-	-	-	-	0.2	0.4	-	-
	6	-	-	-	-	-	-	0.2	0.1	-	-
	7	-	-	-	-	-	-	0.1	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	0.6	0.8	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	*	*	-	-
24 - 54	1 - 8	-	-	-	-	*	*	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	-	-	-	-	-	0.2	*	-	-
31		-	-	-	-	-	-	0.8	0.1	-	-
32		0.4	0.3	-	-	*	*	1.7	0.5	-	-
33		7.4	6.4	-	-	0.1	*	2.4	2.1	-	-
34		20.8	19.0	0.3	0.3	0.9	0.7	5.0	9.6	-	-
35		27.8	29.7	2.2	2.2	8.9	7.5	9.4	19.0	-	-
36		42.2	41.6	17.0	17.0	24.1	22.9	15.7	20.6	-	-
37		1.4	2.9	32.3	32.3	56.8	56.8	35.1	28.2	-	-
38		-	-	40.4	40.4	8.8	11.4	20.1	14.2	-	-
39		-	-	7.7	7.7	0.3	0.5	9.2	5.2	-	-
40 & Longer		-	-	-	-	0.1	0.1	0.4	0.4	-	-
Average Staple		35.08	35.15	37.33	37.33	36.65	36.72	36.66	36.26	-	-
Average Length		1.09	1.09	1.17	1.17	1.14	1.15	1.14	1.13	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.4	0.5	0.1	0.1	-	-	-	-	-	-	0.4	0.4
Bark - Level 2	-	-	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	*	*	-	-	-	-	-	-	0.2	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	-	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	3.1	4.4	0.1	1.0	-	-	-	-	-	-	0.6	0.6
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	-	-	-	-	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	*	*	-	*	-	-	-	-	-	-	-	-
25	*	*	*	*	-	-	-	-	-	-	0.3	0.3
26	0.1	0.1	0.1	0.1	-	-	-	-	-	-	1.1	1.1
27	4.2	3.4	1.3	1.1	-	-	-	-	-	-	12.1	12.9
28	17.2	15.1	11.7	9.4	-	-	-	-	-	-	26.0	27.0
29	31.9	29.3	41.1	37.7	-	-	-	-	-	-	34.6	34.2
30	29.4	30.5	32.6	34.6	-	-	-	-	-	-	19.7	18.7
31	13.5	15.7	10.3	13.3	-	-	-	-	-	-	4.3	4.0
32	3.1	5.2	2.4	3.1	-	-	-	-	-	-	1.6	1.5
33	0.5	0.7	0.4	0.6	-	-	-	-	-	-	0.4	0.3
34	0.1	0.1	*	0.1	-	-	-	-	-	-	*	*
35	*	*	*	*	-	-	-	-	-	-	-	-
36	-	-	*	*	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	29.88	30.04	29.92	30.06	-	-	-	-	-	-	29.26	29.21
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-	-	-	-	-
2.9	-	-	*	*	-	-	-	-	-	-	-	-
3.0	-	-	*	*	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	*	*	*	*	-	-	-	-	-	-	-	-
3.3	*	*	*	*	-	-	-	-	-	-	-	-
3.4	0.5	0.4	*	*	-	-	-	-	-	-	-	-
3.5	1.1	1.0	*	*	-	-	-	-	-	-	-	-
3.6	2.2	1.9	*	0.1	-	-	-	-	-	-	-	-
3.7	2.0	2.6	0.1	0.1	-	-	-	-	-	-	*	*
3.8	3.5	3.9	0.4	0.4	-	-	-	-	-	-	0.6	0.5
3.9	5.8	5.9	1.2	1.2	-	-	-	-	-	-	4.4	4.1
4.0	5.9	6.9	2.3	2.1	-	-	-	-	-	-	9.2	8.5
4.1	10.9	9.8	2.9	3.3	-	-	-	-	-	-	13.3	12.5
4.2	10.5	9.9	4.2	5.1	-	-	-	-	-	-	12.7	12.1
4.3	10.7	10.2	7.0	7.9	-	-	-	-	-	-	13.5	13.1
4.4	12.3	11.2	9.9	10.0	-	-	-	-	-	-	9.4	9.7
4.5	9.6	9.0	13.0	13.0	-	-	-	-	-	-	9.6	11.3
4.6	9.7	8.6	15.5	15.0	-	-	-	-	-	-	10.3	11.8
4.7	8.9	8.7	16.8	14.9	-	-	-	-	-	-	7.3	7.2
4.8	3.2	4.0	13.1	12.1	-	-	-	-	-	-	6.3	5.8
4.9	1.5	3.3	7.8	7.6	-	-	-	-	-	-	1.4	1.3
5.0	0.9	1.7	3.3	3.8	-	-	-	-	-	-	0.8	0.7
5.1	0.5	0.7	1.4	1.9	-	-	-	-	-	-	0.8	0.7
5.2	0.1	0.1	0.6	0.8	-	-	-	-	-	-	0.4	0.4
5.3	*	*	0.3	0.4	-	-	-	-	-	-	0.1	0.1
5.4	-	-	0.1	0.2	-	-	-	-	-	-	*	*
5.5 & Above	*	*	*	0.1	-	-	-	-	-	-	-	-
Average	4.30	4.31	4.58	4.58	-	-	-	-	-	-	4.36	4.37

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	0.1	0.1	-	-	0.1	0.1	-	-	-	-
Bark - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	*	*	*	*	0.8	0.8	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	0.9	0.5	*	*	0.6	0.5	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	-	*	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	*	*	-	-	-	-
25	-	-	*	*	*	*	*	*	-	-	-	-
26	-	-	*	*	*	*	0.3	0.2	-	-	-	-
27	-	-	0.4	0.3	0.2	0.1	2.3	1.8	-	-	-	-
28	-	-	3.3	2.6	5.2	4.0	11.1	10.7	-	-	-	-
29	-	-	22.1	20.4	38.7	34.5	32.3	31.2	5.3	5.3	-	-
30	-	-	38.1	34.9	40.4	40.3	33.5	34.4	46.0	46.0	-	-
31	-	-	28.2	29.5	12.2	15.7	15.5	15.8	23.2	23.2	-	-
32	-	-	7.5	10.3	2.7	4.4	3.7	3.8	16.2	16.2	-	-
33	-	-	0.2	1.7	0.5	0.9	1.1	1.4	9.3	9.3	-	-
34	-	-	*	0.2	0.1	*	0.2	0.5	-	-	-	-
35	-	-	-	0.1	*	*	*	0.1	-	-	-	-
36	-	-	-	*	-	-	*	*	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	30.58	30.74	30.15	30.29	30.10	30.17	31.22	31.22	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	*	-	-	-	*	-	-	-	-
3.0	-	-	-	-	*	*	*	*	-	-	-	-
3.1	-	-	-	-	-	-	*	*	-	-	-	-
3.2	-	-	-	*	*	*	-	*	-	-	-	-
3.3	-	-	-	-	*	*	*	*	-	-	-	-
3.4	-	-	-	*	-	-	*	*	-	-	-	-
3.5	-	-	*	*	*	*	0.1	0.1	-	-	-	-
3.6	-	-	*	*	*	*	0.1	0.1	-	-	-	-
3.7	-	-	0.5	0.3	0.1	0.1	0.2	0.1	-	-	-	-
3.8	-	-	0.4	0.3	0.1	0.1	0.3	0.2	4.6	4.6	-	-
3.9	-	-	1.1	1.1	0.6	0.5	0.7	0.6	15.2	15.2	-	-
4.0	-	-	1.9	1.9	1.4	1.3	1.2	1.3	22.2	22.2	-	-
4.1	-	-	4.1	3.7	2.5	2.9	2.0	2.4	10.3	10.3	-	-
4.2	-	-	6.2	6.9	5.9	5.9	4.1	4.0	14.0	14.0	-	-
4.3	-	-	9.9	10.1	10.0	11.3	6.6	6.3	3.9	3.9	-	-
4.4	-	-	13.5	12.3	11.6	14.8	9.8	8.3	5.5	5.5	-	-
4.5	-	-	14.2	12.6	16.0	16.3	12.0	10.4	4.4	4.4	-	-
4.6	-	-	14.6	12.8	15.5	15.0	13.5	14.1	12.1	12.1	-	-
4.7	-	-	8.5	10.2	13.9	12.0	14.4	14.9	2.9	2.9	-	-
4.8	-	-	10.5	9.0	10.7	9.1	12.2	13.0	1.7	1.7	-	-
4.9	-	-	4.8	4.7	6.1	5.4	9.2	9.2	3.3	3.3	-	-
5.0	-	-	4.0	4.1	3.4	3.5	6.2	6.4	-	-	-	-
5.1	-	-	2.3	3.3	1.6	1.3	3.5	3.7	-	-	-	-
5.2	-	-	2.0	3.3	0.6	0.4	2.2	2.7	-	-	-	-
5.3	-	-	1.2	1.8	0.1	0.1	1.2	1.4	-	-	-	-
5.4	-	-	0.5	1.0	*	*	0.4	0.7	-	-	-	-
5.5 & Above	-	-	*	0.4	*	*	0.1	0.2	-	-	-	-
Average	-	-	4.55	4.58	4.56	4.54	4.64	4.66	4.21	4.21	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 10, 2024

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	0.1	-	-	-	-	1.6	0.5	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.3	0.3	-	-	2.5	1.3	-	-
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	-	-	0.2	0.2	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	0.1	-	-	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	0.5	0.1	-	-
23	-	-	-	-	-	-	0.5	0.1	-	-
24	0.6	0.5	-	-	*	*	0.9	0.1	-	-
25	2.3	2.0	-	-	0.1	*	1.0	0.3	-	-
26	2.8	2.4	0.1	0.1	1.1	1.0	1.3	0.9	-	-
27	6.4	5.4	0.5	0.5	10.0	8.6	3.0	2.9	-	-
28	8.4	7.2	2.5	2.5	38.5	34.0	6.2	7.4	-	-
29	8.6	7.7	7.6	7.6	35.3	35.8	13.0	14.5	-	-
30	8.4	10.2	29.0	29.0	12.9	17.6	22.0	20.1	-	-
31	17.1	17.8	49.7	49.7	1.7	2.4	20.6	20.6	-	-
32	31.1	30.1	10.4	10.4	0.3	0.5	14.5	14.3	-	-
33	9.4	10.9	0.2	0.2	*	*	7.9	8.9	-	-
34	3.6	4.4	-	-	*	*	4.8	5.4	-	-
35	0.9	0.9	-	-	*	*	2.2	2.8	-	-
36	0.4	0.4	-	-	-	*	1.1	1.1	-	-
37	-	-	-	-	-	-	0.4	0.4	-	-
38	-	-	-	-	-	-	0.1	0.1	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	31.02	31.19	30.99	30.99	29.00	29.15	31.01	31.23	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	0.1	*	-	-
2.7	-	-	-	-	-	-	0.1	*	-	-
2.8	-	-	-	-	-	-	0.1	*	-	-
2.9	-	-	-	-	-	-	0.1	*	-	-
3.0	-	-	-	-	-	-	0.2	*	-	-
3.1	-	-	-	-	-	-	0.2	0.1	-	-
3.2	-	-	-	-	*	*	0.3	0.1	-	-
3.3	0.1	0.1	-	-	0.1	0.1	0.4	0.1	-	-
3.4	0.8	0.7	-	-	0.2	0.2	0.4	0.2	-	-
3.5	1.2	1.0	-	-	0.1	0.1	0.7	0.4	-	-
3.6	2.0	2.0	-	-	0.3	0.3	1.4	0.8	-	-
3.7	4.0	5.2	-	-	1.3	1.2	1.9	1.2	-	-
3.8	5.2	8.8	-	-	2.3	2.1	2.9	1.9	-	-
3.9	6.1	7.7	-	-	5.7	5.6	4.1	2.6	-	-
4.0	11.5	11.8	0.1	0.1	8.9	8.8	5.6	3.6	-	-
4.1	13.5	12.0	1.8	1.8	11.7	12.1	7.1	4.9	-	-
4.2	9.1	7.8	5.9	5.9	13.7	13.6	8.3	6.4	-	-
4.3	9.8	8.4	16.5	16.5	16.8	15.6	10.7	8.4	-	-
4.4	1.9	1.7	23.9	23.9	13.1	12.7	11.4	9.9	-	-
4.5	4.8	4.1	16.8	16.8	8.9	9.4	8.7	10.6	-	-
4.6	5.5	5.0	8.7	8.7	8.2	8.5	8.3	11.6	-	-
4.7	4.2	4.9	11.4	11.4	4.9	4.8	7.6	12.0	-	-
4.8	9.5	9.3	8.6	8.6	2.1	2.6	6.7	10.5	-	-
4.9	10.0	8.6	2.1	2.1	0.7	1.0	4.6	7.0	-	-
5.0	1.1	0.9	3.9	3.9	0.4	0.4	2.9	3.8	-	-
5.1	-	-	0.4	0.4	0.4	0.6	1.7	1.9	-	-
5.2	-	-	-	-	0.1	0.2	0.9	0.9	-	-
5.3	-	-	-	-	*	*	1.1	0.5	-	-
5.4	-	-	-	-	-	-	1.2	0.2	-	-
5.5 & Above	-	-	-	-	-	-	0.3	*	-	-
Average	4.28	4.25	4.51	4.51	4.28	4.29	4.39	4.50	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 10, 2024

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	*	*	-	-	-	-	-	-	-	-
3.0 - 3.2	*	*	*	*	-	-	-	-	-	-	-	-
3.3 - 3.4	0.5	0.4	*	*	-	-	-	-	-	-	-	-
3.5 - 3.6	3.3	3.0	*	0.1	-	-	-	-	-	-	-	-
3.7 - 4.2	38.6	39.1	11.1	12.3	-	-	-	-	-	-	40.2	37.7
4.3 - 4.9	56.1	55.0	83.1	80.5	-	-	-	-	-	-	57.6	60.3
5.0 - 5.2	1.5	2.5	5.4	6.5	-	-	-	-	-	-	2.0	1.9
5.3 & Above	*	*	0.4	0.7	-	-	-	-	-	-	0.1	0.1
Average	4.30	4.31	4.58	4.58	-	-	-	-	-	-	4.36	4.37
Leaf												
1 - 2	5.2	6.6	2.0	2.3	-	-	-	-	-	-	4.4	4.2
3	43.9	45.2	47.4	44.4	-	-	-	-	-	-	54.5	56.2
4	41.2	38.8	44.4	44.9	-	-	-	-	-	-	36.6	35.4
5	9.3	9.0	6.1	8.0	-	-	-	-	-	-	4.4	4.1
6	0.4	0.5	0.2	0.3	-	-	-	-	-	-	0.1	0.1
7	-	-	-	*	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	3.56	3.51	3.55	3.60	-	-	-	-	-	-	3.41	3.40
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.2	0.3	*	0.1	-	-	-	-	-	-	0.1	0.1
02	6.9	8.2	3.0	3.1	-	-	-	-	-	-	6.7	6.5
03	19.4	21.0	16.9	15.8	-	-	-	-	-	-	24.1	24.4
04	25.8	24.6	28.5	26.9	-	-	-	-	-	-	30.3	31.1
05	21.0	19.5	24.8	24.2	-	-	-	-	-	-	20.7	20.7
06	13.7	13.3	14.7	15.5	-	-	-	-	-	-	10.8	10.4
07	7.3	7.3	7.1	8.1	-	-	-	-	-	-	4.7	4.5
08	3.6	3.5	3.0	3.7	-	-	-	-	-	-	1.7	1.6
09	1.4	1.4	1.1	1.5	-	-	-	-	-	-	0.4	0.4
10	0.5	0.5	0.5	0.6	-	-	-	-	-	-	0.2	0.2
11	0.2	0.2	0.2	0.2	-	-	-	-	-	-	0.1	0.1
12	0.1	0.1	0.1	0.1	-	-	-	-	-	-	*	*
13	*	*	*	0.1	-	-	-	-	-	-	*	*
14	*	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	-	-
16	-	*	*	*	-	-	-	-	-	-	-	-
17	-	-	*	*	-	-	-	-	-	-	-	-
18 & Above	-	*	-	*	-	-	-	-	-	-	-	-
Average	0.46	0.46	0.48	0.49	-	-	-	-	-	-	0.43	0.43
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	*	*	-	-	-	-	-	-	-	-
77	*	*	*	*	-	-	-	-	-	-	0.1	0.1
78	0.4	0.3	0.1	0.1	-	-	-	-	-	-	0.8	1.2
79	6.1	5.6	1.0	1.0	-	-	-	-	-	-	6.9	9.2
80	27.3	25.3	7.6	7.6	-	-	-	-	-	-	42.3	42.4
81	36.9	35.3	23.1	24.4	-	-	-	-	-	-	44.8	42.3
82	21.5	24.4	37.4	36.3	-	-	-	-	-	-	4.5	4.3
83	7.5	8.8	27.8	26.6	-	-	-	-	-	-	0.5	0.4
84	0.3	0.2	2.8	3.5	-	-	-	-	-	-	-	-
85 & Above	*	*	0.2	0.4	-	-	-	-	-	-	-	-
Average	81.41	81.50	82.36	82.36	-	-	-	-	-	-	80.95	80.89
Tenderable 3/	61.6	62.5	73.5	68.4	-	-	-	-	-	-	52.5	55.0
SAMPLES CLASSED	19,298	25,269	122,229	191,670	-	-	-	-	-	-	6,244	6,728

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 10, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	*	-	-	-	*	-	-	-	-
3.0 - 3.2	-	-	-	*	*	*	*	*	-	-	-	-
3.3 - 3.4	-	-	-	*	*	*	*	*	-	-	-	-
3.5 - 3.6	-	-	*	*	*	0.1	0.2	0.1	-	-	-	-
3.7 - 4.2	-	-	14.2	14.3	10.5	10.8	8.5	8.6	66.2	66.2	-	-
4.3 - 4.9	-	-	75.9	71.8	83.7	83.9	77.7	76.1	33.8	33.8	-	-
5.0 - 5.2	-	-	8.2	10.7	5.6	5.1	11.9	12.8	-	-	-	-
5.3 & Above	-	-	1.7	3.2	0.1	0.1	1.7	2.3	-	-	-	-
Average	-	-	4.55	4.58	4.56	4.54	4.64	4.66	4.21	4.21	-	-
Leaf												
1 - 2	-	-	4.4	4.0	9.0	10.3	2.1	4.4	10.6	10.6	-	-
3	-	-	32.7	33.1	65.8	66.9	30.6	34.2	36.1	36.1	-	-
4	-	-	47.4	46.6	24.3	22.1	50.3	47.6	44.4	44.4	-	-
5	-	-	14.5	15.1	0.9	0.7	15.9	12.9	8.8	8.8	-	-
6	-	-	1.0	1.1	*	*	1.1	0.9	-	-	-	-
7	-	-	*	*	-	-	*	*	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	3.75	3.76	3.17	3.13	3.83	3.72	3.51	3.51	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	0.7	0.6	0.4	1.1	0.1	0.4	0.3	0.3	-	-
02	-	-	4.6	4.4	10.2	10.6	2.5	4.7	11.5	11.5	-	-
03	-	-	13.2	13.1	29.6	30.2	10.8	12.8	18.8	18.8	-	-
04	-	-	22.5	22.6	29.9	30.0	20.6	22.0	17.1	17.1	-	-
05	-	-	23.4	23.2	18.2	17.4	23.3	23.1	24.5	24.5	-	-
06	-	-	17.4	17.3	8.1	7.4	19.3	17.5	15.2	15.2	-	-
07	-	-	10.3	10.4	2.4	2.2	12.4	10.5	8.4	8.4	-	-
08	-	-	4.9	5.1	0.8	0.7	6.5	5.2	3.2	3.2	-	-
09	-	-	2.0	2.1	0.3	0.2	2.8	2.3	0.8	0.8	-	-
10	-	-	0.6	0.8	0.1	0.1	1.1	0.9	0.1	0.1	-	-
11	-	-	0.2	0.3	*	*	0.4	0.4	-	-	-	-
12	-	-	0.1	0.1	*	*	0.1	0.1	0.1	0.1	-	-
13	-	-	*	*	*	*	*	0.1	-	-	-	-
14	-	-	-	*	*	*	*	*	-	-	-	-
15	-	-	*	*	*	*	*	*	-	-	-	-
16	-	-	*	*	-	-	*	*	-	-	-	-
17	-	-	*	*	-	-	*	*	-	-	-	-
18 & Above	-	-	*	*	-	-	*	*	-	-	-	-
Average	-	-	0.50	0.50	0.40	0.39	0.53	0.51	0.46	0.46	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	*	-	-	-	-
76	-	-	-	-	-	-	*	*	-	-	-	-
77	-	-	*	*	*	*	*	*	-	-	-	-
78	-	-	0.1	0.1	*	*	0.2	0.2	-	-	-	-
79	-	-	2.4	1.7	0.1	0.1	2.0	1.7	-	-	-	-
80	-	-	20.6	16.8	2.8	2.2	16.5	14.0	11.8	11.8	-	-
81	-	-	42.7	38.0	14.2	13.3	40.9	36.9	79.1	79.1	-	-
82	-	-	30.0	33.8	49.2	48.8	28.5	30.3	9.1	9.1	-	-
83	-	-	4.1	9.1	30.6	32.3	10.5	14.3	-	-	-	-
84	-	-	0.1	0.4	2.9	3.2	1.4	2.1	-	-	-	-
85 & Above	-	-	*	*	0.1	0.1	0.1	0.5	-	-	-	-
Average	-	-	81.58	81.78	82.61	82.66	81.78	81.94	81.41	81.41	-	-
Tenderable 3/	-	-	85.7	81.0	69.2	62.2	71.2	70.1	98.7	98.7	-	-
SAMPLES CLASSED	-	-	37,629	65,890	31,618	44,948	102,291	191,509	1,024	1,024	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Oct 10, 2024

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	-	-	-	-	-	-	0.1	*	-	-
2.7 - 2.9	-	-	-	-	-	-	0.3	*	-	-
3.0 - 3.2	-	-	-	-	*	*	0.7	0.2	-	-
3.3 - 3.4	0.9	0.8	-	-	0.3	0.3	0.8	0.4	-	-
3.5 - 3.6	3.2	3.0	-	-	0.4	0.5	2.1	1.3	-	-
3.7 - 4.2	49.3	53.4	7.7	7.7	43.7	43.4	29.9	20.7	-	-
4.3 - 4.9	45.6	41.9	87.9	87.9	54.7	54.6	58.0	70.1	-	-
5.0 - 5.2	1.1	0.9	4.3	4.3	0.9	1.2	5.5	6.5	-	-
5.3 & Above	-	-	-	-	*	*	2.6	0.7	-	-
Average	4.28	4.25	4.51	4.51	4.28	4.29	4.39	4.50	-	-
Leaf										
1 - 2	74.2	77.4	1.8	1.8	17.3	19.9	15.9	10.0	-	-
3	25.0	21.9	31.3	31.3	69.8	68.2	46.6	47.5	-	-
4	0.8	0.7	55.7	55.7	12.6	11.5	30.2	33.7	-	-
5	-	-	11.1	11.1	0.3	0.3	6.3	7.8	-	-
6	-	-	0.1	0.1	*	*	0.9	0.9	-	-
7	-	-	-	-	-	-	0.1	0.1	-	-
8	-	-	-	-	-	-	*	*	-	-
Average	2.04	2.00	3.76	3.76	2.96	2.92	3.27	3.42	-	-
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	-	-
01	35.5	39.2	-	-	1.3	2.0	4.8	1.7	-	-
02	43.8	42.4	2.5	2.5	19.3	21.1	13.5	9.6	-	-
03	15.5	13.8	9.5	9.5	38.3	37.9	21.4	21.1	-	-
04	4.6	4.1	19.2	19.2	25.8	24.6	23.5	24.8	-	-
05	0.2	0.3	25.5	25.5	10.7	10.1	17.1	18.8	-	-
06	0.2	0.2	19.2	19.2	3.3	3.1	9.7	11.5	-	-
07	0.1	0.1	14.4	14.4	0.9	0.8	5.0	6.3	-	-
08	0.1	0.1	6.2	6.2	0.3	0.2	2.4	3.2	-	-
09	-	-	2.3	2.3	0.1	0.1	1.2	1.5	-	-
10	-	-	1.1	1.1	0.1	0.1	0.6	0.7	-	-
11	-	-	0.1	0.1	*	*	0.3	0.3	-	-
12	-	-	-	-	*	*	0.2	0.2	-	-
13	-	-	0.1	0.1	-	-	0.1	0.1	-	-
14	-	-	-	-	*	*	0.1	*	-	-
15	-	-	-	-	-	-	*	*	-	-
16	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	*	*	-	-
18 & Above	-	-	-	-	-	-	*	*	-	-
Average	0.19	0.18	0.54	0.54	0.34	0.33	0.41	0.45	-	-
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	0.2	*	-	-
75	-	-	-	-	-	-	0.5	0.1	-	-
76	0.5	0.5	-	-	*	*	1.1	0.1	-	-
77	2.9	2.5	-	-	*	*	1.9	0.3	-	-
78	7.5	6.8	-	-	0.4	0.3	3.8	1.3	-	-
79	16.0	15.1	-	-	3.7	3.3	6.9	5.0	-	-
80	15.0	19.5	0.7	0.7	17.0	14.8	19.3	18.9	-	-
81	15.6	18.2	3.5	3.5	40.3	37.1	33.5	37.8	-	-
82	38.7	34.2	39.6	39.6	31.5	34.3	24.8	28.0	-	-
83	3.7	3.3	54.3	54.3	6.7	9.6	6.1	7.5	-	-
84	-	-	1.8	1.8	0.3	0.5	1.9	0.9	-	-
85 & Above	-	-	0.1	0.1	0.1	0.1	0.1	*	-	-
Average	81.05	81.02	83.00	83.00	81.65	81.77	81.26	81.56	-	-
Tenderable 3/	96.9	97.2	95.2	95.2	46.5	47.8	75.2	76.5	-	-
SAMPLES CLASSED	1,291	1,505	1,178	1,178	34,105	40,416	101,177	1,043,435	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 10, 2024

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		-	-	-	-	-	-	-	-
Average Length		-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 10, 2024

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	-	-	-	-	-	-	-	-
Samples Classed	-	-	-	-	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.