



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	29	93.1	81.6	65,485	29	89.7	80.1	255,964
AR	29	96.3	88.7	117,339	29	94.5	84.5	668,175
AZ	9	86.1	63.5	20,685	9	78.3	53.6	75,212
CA	6	91.5	84.5	8,086	8	84.1	65.5	45,857
FL	4	88.5	73.8	6,461	4	81.8	67.8	26,016
GA	57	90.6	83.9	156,181	57	85.2	77.1	666,841
KS	3	51.2	43.1	3,390	3	62.7	48.3	22,280
LA	16	85.0	62.7	22,826	16	90.0	71.9	182,404
MO	20	97.0	89.1	53,176	21	97.4	91.4	312,165
MS	37	92.9	79.3	86,440	37	88.1	70.2	529,328
NC	33	97.2	88.9	76,463	33	96.3	87.1	424,330
NM	2	80.3	67.4	2,881	2	85.5	74.6	7,462
OK	12	78.7	62.2	27,229	12	75.8	56.6	164,366
SC	13	92.8	86.4	22,877	13	93.9	86.6	122,818
TN	19	95.7	88.0	53,178	19	96.1	85.3	276,202
TX	152	73.3	56.5	380,678	170	79.6	62.8	3,304,964
VA	4	98.8	93.7	14,600	4	98.6	94.4	86,840
United States	445	86.1	74.0	1,117,975	466	85.5	71.6	7,171,224
AMERICAN PIMA								
AZ	2			1,849	3			4,798
CA	12			23,349	12			134,661
NM*	-			-	-			-
TX	2			2,017	3			5,253
United States	17			28,444	19			149,089
United States all cotton	460			1,146,419	480			7,320,313

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.6	0.2	0.1	0.1	48.3	50.9	52.3	72.6	0.4	0.2	0.2	0.1
	3	0.5	0.2	*	0.1	9.1	10.6	14.7	6.7	0.2	0.1	0.2	0.1
	4	*	*	-	*	0.1	0.1	0.6	0.2	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.1	0.4	0.1	0.2	57.5	61.6	67.5	79.6	0.6	0.3	0.4	0.2
31	1 - 2	3.8	2.5	5.2	4.6	17.0	13.4	6.9	8.1	3.3	3.1	2.9	2.1
	3	23.4	18.2	27.3	24.3	19.2	12.8	7.0	5.6	18.3	13.5	17.8	13.8
	4	11.7	9.9	6.8	7.0	2.3	2.2	1.4	0.9	4.0	2.9	5.4	3.9
	5	0.8	0.7	0.1	0.2	0.1	0.1	0.3	0.1	0.2	0.2	0.3	0.1
	6	*	*	*	*	*	*	0.1	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	39.7	31.3	39.5	36.0	38.7	28.5	15.7	14.7	25.8	19.6	26.4	20.0
41	1 - 2	0.8	0.6	1.0	1.2	0.1	0.3	3.5	0.8	0.6	0.9	0.8	0.9
	3	18.1	18.5	27.2	27.5	0.3	0.7	3.7	1.4	25.0	25.0	24.5	24.6
	4	27.0	29.5	27.5	29.6	0.2	0.2	1.8	1.0	26.6	28.4	29.7	29.6
	5	7.3	8.3	3.6	3.7	0.4	0.1	1.5	0.4	6.6	4.6	6.7	6.8
	6	0.6	0.7	0.1	0.1	0.2	0.1	0.3	0.1	0.6	0.3	0.6	0.5
	7	*	*	-	-	*	*	*	*	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	53.8	57.6	59.4	62.1	1.1	1.4	10.9	3.7	59.4	59.2	62.3	62.4
51	1 - 2	*	*	-	*	-	-	-	-	-	*	*	*
	3	0.5	0.6	0.1	0.1	-	*	0.1	*	0.7	1.1	0.4	0.8
	4	1.7	2.3	0.3	0.2	-	-	*	*	2.8	4.3	2.1	2.6
	5	1.3	1.7	0.1	0.1	*	*	*	*	2.8	1.6	1.3	1.5
	6	0.5	0.4	*	*	0.1	*	*	*	0.6	0.2	0.3	0.3
	7	0.1	*	-	-	*	*	-	-	*	*	*	*
	8	*	*	-	-	-	-	-	-	-	-	*	*
Total	----	4.1	5.1	0.5	0.3	0.1	*	0.2	0.1	6.9	7.2	4.1	5.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	*
	4	*	*	-	*	-	-	-	-	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-	*	*
Total	----	*	*	-	*	-	-	-	-	-	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	*
Total	----	*	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	-	-	*	1.6	2.4	*	0.3	-	-	-	*
	3	-	*	-	*	0.1	2.3	0.1	0.4	-	-	*	*
	4	-	-	-	-	*	0.5	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	1.7	5.3	0.1	0.7	-	-	*	*
32	1 - 2	-	*	-	*	0.1	0.2	0.1	0.1	-	*	*	*
	3	0.1	0.1	*	0.1	0.2	1.1	0.6	0.2	*	*	0.1	0.1
	4	0.2	0.1	*	*	0.2	1.0	0.4	0.1	0.1	*	*	0.1
	5	*	*	*	*	0.1	0.2	0.8	0.1	-	*	*	*
	6	*	*	-	-	-	*	0.5	0.1	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	*	0.1	0.6	2.6	2.4	0.6	0.1	0.1	0.1	0.2
42	1 - 2	*	*	*	*	*	*	0.2	*	*	*	*	*
	3	0.1	0.7	0.1	0.3	0.3	0.2	0.5	0.1	1.1	1.7	0.8	1.8
	4	0.2	1.3	0.1	0.6	0.1	0.1	*	*	2.3	3.4	1.9	3.9
	5	0.1	0.4	*	0.2	-	0.1	0.1	*	0.1	0.5	0.8	1.3
	6	*	0.1	-	*	-	0.1	0.5	0.1	-	*	0.1	0.1
	7	*	*	-	-	-	-	0.2	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	2.5	0.2	1.1	0.4	0.4	1.7	0.3	3.5	5.7	3.6	7.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
52	1 - 2	-	*	-	*	-	-	-	-	-	*	-	*	
	3	*	0.2	0.1	*	*	*	-	-	0.2	0.9	0.2	0.5	
	4	0.2	1.2	0.1	*	*	*	-	-	2.0	4.2	1.2	2.1	
	5	0.1	0.9	*	*	-	-	-	-	1.0	1.5	1.0	1.3	
	6	*	0.2	*	*	-	-	*	*	0.1	0.1	0.2	0.2	
	7	*	*	-	-	-	-	*	*	-	*	*	*	
	8	-	-	-	-	-	-	-	-	-	*	-	*	
Total	----	0.3	2.5	0.1	0.1	*	*	0.1	*	3.4	6.7	2.7	4.2	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	*	*	-	-	-	-	-	-	*	*	-	*	
	4	*	0.1	-	-	-	-	-	-	-	0.1	*	*	
	5	*	*	-	-	-	-	-	-	-	0.1	*	*	
	6	-	*	-	-	-	-	-	-	-	-	*	*	
	7	-	*	-	-	-	-	-	-	-	-	*	*	
	8	-	*	-	-	-	-	-	-	-	-	*	*	
Total	----	0.1	0.1	-	-	-	-	-	-	*	0.2	*	*	
13 & 23	1 - 2	-	-	-	-	*	*	-	*	-	-	-	-	
	3	-	-	-	-	-	*	-	0.1	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total	----	-	-	-	-	*	0.1	-	0.1	-	-	-	-	
33	1 - 2	*	*	-	*	-	-	-	*	-	-	*	*	
	3	*	*	-	*	-	*	0.1	*	-	-	*	*	
	4	0.1	*	-	*	-	*	0.7	0.1	-	-	*	*	
	5	*	*	-	-	*	*	0.1	*	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total	----	0.1	*	-	*	*	*	0.8	0.1	-	-	*	*	
43	1 - 2	-	*	-	*	-	-	-	-	-	-	*	*	
	3	*	*	*	*	-	*	-	-	-	0.1	*	*	
	4	*	*	*	*	-	*	*	*	*	0.1	0.1	0.2	
	5	*	*	*	*	*	*	*	*	*	*	0.1	0.1	
	6	*	*	-	-	-	*	*	*	-	-	*	*	
	7	-	-	-	-	-	-	0.1	*	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	*	
Total	----	0.1	0.1	*	*	*	*	0.2	*	*	0.2	0.2	0.3	
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	*	*	*	-	-	-	-	*	*	*	*	
	4	-	0.1	*	*	-	-	-	-	0.2	0.4	0.1	0.2	
	5	*	*	*	*	-	-	-	-	0.1	0.2	*	0.1	
	6	*	*	-	-	-	-	-	-	-	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	
Total	----	*	0.1	*	*	-	-	-	-	0.4	0.7	0.1	0.4	
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	*	-	-	-	-	-	-	-	-	*	*	
	4	*	*	-	-	-	-	-	-	-	-	*	*	
	5	-	*	-	-	-	-	-	-	-	*	*	*	
	6	-	*	-	-	-	-	-	-	-	-	-	*	
	7	-	*	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	-	-	
Total	----	*	*	-	-	-	-	-	-	-	*	*	*	
24 - 54	1 - 8	*	*	-	-	-	*	0.3	0.1	-	-	*	*	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	*	
STAPLE														
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	*	*	
31		-	*	-	-	-	-	-	-	-	0.1	-	*	
32		*	0.2	*	*	-	-	-	-	-	0.4	*	0.2	
33		0.9	0.8	*	*	*	*	-	-	-	0.4	0.7	1.5	
34		3.1	3.7	0.1	0.1	0.1	0.3	0.7	0.8	1.1	1.7	4.5	6.3	
35		6.5	9.1	2.6	2.8	1.7	6.1	4.6	6.2	2.4	5.2	11.6	12.7	
36		15.6	16.0	14.0	12.8	7.5	19.6	7.0	13.6	13.1	12.7	19.7	20.0	
37		32.9	32.4	26.2	26.4	33.7	40.8	19.4	32.0	22.6	22.9	37.5	36.9	
38		21.2	20.2	28.8	29.9	31.7	19.4	19.5	22.2	29.1	24.3	18.7	17.0	
39		13.9	12.8	23.5	22.9	18.8	10.2	33.6	17.8	24.8	23.0	6.3	4.8	
40 & Longer		5.8	4.8	4.9	5.0	6.4	3.6	15.2	7.3	6.9	9.2	0.9	0.5	
Average Staple			37.26	37.12	37.71	37.72	37.78	37.19	38.17	37.52	37.78	37.66	36.75	36.57
Average Length			1.16	1.16	1.18	1.18	1.18	1.16	1.19	1.17	1.18	1.18	1.15	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	26.0	20.1	0.7	0.5	0.1	0.2	0.4	0.6	0.5	0.9	96.4	95.6
	3	5.8	11.7	1.5	0.7	*	0.1	0.5	0.5	0.4	0.7	3.0	3.3
	4	1.1	3.5	*	*	-	*	*	*	*	*	*	*
	5	-	0.1	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	32.8	35.3	2.2	1.2	0.2	0.3	0.9	1.2	0.9	1.6	99.4	98.9
31	1 - 2	1.5	0.5	4.4	3.4	7.9	6.7	3.5	4.3	7.4	9.5	0.4	0.6
	3	9.4	11.3	36.6	33.7	33.6	31.4	20.5	21.8	26.2	31.1	0.2	0.4
	4	19.9	19.0	14.2	15.0	8.1	7.3	9.5	10.3	8.2	8.6	-	*
	5	11.7	7.6	0.5	0.5	0.1	0.1	0.7	0.7	0.4	0.4	-	-
	6	1.5	0.7	-	*	-	-	*	*	*	*	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	44.1	39.2	55.7	52.5	49.7	45.5	34.3	37.1	42.2	49.7	0.6	1.0
41	1 - 2	-	-	0.2	0.2	1.9	1.6	0.7	1.7	2.0	1.7	-	*
	3	0.5	0.4	10.2	13.9	23.4	25.3	22.6	23.0	25.1	20.8	-	-
	4	2.3	1.4	24.5	26.3	21.4	22.9	32.1	28.1	24.2	20.7	-	-
	5	5.7	2.8	4.5	4.0	2.6	2.9	7.4	5.8	4.3	3.9	-	-
	6	3.6	1.9	0.1	0.1	0.1	0.1	0.3	0.2	0.5	0.3	-	-
	7	0.6	0.3	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	12.7	6.9	39.4	44.5	49.4	52.8	63.1	58.8	56.2	47.4	-	*
51	1 - 2	-	-	-	*	*	*	*	*	-	*	-	-
	3	-	-	*	*	*	*	0.1	0.2	*	*	-	-
	4	-	-	0.1	0.1	0.1	*	0.4	0.4	*	*	-	-
	5	-	-	*	0.1	*	*	0.2	0.2	*	*	-	-
	6	-	-	-	*	*	*	0.1	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
Total	----	-	-	0.1	0.2	0.2	0.1	0.9	0.9	0.1	0.1	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.4	5.1	-	*	-	-	*	*	-	*	-	0.1
	3	0.1	2.9	*	*	-	-	*	*	-	*	-	-
	4	-	0.7	*	*	-	-	-	*	-	-	*	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	8.7	*	*	-	-	*	*	-	*	*	0.1
32	1 - 2	0.1	0.1	-	*	*	*	*	*	*	*	-	-
	3	0.1	1.5	0.3	0.1	0.1	0.2	0.1	0.1	0.2	0.4	-	-
	4	0.2	2.5	0.4	0.2	*	*	0.1	0.1	0.1	0.2	-	-
	5	0.5	1.6	*	*	-	*	*	*	*	*	-	-
	6	0.1	0.4	-	-	-	-	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	6.1	0.8	0.4	0.1	0.3	0.2	0.3	0.3	0.6	-	-
42	1 - 2	-	-	*	*	*	*	*	0.2	*	*	-	-
	3	-	*	0.3	0.1	0.1	0.3	0.1	0.6	0.2	0.2	-	-
	4	0.1	0.1	1.0	0.7	0.2	0.6	0.2	0.6	0.1	0.2	-	-
	5	0.1	0.2	0.3	0.3	*	0.1	0.1	0.1	*	*	-	-
	6	0.1	0.3	*	*	-	-	*	*	*	*	-	-
	7	*	0.2	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.7	1.6	1.1	0.3	1.0	0.4	1.6	0.3	0.5	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	*	0.1	-	*	-	-
	4	-	*	*	*	*	*	*	0.1	*	*	-	-
	5	-	*	*	*	-	*	*	*	-	*	-	-
	6	-	-	-	*	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	*	*	0.1	0.2	*	*	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-
	4	-	-	-	*	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	-	-	-	-
13 & 23	1 - 2	7.2	1.5	-	-	-	-	-	-	-	-	-	-
	3	0.1	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	7.3	1.5	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	*	*	*	*	-	-	*	*	-	-
	3	-	0.1	*	*	*	*	*	*	*	*	-	-
	4	0.1	0.4	*	*	*	*	*	*	*	*	-	-
	5	0.1	0.2	*	*	-	-	*	*	-	*	-	-
	6	*	*	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.7	0.1	*	*	*	*	*	0.1	*	-	-
43	1 - 2	-	-	-	-	-	*	*	*	-	-	-	-
	3	-	*	*	*	*	*	*	*	*	*	-	-
	4	-	0.1	0.1	*	*	*	*	*	*	*	-	-
	5	0.1	0.3	*	*	*	*	*	*	*	*	-	-
	6	-	0.1	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.5	0.1	*	*	*	0.1	*	*	*	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
Total	----	-	*	-	*	-	-	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	*	0.3	*	*	-	-	*	*	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		0.2	*	-	-	-	-	-	-	-	-	-	-
31		1.2	1.1	-	-	-	-	-	-	-	*	-	-
32		10.7	6.7	-	-	*	*	-	*	0.1	*	-	-
33		9.0	10.0	-	*	*	*	*	*	0.7	0.4	-	-
34		21.0	22.9	0.2	0.2	0.3	0.2	0.1	0.4	4.3	3.8	*	0.4
35		29.7	26.9	4.5	3.0	3.6	2.9	1.9	3.2	15.7	14.1	2.5	3.0
36		11.3	18.2	7.2	7.0	13.2	11.2	6.1	8.4	27.0	29.1	20.5	23.2
37		14.8	12.4	14.9	18.4	30.4	28.4	16.4	22.0	36.4	36.0	44.6	45.7
38		2.1	1.6	25.1	26.1	32.0	33.5	22.8	24.4	12.3	13.6	22.9	19.4
39		0.1	0.1	30.5	29.0	18.1	20.4	34.2	27.0	3.0	2.8	8.4	6.0
40 & Longer		-	*	17.6	16.3	2.5	3.4	18.5	14.6	0.5	0.3	1.0	2.4
Average Staple		34.71	34.81	38.24	38.22	37.55	37.67	38.39	38.08	36.46	36.50	37.17	37.08
Average Length		1.08	1.08	1.20	1.19	1.17	1.18	1.20	1.19	1.14	1.14	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	40.3	39.6	0.8	0.9	1.5	1.1	57.5	40.7	*	*
	3	12.4	17.1	1.1	0.9	0.6	0.4	19.1	16.6	-	0.1
	4	0.9	1.4	*	*	*	*	2.4	1.7	-	-
	5	*	*	-	-	-	-	0.2	0.1	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	53.5	58.2	1.9	1.9	2.1	1.6	79.2	59.0	*	0.1
31	1 - 2	10.0	5.4	4.8	5.0	17.0	19.4	1.1	3.1	5.0	7.0
	3	21.8	16.4	25.9	28.7	38.6	40.5	4.3	13.3	18.7	30.6
	4	6.6	8.2	12.3	13.1	10.5	8.5	2.7	5.8	2.7	4.6
	5	0.9	1.3	0.9	0.8	0.6	0.4	0.7	0.6	0.1	*
	6	0.1	0.1	*	*	*	*	0.1	0.1	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	39.4	31.4	43.9	47.5	66.6	68.8	8.9	22.9	26.4	42.2
41	1 - 2	*	*	0.5	0.7	1.5	1.2	0.2	0.3	4.6	4.0
	3	0.1	0.1	14.8	14.4	14.2	13.5	1.5	2.6	48.6	37.6
	4	0.7	0.6	26.3	24.3	12.9	12.2	1.3	3.2	18.5	14.8
	5	1.0	0.6	6.2	6.4	2.2	2.2	0.2	0.8	1.2	0.9
	6	0.5	0.3	0.3	0.2	0.1	0.1	*	0.1	0.1	*
	7	0.2	0.1	-	*	*	*	*	*	-	*
	8	0.1	0.1	-	-	-	-	*	*	-	-
Total	----	2.6	1.8	48.2	46.0	31.0	29.2	3.2	6.9	73.0	57.2
51	1 - 2	-	-	-	*	-	*	*	*	-	-
	3	-	-	0.1	0.1	*	*	0.1	*	0.1	*
	4	-	-	0.6	0.5	*	*	0.1	0.1	0.2	*
	5	-	-	0.7	0.6	-	*	*	0.1	-	*
	6	-	*	*	0.1	-	*	*	*	-	-
	7	0.1	*	-	*	-	-	*	*	-	-
	8	0.1	*	-	-	-	-	*	*	-	-
Total	----	0.2	*	1.5	1.3	*	*	0.3	0.2	0.3	0.1
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	-	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	0.3	2.5	-	-	-	*	2.8	3.8	-	*
	3	0.9	1.7	-	-	*	*	2.1	3.0	-	-
	4	0.6	0.5	-	-	*	*	0.5	0.6	-	-
	5	*	*	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.8	4.8	-	-	*	*	5.4	7.5	-	*
32	1 - 2	0.2	0.5	*	*	*	*	*	0.1	*	*
	3	0.8	1.2	*	0.1	0.1	0.2	0.3	0.6	*	0.1
	4	0.4	0.7	0.1	0.1	*	0.1	0.5	0.5	*	*
	5	0.2	0.3	-	*	*	*	0.2	0.2	-	*
	6	*	0.1	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	1.7	2.7	0.1	0.2	0.1	0.3	1.1	1.3	0.1	0.1
42	1 - 2	-	*	-	*	-	*	*	*	-	*
	3	*	*	0.6	0.5	*	0.1	0.1	0.2	0.2	0.1
	4	*	*	1.6	1.2	*	*	0.6	0.5	*	0.1
	5	*	*	0.4	0.4	-	*	0.1	0.2	-	*
	6	0.1	0.1	0.1	*	*	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	0.2	0.2	2.7	2.1	*	0.2	0.9	1.0	0.2	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Leaf	OKLAHOMA <i>Week Season</i>		SOUTH CAROLINA <i>Week Season</i>		TENNESSEE <i>Week Season</i>		TEXAS <i>Week Season</i>		VIRGINIA <i>Week Season</i>	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	0.1	*	-	-	*	*	*	*
	4	-	*	0.6	0.4	-	-	0.1	0.1	-	*
	5	-	-	0.6	0.4	-	-	0.1	*	-	*
	6	-	-	0.2	0.1	-	-	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	8	*	*	-	*	-	-	-	*	-	-
<i>Total</i>	----	<i>*</i>	<i>*</i>	<i>1.4</i>	<i>0.9</i>	-	-	<i>0.2</i>	<i>0.2</i>	<i>*</i>	<i>*</i>
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	-	-	-	<i>*</i>	-	-	<i>*</i>	<i>*</i>	-	-
13 & 23	1 - 2	-	0.1	-	-	-	-	0.1	0.2	-	-
	3	*	0.2	-	-	-	-	0.2	0.3	-	-
	4	*	0.1	-	-	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.4</i>	-	-	-	-	<i>0.4</i>	<i>0.6</i>	-	-
33	1 - 2	*	*	-	*	-	*	*	*	-	-
	3	0.1	0.1	-	*	*	*	0.1	0.1	-	*
	4	0.2	0.1	-	*	*	*	0.1	0.1	-	*
	5	0.1	*	*	*	*	*	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
<i>Total</i>	----	<i>0.5</i>	<i>0.3</i>	<i>*</i>	<i>*</i>	<i>*</i>	<i>*</i>	<i>0.3</i>	<i>0.2</i>	-	<i>*</i>
43	1 - 2	-	*	-	-	-	-	*	*	-	-
	3	*	*	-	*	-	*	*	*	*	*
	4	*	*	0.1	*	-	-	*	*	-	-
	5	*	*	*	*	*	*	*	*	-	-
	6	*	*	-	*	-	-	*	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
<i>Total</i>	----	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>0.1</i>	<i>*</i>	<i>*</i>	<i>0.1</i>	<i>0.1</i>	<i>*</i>	<i>*</i>
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	*	*	-	-	*	*	-	-
	4	-	*	0.1	*	-	-	*	*	-	-
	5	-	-	*	*	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	<i>*</i>	<i>0.2</i>	<i>0.1</i>	-	-	<i>*</i>	<i>*</i>	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<i>Total</i>	----	-	-	-	-	-	-	-	<i>*</i>	-	-
24 - 54	1 - 8	0.2	0.1	-	*	-	-	0.1	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	*	-	-
31		*	0.1	-	-	-	-	0.3	0.1	*	*
32		1.1	0.8	*	*	-	-	1.0	0.5	*	*
33		1.3	1.5	1.0	0.6	-	0.1	4.1	2.1	0.3	0.1
34		4.6	4.9	4.8	4.2	0.2	0.8	10.9	6.5	3.5	2.0
35		12.2	11.1	12.9	10.6	3.8	3.5	18.2	13.8	15.4	10.9
36		17.5	14.6	20.1	17.5	16.5	14.1	23.2	23.0	29.9	24.8
37		35.0	30.4	37.3	38.0	32.8	36.2	26.7	34.1	29.1	33.4
38		19.9	21.9	18.5	23.1	29.1	28.2	11.5	14.1	17.6	23.2
39		7.6	10.9	4.8	5.4	14.3	14.5	3.3	4.7	4.1	5.3
40 & Longer		0.8	3.6	0.7	0.6	3.3	2.5	0.8	0.9	0.2	0.4
<i>Average Staple</i>		<i>36.71</i>	<i>36.93</i>	<i>36.66</i>	<i>36.82</i>	<i>37.43</i>	<i>37.41</i>	<i>36.05</i>	<i>36.44</i>	<i>36.54</i>	<i>36.82</i>
<i>Average Length</i>		<i>1.15</i>	<i>1.15</i>	<i>1.15</i>	<i>1.15</i>	<i>1.17</i>	<i>1.17</i>	<i>1.12</i>	<i>1.14</i>	<i>1.14</i>	<i>1.15</i>

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.6	0.6	0.4	0.6	0.1	0.1	0.1	*	0.9	0.5	0.3	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	*	0.1	*	*	0.3	0.7	0.8	0.3	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	-	-	-	*	*	*	0.1
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.5	-	*	0.9	0.4	-	-	0.3	0.7	0.4	1.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	*	*	-	-	-	-	*	*
23	-	*	-	-	*	*	-	-	-	*	*	*
24	*	*	*	*	0.1	*	-	-	-	0.1	*	0.1
25	*	0.1	*	*	0.1	*	-	*	*	0.3	0.2	0.6
26	0.2	0.5	*	*	*	*	-	0.1	0.2	0.6	0.9	2.5
27	0.9	2.3	0.1	0.2	0.4	0.4	*	0.3	0.5	2.4	4.2	8.0
28	6.0	8.8	1.4	1.8	2.5	3.1	0.4	1.2	2.8	6.8	13.0	18.4
29	19.5	24.1	10.2	9.0	5.2	10.8	1.5	2.7	11.7	18.1	27.1	29.1
30	32.1	30.8	23.2	23.0	16.5	18.9	4.5	7.8	32.1	31.3	30.4	24.7
31	24.2	20.0	32.4	33.8	29.2	24.2	6.3	15.3	24.4	21.1	15.7	10.9
32	11.3	9.0	20.8	21.1	24.2	19.8	14.8	14.0	14.9	11.1	5.7	3.7
33	4.5	3.2	8.7	8.3	14.8	13.9	14.0	10.2	7.7	5.2	2.0	1.2
34	1.1	0.8	2.5	2.4	5.2	6.1	6.3	12.1	4.8	2.4	0.6	0.4
35	0.2	0.2	0.6	0.5	1.3	2.0	7.5	8.6	0.4	0.4	0.2	0.1
36	*	0.1	*	*	0.3	0.6	13.0	8.7	0.4	0.1	*	*
37	*	*	*	*	0.1	0.1	16.6	9.9	0.1	*	*	*
38	-	*	-	-	*	*	11.4	6.2	-	-	*	*
39	-	-	-	-	*	*	2.3	2.2	-	-	-	-
40 & Above	-	-	-	-	-	-	1.3	0.6	-	-	-	-
Average	30.76	30.46	31.45	31.45	31.84	31.70	35.03	34.01	31.26	30.72	30.12	29.65
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	*	*
2.7	*	*	-	-	0.2	0.1	-	-	-	-	*	*
2.8	*	*	-	-	0.1	*	-	*	-	-	*	*
2.9	*	*	-	-	-	-	-	*	-	-	*	*
3.0	*	*	-	*	-	*	-	-	-	-	*	*
3.1	0.1	*	*	*	*	0.1	-	*	-	-	*	*
3.2	0.1	0.1	-	*	*	0.1	-	-	-	-	*	*
3.3	0.4	0.2	*	*	*	0.1	0.2	*	-	-	*	*
3.4	1.1	0.5	*	*	*	*	0.8	0.4	-	-	0.1	*
3.5	1.4	0.7	0.1	*	0.1	0.1	1.4	0.6	*	0.1	0.2	0.1
3.6	2.4	1.5	0.2	0.1	0.2	0.2	1.1	1.1	0.3	0.2	0.4	0.3
3.7	3.3	2.3	0.6	0.4	0.2	0.4	1.3	0.9	0.1	0.2	0.7	0.5
3.8	5.2	3.8	1.3	0.8	0.9	0.7	1.9	1.4	0.8	0.4	1.1	1.0
3.9	7.2	6.1	2.1	1.5	1.0	0.9	3.5	2.8	1.1	1.2	2.3	1.9
4.0	9.3	8.6	5.1	3.5	1.9	1.8	9.7	3.7	3.4	1.6	4.4	3.7
4.1	9.9	10.1	8.3	6.3	4.2	2.7	3.8	4.8	4.7	2.9	7.0	6.3
4.2	9.8	10.8	10.6	9.6	7.9	4.7	10.1	6.6	5.3	5.0	10.7	9.7
4.3	9.7	11.2	13.7	12.2	9.8	6.9	15.7	9.2	11.9	8.6	14.4	13.6
4.4	9.8	10.5	15.5	14.8	10.4	9.5	11.5	9.1	9.3	10.7	15.9	16.2
4.5	7.9	8.9	12.8	14.5	11.9	10.5	14.1	10.7	10.6	11.9	14.7	16.3
4.6	6.9	7.6	11.2	12.9	10.5	10.4	9.1	10.1	17.4	17.9	12.7	13.5
4.7	5.5	6.6	8.4	9.7	7.5	10.1	6.5	8.0	16.7	17.0	7.7	8.7
4.8	4.5	4.8	5.0	6.3	11.4	11.7	4.4	8.8	11.4	11.2	4.5	4.7
4.9	3.1	2.9	2.4	3.7	9.5	10.4	2.0	7.8	5.4	6.6	1.9	2.1
5.0	1.2	1.5	1.4	1.9	3.6	7.3	0.4	5.1	1.4	2.9	0.7	0.8
5.1	0.5	0.7	0.8	0.9	4.1	5.7	0.5	4.2	0.3	0.9	0.4	0.3
5.2	0.3	0.3	0.3	0.5	2.2	3.0	0.5	2.7	*	0.5	0.1	0.1
5.3	0.1	0.1	0.1	0.1	1.8	1.7	1.0	1.1	-	0.2	0.1	*
5.4	0.1	0.1	*	0.1	0.6	0.8	0.6	0.4	*	0.1	0.1	*
5.5 & Above	-	-	*	0.1	*	0.2	0.1	0.4	-	*	*	*
Average	4.25	4.30	4.40	4.46	4.57	4.64	4.35	4.53	4.52	4.56	4.40	4.42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	15.1	18.8	0.6	0.1	0.3	0.3	0.8	0.7	0.2	0.2	0.2	0.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	3.2	0.7	*	*	*	*	0.1	0.1	*	*	0.1	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	-	*	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	1.3	0.2	*	*	-	*	*	0.1	-	*	*	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	*	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	*	*
24	0.1	0.4	-	-	-	-	*	*	*	*	0.1	*
25	0.4	2.6	-	-	*	*	*	*	*	*	*	*
26	1.3	3.3	-	*	*	*	0.1	0.1	0.2	0.2	-	-
27	3.0	7.2	*	0.2	0.1	0.1	0.5	0.4	1.4	1.4	0.7	0.5
28	7.5	7.3	0.3	1.1	1.4	1.4	3.0	2.6	7.5	6.1	10.9	6.5
29	22.6	12.8	5.4	9.3	11.4	12.4	13.0	9.4	20.4	17.6	27.5	19.7
30	36.3	21.6	31.6	34.5	31.2	33.9	25.1	21.8	29.2	28.6	28.1	36.6
31	11.4	18.2	36.3	28.7	35.0	32.9	31.0	31.1	24.2	25.5	26.7	28.5
32	8.8	12.9	10.8	11.9	14.8	14.1	17.5	21.0	11.7	13.6	4.8	7.0
33	3.5	7.7	7.4	8.6	4.4	4.3	6.6	8.9	3.7	5.1	0.6	0.9
34	4.9	5.2	7.1	3.8	1.2	0.7	2.5	3.2	1.2	1.4	0.6	0.2
35	0.1	0.7	0.9	0.9	0.4	0.1	0.7	1.1	0.3	0.4	-	*
36	0.1	0.1	0.1	0.7	0.1	*	0.1	0.2	*	*	*	*
37	-	*	*	*	*	*	*	*	*	*	*	*
38	-	*	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	*	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.52	30.61	31.52	31.35	31.15	31.07	31.24	31.48	30.69	30.86	30.34	30.59
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	*	-	-	-	-	*	*	-	*	0.5	0.2
2.7	-	*	-	-	-	-	-	*	-	*	0.5	0.2
2.8	-	*	-	-	-	-	-	-	-	*	1.2	0.5
2.9	*	*	-	-	-	-	*	*	-	-	1.4	0.5
3.0	0.1	*	-	-	*	*	*	*	-	*	1.2	0.6
3.1	1.6	0.5	-	-	*	*	*	*	-	*	1.7	1.0
3.2	2.4	0.7	-	-	*	*	0.1	*	*	*	3.0	1.6
3.3	3.2	1.2	*	*	0.1	*	*	*	*	*	2.4	2.6
3.4	2.9	1.0	*	*	0.4	0.1	0.1	*	*	0.1	5.0	4.9
3.5	2.4	1.1	*	*	0.9	0.3	0.2	0.1	0.2	0.1	5.7	5.4
3.6	4.7	2.4	0.1	0.1	1.1	0.5	0.3	0.1	0.4	0.3	2.2	2.8
3.7	4.9	4.5	0.3	0.2	1.3	1.0	0.7	0.3	0.7	0.5	0.6	2.2
3.8	3.3	4.3	0.4	0.4	1.9	2.0	0.8	0.5	1.4	0.9	7.0	6.2
3.9	3.9	5.6	0.9	0.4	4.3	3.7	1.7	1.1	2.1	1.9	9.9	10.2
4.0	6.7	6.0	1.5	0.8	7.3	6.1	2.9	1.6	3.9	3.6	9.5	11.3
4.1	8.3	7.4	1.3	1.3	11.4	9.7	4.3	2.7	5.9	5.7	8.6	8.5
4.2	4.2	5.9	3.8	3.2	13.0	13.3	5.9	4.4	9.4	9.2	3.6	8.7
4.3	8.1	8.5	6.4	6.4	14.1	15.8	8.3	7.3	12.7	12.9	5.2	7.3
4.4	4.0	7.8	8.6	9.5	12.0	14.8	12.8	10.8	14.6	15.1	8.2	7.7
4.5	7.2	10.9	10.6	14.1	12.8	12.5	15.8	13.9	16.0	16.1	8.1	7.2
4.6	7.8	8.5	14.6	18.8	7.3	8.3	15.5	15.2	13.8	13.3	4.1	4.3
4.7	6.8	8.6	16.2	17.6	4.6	5.3	12.3	14.2	9.6	9.4	2.4	1.9
4.8	5.6	6.6	14.0	11.4	4.0	3.6	8.8	11.3	5.3	5.7	2.0	1.2
4.9	3.2	4.2	8.6	6.9	1.8	1.8	4.4	7.0	2.6	2.8	3.1	1.4
5.0	4.4	2.3	5.3	4.4	1.2	0.7	2.1	4.2	1.1	1.4	0.4	0.2
5.1	2.1	1.6	4.3	2.9	0.3	0.2	1.4	2.6	0.3	0.6	0.6	0.6
5.2	0.7	0.5	2.3	0.8	0.1	0.1	0.7	1.4	*	0.2	0.9	0.5
5.3	1.2	0.2	0.7	0.4	*	0.1	0.5	0.8	*	0.1	1.0	0.4
5.4	-	*	0.1	0.2	*	*	0.2	0.3	-	*	*	*
5.5 & Above	-	-	*	0.1	-	*	0.2	0.2	-	*	-	-
Average	4.22	4.31	4.64	4.62	4.31	4.33	4.51	4.59	4.42	4.44	4.02	4.04

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	4.3	3.8	1.1	1.1	0.6	0.3	4.6	4.3	0.1	0.1
Bark - Level 2	-	-	-	-	-	-	-	*	-	-
Grass - Level 1	*	*	0.1	*	*	*	0.2	0.5	-	*
Grass - Level 2	-	-	-	*	-	-	-	*	-	-
Prep - Level 1	*	*	-	-	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	*	*	-	*	-	-	0.9	1.0	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	*	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	*	*	-	-
23	-	*	-	-	-	-	*	*	*	*
24	*	*	*	*	-	*	0.1	0.1	*	*
25	0.1	0.1	0.2	0.2	*	*	0.3	0.2	*	*
26	0.5	0.5	1.4	1.3	*	*	1.4	1.0	0.2	0.1
27	2.4	2.1	3.3	2.8	0.1	0.1	4.6	3.7	1.9	1.4
28	6.1	5.4	11.4	10.8	1.4	1.9	11.4	10.0	10.6	8.5
29	12.7	11.8	27.5	25.5	13.4	13.5	17.8	18.1	31.6	27.1
30	19.9	17.1	30.6	31.1	36.0	35.0	20.4	21.8	31.5	32.4
31	20.0	19.8	17.3	18.6	31.2	32.3	18.4	18.8	16.7	19.1
32	17.7	20.4	6.3	6.6	14.6	13.1	13.2	13.8	5.5	8.0
33	11.7	13.3	1.7	2.4	2.7	3.3	7.4	7.9	1.5	2.4
34	6.7	7.0	0.3	0.8	0.5	0.7	3.3	3.2	0.5	0.7
35	2.0	2.1	0.1	0.1	*	0.1	1.2	1.1	0.1	0.2
36	0.3	0.4	-	*	-	*	0.3	0.2	-	*
37	0.1	*	-	*	-	-	0.1	0.1	-	-
38	*	*	-	-	-	-	*	*	-	-
39	-	-	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	31.40	31.55	30.14	30.26	30.99	30.99	30.72	30.80	30.20	30.42
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	*	*	-	-	-	-	0.1	*	-	-
2.6	0.2	0.2	-	-	-	*	0.2	0.1	-	-
2.7	0.3	0.2	-	-	-	*	0.3	0.2	-	-
2.8	0.5	0.4	-	-	*	*	0.7	0.3	-	-
2.9	0.7	0.9	-	-	*	*	1.0	0.5	-	-
3.0	1.6	1.4	-	*	*	*	1.6	0.9	-	-
3.1	1.7	1.9	-	-	0.1	0.1	2.2	1.2	-	-
3.2	2.5	2.9	*	*	0.3	0.2	3.2	1.8	*	*
3.3	4.0	4.6	*	*	0.6	0.2	4.0	2.3	0.1	*
3.4	5.9	7.0	0.1	*	0.9	0.4	4.9	2.7	0.1	0.1
3.5	7.6	7.5	0.1	0.1	1.1	0.7	5.6	3.3	0.4	0.2
3.6	7.4	7.2	0.4	0.3	1.8	1.2	6.0	3.8	0.6	0.4
3.7	5.1	6.4	0.8	0.6	2.8	2.0	6.8	4.5	1.0	0.7
3.8	6.1	7.4	0.9	1.1	3.5	2.9	7.2	5.2	2.1	1.3
3.9	7.9	7.7	2.4	2.7	5.7	3.9	7.4	5.9	5.2	2.8
4.0	9.2	8.5	5.9	5.5	6.6	5.2	7.7	6.6	6.6	5.0
4.1	10.2	8.2	9.8	8.9	8.9	7.1	8.3	7.6	7.8	7.9
4.2	9.1	7.4	11.5	11.7	9.6	9.3	8.0	8.1	10.5	12.1
4.3	6.7	6.3	14.5	14.8	10.4	11.0	7.1	8.3	12.6	16.1
4.4	6.5	5.4	15.3	15.3	11.7	12.2	5.5	8.2	15.4	17.6
4.5	3.3	3.2	15.6	14.3	11.2	12.2	4.1	8.0	14.1	15.4
4.6	1.7	2.1	10.6	10.3	10.4	11.8	3.1	7.1	12.9	10.6
4.7	1.3	1.7	6.0	6.8	7.9	8.4	2.2	5.4	6.1	5.6
4.8	0.6	0.9	3.4	3.8	2.8	5.5	1.2	3.5	2.7	2.5
4.9	*	0.4	1.6	2.1	1.9	3.3	0.7	1.9	1.3	0.9
5.0	*	0.2	0.6	1.1	0.9	1.6	0.4	1.1	0.4	0.3
5.1	-	0.1	0.4	0.4	0.5	0.5	0.2	0.7	*	0.2
5.2	-	*	0.1	0.1	0.2	0.1	0.1	0.4	-	0.1
5.3	-	-	*	*	0.1	*	*	0.2	-	0.1
5.4	-	-	*	*	*	*	*	0.1	-	*
5.5 & Above	-	-	-	*	-	-	*	*	-	-
Average	3.88	3.86	4.37	4.38	4.29	4.36	3.90	4.13	4.34	4.35

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	0.1	*	-	-	0.3	0.1	-	0.1	-	-	*	*
3.0 - 3.2	0.2	0.1	*	*	*	0.1	-	*	-	-	*	*
3.3 - 3.4	1.4	0.7	*	*	*	0.1	1.0	0.4	-	-	0.1	0.1
3.5 - 3.6	3.8	2.2	0.3	0.1	0.4	0.3	2.5	1.7	0.3	0.3	0.5	0.4
3.7 - 4.2	44.8	41.8	28.1	22.1	16.0	11.2	30.3	20.2	15.3	11.4	26.3	23.2
4.3 - 4.9	47.3	52.5	68.9	74.2	71.0	69.4	63.2	63.8	82.6	83.9	71.8	75.1
5.0 - 5.2	2.1	2.5	2.5	3.3	9.9	16.0	1.4	12.0	1.7	4.2	1.2	1.2
5.3 & Above	0.2	0.2	0.1	0.2	2.4	2.8	1.7	1.9	*	0.3	0.1	0.1
Average	4.25	4.30	4.40	4.46	4.57	4.64	4.35	4.53	4.52	4.56	4.40	4.42
Leaf												
1 - 2	5.2	3.4	6.3	6.0	67.1	67.3	63.0	82.1	4.3	4.2	3.9	3.1
3	42.8	38.5	54.8	52.4	29.2	27.7	26.8	14.5	45.6	42.4	44.0	41.8
4	41.1	44.5	34.8	37.4	2.8	4.1	5.2	2.3	38.0	44.0	40.5	42.5
5	9.6	12.2	3.9	4.1	0.6	0.6	3.0	0.8	10.8	8.7	10.3	11.3
6	1.2	1.3	0.1	0.1	0.3	0.2	1.5	0.3	1.3	0.6	1.2	1.2
7	0.1	0.1	-	-	*	*	0.4	0.1	*	*	0.1	0.1
8	*	*	-	-	-	*	-	-	-	*	*	*
Average	3.59	3.70	3.37	3.40	2.21	2.24	2.42	1.89	3.59	3.59	3.61	3.66
HVI Trash 1/												
00	-	-	-	-	*	*	-	0.1	-	-	-	-
01	0.4	0.2	0.4	0.3	28.6	28.8	24.1	47.3	0.3	0.4	0.3	0.2
02	7.0	4.9	7.3	6.9	44.3	45.3	41.1	34.5	7.3	6.3	6.8	5.6
03	19.5	16.9	22.5	20.6	18.1	17.2	19.3	11.6	22.5	19.7	21.6	20.0
04	25.3	24.7	26.7	26.2	5.6	5.4	5.4	3.1	24.7	26.7	26.6	26.3
05	21.3	22.5	20.9	21.7	1.8	1.8	2.6	1.3	19.1	22.6	20.2	21.3
06	13.0	15.0	12.3	13.3	0.7	0.7	2.1	0.8	12.4	13.3	12.1	13.3
07	6.9	8.3	5.8	6.5	0.2	0.3	1.7	0.5	6.6	6.3	6.6	7.2
08	3.3	4.1	2.5	2.8	0.2	0.2	1.5	0.4	3.7	2.8	3.2	3.5
09	1.5	1.9	1.0	1.1	0.1	0.1	1.0	0.2	2.0	1.2	1.5	1.6
10	0.9	0.9	0.4	0.4	0.2	0.1	0.5	0.1	0.7	0.5	0.7	0.7
11	0.4	0.4	0.1	0.1	0.1	0.1	0.2	*	0.3	0.2	0.3	0.3
12	0.2	0.2	0.1	*	0.1	*	0.2	*	0.1	0.1	0.1	0.1
13	0.1	0.1	*	*	*	*	0.1	*	*	*	*	*
14	0.1	*	*	*	*	*	*	*	*	*	*	*
15	*	*	*	*	-	-	*	*	-	*	*	*
16	*	*	-	*	-	*	-	-	*	*	*	*
17	*	*	-	-	-	-	-	-	-	-	*	*
18 & Above	*	*	-	-	-	-	-	-	-	-	*	*
Average	0.47	0.49	0.44	0.45	0.22	0.21	0.26	0.19	0.46	0.46	0.46	0.47
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	*	*	-	-	-	-	-	-	-	*	*	*
76	*	0.1	*	*	*	*	-	*	-	*	0.1	0.2
77	0.1	0.3	*	*	0.2	0.1	0.1	*	*	0.3	0.7	0.9
78	1.2	1.5	0.1	0.1	1.5	0.9	0.3	0.2	0.5	1.3	3.5	4.5
79	7.5	8.9	1.0	0.9	6.0	6.4	3.2	2.2	3.7	5.6	16.1	17.7
80	25.6	29.1	10.9	8.2	28.9	29.2	15.6	14.7	18.0	19.5	34.8	35.6
81	37.6	37.4	36.9	29.0	41.6	42.6	25.2	34.1	47.1	46.5	28.7	27.3
82	22.2	18.1	35.3	37.8	19.2	19.0	21.8	27.1	24.1	22.9	12.4	10.8
83	5.0	4.0	14.2	20.9	2.4	1.6	19.7	10.6	5.7	3.4	3.3	2.7
84	0.7	0.6	1.5	2.9	0.2	0.1	13.7	10.7	0.8	0.4	0.4	0.4
85 & Above	0.1	0.1	0.1	0.1	*	*	0.3	0.2	0.1	*	*	*
Average	81.35	81.20	82.00	82.23	81.25	81.23	82.24	82.07	81.57	81.41	80.85	80.74
Tenderable 3/	93.1	89.7	96.3	94.5	86.1	78.3	91.5	84.1	88.5	81.8	90.6	85.2
SAMPLES CLASSED	65,485	255,964	117,339	668,175	20,685	75,212	8,086	45,857	6,461	26,016	156,181	666,841

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	-	*	*	-	*	0.5	0.2
2.7 - 2.9	*	*	-	-	-	-	*	*	-	*	3.0	1.2
3.0 - 3.2	4.1	1.2	-	-	*	*	0.1	*	*	*	5.9	3.2
3.3 - 3.4	6.2	2.1	*	*	0.5	0.1	0.1	0.1	*	0.1	7.4	7.5
3.5 - 3.6	7.1	3.5	0.1	0.1	2.0	0.8	0.6	0.2	0.6	0.4	7.8	8.2
3.7 - 4.2	31.4	33.6	8.1	6.3	39.2	35.9	16.3	10.7	23.5	21.8	39.3	47.0
4.3 - 4.9	42.8	55.0	79.0	84.7	56.7	62.1	77.9	79.7	74.5	75.4	33.3	31.0
5.0 - 5.2	7.2	4.3	11.9	8.2	1.6	1.0	4.2	8.1	1.4	2.2	1.9	1.3
5.3 & Above	1.2	0.2	0.8	0.6	*	0.1	0.8	1.2	*	0.1	1.0	0.4
Average	4.22	4.31	4.64	4.62	4.31	4.33	4.51	4.59	4.42	4.44	4.02	4.04
Leaf												
1 - 2	36.2	27.4	5.2	4.1	9.9	8.6	4.6	6.9	9.9	12.2	96.8	96.3
3	16.0	28.1	48.9	48.6	57.3	57.3	43.9	46.3	52.0	53.2	3.1	3.7
4	23.7	27.8	40.3	42.4	29.8	30.9	42.4	39.6	32.7	29.8	0.1	*
5	18.3	12.8	5.5	4.9	2.8	3.1	8.5	6.8	4.8	4.4	-	-
6	5.3	3.5	0.1	0.1	0.2	0.1	0.5	0.3	0.5	0.3	-	-
7	0.6	0.5	-	-	-	-	0.1	*	*	*	-	-
8	-	*	-	-	-	-	*	*	-	-	-	-
Average	3.33	3.30	3.46	3.48	3.26	3.29	3.56	3.47	3.34	3.27	1.44	1.53
HVI Trash 1/												
00	*	*	-	-	-	-	-	-	-	-	0.1	*
01	21.5	15.3	0.2	0.2	0.5	0.4	0.2	0.4	0.8	1.2	71.1	64.5
02	16.0	12.7	6.3	5.3	9.8	8.8	5.4	7.1	10.7	12.3	25.6	32.1
03	6.8	10.1	20.2	19.1	23.4	23.5	17.4	18.6	22.8	23.6	2.7	3.0
04	6.9	13.1	26.5	27.4	27.1	27.0	24.4	24.7	25.2	25.1	0.4	0.3
05	9.3	13.4	21.7	23.0	20.2	20.2	22.1	21.6	19.0	18.2	0.1	0.1
06	10.2	10.6	13.9	14.0	11.1	11.5	15.1	14.0	11.5	10.5	0.1	*
07	9.1	8.0	7.0	6.7	4.9	5.4	8.5	7.6	5.6	5.2	-	-
08	7.4	6.0	2.8	2.8	1.8	2.1	4.0	3.6	2.6	2.4	-	-
09	5.2	3.9	0.9	1.0	0.7	0.7	1.7	1.5	1.1	1.0	-	-
10	3.7	2.8	0.4	0.3	0.2	0.2	0.7	0.6	0.5	0.4	-	-
11	1.5	1.6	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.2	-	-
12	1.4	1.1	*	*	*	*	0.1	0.1	0.1	0.1	-	-
13	0.6	0.7	-	*	*	*	*	*	*	*	-	-
14	0.1	0.4	-	-	*	*	*	*	*	*	-	-
15	0.1	0.2	-	-	-	-	*	*	*	*	-	-
16	*	0.1	-	-	-	-	*	*	*	*	-	-
17	*	*	-	-	-	-	*	*	*	*	-	-
18 & Above	-	*	-	-	-	-	*	*	-	*	-	-
Average	0.46	0.47	0.46	0.46	0.43	0.43	0.48	0.47	0.43	0.42	0.13	0.14
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	0.1	*	-	-	-	-	-	-	-	*	-	-
76	1.6	0.5	-	-	*	*	*	*	*	*	*	*
77	1.7	3.8	-	-	*	*	*	*	0.2	0.1	0.1	0.1
78	13.4	10.4	*	0.1	0.2	0.1	0.3	0.3	1.4	0.9	1.9	1.1
79	21.1	15.7	0.5	0.5	0.9	1.0	1.6	2.0	5.9	4.9	19.3	11.6
80	34.1	29.2	3.2	5.1	12.3	9.5	8.7	9.3	20.2	16.9	21.7	30.0
81	23.6	29.0	20.8	23.1	36.7	29.1	30.2	27.5	32.6	31.3	32.9	38.0
82	4.2	10.9	51.1	44.1	34.3	39.1	40.3	38.2	30.2	31.7	22.8	17.5
83	0.1	0.5	21.9	22.7	13.6	18.7	16.4	19.1	8.5	12.4	1.3	1.6
84	-	*	2.4	4.4	1.7	2.1	2.2	3.2	1.0	1.6	0.1	*
85 & Above	-	-	0.1	0.2	0.2	0.3	0.2	0.2	*	0.1	*	*
Average	80.20	80.48	82.43	82.42	81.98	82.17	82.13	82.18	81.58	81.77	81.06	81.10
Tenderable 3/	51.2	62.7	85.0	90.0	97.0	97.4	92.9	88.1	97.2	96.3	80.3	85.5
SAMPLES CLASSED	3,390	22,280	22,826	182,404	53,176	312,165	86,440	529,328	76,463	424,330	2,881	7,462

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	0.2	0.2	-	-	-	*	0.3	0.1	-	-
2.7 - 2.9	1.4	1.5	-	-	*	*	2.1	1.1	-	-
3.0 - 3.2	5.7	6.1	*	*	0.4	0.3	7.0	3.9	*	*
3.3 - 3.4	9.9	11.6	0.1	*	1.5	0.7	8.9	5.0	0.2	0.2
3.5 - 3.6	15.0	14.7	0.5	0.4	2.9	1.9	11.7	7.1	0.9	0.6
3.7 - 4.2	47.6	45.7	31.2	30.5	37.1	30.4	45.4	37.8	33.1	29.8
4.3 - 4.9	20.1	20.0	67.1	67.5	56.3	64.4	24.0	42.5	65.3	68.7
5.0 - 5.2	*	0.3	1.1	1.5	1.6	2.3	0.7	2.2	0.5	0.6
5.3 & Above	-	-	*	*	0.1	*	0.1	0.3	-	0.1
Average	3.88	3.86	4.37	4.38	4.29	4.36	3.90	4.13	4.34	4.35
Leaf										
1 - 2	50.8	48.0	6.1	6.6	20.0	21.7	61.7	48.2	9.7	11.0
3	36.2	36.9	42.6	44.8	53.5	54.7	27.8	36.8	67.7	68.4
4	9.5	11.8	41.7	39.6	23.5	20.9	8.5	12.7	21.4	19.6
5	2.3	2.4	8.9	8.6	2.9	2.6	1.7	2.1	1.2	0.9
6	0.7	0.5	0.6	0.4	0.1	0.1	0.2	0.2	0.1	*
7	0.3	0.2	-	*	*	*	*	*	-	*
8	0.2	0.1	-	*	-	-	*	*	-	-
Average	2.52	2.59	3.55	3.51	3.09	3.04	2.33	2.57	3.14	3.10
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	21.5	18.7	0.4	0.4	2.0	3.1	30.9	20.8	0.3	0.4
02	30.7	31.2	7.2	7.7	17.5	18.3	35.4	30.2	10.2	11.8
03	22.7	22.4	18.9	19.6	25.2	26.1	16.6	20.5	29.1	31.2
04	12.7	13.4	24.4	24.5	21.6	22.3	8.2	13.2	30.1	29.8
05	5.7	6.9	21.0	20.6	15.5	14.6	4.5	7.7	18.1	16.5
06	2.6	3.3	14.6	13.7	9.6	8.3	2.4	4.0	7.5	6.7
07	1.4	1.7	7.6	7.4	5.0	4.1	1.2	1.9	3.0	2.4
08	0.9	0.9	3.5	3.6	2.1	1.8	0.5	0.9	1.1	0.7
09	0.6	0.5	1.5	1.6	0.9	0.8	0.2	0.4	0.4	0.2
10	0.3	0.3	0.6	0.6	0.3	0.3	0.1	0.2	0.1	0.1
11	0.3	0.2	0.2	0.2	0.1	0.1	*	0.1	*	*
12	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
13	0.1	0.1	*	*	*	*	*	*	*	*
14	0.1	0.1	*	*	*	*	*	*	-	-
15	0.1	0.1	*	*	*	*	*	*	-	-
16	0.1	*	-	-	-	-	*	*	-	-
17	0.1	*	-	-	-	-	*	*	-	-
18 & Above	0.1	*	-	*	-	-	*	*	-	-
Average	0.28	0.29	0.47	0.46	0.40	0.39	0.24	0.29	0.40	0.39
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	0.2	0.1	-	-
76	0.2	0.2	*	*	-	*	0.9	0.5	-	*
77	1.4	1.4	0.4	0.2	*	*	3.6	1.9	*	0.1
78	7.1	6.2	2.3	1.5	0.1	0.1	11.4	6.3	0.5	0.3
79	17.9	17.4	11.9	8.4	0.6	1.0	22.8	15.3	3.8	2.8
80	34.1	30.1	32.4	28.6	9.1	8.2	29.9	25.9	17.6	12.5
81	30.1	30.2	33.7	35.4	30.2	28.7	21.4	28.5	33.5	29.5
82	8.1	12.1	16.1	20.1	41.2	38.0	8.2	17.2	33.7	38.1
83	1.1	2.2	2.9	5.1	17.6	21.2	1.5	4.0	9.9	15.3
84	0.1	0.2	0.3	0.6	1.2	2.8	0.1	0.4	1.0	1.4
85 & Above	*	*	*	*	0.1	0.1	*	*	*	0.1
Average	80.57	80.71	81.02	81.26	82.15	82.24	80.27	80.86	81.75	81.98
Tenderable 3/	78.7	75.8	92.8	93.9	95.7	96.1	73.3	79.6	98.8	98.6
SAMPLES CLASSED	27,229	164,366	22,877	122,818	53,178	276,202	380,678	3,304,964	14,600	86,840

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	43.2	39.8	44.6	53.8	-	-	48.6	34.1
	2	0.6	0.9	14.6	12.8	-	-	12.0	8.2
	3	-	0.1	0.1	0.1	-	-	*	*
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		43.8	40.7	59.3	66.7	-	-	60.7	42.4
02	1	51.4	54.1	12.2	15.6	-	-	27.6	38.0
	2	3.9	4.0	21.2	14.4	-	-	11.7	17.5
	3	-	0.2	2.7	0.9	-	-	-	0.3
	4	-	0.2	*	*	-	-	-	-
	5	-	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		55.3	58.6	36.2	31.0	-	-	39.3	55.8
03	1	0.4	0.3	0.3	0.2	-	-	-	0.2
	2	0.5	0.3	1.8	1.1	-	-	*	0.8
	3	-	*	1.2	0.6	-	-	-	0.4
	4	-	-	0.1	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.9	0.7	3.4	2.0	-	-	*	1.5
04	1	-	*	-	*	-	-	-	-
	2	-	*	0.3	0.1	-	-	-	-
	3	-	-	0.4	0.2	-	-	-	*
	4	-	-	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	*	0.7	0.3	-	-	-	0.3
05	1	-	-	-	-	-	-	-	-
	2	-	-	0.1	*	-	-	-	-
	3	-	-	0.2	*	-	-	-	-
	4	-	-	*	*	-	-	-	*
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.4	0.1	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	0.3	0.9	1.1	-	-	-	0.2
46		1.6	1.2	3.5	10.8	-	-	15.6	27.2
48		19.7	33.4	14.2	22.5	-	-	70.7	65.8
50		78.0	64.6	61.0	54.6	-	-	13.5	6.7
52 & Longer		0.7	0.5	20.5	11.1	-	-	0.1	0.1
Average Staple		49.56	49.27	49.94	49.28	-	-	47.96	47.58
Average Length		1.44	1.43	1.45	1.43	-	-	1.40	1.39
EXTRANEIOUS MATTER									
Bark		-	-	*	*	-	-	-	-
Grass		-	0.1	0.4	0.2	-	-	-	*
Spindle Twist		-	-	0.3	0.1	-	-	-	0.2
Preparation		-	-	*	*	-	-	0.2	0.1
All Other		0.1	*	*	*	-	-	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 25, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-
2.7 - 2.9	-	-	0.1	*	-	-	-	-
3.0 - 3.2	0.4	1.1	0.1	0.1	-	-	2.8	9.2
3.3 - 3.4	0.2	2.6	0.2	0.5	-	-	7.8	6.8
3.5 - 3.6	2.4	4.1	0.4	2.0	-	-	-	*
3.7 - 4.2	74.6	61.2	36.6	55.1	-	-	70.2	51.8
4.3 - 4.9	22.4	31.1	62.6	42.3	-	-	19.2	32.2
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	4.13	4.12	4.30	4.18	-	-	4.06	4.05
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	*	*	-	-	-	-
2.9	-	-	-	*	-	-	-	-
3.0	-	0.1	*	*	-	-	1.3	0.5
3.1	0.3	0.2	*	*	-	-	1.3	2.5
3.2	0.1	0.8	0.1	*	-	-	0.1	6.1
3.3	0.2	1.5	0.1	0.1	-	-	7.8	5.7
3.4	-	1.1	0.1	0.3	-	-	-	1.1
3.5	1.6	1.7	0.3	0.8	-	-	-	*
3.6	0.9	2.5	0.1	1.2	-	-	-	-
3.7	2.2	2.8	0.4	2.2	-	-	*	*
3.8	2.2	3.4	0.7	3.9	-	-	0.9	1.3
3.9	1.6	3.3	2.9	6.8	-	-	4.3	1.7
4.0	16.0	10.4	7.2	10.9	-	-	15.0	10.3
4.1	24.3	18.9	11.3	15.0	-	-	23.3	14.7
4.2	28.3	22.3	14.1	16.3	-	-	26.6	23.9
4.3	11.9	14.4	17.6	16.2	-	-	13.1	21.2
4.4	9.4	11.2	21.9	14.1	-	-	4.1	6.1
4.5	1.1	3.8	14.6	7.6	-	-	1.0	2.9
4.6	-	1.0	5.9	3.3	-	-	0.9	1.9
4.7	-	0.7	2.2	0.9	-	-	*	*
4.8	-	-	0.5	0.2	-	-	-	-
4.9	-	-	0.1	*	-	-	-	*
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	*	*	-	-	-	-
Average	4.13	4.12	4.30	4.18	-	-	4.06	4.05
STRENGTH 1/ 36 & Below	0.1	0.4	*	0.2	-	-	-	1.3
37	-	*	*	0.5	-	-	0.6	3.7
38	1.6	0.7	*	2.2	-	-	8.5	7.4
39	0.5	0.3	0.9	5.3	-	-	1.4	3.4
40	1.1	0.6	2.6	6.4	-	-	0.8	3.1
41	2.7	2.1	2.3	2.7	-	-	5.8	10.4
42	2.1	4.8	1.9	2.8	-	-	13.6	18.1
43	7.0	11.9	5.2	8.1	-	-	10.8	12.5
44	29.4	28.1	14.5	16.7	-	-	13.9	9.6
45	38.9	34.0	21.5	20.8	-	-	23.2	14.0
46	13.3	13.0	20.6	16.2	-	-	12.4	9.1
47	2.9	3.3	19.7	11.6	-	-	7.4	5.4
48 & Above	0.6	0.9	10.8	6.6	-	-	1.7	2.0
Average	44.84	44.82	45.82	44.70	-	-	44.07	43.12
UNIFORMITY								
83 & Below	0.1	0.1	*	0.1	-	-	*	0.3
84	0.8	0.5	2.8	3.3	-	-	0.2	0.7
85	8.6	9.6	7.2	17.0	-	-	14.1	22.0
86	53.2	46.4	35.8	40.0	-	-	69.3	59.1
87	36.9	42.7	48.9	36.7	-	-	15.9	17.6
88 & Above	0.5	0.7	5.1	2.8	-	-	0.4	0.2
Average	86.75	86.79	86.91	86.64	-	-	86.50	86.38
Samples Classed	1,849	4,798	23,349	134,661	-	-	2,017	5,253

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.