



Volume 26, No.17

State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	23	81.5	67.9	72,743	23	77.8	65.7	254,245
AR	26	89.8	71.2	187,751	26	82.9	65.7	835,023
AZ	4	87.4	60.9	4,456	4	79.7	55.3	21,125
CA	7	82.6	62.4	7,385	7	79.4	50.0	16,043
FL	4	84.3	61.6	9,940	4	85.4	68.7	26,885
GA	50	82.1	60.2	157,604	50	76.3	56.8	364,464
KS	3	76.9	46.8	13,029	3	74.1	43.0	28,652
LA	15	76.8	55.7	46,161	15	78.7	57.2	224,383
MO	19	92.0	77.7	108,770	19	88.2	75.4	386,304
MS	33	82.0	60.4	142,951	33	77.5	56.5	704,121
NC	31	94.0	80.9	87,645	31	94.6	82.1	176,109
NM	2	97.7	85.6	1,728	4	96.6	82.1	2,100
OK	9	88.6	74.6	17,279	9	90.6	76.2	47,472
SC	10	88.2	75.0	31,839	10	90.3	75.3	83,627
TN	18	94.1	86.0	83,217	18	81.0	74.3	305,964
TX	107	84.8	65.0	286,722	134	79.5	60.8	1,887,078
VA	4	97.0	90.2	23,715	4	97.2	90.6	39,525
United States	365	86.5	68.8	1,282,935	394	81.0	63.8	5,403,120
AMERICAN PIMA								
AZ*	-			-	-			-
CA	10			25,620	10			58,586
NM*	-			-	3			3,290
TX	2			903	2			2,401
United States	14			29,808	16			64,347
United States all cotton	376			1,312,743	405			5,467,467

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	3.5	2.4	0.6	0.6	74.4	72.3	62.9	51.9	1.3	0.6	2.9	2.0
	3	1.9	1.3	0.4	0.3	9.7	13.8	18.6	19.3	0.6	0.3	1.6	1.0
	4	*	*	*	*	0.1	0.2	2.7	4.0	-	-	*	*
	5	-	-	-	*	-	-	-	0.1	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.4	3.7	1.0	0.8	84.2	86.2	84.2	75.3	1.9	1.0	4.5	3.0
31	1 - 2	7.3	6.5	4.0	2.4	1.3	1.3	8.5	4.1	4.5	5.4	10.8	10.9
	3	31.1	23.7	18.1	11.4	0.3	0.4	3.6	3.0	28.3	28.4	36.8	29.4
	4	6.6	4.7	5.0	3.6	0.1	0.1	1.4	4.0	8.9	6.0	5.5	3.8
	5	0.3	0.2	0.2	0.2	-	-	*	1.2	0.3	0.1	0.1	0.1
	6	*	*	*	*	-	-	-	0.2	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	45.2	35.0	27.4	17.7	1.7	1.8	13.6	12.5	41.9	39.9	53.2	44.2
41	1 - 2	0.7	1.7	2.1	2.5	*	*	0.3	0.2	0.7	1.4	1.5	1.9
	3	15.4	20.7	35.5	34.0	*	*	0.1	*	21.1	22.3	19.8	22.9
	4	14.5	16.1	23.3	24.3	-	-	*	*	26.2	22.5	12.4	12.1
	5	2.1	2.3	3.4	3.7	-	-	-	*	4.2	3.6	1.4	1.2
	6	0.1	0.1	0.6	0.3	-	-	-	*	0.3	0.2	0.1	*
	7	-	*	*	*	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	32.8	40.9	64.9	64.7	0.1	*	0.4	0.3	52.4	50.0	35.2	38.1
51	1 - 2	-	*	0.1	0.1	-	-	-	-	-	*	*	*
	3	0.1	0.3	1.4	2.6	-	-	-	-	*	0.1	0.1	0.1
	4	0.3	0.5	1.9	2.7	*	*	-	-	0.1	0.2	0.2	0.3
	5	0.2	0.3	0.4	0.7	-	-	-	-	0.1	0.1	0.1	0.1
	6	*	*	0.2	0.3	-	-	-	-	-	*	*	*
	7	-	-	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	1.1	4.0	6.5	*	*	-	-	0.3	0.4	0.4	0.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	*	*	*	*	-	-	-	-	-	-	-	-
	6	*	*	*	*	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	*	0.1	-	*	6.9	7.0	0.6	6.0	-	*	*	*
	3	*	*	*	*	5.3	2.9	0.3	2.9	-	*	*	*
	4	-	*	-	*	0.3	0.1	0.3	0.9	-	-	-	-
	5	-	-	-	-	-	-	*	0.1	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	*	*	12.5	10.0	1.2	9.9	-	*	*	*
32	1 - 2	0.1	0.1	*	*	0.1	0.2	*	*	*	0.1	0.1	0.2
	3	1.6	1.4	0.1	0.2	0.5	0.3	0.1	0.1	0.1	1.2	0.5	1.3
	4	0.6	0.6	*	0.1	0.1	0.1	0.2	0.8	0.1	0.4	0.1	0.4
	5	0.1	*	*	*	-	0.1	0.1	0.4	-	*	*	*
	6	*	*	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	2.4	2.2	0.1	0.3	0.7	0.7	0.4	1.4	0.3	1.7	0.7	1.9
42	1 - 2	0.2	0.4	*	0.1	-	*	-	-	-	0.1	0.1	0.4
	3	4.7	5.7	1.1	4.2	-	*	-	-	0.8	2.0	1.9	5.7
	4	5.2	6.1	1.1	3.3	-	-	-	-	1.7	3.7	2.5	4.5
	5	1.7	1.7	0.1	0.3	-	*	-	*	0.3	0.9	0.5	0.5
	6	0.2	0.1	*	*	-	-	-	-	*	*	0.1	*
	7	-	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	12.0	14.0	2.3	7.9	-	*	-	*	2.9	6.8	5.0	11.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.2	0.9	0.1	0.9	-	-	-	-	0.1	*	0.1	0.1
	4	0.4	1.2	0.2	0.9	-	-	-	-	*	*	0.3	0.3
	5	0.3	0.5	*	0.2	-	-	-	-	0.2	0.1	0.3	0.2
	6	0.1	0.1	*	*	-	-	-	-	*	*	0.1	0.1
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.0	2.6	0.4	2.0	-	-	-	-	0.3	0.2	0.8	0.7
62	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	-	*	*
	4	*	*	-	*	-	-	-	-	-	-	-	*
	5	*	*	*	*	-	-	-	-	-	-	-	*
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	*	0.9	-	-	-	-	*	*
	3	*	*	-	-	0.5	0.1	-	0.1	-	-	*	*
	4	-	-	-	-	*	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	0.5	1.0	-	0.1	-	-	*	*
33	1 - 2	-	-	-	-	0.1	*	-	-	-	*	*	*
	3	*	*	-	-	0.2	0.1	-	*	-	*	*	*
	4	*	*	-	-	*	0.1	0.1	0.2	-	-	-	*
	5	-	-	-	-	-	*	0.2	0.3	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	0.4	0.2	0.2	0.5	-	*	*	0.1
43	1 - 2	*	*	-	*	-	-	-	-	-	-	*	*
	3	0.2	0.1	*	*	*	*	-	-	*	*	*	0.2
	4	0.2	0.2	*	*	-	-	-	-	0.1	0.1	*	0.2
	5	0.1	0.1	*	*	-	*	-	-	*	*	*	*
	6	*	*	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.4	*	*	*	*	-	-	0.1	0.1	0.1	0.4
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	-	-	-	-	-	-	*	*
	4	*	*	*	*	-	-	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	-	*	*	*
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	*	*	-	-	-	-	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	*	*
24 - 54	1 - 8	-	*	-	-	-	*	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		*	*	*	*	-	-	-	-	-	-	-	*
32		0.1	0.1	*	*	-	-	-	-	-	*	*	0.1
33		2.1	1.8	0.1	*	-	-	-	-	0.5	0.3	0.5	0.7
34		8.0	8.3	0.9	0.5	0.1	1.6	-	*	4.9	4.6	5.2	6.3
35		14.9	18.0	5.3	5.2	3.1	4.2	-	2.5	8.6	10.8	18.7	22.5
36		28.0	26.3	22.3	20.8	17.0	23.1	0.4	11.0	17.7	24.7	29.7	31.7
37		37.5	34.2	59.9	60.6	38.2	47.6	24.5	22.3	34.4	33.7	34.7	30.3
38		8.0	9.1	10.5	11.8	32.0	19.1	45.7	29.5	18.7	16.3	9.0	6.9
39		1.2	2.1	1.0	1.0	9.5	4.4	17.5	23.8	9.7	7.1	2.0	1.4
40 & Longer		0.1	0.2	*	*	0.1	*	12.0	10.9	5.4	2.5	0.1	0.1
Average Staple		36.20	36.19	36.77	36.81	37.28	36.92	38.20	37.95	37.03	36.77	36.28	36.11
Average Length		1.13	1.13	1.15	1.15	1.16	1.15	1.20	1.19	1.16	1.15	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE													
For The Week Ending Nov 07, 2024													
Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	33.5	23.4	19.9	7.4	0.9	0.6	2.5	1.1	0.6	0.4	76.5	69.5
	3	24.0	21.3	8.1	2.5	0.5	0.3	1.6	0.6	0.6	0.4	19.2	21.0
	4	3.4	3.1	0.2	0.1	*	*	*	*	*	*	1.0	1.0
	5	*	*	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	60.9	47.9	28.2	9.9	1.5	0.9	4.2	1.6	1.2	0.8	96.8	91.4
31	1 - 2	0.7	0.6	8.2	7.4	14.5	9.9	4.8	3.7	6.9	8.4	0.2	0.2
	3	4.7	4.8	28.9	22.8	34.4	23.1	24.5	16.1	26.7	26.5	0.6	0.5
	4	2.3	3.5	9.1	5.7	5.7	3.3	8.9	5.8	7.3	5.9	0.9	0.8
	5	0.3	0.8	0.6	0.2	0.2	0.1	0.5	0.3	0.3	0.2	-	-
	6	*	*	*	*	*	*	*	*	*	*	-	-
	7	-	*	-	-	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	8.0	9.8	46.8	36.1	54.8	36.4	38.8	26.0	41.3	41.0	1.8	1.5
41	1 - 2	-	-	0.3	0.5	4.3	7.5	0.7	1.1	2.6	3.0	-	-
	3	-	0.1	7.6	17.5	26.4	36.3	17.2	21.6	28.0	29.7	-	-
	4	-	0.1	13.0	25.1	10.4	10.6	25.5	28.2	22.0	21.0	-	-
	5	-	*	2.9	5.9	1.0	0.7	6.7	6.7	2.6	2.2	-	-
	6	-	*	0.2	0.3	*	*	0.5	0.5	0.2	0.1	-	-
	7	-	-	*	*	-	-	*	*	0.1	0.1	-	-
	8	-	*	*	*	-	-	-	-	-	-	-	-
Total	----	-	0.2	23.9	49.4	42.1	55.1	50.6	58.0	55.6	56.1	-	-
51	1 - 2	-	-	-	*	*	*	*	*	*	*	-	-
	3	-	-	*	0.2	0.3	0.5	0.2	0.7	0.3	0.3	-	-
	4	-	-	0.2	0.6	0.2	0.3	1.3	2.2	0.5	0.7	-	-
	5	-	-	0.2	0.3	*	*	0.9	1.3	0.2	0.2	-	-
	6	-	-	*	*	*	*	0.2	0.1	*	*	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	8	-	-	*	*	-	-	-	-	-	-	-	-
Total	----	-	-	0.4	1.1	0.6	0.9	2.6	4.3	1.0	1.2	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	*	-	-	-	-
	4	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	*	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	*	*	-	-	-	-
12 & 22	1 - 2	9.1	9.7	*	*	*	*	*	0.1	-	-	0.1	1.9
	3	14.7	17.6	*	*	-	*	*	*	-	*	1.0	3.7
	4	2.8	3.1	-	-	-	*	-	*	-	-	0.1	0.6
	5	0.1	0.1	-	-	-	-	-	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	26.6	30.7	*	*	*	*	*	0.1	-	*	1.2	6.2
32	1 - 2	*	0.2	*	*	*	0.1	*	0.1	*	*	-	-
	3	1.0	2.8	0.1	0.3	*	0.4	0.2	0.4	0.1	0.1	0.2	0.2
	4	2.2	3.7	0.1	0.1	*	0.1	0.1	0.2	*	*	0.1	0.1
	5	0.4	1.5	*	*	-	*	*	*	*	*	-	-
	6	*	0.7	-	*	-	-	-	-	-	-	-	-
	7	*	0.2	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	3.7	9.3	0.2	0.4	*	0.5	0.4	0.7	0.2	0.1	0.3	0.3
42	1 - 2	-	-	-	*	*	0.4	0.1	0.2	*	*	-	*
	3	-	*	0.1	0.9	0.4	3.7	0.8	2.5	0.2	0.2	-	-
	4	*	*	0.1	1.2	0.4	1.4	1.3	3.3	0.3	0.3	-	-
	5	*	0.2	*	0.4	*	0.1	0.4	0.9	0.1	0.1	-	-
	6	-	0.2	*	0.1	*	*	0.1	0.1	*	*	-	-
	7	*	0.1	*	*	-	-	*	*	-	-	-	-
	8	*	0.1	*	*	-	-	-	-	-	-	-	-
Total	----	0.1	0.6	0.3	2.6	0.8	5.6	2.7	7.1	0.6	0.6	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	*	*	*	-	-	-	-
	3	-	-	-	0.1	*	0.4	0.1	0.4	*	*	-	-
	4	-	-	*	0.3	*	0.2	0.3	1.0	0.1	0.1	-	-
	5	-	-	*	0.1	*	*	0.2	0.5	0.1	0.1	-	-
	6	-	-	*	*	*	*	*	0.1	*	*	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	8	-	*	0.1	*	-	-	-	-	-	-	-	-
Total	----	-	*	0.1	0.4	0.1	0.6	0.7	2.0	0.1	0.2	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	*	*	*	-	-	-	-
13 & 23	1 - 2	0.1	0.1	-	-	-	-	-	-	-	-	-	0.4
	3	0.3	0.4	-	-	-	-	-	-	-	-	-	*
	4	0.1	0.2	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.7	-	-	-	-	-	-	-	-	-	0.4
33	1 - 2	*	*	-	-	-	-	-	*	-	-	-	*
	3	0.1	0.2	*	*	-	-	-	*	-	-	-	-
	4	*	0.3	*	*	-	-	*	*	-	-	-	-
	5	*	0.1	*	*	-	-	*	*	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.6	*	*	-	-	*	*	-	-	-	*
43	1 - 2	-	-	-	-	-	*	*	*	-	-	-	-
	3	-	-	-	*	*	*	*	*	-	-	-	-
	4	*	*	-	*	*	*	*	*	*	*	-	-
	5	-	*	-	*	*	*	*	*	*	*	-	*
	6	-	*	-	*	-	-	*	*	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.1	-	*	*	*	*	0.1	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	*	*	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	0.1	0.1	*	*	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		0.1	*	-	-	-	-	-	-	-	-	-	-
31		0.7	1.2	-	-	-	-	-	*	-	-	-	-
32		3.6	4.0	*	*	*	*	*	*	-	-	-	*
33		8.9	8.5	0.1	0.1	*	0.1	0.3	0.3	0.1	0.2	-	*
34		12.8	11.9	0.6	0.7	0.7	1.0	2.4	2.7	5.1	5.3	-	0.1
35		15.8	20.5	6.8	7.9	6.7	7.1	16.9	13.2	21.0	20.8	9.5	11.0
36		24.1	26.7	19.0	25.5	23.1	24.8	30.7	28.5	38.8	37.2	9.8	8.3
37		28.7	22.4	38.1	42.7	56.4	55.6	40.3	43.0	30.6	30.9	24.1	25.2
38		5.1	4.7	22.5	16.1	12.0	10.8	7.9	10.2	3.8	4.9	43.3	43.6
39		0.1	0.1	9.5	5.8	1.0	0.6	1.2	1.9	0.6	0.8	12.9	11.4
40 & Longer		-	*	3.3	1.1	*	*	0.2	0.1	*	*	0.3	0.3
Average Staple		35.52	35.39	37.16	36.87	36.75	36.70	36.38	36.50	36.09	36.11	37.41	37.36
Average Length		1.11	1.10	1.16	1.15	1.15	1.14	1.13	1.14	1.12	1.12	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 07, 2024											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	70.3	69.9	2.3	1.9	7.3	2.7	59.4	24.4	0.1	0.1
	3	13.0	14.1	1.1	1.1	2.6	0.9	13.4	8.4	0.4	0.2
	4	0.3	0.3	*	*	*	*	1.0	0.6	*	*
	5	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	83.6	84.4	3.5	3.1	10.0	3.6	73.9	33.5	0.6	0.3
31	1 - 2	2.4	1.5	8.1	8.0	19.4	11.1	0.4	1.9	4.8	5.8
	3	3.6	3.3	32.0	30.3	28.1	14.6	3.9	14.5	22.8	20.7
	4	0.8	0.5	13.4	10.2	4.0	1.6	2.9	6.2	3.6	2.8
	5	*	*	0.9	0.6	0.2	0.1	0.6	0.5	0.1	0.1
	6	-	-	*	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	6.8	5.3	54.4	49.2	51.6	27.4	7.8	23.1	31.3	29.3
41	1 - 2	-	*	0.2	0.6	5.5	11.0	*	0.6	4.2	5.3
	3	*	*	10.4	16.3	19.9	30.0	0.9	9.8	39.4	38.2
	4	-	*	22.7	23.3	7.1	7.0	2.5	10.2	21.4	22.9
	5	*	*	7.0	5.9	0.6	0.4	0.8	1.9	2.4	2.7
	6	-	*	0.7	0.4	*	*	0.1	0.1	*	0.1
	7	-	-	0.2	0.1	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	*	*	41.2	46.7	33.2	48.3	4.3	22.6	67.3	69.2
51	1 - 2	-	-	-	-	*	0.2	*	*	*	*
	3	-	-	*	*	0.2	1.2	*	0.6	0.4	0.4
	4	-	-	0.1	0.1	0.2	0.5	*	1.1	0.2	0.2
	5	-	-	0.1	0.1	0.1	0.1	*	0.5	0.1	0.1
	6	-	-	*	*	*	*	*	0.1	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	0.2	0.2	0.5	2.0	*	2.3	0.6	0.7
61	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	*	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	4.2	4.6	-	-	*	*	7.1	4.1	-	-
	3	2.0	2.9	-	-	*	*	3.6	2.3	-	-
	4	0.2	0.5	-	-	-	*	0.4	0.3	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	6.4	8.0	-	-	*	*	11.2	6.7	-	-
32	1 - 2	0.2	0.1	-	*	0.1	0.3	0.1	0.1	-	*
	3	0.4	0.3	*	*	0.4	0.7	0.3	1.2	*	*
	4	0.1	0.1	0.1	*	0.1	0.1	0.3	0.8	*	*
	5	*	*	*	*	*	*	0.2	0.2	-	-
	6	-	*	-	-	-	*	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.8	0.7	0.1	0.1	0.6	1.0	0.8	2.3	*	*
42	1 - 2	-	*	-	*	0.3	3.2	*	*	*	*
	3	*	*	0.1	0.1	2.2	9.9	*	1.5	*	0.3
	4	*	*	0.2	0.3	1.2	1.9	0.2	3.2	0.1	0.1
	5	-	-	0.3	0.2	0.1	0.1	0.2	1.2	*	*
	6	*	*	0.1	*	*	*	*	0.1	*	*
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	*	*	0.7	0.7	3.7	15.1	0.5	6.1	0.1	0.4

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Nov 07, 2024											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	*	0.3	*	*	-	-
	3	-	-	*	*	0.2	1.1	*	0.1	*	*
	4	-	*	*	*	0.2	0.7	*	0.8	*	*
	5	-	-	*	*	*	0.2	*	0.7	-	*
	6	-	-	*	*	*	*	*	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	*	*	*	0.5	2.3	0.1	1.7	*	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	-	-	-	-	*	*	*	*	-	-
13 & 23	1 - 2	0.1	0.2	-	-	-	-	0.4	0.2	-	-
	3	0.3	0.4	-	-	-	-	0.5	0.3	-	-
	4	*	0.1	-	-	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.6	-	-	-	-	1.0	0.5	-	-
33	1 - 2	*	*	-	-	-	-	*	*	-	-
	3	0.2	0.1	-	-	-	-	0.1	0.1	-	-
	4	0.1	0.1	-	-	-	-	0.1	0.1	-	-
	5	*	*	-	-	-	-	*	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.3	0.3	-	-	-	-	0.3	0.2	-	-
43	1 - 2	-	-	-	-	-	*	*	*	-	-
	3	-	-	*	*	*	0.1	*	0.1	-	*
	4	*	*	*	*	*	*	*	0.2	-	*
	5	0.1	*	*	*	-	*	*	0.1	-	-
	6	*	*	*	*	-	-	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	0.1	0.1	*	*	*	0.2	*	0.3	*	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	0.2	-	-
	5	-	-	-	-	-	-	*	0.2	-	-
	6	-	-	-	-	-	-	*	0.1	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	*	0.5	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
24 - 54	1 - 8	1.1	0.5	-	-	-	*	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	0.3	0.1	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	*	*	-	-
29		*	0.2	-	-	-	-	*	*	-	-
30		0.2	0.4	-	-	-	-	0.1	0.1	-	-
31		1.7	1.3	-	-	-	*	0.5	0.4	-	-
32		2.2	2.0	-	-	*	*	2.3	1.6	-	-
33		3.4	3.8	0.1	0.1	0.1	0.3	5.8	4.1	0.1	0.1
34		5.7	9.5	1.3	1.2	1.7	2.8	12.6	10.8	2.5	2.5
35		15.1	21.1	8.7	9.7	15.0	14.0	20.6	18.3	15.8	15.8
36		22.3	24.4	36.1	33.6	36.7	36.5	21.8	19.7	41.3	42.2
37		27.2	22.4	41.1	41.3	40.2	40.5	22.9	26.4	38.2	37.5
38		14.1	9.0	10.2	11.5	5.3	5.1	9.5	13.1	2.1	1.9
39		7.4	5.2	2.3	2.4	1.0	0.7	3.4	5.0	0.1	0.1
40 & Longer		0.6	0.7	0.2	0.2	0.1	*	0.5	0.5	-	-
Average Staple		36.24	35.90	36.57	36.60	36.36	36.32	35.78	36.08	36.22	36.20
Average Length		1.13	1.12	1.14	1.14	1.13	1.13	1.12	1.13	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	0.2	*	*	-	*	-	-	0.2	0.1	0.5	0.3
Bark - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	*	*	0.1	*	-	*	*	*	0.1	0.1
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.7	1.4	0.2	0.3	-	0.2	-	-	0.4	0.4	1.0	1.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	0.1	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	-	-	-	-	-	-	*	*
24	*	*	*	*	-	-	-	-	-	-	*	*
25	0.1	0.1	*	*	*	*	-	-	-	0.1	0.1	0.1
26	1.2	1.0	0.1	0.2	*	*	*	*	*	0.2	0.6	0.8
27	4.2	5.3	2.1	2.2	1.1	0.9	0.1	*	0.7	1.1	3.1	4.6
28	15.9	18.7	18.7	17.3	3.7	3.6	0.3	0.3	4.0	6.0	10.4	14.5
29	30.1	32.3	43.0	41.9	9.9	16.5	6.6	4.1	12.9	20.2	25.9	28.7
30	26.2	25.2	23.3	26.1	34.1	30.1	21.0	15.3	24.0	29.7	28.7	26.4
31	13.7	11.7	9.1	9.4	29.8	21.9	29.2	23.6	25.3	23.1	18.4	15.3
32	6.6	4.3	2.8	2.3	9.4	11.0	21.1	16.8	14.9	11.1	8.6	6.4
33	1.6	1.0	0.7	0.5	2.3	6.8	2.9	7.2	10.2	5.3	3.0	2.3
34	0.4	0.3	0.1	0.1	2.5	4.6	6.1	7.3	5.4	2.2	0.8	0.6
35	0.1	0.1	*	*	3.9	3.5	9.2	7.9	1.8	0.7	0.3	0.2
36	*	*	*	*	2.0	0.6	2.4	9.9	0.5	0.2	0.1	*
37	*	*	*	*	1.1	0.3	0.8	5.8	0.1	0.1	*	*
38	-	*	-	-	-	-	0.3	1.6	-	-	-	*
39	-	-	-	-	*	*	*	*	-	-	-	*
40 & Above	-	-	-	-	-	-	-	*	-	-	-	*
Average	29.98	29.80	29.76	29.77	31.29	31.26	32.08	33.00	31.43	30.84	30.36	30.08
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	*
2.5	-	-	*	*	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-	-	-	-	*
2.7	-	*	*	*	-	-	-	-	-	-	-	-
2.8	-	*	*	*	-	-	-	0.1	-	-	*	*
2.9	*	*	*	*	-	-	-	-	-	-	*	*
3.0	-	*	*	*	-	-	0.3	0.5	-	-	*	*
3.1	-	*	0.1	*	-	-	0.2	0.7	-	-	*	*
3.2	*	*	0.1	*	-	-	0.4	0.4	-	*	*	*
3.3	0.1	0.1	0.1	*	-	-	3.1	1.5	-	*	*	*
3.4	0.1	0.3	0.1	*	-	-	5.7	2.9	-	*	*	*
3.5	0.4	0.5	0.2	0.1	0.2	*	2.6	1.7	-	0.1	0.1	0.1
3.6	1.0	1.0	0.3	0.2	0.2	0.1	3.0	2.6	*	0.4	0.1	0.1
3.7	1.7	1.7	0.5	0.4	1.8	0.6	3.2	3.7	0.1	0.4	0.1	0.2
3.8	2.4	2.9	0.7	0.6	2.4	1.3	2.6	3.1	0.1	1.1	0.3	0.4
3.9	4.0	4.4	1.4	1.3	2.2	0.8	2.7	2.2	0.3	1.2	0.7	1.0
4.0	5.4	6.0	2.1	2.2	3.2	1.7	3.9	3.5	0.7	1.4	1.2	1.7
4.1	7.9	8.2	3.2	3.5	4.4	2.7	4.9	4.7	2.1	3.4	2.2	3.0
4.2	9.5	9.8	4.5	5.1	12.5	5.6	6.1	5.2	5.2	4.9	4.5	5.0
4.3	10.8	10.8	6.6	7.6	10.0	6.1	11.7	9.6	5.9	6.3	7.1	7.4
4.4	11.2	10.9	10.8	10.6	7.1	9.8	7.1	6.6	7.6	13.0	9.2	9.8
4.5	11.2	10.6	13.4	13.6	4.9	8.0	6.8	6.2	12.4	14.7	11.0	12.2
4.6	10.5	10.2	15.8	15.6	10.8	12.7	8.8	7.5	13.4	14.8	14.0	13.8
4.7	8.3	8.5	15.1	14.4	10.7	12.6	6.3	7.6	17.2	16.2	15.7	14.2
4.8	7.3	6.3	11.5	11.0	12.5	11.8	7.1	8.2	14.3	9.6	13.1	11.8
4.9	4.2	4.2	7.2	7.2	5.7	7.2	6.7	9.6	8.9	5.8	9.5	8.4
5.0	2.4	2.4	3.4	3.7	1.8	6.1	4.9	6.4	7.2	3.9	5.7	5.5
5.1	0.9	0.9	2.0	1.9	1.3	4.9	1.9	4.1	3.0	1.7	3.1	3.2
5.2	0.4	0.3	0.8	0.7	1.6	2.3	*	1.1	1.4	0.8	1.4	1.4
5.3	0.1	0.1	0.2	0.2	2.6	2.9	*	0.3	0.2	0.2	0.8	0.6
5.4	*	*	*	0.1	3.0	2.0	-	-	*	*	0.3	0.1
5.5 & Above	*	*	*	*	1.1	0.7	-	-	*	*	*	*
Average	4.40	4.38	4.56	4.56	4.53	4.65	4.29	4.40	4.64	4.55	4.63	4.60

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.4	1.2	-	0.1	*	*	0.1	0.1	2.4	1.6	-	-
Bark - Level 2	-	-	-	*	-	-	*	*	-	-	-	-
Grass - Level 1	0.1	0.1	*	*	*	*	*	*	0.5	0.5	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	*	*	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.1	0.2	*	*	1.2	0.9	0.1	0.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	*	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	*	*	-	-	-	-	-	-	-	-	-	-
24	0.2	0.2	*	*	*	*	*	*	-	-	-	-
25	0.5	0.2	-	*	*	*	*	*	0.1	0.1	-	0.1
26	0.9	1.2	*	*	0.1	0.2	0.4	0.4	2.0	2.0	-	0.1
27	2.0	2.0	*	0.3	1.4	1.8	3.3	3.2	15.9	14.7	0.1	0.2
28	3.7	3.1	3.1	3.7	13.1	16.4	13.7	14.0	38.3	35.5	10.2	8.5
29	6.3	7.9	13.5	21.9	37.1	41.1	30.6	30.9	28.3	28.6	29.7	25.9
30	9.0	14.0	32.6	35.3	30.8	28.5	29.1	31.1	10.3	12.5	6.8	7.4
31	16.9	17.3	32.5	27.0	12.1	8.7	15.3	14.6	4.2	4.8	21.6	18.3
32	21.5	21.4	12.2	8.6	3.7	2.4	5.6	4.2	0.7	1.5	12.4	13.8
33	24.5	20.4	3.9	2.0	1.0	0.6	1.6	1.2	0.1	0.3	5.6	9.3
34	12.2	10.2	1.7	0.9	0.4	0.2	0.4	0.3	*	*	10.1	12.1
35	1.7	1.2	0.4	0.2	0.2	0.1	0.1	*	*	*	3.6	4.1
36	0.6	0.6	*	*	*	*	*	*	-	-	-	*
37	0.1	0.1	*	*	*	*	*	*	-	-	-	-
38	*	*	*	*	-	-	-	-	-	-	-	-
39	*	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	32.12	31.89	31.03	30.69	30.02	29.81	30.09	30.03	28.89	29.01	31.18	31.44
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	-	-	-	*	*	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	0.2	0.2	*	*	-	*	-	*	-	-	-	-
2.8	0.5	0.5	-	*	*	*	*	*	-	-	-	0.1
2.9	0.8	1.0	-	*	-	*	*	*	-	-	0.1	*
3.0	2.1	1.8	-	*	*	*	*	*	-	-	0.1	*
3.1	1.5	0.9	*	*	*	*	*	*	*	*	0.1	0.1
3.2	2.2	1.9	*	*	0.1	0.1	*	*	*	*	0.2	0.2
3.3	1.1	0.9	*	*	0.1	0.1	*	*	*	0.1	-	0.1
3.4	0.9	0.9	*	*	0.1	0.1	*	*	0.1	0.2	1.6	1.5
3.5	3.6	2.0	0.1	*	0.3	0.2	0.1	0.1	0.1	0.2	7.5	6.2
3.6	3.2	2.3	0.3	0.1	0.5	0.4	0.2	0.1	0.1	0.3	3.4	3.8
3.7	4.9	4.4	0.3	0.2	1.1	0.7	0.2	0.3	0.4	0.6	6.1	5.1
3.8	11.1	7.3	0.4	0.2	1.7	1.3	0.4	0.5	0.9	1.2	9.7	8.0
3.9	9.3	7.4	0.9	0.7	1.9	1.8	0.8	0.9	1.4	2.1	2.8	4.3
4.0	7.5	6.5	2.4	1.6	3.0	2.8	1.4	1.6	3.1	3.8	15.2	12.6
4.1	6.4	7.2	3.2	2.4	4.6	4.6	2.2	2.7	6.0	6.5	15.0	16.2
4.2	6.8	8.2	5.0	4.5	7.1	7.3	3.9	4.2	8.5	8.7	6.1	7.8
4.3	8.8	9.0	5.6	7.2	9.8	10.6	6.7	6.4	10.8	11.0	6.1	7.4
4.4	6.1	6.6	5.9	9.1	11.6	12.7	9.8	8.9	14.1	14.3	4.6	4.7
4.5	5.5	6.3	8.4	10.0	13.4	14.1	12.2	11.2	15.4	14.5	4.6	3.8
4.6	4.7	6.5	10.6	10.9	13.0	13.8	13.7	13.8	14.6	13.3	10.0	11.1
4.7	2.1	4.4	13.9	12.1	11.1	10.8	13.5	14.1	11.1	10.6	6.8	6.8
4.8	3.1	3.8	12.9	12.8	8.3	8.0	12.2	12.7	7.2	6.6	-	-
4.9	2.9	4.5	7.8	9.1	5.3	5.0	9.5	9.2	4.1	3.6	-	-
5.0	1.9	3.8	6.6	6.2	3.7	3.2	6.6	6.4	1.4	1.6	-	-
5.1	1.5	1.3	5.9	4.9	2.0	1.5	4.0	3.6	0.5	0.6	-	-
5.2	0.7	0.4	4.1	3.2	0.7	0.6	1.7	2.0	0.1	0.1	-	-
5.3	0.4	0.2	2.1	2.3	0.3	0.2	0.7	0.8	*	*	-	-
5.4	*	*	1.8	1.3	0.1	*	0.2	0.4	*	*	-	-
5.5 & Above	-	-	1.9	0.9	*	*	*	0.1	-	-	-	-
Average	4.08	4.18	4.69	4.67	4.49	4.49	4.63	4.63	4.46	4.44	4.09	4.11

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Nov 07, 2024										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.0	0.4	2.6	1.5	*	*	2.5	1.4	2.7	2.0
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	0.3	0.3	*	*	0.4	1.0	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.4	0.2	*	*	0.1	0.1	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	0.1	0.2	-	-	-	-	0.1	0.1	-	-
23	0.2	0.3	-	-	-	-	0.2	0.2	-	-
24	0.5	0.6	-	-	*	*	0.4	0.4	-	-
25	0.7	0.9	*	*	*	0.1	1.2	0.8	0.4	0.3
26	1.7	1.7	0.4	0.2	0.6	1.3	2.6	1.9	4.0	3.7
27	3.8	3.5	2.0	1.5	5.8	10.8	5.7	4.1	21.5	24.5
28	7.3	7.1	10.6	8.9	22.7	35.1	10.4	8.4	41.6	41.1
29	15.4	14.1	25.8	25.7	37.1	33.5	15.3	14.3	24.8	23.6
30	19.5	14.2	31.2	32.0	23.1	14.5	19.7	19.7	6.6	5.9
31	12.9	13.2	18.3	18.7	7.1	3.4	18.1	19.9	1.0	0.7
32	11.6	17.1	8.3	8.9	2.4	0.9	12.7	13.7	0.1	0.1
33	13.3	15.2	2.5	3.2	1.0	0.3	7.5	8.3	*	*
34	8.6	7.5	0.5	0.8	0.1	*	3.7	4.7	-	-
35	3.7	2.6	0.1	0.1	*	*	1.6	2.3	-	-
36	0.6	1.2	*	*	*	*	0.7	0.9	-	-
37	0.1	0.5	-	-	-	-	0.1	0.3	-	-
38	*	*	-	-	-	-	*	0.1	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	*	-	-
Average	31.23	31.36	30.36	30.45	29.57	29.09	30.65	30.97	28.56	28.50
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	*	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	*	-	-	-	*	0.2	*	-	-
2.8	-	*	-	-	-	*	0.2	0.1	-	-
2.9	*	*	-	-	-	*	0.3	0.1	-	-
3.0	0.1	0.1	-	-	*	*	0.4	0.1	-	-
3.1	*	*	-	-	*	*	0.5	0.2	-	-
3.2	0.1	0.2	*	*	*	0.1	0.9	0.3	-	-
3.3	0.3	0.1	-	*	0.1	0.2	1.1	0.4	-	*
3.4	1.4	0.6	-	*	0.3	0.2	1.3	0.6	-	*
3.5	1.5	0.9	0.1	0.1	0.4	0.4	1.7	0.9	*	0.1
3.6	4.4	2.5	0.1	0.1	0.6	0.6	2.4	1.3	0.2	0.4
3.7	6.0	3.3	0.4	0.3	1.0	1.3	2.8	1.8	1.0	1.3
3.8	6.5	4.4	1.2	0.8	2.1	2.4	3.6	2.5	3.4	2.9
3.9	11.4	8.4	1.4	1.3	3.0	3.8	5.0	3.6	5.8	5.0
4.0	8.7	8.0	2.1	2.4	5.2	6.2	6.6	4.7	7.5	9.3
4.1	8.6	9.5	4.0	4.2	7.1	9.2	8.3	6.3	9.4	9.3
4.2	8.9	10.0	7.7	7.5	9.9	12.2	8.9	7.7	12.6	13.4
4.3	6.9	9.5	10.0	10.9	13.9	14.6	10.0	9.4	16.1	16.6
4.4	6.7	9.3	10.9	12.7	14.5	14.1	10.5	10.5	16.7	16.4
4.5	7.7	8.7	13.1	13.4	13.1	11.9	9.9	10.7	14.1	13.1
4.6	7.9	9.1	15.8	13.4	12.0	10.4	8.3	10.3	7.4	6.3
4.7	5.7	6.9	12.0	11.1	9.0	6.6	6.7	9.7	3.2	3.4
4.8	2.9	3.7	7.8	8.9	4.7	3.3	4.6	7.9	1.7	1.9
4.9	1.2	2.4	6.2	6.5	1.9	1.4	2.8	5.2	0.6	0.5
5.0	1.7	1.5	3.8	3.7	0.8	0.6	1.5	2.9	0.1	0.1
5.1	1.0	0.7	1.8	1.8	0.2	0.3	0.8	1.5	-	-
5.2	0.4	0.2	0.8	0.7	*	0.1	0.4	0.7	-	-
5.3	-	0.1	0.6	0.3	0.1	0.1	0.1	0.3	-	-
5.4	-	*	0.1	0.1	*	*	*	0.2	-	-
5.5 & Above	-	-	*	*	*	*	*	*	-	-
Average	4.19	4.27	4.53	4.52	4.38	4.33	4.26	4.41	4.29	4.28

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Nov 07, 2024												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	*	*	-	-	-	-	-	-	-	*
2.7 - 2.9	*	*	*	*	-	-	-	0.1	-	-	*	*
3.0 - 3.2	*	*	0.2	*	-	-	0.9	1.5	-	*	*	*
3.3 - 3.4	0.2	0.4	0.2	0.1	-	-	8.8	4.4	-	0.1	*	*
3.5 - 3.6	1.4	1.5	0.5	0.2	0.4	0.1	5.6	4.4	*	0.5	0.2	0.2
3.7 - 4.2	31.0	33.0	12.4	13.0	26.5	12.7	23.3	22.4	8.6	12.4	9.0	11.3
4.3 - 4.9	63.6	61.4	80.4	79.9	61.7	68.2	54.6	55.3	79.7	80.5	79.6	77.6
5.0 - 5.2	3.7	3.6	6.1	6.3	4.7	13.3	6.8	11.6	11.6	6.4	10.1	10.1
5.3 & Above	0.1	0.1	0.2	0.4	6.7	5.7	*	0.3	0.2	0.2	1.1	0.8
Average	4.40	4.38	4.56	4.56	4.53	4.65	4.29	4.40	4.64	4.55	4.63	4.60
Leaf												
1 - 2	11.8	11.3	6.7	5.8	82.8	81.8	72.4	62.2	6.5	7.6	15.5	15.4
3	55.1	54.1	56.7	53.5	16.6	17.6	22.6	25.5	51.0	54.4	60.8	60.7
4	28.0	29.3	31.5	34.9	0.6	0.5	4.7	9.9	37.1	32.9	21.1	21.5
5	4.8	5.0	4.2	5.1	-	0.1	0.3	2.1	5.1	4.9	2.4	2.1
6	0.4	0.3	0.8	0.6	-	*	-	0.3	0.3	0.2	0.2	0.2
7	*	*	*	*	-	-	-	-	*	*	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	3.27	3.29	3.36	3.41	1.86	2.05	2.15	2.39	3.42	3.36	3.11	3.11
HVI Trash 1/												
00	-	-	-	-	0.2	*	-	*	-	-	-	-
01	1.2	1.1	0.3	0.4	45.2	33.5	33.6	26.3	0.3	0.3	1.2	1.2
02	16.1	14.9	9.8	8.0	41.3	54.1	41.5	37.9	9.5	11.0	18.6	18.5
03	29.5	28.7	28.2	24.8	10.4	10.3	12.9	15.6	24.6	27.7	32.8	32.5
04	25.3	25.5	28.6	27.9	2.3	1.4	7.1	8.2	29.0	29.2	25.0	25.1
05	15.0	15.6	17.4	19.3	0.4	0.3	3.2	5.4	20.0	17.7	12.8	13.3
06	7.3	8.0	8.6	10.5	0.2	0.1	1.0	3.5	9.6	8.4	5.6	5.7
07	3.3	3.6	3.7	5.1	*	0.1	0.3	1.6	4.1	3.6	2.2	2.2
08	1.3	1.5	1.7	2.3	-	0.1	0.1	0.7	1.6	1.3	0.9	0.9
09	0.6	0.6	0.8	1.0	-	*	0.1	0.4	0.9	0.5	0.4	0.4
10	0.2	0.2	0.4	0.4	-	*	0.1	0.3	0.3	0.2	0.2	0.2
11	0.1	0.1	0.2	0.2	-	-	*	0.1	0.1	*	0.1	0.1
12	*	*	0.1	0.1	-	*	-	*	*	*	0.1	*
13	*	*	*	*	-	-	*	*	0.1	*	*	*
14	*	*	*	*	-	-	-	-	*	*	*	*
15	*	*	*	*	-	-	-	-	*	*	*	*
16	*	*	*	*	-	-	-	-	-	*	*	*
17	*	*	*	*	-	-	-	-	-	-	*	*
18 & Above	-	*	*	*	-	-	-	-	*	*	*	*
Average	0.39	0.39	0.41	0.43	0.17	0.18	0.21	0.25	0.42	0.40	0.37	0.37
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	*
76	*	*	*	*	-	-	-	-	-	-	*	*
77	0.2	0.1	*	*	-	-	-	-	*	*	0.1	0.1
78	1.4	1.4	0.1	0.1	0.3	0.1	-	*	0.2	0.4	0.8	0.8
79	6.7	9.2	1.0	1.4	1.5	0.6	0.5	0.5	2.2	3.4	3.8	4.6
80	27.5	28.7	10.0	10.7	18.6	15.9	9.2	10.3	13.2	24.5	15.4	19.6
81	35.8	35.0	31.2	29.5	41.3	45.7	34.4	32.0	33.1	42.5	33.4	36.4
82	22.0	20.6	41.4	40.1	33.2	35.4	36.0	34.3	28.3	19.5	30.3	26.5
83	5.9	4.6	14.5	16.1	5.1	2.3	12.5	17.2	18.1	7.7	13.5	10.0
84	0.5	0.3	1.7	1.8	-	*	7.2	5.6	4.2	1.7	2.5	1.9
85 & Above	*	*	0.2	0.2	-	-	0.1	0.1	0.7	0.3	0.2	0.2
Average	81.34	81.24	82.08	82.09	81.70	81.69	82.14	82.17	82.07	81.54	81.85	81.67
Tenderable 3/	81.5	77.8	89.8	82.9	87.4	79.7	82.6	79.4	84.3	85.4	82.1	76.3
SAMPLES CLASSED	72,743	254,245	187,751	835,023	4,456	21,125	7,385	16,043	9,940	26,885	157,604	364,464

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Nov 07, 2024

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	-	-	-	*	*	-	-	-	-
2.7 - 2.9	1.6	1.7	*	*	*	*	*	*	-	-	0.1	0.1
3.0 - 3.2	5.8	4.6	0.1	0.1	0.1	0.1	*	*	*	*	0.3	0.3
3.3 - 3.4	2.0	1.8	*	*	0.2	0.2	*	*	0.1	0.2	1.6	1.6
3.5 - 3.6	6.8	4.2	0.3	0.1	0.8	0.6	0.2	0.2	0.3	0.5	10.9	10.0
3.7 - 4.2	46.0	41.0	12.0	9.7	19.5	18.6	8.8	10.2	20.3	22.9	55.0	54.1
4.3 - 4.9	33.2	41.0	65.1	71.2	72.5	74.9	77.7	76.4	77.2	74.0	32.1	33.7
5.0 - 5.2	4.1	5.5	16.6	14.3	6.5	5.3	12.3	11.9	2.0	2.2	-	-
5.3 & Above	0.4	0.2	5.8	4.5	0.4	0.2	0.9	1.3	*	*	-	-
Average	4.08	4.18	4.69	4.67	4.49	4.49	4.63	4.63	4.46	4.44	4.09	4.11
Leaf												
1 - 2	43.4	34.1	28.4	15.3	19.8	18.5	8.2	6.3	10.1	11.8	76.9	72.0
3	44.7	47.3	44.9	44.2	62.1	64.7	44.7	42.4	55.9	57.2	21.0	25.4
4	10.8	14.1	22.6	33.1	16.9	15.9	37.5	40.8	30.3	28.0	2.1	2.5
5	0.9	2.9	3.7	6.9	1.2	0.9	8.8	9.7	3.3	2.7	-	0.1
6	0.1	1.0	0.2	0.4	0.1	*	0.8	0.8	0.3	0.2	-	-
7	*	0.4	0.1	*	-	-	*	*	0.1	0.1	-	-
8	0.1	0.2	0.1	*	-	-	-	-	-	-	-	-
Average	2.61	2.86	3.02	3.33	2.99	2.99	3.49	3.56	3.28	3.22	1.92	2.00
HVI Trash 1/												
00	-	-	-	-	-	-	*	*	-	-	1.2	1.0
01	18.2	10.8	5.8	2.8	2.0	1.6	1.0	0.7	0.8	1.0	39.7	36.4
02	31.3	28.7	25.6	15.3	22.0	21.0	9.9	7.7	12.8	14.5	37.1	35.8
03	26.3	27.2	24.2	22.0	34.4	35.6	22.0	19.4	27.5	29.1	14.2	17.4
04	14.9	16.3	19.5	22.6	23.5	23.9	24.9	24.7	26.8	26.6	5.3	6.4
05	5.9	7.7	12.6	17.4	11.4	11.2	19.3	20.9	17.3	16.2	1.7	2.0
06	2.2	3.9	6.5	10.5	4.3	4.3	11.7	13.5	8.6	7.7	0.6	0.7
07	0.8	2.3	3.4	5.4	1.5	1.5	6.1	7.3	3.6	3.1	0.2	0.1
08	0.2	1.3	1.4	2.4	0.5	0.5	2.9	3.4	1.4	1.1	-	*
09	0.1	0.7	0.6	1.0	0.2	0.2	1.2	1.5	0.5	0.4	-	*
10	0.1	0.5	0.2	0.4	0.1	0.1	0.5	0.6	0.2	0.1	-	-
11	*	0.3	0.1	0.1	*	*	0.2	0.2	0.1	0.1	-	-
12	*	0.1	0.1	*	*	*	0.1	0.1	0.1	*	-	-
13	*	*	*	*	*	*	*	*	0.1	*	-	-
14	*	*	*	*	*	*	*	*	*	*	-	-
15	*	*	*	*	*	*	*	*	*	*	-	-
16	*	*	*	*	-	-	*	*	*	*	-	-
17	-	*	*	*	-	-	*	*	*	*	-	-
18 & Above	-	*	*	*	-	-	*	*	*	*	-	-
Average	0.27	0.32	0.36	0.41	0.34	0.35	0.44	0.46	0.40	0.39	0.19	0.20
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	*	-	*	-	-	-	*	-	-	-	-
76	1.0	1.0	*	*	*	*	*	*	-	-	-	-
77	2.4	1.9	*	*	*	0.1	0.1	0.1	-	-	-	-
78	7.4	6.3	0.1	0.1	0.2	0.4	0.4	0.6	0.2	0.4	0.1	0.2
79	12.8	14.8	2.1	2.2	1.4	2.1	3.1	4.0	3.2	4.6	7.1	6.0
80	25.4	29.5	8.7	17.2	9.8	10.5	17.4	20.4	20.9	22.6	17.2	15.9
81	40.1	36.8	29.9	37.8	30.6	30.8	36.1	37.3	39.5	38.2	36.6	37.9
82	10.6	8.8	33.8	30.6	41.3	40.6	29.8	26.7	28.2	27.5	37.3	38.4
83	0.1	0.8	20.9	10.9	15.6	14.6	11.5	9.7	7.5	6.2	1.7	1.6
84	*	0.1	4.3	1.1	0.9	1.0	1.4	1.1	0.5	0.5	0.1	*
85 & Above	-	-	0.1	*	0.1	0.1	0.2	0.2	*	*	-	-
Average	80.67	80.65	82.21	81.79	82.07	82.02	81.78	81.65	81.61	81.53	81.54	81.59
Tenderable 3/	76.9	74.1	76.8	78.7	92.0	88.2	82.0	77.5	94.0	94.6	97.7	96.6
SAMPLES CLASSED	13,029	28,652	46,161	224,383	108,770	386,304	142,951	704,121	87,645	176,109	1,728	2,100

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE For The Week Ending Nov 07, 2024										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	-	*	-	-	-	-	0.1	*	-	-
2.7 - 2.9	*	*	-	-	-	*	0.6	0.2	-	-
3.0 - 3.2	0.2	0.3	*	*	0.1	0.1	1.8	0.7	-	-
3.3 - 3.4	1.7	0.8	-	0.1	0.3	0.4	2.4	1.0	-	0.1
3.5 - 3.6	5.9	3.3	0.2	0.2	1.0	1.0	4.1	2.2	0.2	0.5
3.7 - 4.2	50.0	43.5	16.8	16.4	28.3	35.1	35.3	26.6	39.8	41.2
4.3 - 4.9	39.0	49.4	75.9	76.8	69.1	62.3	52.7	63.7	59.9	58.2
5.0 - 5.2	3.1	2.5	6.4	6.2	1.0	1.0	2.7	5.1	0.1	0.1
5.3 & Above	-	0.1	0.7	0.4	0.1	0.1	0.2	0.5	-	-
Average	4.19	4.27	4.53	4.52	4.38	4.33	4.26	4.41	4.29	4.28
Leaf										
1 - 2	77.4	76.4	10.7	10.6	32.7	28.8	67.5	31.5	9.2	11.2
3	20.4	21.5	43.6	47.9	53.6	58.5	22.8	38.8	63.0	59.8
4	2.0	1.9	36.5	34.1	12.8	11.8	7.6	23.7	25.3	26.0
5	0.2	0.2	8.2	6.9	0.9	0.7	1.8	5.3	2.5	2.8
6	*	*	0.8	0.5	*	*	0.2	0.6	0.1	0.1
7	-	-	0.2	0.1	-	-	*	0.1	-	-
8	-	-	-	-	-	-	*	*	-	-
Average	1.97	1.98	3.45	3.39	2.80	2.83	2.22	2.96	3.21	3.21
HVI Trash 1/										
00	0.2	0.3	-	-	-	-	0.2	*	-	-
01	41.4	40.7	1.3	1.0	7.5	5.2	36.9	14.6	0.3	0.6
02	38.1	38.5	12.1	12.9	30.4	28.9	33.6	18.9	12.2	13.8
03	13.3	14.4	22.6	24.5	30.8	33.9	13.8	18.8	32.7	30.9
04	4.4	4.1	23.6	24.5	18.2	19.5	7.2	18.4	26.0	25.1
05	1.6	1.3	18.8	17.6	8.1	8.0	4.1	13.2	14.9	15.3
06	0.6	0.4	11.6	10.3	3.2	2.9	2.2	7.9	7.8	8.2
07	0.2	0.2	5.8	5.1	1.1	1.0	1.1	4.2	3.8	3.8
08	0.1	0.1	2.5	2.3	0.4	0.3	0.5	2.1	1.4	1.4
09	0.1	0.1	1.0	1.0	0.2	0.1	0.2	1.0	0.6	0.6
10	*	*	0.4	0.4	0.1	0.1	0.1	0.5	0.2	0.2
11	*	*	0.2	0.2	*	*	*	0.2	0.1	0.1
12	*	*	0.1	0.1	*	*	*	0.1	*	*
13	*	*	*	*	*	*	*	0.1	-	-
14	-	-	*	*	*	*	*	*	-	-
15	-	-	-	*	*	*	*	*	-	-
16	-	-	*	*	-	-	*	*	*	*
17	-	-	-	-	-	-	*	*	*	*
18 & Above	-	-	*	*	-	-	*	*	*	*
Average	0.19	0.19	0.43	0.42	0.31	0.31	0.22	0.36	0.39	0.39
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	*	*	-	-
75	0.1	0.3	-	-	-	-	0.1	0.2	-	-
76	0.7	0.8	-	-	*	*	0.6	0.5	-	-
77	2.0	1.8	-	-	*	0.1	2.5	1.5	-	-
78	4.0	4.4	0.1	0.2	0.3	0.8	7.5	4.1	0.2	0.3
79	11.3	11.3	1.2	1.4	2.8	6.3	17.6	10.0	3.1	4.1
80	21.5	19.2	10.1	12.3	18.4	23.1	29.6	22.1	24.1	26.9
81	32.8	30.2	39.0	35.4	37.6	39.5	27.5	33.4	31.1	29.7
82	22.2	23.0	36.9	37.2	32.6	25.2	12.2	21.9	33.6	32.3
83	5.3	7.4	11.8	12.6	7.7	4.7	2.2	5.6	7.4	6.5
84	0.2	1.6	0.9	0.9	0.5	0.2	0.2	0.6	0.4	0.3
85 & Above	-	-	0.1	*	*	*	*	*	*	*
Average	81.11	81.20	81.96	81.95	81.70	81.42	80.61	81.16	81.64	81.55
Tenderable 3/	88.6	90.6	88.2	90.3	94.1	81.0	84.8	79.5	97.0	97.2
SAMPLES CLASSED	17,279	47,472	31,839	83,627	83,217	305,964	286,722	1,887,078	23,715	39,525

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 07, 2024

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	19.4	21.7	-	60.5	17.8	12.8
	2	-	-	10.5	10.4	-	14.3	23.1	37.8
	3	-	-	0.1	0.1	-	-	2.8	12.0
	4	-	-	-	-	-	-	0.6	0.7
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	30.0	32.2	-	74.9	44.3	63.3
02	1	-	-	23.5	22.9	-	18.3	16.1	13.1
	2	-	-	39.9	38.0	-	6.8	38.6	23.0
	3	-	-	2.4	2.5	-	*	0.9	0.5
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	65.9	63.4	-	25.1	55.6	36.6
03	1	-	-	0.5	0.5	-	-	-	-
	2	-	-	2.8	3.0	-	-	0.1	0.1
	3	-	-	0.4	0.6	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	3.7	4.1	-	-	0.1	0.1
04	1	-	-	*	*	-	-	-	-
	2	-	-	0.2	0.2	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.4	0.3	-	-	-	-
05	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	0.1	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	*	0.3	-	4.7	39.9	27.7
46		-	-	4.6	8.3	-	34.9	56.9	64.9
48		-	-	21.6	28.8	-	57.2	3.2	7.3
50		-	-	54.2	49.8	-	3.2	-	*
52 & Longer		-	-	19.5	12.8	-	-	-	-
Average Staple		-	-	49.77	49.33	-	47.18	45.27	45.59
Average Length		-	-	1.44	1.43	-	1.37	1.32	1.32
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	*	*	-	-	-	-
Preparation		-	-	*	*	-	-	0.1	*
All Other		-	-	*	*	-	-	0.1	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Nov 07, 2024								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	0.1	0.1	-	*	-	-
3.0 - 3.2	-	-	1.3	1.2	-	9.5	-	*
3.3 - 3.4	-	-	2.9	3.2	-	23.0	3.9	1.6
3.5 - 3.6	-	-	17.6	12.1	-	37.1	-	4.6
3.7 - 4.2	-	-	77.8	82.6	-	26.1	96.0	93.7
4.3 - 4.9	-	-	0.3	0.8	-	4.2	0.1	*
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.79	3.83	-	3.57	3.82	3.85
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-
2.9	-	-	0.1	0.1	-	*	-	-
3.0	-	-	0.2	0.1	-	0.1	-	-
3.1	-	-	0.5	0.3	-	2.3	-	-
3.2	-	-	0.6	0.8	-	7.1	-	*
3.3	-	-	0.8	1.3	-	5.9	2.5	1.0
3.4	-	-	2.0	1.9	-	17.1	1.3	0.6
3.5	-	-	6.1	4.2	-	14.8	-	*
3.6	-	-	11.5	7.9	-	22.3	-	4.6
3.7	-	-	17.4	15.4	-	14.3	18.6	14.2
3.8	-	-	20.7	19.1	-	6.4	47.2	30.4
3.9	-	-	21.3	21.4	-	2.8	17.7	21.5
4.0	-	-	11.2	13.9	-	1.7	4.8	23.1
4.1	-	-	5.8	9.6	-	0.5	5.5	3.0
4.2	-	-	1.4	3.1	-	0.4	2.2	1.5
4.3	-	-	0.2	0.6	-	4.2	0.1	*
4.4	-	-	0.1	0.1	-	0.1	-	-
4.5	-	-	*	*	-	-	-	-
4.6	-	-	*	*	-	-	-	-
4.7	-	-	*	*	-	-	-	-
4.8	-	-	-	*	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	3.79	3.83	-	3.57	3.82	3.85
STRENGTH 1/								
36 & Below	-	-	1.1	1.3	-	36.8	12.4	41.7
37	-	-	1.7	4.4	-	41.7	16.1	13.9
38	-	-	2.8	8.3	-	5.9	67.9	40.9
39	-	-	6.0	6.6	-	3.5	3.5	3.4
40	-	-	3.2	2.7	-	0.1	-	-
41	-	-	4.0	4.7	-	0.1	-	*
42	-	-	10.3	10.4	-	0.4	-	-
43	-	-	16.8	19.0	-	3.4	0.1	*
44	-	-	21.4	20.4	-	1.7	-	-
45	-	-	20.8	14.9	-	4.8	-	-
46	-	-	9.5	5.9	-	0.9	-	-
47	-	-	2.0	1.2	-	0.9	-	-
48 & Above	-	-	0.4	0.3	-	*	-	-
Average	-	-	43.62	42.89	-	38.02	38.03	36.93
UNIFORMITY								
83 & Below	-	-	0.2	0.2	-	*	3.7	14.5
84	-	-	4.3	5.7	-	17.3	50.6	53.1
85	-	-	18.9	24.7	-	69.5	45.7	32.4
86	-	-	49.8	48.3	-	9.0	-	-
87	-	-	24.6	19.8	-	4.1	-	-
88 & Above	-	-	2.3	1.4	-	0.1	-	-
Average	-	-	86.47	86.30	-	85.46	84.89	84.60
Samples Classed	-	-	25,620	58,586	-	3,290	903	2,401

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.