



# WEEKLY WEATHER AND CROP BULLETIN



U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE  
National Agricultural Statistics Service  
and World Agricultural Outlook Board



## HIGHLIGHTS



### November 23 – 29, 2025

Highlights provided by USDA/WAOB

The first major **Midwestern** winter storm of the season struck during the post-holiday travel period, with major accumulations noted on Saturday, November 29, just 2 days after Thanksgiving. Accumulations extended to other regions, including the **northern Plains**, **interior Northeast**, and higher elevations of the **Northwest**. A less consequential system preceding the post-Thanksgiving storm produced snow across the **nation's northern tier**, including snow squalls in the vicinity of the **Great Lakes**. The earlier storm also helped to draw an initial surge of cold  
*(Continued on page 3)*


## Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps .....	2
Temperature Departure Map .....	3
November 25 Drought Monitor & <b>U.S. Monthly Drought Outlook</b> .....	4
National Weather Data for Selected Cities .....	5
International Weather and Crop Summary .....	8
Bulletin Information & Snow Cover Map .....	16



(Continued from front cover)

air southward, setting the stage for the late-month snow event. Elsewhere, generally dry conditions in **California**, the **Great Basin**, and much of the **Intermountain West** contrasted with wet weather across parts of the **South**. Weekly rainfall totaled 1 to 2 inches or more from the **southeastern Plains into the Tennessee Valley**, helping to boost topsoil moisture in areas still experiencing drought. Weekly temperatures averaged at least 5 to 10°F above normal across the **southern half of Texas**, despite a late-week cooling trend. Readings also averaged more than 5°F above normal in portions of the **Rockies**, **Great Basin**, and **Intermountain West**. More broadly, early-week warmth in the **central and eastern U.S.** was replaced by sharply colder conditions. In fact, the arrival of frigid air across the **North** held weekly temperatures more than 5°F below normal in **northern Montana**. Late-week temperatures plunged below 0°F as far south as **western Nebraska**, while scattered readings below -20°F were noted in **Montana**.





With warmth lingering early in the week across the **Plains** and **Midwest**, daily-record highs in **North Dakota** for November 23 reached 61°F in **Fargo** and 60°F in **Jamestown**. Meanwhile in **southern Texas**, record-setting readings for the 23rd soared to 90°F in **Brownsville** and **Harlingen**. On the 24th, a high of 94°F in **McAllen, TX**, marked the 15th November day with a 90-degree reading, tying a record set in 2024. **McAllen's** record was broken on November 25 with a 16th day of 90-degree heat. Elsewhere in **Texas**, November records for 90-degree days were also broken in **Brownsville** (12 days; previously, 7 days in 2024) and **Harlingen** (10 days; previously, 7 days in 1921 and 2016). With a monthly average temperature of 76.0°F (5.5°F above normal), **Brownsville** experienced its warmest November, edging 75.8°F in 2024. **McAllen** tied its November 2024 standard, with a monthly average temperature of 76.1°F (5.9°F above normal). By November 25, lingering warmth was limited to the **South**, where daily-record highs rose to 86°F in **Gainesville, FL**; 85°F in **New Orleans, LA**; 83°F in **Montgomery, AL**; and 82°F in **Columbus, GA**. Meanwhile, high winds raked portions of the **northern Plains** and **upper Midwest** on November 25, with official gusts in **South Dakota** reaching 67 mph in **Rapid City** and 60 mph in **Aberdeen**. Additionally, **Aberdeen** received 5.2 inches of snow on the 25th. Elsewhere in the **north-central U.S.**, gusts on the 25th were clocked to 67 mph in **Sioux City, IA**, and 64 mph in **Valentine, NE**. Farther east, **Florence, SC**, logged a daily-record low of 23°F on November 28, shortly after completing a 6-day streak (November 21-26) with high temperatures ranging from 70 to 81°F. On November 29, daily-record lows dipped to -9°F in **Chadron, NE**, and -15°F in **Casper, WY**. **Chadron** collected another daily record, -15°F, on November 30. Meanwhile in **California's San Joaquin Valley**, fog and air stagnation contributed to record-low maximum temperatures in **Merced** (49°F on November 28) and **Bakersfield** (51°F on November 29).

As the week began, significant precipitation was noted across portions of the **central and southern Plains**. In fact, **Colorado Springs, CO**, experienced its wettest November day, with 1.10 inches on the 23rd (previously, 1.07 inches on November 4, 1946). **Lawton, OK**, netted a daily-record sum (1.53 inches) for November 23. Precipitation soon

shifted eastward, resulting in record-setting rainfall totals for November 24 in **Shreveport, LA** (3.42 inches), and **San Angelo, TX** (1.96 inches). In **Alabama**, daily-record amounts for November 25 included 3.06 inches in **Tuscaloosa** and 1.64 inches in **Anniston**. Meanwhile, snow blanketed parts of the **North**, with **Sisseton, SD**, collecting a daily-record sum (5.6 inches) for November 25. Soon, **Marquette, MI**, received record-setting precipitation (1.89 inches) and snowfall (12.0 inches) for November 26. Downwind of the **Great Lakes**, snow continued through Thanksgiving Day, November 27, when **Gaylord, MI**, reported a daily-record total of 13.1 inches. Snow squalls persisted into November 28 in **Syracuse, NY** (downwind of **Lake Ontario**), where 10.3 inches fell. Farther west, a new **Pacific** storm system deposited 1.65 inches of rain, a record for November 27, in **Olympia, WA**. Snow quickly overspread the **Midwest** on November 29, resulting in daily-record totals of 9.3 inches in **Madison, WI**, and 8.4 inches in **Chicago, IL**. For both cities, it was also the snowiest November day on record. Previously, **Madison's** snowiest November day had been November 27, 1995, with 7.6 inches, while **Chicago's** had been November 6, 1951, with 8.0 inches. Elsewhere, daily-record snowfall topped 6 inches on the 29th in locations such as **South Bend, IN** (9.0 inches); **Springfield, IL** (8.9 inches); **Rochester, MN** (7.6 inches); **St. Louis, MO** (6.4 inches); and **Milwaukee, WI** (6.1 inches).

For the second week in a row, generally mild weather prevailed across the **Alaskan mainland**. However, cool, mostly dry weather covered **southeastern Alaska**, where Juneau (19°F on November 27) recorded its lowest reading since March 17. Much of the state received below-average November precipitation, although earlier wetness had helped to boost monthly totals in **southeastern Alaska** to 14.67 inches (108 percent of normal) in **Yakutat** and 11.68 inches (118 percent) in **Sitka**. Farther south, mostly dry weather returned across **Hawaii's windward slopes** in late November, following a brief rainy spell. At the state's major airport observation sites, November rainfall ranged from 0.36 inch (16 percent of normal) in **Honolulu, Oahu**, to 8.54 inches (59 percent) in **Hilo**, on the **Big Island**.



National Weather Data for Selected Cities

Weather Data for the Week Ending November 29, 2025

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS	TEMPERATURE °F						PRECIPITATION						RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS				
	AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN. SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN. SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP	
																90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK ANCHORAGE	26	14	37	6	20	-1	0.03	-0.22	0.03	9.54	157	21.12	138	96	77	0	7	1	0
AK BARROW	10	-3	25	-11	3	0	0.06	-0.02	0.06	3.14	187	5.24	101	87	78	0	7	1	0
AK FAIRBANKS	11	-4	22	-9	4	0	0.18	0.02	0.18	6.14	216	17.80	160	93	82	0	7	1	0
AK JUNEAU	33	25	38	20	29	-3	0.18	-1.38	0.11	28.72	120	75.67	125	99	86	0	6	2	0
AK KODIAK	42	34	44	30	38	4	1.53	-0.08	0.57	15.26	65	73.43	106	95	79	0	3	5	1
AK NOME	26	14	32	1	20	6	0.20	-0.06	0.09	5.76	109	22.17	137	87	65	0	7	3	0
AL BIRMINGHAM	63	40	78	29	51	0	1.60	0.57	1.60	6.79	59	53.13	103	86	38	0	1	1	1
AL HUNTSVILLE	60	39	74	26	49	0	1.94	0.77	1.83	8.06	72	49.97	103	93	41	0	2	2	1
AL MOBILE	70	47	82	36	58	2	0.22	-0.81	0.22	5.98	43	61.76	100	87	43	0	0	1	0
AL MONTGOMERY	69	41	83	29	55	1	0.20	-0.75	0.20	4.73	46	44.29	96	94	35	0	2	1	0
AR FORT SMITH	58	41	64	32	49	2	1.57	0.77	0.93	13.40	109	52.86	120	90	51	0	1	3	2
AR LITTLE ROCK	59	43	69	32	51	3	1.72	0.56	1.13	9.73	80	49.27	109	94	49	0	1	3	1
AZ FLAGSTAFF	52	26	55	21	39	5	0.23	-0.17	0.23	10.63	218	20.76	111	97	43	0	7	1	0
AZ PHOENIX	73	53	78	52	63	2	0.17	0.01	0.17	6.69	395	9.06	140	84	37	0	0	1	0
AZ PRESCOTT	59	33	64	31	46	3	0.14	-0.05	0.14	5.33	193	17.71	149	89	39	0	5	1	0
AZ TUCSON	71	47	77	44	59	2	0.30	0.14	0.30	4.32	172	7.54	78	85	30	0	0	1	0
CA BAKERSFIELD	56	46	65	42	51	-2	0.00	-0.14	0.00	3.67	452	6.63	126	93	71	0	0	0	0
CA EUREKA	55	41	56	36	48	-1	0.09	-1.34	0.05	9.30	121	31.68	98	100	72	0	0	2	0
CA FRESNO	54	45	64	42	49	-2	0.00	-0.23	0.00	5.04	351	11.83	129	95	74	0	0	0	0
CA LOS ANGELES	72	54	81	50	63	3	0.00	-0.26	0.00	6.19	452	11.51	115	87	38	0	0	0	0
CA REDDING	54	37	65	34	46	-4	0.00	-1.06	0.00	7.57	132	25.77	95	99	67	0	0	0	0
CA SACRAMENTO	51	43	57	39	47	-3	0.00	-0.52	0.00	5.41	215	12.45	85	99	83	0	0	0	0
CA SAN DIEGO	70	50	78	48	60	-1	0.00	-0.25	0.00	4.41	322	9.29	115	95	47	0	0	0	0
CA SAN FRANCISCO	57	48	62	47	53	-1	0.00	-0.64	0.00	4.63	165	12.37	80	94	71	0	0	0	0
CA STOCKTON	52	44	58	38	48	-3	0.00	-0.39	0.00	5.36	254	12.11	110	95	80	0	0	0	0
CO ALAMOSA	46	19	53	14	33	7	0.11	0.03	0.11	3.21	161	10.21	145	95	42	0	7	1	0
CO CO SPRINGS	49	28	59	17	38	3	1.12	1.05	1.12	4.33	174	26.05	166	73	33	0	5	1	1
CO DENVER INTL	50	21	61	10	35	0	0.02	-0.09	0.02	2.24	75	17.71	125	81	31	0	7	1	0
CO GRAND JUNCTION	51	31	53	27	41	6	0.00	-0.13	0.00	4.02	144	7.26	85	87	41	0	5	0	0
CO PUEBLO	48	27	58	21	37	1	0.54	0.44	0.54	1.09	58	11.54	98	91	44	0	6	1	1
CT BRIDGEPORT	51	35	58	27	43	1	0.56	-0.25	0.55	6.95	64	25.20	63	76	45	0	1	2	1
CT HARTFORD	48	31	62	22	40	1	0.41	-0.48	0.33	10.03	81	45.62	106	86	48	0	5	2	0
DC WASHINGTON	55	39	72	30	47	0	0.22	-0.47	0.20	6.77	65	38.62	100	74	37	0	2	2	0
DE WILMINGTON	52	34	63	27	43	0	0.81	0.04	0.45	7.05	64	40.56	98	76	42	0	3	2	0
FL DAYTONA BEACH	76	57	85	44	67	2	0.00	-0.60	0.00	23.75	161	58.02	118	92	49	0	0	0	0
FL JACKSONVILLE	75	48	84	34	62	2	0.00	-0.50	0.00	5.03	37	42.92	84	92	39	0	0	0	0
FL KEY WEST	80	70	83	64	75	0	0.08	-0.35	0.04	16.51	110	40.98	107	98	70	0	0	2	0
FL MIAMI	82	67	85	60	74	1	1.08	0.41	0.99	21.41	100	59.81	92	89	57	0	0	2	1
FL ORLANDO	78	57	85	47	67	1	0.00	-0.43	0.00	13.39	116	54.50	111	94	46	0	0	0	0
FL PENSACOLA	70	50	80	35	60	1	0.00	-1.07	0.00	9.24	59	57.61	91	86	41	0	0	0	0
FL TALLAHASSEE	74	47	83	29	60	3	0.00	-0.79	0.00	1.80	16	48.56	89	89	40	0	2	0	0
FL TAMPA	79	60	85	49	70	2	0.00	-0.35	0.00	2.31	23	42.83	91	89	46	0	0	0	0
FL WEST PALM BEACH	82	66	86	56	74	2	0.43	-0.31	0.43	18.55	106	51.11	87	87	55	0	0	1	0
GA ATHENS	63	41	75	29	52	1	0.41	-0.48	0.37	8.46	77	51.78	116	84	39	0	2	2	0
GA ATLANTA	63	44	76	32	54	2	1.19	0.28	1.19	5.39	49	44.60	97	75	37	0	2	1	1
GA AUGUSTA	67	38	79	25	53	0	0.23	-0.42	0.23	3.13	35	30.96	77	92	32	0	2	1	0
GA COLUMBUS	69	45	82	33	57	3	0.00	-0.99	0.00	4.82	48	43.34	98	79	31	0	0	0	0
GA MACON	70	40	82	24	55	2	0.02	-0.81	0.02	2.26	23	44.12	104	90	30	0	3	1	0
GA SAVANNAH	70	46	79	30	58	1	0.00	-0.58	0.00	4.54	43	45.75	102	90	42	0	2	0	0
HI HILO	81	67	82	66	74	1	0.29	-3.11	0.25	19.78	60	56.91	52	88	59	0	0	3	0
HI HONOLULU	84	70	85	68	77	0	0.00	-0.49	0.00	1.59	34	11.29	79	83	51	0	0	0	0
HI KAHULUI	86	64	88	60	75	-1	0.00	-0.49	0.00	1.33	44	7.89	59	85	47	0	0	0	0
HI LIHUE	82	71	82	66	76	1	0.20	-0.78	0.12	10.85	116	24.35	77	87	62	0	0	4	0
IA BURLINGTON	44	29	56	17	36	0	0.21	-0.28	0.17	4.15	47	28.09	80	89	55	0	5	2	0
IA CEDAR RAPIDS	41	26	56	12	33	1	0.22	-0.19	0.09	3.20	38	24.02	70	93	60	0	5	4	0
IA DES MOINES	42	26	59	15	34	-1	0.87	0.47	0.61	5.80	74	38.26	109	94	59	0	5	3	1
IA DUBUQUE	39	27	55	16	33	1	0.72	0.24	0.54	4.26	48	30.96	85	94	63	0	5	3	1
IA SIOUX CITY	40	22	59	12	31	0	0.61	0.33	0.34	3.51	55	26.78	94	94	62	0	5	2	0
IA WATERLOO	40	24	56	13	32	-1	1.11	0.74	0.72	4.54	58	37.04	106	93	61	0	6	4	1
ID BOISE	47	30	49	27	39	2	0.02	-0.28	0.02	2.78	116	10.44	105	93	51	0	6	1	0
ID LEWISTON	45	35	52	29	40	2	0.83	0.57	0.32	3.76	131	10.35	88	97	65	0	3	5	0
ID POCATELLO	46	23	56	14	35	4	0.00	-0.24	0.00	3.78	135	11.54	108	92	41	0	7	0	0
IL CHICAGO/O_HARE	42	30	56	21	36	0	1.02	0.48	0.68	6.13	68	31.45	88	84	51	0	4	2	1
IL MOLINE	43	28	58	19	35	0	1.01	0.50	0.72	4.55	54	32.24	89	90	57	0	6	4	1
IL PEORIA	43	30	57	19	37	-1	0.77	0.20	0.57	4.25	45	26.39	74	88	54	0	4	3	1
IL ROCKFORD	41	26	55	18	33	-1	1.12	0.61	0.78	4.93	58	27.74	78	90	60	0	6	3	1
IL SPRINGFIELD	45	31	56	17	38	-2	0.83	0.24	0.75	4.74	54	27.96	78	91	56	0	4	3	1
IN EVANSVILLE	48	35	59	24	42	-1	1.24	0.24	0.98	12.24	114	53.50	121	87	60	0	3	3	1
IN FORT WAYNE	45	27	56	17	36	-1	1.01	0.31	0.59	4.41	49	25.78	69	89	57	0	6	3	1
IN INDIANAPOLIS	46	31	56	21	38	-1	0.59	-0.20	0.41	7.45	76	38.13	93	88	56	0	4	2	0
IN SOUTH BEND	42	28	52	20	35	0	0.99	0.38	0.62	7.07	71	32.85	89	91	61	0	6	6	1
KS CONCORDIA	48	30	64	17	39	1	0.47	0.22	0.46	7.41	125	21.30	78	93	55	0	5	2	0
KS DODGE CITY	52	27	62	17	39	0	0.37	0.22	0.27	5.79	140	26.53	126	96	54	0	5	2	0
KS GOODLAND	45	22	60	9	34	-2	0.07	-0.02	0.07	2.25	67	15.77	85	91	52	0	7	1	0
KS TOPEKA	49	31	60	22	40	0	0.75	0.37	0.61	6.23	77	30.95	88	91	55	0	4	2	1

Based on 1991-2020 normals

\*\*\* Not Available

Weather Data for the Week Ending November 29, 2025

STATES AND STATIONS	TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS					
	AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN. SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN. SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	TEMP. °F		PRECIP	
																		01 INCH OR MORE	50 INCH OR MORE		
KY WICHITA	53	33	60	24	43	2	0.48	0.20	0.29	9.60	133	43.95	133	91	51	0	4	3	0		
KY LEXINGTON	50	31	61	19	41	-2	0.17	-0.70	0.11	14.68	142	58.68	128	88	55	0	4	3	0		
KY LOUISVILLE	50	35	59	24	43	-2	0.39	-0.50	0.37	13.81	129	56.90	129	88	57	0	3	2	0		
LA PADUCAH	50	36	61	24	43	-1	0.80	-0.20	0.47	10.78	93	53.00	115	94	56	0	3	3	0		
LA BATON ROUGE	72	45	81	34	58	2	0.09	-0.82	0.09	9.20	70	59.12	104	93	40	0	0	1	0		
LA LAKE CHARLES	73	49	83	38	61	2	0.25	-0.72	0.24	6.04	43	46.55	84	88	44	0	0	2	0		
LA NEW ORLEANS	72	55	85	47	64	4	0.33	-0.56	0.22	4.57	36	56.61	97	77	43	0	0	2	0		
LA SHREVEPORT	67	48	75	37	57	4	***	***	***	***	***	***	***	84	46	0	0	***	***		
MA BOSTON	49	36	63	31	43	1	0.22	-0.69	0.17	10.64	95	38.46	98	74	46	0	2	2	0		
MA WORCESTER	44	31	58	25	38	1	0.54	-0.44	0.43	12.02	92	44.85	102	84	53	0	5	2	0		
MD BALTIMORE	54	33	69	25	44	0	0.33	-0.40	0.32	7.62	66	38.28	92	80	39	0	3	2	0		
ME CARIBOU	36	25	40	18	30	2	0.48	-0.31	0.32	8.12	76	37.78	102	91	63	0	6	3	0		
ME PORTLAND	45	29	51	20	37	1	0.74	-0.26	0.49	7.86	59	35.00	80	93	53	0	5	2	0		
MI ALPENA	41	26	50	18	33	0	0.55	0.10	0.23	6.32	80	28.63	104	96	59	0	6	5	0		
MI GRAND RAPIDS	42	28	51	21	35	-1	0.88	0.23	0.31	7.29	69	28.89	78	96	60	0	6	5	0		
MI HOUGHTON LAKE	47	28	51	20	38	6	0.26	-0.07	0.18	5.46	71	32.34	117	99	57	0	2	2	0		
MI LANSING	42	29	52	24	35	0	0.42	-0.10	0.36	6.57	78	26.04	83	92	55	0	6	2	0		
MI MUSKEGON	41	30	50	26	35	-2	1.03	0.39	0.41	5.31	53	26.61	81	91	61	0	6	6	0		
MI TRAVERSE CITY	41	30	53	26	36	1	0.51	0.04	0.20	6.25	68	28.58	104	91	63	0	6	4	0		
MN DULUTH	33	20	53	4	26	2	13.26	12.86	11.60	16.71	201	33.67	113	90	62	0	7	3	2		
MN INT_L FALLS	31	19	47	12	25	4	1.80	1.55	1.05	6.85	104	32.81	134	91	61	0	7	4	2		
MN MINNEAPOLIS	37	27	56	16	32	2	0.81	0.47	0.38	5.33	74	29.55	97	85	61	0	5	3	0		
MN ROCHESTER	36	26	52	13	31	2	0.88	0.50	0.50	7.28	93	34.49	103	90	70	0	6	5	1		
MN ST. CLOUD	34	21	56	10	28	2	1.06	0.80	0.76	4.44	63	28.68	104	91	65	0	7	3	1		
MO COLUMBIA	46	32	56	17	39	-2	1.65	1.09	1.35	7.74	78	33.75	85	91	60	0	4	3	1		
MO KANSAS CITY	47	32	60	23	39	0	0.72	0.29	0.52	6.05	65	37.73	100	91	58	0	4	3	1		
MO SAINT LOUIS	46	35	58	22	40	-2	1.15	0.42	1.00	6.26	66	40.17	102	88	57	0	3	3	1		
MO SPRINGFIELD	52	35	63	28	43	1	0.67	-0.04	0.57	7.15	62	41.13	97	89	51	0	4	3	1		
MS JACKSON	65	41	78	31	53	1	3.09	2.02	2.99	7.50	65	57.83	111	96	41	0	1	2	1		
MS MERIDIAN	65	40	80	29	53	0	0.23	-0.81	0.15	6.86	61	49.41	95	95	43	0	3	2	0		
MS TUPELO	60	38	73	27	49	0	2.04	0.77	1.38	7.74	65	53.67	104	93	38	0	2	3	1		
MT BILLINGS	39	22	57	-1	31	-2	0.61	0.48	0.47	3.90	117	19.05	138	87	54	0	6	3	0		
MT BUTTE	37	17	46	-3	27	4	0.17	0.04	0.10	2.56	107	14.17	116	89	50	0	7	2	0		
MT CUT BANK	29	8	52	-13	18	-9	0.41	0.35	0.17	1.66	80	9.65	95	91	68	0	7	3	0		
MT GLASGOW	27	12	53	-16	19	-6	0.51	0.42	0.36	1.85	75	7.93	76	96	75	0	7	3	0		
MT GREAT FALLS	37	17	53	-3	27	-3	0.50	0.37	0.26	2.06	67	14.83	104	94	58	0	6	4	0		
MT HAVRE	28	9	57	-23	18	-9	0.91	0.82	0.46	1.54	67	13.86	121	93	75	0	6	3	0		
MT MISSOULA	37	27	44	18	32	3	0.55	0.30	0.22	3.07	93	12.93	99	94	66	0	6	3	0		
NC ASHEVILLE	55	33	67	21	44	-1	0.38	-0.54	0.38	7.61	68	45.35	100	85	35	0	3	1	0		
NC CHARLOTTE	61	41	73	28	51	3	0.12	-0.65	0.08	5.44	54	38.15	95	74	32	0	2	2	0		
NC GREENSBORO	58	37	70	20	47	1	0.11	-0.64	0.10	7.06	65	43.90	108	82	33	0	3	2	0		
NC HATTERAS	61	47	72	39	54	-2	0.09	-0.99	0.06	17.93	100	57.58	102	87	51	0	0	2	0		
NC RALEIGH	62	36	75	21	49	0	0.01	-0.74	0.01	5.49	46	42.20	99	83	31	0	3	1	0		
NC WILMINGTON	65	40	79	27	53	-1	0.46	-0.37	0.24	9.38	55	45.26	80	92	39	0	2	2	0		
ND BISMARCK	32	18	62	12	25	0	0.74	0.61	0.35	9.86	258	27.23	147	94	66	0	7	3	0		
ND DICKINSON	28	10	59	-4	19	-7	0.19	0.13	0.10	2.53	95	21.94	148	96	74	0	7	2	0		
ND FARGO	34	18	60	11	26	2	0.35	0.17	0.22	6.22	107	23.42	101	91	64	0	7	2	0		
ND GRAND FORKS	34	21	53	9	28	6	0.05	-0.11	0.05	5.87	116	20.71	98	86	61	0	7	1	0		
ND JAMESTOWN	32	19	60	7	26	2	0.00	-0.08	0.00	2.02	47	13.34	68	92	67	0	7	0	0		
NE GRAND ISLAND	44	25	63	18	34	-1	0.04	-0.20	0.04	3.32	65	25.14	97	97	51	0	6	1	0		
NE LINCOLN	44	25	65	16	34	-1	0.76	0.50	0.36	6.78	107	30.11	107	93	54	0	5	3	0		
NE NORFOLK	41	22	61	9	31	-1	0.33	0.07	0.17	3.22	56	27.11	103	95	60	0	6	3	0		
NE NORTH PLATTE	44	19	63	4	31	-2	0.22	0.13	0.13	4.73	126	23.32	114	95	49	0	7	3	0		
NE OMAHA	43	26	61	16	35	-1	0.50	0.20	0.31	4.76	71	26.57	86	93	56	0	5	3	0		
NE SCOTTSBLUFF	45	15	64	-1	30	-3	0.18	0.07	0.18	3.13	103	18.61	123	85	38	0	7	1	0		
NE VALENTINE	43	17	68	1	30	-2	0.29	0.18	0.23	5.77	156	25.87	130	87	44	0	7	2	0		
NH CONCORD	45	26	52	19	36	1	0.70	-0.11	0.41	8.59	75	36.84	96	92	51	0	6	5	0		
NJ ATLANTIC_CITY	54	34	67	27	44	0	0.26	-0.56	0.20	9.91	90	44.37	107	92	44	0	3	2	0		
NJ NEWARK	52	36	61	30	44	1	0.90	0.06	0.72	8.08	74	35.65	84	70	37	0	3	2	1		
NM ALBUQUERQUE	56	36	62	31	46	4	0.39	0.25	0.39	2.57	99	7.34	88	83	35	0	1	1	0		
NV ELY	53	18	59	11	35	5	0.00	-0.12	0.00	2.19	106	6.91	79	83	21	0	7	0	0		
NV LAS VEGAS	66	47	68	47	57	4	0.00	-0.08	0.00	3.06	333	5.15	139	69	29	0	0	0	0		
NV RENO	57	29	64	28	43	3	0.00	-0.18	0.00	3.15	242	9.97	160	87	30	0	7	0	0		
NV WINNEMUCCA	55	20	59	15	38	3	0.00	-0.17	0.00	2.36	132	5.73	79	92	33	0	7	0	0		
NY ALBANY	44	30	55	21	37	0	0.82	0.09	0.27	12.81	122	41.50	111	89	56	0	5	4	0		
NY BINGHAMTON	40	30	57	24	35	1	0.00	-0.72	0.00	4.25	39	36.56	94	85	57	0	4	0	0		
NY BUFFALO	44	31	55	26	38	0	0.72	-0.09	0.29	9.06	78	31.48	85	92	58	0	5	4	0		
NY ROCHESTER	45	32	58	27	38	1	0.48	-0.16	0.20	6.36	70	36.05	111	91	54	0	4	4	0		
NY SYRACUSE	44	32	59	28	38	1	1.78	1.06	0.56	12.17	117	43.01	117	93	59	0	3	6	1		
OH AKRON-CANTON	44	31	54	26	38	-1	0.71	-0.01	0.41	8.94	91	38.02	98	88	55	0	5	5	0		
OH CINCINNATI	48	32	57	21	40	-1	0.87	0.06	0.84	10.17	106	52.46	126	88	52	0	4	2	1		
OH CLEVELAND	45	31	55	27	38	-2	0.87	0.11	0.39	6.78	62	42.11	111	94	55	0	6	5	0		
OH COLUMBUS	48	31	57	19	39	-1	0.74	0.08	0.71	7.98	91	39.41	102	87	49	0	4	2	1		
OH DAYTON	46	30	56	19	38	-2	0.48	-0.26	0.42	8.48	91	42.40	111	86	53	0	5	3	0		
OH MANSFIELD	44	30	55	21	37	-1	0.61	-0.12	0.53	7.75	80	43.59	110	91	55	0	5	4	1		

Based on 1991-2020 normals

\*\*\* Not Available

Weather Data for the Week Ending November 29, 2025

STATES AND STATIONS	TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
	AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN. SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN. SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	PRECIP	
																		01 INCH OR MORE	.50 INCH OR MORE
OK TOLEDO	44	29	55	21	37	-2	0.87	0.23	0.39	4.32	53	28.71	88	92	58	0	6	4	0
OK YOUNGSTOWN	44	30	54	25	37	-1	1.16	0.46	0.61	9.63	95	43.43	114	93	56	0	6	4	1
OK OKLAHOMA CITY	57	37	62	29	47	2	0.79	0.45	0.74	4.32	49	43.96	127	90	45	0	3	3	1
OR TULSA	56	38	65	28	47	1	0.98	0.48	0.65	12.21	119	59.22	154	90	53	0	2	4	1
OR ASTORIA	51	45	54	36	48	3	0.00	-2.73	0.00	15.70	78	44.82	75	96	79	0	0	0	0
OR BURNS	45	20	52	15	33	2	0.00	-0.27	0.00	1.91	90	9.81	113	96	50	0	7	0	0
OR EUGENE	54	37	58	31	46	2	0.83	-0.77	0.44	7.24	70	27.78	83	100	71	0	2	5	0
OR MEDFORD	52	33	60	29	42	0	0.09	-0.62	0.09	4.15	98	15.69	106	98	64	0	3	1	0
OR PENDLETON	46	34	55	30	40	2	0.47	0.15	0.20	3.35	113	9.66	85	96	67	0	3	5	0
OR PORTLAND	51	43	58	39	47	3	1.47	0.09	0.49	9.85	96	30.13	97	94	73	0	0	6	0
PA SALEM	53	41	57	36	47	3	1.30	-0.26	0.43	9.94	93	29.69	90	98	70	0	0	6	0
PA ALLENTOWN	47	31	57	25	39	-1	0.28	-0.56	0.28	4.79	39	36.92	85	92	45	0	5	1	0
PA ERIE	44	33	54	28	39	-1	1.16	0.28	0.35	14.52	117	42.86	110	90	52	0	4	5	0
PA MIDDLETOWN	48	33	55	28	41	-1	0.50	-0.22	0.48	7.87	68	43.50	107	82	45	0	4	2	0
PA PHILADELPHIA	52	37	63	31	44	0	0.91	0.16	0.54	6.70	62	34.58	86	75	41	0	1	2	1
PA PITTSBURGH	47	31	57	27	39	0	0.83	0.16	0.68	8.51	95	38.82	105	83	47	0	5	2	1
PA WILKES-BARRE	45	32	59	27	39	-1	0.34	-0.33	0.22	8.87	83	38.93	108	78	47	0	4	2	0
PA WILLIAMSPORT	46	32	54	27	39	1	0.27	-0.54	0.18	7.07	61	33.82	84	82	46	0	4	2	0
RI PROVIDENCE	50	33	59	25	42	1	0.28	-0.82	0.15	13.83	111	45.92	107	84	46	0	4	2	0
SC CHARLESTON	67	44	77	29	56	0	0.13	-0.49	0.13	6.18	47	43.04	87	88	45	0	2	1	0
SC COLUMBIA	65	38	77	26	52	1	0.12	-0.56	0.11	5.40	55	43.99	106	85	33	0	3	2	0
SC FLORENCE	64	38	78	23	51	-1	0.00	-0.63	0.00	10.32	98	41.37	99	86	34	0	3	0	0
SC GREENVILLE	59	38	72	25	48	0	0.25	-0.70	0.24	7.06	64	46.51	103	83	34	0	3	2	0
SD ABERDEEN	33	14	55	2	24	-3	0.77	0.63	0.42	4.00	82	27.31	128	94	68	0	7	3	0
SD HURON	36	18	62	9	27	-1	0.44	0.28	0.22	3.51	67	20.72	92	97	68	0	7	3	0
SD RAPID CITY	42	19	65	-1	31	0	0.09	0.01	0.05	3.18	102	24.19	141	79	46	0	6	2	0
SD SIOUX FALLS	36	19	57	10	28	-2	0.38	0.11	0.24	2.80	44	23.49	87	95	67	0	6	2	0
TN BRISTOL	56	32	68	18	44	1	0.36	-0.46	0.28	8.71	104	49.71	124	89	36	0	4	2	0
TN CHATTANOOGA	61	39	74	27	50	2	1.14	-0.16	1.11	7.65	61	58.25	117	88	32	0	2	2	1
TN KNOXVILLE	57	37	67	25	47	1	0.88	-0.28	0.88	9.41	91	50.24	107	84	36	0	3	1	1
TN MEMPHIS	57	42	67	30	50	0	1.23	-0.03	0.90	12.44	108	40.28	81	89	46	0	2	3	1
TN NASHVILLE	60	40	70	26	50	3	0.46	-0.59	0.31	9.73	89	51.83	112	79	35	0	3	3	0
TX ABILENE	68	44	76	39	56	4	0.09	-0.16	0.09	3.73	54	20.71	86	88	37	0	0	1	0
TX AMARILLO	55	29	62	19	42	-1	0.45	0.31	0.45	5.24	125	25.77	136	91	45	0	4	1	0
TX AUSTIN	72	53	82	46	62	5	0.40	-0.22	0.31	3.95	38	28.21	84	82	45	0	0	2	0
TX BEAUMONT	74	56	84	44	65	6	0.17	-0.74	0.17	7.25	45	46.93	82	82	46	0	0	1	0
TX BROWNSVILLE	85	70	91	62	78	9	0.33	0.02	0.31	9.70	86	36.42	142	88	52	3	0	2	0
TX CORPUS CHRISTI	79	65	86	55	72	9	1.66	1.27	1.56	6.75	64	22.95	77	91	62	0	0	3	1
TX DEL RIO	72	55	82	49	64	6	0.13	-0.06	0.13	3.56	63	10.72	56	84	39	0	0	1	0
TX EL PASO	69	45	73	38	57	6	0.03	-0.08	0.03	6.35	250	10.71	131	66	27	0	0	1	0
TX FORT WORTH	65	47	71	42	56	3	1.45	0.94	1.08	11.92	124	41.42	121	80	44	0	0	4	1
TX GALVESTON	74	63	82	55	68	6	0.02	-0.98	0.01	3.33	23	21.04	52	81	52	0	0	2	0
TX HOUSTON	74	55	83	43	65	5	0.00	-0.86	0.00	2.15	15	36.32	76	89	46	0	0	0	0
TX LUBBOCK	64	37	71	30	50	4	0.17	0.01	0.17	2.43	50	20.75	118	79	39	0	2	1	0
TX MIDLAND	67	44	76	34	55	5	0.04	-0.12	0.04	1.39	40	7.80	61	84	39	0	0	1	0
TX SAN ANGELO	68	46	78	42	57	5	2.03	1.83	1.96	6.42	105	28.56	142	92	42	0	0	2	1
TX SAN ANTONIO	72	54	84	49	63	6	0.95	0.53	0.69	3.52	36	29.59	97	86	45	0	0	4	1
TX VICTORIA	78	59	87	47	68	9	1.71	1.06	1.16	7.58	66	39.19	103	90	49	0	0	2	2
TX WACO	69	54	75	48	62	8	0.00	-0.55	0.00	3.00	30	35.13	105	78	48	0	0	0	0
TX WICHITA FALLS	65	39	72	33	52	3	0.82	0.49	0.81	4.96	66	38.98	148	88	37	0	0	2	1
UT SALT LAKE CITY	50	32	56	32	41	4	0.00	-0.31	0.00	6.45	179	12.98	92	86	45	0	5	0	0
VA LYNCHBURG	54	29	71	16	42	-2	0.28	-0.54	0.21	5.53	53	38.66	98	87	35	0	4	2	0
VA NORFOLK	58	41	72	33	50	-1	0.02	-0.65	0.02	11.74	95	40.04	87	80	43	0	0	1	0
VA RICHMOND	58	33	73	22	46	-1	0.59	-0.13	0.59	9.89	90	49.93	119	85	36	0	2	1	1
VA ROANOKE	53	34	70	21	43	-2	0.26	-0.51	0.26	6.03	60	39.44	99	76	33	0	3	1	0
VA WASH/DULLES	54	35	72	24	44	2	0.22	-0.51	0.21	4.94	46	32.20	80	77	37	0	2	2	0
VT BURLINGTON	43	32	54	24	37	2	0.65	0.05	0.31	12.48	123	38.74	110	86	54	0	4	5	0
WA OLYMPIA	48	38	52	32	43	2	2.83	0.87	1.57	14.21	94	33.16	78	99	84	0	1	6	2
WA QUILLAYUTE	49	37	53	33	43	0	2.50	-1.09	0.74	25.77	86	64.35	74	98	78	0	0	5	2
WA SEATTLE-TACOMA	49	42	52	38	45	1	1.14	-0.34	0.48	10.52	90	26.89	80	96	72	0	0	5	0
WA SPOKANE	39	32	48	26	36	3	0.78	0.28	0.29	5.57	141	14.49	103	97	73	0	5	4	0
WA YAKIMA	45	32	50	26	38	4	0.47	0.25	0.37	2.92	172	8.06	123	96	65	0	4	3	0
WI EAU CLAIRE	37	26	54	18	32	3	0.84	0.46	0.54	3.43	43	28.63	90	88	64	0	4	4	1
WI GREEN BAY	39	27	50	19	33	1	0.54	0.10	0.26	4.55	58	24.09	80	91	65	0	5	4	0
WI LA CROSSE	39	29	55	23	34	1	0.80	0.39	0.41	7.26	91	34.08	101	89	59	0	5	4	0
WI MADISON	39	26	55	18	33	1	0.80	0.32	0.66	4.37	52	33.91	95	91	59	0	6	3	1
WI MILWAUKEE	41	29	53	22	35	-1	0.80	0.30	0.65	5.54	68	35.49	108	86	54	0	6	4	1
WI BECKLEY	48	28	60	15	38	-3	0.35	-0.36	0.25	8.06	93	42.74	106	85	42	0	5	3	0
WI CHARLESTON	51	32	61	18	41	-2	0.59	-0.22	0.45	9.92	104	52.21	122	92	43	0	4	2	0
WI ELKINS	48	28	63	14	38	-1	0.43	-0.30	0.28	7.92	84	46.49	106	91	45	0	5	2	0
WI HUNTINGTON	52	33	62	19	42	-1	0.31	-0.49	0.26	13.31	145	49.98	120	83	44	0	3	2	0
WY CASPER	43	11	55	-15	27	-3	0.22	0.09	0.12	4.91	178	13.32	114	86	36	0	7	3	0
WY CHEYENNE	46	20	60	7	33	1	0.01	-0.11	0.01	3.13	102	18.93	127	77	31	0	7	1	0
WY LANDER	43	18	54	6	31	3	0.11	-0.06	0.07	3.57	114	15.31	122	78	37	0	7	2	0
WY SHERIDAN	42	17	63	-3	29	0	0.16	0.00	0.10	3.22	85	19.34	134	91	50	0	7	3	0

Based on 1991-2020 normals

\*\*\* Not Available

## International Weather and Crop Summary

November 23 – 29, 2025

*International Weather and Crop Highlights and Summaries provided by USDA/WAOB*

### HIGHLIGHTS

**EUROPE:** Cold and unsettled weather continued over much of Europe, though warmer-than-normal conditions lingered in southeastermost portions of the continent.

**MIDDLE EAST:** Rain in western Turkey contrasted with increasingly dry conditions over Iran.

**NORTHWEST AFRICA:** Dry weather in Morocco juxtaposed with additional showers from north-central Algeria into northern Tunisia.

**AUSTRALIA:** Sunny skies prevailed over most of the country's primary winter crop areas, with cool temperatures in the west giving way to extreme heat in parts of eastern Australia.


**SOUTH AFRICA:** Widespread warm and rainy weather continued, maintaining favorable moisture for much of the corn belt and coastal sugarcane regions of KwaZulu-Natal.

**ARGENTINA:** Drier weather dominated the region, reducing moisture for summer crop germination.

**BRAZIL:** Scattered showers persisted across most of the region; however, southern Brazil experienced limited moisture as summer grains and oilseeds began their reproductive stage.



EUROPE  
Total Precipitation(mm)  
November 23 - 29, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**EUROPE**

Cold and wet weather persisted across much of Europe. A pronounced southward dip in the jet stream continued for a second consecutive week, sustaining colder-than-normal temperatures (2-6°C below normal) from southern Germany into Poland and the Baltic States. A second week with hard freezes (-13 to -2°C) coupled with 7-day average temperatures below 5°C indicated most of the continent’s winter crops were now dormant save for Greece and the lower Balkans, where anomalous warmth (2-6°C above normal) lingered. Widespread moderate to heavy rain (10-50 mm, locally more)

maintained abundant moisture reserves for spring growth from northern Spain, France\*, and England eastward, with the season’s first widespread snowfall in the Czech Republic, Poland, and the Baltic States. Similar to the preceding week, there were numerous weekly rainfall totals in excess of 100 mm (locally more than 200 mm) in the western Balkans as well as western and southern Italy.

*\*Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

MIDDLE EAST  
Total Precipitation(mm)  
November 23 - 29, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data



**MIDDLE EAST**


Dry and warm weather prevailed across the Middle East before the arrival of late-week showers in westernmost growing areas. High pressure maintained sunny skies and above-normal temperatures (2-6°C above normal) from central Turkey into Iran, facilitating a rapid pace of winter grain sowing and emergence in locales with sufficient soil moisture. However, developing short-term drought continued in Iran, where rainfall since September 1 has tallied a meager 30 percent of normal in the northwest, 11 percent in Khorasan (northeast), and less than 5

percent along the Persian Gulf Coast. While it is still early in the winter grain growing campaign, crops will need moisture soon to ensure uniform establishment before seasonally cold weather arrives. In contrast, a late-week Mediterranean storm system triggered moderate to heavy showers (10-40 mm) in western Turkey, with heavy to excessive rainfall (100-200 mm) noted in the Aegean Region. The rain maintained favorable moisture supplies for winter wheat establishment in the northwest (Thrace) but caused localized flooding in the hardest-hit coastal locales.

NORTHWESTERN AFRICA

Total Precipitation(mm)

November 23 - 29, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**NORTHWESTERN AFRICA**

Dry weather continued in the west while additional rain fell in eastern growing areas. For a second consecutive week, dry weather and near-normal temperatures in Morocco and western Algeria favored winter grain emergence and development but maintained drought concerns. Despite recent moisture improvements, drought persisted in Morocco's primary croplands, where precipitation

since September 1 has totaled 66 percent of normal. Drought is even more severe over western Algeria, where season-to-date rainfall as of November 30 slipped below 30 percent of normal and was the lowest of the past 30 years. Farther east, widespread showers (10-85 mm, locally more) boosted soil moisture for winter grain establishment from central Algeria into northern Tunisia.

AUSTRALIA

Total Precipitation(mm)  
November 23 - 29, 2025



Gridded data from the Australian Bureau of Meteorology: [www.bom.gov.au/](http://www.bom.gov.au/)  
Creative Commons License found at:  
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




AUSTRALIA

Mostly dry weather prevailed across the country’s primary growing areas, with extreme heat in the east contrasting sharply with cool conditions farther west. High pressure maintained mostly sunny skies during the monitoring period over Western Australia and from central New South Wales into southern Queensland. The dry weather was mostly favorable for winter crop maturation, drydown, and harvesting, though extreme heat (35-39°C) from northern New South Wales into southern Queensland likely caused some stress to later-developing winter grains and oilseeds. Conversely, cooler-than-normal temperatures in Western Australia (up to 5°C below normal) were nearly ideal for winter crop

drydown and harvesting. Some light to moderate showers were reported from southern South Australia (1-15 mm) into Victoria (5-30 mm), providing a boost to later-developing winter wheat, barley, and rapeseed. Meanwhile, moderate to heavy rain (10-65 mm, locally more) fell outside primary croplands in southeastern Australia as well as along and east of the Great Dividing Range in southeastern Queensland and environs. While the rain in the former likely had little — if any — significant agricultural impact, the rains in eastern Queensland and northeastern New South Wales improved summer crop irrigation supplies in easternmost portions of the region.

SOUTH AFRICA  
Total Precipitation(mm)  
November 23 - 29, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**SOUTH AFRICA**

Widespread beneficial rain persisted this week over a large portion of the Corn Belt and the KwaZulu-Natal coastal sugarcane regions. Precipitation levels averaged 10 to 50 mm, though certain localized areas recorded as much as 100 mm. Significant temperature variations were noted across the area. The Corn Belt experienced cooler temperatures

than usual (1-3°C below average), with daily high temperatures in the upper 20s to middle 30s. Western areas were warmer (1-4°C above average), with highs in the middle to upper 30s. Sunny and warm weather across the Western Cape continued to accelerate the drydown of wheat crops and foster growth in tree and vine agriculture.

ARGENTINA  
Total Precipitation(mm)  
November 23 - 29, 2025



CLIMATE PREDICTION CENTER, NOAA  
Computer generated contours  
Based on preliminary data




**ARGENTINA**

Arid weather was predominant across the area, creating less than ideal conditions for new summer crops. This was contrasted by a southwestern section encompassing most of La Pampa, San Luis, western Cordoba, and eastern Mendoza, which saw beneficial scattered showers (10-50 mm). Above-normal temperatures prevailed across the region this week, with daytime highs typically ranging from the lower to upper 30s (degrees C). Localized peaks into the low 40s were observed in

western Formosa, Chaco, and most of Santiago del Estero. These extreme temperatures, coupled with the drier weather pattern, could potentially present challenges for emerging crops in those specific areas. As of November 27, official data from the government of Argentina indicated sunflowers were 94 percent planted, while cotton, corn, and soybeans were 30, 51, and 39 percent planted, respectively. Additionally, wheat was 30 percent harvested.

BRAZIL

Total Precipitation(mm)  
November 23 - 29, 2025




**BRAZIL**

Eastern Brazil continued to see persistent rainfall (10-100 mm), providing localized relief from drought. Conversely, southern Brazil remained largely arid, with Paraná and Rio Grande do Sul reporting drier conditions (less than 10 mm). Temperatures across the region were near normal (lower to middle 30s degrees C), though localized

highs reached the upper 30s in Mato Grosso do Sul and parts of Mato Grosso. The latter state, however, benefited from scattered showers that delivered 10 to 100 mm of rain, aiding summer crop development. As of November 27, the Government of Paraná reported that the first corn crop is fully planted, and soybeans reached 97 percent completion.

# Snow Depth


November 29, 2025



Winter Wheat Area

**USDA** Agricultural Weather Assessments  
World Agricultural Outlook Board

Snow analysis and data (plotted values, in inches) are provided by NOAA's National Operational Hydrologic Remote Sensing Center (NOHRSC).



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:  
**Weekly Weather and Crop Bulletin**, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.

Internet URL: [www.usda.gov/oc/weather-drought-monitor](http://www.usda.gov/oc/weather-drought-monitor)  
E-mail address: [brad.rippey@usda.gov](mailto:brad.rippey@usda.gov)

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

**U.S. DEPARTMENT OF AGRICULTURE**  
**World Agricultural Outlook Board**  
Managing Editor..... **Brad Rippey**  
Agricultural Weather Analysts.... **Eric Luebehusen and Maureen Sartini**

**National Agricultural Statistics Service**  
Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

**U.S. DEPARTMENT OF COMMERCE**  
**National Oceanic and Atmospheric Administration**  
**National Weather Service/Climate Prediction Center**  
Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).