


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS

May 24 – 30, 2026



Highlights provided by USDA/WAOB

Active weather prevailed nearly nationwide, with the largest area of heavy rain affecting the **Southeast**. Planting activities that had been slowed by drought were suddenly delayed by rain, which broadly totaled 2 to 8 inches or more in the **Southeast**. For example, U.S. peanut planting was 72 percent complete at the end of May, behind the 5-year average of 79 percent. Stormy weather extended to the **Plains** and **lower Midwest**, benefiting rangeland, pastures, and summer crops, except in areas where thunderstorms produced large hail and damaging winds.

(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps.....	2
Temperature Departure Map	3
Palmer Drought & Crop Moisture Maps.....	4
May 26 Drought Monitor & U.S. Monthly Drought Outlook	5
2026 Atlantic Hurricane Season Outlook	6
Growing Degree Day Maps	7
National Weather Data for Selected Cities	9
National Agricultural Summary	12
Crop Progress and Condition Tables.....	13
International Weather and Crop Summary	20
Bulletin Information & Days Suitable for Fieldwork.....	32




(Continued from front cover)

However, rain across the **central and southern Plains** arrived too late to aid drought- and freeze-damaged winter wheat. Elsewhere, a slow-moving storm system delivered unseasonably heavy precipitation from **northern and central California to northern sections of the Rockies and High Plains**. However, precipitation bypassed a few areas, including much of the **Southwest** and the **upper Mississippi Valley**, as well as portions of the **Great Lakes region**. In advance of the **Western** storm system, weekly temperatures averaged at least 5 to 10°F above normal from **Montana and Wyoming eastward into the upper Mississippi Valley**. General warmth extended across the **central Plains, mid-South, and Southeast**. Conversely, readings averaged 5 to 10°F below in parts of **California** and the **western Great Basin**. Below-normal temperatures were also observed in portions of **southern and coastal Texas**. Most areas finally moved away from the freeze concerns that had plagued producers in several regions for much of the spring, although some frost was noted toward the end of May in **northern New England**.



Hot, humid weather prevailed all week across the **lower Southeast**, including much of **Florida**. With record-high minimum temperatures of 84°F on May 10, 11, 23, 25, 26, and 31, **Key West, FL**, tied a monthly standard most recently achieved on May 31, 2024. For the first time on record, **Melbourne, FL**, failed to fall below the 80-degree mark during a day in May; the low on the 26th dipped only to 80°F. Farther north, record-setting heat arrived on Memorial Day, May 25, with highs in **South Dakota** reaching 94°F in **Sisseton** and 93°F in **Huron**. Another daily record was established on May 26 in **Huron**, with a high of 95°F. **Hibbing, MN**, posted a pair of daily-record highs (87 and 89°F, respectively) on May 25 and 26, followed by another record (88°F) on May 29. In **North Dakota**, record-setting highs for May 26 included 96°F in **Fargo**, 94°F in **Minot**, and 93°F in **Bismarck**. On the 26th in **Wisconsin**, **Appleton** notched a daily-record high of 91°F. Around mid-week, heat briefly shifted westward. By May 28, **Ephrata, WA**, tied a daily record with a high of 95°F. However, a late-week pattern change delivered widespread precipitation and sharply colder conditions across the **northern High Plains and Northwest**. Following a daily-record high of 87°F on May 28, **Bozeman, MT**, received rainfall totaling 1.65 inches on May 30-31 and noted a maximum temperature of 51°F on the last day of the month. Elsewhere, a late-week surge of chilly air into the **Northeast** led to a few daily-record lows. In **Maine**, records included 32°F (on May 30) in **Caribou** and 33°F (on May 31) in **Bangor**.



As the week began, locally heavy showers peppered the **central and eastern U.S.** May 24 featured daily-record totals in **Sioux Falls, SD** (1.69 inches); **Beckley, WV** (1.60 inches); and **Chattanooga, TN** (1.40 inches). On Memorial Day, May 25, **Eastern** daily-record amounts reached 1.54 inches in **Athens, GA**, and 1.26 inches in **Bangor, ME**. Elsewhere in **Maine**, **Caribou** received rainfall totaling 1.87 inches on May 25-26, aided by a daily-record sum of 1.25 inches on the latter date. During the mid-




to late-week period, **Eastern** showers shifted southward. **Monroe, LA**, collected a record-setting total (2.63 inches) for May 28. Weekly rainfall topped 4 inches in numerous **Southern** locations, including **Pascagoula, MS** (6.76 inches), and **Athens, GA** (5.91 inches). May rainfall broadly exceeded a foot along and near the **Gulf Coast from Texas to Florida's panhandle**, with totals reaching 17.99 inches in **Mobile, AL**, and 14.49 inches in **Gulfport, MS**. During the mid- to late-week period, significant **Northwestern** precipitation led to record-setting rainfall totals for May 28 in **Klamath Falls, OR** (1.15 inches), and **Wenatchee, WA** (0.75 inches). Downtown **San Francisco, CA**, also netted a record-setting sum (0.60 inch) for May 28. On the same date, thunderstorm-related wind gusts were clocked to 65 mph at **Dallesport, WA**, and 58 mph in **Burns, OR**. By May 30, showers continued in the **Northwest** and returned across the **nation's mid-section**, leading to daily-record amounts in **East Rapid City, SD** (1.83 inches); **Livingston, MT** (1.73 inches); **Idaho Falls, ID** (1.46 inches); and **St. Joseph, MO** (1.54 inches).


Chilly weather, accompanied by widespread precipitation, affected much of **Alaska**. On the **Arctic Coast**, **Utqiagvik** failed to reach a temperature of 32°F during the first 5 months of a year for first time since 1955. During May, **Utqiagvik's** highest readings, 29°F, occurred on the 23rd, 30th, and 31st. **Alaskan** daily-record lows occurred in several locations, including **Anchorage** (32°F on May 24) and **Kodiak** (31°F on May 25). Meanwhile, May precipitation was greater than 150 percent of normal in **Fairbanks** (1.16 inches), **Bettles** (1.47 inches), **Anchorage** (1.61 inches), **McGrath** (2.00 inches), **Juneau** (5.34 inches), **Sitka** (6.16 inches), and **Yakutat** (12.19 inches). Farther south, the **Hawaiian** highlight for May was heavy showers in windward locations, especially around the middle of the month. Monthly rainfall in **Lihue, Kauai**, totaled 7.33 inches (336 percent of normal), with 4.54 inches falling on May 15. On the **Big Island**, **Hilo's** monthly rainfall of 18.18 inches (260 percent of normal) was boosted by totals greater than an inch on May 3, 15, 17, 18, 20, and 31.











The 2026 Atlantic Hurricane Season Outlook was issued by NOAA's National Weather Service on May 21. Due to expectations for El Niño development during the summer, below-normal tropical activity is the most likely outcome. The outlook calls for a 90 percent chance of near- or below-normal activity, and only a 10 percent chance for an above-normal season. The 30-year (1991-2020) averages for the Atlantic Basin are 14 named storms, 7 hurricanes, and 3 major hurricanes. For a detailed assessment, see: <https://www.cpc.ncep.noaa.gov/products/outlooks/hurricane.shtml>







National Weather Data for Selected Cities

Weather Data for the Week Ending May 30, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
AK	ANCHORAGE	55	41	60	33	48	-3	0.23	0.06	0.23	4.23	241	8.18	242	79	42	0	0	1	0	
	BARROW	26	19	29	14	22	0	0.00	-0.08	0.00	1.93	308	5.97	606	92	78	0	7	0	0	
	FAIRBANKS	61	41	65	36	51	-3	0.68	0.52	0.26	2.77	220	6.84	286	86	34	0	0	4	0	
	JUNEAU	53	39	67	34	46	-6	1.00	0.24	0.29	14.97	142	27.04	129	98	56	0	0	6	0	
	KODIAK	50	39	53	32	44	-3	0.46	-0.91	0.24	14.89	89	29.80	95	92	59	0	1	5	0	
AL	NOME	53	39	55	33	46	5	0.04	-0.17	0.03	2.37	101	5.64	132	83	48	0	0	2	0	
	BIRMINGHAM	84	70	88	67	77	3	1.73	0.63	0.93	14.46	93	24.41	95	95	65	0	0	5	2	
	HUNTSVILLE	83	68	89	65	75	1	4.10	3.13	1.81	15.30	103	23.11	92	100	69	0	0	7	3	
	MOBILE	84	71	89	69	78	1	4.13	2.79	1.91	19.13	117	22.87	86	99	72	0	0	5	4	
	MONTGOMERY	85	69	87	68	77	0	1.51	0.60	0.78	11.43	88	19.09	85	98	67	0	0	6	1	
AR	FORT SMITH	87	68	94	64	78	4	1.54	0.38	1.23	11.59	82	14.72	75	98	52	2	0	3	1	
	LITTLE ROCK	84	69	89	66	76	3	5.47	4.48	2.11	15.07	97	20.62	89	97	65	0	0	6	4	
AZ	FLAGSTAFF	68	37	74	28	52	-2	0.54	0.39	0.54	1.99	56	4.53	58	73	20	0	1	1	1	
	PHOENIX	94	73	100	69	84	-2	0.00	-0.03	0.00	0.14	11	0.62	21	36	12	6	0	0	0	
	PRESCOTT	76	50	82	45	63	-3	0.09	0.00	0.09	0.87	45	2.67	61	56	17	0	0	1	0	
CA	TUCSON	91	64	95	60	77	-3	0.00	-0.05	0.00	0.75	75	2.44	91	45	9	4	0	0	0	
	BAKERSFIELD	77	56	88	52	67	-7	0.21	0.17	0.21	0.92	46	3.19	73	70	31	0	0	1	0	
	EUREKA	57	48	61	45	52	-3	0.28	-0.02	0.16	3.59	32	14.11	60	99	78	0	0	4	0	
	FRESNO	77	57	87	53	67	-6	0.02	-0.07	0.02	3.06	91	6.54	87	72	33	0	0	1	0	
	LOS ANGELES	68	59	69	56	63	-1	0.00	-0.04	0.00	0.63	23	5.68	67	80	54	0	0	0	0	
	REDDING	77	55	91	47	66	-6	0.91	0.52	0.38	5.35	60	15.47	76	86	35	1	0	3	0	
	SACRAMENTO	74	53	82	50	64	-5	0.19	0.04	0.12	5.01	107	10.67	90	90	40	0	0	2	0	
	SAN DIEGO	68	61	70	58	64	-1	0.02	-0.02	0.02	0.70	29	6.02	91	78	55	0	0	1	0	
	SAN FRANCISCO	66	54	70	51	60	-1	0.26	0.17	0.26	4.47	98	11.87	95	87	55	0	0	1	0	
	STOCKTON	77	52	84	51	65	-5	0.36	0.26	0.31	4.06	113	9.31	106	99	41	0	0	2	0	
CO	ALAMOSA	72	39	79	30	55	0	0.19	0.07	0.19	0.41	24	0.86	38	80	22	0	1	1	0	
	CO SPRINGS	73	49	81	44	61	0	0.13	-0.36	0.09	3.71	89	5.04	105	85	31	0	0	3	0	
	DENVER INTL	79	52	85	49	66	4	0.21	-0.28	0.20	3.44	74	3.93	72	76	26	0	0	2	0	
	GRAND JUNCTION	83	55	91	50	69	3	0.04	-0.11	0.04	1.66	64	2.43	65	58	14	1	0	1	0	
	PUEBLO	81	52	89	43	66	1	0.29	-0.06	0.29	2.61	66	3.54	78	81	27	0	0	1	0	
CT	BRIDGEPORT	69	55	77	46	62	-1	1.25	0.40	1.25	9.39	80	13.48	74	86	55	0	0	1	1	
	HARTFORD	72	51	86	40	62	-2	1.50	0.59	0.93	12.15	107	17.31	97	91	49	0	0	4	1	
DC	WASHINGTON	77	60	83	55	68	-2	0.73	-0.17	0.43	7.32	69	13.20	82	88	54	0	0	4	0	
DE	WILMINGTON	76	58	82	53	67	0	1.41	0.55	1.04	9.07	81	13.67	79	84	46	0	0	3	1	
FL	DAYTONA BEACH	88	74	90	71	81	3	4.65	3.48	2.18	15.56	166	17.55	121	95	62	1	0	6	3	
	JACKSONVILLE	91	73	95	71	82	5	3.85	2.80	2.13	9.54	100	11.76	75	94	50	5	0	5	3	
	KEY WEST	88	81	89	78	85	3	0.75	-0.15	0.30	3.43	52	4.64	46	82	68	0	0	7	0	
	MIAMI	89	77	92	75	83	2	1.52	-0.43	0.95	16.01	135	18.21	115	90	63	1	0	5	1	
	ORLANDO	92	75	94	73	84	5	1.46	0.17	0.81	7.62	80	8.82	63	93	49	6	0	5	1	
	PENSACOLA	85	74	88	72	80	1	1.75	0.72	0.79	10.11	69	16.49	67	94	71	0	0	4	2	
	TALLAHASSEE	89	73	91	71	81	3	1.77	0.69	0.50	8.56	71	13.90	67	96	58	4	0	6	1	
	TAMPA	91	76	94	73	83	2	2.07	1.27	0.98	9.24	122	12.34	96	89	55	4	0	6	2	
	WEST PALM BEACH	90	77	91	74	83	3	3.30	1.73	2.82	21.06	180	22.37	125	87	60	5	0	4	1	
	ATHENS	86	69	90	66	77	4	5.98	5.17	2.94	13.39	121	18.89	95	100	60	1	0	5	3	
GA	ATLANTA	84	70	88	69	77	3	3.82	2.99	1.27	11.96	100	17.94	85	92	65	0	0	6	4	
	AUGUSTA	88	71	89	68	79	4	3.03	2.16	1.27	9.98	100	16.36	93	99	57	0	0	6	3	
	COLUMBUS	87	71	88	70	79	2	4.09	3.30	1.18	16.00	132	23.77	114	96	56	0	0	6	4	
	MACON	87	69	89	66	78	2	2.37	1.65	0.68	10.30	98	16.08	84	100	61	0	0	6	3	
	SAVANNAH	90	74	93	71	82	5	1.91	0.86	1.33	5.15	49	8.09	49	95	55	3	0	5	1	
HI	HILO	81	67	81	67	74	-1	2.27	0.86	1.10	39.21	135	62.98	134	93	59	0	0	6	1	
	HONOLULU	84	72	85	70	78	-1	0.23	0.06	0.09	17.58	448	21.51	279	78	48	0	0	3	0	
	KAHULUI	83	69	85	64	76	-1	0.22	0.13	0.22	23.43	503	27.72	305	83	51	0	0	1	0	
	LIHUE	80	73	81	71	76	-1	0.86	0.48	0.22	30.57	313	38.35	237	82	63	0	0	6	0	
IA	BURLINGTON	85	59	89	54	72	5	0.00	-1.09	0.00	10.58	99	11.53	83	80	34	0	0	0	0	
	CEDAR RAPIDS	84	57	88	49	71	6	0.00	-1.04	0.00	9.96	103	10.91	92	77	31	0	0	0	0	
	DES MOINES	83	62	87	52	73	6	0.17	-0.98	0.17	12.06	107	13.75	100	79	37	0	0	1	0	
	DUBUQUE	84	56	89	52	70	7	0.00	-1.03	0.00	13.12	125	14.59	109	78	34	0	0	0	0	
	SIOUX CITY	88	62	95	50	75	10	0.46	-0.48	0.46	8.97	103	9.28	91	81	34	4	0	1	0	
ID	WATERLOO	86	58	89	46	72	6	0.04	-1.10	0.04	10.81	103	13.28	104	83	31	0	0	1	0	
	BOISE	83	54	91	48	69	6	0.11	-0.20	0.11	4.12	103	6.07	95	65	21	1	0	1	0	
	LEWISTON	76	54	86	51	65	2	0.59	0.19	0.30	5.98	136	8.43	129	83	38	0	0	3	0	
IL	POCATELLO	80	48	86	40	64	7	0.33	-0.01	0.30	2.41	64	4.26	73	75	20	0	0	3	0	
	CHICAGO/O'HARE	80	56	85	49	68	3	0.47	-0.48	0.47	14.81	140	16.17	111	80	33	0	0	1	0	
	MOLINE	85	55	89	51	70	4	0.00	-1.06	0.00	10.37	94	10.85	75	84	30	0	0	0	0	
	PEORIA	85	58	89	54	71	4	0.07	-0.95	0.07	12.93	115	14.10	92	85	29	0	0	1	0	
	ROCKFORD	85	52	91	46	68	4	0.19	-0.84	0.19	11.61	114	13.06	97	87	29	1	0	1	0	
IN	SPRINGFIELD	85	60	90	54	72	4	0.00	-1.02	0.00	17.03	153	18.15	120	91	33	1	0	0	0	
	EVANSVILLE	81	65	87	62	73	3	0.30	-0.72	0.14	12.01	81	15.01	70	97	60	0	0	3	0	
	FORT WAYNE	78	52	81	48	65	0	0.00	-1.1												

Weather Data for the Week Ending May 30, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
KY	WICHITA	85	62	88	52	73	3	1.95	0.74	1.84	7.10	68	8.71	70	95	48	0	0	3	1	
	LEXINGTON	81	62	84	57	71	3	1.62	0.41	0.86	10.44	73	15.87	74	93	57	0	0	3	2	
	LOUISVILLE	82	66	86	61	74	2	0.90	-0.12	0.61	15.28	105	18.56	87	91	55	0	0	2	1	
LA	PADUCAH	81	67	86	63	74	3	0.49	-0.53	0.18	13.15	90	15.24	68	99	66	0	0	3	0	
	BATON ROUGE	87	72	92	67	79	1	0.76	-0.51	0.47	21.70	148	30.10	118	97	61	2	0	3	0	
	LAKE CHARLES	86	70	90	67	78	-1	2.43	1.13	1.52	13.04	97	19.07	84	99	60	1	0	2	2	
MA	NEW ORLEANS	85	72	89	68	78	-1	2.68	1.31	1.59	18.85	125	24.14	99	96	66	0	0	5	2	
	SHREVEPORT	87	69	91	66	78	1	***	***	***	***	***	***	***	100	53	1	0	***	***	
	BOSTON	72	55	87	46	63	2	0.98	0.19	0.38	7.53	68	11.17	63	91	46	0	0	5	0	
MD	WORCESTER	68	51	81	38	59	-1	1.50	0.64	0.73	11.81	100	17.91	96	84	50	0	0	5	1	
	BALTIMORE	75	58	81	51	66	-1	0.59	-0.33	0.37	8.24	74	13.17	76	92	54	0	0	2	0	
	CARIBOU	62	40	75	32	51	-5	2.31	1.50	1.28	13.69	150	16.78	115	95	52	0	1	4	2	
ME	PORTLAND	67	48	84	38	58	0	2.68	1.83	0.93	14.25	118	18.07	94	93	53	0	0	4	3	
	ALPENA	74	48	87	41	61	3	0.35	-0.28	0.35	13.67	184	18.65	173	87	37	0	0	1	0	
	GRAND RAPIDS	77	51	84	47	64	1	1.00	0.13	1.00	6.09	59	9.52	63	90	41	0	0	1	1	
MI	HOUGHTON LAKE	75	48	85	40	62	3	0.41	-0.31	0.41	16.12	203	20.37	184	97	39	0	0	1	0	
	LANSING	76	50	82	45	63	1	0.76	-0.06	0.76	10.30	115	13.78	108	93	43	0	0	1	1	
	MUSKEGON	76	51	84	44	63	2	1.01	0.33	1.01	15.77	172	21.70	158	86	40	0	0	1	1	
MN	TRAVERSE CITY	75	46	86	41	60	1	0.04	-0.64	0.04	13.53	190	16.93	173	92	41	0	0	1	0	
	DULUTH	75	47	85	38	61	6	0.00	-0.81	0.00	7.78	107	10.71	116	80	35	0	0	0	0	
	INT_L FALLS	83	47	91	39	65	10	0.01	-0.80	0.01	4.01	71	5.78	81	82	27	1	0	1	0	
MO	MINNEAPOLIS	86	63	89	50	75	11	0.00	-0.92	0.00	6.72	80	8.91	88	70	32	0	0	0	0	
	ROCHESTER	84	59	88	48	72	10	0.05	-1.04	0.04	7.18	73	8.77	74	87	35	0	0	2	0	
	ST. CLOUD	86	56	91	39	71	11	0.11	-0.76	0.11	6.43	83	7.35	80	91	33	1	0	1	0	
MS	COLUMBIA	80	62	85	55	71	2	1.63	0.62	0.91	19.48	156	21.41	128	96	55	0	0	2	2	
	KANSAS CITY	82	61	84	50	71	3	1.87	0.70	1.13	16.20	140	18.16	128	91	48	0	0	2	2	
	SAINT LOUIS	83	65	86	57	74	3	0.15	-0.89	0.13	17.74	137	20.24	114	88	47	0	0	2	0	
MT	SPRINGFIELD	80	62	84	55	71	1	2.59	1.48	1.15	16.20	118	19.27	103	98	60	0	0	4	2	
	JACKSON	84	71	90	69	78	2	0.45	-0.57	0.45	13.63	86	19.98	76	100	68	1	0	1	0	
	MERIDIAN	84	71	89	69	77	1	4.12	3.20	2.71	19.67	128	27.13	103	99	67	0	0	5	2	
NC	TUPELO	84	70	90	68	77	2	1.05	-0.08	0.48	12.81	80	21.01	80	99	65	1	0	5	0	
	BILLINGS	86	56	92	50	71	12	1.24	0.61	1.24	4.78	97	5.45	90	68	23	1	0	1	1	
	BUTTE	75	41	84	34	58	7	1.11	0.50	1.04	4.76	122	5.49	115	85	24	0	0	2	1	
ND	CUT BANK	0	0	0	0	0	0	0.02	-0.51	0.01	0.85	29	0.87	25	0	0	0	2	0		
	GLASGOW	91	60	98	48	75	16	0.58	-0.06	0.42	4.59	127	4.96	113	65	23	5	0	2	0	
	GREAT FALLS	81	51	88	42	66	11	1.16	0.45	1.02	5.49	116	6.16	105	77	31	0	0	2	1	
NE	HAVRE	89	52	94	45	70	13	1.00	0.44	1.00	2.62	79	2.77	67	74	22	4	0	1	1	
	MISSOULA	77	49	85	41	63	7	1.12	0.61	0.60	5.91	148	7.61	130	91	39	0	0	5	1	
	ASHEVILLE	79	63	84	60	71	4	5.82	4.88	2.81	12.93	108	19.01	97	99	63	0	0	5	4	
OH	CHARLOTTE	85	67	91	58	76	4	2.33	1.50	1.07	8.63	78	12.70	71	95	54	1	0	5	2	
	GREENSBORO	83	64	87	55	73	3	1.92	1.09	1.71	6.24	57	12.40	72	95	53	0	0	2	1	
	HATTERAS	82	70	85	61	76	3	2.18	1.16	1.23	9.51	75	15.41	70	92	64	0	0	4	2	
PA	RALEIGH	86	66	89	59	76	4	0.63	-0.19	0.63	4.56	41	8.75	51	94	47	0	0	1	1	
	WILMINGTON	87	70	91	63	79	5	1.10	-0.09	0.52	7.78	68	12.00	64	94	56	2	0	5	1	
	BISMARCK	86	56	93	44	71	11	0.34	-0.31	0.28	3.85	84	5.27	94	88	33	4	0	2	0	
RI	DICKINSON	83	56	90	45	69	12	0.00	-0.68	0.00	4.13	94	4.24	86	79	34	1	0	0	0	
	FARGO	91	61	96	48	76	15	0.00	-0.75	0.00	3.96	68	5.73	80	76	23	5	0	0	0	
	GRAND FORKS	89	55	94	42	72	14	0.00	-0.72	0.00	4.15	86	5.95	102	83	24	4	0	0	0	
SD	JAMESTOWN	85	56	91	43	71	12	0.17	-0.59	0.17	3.76	74	3.76	65	86	33	3	0	1	0	
	GRAND ISLAND	86	60	95	52	73	6	1.56	0.36	0.93	6.69	79	7.38	75	89	39	1	0	3	1	
	LINCOLN	85	61	89	53	73	5	0.90	-0.21	0.57	8.24	91	9.75	92	88	42	0	0	3	1	
TN	NORFOLK	86	59	94	46	72	8	0.79	-0.20	0.44	7.75	96	8.37	88	91	39	2	0	3	0	
	NORTH PLATTE	85	55	94	47	70	7	0.80	-0.09	0.63	3.69	56	4.32	57	88	36	2	0	2	1	
	OMAHA	86	62	90	55	74	6	1.62	0.55	1.44	9.24	97	10.37	93	86	37	1	0	2	1	
TX	SCOTTSBLUFF	84	53	90	45	68	6	0.78	0.09	0.51	3.70	66	4.31	65	81	26	1	0	3	1	
	VALENTINE	86	56	93	49	71	9	0.40	-0.48	0.28	3.38	59	4.18	63	83	30	2	0	2	0	
	CONCORD	72	47	86	37	60	0	1.98	1.15	0.65	12.76	126	17.67	113	96	43	0	0	5	2	
UT	ATLANTIC_CITY	75	57	82	46	66	1	0.78	-0.02	0.41	6.80	61	11.36	64	91	55	0	0	2	0	
	NEWARK	76	58	85	52	67	0	1.24	0.27	1.00	9.95	84	14.59	80	78	44	0	0	2	1	
	ALBUQUERQUE	82	58	87	53	70	0	0.76	0.65	0.42	1.40	100	2.75	125	64	14	0	0	2	0	
VY	ELY	70	40	79	34	55	0	0.14	-0.09	0.14	2.18	71	3.87	83	66	16	0	0	1	0	
	LAS VEGAS	87	65	95	57	76	-6	0.00	-0.01	0.00	0.00	0	0.74	36	33	10	3	0	0	0	
	RENO	69	48	84	42	59	-5	0.51	0.38	0.37	1.23	69	2.89	71	68	25	0	0	2	0	
WA	WINNEMUCCA	72	42	87	39	57	-3	0.84	0.62	0.44	2.91	97	4.59	98	82	24	0	0	3	0	
	ALBANY	71	49	82	40	60	-3	1.34	0.50	0.71	10.09	106	13.98	97	90	48	0	0	5	1	
	BINGHAMTON	68	48	80	43	58	-1	0.30	-0.58	0.15	13.83	134	18.52	120	94	45	0	0	2	0	
WI	BUFFALO	71	51	78	45	61	-1	0.43	-0.39	0.43	17.00	178	22.25	144	91	45	0	0	1	0	
	ROCHESTER	72	52	82	46	62	0	0.44	-0.24	0.42	14.67	17									

Weather Data for the Week Ending May 30, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN	TOTAL IN., SINCE MAR 1	PCT. NORMAL SINCE MAR 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	TOLEDO	78	51	83	45	64	-2	0.00	-0.85	0.00	15.44	158	17.47	121	96	38	0	0	0	0	
	YOUNGSTOWN	73	48	80	42	61	-1	0.15	-0.70	0.15	16.42	155	20.12	124	99	48	0	0	1	0	
	OKLAHOMA CITY	86	65	92	59	75	3	0.28	-0.88	0.20	8.31	73	9.75	69	95	50	2	0	2	0	
OR	TULSA	86	65	92	57	75	2	1.68	0.43	1.26	16.98	130	18.65	114	95	53	1	0	2	1	
	ASTORIA	61	49	65	44	55	0	0.39	-0.29	0.38	17.39	102	27.89	88	95	63	0	0	2	0	
	BURNS	71	40	83	33	56	0	0.93	0.62	0.46	3.09	98	4.93	91	85	31	0	0	3	0	
PA	EUGENE	69	47	81	44	58	1	0.29	-0.24	0.19	5.70	55	14.93	70	94	45	0	0	2	0	
	MEDFORD	70	51	88	48	60	-3	0.50	0.19	0.20	3.10	67	7.53	81	84	42	0	0	4	0	
	PENDLETON	75	50	87	48	62	2	0.04	-0.32	0.04	0.71	18	1.12	16	78	32	0	0	1	0	
	PORTLAND	73	51	83	45	62	1	0.33	-0.26	0.16	9.26	99	17.04	94	86	32	0	0	3	0	
	SALEM	71	49	80	45	60	0	0.22	-0.29	0.22	6.75	70	14.07	69	87	38	0	0	1	0	
	ALLENTOWN	75	53	83	45	64	-1	0.65	-0.22	0.48	11.20	103	14.48	85	88	47	0	0	3	0	
	ERIE	69	50	76	46	60	-3	0.34	-0.46	0.24	14.30	144	19.26	121	91	51	0	0	2	0	
	MIDDLETOWN	75	55	82	50	65	-1	0.56	-0.30	0.22	11.04	100	14.94	90	90	49	0	0	3	0	
	PHILADELPHIA	76	59	82	53	68	0	1.21	0.40	0.90	7.90	74	11.81	71	82	48	0	0	3	1	
	PITTSBURGH	76	53	81	48	65	0	1.87	0.96	1.49	16.33	160	20.85	132	89	46	0	0	2	1	
RI	WILKES-BARRE	73	49	82	43	61	-3	0.50	-0.26	0.36	12.84	140	15.69	113	92	45	0	0	2	0	
	WILLIAMSPORT	75	50	86	46	63	-1	0.25	-0.62	0.16	11.69	111	14.67	93	92	41	0	0	2	0	
	PROVIDENCE	72	53	83	42	63	1	1.27	0.47	0.85	10.89	87	16.07	81	88	52	0	0	4	1	
SC	CHARLESTON	89	74	91	71	81	5	1.66	0.69	1.27	4.20	42	9.10	56	97	58	2	0	4	1	
	COLUMBIA	86	71	90	70	79	4	2.54	1.60	1.04	7.72	79	13.07	78	95	59	1	0	4	2	
	FLORENCE	87	70	91	67	78	4	2.64	1.67	0.98	8.69	89	13.35	84	98	57	2	0	6	3	
SD	GREENVILLE	83	66	88	59	74	3	1.15	0.19	0.53	11.82	95	17.11	83	97	60	0	0	5	1	
	ABERDEEN	88	57	94	46	72	11	0.72	0.06	0.63	5.26	88	6.22	87	87	31	4	0	2	1	
	HURON	87	61	95	50	74	12	1.48	0.77	1.23	5.05	75	5.65	70	83	35	4	0	2	1	
TN	RAPID CITY	85	53	90	44	69	11	1.07	0.24	1.07	5.75	90	6.11	85	80	26	1	0	1	1	
	SIoux FALLS	85	61	91	47	73	9	1.98	1.02	1.83	7.16	86	7.49	76	86	43	2	0	4	1	
	BRISTOL	85	61	87	55	73	6	1.83	0.95	0.76	8.60	75	15.98	84	99	48	0	0	5	2	
TX	CHATTAHOOGA	83	70	88	68	77	4	2.11	1.30	1.32	13.18	93	19.66	81	97	63	0	0	6	1	
	KNOXVILLE	84	67	86	65	76	5	2.24	1.35	1.22	12.25	90	20.62	88	97	56	0	0	6	1	
	MEMPHIS	84	70	88	67	77	2	1.50	0.44	0.60	17.09	102	21.72	85	96	63	0	0	5	1	
	NASHVILLE	83	70	90	69	77	4	1.38	0.36	0.72	9.80	69	16.20	71	91	59	1	0	4	1	
	ABILENE	89	64	94	58	77	-1	0.21	-0.60	0.16	8.32	124	10.43	115	89	38	4	0	3	0	
	AMARILLO	85	59	93	55	72	1	0.50	-0.11	0.45	2.04	41	2.57	41	92	29	1	0	3	0	
	AUSTIN	88	67	91	63	77	-3	1.19	0.03	1.06	7.65	75	9.94	67	98	52	2	0	3	1	
	BEAUMONT	87	69	91	66	78	-1	0.86	-0.27	0.85	13.14	108	19.07	93	98	59	2	0	2	1	
	BROWNSVILLE	91	74	94	69	83	-1	2.25	1.69	2.09	5.83	115	6.09	85	92	60	6	0	4	1	
	CORPUS CHRISTI	86	70	90	66	78	-3	1.86	1.05	1.66	11.72	154	12.83	124	98	66	1	0	3	1	
UT	DEL RIO	91	71	95	66	81	-2	0.37	-0.41	0.37	1.85	32	2.35	34	89	46	5	0	1	0	
	EL PASO	90	64	94	57	77	-2	0.43	0.33	0.43	1.04	125	2.70	166	52	11	5	0	1	0	
	FORT WORTH	89	69	94	66	79	2	1.24	0.20	0.59	12.69	113	25.32	153	87	46	2	0	4	2	
	GALVESTON	83	73	86	67	78	-3	0.80	-0.03	0.76	8.28	103	14.91	103	94	69	0	0	3	1	
	HOUSTON	88	69	92	66	78	-2	1.20	-0.07	1.20	17.54	143	22.10	116	99	56	3	0	1	1	
	LUBBOCK	85	62	95	58	74	-1	0.50	-0.19	0.50	2.77	55	4.48	70	89	33	1	0	1	1	
	MIDLAND	87	64	95	59	76	-4	1.54	1.11	1.54	4.41	152	6.39	155	87	34	3	0	1	1	
	SAN ANGELO	86	63	92	59	75	-4	0.86	0.09	0.83	8.11	137	9.07	113	95	42	3	0	2	1	
	SAN ANTONIO	86	67	89	63	77	-3	1.24	0.24	1.24	15.43	171	17.08	134	95	52	0	0	1	1	
	VICTORIA	87	68	91	64	78	-2	2.91	1.74	2.68	13.30	120	14.84	94	99	56	2	0	2	1	
VA	WACO	89	67	93	63	78	0	1.67	0.69	1.07	12.07	111	14.29	88	96	48	3	0	3	1	
	WICHITA FALLS	89	65	94	61	77	1	0.30	-0.62	0.16	8.15	99	10.61	98	94	43	2	0	3	0	
	SALT LAKE CITY	83	58	88	50	71	6	0.48	0.11	0.37	4.50	79	6.00	71	59	16	0	0	3	0	
	LYNCHBURG	81	59	85	51	70	3	1.74	0.81	0.97	8.32	75	14.31	82	99	55	0	0	4	1	
	NORFOLK	79	65	87	57	72	1	2.29	1.37	1.44	7.08	66	12.91	76	92	64	0	0	4	2	
	RICHMOND	81	62	84	55	71	2	2.24	1.30	1.03	7.08	64	13.96	82	94	52	0	0	4	2	
	ROANOKE	80	60	87	53	70	2	0.56	-0.51	0.35	6.52	58	11.39	66	91	55	0	0	3	0	
	WASH/DULLES	76	57	82	48	67	0	0.48	-0.62	0.28	8.50	73	14.03	82	93	55	0	0	3	0	
	BURLINGTON	69	51	86	44	60	-2	2.04	1.11	0.80	10.43	116	13.89	108	90	44	0	0	6	2	
	OLYMPIA	69	44	81	41	56	0	0.43	-0.02	0.42	13.97	121	23.05	94	95	38	0	0	2	0	
WI	QUILLAYUTE	60	43	68	39	51	-2	0.74	-0.13	0.74	5.57	23	16.38	35	97	61	0	0	1	1	
	SEATTLE-TACOMA	67	50	79	46	58	-1	0.85	0.46	0.38	11.32	123	18.84	100	92	43	0	0	4	0	
	SPOKANE	73	52	89	47	63	4	1.36	0.96	0.89	4.48	97	6.73	84	83	37	0	0	4	1	
	YAKIMA	78	50	92	45	64	2	0.24	0.06	0.10	2.00	104	3.56	90	80	25	1	0	3	0	
	EAU CLAIRE	84	53	90	44	69	7	0.69	-0.29	0.69	8.15	92	9.76	89	92	34	1	0	1	1	
	GREEN BAY	78	53	91	46	65	5	1.08	0.23	1.02	12.74	155	16.47	152	95	37	1	0	3	1	
	LA CROSSE	86	58	90	44	72	7	0.00	-1.08	0.00	10.26	103	12.62	101	84	30	2	0	0	0	
	MADISON	82	54	87	44	68	6	0.00	-1.00	0.00	13.04	130	15.62	120	85	29	0	0	0	0	
	MILWAUKEE	73	52	86	46	62	1	0.24	-0.58	0.24	13.48	142	15.72	121	86	44	0	0	1	0	
	BECKLEY	77	56	81	47	67	3	3.02	1.97	1.59	10.83	89	17.11	93	91	51	0	0	4	2	
WV	CHARLEAND																				

National Agricultural Summary

May 25 – 31, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

The week brought mixed conditions across key U.S. agricultural regions. Temperatures were near to above normal across much of the eastern and central U.S., with portions of the northern Plains and Rockies recording anomalies of up to 10°F above normal. In contrast, below-normal temperatures were observed across parts of the

West, Southwest, and Northeast. Meanwhile, much of the Southeast received above-normal rainfall, with localized areas recording more than twice the typical weekly amount. These wet conditions helped improve Southeastern soil moisture levels. Dry conditions dominated much of the northern Plains and upper Midwest.

Corn: By May 31, producers had planted 93 percent of the nation's corn crop, 1 percentage point ahead of both last year and the 5-year average. Seventy-six percent of the corn acreage had emerged by May 31, equal to last year but 2 percentage points ahead of average. On May 31, sixty-seven percent of the corn was rated in good to excellent condition, 2 percentage points below the same time last year. In Iowa, the largest corn-producing state, 82 percent of the crop was rated in good to excellent condition.

Soybeans: Eighty-seven percent of the 2026 soybean crop had been planted by May 31, four percentage points ahead of last year and 7 points ahead of the 5-year average. By May 31, sixty-five percent of the soybean acreage had emerged, 4 percentage points ahead of last year and 8 points ahead of average. On May 31, sixty-six percent of the nation's soybean crop was rated in good to excellent condition, 1 percentage point below the same time last year.

Winter Wheat: Eighty-seven percent of the nation's winter wheat crop was headed by May 31, five percentage points ahead of last year and 8 points ahead of the 5-year average. Five percent of the winter wheat acreage had been harvested by week's end, 2 percentage points ahead of both last year and the 5-year average. On May 31, twenty-six percent of the winter wheat crop was rated in good to excellent condition, equal to last week but 26 percentage points below the same time last year. In Kansas, the largest winter wheat-producing state, 15 percent of the crop was rated in good to excellent condition.

Cotton: Sixty-six percent of the cotton acreage had been planted by May 31, two percentage points ahead of last year but 1 point behind the 5-year average. By May 31, producers in California and Missouri had planted 99 percent of their 2026 intended cotton acreage. Seven percent of the nation's cotton acreage had reached the squaring stage by May 31, equal to both last year and the average.

Sorghum: Forty-four percent of the nation's sorghum acreage had been planted by May 31, one percentage point behind both last year and the 5-year average. Texas had planted 84 percent of its sorghum acreage by May 31, equal to last year but 1 percentage point ahead of average.

Rice: Ninety-eight percent of the nation's rice acreage had been planted by May 31, two percentage points ahead of last year and

1 point ahead of the 5-year average. By May 31, eighty-seven percent of the rice acreage had emerged, equal to last year but 2 percentage points ahead of average. On May 31, seventy-two percent of the rice acreage was rated in good to excellent condition, 1 percentage point below last week and 3 points below the same time last year.

Small Grains: Eighty-nine percent of the nation's oat acreage had emerged, 4 percentage points ahead of last year and 6 points ahead of the 5-year average. Thirty percent of the oat crop had headed, 2 percentage points behind last year but 1 point ahead of average. On May 31, forty-four percent of the oat acreage was rated in good to excellent condition, equal to the previous week but 6 percentage points below the same time last year.

Ninety-six percent of the nation's barley acreage had been planted by May 31, seven percentage points ahead of last year and 6 points ahead of the 5-year average. By May 31, eighty percent of the barley had emerged, 11 percentage points ahead of both last year and the average. On May 31, thirty-eight percent of the barley acreage was rated in good to excellent condition, 4 percentage points below last week and 5 points below the same time last year.

Ninety-four percent of the spring wheat crop had been seeded by May 31, equal to last year but 5 percentage points ahead of the 5-year average. Seventy-two percent of the spring wheat acreage had emerged by May 31, one percentage point ahead of last year and 5 points ahead of average. On May 31, forty-seven percent of the spring wheat acreage was rated in good to excellent condition, 3 percentage points below the same time last year.

Other Crops: Seventy-two percent of the 2026 peanut acreage had been planted by May 31, seven percentage points behind both last year and the 5-year average. By May 31, planting progress was behind the 5-year average in six of the eight estimating states. On May 31, fifty-eight percent of the peanut crop was rated in good to excellent condition, 7 percentage points below the same time last year.

By May 31, producers had planted 40 percent of this year's sunflower crop, 1 percentage point ahead of last year and 5 points ahead of the 5-year average. Producers in North Dakota had sown 59 percent of the crop, 3 percentage points ahead of last year and 15 points ahead of average.

Crop Progress and Condition

Week Ending May 31, 2026

Accessible Data Available from USDA/NASS

Corn Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
CO	94	88	97	87
IL	91	86	91	92
IN	85	76	85	88
IA	97	94	97	96
KS	91	77	85	88
KY	79	95	99	87
MI	87	75	89	87
MN	99	94	97	94
MO	97	89	96	94
NE	98	92	97	96
NC	99	97	99	99
ND	87	80	92	81
OH	69	63	73	83
PA	62	51	59	72
SD	95	92	98	93
TN	90	97	98	95
TX	95	92	95	94
WI	92	82	93	89
18 Sts	92	86	93	92
These 18 States planted 91% of last year's corn acreage.				

Corn Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
CO	53	30	53	49
IL	79	68	80	81
IN	68	54	70	70
IA	85	72	87	83
KS	72	57	67	70
KY	63	81	90	71
MI	59	37	56	62
MN	86	66	82	74
MO	85	73	85	84
NE	88	61	79	82
NC	95	91	93	96
ND	54	26	52	40
OH	47	45	57	61
PA	39	22	36	44
SD	80	52	78	70
TN	81	92	94	85
TX	91	85	90	88
WI	67	37	65	66
18 Sts	76	60	76	74
These 18 States planted 91% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	3	6	42	46	3
IL	1	4	30	56	9
IN	3	7	29	53	8
IA	0	1	17	64	18
KS	2	5	29	58	6
KY	1	6	23	59	11
MI	0	2	30	65	3
MN	1	2	21	62	14
MO	1	5	29	59	6
NE	1	4	37	49	9
NC	0	4	31	44	21
ND	0	2	36	58	4
OH	3	6	45	40	6
PA	1	0	25	44	30
SD	3	6	30	58	3
TN	2	6	25	51	16
TX	1	10	42	35	12
WI	0	3	18	69	10
18 Sts	1	4	28	57	10
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	1	4	26	57	12

Soybeans Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	83	91	95	85
IL	84	84	89	85
IN	80	74	82	82
IA	95	90	95	91
KS	71	66	75	65
KY	59	79	82	66
LA	96	95	97	91
MI	80	64	81	80
MN	96	90	96	84
MS	82	92	95	90
MO	78	65	74	67
NE	94	91	95	92
NC	71	77	86	68
ND	77	63	84	64
OH	64	57	68	75
SD	86	77	88	80
TN	64	84	86	66
WI	89	75	89	85
18 Sts	83	79	87	80
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	74	80	90	76
IL	69	61	75	68
IN	61	53	65	61
IA	76	57	74	67
KS	49	40	57	45
KY	44	60	67	48
LA	89	91	94	83
MI	49	23	49	52
MN	71	46	67	56
MS	77	84	87	82
MO	58	47	59	51
NE	75	58	72	68
NC	64	56	73	56
ND	26	15	31	23
OH	41	38	52	50
SD	60	32	55	45
TN	52	71	78	51
WI	55	27	59	54
18 Sts	61	49	65	57
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	3	20	61	15
IL	1	4	31	55	9
IN	3	7	31	52	7
IA	0	2	19	63	16
KS	2	5	32	57	4
KY	1	4	28	59	8
LA	0	0	36	60	4
MI	0	1	30	63	6
MN	1	5	20	62	12
MS	0	3	44	37	16
MO	1	4	34	56	5
NE	1	5	33	51	10
NC	0	2	33	50	15
ND	0	8	27	63	2
OH	3	6	45	41	5
SD	2	6	35	52	5
TN	2	5	30	52	11
WI	1	2	17	66	14
18 Sts	1	4	29	57	9
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	1	4	28	58	9

Crop Progress and Condition

Week Ending May 31, 2026

Winter Wheat Percent Headed				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	97	97	99	98
CA	99	100	100	98
CO	62	79	80	58
ID	33	23	55	21
IL	91	88	92	94
IN	77	70	84	79
KS	96	97	99	94
MI	56	9	60	51
MO	98	97	99	97
MT	16	5	20	8
NE	77	62	84	60
NC	98	99	100	99
OH	84	84	94	82
OK	100	98	100	100
OR	85	82	95	72
SD	18	15	41	24
TX	100	95	100	99
WA	63	41	71	49
18 Sts	82	78	87	79
These 18 States planted 90% of last year's winter wheat acreage.				

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	7	5	10	5
CA	4	NA	5	2
CO	0	NA	0	0
ID	0	NA	0	0
IL	0	NA	0	0
IN	0	NA	0	0
KS	0	NA	0	0
MI	0	NA	0	0
MO	1	NA	0	1
MT	0	NA	0	0
NE	0	NA	0	0
NC	4	1	4	6
OH	0	NA	0	0
OK	4	7	23	8
OR	0	NA	0	0
SD	0	NA	0	0
TX	24	14	23	24
WA	0	NA	0	0
18 Sts	3	NA	5	3
These 18 States harvested 92% of last year's winter wheat acreage.				

Winter Wheat Condition by Percent					
	VP	P	F	G	EX
AR	1	7	27	52	13
CA	0	0	5	30	65
CO	26	41	26	7	0
ID	0	4	15	69	12
IL	2	6	22	59	11
IN	2	4	25	55	14
KS	24	31	30	14	1
MI	0	3	36	53	8
MO	1	3	28	62	6
MT	8	15	56	12	9
NE	49	31	15	5	0
NC	7	19	55	17	2
OH	0	4	36	49	11
OK	20	33	34	11	2
OR	6	13	26	35	20
SD	11	22	39	27	1
TX	24	40	24	12	0
WA	3	4	16	56	21
18 Sts	18	26	30	21	5
Prev Wk	18	26	30	22	4
Prev Yr	6	12	30	44	8

Oats Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
IA	95	95	98	96
MN	86	66	83	80
NE	94	82	91	94
ND	56	54	74	51
OH	86	78	86	87
PA	88	75	95	81
SD	92	88	95	89
TX	100	100	100	100
WI	77	56	74	77
9 Sts	85	79	89	83
These 9 States planted 76% of last year's oat acreage.				

Oats Percent Headed				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
IA	39	16	35	28
MN	1	0	1	2
NE	18	8	21	19
ND	0	0	0	0
OH	4	0	1	10
PA	4	0	5	2
SD	18	1	12	9
TX	100	100	100	100
WI	4	0	5	6
9 Sts	32	25	30	29
These 9 States planted 76% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	1	14	68	17
MN	1	2	26	65	6
NE	23	34	33	10	0
ND	1	4	49	45	1
OH	0	1	34	62	3
PA	0	1	29	60	10
SD	8	11	43	35	3
TX	15	34	39	10	2
WI	0	2	21	71	6
9 Sts	7	14	35	40	4
Prev Wk	8	14	34	40	4
Prev Yr	6	8	36	44	6

Barley Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
ID	100	95	97	97
MN	94	90	93	85
MT	83	90	96	90
ND	86	85	95	84
WA	100	97	98	100
5 Sts	89	90	96	90
These 5 States planted 81% of last year's barley acreage.				

Barley Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
ID	95	90	93	87
MN	79	50	70	70
MT	59	62	79	70
ND	60	53	69	50
WA	97	89	95	91
5 Sts	69	67	80	69
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	1	5	20	71	3
MN	1	1	18	76	4
MT	1	12	84	3	0
ND	0	2	46	49	3
WA	0	3	17	78	2
5 Sts	1	7	54	36	2
Prev Wk	0	6	52	40	2
Prev Yr	1	9	47	42	1

Crop Progress and Condition

Week Ending May 31, 2026

Spring Wheat Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
ID	100	98	99	99
MN	100	93	95	90
MT	91	83	92	91
ND	93	83	94	85
SD	100	98	100	99
WA	100	98	99	100
6 Sts	94	86	94	89
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
ID	96	94	96	89
MN	93	55	78	74
MT	51	60	70	69
ND	68	43	65	57
SD	96	90	96	91
WA	99	95	96	94
6 Sts	71	56	72	67
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	1	4	20	70	5
MN	0	0	22	75	3
MT	5	10	84	1	0
ND	1	2	39	51	7
SD	1	7	48	40	4
WA	0	5	25	67	3
6 Sts	2	4	47	43	4
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	0	13	37	47	3

Rice Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	97	98	100	97
CA	93	60	90	92
LA	100	100	100	99
MS	90	98	100	96
MO	97	98	99	97
TX	100	100	100	99
6 Sts	96	93	98	97
These 6 States planted 100% of last year's rice acreage.				

Rice Percent Emerged				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AR	91	90	95	91
CA	58	10	40	50
LA	99	95	98	96
MS	85	93	96	91
MO	84	82	93	88
TX	97	95	100	93
6 Sts	87	78	87	85
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	1	4	32	47	16
CA	0	0	0	80	20
LA	0	3	21	57	19
MS	0	2	68	27	3
MO	0	0	22	70	8
TX	0	2	15	77	6
6 Sts	0	3	25	57	15
Prev Wk	1	3	23	56	17
Prev Yr	1	4	20	53	22

Cotton Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AL	65	75	83	82
AZ	99	96	99	98
AR	83	77	88	91
CA	99	97	99	98
GA	72	58	72	75
KS	81	56	77	76
LA	87	70	82	87
MS	52	73	83	80
MO	93	97	99	95
NC	72	61	77	79
OK	39	50	59	41
SC	89	62	76	83
TN	79	87	93	86
TX	59	42	56	59
VA	83	55	68	84
15 Sts	64	53	66	67
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Squaring				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AL	2	4	9	2
AZ	13	10	21	19
AR	0	0	8	0
CA	4	NA	5	2
GA	7	1	4	4
KS	0	NA	0	0
LA	0	0	0	2
MS	0	0	0	1
MO	0	NA	0	1
NC	0	0	0	0
OK	0	NA	0	0
SC	2	0	1	0
TN	4	1	6	5
TX	11	NA	10	10
VA	2	NA	1	2
15 Sts	7	NA	7	7
These 15 States planted 99% of last year's cotton acreage.				

Crop Progress and Condition

Week Ending May 31, 2026

Peanuts Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
AL	69	57	71	76
FL	79	71	82	87
GA	84	61	72	82
NC	86	79	88	82
OK	47	10	48	46
SC	92	63	80	87
TX	58	41	56	58
VA	95	59	80	90
8 Sts	79	60	72	79
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	3	13	82	2
FL	3	7	31	56	3
GA	1	8	42	43	6
NC	0	1	25	50	24
OK	3	11	45	36	5
SC	0	1	22	75	2
TX	1	1	49	46	3
VA	0	0	4	96	0
8 Sts	1	5	36	52	6
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	2	5	28	59	6

Sorghum Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
CO	31	16	25	29
KS	28	17	26	26
NE	36	27	46	47
OK	38	30	36	34
SD	47	40	56	56
TX	84	80	84	83
6 Sts	45	36	44	45
These 6 States planted 100% of last year's sorghum acreage.				

Sunflowers Percent Planted				
	Prev Year	Prev Week	May 31 2026	5-Yr Avg
CO	34	17	26	25
KS	22	17	28	20
ND	56	40	59	44
SD	21	15	23	28
4 Sts	39	27	40	35
These 4 States planted 85% of last year's sunflower acreage.				

Crop Progress and Condition

Week Ending May 31, 2026

Pasture and Range Condition by Percent Week Ending May 31, 2026												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	1	3	25	64	7		NH	0	0	43	9	48
AZ	41	34	18	6	1		NJ	1	2	55	41	1
AR	5	12	33	37	13		NM	26	28	31	11	4
CA	0	0	5	85	10		NY	0	4	15	72	9
CO	18	31	36	15	0		NC	28	45	13	13	1
CT	0	0	50	50	0		ND	6	16	34	43	1
DE	5	31	26	35	3		OH	0	1	34	58	7
FL	12	26	34	25	3		OK	19	15	32	28	6
GA	12	22	39	25	2		OR	6	6	22	58	8
ID	1	6	24	62	7		PA	1	1	42	35	21
IL	1	7	30	49	13		RI	0	0	50	50	0
IN	1	5	26	60	8		SC	4	23	38	29	6
IA	1	2	22	60	15		SD	27	21	28	23	1
KS	12	19	30	34	5		TN	5	16	37	38	4
KY	7	20	33	37	3		TX	12	20	31	24	13
LA	1	4	34	53	8		UT	10	48	32	10	0
ME	1	10	23	54	12		VT	0	0	9	55	36
MD	1	4	20	67	8		VA	14	44	33	9	0
MA	0	0	50	50	0		WA	4	14	30	51	1
MI	0	1	29	61	9		WV	15	33	35	15	2
MN	3	12	46	34	5		WI	2	9	31	50	8
MS	4	7	40	42	7		WY	35	24	20	21	0
MO	0	6	24	62	8		48 Sts	21	21	28	25	5
MT	36	23	26	14	1							
NE	51	29	15	5	0		Prev W	22	22	27	25	4
NV	5	0	70	15	10		Prev Yr	13	20	25	31	11

VP - Very Poor;

P - Poor;

F - Fair;



G - Good;

EX - Excellent

NA - Not Available;



*Revised

Crop Progress and Condition
Week Ending May 31, 2026



Crop Progress and Condition

Week Ending May 31, 2026



International Weather and Crop Summary

May 24 – 30, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Mostly dry weather prevailed, with record-setting May heat arriving over western portions of the continent.

WESTERN FSU: Cool and rainy weather further delayed fieldwork but benefited reproductive winter crops.

EASTERN FSU: Showers in the north favored spring wheat and barley emergence, while additional late-season rain farther south maintained supplemental soil moisture for cotton but slowed seasonal fieldwork.

MIDDLE EAST: Additional moderate to heavy showers in Turkey maintained adequate to abundant moisture supplies for reproductive to filling winter grains.

AUSTRALIA: Additional rain in eastern Australia further eased drought and improved soil moisture for winter crop planting and emergence.

SOUTH ASIA: Widespread, intense heat continued across South Asia, with Pakistan and north-central India bearing the brunt of the highest temperatures.

EAST ASIA: Dry weather dominated from Mongolia into northern China, whereas central and southern regions saw more frequent and widespread showers.

SOUTHEAST ASIA: Monsoon showers were widespread across Indochina and the Philippines, though some areas saw lighter-than-usual rainfall.


MEXICO: Similar to the previous week, showers favored crop development in eastern sections of the southern plateau corn belt, while some producers farther west planted while awaiting rain.

CANADIAN PRAIRIES: Sudden warmth promoted a rapid pace of fieldwork and crop development, followed by late-week showers on the southwestern Prairies.

SOUTHEASTERN CANADA: Wetness limited fieldwork in Quebec, while mostly dry weather favored planting activities and other late-spring fieldwork in Ontario.



EUROPE
Total Precipitation(mm)
May 24 - 30, 2026



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Dry weather prevailed across most of the continent, with warmer-than-normal conditions in eastern and central Europe transitioning to record-setting May heat in the west. Appreciable rainfall (10 mm or more) for the week was limited to central England, northwestern Germany, southwestern Poland, and intermittently from northern Italy into Greece and the southern Balkans. Otherwise, short-term dryness further reduced soil moisture for reproductive to filling winter crops across much of central and northern Europe save for near- to above-normal rainfall over the preceding 30 days in northern Germany and environs. More notably, extreme heat overspread western Europe, with daytime highs approaching 40°C in central and southern Spain, the middle and upper 30s

(degrees C) in western France, and as high as 34°C in southeastern England. The record-setting May high temperatures accelerated winter grain maturation on the Iberian Peninsula and likely stressed filling winter crops from England into France; in France, daytime highs reached or exceeded 35°C on 6 consecutive days in the southwest, 5 consecutive days in the west, but remained at or below 33°C in primary northern croplands. The warmth was less pronounced to the east, with anomalies ranging from 3 to 7°C above normal across central Europe to mostly less than 3°C above normal from Poland southward.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
May 24 - 30, 2026



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Widespread showers and below-normal temperatures prevailed across much of the region during the monitoring period. Weekly rainfall totals topped 25 mm (locally more than 90 mm) across much of southeastern Ukraine and southwestern Russia, further hampering summer crop planting and other seasonal fieldwork but maintaining adequate to locally excessive soil moisture for reproductive winter crops. Likewise, moderate to heavy showers (10-70 mm) across the remainder of western Russia sustained abundant soil moisture for late vegetative to

reproductive winter crops in the north but hampered late spring fieldwork. Conversely, rain was lighter (less than 15 mm) across northern-central and western Ukraine, favoring winter crop development and allowing producers to resume late summer crop planting and other seasonal fieldwork. Near- to above-normal temperatures were limited to Moldova and western portions of Ukraine and Belarus, while anomalously chilly conditions (2-5°C below normal) prevailed from eastern Belarus and central Ukraine into western Russia.

EASTERN FSU
Total Precipitation(mm)
May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Warm but unsettled weather prevailed across most primary growing areas. Widespread albeit highly variable showers and thunderstorms in northern Kazakhstan (5-90 mm) and neighboring portions of central Russia (5-30 mm) maintained favorable soil moisture in western and central growing areas while improving moisture supplies in East Kazakhstan and the western Siberia District. Despite the clouds and showers, above-normal temperatures (3-6°C above normal) maintained a

faster-than-normal pace of wheat and barley emergence and vegetative development across the western and central spring grain belt. Farther south across the Commonwealth of Independent States, widespread late-season showers and thunderstorms (10-55 mm, locally more) maintained abundant supplemental soil moisture for cotton establishment across eastern Uzbekistan and environs, while favorably drier weather settled over Turkmenistan and western Uzbekistan.

MIDDLE EAST
Total Precipitation(mm)
May 24 - 30, 2026



Weather station data for Syria, Iraq, and Iran was not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Persistent wet weather across Turkey contrasted with seasonably dry conditions over central and southern growing areas. Highly variable but locally heavy showers and thunderstorms produced an additional 5 to 75 mm of rainfall over most of Turkey. Consequently, prospects for Turkey's reproductive (north) to filling (center and southeast) winter grains remained good to excellent in these primary growing areas, further supported by the record-high Vegetation Health Index for this time of year. The 2025-26 Water Year (since September 1) remained the wettest of the past 30 years across much of Turkey, with the greatest surpluses noted in Adana (+603 mm, 211 percent of

normal) and the Armenian Highlands (+342 mm, 176 percent of normal). Seasonably dry weather prevailed from the central and southeastern Mediterranean Coast into Iran, facilitating winter grain maturation, drydown, and harvesting. Temperatures averaged near to below normal across the western half of the region, while warmer-than-normal conditions in eastern Iran* were suggested by neighboring weather stations in western Turkmenistan (up to 3°C above normal).

**Surface-based weather station data from Iran, Iraq, and much of Syria were either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA
Total Precipitation(mm)
May 24 - 30, 2026



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




AUSTRALIA

Additional drought-easing rainfall in eastern Australia contrasted with mostly dry weather in western portions of the continent. Widespread moderate to heavy showers (10-85 mm, locally more) over east-central Australia provided additional drought relief to the northern half of New South Wales and further improved soil moisture for winter crop planting and establishment over much of eastern Australia. Showers were hit and miss across the remainder of southern and southeastern Australia, with the heaviest rain (10-45 mm) noted from the southern Eyre Peninsula

eastward into northwestern Victoria and southwestern New South Wales. Conversely, mostly sunny skies in Western Australia favored winter crop planting for most of the week, though moderate to heavy showers (10-55 mm; locally more than 75 mm along and west of the Darling Range) at the end of the monitoring period eased short-term dryness and improved soil moisture for winter grain and oilseed planting. Temperatures for the week averaged near normal over western and southern Australia but 2 to 5°C above normal over the continent's southeastern quadrant.

SOUTH ASIA
Total Precipitation(mm)
May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTH ASIA


The Southwest Monsoon had not progressed beyond northern Sri Lanka, leaving the rest of the region under pre monsoon weather patterns. Extreme heat dominated Pakistan and large parts of India during this period, with widespread maximum temperatures climbing into the middle 40s (degrees C) across many interior regions. Several areas in Pakistan and northwestern India reported exceptional maximum temperatures of 43 to 48°C. Much of Pakistan and northwestern India remained largely dry, with only isolated locations receiving up to 25 mm of rain, while

central and eastern India saw scattered light showers (10-50 mm) that provided little relief from the heat. In contrast, parts of northeastern India and Bangladesh recorded more frequent and substantial rainfall, with several locations recording moderate to heavy amounts (25-200 mm). Farther south, scattered tropical showers produced additional moderate to locally heavy rainfall (10-100 mm). Even across southern India, daytime highs frequently rose into the upper 30s to lower 40s, underscoring how widespread and persistent the heat remained across the subcontinent.

EASTERN ASIA

Total Precipitation(mm)

May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN ASIA

Dry weather persisted across Mongolia and northern China, contrasting with more active rainfall across central and southern China. Although a few areas in the north picked up some precipitation, amounts were generally light (under 25 mm), which may slow the emergence of spring soybeans and other grains where soil moisture remained limited. From the North China Plains southward, moderate to heavy rainfall (10-100 mm) supported early-season rice and corn development by maintaining favorable conditions for germination and early vegetative growth.

Across the Korean Peninsula and Japan, scattered showers (10-100 mm) provided beneficial moisture for young summer crops, though localized dry pockets could still restrict early growth. Heavier rainfall (100-200 mm) along parts of southern Japan further boosted moisture supplies. Regionwide temperatures were near to above normal (up to 5°C above normal), with daytime highs ranging from the upper 20s (degrees C) in the north to the upper 30s toward the southern coastline. In Xinjiang, highs in the upper 20s to lower 30s favored cotton development.

SOUTHEAST ASIA
Total Precipitation(mm)
May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEAST ASIA


Widespread monsoon showers persisted across the region, though some locations reported unusually low totals (under 25 mm). Most areas received 25 to 100 mm of rain, with isolated pockets measuring 100 to 400 mm. These near-to above-normal amounts generally supported adequate soil moisture for rice planting and early tillering. In contrast, northeastern and east-

central parts of the Philippines remained notably drier (less than 15 mm), which could delay transplanting, slow early crop establishment, or increase irrigation needs. Elsewhere, much of Malaysia and nearby portions of Indonesia recorded 10 to 120 mm of rainfall, benefitting oil palm. Daytime highs across the region ranged from the middle to upper 30s (degrees C).

MEXICO

Total Precipitation(mm)

May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


For the second week in a row, rain (10-50 mm) fell in much of southern and eastern Mexico, although much higher totals (100-200 mm, locally more) were observed in parts of Campeche, Yucatán, and Quintana Roo. Widespread showers in eastern sections of the southern plateau corn belt promoted the development of corn and other recently planted

summer crops. Some producers in the western part of the southern plateau opted to plant while awaiting seasonal showers. Elsewhere, near- or slightly below-normal temperatures prevailed in northern Mexico, while weekly readings averaged 1 to 3°C above normal across the western half of the southern plateau corn belt.

CANADIAN PRAIRIES

Total Precipitation(mm)

May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


A sudden hot spell promoted a torrid planting pace for oilseeds, pulses, and small grains, and favored the rapid development of winter wheat and already emerged summer crops. As the week began, provincial reports indicated that planting was still well behind schedule. For example, seeding of all crops in Saskatchewan was 52 percent complete by May 25, versus the 5-year average of 74 percent.

However, late-May temperatures across the Prairies mostly averaged 5 to 10°C above normal, with readings briefly peaking at 35°C or higher in parts of Saskatchewan and Manitoba. Additionally, rainfall totaled less than 10 mm at most Prairie locations, except where late-week showers produced as much as 10 to 25 mm, with locally higher amounts, in southern Alberta and southwestern Saskatchewan.

SOUTHEASTERN CANADA

Total Precipitation(mm)

May 24 - 30, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Rain (10-40 mm) in Quebec's crop production areas contrasted with mostly dry weather in Ontario. Consequently, fieldwork lagged in portions of Quebec, while mild, dry weather fostered winter wheat development, as well as late-season corn and soybean planting, in Ontario. Weekly temperatures averaged within 2°C of normal throughout

southeastern Canada, with the highest readings ranging from 25 to 30°C. Provincial reports indicated that freezes earlier in the month resulted in variable damage to a variety of crops. Notably, any early-planted canola in Ontario reportedly experienced significant frost damage, while corn and soybeans appeared to have been largely unscathed.




United States
Department of
Agriculture

This product was prepared by the
USDA Office of the Chief Economist (OCE)
World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

May 31, 2026



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://esmis.nal.usda.gov/>, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).