


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS

June 14 – 20, 2026



Highlights provided by USDA/WAOB

Tropical Storm Arthur briefly formed near the **middle Texas coast** on June 17, hours before wobbling inland near **Galveston**. However, a precursor low-pressure system delivered heavy rain in parts of **southern Texas**, followed by a post-tropical deluge from the **central Gulf Coast region into the lower Southeast**. Totals of 4 to 8 inches or more were common across the **Deep South**, with higher amounts observed in several spots. Although flash flooding and lowland flooding occurred, overall impacts were muted by antecedent drought, which until recently had spanned the

(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps.....	2
Temperature Departure Map	3
June 16 Drought Monitor & U.S. Seasonal Drought Outlook	4
Growing Degree Day Maps	5
National Weather Data for Selected Cities	7
National Agricultural Summary	10
Crop Progress and Condition Tables.....	11
International Weather and Crop Summary	16
Bulletin Information & June 17 Satellite Image of T.S. Arthur	28




(Continued from front cover)

South. Farther north, a series of cold fronts sparked occasional showers and thunderstorms, resulting in localized wind and hail damage but maintaining mostly favorable soil moisture reserves for **Midwestern** summer crops. The **Plains** also received scattered showers, amid variable impacts related to lingering drought on rangeland, pastures, and summer crops. Meanwhile, the **Plains'** winter wheat harvest quickly advanced between showers, as the drought-affected crop dried down ahead of the normal pace. In the **western U.S.**, hot, dry weather prevailed, aside from scattered **Southwestern** showers. Complications related to **Western** heat included heavy irrigation demands and a broadly elevated wildfire threat. One of the region's most significant wildfires, the Iron Fire near **Eureka, UT**, ignited on June 19 and quickly burned more than 20,000 acres of grass and chaparral. Weekly temperatures averaged as much as 5 to 10°F above normal in the **West**, but were 5 to 10°F below normal from **Nebraska and the Dakotas eastward into the lower Great Lakes region**. Near-normal temperatures covered the remainder of the **central and eastern U.S.**, aside from warm, humid weather along the **Atlantic Seaboard**.



Northwestern heat peaked early in the week with consecutive daily-record highs on June 14-15 in **Olympia, WA** (92 and 93°F), and **Eugene, OR** (96 and 98°F). **Seattle, WA** (89 and 91°F), and **Portland, OR** (94 and 97°F), also notched a pair of record highs on those dates. A separate area of heat affecting portions of the **southern Atlantic States** led to daily-record highs in locations such as **Raleigh-Durham, NC** (101°F on June 14), and **Miami, FL** (95°F on June 16). In contrast, cool air settled across the **northern Plains** before spreading southeastward. On June 15, daily-record lows dipped to 30°F in **Casper, WY**; 33°F in **Alliance, NE**; and 43°F in **Mobridge, SD**. A day later, **Dubois, PA**, collected a record-setting low (41°F) for June 16. During the mid- to late-week period, heat affected portions of the **south-central U.S.**, including the **southern half of the High Plains**. **Pueblo, CO**, attained 106°F, a record for June 17. On the same date, highs of 109°F in **Roswell, NM**, and **Midland, TX**, were just shy of respective daily records. **San Angelo, TX**, achieved a daily-record high of 110°F on June 18.



Early in the week, the low-pressure system that on June 17 would briefly become Tropical Storm Arthur traversed **northeastern Mexico** and **southern Texas**. Meanwhile, a separate disturbance triggered some **Southwestern** showers, leading to daily-record totals in **El Paso, TX** (1.35 inches on June 14), and **Prescott, AZ** (0.69 inch on June 15). Farther east, heavy showers in the vicinity of a cold front soaked the **central Gulf Coast region**, long before Arthur's arrival. On June 15, **Shreveport, LA**, collected a daily-record sum of 2.57 inches, followed the next day by record-setting amounts of 3.97 inches in **Baton Rouge, LA**, and 4.20 inches in





Hattiesburg, MS. In **south-central Texas**, 2 days before Arthur's naming, daily-record totals for June 15 included 3.24 inches in **Austin (Camp Mabry)** and 2.60 inches in **San Antonio**. On June 17, as Arthur approached **Galveston, TX**, a peak southeasterly wind gust to 65 mph was clocked. By June 18, Arthur's remnant circulation delivered another round of torrential rain in the **central Gulf Coast States**, with daily-record totals reaching 7.75 inches in **New Orleans, LA**; 4.50 inches in **Gulfport, MS**; and 4.49 inches in **Mobile, AL**. Heavy rain spread into **Georgia**, where **Columbus** collected 3.96 inches, a record for June 18. With 6.63 inches on June 19, **Alma, GA**, weathered its wettest June day, surpassing 4.42 inches with Hurricane Agnes on June 19, 1972. **Southeastern** showers lingered through June 20, when daily-record amounts included 3.04 inches in **Birmingham, AL**, and 2.85 inches in **Fort Pierce, FL**. Farther north, a series of cold fronts sparked showers and locally severe thunderstorms. Daily-record totals exceeded the 2-inch mark in several locations, including **Wilmington, DE** (2.17 inches on June 14); **Peoria, IL** (2.24 inches on June 17); **Louisville, KY** (3.38 inches on June 18); and **Broken Bow, NE** (2.21 inches on June 20).

Near- or above-normal temperatures prevailed in **Alaska**, except for chilly conditions in the **Aleutians** and environs. With a high of 81°F on June 19, **Fairbanks** noted its first day this year with a reading above the 80-degree mark. **Alaskan** precipitation was mostly light, aside from higher totals across the **state's southern tier**. **Yakutat** netted a daily-record rainfall of 3.47 inches on June 14. Farther south, warm, mostly dry weather prevailed in **Hawaii**. Daily-record highs included 91°F (on June 20) in **Honolulu, Oahu**, and 86°F (on June 18) in **Hilo**, on the **Big Island**. At the state's major airport observation sites, June 1-20 rainfall ranged from 0.06 inch (18 percent of normal) in **Honolulu** to 8.31 inches (177 percent) in **Hilo**. Most of **Hilo's** rain, 7.73 inches, fell during the first 10 days of June.







National Weather Data for Selected Cities

Weather Data for the Week Ending June 20, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	64	49	71	45	56	0	0.00	-0.24	0.00	0.12	19	8.30	206	84	52	0	0	0	0
	BARROW	44	32	58	28	38	0	0.00	-0.10	0.00	0.12	46	6.11	488	95	80	0	4	0	0
	FAIRBANKS	75	53	81	50	64	2	0.13	-0.23	0.13	0.56	63	7.61	231	76	30	0	0	1	0
	JUNEAU	61	48	75	45	55	0	0.00	-0.90	0.00	1.05	42	28.15	120	96	65	0	0	0	0
	KODIAK	55	44	62	42	49	-2	1.89	0.70	1.11	6.95	190	36.81	104	97	74	0	0	4	1
AL	NOME	64	43	76	38	53	5	0.00	-0.12	0.00	0.01	2	5.65	118	85	44	0	0	0	0
	BIRMINGHAM	86	71	92	68	78	0	5.09	3.97	3.13	10.06	321	34.47	119	95	62	1	0	4	3
	HUNTSVILLE	86	69	91	65	77	-2	0.91	-0.02	0.67	3.56	137	27.90	101	99	55	1	0	2	1
	MOBILE	86	73	94	69	79	-1	6.19	4.64	4.48	7.00	161	29.87	96	97	73	2	0	6	2
	MONTGOMERY	84	72	95	69	78	-3	4.99	4.06	1.16	5.34	205	24.62	97	96	70	1	0	7	5
AR	FORT SMITH	88	70	94	67	79	0	1.57	0.54	1.54	7.24	236	21.96	96	95	55	3	0	2	1
	LITTLE ROCK	87	70	92	68	78	0	0.41	-0.37	0.26	2.27	92	23.35	91	91	54	2	0	3	0
AZ	FLAGSTAFF	83	50	87	43	66	5	0.13	0.08	0.13	0.26	163	4.80	60	64	17	0	0	1	0
	PHOENIX	109	86	112	81	97	5	0.00	0.00	0.00	0.00	0	0.62	21	33	12	7	0	0	0
	PRESCOTT	90	63	93	56	76	4	0.69	0.61	0.69	1.15	727	3.81	84	55	15	5	0	1	1
CA	TUCSON	101	74	104	70	88	1	0.96	0.92	0.52	0.96	900	3.40	122	56	15	7	0	2	0
	BAKERSFIELD	97	70	103	60	84	5	0.00	-0.01	0.00	0.00	0	3.19	72	48	17	5	0	0	0
	EUREKA	58	52	61	49	55	-1	0.00	-0.15	0.00	0.76	134	14.87	62	99	83	0	0	0	0
	FRESNO	96	68	102	61	82	4	0.00	-0.07	0.00	0.00	0	6.54	85	63	21	5	0	0	0
	LOS ANGELES	70	61	71	58	66	-1	0.00	-0.02	0.00	0.00	0	5.68	66	89	65	0	0	0	0
	REDDING	99	68	109	61	84	6	0.01	-0.15	0.01	0.02	3	15.49	73	73	22	6	0	1	0
	SACRAMENTO	86	58	94	55	72	0	0.00	-0.05	0.00	0.00	0	10.67	88	85	37	2	0	0	0
	SAN DIEGO	72	65	73	63	68	1	0.00	-0.01	0.00	0.00	0	6.02	91	83	63	0	0	0	0
	SAN FRANCISCO	71	59	75	57	65	2	0.00	-0.03	0.00	0.00	0	11.87	94	83	56	0	0	0	0
	STOCKTON	90	59	96	57	75	0	0.00	-0.02	0.00	0.00	0	9.31	105	97	37	4	0	0	0
CO	ALAMOSA	85	45	91	35	65	4	0.14	0.05	0.14	0.15	61	1.02	40	73	13	1	0	1	0
	CO SPRINGS	84	54	99	48	69	1	0.01	-0.50	0.01	0.06	3	5.09	79	63	19	2	0	1	0
	DENVER INTL	86	51	93	45	68	0	0.00	-0.43	0.00	1.26	93	5.19	75	64	19	3	0	0	0
	GRAND JUNCTION	95	61	100	57	78	5	0.00	-0.09	0.00	0.00	0	2.43	60	27	7	7	0	0	0
	PUEBLO	92	58	106	52	75	3	0.01	-0.26	0.01	0.09	10	3.63	66	63	16	4	0	1	0
CT	BRIDGEPORT	81	62	86	55	71	1	0.31	-0.59	0.29	1.66	61	15.14	72	84	39	0	0	2	0
	HARTFORD	82	57	90	50	70	0	0.17	-0.86	0.11	0.22	7	17.62	84	85	36	1	0	2	0
DC	WASHINGTON	88	67	96	61	78	1	0.00	-0.99	0.00	0.53	19	13.73	72	71	32	4	0	0	0
DE	WILMINGTON	84	64	90	54	74	0	2.23	1.10	2.23	2.98	93	16.64	81	83	39	2	0	1	1
FL	DAYTONA BEACH	93	74	96	73	84	3	2.91	1.19	1.15	4.42	97	23.15	120	95	52	7	0	5	2
	JACKSONVILLE	93	74	97	70	83	3	2.25	0.30	1.50	4.43	88	18.32	88	93	54	6	0	5	1
	KEY WEST	89	83	90	82	86	2	0.00	-1.01	0.00	6.61	227	11.26	86	82	68	1	0	0	0
	MIAMI	94	78	95	74	86	3	0.66	-1.93	0.66	2.00	28	21.92	94	86	51	7	0	1	1
	ORLANDO	95	76	98	75	86	4	0.27	-1.72	0.27	0.72	13	9.84	50	93	45	6	0	1	0
	PENSACOLA	88	74	95	71	81	-1	2.12	0.33	0.84	5.53	114	22.14	75	94	68	3	0	5	2
	TALLAHASSEE	90	73	96	70	81	0	4.39	2.37	1.27	4.41	85	18.31	70	97	63	4	0	7	4
	TAMPA	92	80	94	77	86	3	0.57	-1.31	0.39	0.61	13	13.02	74	84	57	7	0	2	0
	WEST PALM BEACH	93	77	94	74	85	3	1.86	-0.24	0.77	4.51	77	26.88	112	90	54	7	0	5	1
	ATHENS	86	69	91	66	77	-1	2.71	1.50	1.63	3.98	125	22.87	99	100	57	1	0	5	1
GA	ATLANTA	85	71	90	67	78	0	2.96	1.89	1.92	3.95	137	21.89	91	92	58	1	0	3	2
	AUGUSTA	89	71	95	70	80	0	3.85	2.69	1.50	4.02	124	20.53	98	97	54	3	0	5	3
	COLUMBUS	85	72	94	71	78	-3	7.69	6.73	4.56	9.50	353	33.81	143	94	66	1	0	7	3
	MACON	87	71	94	71	79	-1	3.79	2.74	1.50	6.09	219	22.21	101	100	66	2	0	6	3
	SAVANNAH	90	73	97	72	81	1	1.59	-0.10	0.57	1.97	44	11.38	54	95	58	4	0	6	1
HI	HILO	83	69	86	67	76	1	0.14	-1.62	0.12	10.12	215	73.28	141	90	61	0	0	3	0
	HONOLULU	88	74	91	72	81	1	0.04	-0.07	0.04	0.09	25	21.59	268	82	50	2	0	1	0
	KAHULUI	87	70	91	67	78	-1	0.32	0.29	0.26	0.65	638	28.37	308	90	58	2	0	2	0
IA	LIHUE	83	74	84	70	78	0	0.33	-0.12	0.31	0.96	82	39.38	226	88	67	0	0	2	0
	BURLINGTON	76	56	80	51	66	-7	2.28	1.17	2.03	4.83	146	16.38	95	96	44	0	0	3	1
	CEDAR RAPIDS	76	53	78	49	64	-6	1.15	-0.18	0.87	7.13	194	18.10	115	94	44	0	0	4	1
ID	DES MOINES	78	56	84	53	67	-6	0.22	-1.04	0.12	5.00	139	19.03	109	88	36	0	0	3	0
	DUBUQUE	74	53	77	49	63	-6	0.53	-0.68	0.45	8.44	240	23.04	135	93	48	0	0	4	0
	SIOUX CITY	80	51	84	43	65	-6	0.05	-0.95	0.04	0.88	29	10.31	77	87	31	0	0	2	0
	WATERLOO	76	52	79	46	64	-8	0.43	-0.94	0.23	4.00	104	18.03	108	93	40	0	0	2	0
	BOISE	88	58	95	53	73	5	0.22	0.05	0.22	0.27	45	6.34	90	52	14	3	0	1	0
IL	LEWISTON	88	57	92	53	73	6	0.00	-0.29	0.00	0.24	26	8.68	115	55	16	2	0	0	0
	POCATELLO	84	49	90	40	67	4	0.00	-0.20	0.00	0.27	36	4.53	68	57	15	1	0	0	0
	CHICAGO/O_HARE	74	58	77	53	66	-5	0.93	-0.04	0.72	3.65	130	19.83	113	82	43	0	0	2	1
	MOLINE	76	54	79	49	65	-8	2.11	0.95	1.80	5.44	163	16.30	91	92	43	0	0	4	1
	PEORIA	75	56	79	51	66	-7	2.47	1.65	2.34	6.24	245	20.48	114	93	43	0	0	2	1
IN	ROCKFORD	74	53	77	49	64	-7	0.62	-0.64	0.49	4.93	135	18.08	105	91	45	0	0	3	0
	SPRINGFIELD	77	56	80	51	66	-8	0.91	-0.18	0.91	4.72	148	22.87	124	96	44	0	0	1	1
	EVANSVILLE	83	60	87	54	71	-5	0.49	-0.53	0.43	1.85	63	16.85	69	94	43	0	0	3	0
	FORT WAYNE	76	54	80	51	65	-6	1.10	0.09	0.48	2.55	83	19.							

Weather Data for the Week Ending June 20, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																	TEMP. °F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	01 INCH OR MORE	50 INCH OR MORE
KY	WICHITA	86	64	99	59	75	-3	0.52	-0.60	0.52	2.79	83	11.50	72	88	39	2	0	1	1
	LEXINGTON	80	59	84	53	69	-5	2.27	1.12	2.27	6.08	180	21.94	88	90	50	0	0	1	1
	LOUISVILLE	82	63	86	59	73	-5	3.46	2.46	3.39	5.87	205	24.43	100	85	46	0	0	2	1
LA	PADUCAH	83	62	86	57	72	-5	0.38	-0.65	0.38	3.76	124	19.03	74	96	48	0	0	1	0
	BATON ROUGE	89	74	94	73	82	1	7.07	5.44	4.07	10.78	249	40.88	136	96	66	4	0	5	3
	LAKE CHARLES	89	78	92	76	83	1	0.71	-0.88	0.34	2.83	64	21.90	81	96	70	3	0	6	0
MA	NEW ORLEANS	90	75	94	72	83	0	11.47	9.60	7.79	13.39	263	38.21	129	95	65	5	0	6	4
	SHREVEPORT	87	74	91	73	80	-1	***	***	***	***	***	***	***	98	67	2	0	***	***
	BOSTON	82	64	91	60	73	4	0.39	-0.57	0.38	0.77	28	12.10	59	76	38	1	0	2	0
MD	WORCESTER	77	56	85	52	67	1	0.92	-0.09	0.87	1.33	45	19.33	89	85	44	0	0	3	1
	BALTIMORE	85	63	92	55	74	0	0.61	-0.32	0.61	1.11	41	14.28	71	79	36	2	0	1	1
	CARIBOU	70	52	77	49	61	-1	2.10	1.18	1.18	3.69	152	20.47	120	98	60	0	0	6	1
ME	PORTLAND	75	58	81	52	67	2	0.61	-0.40	0.42	2.83	97	21.11	95	93	51	0	0	2	0
	ALPENA	70	47	77	43	59	-5	1.76	1.13	0.56	3.65	201	22.30	176	96	47	0	0	4	3
	GRAND RAPIDS	71	54	74	48	62	-7	1.03	0.13	0.65	2.63	99	12.15	68	92	49	0	0	4	1
MI	HOUGHTON LAKE	69	49	74	44	59	-6	1.80	1.03	0.95	3.40	154	23.77	178	96	52	0	0	4	1
	LANSING	72	53	75	47	62	-6	1.18	0.28	0.86	2.72	108	16.50	107	90	52	0	0	4	1
	MUSKEGON	69	53	71	46	61	-7	1.00	0.28	0.50	3.24	157	24.94	157	92	59	0	0	4	1
MN	TRAVERSE CITY	70	49	74	43	60	-7	1.29	0.72	0.93	2.65	149	19.58	167	98	48	0	0	3	1
	DULUTH	67	48	76	42	57	-4	0.85	-0.17	0.61	3.11	113	13.82	114	95	47	0	0	3	1
	INT_L FALLS	66	43	75	36	55	-7	0.59	-0.31	0.32	1.17	48	6.95	72	97	50	0	0	5	0
MO	MINNEAPOLIS	74	55	79	54	65	-6	0.80	-0.30	0.55	1.93	65	11.20	84	83	37	0	0	4	1
	ROCHESTER	72	52	77	47	62	-6	0.63	-0.67	0.42	2.86	77	11.85	76	88	41	0	0	5	0
	ST. CLOUD	73	49	80	43	61	-5	1.70	0.80	0.93	3.48	139	11.10	94	95	41	0	0	3	1
MS	COLUMBIA	80	61	89	57	70	-5	0.36	-0.60	0.18	6.29	223	29.13	148	94	48	0	0	3	0
	KANSAS CITY	81	60	92	53	71	-4	0.22	-1.00	0.19	5.51	156	24.90	139	88	43	1	0	2	0
	SAINT LOUIS	82	63	93	58	73	-5	0.20	-0.87	0.13	3.99	131	24.23	115	85	42	1	0	2	0
MT	SPRINGFIELD	80	63	88	59	72	-4	2.16	1.12	1.54	6.52	215	25.85	118	94	52	0	0	3	2
	JACKSON	85	73	93	70	79	-1	5.26	4.23	1.74	6.31	213	26.30	89	100	78	2	0	6	4
	MERIDIAN	83	72	92	71	78	-3	6.69	5.59	2.61	7.76	254	34.89	118	99	77	1	0	6	5
NC	TUPELO	85	70	90	67	78	-2	1.37	0.19	1.08	2.54	76	23.56	79	99	62	1	0	3	1
	BILLINGS	76	52	91	44	64	-1	0.00	-0.51	0.00	0.79	49	6.64	86	70	24	1	0	0	0
	BUTTE	74	41	81	30	57	2	0.00	-0.58	0.00	0.17	9	6.07	90	72	21	0	1	0	0
ND	CUT BANK	71	45	80	39	58	0	0.00	-0.57	0.00	0.02	0	0.88	16	85	33	0	0	0	0
	GLASGOW	74	48	83	41	61	-4	0.48	-0.18	0.29	1.58	79	7.48	115	88	34	0	0	3	0
	GREAT FALLS	75	46	85	38	60	1	0.61	0.00	0.37	2.50	124	10.06	125	90	30	0	0	2	0
NE	HAVRE	75	46	83	38	60	-2	0.11	-0.47	0.10	2.12	120	5.56	93	89	33	0	0	2	0
	MISSOULA	81	50	84	39	65	6	0.00	-0.50	0.00	0.46	29	8.67	116	72	21	0	0	0	0
	ASHEVILLE	82	61	88	56	71	-1	0.35	-0.84	0.25	2.06	66	21.07	92	96	49	0	0	2	0
NH	CHARLOTTE	88	69	94	64	79	1	1.57	0.59	0.84	2.36	84	15.06	73	92	39	2	0	2	2
	GREENSBORO	87	66	94	62	77	1	0.70	-0.29	0.43	0.70	25	13.10	65	89	38	2	0	3	0
	HATTERAS	84	72	87	67	78	0	0.64	-0.37	0.47	1.76	59	17.17	68	95	66	0	0	2	0
NJ	RALEIGH	92	68	101	59	80	3	1.48	0.56	1.04	1.48	57	10.22	51	86	32	4	0	2	1
	WILMINGTON	91	73	95	69	82	3	0.57	-0.76	0.35	1.16	31	13.17	58	90	50	4	0	2	0
	BISMARCK	73	47	76	42	60	-6	0.52	-0.29	0.20	1.34	60	7.06	89	92	37	0	0	4	0
NM	DICKINSON	73	43	82	38	58	-5	0.37	-0.34	0.13	1.22	62	6.17	88	93	36	0	0	3	0
	FARGO	75	48	82	43	62	-6	0.98	-0.05	0.58	1.61	57	7.41	73	92	36	0	0	3	1
	GRAND FORKS	72	48	78	44	60	-5	0.58	-0.31	0.44	3.28	136	9.23	110	92	42	0	0	4	0
NV	JAMESTOWN	72	48	75	43	60	-6	0.85	0.10	0.52	2.04	93	5.86	72	96	41	0	0	4	1
	GRAND ISLAND	78	56	84	49	67	-7	1.99	1.14	1.88	5.15	179	12.54	97	82	39	0	0	3	1
	LINCOLN	81	56	87	49	69	-6	0.89	-0.15	0.72	4.42	143	14.19	102	86	35	0	0	2	1
NY	NORFOLK	79	51	82	43	65	-6	0.68	-0.30	0.68	1.31	44	9.91	79	85	30	0	0	1	1
	NORTH PLATTE	80	51	92	38	65	-5	0.18	-0.62	0.15	1.12	44	5.44	53	82	33	1	0	2	0
	OMAHA	80	57	84	51	69	-6	0.60	-0.39	0.46	3.22	104	13.60	94	87	34	0	0	2	0
OH	SCOTTSBLUFF	81	51	94	40	66	-4	0.16	-0.43	0.16	1.05	57	5.36	63	72	25	1	0	1	0
	VALENTINE	76	54	79	51	65	-5	1.31	0.40	1.31	3.95	146	8.13	85	92	63	0	0	1	1
	CONCORD	80	55	90	48	67	1	1.33	0.41	0.79	1.82	70	20.02	109	92	42	1	0	4	1
PA	ATLANTIC_CITY	85	63	95	54	74	2	0.06	-0.78	0.03	0.90	37	12.26	60	83	35	1	0	2	0
	NEWARK	85	65	94	58	75	1	0.39	-0.62	0.38	0.77	25	15.36	71	78	32	2	0	2	0
	ALBUQUERQUE	95	64	100	59	79	2	0.06	-0.07	0.05	0.06	19	2.81	112	54	12	6	0	2	0
RI	ELY	89	47	93	43	68	6	0.00	-0.11	0.00	0.01	2	3.89	75	42	8	3	0	0	0
	LAS VEGAS	105	84	108	77	95	7	0.00	0.00	0.00	0.00	0	0.74	36	18	6	7	0	0	0
	RENO	94	65	98	55	80	10	0.00	-0.10	0.00	0.00	0	2.89	65	48	11	5	0	0	0
TN	WINNEMUCCA	94	57	97	50	76	10	0.00	-0.11	0.00	0.00	0	4.59	90	53	20	6	0	0	0
	ALBANY	78	56	84	47	67	-2	3.15	2.17	2.13	3.56	129	17.54	101	88	41	0	0	3	2
	BINGHAMTON	72	53	78	45	62	-3	0.79	-0.39	0.41	2.63	83	21.16	113	89	47	0	0	5	0
TX	BUFFALO	71	55	76	51	63	-4	1.86	1.07	1.17	3.11	132	25.36	142	87	53	0	0	5	2
	ROCHESTER	74	56	79	50	65	-3	3.13	2.34	1.44	3.93	176	24							

Weather Data for the Week Ending June 20, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
OK	TOLEDO	76	54	81	52	65	-7	1.35	0.56	0.90	3.24	139	20.71	122	91	42	0	0	3	1
	YOUNGSTOWN	75	51	80	47	63	-5	1.23	0.33	0.46	1.81	70	21.93	116	96	45	0	0	5	0
	OKLAHOMA CITY	86	66	94	63	76	-1	1.70	0.68	1.70	2.31	73	12.06	69	93	48	2	0	1	1
OR	TULSA	86	67	93	62	76	-3	0.27	-0.77	0.27	3.44	107	22.10	112	91	51	2	0	1	0
	ASTORIA	71	54	89	50	62	5	0.00	-0.54	0.00	3.03	174	30.92	92	89	54	0	0	0	0
	BURNS	86	44	91	37	65	5	0.00	-0.17	0.00	0.16	28	5.08	84	60	10	1	0	0	0
PA	EUGENE	86	52	98	51	69	8	0.00	-0.26	0.00	0.20	20	15.12	68	86	28	2	0	0	0
	MEDFORD	94	60	102	58	77	10	0.00	-0.15	0.00	0.12	23	7.65	77	67	17	5	0	0	0
	PENDLETON	87	55	91	49	71	6	0.00	-0.25	0.00	0.10	11	1.22	16	56	15	2	0	0	0
	PORTLAND	85	58	96	54	72	7	0.00	-0.38	0.00	0.52	41	17.56	90	74	28	2	0	0	0
	SALEM	86	55	98	50	70	8	0.00	-0.28	0.00	0.53	52	14.60	68	76	27	2	0	0	0
	ALLENTOWN	82	59	90	49	71	-1	0.42	-0.63	0.42	0.99	34	15.46	77	83	36	1	0	1	0
	ERIE	73	59	81	55	66	-3	2.15	1.29	1.62	3.19	130	22.45	121	92	52	0	0	5	1
	MIDDLETOWN	83	62	89	53	73	-1	0.22	-0.70	0.11	1.11	42	16.05	83	79	36	0	0	3	0
	PHILADELPHIA	86	67	93	60	76	2	1.08	0.13	1.08	1.70	60	13.51	69	75	34	2	0	1	1
	PITTSBURGH	77	55	82	47	66	-4	1.15	0.20	0.55	2.17	80	23.03	124	92	43	0	0	4	1
RI	WILKES-BARRE	78	55	85	46	66	-3	0.31	-0.63	0.22	2.54	99	18.24	110	88	41	0	0	3	0
	WILLIAMSPORT	80	55	89	46	68	-2	0.62	-0.28	0.26	1.15	45	15.82	85	86	39	0	0	3	0
	PROVIDENCE	82	61	89	56	71	2	0.02	-0.90	0.01	0.41	15	16.64	73	85	40	0	0	2	0
SC	CHARLESTON	90	73	95	72	82	2	1.13	-0.39	0.34	1.92	47	11.87	58	96	54	4	0	5	0
	COLUMBIA	90	72	96	71	81	1	2.06	0.83	0.93	2.43	71	15.59	77	93	46	4	0	5	1
SD	FLORENCE	89	71	97	67	80	1	2.28	1.22	1.04	2.89	96	16.24	85	94	51	3	0	5	2
	GREENVILLE	85	66	90	61	76	-1	0.67	-0.23	0.35	2.13	81	19.24	83	96	47	2	0	3	0
	ABERDEEN	74	46	80	43	60	-8	0.05	-0.84	0.05	0.91	37	8.30	85	93	37	0	0	1	0
TN	HURON	77	48	80	44	62	-7	0.24	-0.69	0.16	2.81	105	8.79	81	91	35	0	0	2	0
	RAPID CITY	78	45	91	41	62	-3	0.04	-0.59	0.04	0.10	5	6.28	67	79	25	1	0	1	0
	SIoux FALLS	76	51	81	46	64	-7	0.33	-0.65	0.24	0.52	17	8.85	69	87	35	0	0	2	0
TX	BRISTOL	84	58	88	54	71	-2	2.26	1.33	1.16	2.57	99	18.56	85	97	46	0	0	3	2
	CHATTANOOGA	86	67	88	63	76	-1	1.29	0.29	1.06	2.19	82	21.98	81	94	48	0	0	3	1
	KNOXVILLE	85	65	89	61	75	-1	0.48	-0.50	0.27	1.26	47	21.90	84	90	45	0	0	3	0
UT	MEMPHIS	85	71	88	66	78	-3	0.08	-0.86	0.08	4.20	154	25.93	91	89	57	0	0	1	0
	NASHVILLE	85	64	90	61	74	-3	1.04	0.02	0.61	2.92	102	19.14	74	85	44	1	0	2	1
	ABILENE	94	72	105	69	83	1	0.69	-0.10	0.69	4.67	188	15.10	129	90	40	5	0	1	1
	AMARILLO	88	62	104	57	75	-2	0.07	-0.57	0.04	1.26	64	3.83	46	88	36	3	0	2	0
	AUSTIN	91	73	97	71	82	-1	3.80	2.93	3.25	6.37	241	16.31	93	99	60	5	0	3	1
	BEAUMONT	88	78	93	76	83	1	0.77	-0.87	0.26	2.45	56	21.52	86	95	71	3	0	6	0
	BROWNSVILLE	93	80	98	77	87	1	1.98	1.28	1.38	3.71	216	9.80	109	93	64	6	0	4	1
	CORPUS CHRISTI	89	77	94	74	83	-1	5.63	4.80	2.49	7.89	347	20.72	163	97	73	3	0	4	4
	DEL RIO	95	74	108	71	85	-1	0.57	0.06	0.52	1.52	91	3.87	44	92	44	6	0	3	1
	EL PASO	98	72	104	64	85	0	1.37	1.19	1.34	1.71	439	4.42	217	61	18	7	0	3	1
VA	FORT WORTH	90	73	96	71	82	-1	1.14	0.28	0.71	8.24	323	33.56	175	89	54	4	0	3	1
	GALVESTON	87	79	89	76	83	-1	2.83	1.80	1.15	3.35	122	18.27	105	92	77	0	0	5	3
	HOUSTON	88	76	96	74	82	-1	6.59	5.17	2.86	8.80	216	30.91	133	99	70	3	0	6	4
	LUBBOCK	89	66	105	61	78	-2	0.63	0.07	0.49	2.89	164	7.69	94	86	38	3	0	2	0
	MIDLAND	96	72	109	69	84	1	0.00	-0.43	0.00	0.59	48	6.98	128	78	29	6	0	0	0
	SAN ANGELO	95	70	110	65	83	0	0.12	-0.41	0.12	0.42	24	9.48	96	91	38	6	0	1	0
	SAN ANTONIO	89	75	96	70	82	-1	3.78	3.02	2.72	7.52	350	24.60	164	94	61	3	0	3	2
	VICTORIA	88	76	95	73	82	-1	3.83	2.87	2.56	5.04	184	19.87	106	97	72	3	0	4	3
	WACO	90	74	94	72	82	-1	3.23	2.46	2.93	4.38	182	18.67	100	97	63	5	0	3	1
	WICHITA FALLS	90	70	97	65	80	-1	1.27	0.47	1.27	3.25	132	13.86	103	93	48	4	0	1	1
VT	SALT LAKE CITY	90	63	97	58	77	5	0.00	-0.20	0.00	0.00	0	6.00	65	39	10	4	0	0	0
	LYNCHBURG	85	57	92	52	71	-1	0.20	-0.71	0.19	1.04	40	15.35	76	93	38	1	0	2	0
	NORFOLK	86	70	95	67	78	1	0.81	-0.24	0.45	2.02	68	14.93	75	88	48	2	0	2	0
WA	RICHMOND	87	64	95	60	76	0	1.13	0.01	1.06	1.56	50	15.51	77	90	38	2	0	2	1
	ROANOKE	83	60	92	54	72	-3	0.78	-0.33	0.77	2.14	67	13.52	65	85	37	1	0	2	1
	WASH/DULLES	84	63	91	57	74	1	0.30	-0.69	0.30	1.42	48	15.45	76	78	36	1	0	1	0
WI	BURLINGTON	76	59	80	55	67	-1	2.66	1.65	1.12	4.64	167	18.69	118	90	46	0	0	5	3
	OLYMPIA	81	50	92	45	65	6	0.00	-0.34	0.00	1.89	172	24.94	97	91	32	2	0	0	0
	QUILLAYUTE	76	53	86	51	65	9	0.00	-0.33	0.00	2.59	129	18.96	39	88	43	0	0	0	0
WV	SEATTLE-TACOMA	80	58	91	52	69	7	0.00	-0.34	0.00	1.30	123	20.14	101	72	32	1	0	0	0
	SPOKANE	83	56	89	50	70	8	0.00	-0.28	0.00	0.79	89	7.52	84	53	16	0	0	0	0
	YAKIMA	90	57	95	51	73	8	0.00	-0.12	0.00	0.19	49	3.75	86	59	16	2	0	0	0
WY	EAU CLAIRE	71	51	78	47	61	-7	1.19	0.04	0.92	4.87	149	14.64	102	94	45	0	0	4	1
	GREEN BAY	71	52	76	48	61	-6	1.84	0.90	0.93	3.67	131	20.13	147	94	49	0	0	3	2
	LA CROSSE	73	54	79	50	64	-8	0.65	-0.54	0.39	5.07	146	17.86	111	90	43	0	0	3	0
WY	MADISON	72	53	76	49	63	-6	0.47	-0.78	0.44	4.75	134	20.37	122	92	47	0	0	3	0
	MILWAUKEE	74	57	77	52	65	-3	1.03	-0.03	0.48	4.46	151	20.19	125	81	44	0	0	3	0
	BECKLEY	74	56	80	48	65	-3	1.85	0.86	1.67	4.30	151	21.40	100						

National Agricultural Summary

June 15 – 21, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across major U.S. agricultural regions. Above-normal temperatures throughout much of the western U.S. accelerated small grain heading. Cooler-than-normal conditions extended across the northern Plains, upper Midwest, and Ohio Valley, where temperatures were 2 to 8°F below average. Meanwhile, precipitation was above normal across the South and Southeast,

with some locations receiving more than twice their typical weekly totals. Portions of the Ohio Valley and Northeast also experienced localized areas of above-normal rainfall, improving soil moisture profiles. Dry conditions continued across much of the West and Great Plains, where several states noted significant short to very short soil moisture levels.

Corn: Ninety-seven percent of the nation's corn acreage had emerged by June 21, equal to both last year and the 5-year average. By June 21, five percent of the corn was silking, 1 percentage point ahead of last year and 2 points ahead of the 5-year average. On June 21, sixty-eight percent of the nation's corn crop was rated in good to excellent condition, unchanged from previous week but 2 percentage points below the same time last year. In Iowa, the largest corn-producing state, 77 percent of the corn crop was rated in good to excellent condition.

Soybeans: Ninety three percent of the 2026 soybean crop had emerged by June 21, four percentage points ahead of last year and 3 percentage points ahead of the 5-year average. By June 21, nine percent of the Nation's soybean crop was blooming, 2 percentage points ahead of last year and 3 percentage points ahead of the 5-year average. On June 21, sixty six percent of the Nation's soybean crop was rated in good to excellent condition, equal to both the previous week and the same time last year.

Winter Wheat: Forty percent of the nation's winter wheat acreage had been harvested by June 21, twenty-two percentage points ahead of last year and 16 points ahead of the 5-year average. On June 21, twenty-six percent of the 2026 winter wheat crop was rated in good to excellent condition, 1 percentage point below the previous week and 23 points below the same time last year. In Kansas, the largest winter wheat-producing state, 55 percent of the winter wheat crop was rated in poor to very poor condition.

Cotton: Ninety-two percent of the cotton acreage had been planted by June 21, one percentage point ahead of last year but 2 points behind the 5-year average. By June 21, twenty-seven percent of the nation's cotton crop had reached the squaring stage, 2 percentage points ahead of both last year and the 5-year average. Five percent of the nation's cotton crop was setting bolls by week's end, equal to both last year and the 5-year average. On June 21, fifty-three percent of the cotton crop was rated in good to excellent condition, 3 percentage points above the previous week and 6 points above the same time last year.

Sorghum: Eighty-four percent of the nation's sorghum acreage had been planted by June 21, two percentage points ahead of last year but equal to the 5-year average. On June 21, fifty-one

percent of the sorghum crop was rated in good to excellent condition, 10 percentage points below the same time last year.

Rice: Thirteen percent of the nation's rice crop had reached the headed stage, 1 percentage point ahead of last year and 5 points ahead of the 5-year average. On June 21, seventy-one percent of the nation's rice crop was rated in good to excellent condition, 1 percentage point above the previous week but 7 points below the same time last year.

Small Grains: Sixty-one percent of the nation's oat crop had headed, 3 percentage points ahead of both last year and the 5-year average. On June 21, fifty-three percent of the oats were rated in good to excellent condition, 1 percentage point above the previous week but 4 points below the same time last year.

Twenty percent of the barley crop had reached the headed stage, 5 percentage points ahead of last year and 6 points ahead of the 5-year average. On June 21, forty-nine percent of the nation's barley crop was rated in good to excellent condition, 2 percentage points above the previous week and 7 points above the same time last year.

Sixteen percent of the spring wheat crop had reached the headed stage, 1 percentage point ahead of last year but equal to the 5-year average. On June 21, fifty-four percent of the nation's spring wheat crop was rated in good to excellent condition, 1 percentage point below the previous week but equal to the same time last year.

Other Crops: Twenty-three percent of the nation's peanut crop had reached the pegging stage, 1 percentage point behind last year but equal to the 5-year average. On June 21, sixty-three percent of the nation's peanut crop was rated in good to excellent condition, 1 percentage point above the previous week but 9 points below the same time last year.

Ninety-five percent of this year's sunflower acreage had been planted, 6 percentage points ahead of last year and 5 points ahead of the 5-year average. By June 21, producers in North Dakota and South Dakota had sown 99 and 94 percent of the crop, respectively, while the planting pace in Kansas remained behind the 5-year average.

Crop Progress and Condition

Week Ending June 21, 2026

Accessible Data Available from USDA/NASS

Corn Percent Emerged				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
CO	94	75	85	94
IL	95	94	96	97
IN	93	93	96	97
IA	99	97	99	99
KS	94	90	96	95
KY	88	99	100	94
MI	95	86	89	96
MN	100	97	99	98
MO	98	96	98	98
NE	100	97	100	99
NC	100	99	100	100
ND	93	93	96	91
OH	91	91	94	95
PA	82	63	83	86
SD	100	98	100	98
TN	95	99	99	98
TX	98	97	98	97
WI	95	93	97	94
18 Sts	97	94	97	97
These 18 States planted 91% of last year's corn acreage.				

Corn Percent Silking				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
CO	0	NA	0	0
IL	1	NA	1	1
IN	0	NA	0	1
IA	2	NA	0	0
KS	4	3	12	5
KY	8	4	22	5
MI	0	NA	0	0
MN	0	NA	0	0
MO	5	4	13	3
NE	1	NA	0	0
NC	45	17	45	32
ND	0	NA	0	0
OH	0	NA	0	0
PA	0	NA	0	0
SD	0	NA	0	0
TN	26	14	44	18
TX	67	64	67	64
WI	0	NA	0	0
18 Sts	4	NA	5	3
These 18 States planted 91% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	5	5	39	50	1
IL	2	7	31	46	14
IN	2	3	24	64	7
IA	1	4	18	61	16
KS	1	5	30	52	12
KY	1	7	18	64	10
MI	0	3	24	64	9
MN	1	3	17	62	17
MO	2	4	28	59	7
NE	2	5	36	41	16
NC	14	26	34	24	2
ND	0	3	33	62	2
OH	2	9	32	52	5
PA	1	0	13	52	34
SD	1	6	26	60	7
TN	1	5	21	48	25
TX	1	11	39	34	15
WI	0	3	16	66	15
18 Sts	1	5	26	56	12
Prev Wk	1	5	26	56	12
Prev Yr	2	4	24	56	14

Soybeans Percent Emerged				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
AR	90	95	98	91
IL	90	89	93	92
IN	89	87	95	93
IA	96	95	98	95
KS	75	74	80	77
KY	68	81	85	74
LA	99	97	99	96
MI	90	83	86	92
MN	97	91	97	93
MS	91	95	97	95
MO	81	75	80	82
NE	95	92	97	95
NC	82	87	90	79
ND	84	82	93	83
OH	86	87	94	89
SD	96	92	96	93
TN	73	86	90	77
WI	93	91	95	93
18 Sts	89	88	93	90
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Blooming				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
AR	56	50	65	48
IL	2	NA	3	2
IN	2	NA	0	2
IA	12	NA	3	7
KS	1	NA	1	2
KY	1	NA	7	2
LA	72	68	85	62
MI	2	NA	1	1
MN	4	0	4	4
MS	53	45	51	50
MO	3	3	8	2
NE	1	1	12	4
NC	5	5	15	5
ND	0	0	0	0
OH	1	NA	1	1
SD	0	0	1	2
TN	15	NA	19	13
WI	3	NA	1	2
18 Sts	7	NA	9	6
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	3	22	57	17
IL	2	7	33	44	14
IN	1	3	25	63	8
IA	1	5	20	61	13
KS	1	5	29	58	7
KY	1	4	22	67	6
LA	3	6	42	45	4
MI	0	4	35	56	5
MN	1	3	20	64	12
MS	0	1	30	58	11
MO	2	6	33	55	4
NE	1	6	34	43	16
NC	3	10	36	44	7
ND	1	4	32	61	2
OH	2	9	34	50	5
SD	2	8	27	57	6
TN	1	3	22	58	16
WI	1	3	17	67	12
18 Sts	1	5	28	56	10
Prev Wk	1	5	28	57	9
Prev Yr	2	5	27	56	10

Crop Progress and Condition

Week Ending June 21, 2026

Cotton Percent Planted					
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg	
AL	94	98	99	97	
AZ	100	100	100	100	
AR	100	98	100	100	
CA	100	100	100	100	
GA	95	94	97	96	
KS	95	96	98	95	
LA	100	94	96	99	
MS	77	95	99	94	
MO	100	100	100	99	
NC	94	92	95	96	
OK	80	65	74	82	
SC	100	97	100	98	
TN	90	99	99	97	
TX	90	80	90	92	
VA	97	95	97	98	
15 Sts	91	86	92	94	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Percent Squaring					
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg	
AL	27	33	40	30	
AZ	63	44	62	61	
AR	20	30	38	31	
CA	32	25	40	27	
GA	35	21	30	34	
KS	5	15	23	18	
LA	48	5	17	48	
MS	11	6	24	17	
MO	25	10	42	32	
NC	31	10	31	21	
OK	4	0	0	3	
SC	20	12	17	19	
TN	18	21	34	27	
TX	25	20	25	23	
VA	26	15	27	29	
15 Sts	25	19	27	25	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Percent Setting Bolls					
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg	
AL	3	1	4	1	
AZ	11	4	18	15	
AR	0	0	2	1	
CA	9	0	5	2	
GA	4	2	3	3	
KS	0	0	1	0	
LA	0	0	0	1	
MS	1	0	0	1	
MO	0	0	0	0	
NC	0	0	0	0	
OK	0	0	0	0	
SC	0	0	0	0	
TN	1	0	8	1	
TX	8	3	8	8	
VA	0	0	0	2	
15 Sts	5	2	5	5	
These 15 States planted 99% of last year's cotton acreage.					

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	0	1	16	75	8
AZ	0	0	7	53	40
AR	1	2	24	47	26
CA	0	0	5	5	90
GA	4	6	31	52	7
KS	10	17	47	25	1
LA	0	1	44	53	2
MS	0	3	46	47	4
MO	0	0	16	84	0
NC	0	2	35	49	14
OK	0	7	51	41	1
SC	0	5	31	58	6
TN	1	9	28	50	12
TX	5	15	36	37	7
VA	1	7	38	54	0
15 Sts	3	10	34	45	8
Prev Wk	2	9	39	41	9
Prev Yr	6	14	33	41	6

Peanuts Percent Pegging					
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg	
AL	10	9	13	13	
FL	29	15	25	25	
GA	36	17	33	32	
NC	10	4	13	10	
OK	0	0	1	1	
SC	20	6	21	24	
TX	6	1	5	4	
VA	4	0	10	10	
8 Sts	24	12	23	23	
These 8 States planted 95% of last year's peanut acreage.					

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	1	1	13	82	3
FL	1	8	25	65	1
GA	3	8	33	50	6
NC	0	2	33	53	12
OK	3	11	29	53	4
SC	0	3	36	55	6
TX	0	1	31	65	3
VA	0	1	30	69	0
8 Sts	2	5	30	58	5
Prev Wk	1	4	33	57	5
Prev Yr	1	4	23	64	8

Sorghum Percent Planted					
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg	
CO	82	60	85	79	
KS	76	54	77	78	
NE	90	84	89	95	
OK	51	49	78	65	
SD	97	91	96	95	
TX	96	93	96	96	
6 Sts	82	68	84	84	
These 6 States planted 100% of last year's sorghum acreage.					

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	57	5	19	18	1
KS	2	5	39	50	4
NE	1	8	56	28	7
OK	1	5	22	71	1
SD	0	3	63	27	7
TX	2	14	30	42	12
6 Sts	6	7	36	45	6
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	2	4	33	51	10

Crop Progress and Condition

Week Ending June 21, 2026

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
AR	67	60	80	71
CA	34	20	40	33
CO	0	0	13	0
ID	0	0	0	0
IL	15	20	41	32
IN	2	0	5	15
KS	18	28	58	26
MI	1	0	1	0
MO	27	29	59	44
MT	0	0	0	0
NE	0	0	0	0
NC	57	52	71	58
OH	2	0	3	3
OK	34	73	95	61
OR	0	0	0	0
SD	0	0	0	0
TX	68	75	77	68
WA	0	0	0	0
18 Sts	18	25	40	24
These 18 States harvested 92% of last year's winter wheat acreage.				

Oats Percent Headed				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
IA	79	78	87	79
MN	19	22	37	32
NE	74	54	72	78
ND	10	2	14	8
OH	79	31	51	64
PA	48	27	39	41
SD	66	55	67	62
TX	100	100	100	100
WI	44	35	51	47
9 Sts	58	50	61	58
These 9 States planted 76% of last year's oat acreage.				

Winter Wheat Condition by Percent					
	VP	P	F	G	EX
AR	7	8	25	54	6
CA	0	0	5	30	65
CO	30	33	30	7	0
ID	1	5	15	65	14
IL	1	4	20	60	15
IN	1	2	26	60	11
KS	23	32	31	14	0
MI	0	4	36	47	13
MO	0	3	26	60	11
MT	6	15	49	29	1
NE	57	26	12	5	0
NC	11	17	35	34	3
OH	0	6	32	57	5
OK	28	33	30	8	1
OR	8	21	38	25	8
SD	5	20	37	36	2
TX	28	37	23	12	0
WA	4	8	23	47	18
18 Sts	20	26	28	22	4
Prev Wk	20	25	28	22	5
Prev Yr	6	13	32	43	6

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	3	14	65	18
MN	1	2	18	64	15
NE	22	24	39	15	0
ND	2	6	28	59	5
OH	0	0	27	73	0
PA	1	1	16	74	8
SD	3	7	38	48	4
TX	17	31	34	16	2
WI	1	2	15	72	10
9 Sts	7	12	28	47	6
Prev Wk	7	12	29	47	5
Prev Yr	7	9	27	49	8

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
ID	32	20	45	20
MN	6	0	10	21
MT	12	0	6	11
ND	9	0	9	11
SD	49	40	50	47
WA	61	52	82	47
6 Sts	15	6	16	16
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	2	5	18	67	8
MN	0	0	15	77	8
MT	1	10	61	27	1
ND	1	4	37	53	5
SD	1	3	46	49	1
WA	1	10	28	59	2
6 Sts	1	5	40	50	4
Prev Wk	1	5	39	51	4
Prev Yr	3	12	31	49	5

Crop Progress and Condition

Week Ending June 21, 2026

Barley Percent Headed				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
ID	41	22	50	29
MN	5	2	11	19
MT	4	0	6	6
ND	7	0	8	9
WA	59	50	80	49
5 Sts	15	7	20	14
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	2	5	21	68	4
MN	0	1	10	83	6
MT	1	6	67	25	1
ND	1	2	35	59	3
WA	1	6	24	68	1
5 Sts	1	5	45	47	2
Prev Wk	1	5	47	45	2
Prev Yr	1	14	43	40	2

Sunflowers Percent Planted				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
CO	78	65	81	77
KS	71	63	66	74
ND	94	93	99	92
SD	87	73	94	90
4 Sts	89	82	95	90
These 4 States planted 85% of last year's sunflower acreage.				

Rice Percent Headed				
	Prev Year	Prev Week	Jun 21 2026	5-Yr Avg
AR	2	3	6	1
CA	4	0	2	4
LA	47	32	42	30
MS	4	6	14	6
MO	0	1	2	0
TX	33	17	28	29
6 Sts	12	8	13	8
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	0	3	32	46	19
CA	0	0	20	60	20
LA	1	4	22	61	12
MS	0	0	58	39	3
MO	0	0	18	64	18
TX	0	1	13	86	0
6 Sts	0	2	27	55	16
Prev Wk	1	2	27	55	15
Prev Yr	0	2	20	57	21

Crop Progress and Condition**Week Ending June 21, 2026**

Pasture and Range Condition by Percent Week Ending Jun 21, 2026												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	1	4	16	66	13		NH	0	0	33	61	6
AZ	43	32	16	9	0		NJ	3	8	72	16	1
AR	3	10	25	47	15		NM	15	28	32	13	12
CA	0	0	30	60	10		NY	1	2	10	75	12
CO	25	38	30	7	0		NC	11	42	28	19	0
CT	0	5	40	40	15		ND	7	13	28	50	2
DE	24	31	15	30	0		OH	0	0	32	66	2
FL	5	19	20	43	13		OK	17	14	36	30	3
GA	6	16	39	34	5		OR	10	16	23	43	8
ID	5	14	21	60	0		PA	0	6	38	38	18
IL	1	3	28	51	17		RI	0	5	35	50	10
IN	0	9	30	53	8		SC	4	25	42	26	3
IA	0	4	21	63	12		SD	18	19	38	24	1
KS	7	12	30	44	7		TN	4	13	38	39	6
KY	2	11	35	47	5		TX	8	17	35	26	14
LA	2	7	32	53	6		UT	12	22	27	37	2
ME	0	6	21	61	12		VT	0	0	25	50	25
MD	9	22	36	30	3		VA	27	26	32	15	0
MA	0	5	35	45	15		WA	5	16	35	43	1
MI	0	1	22	70	7		WV	22	41	26	11	0
MN	2	7	38	44	9		WI	1	6	27	52	14
MS	4	8	33	46	9		WY	30	30	30	10	0
MO	0	5	19	62	14		48 Sts	17	20	30	26	7
MT	24	22	32	19	3							
NE	45	28	21	6	0		Prev W	19	20	29	26	6
NV	5	0	70	15	10		Prev Yr	12	17	28	31	12

VP - Very Poor;

P - Poor;

F - Fair;


G - Good;

EX - Excellent

NA - Not Available;

*Revised

EUROPE
Total Precipitation(mm)
June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Widespread hit-and-miss showers and thunderstorms further boosted soil moisture for late reproductive to filling winter crops as well as vegetative spring grains and summer crops, though an intensifying heat wave expanded northeastward over Spain and France. A pair of weak cold fronts swept across northern and eastern portions of the continent during the monitoring period, triggering widespread albeit highly variable showers and thunderstorms (2-40 mm) from England and northern France east and southeastward. Moisture supplies continued to recover in previously dry northwestern and northeastern Europe and remained good to excellent for late-filling winter grains and oilseeds as well as vegetative corn, sunflowers, and soybeans from Germany southeastward into Greece and the Balkans. Meanwhile, a building

heat wave expanded northeastward from Spain into France, Italy, and western Germany, with daytime highs reaching the middle and upper 30s (degrees C) over the aforementioned locales. The increasing heat favored a rapid pace of winter crop drydown and harvesting but hastened corn toward the reproductive stages of development one to two weeks ahead of average; corn was already tasseling in the Po River Valley of northern Italy by week's end. Conversely, vegetative corn, sunflowers and soybeans were developing favorably with good soil moisture and a lack of stressful heat from Poland into the Balkans.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

An upper-air low triggered widespread albeit highly variable showers and thunderstorms as it drifted eastward across the region. Weekly rainfall totaled 2 to 30 mm over Moldova, Ukraine, and Belarus, while heavier rain (10-50 mm) was noted across much of western Russia. Consequently, soil moisture supplies

remained good to excellent for filling to maturing winter crops, vegetative to heading spring grains, and vegetative summer crops. Cooler-than-normal conditions (up to 2°C below normal) over the western half of the region transitioned to near- to above-normal temperatures farther east.

EASTERN FSU
Total Precipitation(mm)
June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Showers and above-normal temperatures prevailed across much of the region. An upper-air low drifted eastward from western Russia, producing moderate to heavy rain (10-75 mm, locally more) over northern Kazakhstan and central Russia. Consequently, moisture supplies remained good to excellent for vegetative wheat and barley in the western and central spring grain belt. Showers were more widely scattered (2-60 mm) from eastern Kazakhstan into Russia's Siberia District, where soil moisture was locally in short supply for vegetative wheat and sunflowers. The rain also helped offset the impacts of anomalous warmth (3-6°C above

normal) in the west, while daytime highs in the lower to middle 30s (degrees C) in eastern growing areas increased crop water demands and evapotranspiration rates. Farther south across the Commonwealth of Independent States (CIS), unusually heavy and widespread late-season rain (10-50 mm, locally more) from central Uzbekistan eastward maintained abundant supplemental soil moisture for squaring cotton but further hampered seasonal fieldwork. Across the western CIS, drier weather and above-normal temperatures (2-4°C above normal) favored the development of irrigated cotton in Turkmenistan and western Uzbekistan.

MIDDLE EAST
Total Precipitation(mm)
June 14 - 20, 2026



Weather station data for Syria and Iraq was not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MIDDLE EAST

Seasonably dry weather favored the development of filling to maturing winter wheat and barley in the north and winter grain drydown and harvesting farther south. However, moderate to heavy showers (5-45 mm) returned to west-central Turkey late in the week, briefly interrupting fieldwork but maintaining abundant supplemental soil moisture for vegetative corn, cotton, and sunflowers. Seasonably sunny skies prevailed from the eastern Mediterranean Coast


into Iraq* and Iran, facilitating a rapid pace of winter grain harvesting. Temperatures averaged near normal across much of the region save for pockets of abnormal warmth (up to 2°C above normal) in eastern Turkey, northwestern Iran, and eastern Iran.

**Surface-based weather station data from Iraq, and much of Syria were either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA

Total Precipitation(mm)

June 14 - 20, 2026



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




AUSTRALIA

A storm system and its attendant cold front swept slowly eastward across the continent, producing widespread beneficial rainfall. Rainfall in Western Australia's primary winter crop areas totaled 10 to 40 mm, with higher totals (25-125 mm) noted in southern rapeseed crop areas along the state's southern coastline. Moderate to heavy showers (10-85 mm) were likewise noted from South Australia into Victoria and western portions of New South Wales, with a secondary area of appreciable rain (10-45 mm) extending from

southern Queensland southeastward into east-central New South Wales. Consequently, soil moisture supplies for emerging to vegetative winter grains and oilseeds remained good to excellent in the aforementioned locales, though lingering long-term drought persisted in northeastern New South Wales where mostly dry weather (5 mm or less) prevailed. Cooler-than-normal conditions (up to 3°C below normal) in Western Australia contrasted with above-normal temperatures (3-6°C above normal) over southeastern Australia.

SOUTH ASIA
Total Precipitation(mm)
June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTH ASIA


The Southwest Monsoon continued its advance into central and eastern India, but rainfall distribution remained uneven across the region. Much of western India and parts of the central interior received little to no precipitation (less than 10 mm), limiting early-season soil-moisture improvement. In contrast, southern and eastern India recorded 10 to 200 mm of rainfall, with the heaviest amounts concentrated in and around Bangladesh—conditions that were generally favorable for ongoing land preparation and early sowing activities. Across central and northern portions of the region,

including Pakistan, scattered showers brought 10 to 100 mm of rainfall, with isolated areas reporting up to 150 mm. Temperatures remained elevated throughout much of the region, with daytime highs commonly in the upper 30s to lower 40s (degrees C). This persistent heat further depleted soil moisture in areas that missed significant rainfall, heightening moisture stress for early-planted summer crops. Some relief from the prolonged heatwave was observed in southern India and parts of the northeast, where daytime temperatures were in the lower to middle 30s.

EASTERN ASIA

Total Precipitation(mm)

June 14 - 20, 2026




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EASTERN ASIA

Widespread and beneficial rainfall supported summer crop development across the region, helping to maintain favorable soil moisture levels as crops progressed through key growth stages. While precipitation was generally well distributed, some areas saw little to no rainfall (less than 10 mm), resulting in limited moisture improvement. In most other areas, rainfall ranged from 10 to 100 mm, with substantially higher amounts—locally exceeding 200 mm—in parts of southern China. Although such rainfall events are typical for this time of year, they still warrant close monitoring due to the

potential for short-term inundation of low-lying rice paddies, where prolonged submersion can stress or damage developing plants. The Korean Peninsula and Japan also experienced frequent showers (10-100 mm, locally as much as 250 mm), providing timely moisture for rice, corn, soybeans, and other summer-season crops. Temperatures across the region were near to above normal, with daytime highs commonly in the upper 20s to middle 30s (degrees C) supporting active crop growth where moisture was adequate but increasing evaporative demand in areas receiving lighter rainfall.



SOUTHEAST ASIA


Monsoon showers continued across the area, bringing generally favorable moisture for early-season crops. Mainland areas—including northern Myanmar, Laos, Cambodia, and Vietnam—received light to moderate weekly totals (10-75 mm), while heavier pockets (100-200 mm) were evident along parts of Myanmar's coast and western Thailand. Malaysia recorded broadly beneficial rainfall (25-100 mm), supporting oil palm and rice, whereas the Philippines saw more

variable precipitation ranging from light amounts to localized higher totals (25-100 mm), maintaining adequate soil moisture in many growing areas. In contrast, Indonesia remained notably dry in several regions, with widespread areas receiving less than 10 to 25 mm. Temperatures across the region were seasonably warm, with daytime highs in the lower to upper 30s (degrees C) promoting growth but increasing water demand where rainfall was limited.

MEXICO

Total Precipitation(mm)

June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Despite the return of tranquil weather across the eastern Pacific Ocean, seasonal rainfall expanded across much of Mexico. Rainfall totals of 10 to 50 mm or more across the southern plateau benefited corn and other summer crops. Meanwhile, a precursor low-pressure system to Tropical Storm Arthur, which briefly formed on June 17 along the middle Texas coast, helped to enhance early-week rainfall in northeastern

Mexico. Although many locations in northeastern Mexico received weekly rainfall totaling 10 to 50 mm, isolated amounts near 200 mm were noted from Tamaulipas inland to Coahuila. Elsewhere, spotty showers in the western Sierra Madre signaled the onset of rainfall associated with the North American monsoon circulation, while mostly dry weather prevailed across the Yucatán Peninsula.

CANADIAN PRAIRIES

Total Precipitation(mm)

June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


As the week began, provincial reports indicated that cropland topsoil moisture was mostly adequate for spring-sown grains and oilseeds. In the western Prairies, patchy dryness was limited to the Peace River Valley and areas along and near the U.S. border. During the week ending June 20, rainfall totaled 5 to 25 mm at many Prairie locations, with higher amounts (25-50 mm or more) restricted to

some of Alberta's northern production areas. Cool conditions (1-3°C below normal) slowed crop development across the eastern half of the Prairies, where temperatures remained mostly below 25°C throughout the week. In contrast, near-normal weekly temperatures prevailed on the western Prairies, despite a brief cool spell that resulted in temperatures falling to 5°C or below.

SOUTHEASTERN CANADA

Total Precipitation(mm)

June 14 - 20, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Much cooler weather, accompanied by widespread rainfall, limited fieldwork but kept summer crops well-watered. Weekly temperatures were near normal in Quebec but averaged 1 to 3°C below normal in Ontario. Readings remained below 25°C all week in most farming locations across both

provinces. Substantial rain fell in nearly all locations across southeastern Canada, with totals ranging from 25 to 100 mm. The rain eased or eradicated any lingering drought in the Canadian Maritimes but caused some ponding of water in fields across southern Quebec and parts of Ontario.


17 Jun 2026

15:21 UTC

GOES East Visible

June 17, 2026

8:46 am CDT



A low-pressure system over southern Texas was classified as Potential Tropical Cyclone One by the National Hurricane Center on June 16. A day later, Tropical Storm Arthur formed near the middle Texas coast. Although the heavily sheared system barely and only briefly achieved tropical-storm intensity, heavy rain fell from southern and coastal Texas into parts of the Southeast, leading to flash flooding and extensive fieldwork delays. By June 21, statewide topsoil moisture in agricultural regions was rated 30 percent surplus in Alabama and Louisiana.

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://esmis.nal.usda.gov/>, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts.... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).