


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS



July 12 – 18, 2026

Highlights provided by USDA/WAOB

A multi-day period of torrential rain battered **south-central Texas** and neighboring areas, affecting some of the same areas devastated by deadly flooding in July 2025. Portions of several **south-central Texas** counties received weekly rainfall totaling 8 to 20 inches or more, leading to flash flooding and river flooding. A footprint of heavy rain (locally 4 inches more greater) extended as far east as the **central Gulf Coast**. Farther north, rainfall was scarce from the **northern and central Plains** into the **Midwest and Northeast**. Dry weather in the **nation's**
(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps	2
Temperature Departure Map	3
July 14 Drought Monitor & U.S. Seasonal Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork.....	30




(Continued from front cover)

mid-section was accompanied by extreme heat, especially on the **northern Plains**, leading to increased stress on rangeland, pastures, and summer crops. Meanwhile, thick smoke from forest fires in **Canada** and **northern Minnesota** cloaked the **Great Lakes and Northeastern States**, resulting in very poor air quality and reductions in visibility. Elsewhere, an increasingly robust monsoon circulation resulted in scattered to widespread showers in the **Four Corners States**. However, hot, dry **Northwestern** weather, accompanied by lightning strikes, led to a sharp increase in wildfire activity. By week's end, more than two dozen wildfires in **Washington** and **Oregon** had collectively burned more than 300,000 acres of vegetation. Weekly temperatures averaged more than 5°F above normal in parts of **California** and from the **northern Rockies** and **northern Intermountain West** into the **Great Lakes States**. The hottest weather, relative to normal, stretched from the **northern Plains** into the upper **Great Lakes region**. Near-normal temperatures dominated the **Southeastern and Atlantic Coast States**, while readings averaged at least 5°F below normal in parts of **Texas**.



The hottest weather on record prevailed early in the week from the **Intermountain West to the northern Plains**. July 12 featured all-time station records in locations such as **Miles City, MT** (115°F); **Billings, MT** (111°F); **Sheridan, WY** (109°F); and **Salt Lake City, UT** (109°F). All-time records extended as far north and west as **Idaho**, where **Idaho Falls** (103°F on July 12) eclipsed by 1°F a record that had been set on June 25, 1988. Although extreme heat remained largely outside the boundaries of the **Midwest**, readings ranging from 95 to 100°F were noted in parts of the **northern and western Corn Belt**. Particularly in areas of the **western Corn Belt** where soil moisture was lacking, the heat increased stress on reproductive corn and soybeans. In **North Dakota**, daily-record highs for July 13 included 105°F in **Bismarck** and 103°F in **Dickinson**. For **Bismarck**, it was the highest reading since July 22, 2021, when it was also 105°F. **Dickinson** tied a July record (set in 1988 and 2007) with 5 days of triple-digit heat, including 4 days in a row from July 11-14. In the **upper Great Lakes region**, record-setting highs for July 13 reached 97°F in **International Falls, MN**, and 96°F in **Marquette, MI**. The following day, **Marquette's** minimum temperature of 76°F was the highest on record in that location (previously, 74°F on July 1, 2002). Heat also moved into the **Northeast**, where **Syracuse, NY**, notched a daily-record high of 98°F on July 14. During the mid- to late-week period, hot weather covered the **middle and southern Atlantic States**, although temperatures were suppressed in some areas due to dense smoke. July 15 featured daily-record highs of 100°F in **Atlantic City, NJ**, and 98°F in **Allentown, PA**; **Georgetown, DE**; and **Winter Haven, FL**. Elsewhere in **Florida**, **Miami** measured a daily record-tying high of 97°F on July 16. **Eastern** daily-record highs on July 17 included 99°F in **Florence, SC**, and 95°F in **Bristol, TN**.



For much of the week, significant precipitation was limited to various parts of the **southern U.S.** Daily-record amounts reached 3.70 inches (on July 13) in **West Palm Beach, FL**; 1.83 inches (on July 12) in **Vicksburg, MS**; and 1.29 inches (on July 13) in **Dallas-Fort Worth, TX**. Meanwhile, **south-central Texas** began to experience periods of torrential rain, heaviest at night, starting on July 13-14. Over a 5-day period ending on the 17th, several locations—including an observation site near **Kerrville, TX**, received 20 to 28 inches of rain. **Texas Hill County** communities hard hit by the disastrous Independence Day 2025







flood—including **Kerrville** and **Huntsville**—fared better in the 2026 flood. Farther downstream, however, the **Guadalupe River near Center Point, TX**, crested on July 16, just 1.67 feet below its high-water mark on July 4, 2025. On the same day, the **Guadalupe River at Comfort, TX**, topped its July 2025 crest by 1.44 feet; it was the highest water level in that location since August 2, 1978. Meanwhile, the **Nueces River below Uvalde, TX**, achieved a record crest on July 16, topping the October 1996 high-water mark by 3.13 feet. Two days later, the **Nueces River near Asherton, TX**, achieved its third-highest crest, just 1.44 feet below the record set on June 30, 1913, and June 17, 1935. Other parts of **Texas** also received significant rain but avoided major flooding. On July 14, daily-record totals in **Texas** included 3.68 inches in **College Station** and 2.89 inches in **Galveston**. With 2.34 inches, **Lake Charles, LA**, also collected a daily-record sum for the 14th. **Del Rio, TX**, saw its month-to-date rainfall climb to 7.47 inches, aided by a daily-record total of 4.72 inches on July 16. Late in the week, heavy showers developed or continued in the **eastern U.S.** In **Florida**, record-setting amounts for July 17 totaled 3.85 inches in **St. Petersburg** and 2.20 inches in **Winter Haven**. **Eastern** daily-record totals for July 18 topped the 2-inch mark in **Asheville, NC** (3.29 inches); **Rochester, NY** (3.01 inches); and **Newark, NJ** (2.38 inches). Farther west, monsoon-related showers were increasingly active. **Flagstaff, AZ**, was hit by 1.43 inches of rain on July 17—the wettest day in that location since October 18, 2024, when 1.45 inches fell. On the same day, several fatalities were reported when flash flooding tore through a box canyon near **Bicknell, UT**. Daily-record rainfall totals were observed on the 17th in other areas of the **West**, including **Stanley, ID** (0.47 inch), and **Big Piney, WY** (0.46 inch).

Cool, damp weather dominated **Alaska**, with weekly temperatures averaging as much as 10°F below normal across the **southern interior**. **Anchorage** received measurable rain each day and reported weekly rainfall totaling 2.19 inches, aided by a daily-record sum of 0.77 inch on July 12. To the north, **McGrath** also noted measurable rain each day during the week, totaling 1.96 inches. **Southeastern Alaska** bucked the trend, with mostly dry weather and near-normal temperatures. Farther south, **Hawaii's** pattern of showers in windward areas and mostly dry weather in leeward locations continued. On the **Big Island, Hilo's** month-to-date rainfall through July 18 rose to 7.62 inches (152 percent of normal), aided by a 1.01-inch sum on the 17th. Conversely, July 1-18 rainfall in **Honolulu, Oahu**, totaled 0.02 inch (7 percent of normal).









National Weather Data for Selected Cities

Weather Data for the Week Ending July 18, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS				
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	PRECIP			
																			.01 INCH OR MORE	.50 INCH OR MORE		
AK	ANCHORAGE	59	50	64	49	55	-5	2.40	1.98	0.70	3.66	186	11.84	220	96	65	0	0	7	2		
	BARROW	42	35	58	33	38	0	0.18	-0.04	0.09	0.54	57	6.53	339	97	83	0	0	3	0		
	FAIRBANKS	68	53	72	50	60	-3	0.54	0.02	0.40	2.34	85	9.39	182	84	45	0	0	2	0		
	JUNEAU	64	50	71	44	57	0	0.37	-0.84	0.31	4.55	67	31.65	114	94	59	0	0	3	0		
	KODIAK	58	49	65	44	54	-3	0.81	-0.22	0.31	13.06	167	42.92	109	90	61	0	0	3	0		
AL	NOME	58	46	65	41	52	0	0.51	0.00	0.32	1.09	57	6.73	108	93	66	0	0	3	0		
	BIRMINGHAM	89	73	91	71	81	0	1.44	0.18	0.70	15.28	191	39.69	118	94	59	3	0	4	1		
	HUNTSVILLE	87	73	93	71	80	-2	2.03	0.98	0.55	8.56	124	32.91	103	100	67	2	0	5	1		
	MOBILE	91	73	96	70	82	0	1.97	0.19	1.97	11.37	102	34.24	90	96	56	5	0	1	1		
	MONTGOMERY	90	73	94	72	81	-2	2.37	1.19	1.12	9.46	132	28.74	96	97	58	5	0	4	2		
AR	FORT SMITH	92	73	95	71	83	-1	1.11	0.35	1.11	11.02	164	25.73	97	98	52	5	0	1	1		
	LITTLE ROCK	92	74	97	72	83	1	1.32	0.56	0.78	6.09	109	27.18	94	93	51	5	0	2	2		
AZ	FLAGSTAFF	79	58	88	53	69	1	2.85	2.24	1.54	3.11	209	7.65	82	82	43	0	0	3	3		
	PHOENIX	103	82	109	78	93	-3	0.70	0.48	0.39	0.70	155	1.31	39	70	26	7	0	3	0		
CA	PRESCOTT	87	67	94	64	77	0	1.72	1.30	1.34	2.87	230	5.53	98	83	37	3	0	4	1		
	TUCSON	97	75	103	73	86	-2	0.45	-0.08	0.18	1.41	104	3.85	95	80	30	7	0	5	0		
	BAKERSFIELD	100	76	105	71	88	3	0.00	0.00	0.00	0.00	0	3.19	72	49	17	7	0	0	0		
	EUREKA	62	50	64	47	56	-2	0.00	-0.04	0.00	0.89	108	15.00	62	96	78	0	0	0	0		
	FRESNO	101	74	106	68	88	4	0.00	0.00	0.00	0.00	0	6.54	84	44	17	7	0	0	0		
	LOS ANGELES	79	68	86	67	73	4	0.00	-0.01	0.00	0.00	0	5.68	66	88	60	0	0	0	0		
	REDDING	101	69	106	61	85	1	0.00	-0.01	0.00	0.02	3	15.49	73	52	11	7	0	0	0		
	SACRAMENTO	95	64	104	57	80	4	0.00	0.00	0.00	0.00	0	10.67	88	66	22	7	0	0	0		
	SAN DIEGO	78	69	81	67	73	2	0.00	-0.02	0.00	0.00	0	6.02	90	88	64	0	0	0	0		
	SAN FRANCISCO	73	58	81	56	65	2	0.00	0.00	0.00	0.01	8	11.88	94	84	49	0	0	0	0		
CO	STOCKTON	97	65	105	58	81	3	0.00	0.00	0.00	0.00	0	9.31	105	66	21	6	0	0	0		
	ALAMOSA	86	48	89	42	67	1	0.00	-0.24	0.00	0.45	45	1.31	40	90	21	0	0	0	0		
	CO SPRINGS	88	58	90	55	73	0	0.00	-0.70	0.00	1.75	44	6.79	77	74	22	1	0	0	0		
	DENVER INTL	94	64	97	61	79	3	0.00	-0.50	0.00	2.69	87	6.62	77	61	17	7	0	0	0		
	GRAND JUNCTION	100	73	104	64	87	7	0.07	-0.05	0.07	0.19	26	2.61	58	47	14	7	0	1	0		
CT	PUEBLO	95	63	97	62	79	2	0.00	-0.42	0.00	3.26	144	6.80	99	66	19	7	0	0	0		
	BRIDGEPORT	85	68	92	66	76	1	1.14	0.39	1.14	9.78	175	23.26	98	87	47	1	0	1	1		
DC	HARTFORD	86	65	91	59	75	1	0.26	-0.67	0.26	4.50	68	21.90	89	83	42	1	0	1	0		
	WASHINGTON	92	74	98	69	83	2	0.70	-0.32	0.70	5.09	74	18.29	79	80	44	5	0	1	1		
DE	WILMINGTON	91	68	98	63	79	1	0.52	-0.50	0.52	9.42	131	23.09	94	90	49	4	0	1	1		
FL	DAYTONA BEACH	92	73	93	71	83	1	2.74	1.43	0.93	14.00	133	32.74	130	96	57	7	0	4	3		
	JACKSONVILLE	93	74	96	73	83	1	2.30	0.84	1.81	10.13	87	24.02	87	95	51	6	0	3	1		
	KEY WEST	90	84	92	81	87	1	0.00	-0.78	0.00	8.75	139	13.39	82	81	64	4	0	0	0		
	MIAMI	94	79	97	74	87	3	0.91	-0.62	0.75	6.51	43	26.44	85	81	50	7	0	2	1		
	ORLANDO	92	75	93	73	83	1	0.00	-1.60	0.00	0.72	5	9.84	37	95	49	7	0	0	0		
	PENSACOLA	92	76	97	74	84	0	1.63	-0.17	0.93	11.65	98	28.26	77	88	53	4	0	3	1		
	TALLAHASSEE	91	73	95	72	82	0	3.11	1.59	1.02	13.31	112	27.22	83	96	55	6	0	5	2		
	TAMPA	91	76	93	73	83	-1	2.49	0.86	1.98	8.95	75	21.37	86	90	58	5	0	4	1		
	ATHENS	90	73	96	71	81	0	1.39	0.48	0.82	7.43	100	26.31	96	100	61	5	0	5	1		
	ATLANTA	90	74	93	72	82	1	3.56	2.46	1.28	9.24	123	27.18	94	90	58	5	0	5	4		
GA	AUGUSTA	93	73	96	71	83	0	1.89	0.90	1.02	6.65	90	23.15	93	99	56	6	0	4	1		
	COLUMBUS	92	74	96	73	83	0	0.61	-0.38	0.51	12.28	186	36.59	133	91	50	5	0	4	1		
	MACON	91	74	94	72	82	0	0.59	-0.54	0.59	7.56	101	23.68	89	100	60	4	0	1	1		
	SAVANNAH	94	75	98	73	84	1	1.95	0.70	0.85	4.56	45	13.97	52	96	53	7	0	4	2		
	HILO	83	70	86	69	76	0	3.40	1.39	1.03	21.40	173	84.56	142	94	64	0	0	7	3		
HI	HONOLULU	88	76	89	72	82	0	0.08	-0.03	0.07	0.45	57	21.96	258	80	49	0	0	2	0		
	KAHULUI	87	71	89	65	79	-1	0.00	-0.13	0.00	0.91	200	28.63	300	86	52	0	0	0	0		
	LIHUE	83	75	85	72	79	0	0.83	0.45	0.31	4.09	148	42.51	224	87	65	0	0	6	0		
	BURLINGTON	90	68	92	64	79	3	0.00	-0.93	0.00	9.28	126	20.83	97	98	55	4	0	0	0		
IA	CEDAR RAPIDS	88	67	90	62	78	5	0.01	-1.00	0.01	9.38	113	20.35	100	96	52	4	0	1	0		
	DES MOINES	91	70	92	67	80	4	0.00	-0.82	0.00	11.63	154	25.66	120	91	47	7	0	0	0		
	DUBUQUE	90	67	92	61	79	7	0.00	-1.15	0.00	12.04	149	26.64	123	95	50	4	0	0	0		
	SIOUX CITY	91	65	95	63	78	3	0.00	-0.74	0.00	5.39	84	14.81	88	97	48	5	0	0	0		
	WATERLOO	90	65	92	61	78	3	0.02	-0.95	0.02	8.76	104	22.80	107	99	49	4	0	1	0		
ID	BOISE	97	70	103	65	83	6	0.25	0.20	0.12	1.25	141	7.32	100	59	20	6	0	3	0		
	LEWISTON	93	67	102	61	80	4	0.01	-0.08	0.01	0.85	54	9.28	113	57	21	5	0	1	0		
	POCATELLO	95	61	102	52	78	7	0.00	-0.12	0.00	0.45	36	4.71	66	67	19	7	0	0	0		
IL	CHICAGO/O_HARE	92	72	96	67	82	6	0.00	-0.81	0.00	9.18	149	25.35	121	80	40	6	0	0	0		
	MOLINE	91	68	93	62	80	4	0.00	-0.98	0.00	9.24	120	20.10	90	96	52	6	0	0	0		
	PEORIA	91	71	94	65	80	4	0.01	-0.81	0.01	9.33	159	23.57	110	94	51	5	0	1	0		
	ROCKFORD	91	67	92	59	79	5	0.00	-0.83	0.00	8.95	120	22.11	105	94	49	6	0	0	0		
IN	SPRINGFIELD	89	68	90	63	78	2	1.40	0.50	1.40	7.91	114	26.07	117	99	55	3	0	1	1		
	EVANSVILLE	90	72	93	69	81	2	0.11	-0.87	0.08	11.41	160	26.42	92	95	57	5	0	3	0		
	FORT WAYNE	89	66	91	60	78	3	0.39	-0.54	0.39	6.43	93	23.13	102	96	54	3	0	1	0		
KS	INDIANAPOLIS	91	71	93	67	81	5															

Weather Data for the Week Ending July 18, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																		TEMP. °F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
KY	LEXINGTON	88	70	91	67	79	2	0.47	-0.70	0.43	13.71	173	29.58	101	96	57	4	0	3	0	
	LOUISVILLE	90	74	92	71	82	2	1.02	0.16	0.63	17.13	260	35.69	127	90	53	5	0	4	1	
	PADUCAH	89	72	92	69	80	0	0.83	-0.17	0.53	15.49	217	30.76	104	100	61	2	0	3	1	
LA	BATON ROUGE	90	74	95	73	82	-1	1.22	0.10	1.08	16.49	171	46.59	132	96	60	4	0	2	1	
	LAKE CHARLES	89	75	94	70	82	-2	4.83	3.58	2.50	11.20	113	30.26	93	96	65	5	0	3	3	
	NEW ORLEANS	90	76	94	73	83	-1	1.58	0.04	0.76	19.07	162	43.89	121	93	58	5	0	3	2	
MA	SHREVEPORT	89	74	93	72	82	-2	0.00	-0.77	0.00	0.00	0	0.00	0	98	60	3	0	0	0	
	BOSTON	85	67	90	63	76	2	***	***	***	***	***	***	***	73	40	1	0	***	***	
	WORCESTER	80	62	84	59	71	0	0.34	-0.56	0.34	5.63	87	23.63	94	82	48	0	0	1	0	
MD	BALTIMORE	91	68	96	63	80	1	1.00	-0.05	1.00	7.43	114	20.60	86	91	45	4	0	1	1	
ME	CARIBOU	76	54	82	49	65	-2	1.20	0.23	0.54	7.23	111	24.00	113	94	42	0	0	4	1	
	PORTLAND	82	61	90	54	71	1	0.27	-0.51	0.17	5.93	96	24.21	95	82	44	1	0	2	0	
	ALPENA	83	63	96	54	73	5	2.61	1.85	2.52	8.07	175	26.72	172	91	50	2	0	3	1	
MI	GRAND RAPIDS	91	66	98	62	79	6	0.00	-0.90	0.00	3.81	61	13.33	62	88	38	4	0	0	0	
	HOUGHTON LAKE	84	60	96	52	72	4	0.61	-0.01	0.57	5.95	124	26.32	165	96	48	2	0	2	1	
	LANSING	91	64	97	59	77	5	0.00	-0.64	0.00	4.86	89	18.64	101	90	40	4	0	0	0	
MN	MUSKEGON	88	65	90	62	76	4	0.00	-0.61	0.00	4.28	93	25.97	141	93	47	1	0	0	0	
	TRAVERSE CITY	85	63	93	57	74	4	1.41	0.78	0.85	7.25	176	24.19	172	93	50	2	0	3	2	
	DULUTH	87	65	93	59	76	9	0.56	-0.33	0.56	7.24	105	17.94	110	89	43	4	0	1	1	
MO	INT'L FALLS	85	64	98	56	74	9	0.83	-0.08	0.81	3.36	52	9.14	67	96	42	3	0	2	1	
	MINNEAPOLIS	93	74	96	72	84	9	0.00	-0.89	0.00	6.17	87	15.43	89	80	40	7	0	0	0	
	ROCHESTER	89	67	92	63	78	7	0.04	-0.90	0.04	10.51	134	19.50	98	96	51	4	0	1	0	
MS	ST. CLOUD	92	66	95	63	79	8	0.00	-0.81	0.00	6.65	112	14.27	94	98	46	6	0	0	0	
	COLUMBIA	89	68	92	64	78	0	0.65	-0.33	0.44	9.59	140	32.43	136	96	54	2	0	2	0	
	KANSAS CITY	89	70	92	66	80	1	0.15	-0.92	0.15	10.90	134	30.29	134	91	49	4	0	1	0	
MT	SAINT LOUIS	90	73	94	68	81	1	0.26	-0.59	0.24	12.24	179	32.48	131	91	52	4	0	2	0	
	SPRINGFIELD	87	70	89	68	79	-1	0.53	-0.34	0.33	12.21	180	31.54	123	94	54	0	0	3	0	
	JACKSON	92	73	96	72	82	0	1.57	0.44	1.34	11.73	160	31.72	94	100	59	5	0	2	1	
NC	MERIDIAN	90	73	94	71	81	-1	2.34	1.19	1.25	13.10	170	40.23	118	98	58	4	0	4	2	
	TUPELO	89	73	94	72	81	-1	0.88	-0.12	0.65	6.04	78	27.06	79	98	60	3	0	3	1	
	BILLINGS	96	66	111	63	81	7	1.03	0.76	0.47	3.08	102	8.93	98	79	27	6	0	3	0	
ND	BUTTE	87	53	94	50	70	6	0.30	0.04	0.12	3.02	95	8.93	111	82	24	1	0	3	0	
	CUT BANK	86	56	95	52	71	6	0.14	-0.14	0.14	2.26	64	3.12	45	79	28	2	0	1	0	
	GLASGOW	91	65	102	62	78	5	0.63	0.15	0.63	6.07	147	11.97	139	88	37	4	0	1	1	
NE	GREAT FALLS	91	60	96	56	76	7	0.24	-0.04	0.16	6.37	180	13.93	146	83	28	5	0	2	0	
	HAVRE	95	61	102	57	78	8	0.06	-0.30	0.04	3.37	95	6.81	88	89	27	5	0	2	0	
	MISSOULA	90	59	97	54	74	5	0.00	-0.18	0.00	2.01	74	10.22	118	84	29	5	0	0	0	
OH	ASHEVILLE	84	67	90	64	76	0	4.44	3.43	3.29	8.16	108	27.17	99	96	57	2	0	4	2	
	CHARLOTTE	92	73	98	68	83	2	1.11	0.30	0.69	5.46	90	18.16	76	92	46	5	0	3	1	
	GREENSBORO	90	71	96	64	80	1	0.62	-0.33	0.62	3.02	47	15.41	65	91	50	4	0	1	1	
PA	HATTERAS	85	75	89	69	80	-1	1.03	-0.20	0.87	7.59	104	23.00	78	96	70	0	0	3	1	
	RALEIGH	92	71	98	65	82	1	0.47	-0.69	0.21	6.71	101	15.46	64	93	44	4	0	3	0	
	WILMINGTON	92	75	97	71	83	2	3.43	1.89	1.64	5.49	57	17.50	61	95	52	5	0	3	2	
RI	BISMARCK	97	66	105	55	82	10	0.00	-0.71	0.00	3.41	64	9.13	83	83	30	6	0	0	0	
	DICKINSON	96	64	105	56	80	10	0.00	-0.61	0.00	2.88	62	7.83	81	87	25	5	0	0	0	
	FARGO	92	68	97	57	80	9	0.00	-0.69	0.00	3.60	57	9.39	69	94	44	5	0	0	0	
SD	GRAND FORKS	92	66	98	58	79	10	0.00	-0.83	0.00	5.58	92	11.53	96	87	39	5	0	0	0	
	JAMESTOWN	91	64	96	56	78	8	0.00	-0.88	0.00	6.05	106	9.87	85	95	45	5	0	0	0	
	GRAND ISLAND	90	65	94	62	78	0	0.00	-0.80	0.00	6.01	99	13.40	83	94	43	3	0	0	0	
TN	LINCOLN	91	66	96	63	78	0	0.57	-0.17	0.57	8.65	133	18.43	106	95	44	5	0	1	1	
	NORFOLK	93	64	96	61	78	3	0.00	-0.65	0.00	2.45	39	11.06	69	96	39	7	0	0	0	
	NORTH PLATTE	93	62	95	60	78	2	0.00	-0.72	0.00	3.78	71	8.10	63	93	34	7	0	0	0	
TX	OMAHA	93	70	98	65	81	3	0.00	-0.81	0.00	4.69	71	15.06	84	93	40	6	0	0	0	
	SCOTTSBLUFF	96	64	98	63	80	5	0.00	-0.38	0.00	2.93	82	7.25	70	80	20	7	0	0	0	
	VALENTINE	96	67	100	65	81	5	0.00	-0.64	0.00	7.30	127	11.48	91	86	29	7	0	0	0	
UT	CONCORD	85	57	90	52	71	-1	0.93	0.11	0.52	6.69	115	24.89	115	92	39	1	0	3	1	
	ATLANTIC_CITY	87	66	99	57	77	-1	0.00	-1.05	0.00	1.94	31	13.30	55	100	49	2	0	0	0	
	NEWARK	88	71	98	68	80	1	2.76	1.67	2.38	5.98	86	20.57	81	79	40	2	0	2	1	
VT	ALBUQUERQUE	93	68	95	65	80	1	0.45	0.06	0.45	1.65	115	4.40	121	62	21	7	0	1	0	
	ELY	91	58	97	51	74	5	0.01	-0.13	0.01	0.10	11	3.98	71	64	18	6	0	1	0	
	LAS VEGAS	104	88	110	80	96	2	0.00	-0.09	0.00	0.05	19	0.79	34	39	19	7	0	0	0	
WY	RENO	91	65	96	63	78	1	0.31	0.27	0.28	0.31	60	3.20	69	56	17	4	0	2	0	
	WINNEMUCCA	95	57	99	51	76	1	0.13	0.09	0.13	0.62	104	5.20	98	61	14	6	0	1	0	
	ALBANY	85	63	94	58	74	0	0.39	-0.66	0.37	7.26	108	21.24	100	86	44	1	0	2	0	
AZ	BINGHAMTON	83	63	92	58	73	4	1.13	0.32	1.13	5.90	85	24.42	109	84	44	1	0	1	1	
	BUFFALO	83	64	86	57	73	1	0.01	-0.70	0.01	4.36	84	26.61	128	86	42	0	0	1	0	
	ROCHESTER	83	62	94	55	73	0	2.67	1.87	2.67	9.43	174	30.09	163	91	45	1	0	1	1	
CA	SYRACUSE	85	62	98	57	74	2	0.92	0.03	0.92	6.62	113	29.32	140	86	41	1	0	1	1	
	AKRON-CANTON	888																			

Weather Data for the Week Ending July 18, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	YOUNGSTOWN	86	63	91	59	74	3	0.43	-0.57	0.35	6.80	106	26.92	119	98	48	2	0	2	0	
	OKLAHOMA CITY	89	69	91	66	79	-3	1.24	0.42	0.60	7.11	106	16.86	80	94	53	3	0	4	1	
	TULSA	91	73	93	71	82	-1	0.48	-0.39	0.15	15.45	220	34.10	145	90	52	7	0	4	0	
OR	ASTORIA	66	53	73	47	60	-1	0.26	0.09	0.26	4.02	141	31.91	92	95	66	0	0	1	0	
	BURNS	91	54	94	47	73	3	0.04	-0.02	0.04	0.68	74	5.60	88	69	15	6	0	1	0	
	EUGENE	84	49	90	45	67	-1	0.00	-0.07	0.00	0.78	53	15.71	69	91	29	1	0	0	0	
PA	MEDFORD	95	59	99	54	77	1	0.00	-0.05	0.00	0.39	46	7.93	77	60	16	6	0	0	0	
	PENDLETON	92	61	100	56	77	3	0.06	0.01	0.06	0.28	22	1.40	17	58	19	4	0	1	0	
	PORTLAND	80	58	89	55	69	-1	0.00	-0.10	0.00	1.32	66	18.36	91	79	33	0	0	0	0	
	SALEM	83	54	89	49	68	-1	0.03	-0.01	0.03	1.67	116	15.74	72	83	31	0	0	1	0	
	ALLENTOWN	89	65	98	61	77	1	0.91	-0.33	0.45	4.58	61	19.06	78	88	45	2	0	2	0	
	ERIE	85	66	90	62	76	3	0.44	-0.30	0.44	4.56	81	23.81	110	89	43	1	0	1	0	
	MIDDLETOWN	89	70	98	66	80	2	0.40	-0.72	0.40	5.79	87	20.73	88	87	46	3	0	1	0	
	PHILADELPHIA	91	73	98	67	82	3	0.12	-0.88	0.12	8.61	134	20.43	88	81	46	4	0	1	0	
	PITTSBURGH	87	67	91	63	77	4	0.21	-0.78	0.21	9.32	140	30.17	134	89	49	1	0	1	0	
	WILKES-BARRE	85	64	92	58	74	0	0.23	-0.56	0.23	6.86	118	22.56	114	88	48	1	0	1	0	
RI	WILLIAMSPORT	90	64	97	60	77	3	0.81	-0.24	0.58	3.50	54	18.17	81	94	43	2	0	2	1	
	PROVIDENCE	85	66	88	60	75	1	0.67	0.02	0.67	4.72	86	20.94	82	84	45	0	0	1	1	
	CHARLESTON	93	76	97	73	85	2	0.59	-0.89	0.39	6.31	63	16.26	61	96	54	6	0	2	0	
SC	COLUMBIA	94	74	99	73	84	2	0.38	-0.83	0.25	5.20	65	18.36	74	92	50	5	0	3	0	
	FLORENCE	93	74	99	73	84	1	2.16	0.80	1.60	5.80	73	19.15	80	96	50	5	0	3	2	
	GREENVILLE	89	71	95	68	80	0	1.20	0.11	0.72	5.10	78	22.21	82	99	53	4	0	4	1	
SD	ABERDEEN	91	66	93	61	79	6	0.00	-0.73	0.00	2.14	37	9.52	73	92	47	5	0	0	0	
	HURON	95	68	100	67	82	8	0.00	-0.61	0.00	5.07	92	11.05	81	90	33	7	0	0	0	
	RAPID CITY	100	68	105	65	84	11	0.00	-0.51	0.00	1.56	37	7.73	67	71	21	7	0	0	0	
TN	SIOUX FALLS	91	68	95	64	79	5	0.00	-0.70	0.00	4.51	74	12.84	80	90	43	5	0	0	0	
	BRISTOL	87	66	95	62	77	1	0.99	-0.18	0.56	8.08	119	24.07	93	99	55	3	0	3	1	
	CHATTANOOGA	89	73	93	71	81	0	0.62	-0.58	0.54	5.31	73	25.10	79	96	57	3	0	3	1	
TX	KNOXVILLE	88	71	93	70	80	1	3.96	2.72	2.05	9.24	124	29.88	97	95	58	3	0	3	2	
	MEMPHIS	91	75	94	72	83	0	0.10	-1.01	0.10	8.00	118	29.73	92	92	56	5	0	1	0	
	NASHVILLE	90	73	95	71	81	0	1.48	0.52	0.63	8.78	126	25.00	84	90	55	3	0	6	1	
	ABILENE	88	71	95	68	80	-5	1.02	0.58	0.65	6.98	150	17.41	125	95	47	3	0	3	1	
	AMARILLO	91	65	93	62	78	-2	0.28	-0.35	0.28	3.57	79	6.14	57	88	33	5	0	1	0	
	AUSTIN	89	75	96	70	82	-4	2.70	2.28	1.20	10.55	214	20.49	103	98	62	4	0	4	3	
	BEAUMONT	88	75	94	71	82	-2	4.02	2.39	2.22	15.25	139	34.31	108	96	67	4	0	4	3	
	BROWNSVILLE	97	80	98	75	88	2	0.03	-0.41	0.03	3.99	95	10.08	88	92	49	7	0	1	0	
	CORPUS CHRISTI	92	79	94	77	86	1	0.00	-0.59	0.00	8.58	159	21.41	135	96	56	6	0	0	0	
	DEL RIO	85	73	91	68	79	-8	7.46	7.13	4.72	9.00	280	11.35	111	95	68	1	0	6	3	
UT	EL PASO	93	71	97	69	82	-2	0.83	0.47	0.58	3.37	214	6.07	188	68	26	7	0	2	1	
	FORT WORTH	93	75	97	72	84	-1	1.43	0.97	1.35	9.66	187	34.98	160	87	43	7	0	2	1	
	GALVESTON	88	78	92	73	83	-2	6.62	5.80	3.33	10.67	164	25.58	121	89	69	2	0	4	2	
	HOUSTON	90	76	95	73	83	-2	2.99	2.17	1.47	12.06	142	34.16	123	98	60	4	0	3	2	
	LUBBOCK	87	66	94	64	77	-5	1.06	0.60	1.06	5.33	136	10.13	98	93	42	3	0	1	1	
	MIDLAND	89	70	94	67	79	-5	1.22	0.85	0.86	2.19	80	8.58	124	90	42	3	0	3	1	
	SAN ANGELO	87	70	93	67	78	-6	3.17	2.95	1.90	4.61	153	13.67	123	95	51	4	0	6	2	
	SAN ANTONIO	89	76	95	72	82	-2	2.71	2.14	1.28	10.61	210	27.69	155	93	55	4	0	4	2	
	VICTORIA	90	75	93	70	83	-2	2.13	1.35	1.76	7.72	119	22.56	101	98	64	5	0	5	1	
	WACO	91	75	97	71	83	-3	1.98	1.61	1.33	6.37	142	20.65	99	93	56	4	0	3	2	
VA	WICHITA FALLS	93	71	96	68	82	-3	1.31	0.85	0.68	5.39	117	16.00	103	96	42	7	0	3	2	
	SALT LAKE CITY	99	77	109	75	88	6	0.00	-0.12	0.00	0.24	20	6.25	64	40	19	7	0	0	0	
	LYNCHBURG	89	68	95	63	78	2	0.44	-0.54	0.44	5.77	93	20.08	84	97	52	4	0	1	0	
VT	NORFOLK	90	74	99	71	82	1	0.08	-1.27	0.08	6.94	92	19.85	81	91	51	3	0	1	0	
	RICHMOND	90	69	97	65	80	0	2.59	1.62	2.10	8.69	121	22.65	93	95	55	4	0	2	1	
	ROANOKE	88	69	94	64	78	0	0.98	-0.02	0.87	5.61	78	17.00	69	91	49	4	0	3	1	
WA	WASH/DULLES	91	69	96	62	80	2	1.01	0.04	0.77	9.93	146	23.96	99	91	49	5	0	2	1	
	BURLINGTON	84	62	90	57	73	0	0.39	-0.53	0.33	6.73	99	20.78	105	82	33	1	0	4	0	
	OLYMPIA	76	49	86	44	63	-2	0.12	0.01	0.12	2.29	126	25.34	96	94	40	0	0	1	0	
WI	SEATTLE-TACOMA	76	56	85	54	66	-1	0.39	0.28	0.39	1.80	98	20.64	100	82	37	0	0	1	0	
	SPOKANE	88	64	94	58	76	5	0.00	-0.08	0.00	1.00	68	7.73	81	57	19	4	0	0	0	
	YAKIMA	92	60	98	50	76	3	0.00	-0.04	0.00	0.19	30	3.75	82	64	17	5	0	0	0	
WV	EAU CLAIRE	91	67	95	62	79	7	1.85	1.07	1.10	8.78	126	18.55	102	96	47	5	0	2	2	
	GREEN BAY	87	65	93	61	76	5	0.08	-0.75	0.08	9.33	148	25.80	150	95	52	2	0	1	0	
	LA CROSSE	92	70	95	67	81	6	0.89	-0.08	0.79	12.80	167	25.59	126	94	47	6	0	2	1	
WY	MADISON	90	66	95	57	78	6	0.13	-0.90	0.12	7.16	89	22.78	107	92	45	5	0	2	0	
	MILWAUKEE	91	70	99	64	80	7	0.02	-0.72	0.02	5.58	87	21.30	109	80	42	4	0	1	0	
	BECKLEY	82	64	88	59	73	1	0.05	-1.13	0.04	8.64	121	25.74	100	93	56	0	0	2	0	
WY	CHARLESTON	88	68	93	64	78	2	1.08	-0.21	0.92	10.71	137	25.76	95	100	57	2	0	2	1	
	ELKINS	86	64	90	58	75	4	0.83	-0.58	0.81	7.88	99	26.91	97	100	56	1	0	2	1	

National Agricultural Summary

July 13 – 19, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across major U.S. agricultural regions. Temperatures were above normal across much of the northern Plains, upper Midwest, and portions of the Rockies, with departures ranging from 2 to more than 8°F above average. In contrast, below-normal temperatures prevailed across sections of the southern Plains, where readings averaged 2 to 6°F below normal. Precipitation was highly variable. Localized

pockets of above-normal rainfall were observed in portions of the Southwest, southern Plains, Southeast, and mid-Atlantic, where some locations recorded more than twice their typical weekly totals. Conversely, dry conditions persisted across portions of the northern and central Plains, where several states continued to report significant short to very short soil moisture levels.

Corn: Fifty-nine percent of the nation's corn was silking by July 19, six percentage points ahead of last year and 5 points ahead of the 5-year average. Thirteen percent of the corn was at the dough stage by week's end, equal to last year but 2 percentage points ahead of average. On July 19, sixty-seven percent of the nation's corn was rated in good to excellent condition, 1 percentage point below the previous week and 7 points below the same time last year. In Iowa, the largest corn-producing state, 80 percent of the crop was rated in good to excellent condition.

Soybeans: Sixty-six percent of the 2026 soybean crop was blooming by July 19, six percentage points ahead of both last year and the 5-year average. Thirty-two percent of the soybean crop had begun setting pods by week's end, 8 percentage points ahead of both last year and the 5-year average. On July 19, sixty-six percent of the nation's soybean crop was rated in good to excellent condition, 1 percentage point above the previous week but 2 points below the same time last year.

Winter Wheat: Seventy-four percent of the nation's winter wheat acreage had been harvested by July 19, two percentage points ahead of last year and 3 points ahead of the 5-year average. Harvest progress was at or beyond 95 percent in eight of the 18 estimating states.

Cotton: Seventy-three percent of the cotton crop had reached the squaring stage by July 19, three percentage points ahead of last year and 1 point ahead of the 5-year average. Thirty-two percent of the nation's cotton was setting bolls by week's end, equal to both last year and the 5-year average. On July 19, forty-five percent of the cotton crop was rated in good to excellent condition, 1 percentage point above the previous week but 12 points below the same time last year.

Sorghum: Thirty-four percent of the sorghum crop had reached the headed stage by July 19, seven percentage points ahead of last year and 3 points ahead of the 5-year average. By July 19, sixteen percent of the sorghum had reached the coloring stage, 1 percentage point behind last year and 2

points behind the 5-year average. On July 19, forty-five percent of the sorghum crop was rated in good to excellent condition, unchanged from the previous week but 23 percentage points below the same time last year.

Rice: Forty-seven percent of the nation's rice crop had reached the headed stage by July 19, three percentage points ahead of last year and 7 points ahead of the 5-year average. On July 19, seventy-one percent of the rice crop was rated in good to excellent condition, 7 percentage points below the previous week and 8 points below the same time last year.

Other Small Grains: Ninety-seven percent of the nation's oat crop had headed by July 19, two percentage points ahead of last year and 3 points ahead of the 5-year average. By July 19, twenty-two percent of the oat crop had been harvested, 3 percentage points ahead last year and 4 points ahead of average. On July 19, fifty percent of the oat acreage was rated in good to excellent condition, 2 percentage points below the previous week and 8 points below the same time last year.

Eighty-nine percent of the barley crop had reached the headed stage by July 19, fourteen percentage points ahead of last year and 6 points ahead of the 5-year average. On July 19, forty-four percent of the barley crop was rated in good to excellent condition, 4 percentage points below the previous week and 1 point below the same time last year.

Eighty-six percent of the spring wheat crop had reached the headed stage by July 19, equal to last year but 1 percentage point ahead of the 5-year average. On July 19, fifty-three percent of the nation's spring wheat crop was rated in good to excellent condition, 5 percentage points below the previous week but 1 point above the same time last year.

Other Crops: Seventy-seven percent of the nation's peanut crop had reached the pegging stage by July 19, two percentage points behind last year but 1 point ahead of the 5-year average. On July 19, sixty percent of the peanut crop was rated in good to excellent condition, 1 percentage point below the previous week and 9 points below the same time last year.

Crop Progress and Condition

Week Ending July 19, 2026

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
CO	18	33	54	22
IL	74	40	69	74
IN	52	26	53	54
IA	58	38	72	57
KS	60	50	61	60
KY	68	71	81	70
MI	36	17	40	35
MN	40	28	58	44
MO	84	67	81	78
NE	52	26	60	59
NC	94	92	96	88
ND	29	8	20	23
OH	37	17	42	38
PA	25	24	32	19
SD	32	17	49	30
TN	84	90	95	85
TX	87	82	87	83
WI	28	4	23	26
18 Sts	53	34	59	54
These 18 States planted 91% of last year's corn acreage.				

Corn Percent Dough				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
CO	0	0	0	2
IL	14	6	18	12
IN	8	0	4	8
IA	16	1	8	11
KS	22	16	26	18
KY	21	26	37	16
MI	4	0	2	2
MN	2	2	12	4
MO	33	16	31	30
NE	9	1	6	8
NC	68	39	56	50
ND	0	0	0	0
OH	5	0	4	4
PA	2	0	0	1
SD	3	0	3	2
TN	41	46	61	39
TX	73	60	66	66
WI	2	0	1	1
18 Sts	13	6	13	11
These 18 States planted 91% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	12	18	30	40	0
IL	3	10	27	47	13
IN	2	6	28	55	9
IA	1	3	16	60	20
KS	5	8	23	50	14
KY	1	7	21	60	11
MI	0	1	27	47	25
MN	1	3	16	56	24
MO	2	6	26	58	8
NE	2	7	26	42	23
NC	20	29	34	13	4
ND	2	10	27	58	3
OH	1	5	32	49	13
PA	0	1	17	61	21
SD	3	9	32	48	8
TN	1	3	16	51	29
TX	2	21	29	35	13
WI	2	3	16	59	20
18 Sts	2	7	24	51	16
Prev Wk	2	6	24	53	15
Prev Yr	1	5	20	56	18

Soybeans Percent Blooming				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AR	89	90	92	88
IL	66	47	66	65
IN	54	36	55	55
IA	67	56	70	68
KS	49	37	51	48
KY	46	50	63	48
LA	99	95	97	94
MI	51	33	59	54
MN	58	63	76	64
MS	87	89	93	88
MO	55	47	59	49
NE	58	65	69	68
NC	57	52	66	51
ND	71	39	62	54
OH	48	25	55	51
SD	38	37	62	43
TN	58	73	82	60
WI	57	42	62	54
18 Sts	60	50	66	60
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AR	72	67	76	66
IL	27	19	37	25
IN	23	12	24	21
IA	31	16	34	26
KS	15	12	22	14
KY	29	35	47	25
LA	86	86	90	78
MI	18	6	18	19
MN	21	23	40	23
MS	73	68	78	68
MO	23	19	25	18
NE	15	11	23	25
NC	36	20	35	29
ND	7	2	20	11
OH	13	6	18	16
SD	4	1	9	8
TN	30	48	60	31
WI	15	2	16	16
18 Sts	24	19	32	24
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	4	23	55	17
IL	3	9	29	47	12
IN	3	6	28	55	8
IA	1	3	17	62	17
KS	1	6	21	61	11
KY	1	5	20	65	9
LA	1	4	38	52	5
MI	0	8	32	54	6
MN	1	3	16	62	18
MS	0	4	28	41	27
MO	1	6	36	53	4
NE	1	6	25	44	24
NC	3	7	37	43	10
ND	2	8	38	48	4
OH	1	5	31	51	12
SD	2	8	32	51	7
TN	1	5	18	57	19
WI	2	5	19	59	15
18 Sts	2	6	26	53	13
Prev Wk	2	6	27	53	12
Prev Yr	2	5	25	54	14

Crop Progress and Condition

Week Ending July 19, 2026

Cotton Percent Squaring				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AL	82	76	85	85
AZ	99	92	98	98
AR	84	91	93	92
CA	84	80	85	82
GA	86	78	86	85
KS	63	75	88	78
LA	86	77	90	89
MS	61	66	80	78
MO	79	76	82	86
NC	89	80	90	78
OK	48	35	62	54
SC	77	68	78	80
TN	68	80	86	79
TX	64	50	64	66
VA	77	77	86	82
15 Sts	70	60	73	72
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AL	47	34	42	45
AZ	55	59	71	71
AR	47	28	54	60
CA	34	30	40	29
GA	42	20	32	39
KS	18	9	24	25
LA	28	14	33	54
MS	28	18	32	39
MO	11	4	13	27
NC	46	28	44	31
OK	3	2	11	6
SC	30	13	23	40
TN	30	52	57	34
TX	30	22	30	28
VA	28	18	31	34
15 Sts	32	22	32	32
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	3	15	69	12
AZ	0	1	17	49	33
AR	0	7	18	51	24
CA	0	0	5	5	90
GA	1	8	30	53	8
KS	2	9	35	42	12
LA	0	7	34	54	5
MS	0	4	49	36	11
MO	0	0	17	82	1
NC	1	2	19	51	27
OK	1	3	69	25	2
SC	3	13	37	40	7
TN	4	12	21	52	11
TX	7	21	42	24	6
VA	0	6	31	63	0
15 Sts	4	14	37	36	9
Prev Wk	5	11	40	36	8
Prev Yr	6	7	30	48	9

Sorghum Percent Headed				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
CO	9	5	15	6
KS	7	17	19	12
NE	14	8	16	11
OK	16	21	27	18
SD	12	11	17	23
TX	77	74	79	79
6 Sts	27	30	34	31
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
CO	0	0	0	0
KS	0	0	3	2
NE	1	0	1	0
OK	4	1	5	3
SD	0	0	0	0
TX	61	42	55	59
6 Sts	17	11	16	18
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	32	15	28	25	0
KS	3	9	35	38	15
NE	0	3	46	47	4
OK	12	15	31	37	5
SD	3	11	51	29	6
TX	2	19	41	30	8
6 Sts	5	12	38	35	10
Prev Wk	5	10	40	34	11
Prev Yr	1	4	27	53	15

Oats Percent Headed				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
IA	99	98	99	99
MN	91	83	93	93
NE	97	93	94	99
ND	87	87	95	81
OH	98	89	95	95
PA	99	95	96	92
SD	100	97	100	98
TX	100	100	100	100
WI	93	89	94	94
9 Sts	95	93	97	94
These 9 States planted 76% of last year's oat acreage.				

Oats Percent Harvested				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
IA	33	8	39	29
MN	4	0	4	8
NE	47	26	53	40
ND	1	0	0	0
OH	21	10	26	19
PA	22	0	27	7
SD	11	4	33	15
TX	98	97	98	99
WI	6	2	10	7
9 Sts	19	10	22	18
These 9 States harvested 78% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	2	15	68	15
MN	1	2	26	59	12
NE	14	38	36	11	1
ND	2	5	29	57	7
OH	0	1	19	79	1
PA	0	1	23	69	7
SD	10	12	45	28	5
TX	17	31	34	16	2
WI	1	1	18	67	13
9 Sts	7	13	30	43	7
Prev Wk	7	12	29	46	6
Prev Yr	8	10	24	49	9

Crop Progress and Condition

Week Ending July 19, 2026

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AR	100	98	100	100
CA	89	85	90	86
CO	76	80	90	65
ID	11	5	10	9
IL	97	88	95	97
IN	90	84	95	93
KS	96	97	98	94
MI	56	22	59	51
MO	99	96	98	98
MT	2	0	3	6
NE	45	42	59	58
NC	97	97	97	97
OH	91	76	94	92
OK	97	99	100	99
OR	33	14	31	28
SD	27	19	61	32
TX	96	94	96	99
WA	16	4	15	15
18 Sts	72	67	74	71
These 18 States harvested 92% of last year's winter wheat acreage.				

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
ID	98	95	96	95
MN	97	78	95	93
MT	65	41	59	79
ND	90	78	92	83
SD	100	97	100	96
WA	100	100	100	98
6 Sts	86	72	86	85
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	3	10	29	52	6
MN	0	1	10	80	9
MT	1	20	54	24	1
ND	1	10	31	52	6
SD	2	8	48	40	2
WA	2	9	25	60	4
6 Sts	1	11	35	48	5
Prev Wk	1	9	32	54	4
Prev Yr	3	13	32	47	5

Barley Percent Headed				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
ID	98	95	96	93
MN	88	72	84	89
MT	50	65	81	73
ND	89	86	96	85
WA	100	99	100	98
5 Sts	75	79	89	83
These 5 States planted 81% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	3	11	26	58	2
MN	0	1	13	78	8
MT	1	16	63	19	1
ND	1	3	36	54	6
WA	2	9	22	65	2
5 Sts	1	11	44	41	3
Prev Wk	1	10	41	46	2
Prev Yr	2	14	39	42	3

Peanuts Percent Pegging				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AL	74	60	76	70
FL	92	78	83	88
GA	88	76	85	86
NC	81	66	84	74
OK	38	27	49	41
SC	80	76	80	84
TX	38	20	38	34
VA	68	61	78	72
8 Sts	79	65	77	76
These 8 States planted 95% of last year's peanut acreage.				

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	6	23	62	9
FL	1	4	26	68	1
GA	0	7	38	50	5
NC	1	2	15	50	32
OK	2	13	30	52	3
SC	3	10	25	56	6
TX	8	1	41	48	2
VA	0	3	37	60	0
8 Sts	1	6	33	53	7
Prev Wk	1	7	31	53	8
Prev Yr	0	4	27	59	10

Rice Percent Headed				
	Prev Year	Prev Week	Jul 19 2026	5-Yr Avg
AR	33	20	37	28
CA	24	20	23	26
LA	82	80	88	77
MS	64	55	67	57
MO	24	16	27	23
TX	86	70	80	79
6 Sts	44	35	47	40
These 6 States planted 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	1	4	29	48	18
CA	0	0	20	60	20
LA	0	3	15	70	12
MS	0	0	54	40	6
MO	0	0	18	66	16
TX	1	5	19	72	3
6 Sts	1	3	25	55	16
Prev Wk	0	1	21	59	19
Prev Yr	1	2	18	58	21

Crop Progress and Condition**Week Ending July 19, 2026**

Pasture and Range Condition by Percent Week Ending Jul 19, 2026												
	VP	P	F	G	EX			VP	P	F	G	EX
AL	1	1	14	71	13		NH	0	0	35	65	0
AZ	60	14	16	10	0		NJ	5	7	61	27	0
AR	1	13	28	41	17		NM	34	30	32	4	0
CA	0	0	30	60	10		NY	0	6	26	59	9
CO	40	36	22	2	0		NC	15	44	24	16	1
CT	0	0	40	60	0		ND	9	15	28	46	2
DE	22	30	30	18	0		OH	0	1	22	72	5
FL	4	17	23	46	10		OK	16	14	34	29	7
GA	4	17	39	35	5		OR	20	27	23	28	2
ID	6	15	32	46	1		PA	0	7	32	59	2
IL	3	6	29	48	14		RI	0	0	50	50	0
IN	2	6	26	59	7		SC	10	24	43	20	3
IA	1	10	22	58	9		SD	17	28	37	16	2
KS	4	11	28	46	11		TN	4	9	27	53	7
KY	1	5	33	55	6		TX	9	18	33	30	10
LA	1	5	30	60	4		UT	15	26	35	24	0
ME	0	0	10	68	22		VT	0	0	0	75	25
MD	9	11	27	53	0		VA	21	27	36	15	1
MA	0	0	50	50	0		WA	10	18	38	34	0
MI	1	4	41	51	3		WV	23	34	28	13	2
MN	2	6	44	38	10		WI	2	8	29	49	12
MS	3	7	35	43	12		WY	36	27	30	7	0
MO	0	3	21	63	13		48 Sts	21	21	29	24	5
MT	28	30	18	20	4							
NE	35	33	24	8	0		Prev W	18	22	30	25	5
NV	5	20	50	15	10		Prev Yr	11	17	29	32	11

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending July 19, 2026



Crop Progress and Condition

Week Ending July 19, 2026



International Weather and Crop Summary

July 12 – 18, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: The latest western Europe heat wave abated as the week progressed, while widespread albeit highly variable showers lingered in central and eastern growing areas.

WESTERN FSU: Mostly below-normal temperatures and widespread but highly variable rainfall maintained good to excellent summer crop yield prospects.

EASTERN FSU: Widespread showers benefited spring wheat and barley, while sharply hotter weather across the south likely stressed flowering cotton and increased irrigation demands.

MIDDLE EAST: Seasonably sunny skies and near- to above-normal temperatures in Turkey promoted the development of irrigated reproductive to filling summer crops.

AUSTRALIA: Late-week showers in southwestern Australia contrasted with dry weather in eastern growing areas.

SOUTH ASIA: Localized heavy monsoon rains in the north and east contrasted with dryness in the south and west, creating uneven moisture conditions and mixed crop prospects.

EAST ASIA: Widespread showers provided beneficial moisture across much of East Asia, helping sustain summer crop development despite continued above normal warmth.

SOUTHEAST ASIA: A stronger Southwest Monsoon early in the week brought the heaviest rainfall before weakening later, resulting in front loaded moisture supporting crops.


MEXICO: Drier weather in central sections of the southern plateau corn belt reduced topsoil moisture reserves for summer crops.

CANADIAN PRAIRIES: Hot, often dry weather helped to reduce pockets of excessive wetness and favored a rapid pace of development for spring-sown crops.

SOUTHEASTERN CANADA: Rapidly changing conditions became more favorable for summer crops, as hot, smoky weather was replaced by cooler, showery conditions.



EUROPE
Total Precipitation(mm)
July 12 - 18, 2026



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

The third heat wave of the growing season across western Europe abated as the week progressed, while widespread albeit highly variable showers lingered across central and eastern portions of the continent. A strong ridge of high pressure over western Europe was responsible for extreme heat (35-41°C) across much of western, central, and southern France, further lowering yield prospects for filling corn which was developing two to four weeks ahead of average due to persistent anomalous warmth. However, as the high shifted northward later in the period, hit-and-miss showers and thunderstorms (2-25 mm) signaled the arrival of somewhat cooler air. Nevertheless, the most recent satellite-derived Vegetation Health Index (VHI) for France's croplands remained the lowest on record for this time of year dating back to 1987. Hot and dry weather also lingered in Spain, though high temperatures were mostly in the lower to middle 30s (degrees C). More noteworthy, the 2025-26 Water Year ended about a month early on the Iberian Peninsula, which has increased irrigation demands for corn, sunflowers, and cotton. Daytime highs also reached the middle 30s in northern Italy's Po River Valley, though

showers and thunderstorms (10-70 mm) eased heat-related crop stress that has been prevalent since late June. Meanwhile, dry weather favored winter crop harvesting and other seasonal fieldwork in England and the Low Countries. Farther east, moderate to heavy showers and thunderstorms (10-90 mm) from central and southern Germany eastward into Lithuania favored reproductive summer crops and filling spring grains. Rain was hit and miss across Hungary, Greece, and the Balkans, with completely dry conditions in northern Serbia and environs contrasting with locally heavy showers (25 mm or more) from Croatia southward into western Serbia as well as central and northern Romania. The latest VHI continued to depict a ribbon of poor vegetative health from southern Germany into southeastern Hungary and western Romania, while the VHI depicted good to excellent conditions in Greece and the southern Balkans.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
July 12 - 18, 2026



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Mostly cool and unsettled weather maintained favorable prospects for summer crops across much of the region. Temperatures for the week averaged 1 to 3°C below normal across eastern Ukraine into western Russia, with daytime highs in the upper 20s to lower 30s (degrees C) nearly ideal for the development of reproductive corn, sunflowers, and soybeans. Rainfall in the primary summer crops areas of Ukraine and western Russia was highly variable, with pockets of complete dryness interspersed with 10 to 25 mm (locally more) of rain. Short-term dryness has developed in the west-central Southern

District, though a lack of extreme heat has limited the potential for significant crop stress for the time being. Above-normal temperatures (up to 3°C above normal) in westernmost portions of Ukraine and Belarus accelerated summer crop development, though moderate to heavy rain (10-65 mm) minimized crop stress and eased short-term precipitation deficits. Farther east, soaking rainfall (20-120 mm) from the eastern Central District into the central Volga District was beneficial for filling spring grains and late-vegetative to reproductive summer crops after the preceding week's hot weather.

EASTERN FSU
Total Precipitation(mm)
July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Widespread showers in the spring grain belt contrasted with increasingly hot and seasonably dry conditions farther south. Rainfall for the week totaled 10 to 50 mm in the spring grain belt of northern Kazakhstan and central Russia, though locally higher totals (70 mm or more) were noted in the western Urals District. Consequently, prospects for reproductive wheat and filling barley remained mostly favorable despite the lingering anomalous warmth (3-6°C above normal) in northern Kazakhstan. Farther east, however, a lack of rainfall in East Kazakhstan and the western Siberia

District exacerbated localized short-term dryness and drought. Conversely, the rest of the Siberia District reported 10 to 60 mm of rainfall. To the south across the Commonwealth of Independent States (CIS), highly unusual late-season showers (10-40 mm) in eastern portions of Kyrgyzstan and Tajikistan contrasted with seasonably dry weather elsewhere. More noteworthy, temperatures spiked from the upper 30s and lower 40s early in the period to middle and upper 40s by week's end, rapidly increasing irrigation demands for flowering cotton and likely introducing some crop stress.

MIDDLE EAST
Total Precipitation(mm)
July 12 - 18, 2026



Weather station data for Syria and Iraq was not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Seasonably sunny skies across the region favored fieldwork and summer crop development. In Turkey, dry weather and near- to above-normal temperatures favored winter wheat harvesting, while irrigated summer crops progressed through reproduction and toward grain fill in mostly favorable condition. Showers were limited to the

Turkish Black Sea Coast, where locally more than 30 mm was reported. Otherwise, it was completely dry from western Turkey into Iran.

**Surface-based weather station data from Iraq, and much of Syria were either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA
Total Precipitation(mm)
July 12 - 18, 2026



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




AUSTRALIA

Late-week showers in southwestern Australia contrasted with mostly dry weather in eastern growing areas. Following a dry start to the week in Western Australia, a cold front later in the monitoring period triggered moderate to heavy showers (15-85 mm) in the state's northern croplands, boosting soil moisture for vegetative wheat, barley, and rapeseed. Rain was lighter (10 mm or less) in southern crop areas of Western Australia but still heavy enough to moisten

soils locally. Conversely, completely dry conditions prevailed for a second consecutive week from central New South Wales into southern Queensland, favoring fieldwork and winter crop development but renewing concerns over a return to dryness and drought. Showers were noted farther south in South Australia (5-15 mm) and western Victoria (5-25 mm) maintaining mostly favorable soil moisture for winter crop vegetative development.

SOUTH ASIA
Total Precipitation(mm)
July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTH ASIA


Localized heavy monsoon rains were concentrated across northern and eastern India, Nepal, and Bangladesh, while southern and western areas remained broadly dry, aside from segments of India's western coastline. This produced a highly uneven moisture pattern across the region. Weekly totals commonly ranged from 25 to 200 mm in the wetter northern and eastern sectors, with locally heavier pockets exceeding 200 mm, whereas west-central and northwestern India received less than 25 mm, amounting to little more than scattered showers. Pakistan likewise remained hot and unseasonably dry, particularly in its southern

province, with only spotty showers in central and northern areas producing up to 50 mm. These dryness concerns continued to affect soybeans and cotton in west central and northwestern India; although rainfall had improved in prior weeks, it was largely absent this past week and totals remain well below typical monsoonal expectations. Temperatures across the region averaged up to 3°C above normal, with daytime highs generally in the middle to upper 30s (degrees C) and reaching the lower 40s in northwest India into Pakistan and isolated parts of southern India—further intensifying heat stress and evaporative demand on rainfed crops.

EASTERN ASIA

Total Precipitation(mm)

July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN ASIA

Widespread showers covered much of China, the Korean Peninsula, and northern Japan, providing beneficial moisture for summer crops such as rice, corn, and soybeans. Rainfall totals generally ranged from 25 to 100 mm, with locally heavier pockets (100-300 mm), helping maintain favorable soil moisture and supporting germination, early growth, and tillering in wetter agricultural belts from the Yangtze Valley into parts of South Korea. In contrast, southern Japan, northern China, and Mongolia remained drier, with many areas receiving less than 25 mm,

continuing moisture shortages that may slow the development of spring grains and soybeans. Temperatures across the region were near- to above-normal (up to 6°C above normal), with daytime highs generally in the lower to upper 30s (degrees C), and localized heat in interior China reaching the lower 40s. Overall, rainfall delivered generally favorable moisture for summer crops in central and southern sectors, while persistent dryness in the north requires continued monitoring for early-season grain and oilseed establishment.

SOUTHEAST ASIA
Total Precipitation(mm)
July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTHEAST ASIA

A stronger Southwest Monsoon early in the week delivered heavy to locally extreme rainfall (25-200 mm) across northern Thailand, Myanmar, Laos, and Vietnam, with Thailand's western coastline receiving exceptional totals of 300 to 500 mm. Rainfall decreased later in the week as the monsoon trough weakened, but early-period moisture broadly benefited main-season rice in northern Indochina. The Philippines also saw widespread beneficial rainfall (10-100 mm) across most of the

archipelago, with only north-central pockets remaining noticeably drier. Farther south, Malaysia's key palm-oil regions and northern Indonesia received useful rainfall of 10 to 150 mm, supporting perennial crop moisture needs despite seasonal variability. Daytime highs averaged in the lower to middle 30s (degrees C), with some locally higher temperatures in the upper 30s. Overall, early-week rainfall provided important support for rice and oil-palm areas.

MEXICO
Total Precipitation(mm)
July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Rainfall became more variable across the southern plateau corn belt, with showers (10-50 mm, with locally higher amounts) in eastern and western areas contrasting with mostly dry weather in central sections of the region. Notably, minimal rain fell in Guanajuato, a corn-producing state in central Mexico, while locally heavy showers were observed in Pacific Coast States such as Nayarit and Jalisco, as well as the Gulf Coast State of

Veracruz. Farther north, monsoon-related showers extended into northwestern Mexico, including parts of Sonora and Chihuahua, while a slow-moving disturbance over Texas contributed to flooding rainfall in northern Coahuila. However, the remainder of northeastern Mexico experienced mostly dry weather. Temperatures averaged within 2°C of normal nationwide, except as much as 4°C below normal in northern Coahuila.

CANADIAN PRAIRIES

Total Precipitation(mm)

July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


As the week began, a provincial report from Saskatchewan stated that recent “[higher] temperatures, increased sunshine, and limited precipitation helped fields to dry, allowing crops to catch up.” Subsequently, a hot spell pushed weekly temperatures 3 to 5°C above normal, except in the Peace River Valley. High temperatures peaked at 30°C or higher in most crop production areas, with readings topping 35°C in several locations along

and near the U.S. border. The Prairie hot spell was accompanied by mostly dry weather (weekly totals less than 10 mm), except for some 10 to 35 mm totals in Manitoba and northern crop production areas in Alberta. Even with some challenges related to lingering pockets of excessive soil moisture, major crops in Alberta began the week rated 64 percent in good to excellent condition, above the 5-year average of 59 percent.

SOUTHEASTERN CANADA

Total Precipitation(mm)

July 12 - 18, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

An eventful week began with record-setting high temperatures and smoky conditions, followed by cooler conditions and occasional showers. The smoke (and attendant poor air quality) was delivered by hundreds of Canadian wildfires, which by week's end had collectively burned some 3 million hectares of vegetation so far this year. During the brief hot spell, high temperatures generally ranged from 30 to 38°C in Ontario and western Quebec, with a few locations eclipsing all-time station records. However, due to the

arrival of cooler air, weekly temperatures only averaged 1 to 3°C above normal in Ontario and western Quebec, with near-normal readings noted farther east. Significant rain (10-40 mm) accompanied the transition to cooler weather, except for scattered lower amounts in southwestern Ontario, between the Great Lakes. Relatively dry weather in southwestern Ontario promoted winter wheat harvesting, while summer crops in areas receiving meaningful rain benefited from the moisture in the wake of the heat wave.




United States
Department of
Agriculture

This product was prepared by the
USDA Office of the Chief Economist (OCE)
World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

July 19, 2026



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
Weekly Weather and Crop Bulletin, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://esmis.nal.usda.gov/>, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).