Volume 113, No. 30 www.usda.gov/oce/weather-drought-monitor July 28, 2026

WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS
July 19 – 25, 2026
Highlights provided by USDA/WAOB

A building ridge of high pressure across the **western and central U.S.** led to significantly above-normal temperatures as far east as the **High Plains** and limited opportunities for widespread precipitation. The hot, often dry weather resulted in diminishing topsoil moisture and increasing crop stress. However, heat and dryness also favored small grain maturation and harvesting. Weekly temperatures broadly averaged at least 5°F above normal across the **western half of the U.S.**, with a few exceptions. The hottest weather, relative to normal, spanned the

(Continued on page 3)

Contents


Extreme Maximum Temperature (F)
July 19 - 25, 2026
110
100
90
80
70
60
50
40
30
20
10
0
-10
-20
Bold line denotes 95°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS and Alaska)
and station (Hawaii) data
NOAA


Extreme Minimum Temperature (F)
July 19 - 25, 2026
90
80
70
60
50
40
30
20
10
0
-10
-20
-30
-40
Bold line denotes 32°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS & Alaska)
and station (Hawaii) data
NOAA

(Continued from front cover)

northern Intermountain West. Meanwhile, showers associated with the **North American** monsoon circulation temporarily waned, although dry thunderstorms continued to ignite new **Northwestern** wildfires. By week's end, U.S. year-to-date wildfires had scorched nearly 4.2 million acres of vegetation, about 125 percent of the 10-year average. Among more than four dozen active **Northwestern** fires, four in **Oregon** and one in **Washington** had burned more than 100,000 acres apiece. Farther east, mostly favorable weather prevailed in the **central and eastern Corn Belt**, amid scattered showers and near- or below-normal temperatures. Readings averaged more than 5°F below normal from parts of the **eastern Corn Belt into the Northeast**. Heavy rain soaked portions of the **mid-Atlantic**, reviving pastures and benefiting some summer crops. Elsewhere, Tropical Storm Bertha traversed the **U.S. Gulf Coast region** with relatively few impacts, as much of the cyclone's wind and rain remained offshore. Bertha officially made landfall on July 22 in **southeastern Louisiana** and July 23 near the **Texas-Louisiana border**.



Early-week showers were locally heavy in the **Midwest**, where **Waterloo, IA**, netted a daily-record total (1.99 inches) for July 20. Meanwhile, the disturbance that would become Tropical Storm Bertha produced heavy showers in parts of **Florida**. **Apalachicola, FL**, received 3.17 inches on July 20, a record for the date. The following day, **Apalachicola** recorded a southerly wind gust to 47 mph. Unrelated to Bertha, which initially had been a tropical depression west of Florida on July 19 and was officially named a day later, heavy showers dotted the **East**. Record-setting rainfall totals for July 21 included 2.24 inches in **Zanesville, OH**, and 1.59 inches in **Providence, RI**. Multiple locations in **West Virginia**, including **Elkins** (2.02 inches), **Parkersburg** (1.93 inches), and **Clarksburg** (1.86 inches), also collected daily-record amounts for July 21, while major flooding struck **Weston, WV**, and several other communities. The **West Fork River at Weston** crested on July 21 at its highest level since November 19, 2003. Parts of the **West** also noted heavy showers, especially during the first half of the week. In **Wyoming**, daily-record rainfall totals included 0.62 inch (on July 21) in **Laramie** and 0.47 inch (on July 22) in **Rawlins**. On July 23, heavy rain in the **middle Atlantic States** led to daily-record totals in **North Carolina** locations such as **Raleigh-Durham** (2.04 inches) and **Asheville** (1.73 inches). In contrast, July 1-25 rainfall on the **Plains** totaled less than one-half inch in **Wichita, KS** (0.32 inch), and **Guymon, OK** (0.28 inch).

Early in the week, developing heat over the **western and central U.S.** resulted in triple-digit, daily-record highs for July 20 in **McAllen, TX** (107°F), and **Twin Falls, ID** (100°F). **McAllen** notched additional daily records on July 21 and 22, with respective readings of 106 and 108°F. Elsewhere in **Texas**, **Galveston** (100°F on July 22) observed its highest July reading since July 8, 1939. **Galveston's** monthly record remains 101°F on July 16, 1932. Heat also affected the **Pacific Coast States**, where **Ellensburg, WA**, posted a record-setting high of 100°F on July 22. **Barstow-Daggett, CA**, logged a daily-record high (112°F) on July 23. Late in the week, extreme heat continued in much of the **West** and developed on the **Plains**. July 24 featured a daily-record high of 117°F in **Phoenix, AZ**. A day earlier in **Texas**, record-setting highs had reached 106°F in **Borger**, 105°F in **Dalhart**, and 104°F in **Amarillo**. Another daily-record high of 104°F occurred in **Amarillo** on July 24, while **Bismarck, ND**, achieved a record high of 105°F. On July 25, the week ended with an all-time station record of 112°F in **Rapid City, SD**; the previous standard had been 111°F on July 15, 2006. Elsewhere on the 25th, triple-digit, daily-record highs soared to 108°F in **Scottsbluff, NE**; 107°F in **Miles City, MT**; 104°F in **Sheridan, WY**; 103°F in **Salt Lake City, UT**; 102°F in **Helena, MT**; and 101°F in **Denver, CO**. Heat also spread eastward into **Florida**, where daily-record highs for July 25 surged to 99°F in **Orlando** and **Winter Haven**. In contrast, a surge of cool air into the **Midwest** and **Northeast** led to several daily-record lows, including July 23 readings of 47°F in **Youngstown, OH**, and 52°F in **Dubuque, IA**.

Cool, stormy weather continued through a second consecutive week in **Alaska**. On July 20, daily rainfall records were set in **Anchorage** (0.84 inch) and **Cold Bay** (0.70 inch). **Cold Bay** also notched a daily-record low of 39°F on July 20, along with **Kodiak** (also 39°F). Another round of **Alaskan** daily rainfall records occurred on July 22, when totals included 0.97 inch in **McGrath** and 0.96 inch in **Bethel**. **McGrath** last observed a warmer-than-normal day on July 10. Farther south, **Hawaii** remained in a stable weather pattern, with heavier showers limited to windward locations. On the **Big Island**, **Hilo** received July 1-25 rainfall totaling 10.31 inches, or 141 percent of normal.





Throughout its life cycle, Bertha was a heavily sheared tropical storm, with significant rain and wind remaining mostly offshore. On the evening of July 22, Bertha passed very close to New Orleans, LA, where rainfall totaled 0.20 inch and the peak wind gust reached 41 mph.


Drought Severity Index
Value for the July 19 - 25, 2026
Long Term Palmer
NOAA
DROUGHT SEVERITY INDEX (PALMER)
DEPICTS PROLONGED (MONTHS, YEARS) ABNORMAL DRYNESS OR WETNESS: RESPONDS SLOWLY; CHANGES LITTLE FROM WEEK TO WEEK; AND REFLECTS LONG-TERM MOISTURE RUNOFF, RECHARGE, AND DEEP PERCOLATION AS WELL AS EVAPOTRANSPIRATION.
USES... APPLICABLE IN MEASURING DISRUPTIVE EFFECTS OF PROLONGED DRYNESS OR WETNESS ON WATER SENSITIVE ECONOMIES, DESIGNING DISASTER AREAS OF DROUGHT OR WETNESS; AND REFLECTING THE GENERAL LONG-TERM STATUS OF WATER SUPPLIES IN AQUIFERS, RESERVOIRS AND STREAMS.
LIMITATIONS... IS NOT GENERALLY INDICATIVE OF SHORT-TERM (FEW WEEKS) STATUS OF DROUGHT OR WETNESS SUCH AS FREQUENTLY AFFECTS CROPS AND FIELD OPERATIONS (THIS IS INDICATED BY THE CROP MOISTURE INDEX).
Based on preliminary data
-4 or less (Exceptional Drought)
-3 to -3.9 (Extreme Drought)
-2 to -2.9 (Severe Drought)
-1 to -1.9 (Moderate Drought)
-0.9 to 0.9 (Near Normal)
1 to 1.9 (Unusually Moist)
2 to 2.9 (Very Moist)
3 to 3.9 (Extremely Moist)
Above 4 (Exceptionally Moist)


Crop Moisture Index
Value for the July 19 - 25, 2026
Short Term Need vs. Available Water in a Shallow Soil Profile
NOAA
Crop Moisture
DEPICTS SHORT-TERM (UP TO 4 WEEKS) ABNORMAL DRYNESS OR WETNESS AFFECTING AGRICULTURE, RESPONDS RAPIDLY, CAN CHANGE CONSIDERABLY WEEK TO WEEK AND INDICATES NORMAL CONDITIONS AT THE BEGINNING AND END OF THE GROWING SEASON.
USES... APPLICABLE IN MEASURING THE SHORT-TERM, WEEK TO WEEK, STATUS OF DRYNESS OR WETNESS AFFECTING WARM SEASON CROPS AND FIELD OPERATIONS
LIMITATIONS... MAY NOT BE APPLICABLE TO GERMINATING AND SHALLOW ROOTED CROPS WHICH ARE UNABLE TO EXTRACT THE DEEP OR SUBSOIL MOISTURE FROM A SHALLOW SOIL PROFILE, OR FOR COOL SEASON CROPS GROWING WHEN TEMPERATURES ARE AVERAGING BELOW ABOUT 55F.IT IS NOT GENERALLY INDICATIVE OF THE LONG-TERM (MONTHS, YEARS) DROUGHT OR WET SPELLS WHICH ARE DEPICTED BY THE DROUGHT SEVERITY INDEX.
Based on preliminary data
Below -3
-2.9 to 2
-1.9 to 1
-0.9 to .9
1 to 1.9
2 to 2.9
Above 3
Hatched Areas = Wetter Conditions Relative to Prior Week


Total Growing Degree Days
Mar 1 - Jul 25, 2026
7500
7000
6500
6000
5500
5000
4500
4000
3500
3000
2500
2000
1500
1000
NOAA
Corn:
Computed to 50 F base with daily maximum temperature limited to 86 F or less and daily minimum to 50 F or more.


Departure from Normal Growing Degree Days
Mar 1 - Jul 25, 2026
800
700
600
500
400
300
200
100
0
-100
-200
-300
-400
NOAA
Corn:
Computed to 50 F base with daily maximum temperature limited to 86 F or less and daily minimum to 50 F or more.


Total Growing Degree Days
Apr 1 - Jul 25, 2026
Corn:
Computed to 50 F base with daily maximum temperature limited to 86 F or less and daily minimum to 50 F or more.
NOAA
7500
7000
6500
6000
5500
5000
4500
4000
3500
3000
2500
2000
1500
1000


Departure from Normal Growing Degree Days
Apr 1 - Jul 25, 2026
Corn:
Computed to 50 F base with daily maximum temperature limited to 86 F or less and daily minimum to 50 F or more.
NOAA
800
700
600
500
400
300
200
100
0
-100
-200
-300
-400

National Weather Data for Selected Cities

Weather Data for the Week Ending July 25, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE ˚F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																	TEMP. ˚F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	61	50	71	48	55	-5	2.28	1.83	0.97	5.94	246	14.11	243	93	60	0	0	5	2
	BARROW	43	34	59	31	38	0	0.35	0.10	0.26	0.88	75	6.87	316	97	79	0	2	2	0
	FAIRBANKS	69	52	80	44	60	-2	0.77	0.23	0.37	3.11	95	10.16	178	88	45	0	0	4	0
	JUNEAU	65	49	75	44	57	0	0.72	-0.48	0.28	5.27	66	32.37	112	94	59	0	0	3	0
	KODIAK	63	52	71	40	57	1	0.54	-0.50	0.20	13.59	154	43.46	107	86	57	0	0	3	0
	NOME	57	47	60	39	52	1	1.24	0.64	0.40	2.33	93	7.97	117	93	70	0	0	5	0
AL	BIRMINGHAM	91	74	94	72	82	1	4.27	3.05	1.76	19.55	212	43.96	126	95	61	5	0	4	3
	HUNTSVILLE	88	74	92	72	81	-1	0.96	0.04	0.66	9.52	121	33.87	103	99	68	3	0	4	1
	MOBILE	92	74	96	72	83	1	0.83	-0.91	0.46	12.20	95	35.07	88	97	54	6	0	4	0
	MONTGOMERY	93	73	96	71	83	0	0.43	-0.69	0.29	9.89	119	29.17	94	96	55	6	0	2	0
AR	FORT SMITH	97	76	104	71	87	3	0.00	-0.65	0.00	11.02	149	25.73	94	90	44	7	0	0	0
	LITTLE ROCK	96	76	102	71	86	4	0.00	-0.70	0.00	6.09	97	27.18	92	87	46	7	0	0	0
AZ	FLAGSTAFF	82	55	88	52	69	1	0.94	0.20	0.43	4.05	182	8.58	86	95	39	0	0	5	0
	PHOENIX	110	88	117	82	99	3	0.00	-0.26	0.00	0.70	97	1.31	36	51	20	7	0	0	0
	PRESCOTT	91	67	96	64	79	2	0.19	-0.25	0.19	3.06	181	5.72	94	80	32	3	0	1	0
	TUCSON	101	77	109	72	89	1	0.21	-0.37	0.12	1.62	83	4.06	88	71	24	7	0	4	0
CA	BAKERSFIELD	99	74	102	69	87	1	0.00	0.00	0.00	0.00	0	3.19	72	54	20	7	0	0	0
	EUREKA	65	52	70	49	59	1	0.00	-0.04	0.00	0.89	104	15.00	62	99	72	0	0	0	0
	FRESNO	100	73	103	67	86	2	0.00	0.00	0.00	0.00	0	6.54	84	51	17	7	0	0	0
	LOS ANGELES	79	69	81	68	74	4	0.00	-0.01	0.00	0.00	0	5.68	66	88	59	0	0	0	0
	REDDING	99	70	103	64	84	0	0.00	-0.01	0.00	0.02	2	15.49	73	56	14	7	0	0	0
	SACRAMENTO	93	62	100	58	78	1	0.00	0.00	0.00	0.00	0	10.67	88	79	23	6	0	0	0
	SAN DIEGO	79	70	83	69	74	3	0.00	-0.02	0.00	0.00	0	6.02	90	87	62	0	0	0	0
	SAN FRANCISCO	73	60	91	55	66	2	0.00	0.00	0.00	0.01	8	11.88	94	88	54	1	0	0	0
	STOCKTON	96	62	103	58	79	0	0.00	0.00	0.00	0.00	0	9.31	105	85	23	6	0	0	0
CO	ALAMOSA	89	52	93	50	71	5	0.26	0.01	0.24	0.71	57	1.57	44	82	23	3	0	3	0
	CO SPRINGS	93	62	96	59	78	5	0.96	0.16	0.78	2.72	57	7.76	81	74	22	6	0	2	1
	DENVER INTL	96	67	101	65	82	6	0.60	0.06	0.36	3.29	90	7.22	79	67	22	6	0	2	0
	GRAND JUNCTION	99	71	103	67	85	5	0.31	0.15	0.22	0.50	57	2.93	63	61	20	7	0	3	0
	PUEBLO	100	66	104	64	83	6	0.13	-0.35	0.08	3.39	123	6.93	94	70	19	7	0	2	0
CT	BRIDGEPORT	79	63	86	60	71	-5	2.59	1.83	2.59	12.37	195	25.85	105	90	46	0	0	1	1
	HARTFORD	82	56	87	52	69	-6	0.71	-0.28	0.63	5.21	69	22.61	88	95	42	0	0	2	1
DC	WASHINGTON	87	70	92	66	78	-3	1.03	0.09	1.02	6.12	78	19.32	80	84	42	2	0	2	1
DE	WILMINGTON	85	64	89	58	75	-3	0.00	-1.04	0.00	9.42	114	23.09	90	88	42	0	0	0	0
FL	DAYTONA BEACH	92	76	95	75	84	2	1.20	-0.09	0.93	15.20	128	33.93	128	94	52	7	0	2	1
	JACKSONVILLE	95	75	97	73	85	2	0.62	-0.98	0.60	10.75	81	24.64	85	93	47	7	0	2	1
	KEY WEST	90	82	91	77	86	0	1.22	0.37	0.52	9.98	140	14.62	85	84	63	6	0	4	1
	MIAMI	92	82	93	81	87	3	0.44	-1.13	0.42	6.95	42	26.88	82	82	57	7	0	2	0
	ORLANDO	95	78	99	77	87	4	0.00	-1.74	0.00	0.72	5	9.84	35	90	45	7	0	0	0
	PENSACOLA	91	76	94	73	83	0	3.64	1.83	2.40	15.28	112	31.89	83	95	61	4	0	4	3
	TALLAHASSEE	92	75	97	72	83	1	1.54	-0.06	0.75	14.85	110	28.76	83	96	57	5	0	3	2
	TAMPA	91	79	93	78	85	1	2.19	0.44	0.95	11.14	82	23.56	88	88	59	5	0	4	2
GA	ATHENS	89	73	95	69	81	0	0.73	-0.16	0.50	8.16	98	27.04	95	99	62	6	0	5	1
	ATLANTA	90	74	93	73	82	1	1.34	0.36	0.73	10.59	124	28.52	96	92	57	4	0	5	1
	AUGUSTA	92	73	95	71	83	-1	0.20	-0.82	0.14	6.84	82	23.35	90	97	52	6	0	3	0
	COLUMBUS	94	75	95	73	84	1	0.29	-0.65	0.24	12.57	167	36.88	129	90	47	7	0	3	0
	MACON	92	72	93	71	82	-1	1.32	0.35	1.22	8.88	105	25.00	90	100	53	7	0	3	1
	SAVANNAH	95	77	97	76	86	3	0.04	-1.27	0.04	4.60	40	14.01	50	92	48	7	0	1	0
HI	HILO	83	71	84	69	77	0	2.57	0.30	1.28	23.97	164	87.13	141	93	63	0	0	7	1
	HONOLULU	87	76	88	75	82	0	0.00	-0.12	0.00	0.45	49	21.96	254	75	48	0	0	0	0
	KAHULUI	86	74	88	72	80	-1	0.30	0.17	0.26	1.21	207	28.93	299	87	53	0	0	3	0
	LIHUE	83	75	84	73	79	-1	1.09	0.69	0.24	5.18	164	43.60	225	86	64	0	0	7	0
IA	BURLINGTON	80	63	86	55	71	-4	1.50	0.65	1.50	10.78	131	22.33	101	96	63	0	0	1	1
	CEDAR RAPIDS	80	62	85	51	71	-2	1.51	0.59	1.51	10.89	118	21.85	103	95	57	0	0	1	1
	DES MOINES	83	66	98	61	75	-2	2.73	1.93	2.73	14.36	172	28.39	128	91	55	1	0	1	1
	DUBUQUE	79	60	83	52	70	-2	0.80	-0.25	0.80	12.84	141	27.44	121	94	56	0	0	1	1
	SIOUX CITY	86	64	101	57	75	0	0.45	-0.26	0.29	5.84	82	15.26	87	94	54	3	0	2	0
	WATERLOO	80	62	85	56	71	-3	1.99	1.08	1.99	10.76	115	24.79	111	95	56	0	0	1	1
ID	BOISE	99	69	104	64	84	5	0.00	-0.04	0.00	1.25	135	7.32	99	51	16	7	0	0	0
	LEWISTON	95	67	101	59	81	3	0.00	-0.09	0.00	0.85	51	9.28	112	53	18	6	0	0	0
	POCATELLO	98	63	101	55	81	8	0.01	-0.10	0.01	0.46	34	4.72	65	71	20	6	0	1	0
IL	CHICAGO/O_HARE	80	63	87	58	72	-4	0.00	-0.88	0.00	9.18	130	25.35	116	78	43	0	0	0	0
	MOLINE	80	61	84	52	71	-5	0.68	-0.19	0.49	9.93	116	20.78	89	94	57	0	0	3	0
	PEORIA	81	63	86	54	72	-4	0.17	-0.60	0.14	9.50	143	23.74	107	90	54	0	0	2	0
	ROCKFORD	80	58	85	52	69	-5	0.10	-0.74	0.10	9.05	109	22.20	101	92	49	0	0	1	0
	SPRINGFIELD	81	62	85	56	72	-5	0.05	-0.81	0.05	7.96	102	26.12	113	95	57	0	0	1	0
IN	EVANSVILLE	85	67	95	59	76	-3	0.15	-0.81	0.11	11.56	143	26.57	90	93	53	3	0	2	0
	FORT WAYNE	79	56	85	51	68	-6	0.63	-0.26	0.63	7.06	90	23.76	100	94	50	0	0	1	1
	INDIANAPOLIS	82	64	91	57	73	-3	0.02	-0.92	0.02	6.37	73	28.65	106	83	46	1	0	1	0
	SOUTH BEND	80	56	84	49	68	-5	0.04	-0.84	0.04	0.33	4	10.22	46	94	47	0	0	1	0
KS	CONCORDIA	90	68	103	62	79	0	0.46	-0.46	0.43	8.20	114	15.13	88	91	49	4	0	2	0
	DODGE CITY	97	69	101	65	83	2	0.87	0.19	0.87	8.02	139	12.19	91	88	38	7	0	1	1
	GOODLAND	95	63	103	60	79	2	0.10	-0.62	0.06	5.63	104	10.64	92	89	31	6	0	2	0
	TOPEKA	89	70	98	65	79	-1	2.25	1.37	1.83	12.14	148	29.05	134	95	55	4	0	2	1
	WICHITA	95	73	101	66	84	2	0.41	-0.44	0.31	18.20	223	26.91	129	88	40	6	0	2	0

Based on 1991-2020 normals

***** Not Available**

Weather Data for the Week Ending July 25, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. °F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	LEXINGTON	83	64	90	56	74	-3	0.52	-0.67	0.51	14.24	156	30.10	98	95	55	1	0	2	1
	LOUISVILLE	84	68	92	61	76	-4	1.52	0.58	1.23	18.65	248	37.20	128	89	53	3	0	2	1
	PADUCAH	87	70	94	63	78	-1	0.72	-0.23	0.38	16.21	201	31.48	103	97	59	3	0	3	0
LA	BATON ROUGE	94	76	96	74	85	2	0.85	-0.19	0.72	17.34	162	47.44	131	95	55	7	0	3	1
	LAKE CHARLES	95	77	102	75	86	2	0.00	-1.25	0.00	11.20	100	30.26	89	94	51	6	0	0	0
	NEW ORLEANS	93	79	96	76	86	2	0.19	-1.26	0.11	19.26	146	44.08	116	91	56	6	0	2	0
	SHREVEPORT	94	78	97	75	86	2	0.00	-0.70	0.00	0.00	0	0.00	0	91	50	7	0	0	0
MA	BOSTON	81	64	86	60	72	-3	***	***	***	***	***	***	***	88	38	0	0	***	***
	WORCESTER	76	57	81	56	67	-4	1.75	0.84	1.21	7.38	100	25.38	97	86	45	0	0	2	2
MD	BALTIMORE	84	65	90	59	75	-4	0.67	-0.37	0.67	8.10	107	21.27	85	93	44	1	0	1	1
ME	CARIBOU	74	52	82	48	64	-4	1.74	0.86	0.98	8.96	121	25.74	117	95	49	0	0	3	2
	PORTLAND	79	57	83	52	68	-3	0.24	-0.52	0.21	6.17	89	24.45	93	90	41	0	0	2	0
MI	ALPENA	77	53	81	50	65	-3	0.21	-0.50	0.12	8.28	155	26.93	166	92	42	0	0	2	0
	GRAND RAPIDS	81	54	84	49	68	-5	0.04	-0.85	0.04	3.85	54	13.37	60	91	39	0	0	1	0
	HOUGHTON LAKE	77	48	79	42	62	-6	0.41	-0.23	0.30	6.36	117	26.73	161	99	47	0	0	2	0
	LANSING	81	54	85	47	67	-5	0.00	-0.64	0.00	4.86	79	18.64	98	91	39	0	0	0	0
	MUSKEGON	78	55	81	49	67	-6	0.00	-0.64	0.00	4.28	81	25.97	136	92	46	0	0	0	0
	TRAVERSE CITY	77	56	81	51	67	-4	1.46	0.82	1.40	8.71	184	25.65	175	92	48	0	0	2	1
MN	DULUTH	78	58	85	49	68	1	0.09	-0.70	0.06	7.33	95	18.04	106	91	52	0	0	3	0
	INT_L FALLS	78	55	88	46	66	1	1.02	0.24	0.70	4.38	61	10.16	70	97	49	0	0	4	1
	MINNEAPOLIS	84	66	93	58	75	0	0.24	-0.62	0.18	6.41	81	15.67	86	78	42	2	0	2	0
	ROCHESTER	79	60	86	55	70	-1	0.87	-0.05	0.87	11.38	130	20.37	98	93	56	0	0	1	1
	ST. CLOUD	84	61	92	48	72	2	0.13	-0.67	0.12	6.78	101	14.40	90	94	41	2	0	2	0
MO	COLUMBIA	86	68	94	62	77	-2	1.13	0.28	0.63	10.71	139	33.56	136	96	60	3	0	3	1
	KANSAS CITY	87	69	97	64	78	0	0.32	-0.64	0.32	11.22	123	30.61	130	92	57	4	0	1	0
	SAINT LOUIS	85	69	92	64	77	-3	1.56	0.70	0.87	13.80	180	34.03	133	84	54	3	0	3	1
	SPRINGFIELD	88	71	95	67	80	0	0.16	-0.68	0.16	12.37	162	31.70	120	88	51	4	0	1	0
MS	JACKSON	96	75	98	73	85	3	0.00	-1.17	0.00	11.73	138	31.72	90	99	54	7	0	0	0
	MERIDIAN	93	75	95	74	84	1	0.68	-0.43	0.31	13.78	156	40.91	116	98	57	7	0	3	0
	TUPELO	91	76	96	74	83	1	0.43	-0.50	0.33	6.47	74	27.48	78	96	62	5	0	3	0
MT	BILLINGS	94	67	103	65	80	6	0.08	-0.17	0.08	3.16	97	9.01	96	65	24	4	0	1	0
	BUTTE	88	54	93	50	71	6	0.48	0.22	0.37	3.50	102	9.41	113	86	22	2	0	3	0
	CUT BANK	87	54	98	50	71	4	0.00	-0.23	0.00	2.26	60	3.12	43	78	24	3	0	0	0
	GLASGOW	91	61	102	56	76	2	0.03	-0.34	0.02	6.10	136	12.00	133	83	24	4	0	2	0
	GREAT FALLS	91	57	101	50	74	5	0.00	-0.24	0.00	6.37	169	13.93	142	74	22	5	0	0	0
	HAVRE	93	57	104	51	75	3	0.00	-0.29	0.00	3.37	88	6.81	85	79	23	5	0	0	0
	MISSOULA	93	57	100	54	75	5	0.18	0.02	0.18	2.19	76	10.40	118	77	19	6	0	1	0
NC	ASHEVILLE	82	68	88	64	75	-1	2.43	1.41	1.72	10.59	124	29.60	104	96	66	0	0	4	1
	CHARLOTTE	88	73	98	67	80	0	3.07	2.19	2.03	8.53	123	21.23	86	89	56	4	0	3	3
	GREENSBORO	83	69	93	65	76	-3	4.31	3.33	2.12	7.32	99	19.72	80	98	65	4	0	5	3
	HATTERAS	84	76	88	71	80	-2	3.52	2.17	1.29	11.11	128	26.52	86	95	81	0	0	5	3
	RALEIGH	84	71	92	66	77	-3	4.79	3.59	1.92	11.50	147	20.25	80	96	67	4	0	6	3
	WILMINGTON	91	77	96	71	84	2	3.61	1.97	1.94	9.10	81	21.10	70	92	59	6	0	4	2
ND	BISMARCK	92	61	105	53	76	4	0.00	-0.63	0.00	3.41	57	9.13	78	90	30	4	0	0	0
	DICKINSON	92	59	103	55	76	5	0.00	-0.50	0.00	2.88	56	7.83	77	81	25	4	0	0	0
	FARGO	86	61	90	47	73	2	0.00	-0.61	0.00	3.60	52	9.39	66	91	42	3	0	0	0
	GRAND FORKS	86	58	94	46	72	3	0.14	-0.55	0.14	5.72	84	11.67	92	92	41	2	0	1	0
	JAMESTOWN	85	59	94	52	73	2	0.30	-0.43	0.30	6.35	99	10.17	82	94	44	3	0	1	0
NE	GRAND ISLAND	87	67	103	61	77	0	0.20	-0.59	0.19	6.21	91	13.60	81	94	52	3	0	2	0
	LINCOLN	87	69	101	63	78	-1	0.50	-0.17	0.24	9.15	127	18.93	105	92	55	3	0	3	0
	NORFOLK	88	67	105	62	78	3	0.14	-0.45	0.11	2.59	38	11.20	68	91	49	3	0	2	0
	NORTH PLATTE	92	63	104	55	77	1	0.00	-0.79	0.00	3.78	62	8.10	59	91	38	5	0	0	0
	OMAHA	88	69	103	61	79	0	0.07	-0.67	0.07	4.75	65	15.13	81	88	49	3	0	1	0
	SCOTTSBLUFF	98	66	108	62	82	6	0.03	-0.33	0.03	2.96	75	7.28	68	81	25	6	0	1	0
	VALENTINE	91	65	109	59	78	2	0.49	-0.12	0.43	7.79	123	11.96	91	86	36	4	0	4	0
NH	CONCORD	82	54	85	49	67	-4	1.08	0.25	0.61	7.78	116	25.98	116	94	38	0	0	3	1
NJ	ATLANTIC_CITY	83	64	91	57	73	-4	0.00	-1.04	0.00	1.94	27	13.30	53	96	51	1	0	0	0
	NEWARK	84	66	90	62	75	-4	0.39	-0.72	0.39	6.37	79	20.96	79	80	40	1	0	1	0
NM	ALBUQUERQUE	94	70	100	68	82	3	0.53	0.10	0.52	2.17	117	4.93	121	69	24	6	0	2	1
NV	ELY	91	58	95	55	74	4	0.62	0.46	0.27	0.72	69	4.60	80	85	22	5	0	4	0
	LAS VEGAS	109	91	114	86	100	6	0.00	-0.09	0.00	0.05	13	0.79	33	32	16	7	0	0	0
	RENO	96	68	100	65	82	4	0.14	0.09	0.14	0.45	80	3.34	72	58	14	6	0	1	0
	WINNEMUCCA	100	61	103	54	80	5	0.20	0.17	0.17	0.81	130	5.40	101	60	13	7	0	2	0
NY	ALBANY	80	57	83	51	68	-5	0.50	-0.56	0.33	7.75	100	21.74	97	89	43	0	0	2	0
	BINGHAMTON	75	54	79	48	65	-5	0.25	-0.57	0.23	6.15	79	24.67	106	92	44	0	0	2	0
	BUFFALO	77	56	82	50	67	-5	1.21	0.45	1.21	5.57	93	27.82	130	87	41	0	0	1	1
	ROCHESTER	77	55	83	49	66	-7	0.44	-0.38	0.31	9.87	158	30.54	158	91	44	0	0	2	0
	SYRACUSE	79	56	84	51	68	-5	0.26	-0.60	0.26	6.87	102	29.57	136	89	40	0	0	1	0
OH	AKRON-CANTON	78	56	85	51	67	-7	0.78	-0.15	0.78	6.09	78	27.57	113	94	47	0	0	1	1
	CINCINNATI	81	64	87	57	72	-4	0.85	-0.01	0.85	12.05	154	31.70	114	89	53	0	0	1	1
	CLEVELAND	77	58	85	53	68	-7	1.32	0.50	1.32	6.93	102	24.78	108	91	46	0	0	1	1
	COLUMBUS	82	61	90	54	71	-4	1.02	-0.03	1.02	5.65	69	28.10	112	90	46	1	0	1	1
	DAYTON	79	60	88	54	70	-6	0.13	-0.73	0.13	7.28	98	30.74	121	90	50	0	0	1	0
	MANSFIELD	78	56	84	52	67	-6	0.67	-0.19	0.67	6.57	82	26.71	104	95	48	0	0	1	1
	TOLEDO	81	56	88	53	68	-7	0.26	-0.48	0.26	6.23	102	23.70	115	92	41	0	0	1	0

Based on 1991-2020 normals

***** Not Available**

Weather Data for the Week Ending July 25, 2026

STATES AND STATIONS		TEMPERATURE ˚F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. ˚F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
	YOUNGSTOWN	76	52	81	47	64	-8	0.95	-0.04	0.94	7.76	105	27.87	118	99	50	0	0	2	1
OK	OKLAHOMA CITY	96	74	104	71	85	3	0.00	-0.78	0.00	7.11	95	16.86	77	85	41	7	0	0	0
	TULSA	95	77	103	71	86	2	0.00	-0.78	0.00	15.45	198	34.10	140	80	46	6	0	0	0
OR	ASTORIA	70	56	77	53	63	2	0.00	-0.15	0.00	4.02	133	31.91	92	97	67	0	0	0	0
	BURNS	92	53	98	40	73	2	0.05	0.00	0.03	0.73	75	5.65	88	66	15	6	0	2	0
	EUGENE	87	58	97	53	73	3	0.03	-0.02	0.03	0.81	53	15.74	69	87	36	2	0	1	0
	MEDFORD	97	65	104	59	81	5	0.00	-0.04	0.00	0.39	44	7.93	77	62	17	6	0	0	0
	PENDLETON	92	64	100	53	78	3	0.00	-0.06	0.00	0.28	21	1.40	17	55	21	4	0	0	0
	PORTLAND	87	63	100	59	75	4	0.16	0.07	0.16	1.48	71	18.52	91	84	38	2	0	1	0
	SALEM	87	60	99	54	74	3	0.23	0.19	0.23	1.90	129	15.97	73	86	37	2	0	1	0
PA	ALLENTOWN	83	58	86	52	71	-5	0.26	-1.00	0.26	4.83	55	19.31	75	89	38	0	0	1	0
	ERIE	76	57	80	50	67	-6	0.37	-0.39	0.37	4.93	77	24.19	108	87	47	0	0	1	0
	MIDDLETOWN	83	63	85	56	73	-5	0.00	-1.13	0.00	5.79	74	20.73	84	84	41	0	0	0	0
	PHILADELPHIA	86	69	90	65	77	-2	0.89	-0.20	0.89	9.50	126	21.32	88	81	37	1	0	1	1
	PITTSBURGH	78	58	81	51	68	-5	0.52	-0.44	0.52	9.83	129	30.69	130	89	47	0	0	1	1
	WILKES-BARRE	80	55	82	49	67	-6	0.17	-0.66	0.17	7.04	106	22.73	110	88	39	0	0	1	0
	WILLIAMSPORT	81	56	83	51	69	-5	0.16	-0.96	0.16	3.66	48	18.32	78	93	38	0	0	1	0
RI	PROVIDENCE	80	60	84	58	71	-4	1.60	0.96	1.60	6.32	103	22.54	86	92	42	0	0	1	1
SC	CHARLESTON	94	79	98	77	87	4	0.78	-0.75	0.52	7.09	61	17.04	61	92	52	7	0	3	1
	COLUMBIA	92	75	98	73	84	1	0.12	-1.13	0.11	5.32	57	18.48	71	91	51	5	0	2	0
	FLORENCE	93	76	98	72	84	2	2.38	1.02	2.21	8.18	87	21.53	85	94	49	5	0	3	1
	GREENVILLE	88	70	95	65	79	-1	0.78	-0.36	0.48	5.88	76	22.99	81	94	57	4	0	3	0
SD	ABERDEEN	84	61	93	51	72	0	0.51	-0.09	0.43	2.65	41	10.03	73	95	51	1	0	3	0
	HURON	85	65	102	61	75	1	0.67	0.02	0.59	5.74	93	11.72	82	92	46	2	0	2	1
	RAPID CITY	93	65	112	58	79	5	0.27	-0.23	0.25	1.83	38	8.00	66	77	33	4	0	2	0
	SIOUX FALLS	84	63	97	56	73	-1	0.29	-0.46	0.29	4.80	70	13.13	78	91	49	2	0	1	0
TN	BRISTOL	84	69	91	66	76	1	2.38	1.21	1.49	10.46	132	26.44	98	99	64	2	0	6	1
	CHATTANOOGA	91	75	94	73	83	2	3.35	2.20	1.78	8.66	103	28.45	87	93	58	5	0	6	2
	KNOXVILLE	88	72	93	67	80	1	1.94	0.78	1.14	11.19	130	31.82	99	93	58	3	0	3	2
	MEMPHIS	92	77	100	74	85	2	1.78	0.63	1.78	9.78	123	31.50	94	87	53	5	0	1	1
	NASHVILLE	90	71	95	67	80	-1	2.45	1.57	1.48	11.23	143	27.45	89	86	51	4	0	3	2
TX	ABILENE	99	75	103	71	87	2	0.00	-0.39	0.00	6.98	138	17.41	122	83	37	7	0	0	0
	AMARILLO	101	71	104	65	86	6	0.00	-0.64	0.00	3.57	69	6.14	54	68	23	7	0	0	0
	AUSTIN	98	76	103	74	87	1	0.07	-0.30	0.07	10.62	200	20.56	102	93	40	7	0	1	0
	BEAUMONT	94	77	100	73	85	1	1.20	-0.25	1.08	16.45	133	35.52	107	96	55	6	0	2	1
	BROWNSVILLE	98	79	102	77	89	2	0.01	-0.32	0.01	4.00	88	10.09	85	92	43	7	0	1	0
	CORPUS CHRISTI	96	76	102	73	86	1	0.14	-0.26	0.14	8.72	151	21.55	133	98	49	7	0	1	0
	DEL RIO	96	77	103	74	87	-1	0.00	-0.30	0.00	9.00	256	11.35	108	85	40	7	0	0	0
	EL PASO	98	74	105	70	86	2	0.30	-0.10	0.24	3.67	186	6.37	176	63	24	7	0	2	0
	FORT WORTH	100	80	106	79	90	4	0.00	-0.33	0.00	9.66	175	34.98	158	71	37	7	0	0	0
	GALVESTON	91	80	100	79	86	0	1.14	0.49	0.58	11.81	165	26.72	123	90	62	4	0	2	2
	HOUSTON	97	77	102	76	87	1	0.32	-0.40	0.32	12.37	134	34.48	121	95	46	7	0	1	0
	LUBBOCK	97	73	101	67	85	4	0.00	-0.35	0.00	5.33	124	10.13	94	71	29	7	0	0	0
	MIDLAND	98	73	103	71	86	1	0.06	-0.31	0.06	2.25	72	8.65	118	75	27	7	0	1	0
	SAN ANGELO	97	71	100	67	84	-1	0.00	-0.21	0.00	4.61	143	13.67	120	90	35	7	0	0	0
	SAN ANTONIO	97	76	100	74	87	1	0.12	-0.24	0.12	10.72	198	27.80	152	88	37	7	0	1	0
	VICTORIA	96	75	100	73	86	1	0.17	-0.50	0.16	7.89	110	22.73	98	99	48	7	0	2	0
	WACO	100	76	106	74	88	2	0.00	-0.37	0.00	6.37	131	20.65	98	90	36	7	0	0	0
	WICHITA FALLS	101	75	106	71	88	3	0.00	-0.42	0.00	5.39	107	16.00	100	82	33	7	0	0	0
UT	SALT LAKE CITY	98	76	103	73	87	5	0.24	0.11	0.23	0.48	36	6.49	66	53	22	6	0	2	0
VA	LYNCHBURG	82	69	91	64	75	-1	1.70	0.73	0.79	7.47	104	21.78	88	96	65	1	0	6	1
	NORFOLK	85	72	95	65	78	-3	3.13	1.56	2.12	10.07	110	22.98	88	92	63	3	0	4	1
	RICHMOND	84	70	90	65	77	-3	3.43	2.44	1.57	12.11	149	26.07	103	97	60	1	0	5	2
	ROANOKE	81	69	88	65	75	-3	1.34	0.40	0.68	6.95	85	18.33	71	92	63	0	0	5	1
	WASH/DULLES	84	64	89	57	74	-3	1.07	0.15	1.07	11.00	142	25.03	100	92	49	0	0	1	1
VT	BURLINGTON	82	58	86	53	70	-3	0.30	-0.56	0.22	7.02	92	21.07	102	84	31	0	0	2	0
WA	OLYMPIA	84	55	96	47	69	4	0.00	-0.10	0.00	2.29	120	25.34	96	95	37	2	0	0	0
	QUILLAYUTE	68	58	84	55	63	3	0.59	0.40	0.45	3.18	145	19.56	40	97	76	0	0	2	0
	SEATTLE-TACOMA	82	60	94	57	71	3	0.20	0.09	0.20	2.01	103	20.85	100	83	38	2	0	1	0
	SPOKANE	91	65	96	57	78	5	0.00	-0.07	0.00	1.00	65	7.73	80	54	18	4	0	0	0
	YAKIMA	94	61	101	53	78	4	0.00	-0.04	0.00	0.19	29	3.75	81	68	19	5	0	0	0
WI	EAU CLAIRE	80	58	88	48	69	-2	0.21	-0.57	0.21	8.99	116	18.76	99	96	50	0	0	1	0
	GREEN BAY	79	55	83	49	67	-4	0.24	-0.56	0.24	9.57	135	26.04	144	94	51	0	0	1	0
	LA CROSSE	81	62	87	53	71	-4	0.21	-0.70	0.21	13.01	152	25.80	122	89	49	0	0	1	0
	MADISON	80	58	84	50	69	-3	0.01	-0.96	0.01	7.17	79	22.79	103	91	48	0	0	1	0
	MILWAUKEE	80	61	85	57	70	-3	0.00	-0.74	0.00	5.58	78	21.30	105	78	45	0	0	0	0
WV	BECKLEY	80	65	85	61	72	1	1.28	0.14	1.15	9.92	120	27.03	100	92	57	0	0	4	1
	CHARLESTON	84	65	87	60	74	-1	0.19	-1.07	0.19	10.90	120	25.95	91	100	56	0	0	1	0
	ELKINS	81	61	86	55	71	-1	2.17	0.80	2.02	10.05	107	29.08	100	100	60	0	0	4	1
	HUNTINGTON	86	66	91	60	76	0	1.18	-0.04	1.17	9.62	116	25.37	92	92	51	2	0	2	1
WY	CASPER	96	65	102	60	80	8	0.11	-0.16	0.08	1.01	43	5.21	66	70	20	7	0	2	0
	CHEYENNE	92	62	97	60	77	6	0.47	-0.06	0.25	2.26	58	6.37	64	76	24	4	0	3	0
	LANDER	92	64	99	61	78	5	0.70	0.55	0.64	1.52	98	6.31	71	75	24	4	0	2	1
	SHERIDAN	94	60	104	55	77	5	0.15	-0.08	0.08	2.33	81	9.18	94	84	25	5	0	2	0

Based on 1991-2020 normals

***** Not Available**

National Agricultural Summary

July 20 – 26, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across major U.S. agricultural regions. Below-normal temperatures extended across the upper Midwest, Ohio Valley, and Northeast, while hotter-than-normal conditions prevailed throughout much of the central and western U.S. Meanwhile, portions of the Rockies and mid-Atlantic received above-normal rainfall, with some locations recording more than twice their typical weekly totals. Conversely, much of the Plains, Great Lakes, Ohio Valley, and Delta experienced below-normal precipitation, with widespread areas receiving less than 25 percent of their normal weekly rainfall. Several states across the Northwest, Southwest, Rockies, and Plains continued to report significantly short to very short moisture levels.

Corn: Seventy-eight percent of the nation's corn was silking by July 26, five percentage points ahead of last year and 4 points ahead of the 5-year average. Twenty-five percent of the corn crop was at the dough stage by week's end, 1 percentage point ahead of last year and 3 points ahead of average. On July 26, sixty-three percent of the nation's corn crop was rated in good to excellent condition, 4 percentage points below the previous week and 10 points below the same time last year. In Iowa, the largest corn-producing state, 80 percent of the corn crop was rated in good to excellent condition.

Soybeans: Eighty percent of the 2026 soybean crop was blooming by July 26, six percentage points ahead of both last year and the 5-year average. Forty-seven percent of the soybean crop had begun setting pods by week's end, 8 percentage points ahead of both last year and the average. On July 26, sixty-three percent of the nation's soybean crop was rated in good to excellent condition, 3 percentage points below the previous week and 7 points below the same time last year.

Winter Wheat: Eighty-one percent of the nation's winter wheat acreage had been harvested by July 26, two percentage points ahead of both last year and the 5-year average. Harvest progress was at or beyond 95 percent in 11 of the 18 estimating states.

Cotton: Eighty-one percent of the cotton crop had reached the squaring stage by July 26, two percentage points ahead of last year but equal to the 5-year average . Forty-five percent of the nation's cotton crop was setting bolls by week's end, 3 percentage points ahead of last year but equal to the average. On July 26, forty-six percent of the cotton crop was rated in good to excellent condition, 1 percentage point above the previous week but 9 points below the same time last year.

Sorghum: Forty percent of the sorghum crop had reached the headed stage by July 26, three percentage points ahead of last year but equal to the 5-year average. By July 26, twenty-two percent of the sorghum had reached the coloring stage, 2 percentage points ahead of last year and 1 point ahead of average. On July 26, forty-one percent of the sorghum crop was rated in good to excellent condition, 4 percentage points below the previous week and 25 points below the same time last year.

Rice: Sixty-seven percent of the nation's rice crop had reached the headed stage by July 26, six percentage points ahead of last year and 13 points ahead of the 5-year average. On July 26, seventy-one percent of the nation's rice crop was rated in good to excellent condition, unchanged from the previous week but 6 percentage points below the same time last year.

Other Small Grains: Thirty-four percent of the nation's oat crop had been harvested by July 26, six percentage points ahead of last year and 5 points ahead of the 5-year average. On July 26, forty-eight percent of the oat acreage was rated in good to excellent condition, 2 percentage points below the previous week and 10 points below the same time last year.

Ninety-three percent of the barley crop had reached the headed stage by July 26, fourteen percentage points ahead of last year and 3 points ahead of the 5-year average. Two percent of the barley acreage had been harvested by July 26, one percentage point ahead of last year but equal to the 5-year average. On July 26, fifty-two percent of the barley was rated in good to excellent condition, 8 percentage points above the previous week and 10 points below the same time last year.

Ninety-two percent of the spring wheat crop had reached the headed stage by July 26, one percentage point ahead of last year but 1 point behind the 5-year average. Two percent of the spring wheat acreage had been harvested by July 26, one percentage point ahead of last year but equal to the 5-year average. On July 26, fifty-three percent of the nation's spring wheat crop was rated in good to excellent condition, unchanged from the previous week but 4 percentage points above the same time last year.

Other Crops: Eighty-four percent of the nation's peanut crop had reached the pegging stage by July 26, two percentage points behind last year but equal to the 5-year average. On July 26, sixty-four percent of the nation's peanut crop was rated in good to excellent condition, 4 percentage points above the previous week but 4 points below the same time last year.

Crop Progress and Condition

Week Ending July 26, 2026

Accessible Data Available from USDA/NASS

Corn Percent Silking

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
CO	34	54	79	44
IL	90	69	86	88
IN	71	53	74	75
IA	81	72	87	80
KS	75	61	70	75
KY	78	81	87	80
MI	53	40	64	59
MN	69	58	87	70
MO	90	81	90	88
NE	73	60	79	80
NC	96	96	98	93
ND	51	20	57	46
OH	61	42	63	63
PA	44	32	42	37
SD	64	49	78	61
TN	88	95	97	91
TX	91	87	91	88
WI	52	23	52	51
18 Sts	73	59	78	74

These 18 States planted 91% of last year's corn acreage.

Corn Percent Dough

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
CO	2	0	8	4
IL	32	18	30	26
IN	18	4	20	18
IA	32	8	28	25
KS	34	26	34	31
KY	38	37	50	30
MI	15	2	12	9
MN	7	12	24	13
MO	46	31	50	46
NE	19	6	18	19
NC	80	56	73	65
ND	3	0	1	2
OH	18	4	13	13
PA	6	0	1	3
SD	8	3	11	10
TN	57	61	76	56
TX	76	66	71	71
WI	9	1	3	7
18 Sts	24	13	25	22

These 18 States planted 91% of last year's corn acreage.

Corn Condition by Percent

	VP	P	F	G	EX
CO	21	20	28	31	0
IL	3	10	28	46	13
IN	2	7	28	54	9
IA	1	4	15	61	19
KS	6	11	29	42	12
KY	0	11	23	54	12
MI	1	4	30	56	9
MN	1	4	18	57	20
MO	2	6	24	58	10
NE	3	9	28	46	14
NC	16	25	35	18	6
ND	5	13	32	48	2
OH	1	4	35	51	9
PA	0	1	14	68	17
SD	6	17	27	42	8
TN	1	4	15	48	32
TX	2	28	28	32	10
WI	2	5	19	56	18
18 Sts	3	9	25	50	13
Prev Wk	2	7	24	51	16
Prev Yr	2	5	20	53	20

Soybeans Percent Blooming

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AR	94	92	96	92
IL	79	66	81	77
IN	68	55	73	70
IA	79	70	80	81
KS	61	51	63	61
KY	59	63	74	61
LA	100	97	100	97
MI	67	59	74	70
MN	75	76	89	78
MS	92	93	96	92
MO	66	59	72	62
NE	71	69	85	80
NC	70	66	80	64
ND	83	62	86	73
OH	71	55	70	71
SD	61	62	78	62
TN	68	82	88	71
WI	74	62	78	69
18 Sts	74	66	80	74

These 18 States planted 96% of last year's soybean acreage.

Soybeans Percent Setting Pods

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AR	79	76	87	75
IL	47	37	50	43
IN	39	24	41	36
IA	49	34	48	45
KS	26	22	32	24
KY	39	47	55	38
LA	89	90	93	85
MI	25	18	33	33
MN	34	40	61	38
MS	79	78	84	78
MO	33	25	37	29
NE	27	23	39	42
NC	46	35	49	39
ND	31	20	46	29
OH	35	18	33	34
SD	13	9	31	24
TN	42	60	70	44
WI	33	16	33	31
18 Sts	39	32	47	39

These 18 States planted 96% of last year's soybean acreage.

Soybean Condition by Percent

	VP	P	F	G	EX
AR	1	3	25	54	17
IL	4	9	30	46	11
IN	2	7	28	55	8
IA	1	4	17	62	16
KS	1	6	29	55	9
KY	1	5	26	56	12
LA	1	3	30	60	6
MI	1	11	35	45	8
MN	1	3	18	63	15
MS	0	1	24	44	31
MO	1	6	31	56	6
NE	2	7	30	49	12
NC	1	6	30	49	14
ND	3	10	41	44	2
OH	1	5	37	49	8
SD	6	14	28	45	7
TN	1	4	20	56	19
WI	2	7	21	56	14
18 Sts	2	7	28	52	11
Prev Wk	2	6	26	53	13
Prev Yr	1	5	24	55	15

Crop Progress and Condition

Week Ending July 26, 2026

Cotton Percent Squaring

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AL	88	85	90	90
AZ	100	98	100	100
AR	93	93	96	95
CA	89	85	90	88
GA	92	86	92	91
KS	82	88	95	89
LA	89	90	95	93
MS	71	80	90	85
MO	85	82	87	91
NC	92	90	93	87
OK	73	62	81	74
SC	82	78	89	88
TN	72	86	93	84
TX	74	64	74	76
VA	87	86	94	90
15 Sts	79	73	81	81

These 15 States planted 99% of last year's cotton acreage.

Cotton Percent Setting Bolls

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AL	59	42	57	60
AZ	62	71	82	78
AR	64	54	75	76
CA	44	40	50	40
GA	56	32	50	53
KS	26	24	35	37
LA	55	33	61	69
MS	41	32	51	56
MO	33	13	38	45
NC	60	44	67	47
OK	13	11	28	22
SC	42	23	33	56
TN	43	57	74	49
TX	39	30	39	39
VA	44	31	49	49
15 Sts	42	32	45	45

These 15 States planted 99% of last year's cotton acreage.

Cotton Condition by Percent

	VP	P	F	G	EX
AL	0	4	18	60	18
AZ	0	0	10	48	42
AR	0	1	20	45	34
CA	0	0	5	5	90
GA	1	8	31	51	9
KS	3	11	31	38	17
LA	0	5	39	52	4
MS	0	3	48	37	12
MO	0	0	16	82	2
NC	1	1	21	48	29
OK	1	5	74	18	2
SC	2	9	38	44	7
TN	4	12	23	50	11
TX	4	20	42	29	5
VA	0	2	40	58	0
15 Sts	3	13	38	37	9
Prev Wk	4	14	37	36	9
Prev Yr	7	7	31	44	11

Sorghum Percent Headed

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
CO	19	15	32	18
KS	17	19	23	22
NE	34	16	25	27
OK	28	27	33	29
SD	24	17	24	36
TX	84	79	84	84
6 Sts	37	34	40	40

These 6 States planted 100% of last year's sorghum acreage.

Sorghum Percent Coloring

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
CO	0	0	3	0
KS	3	3	8	3
NE	3	1	3	1
OK	8	5	11	8
SD	2	0	1	2
TX	67	55	65	65
6 Sts	20	16	22	21

These 6 States planted 100% of last year's sorghum acreage.

Sorghum Condition by Percent

	VP	P	F	G	EX
CO	42	12	26	20	0
KS	5	14	34	36	11
NE	1	14	44	37	4
OK	7	14	38	36	5
SD	19	26	25	25	5
TX	2	23	35	29	11
6 Sts	8	17	34	32	9
Prev Wk	5	12	38	35	10
Prev Yr	3	5	26	49	17

Spring Wheat Percent Headed

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
ID	100	96	97	98
MN	100	95	98	98
MT	74	59	73	89
ND	95	92	97	92
SD	100	100	100	98
WA	100	100	100	99
6 Sts	91	86	92	93

These 6 States planted 100% of last year's spring wheat acreage.

Spring Wheat Percent Harvested

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
ID	4	0	1	2
MN	0	NA	1	2
MT	0	NA	0	1
ND	0	NA	0	0
SD	9	6	19	14
WA	10	0	7	7
6 Sts	1	NA	2	2

These 6 States harvested 100% of last year's spring wheat acreage.

Spring Wheat Condition by Percent

	VP	P	F	G	EX
ID	3	8	30	56	3
MN	0	1	11	81	7
MT	1	11	45	33	10
ND	4	15	29	46	6
SD	5	19	49	26	1
WA	2	6	25	63	4
6 Sts	3	12	32	46	7
Prev Wk	1	11	35	48	5
Prev Yr	4	14	33	44	5

Crop Progress and Condition

Week Ending July 26, 2026

Barley Percent Headed

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
ID	100	96	97	97
MN	95	84	93	96
MT	57	81	88	84
ND	94	96	97	93
WA	100	100	100	100
5 Sts	79	89	93	90

These 5 States planted 81% of last year's barley acreage.

Barley Percent Harvested

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
ID	4	2	6	2
MN	1	0	4	5
MT	0	NA	0	4
ND	0	NA	1	0
WA	8	1	7	8
5 Sts	1	NA	2	2

These 5 States harvested 85% of last year's barley acreage.

Barley Condition by Percent

	VP	P	F	G	EX
ID	2	9	26	62	1
MN	0	1	11	79	9
MT	2	9	54	26	9
ND	4	4	32	54	6
WA	2	6	25	65	2
5 Sts	2	7	39	46	6
Prev Wk	1	11	44	41	3
Prev Yr	1	14	43	39	3

Oats Percent Harvested

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
IA	47	39	67	50
MN	12	4	21	19
NE	58	53	78	63
ND	2	0	0	1
OH	32	26	37	45
PA	35	27	36	15
SD	25	33	45	34
TX	99	98	100	100
WI	21	10	27	17
9 Sts	28	22	34	29

These 9 States harvested 78% of last year's oat acreage.

Oat Condition by Percent

	VP	P	F	G	EX
IA	0	2	16	67	15
MN	1	4	19	63	13
NE	14	38	36	11	1
ND	4	7	28	55	6
OH	0	1	20	78	1
PA	0	1	24	63	12
SD	13	17	39	26	5
TX	17	31	34	16	2
WI	1	2	18	65	14
9 Sts	8	15	29	41	7
Prev Wk	7	13	30	43	7
Prev Yr	7	10	25	48	10

Winter Wheat Percent Harvested

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AR	100	100	100	100
CA	94	90	95	92
CO	90	90	96	86
ID	18	10	20	17
IL	99	95	98	99
IN	98	95	98	98
KS	99	98	100	97
MI	71	59	75	73
MO	100	98	100	100
MT	13	3	19	18
NE	74	59	92	80
NC	100	97	100	100
OH	96	94	97	97
OK	100	100	100	100
OR	48	31	48	48
SD	51	61	82	61
TX	99	96	99	100
WA	33	15	30	29
18 Sts	79	74	81	79

These 18 States harvested 92% of last year's winter wheat acreage.

Peanuts Percent Pegging

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AL	82	76	84	81
FL	97	83	87	93
GA	93	85	90	92
NC	93	84	97	86
OK	51	49	58	52
SC	88	80	90	89
TX	53	38	48	48
VA	76	78	91	80
8 Sts	86	77	84	84

These 8 States planted 95% of last year's peanut acreage.

Peanut Condition by Percent

	VP	P	F	G	EX
AL	0	6	19	62	13
FL	1	3	18	77	1
GA	1	7	33	53	6
NC	1	1	17	47	34
OK	3	16	29	50	2
SC	1	6	34	56	3
TX	1	3	43	50	3
VA	0	2	44	54	0
8 Sts	1	5	30	56	8
Prev Wk	1	6	33	53	7
Prev Yr	1	4	27	57	11

Crop Progress and Condition

Week Ending July 26, 2026

Pasture and Range Condition by Percent
Week Ending Jul 26, 2026

	VP	P	F	G	EX		VP	P	F	G	EX
AL	1	2	10	70	17	NH	0	0	36	64	0
AZ	51	23	12	14	0	NJ	12	7	73	8	0
AR	2	19	33	36	10	NM	33	24	33	10	0
CA	0	0	30	60	10	NY	0	7	28	56	9
CO	43	34	21	2	0	NC	5	34	38	21	2
CT	0	0	38	62	0	ND	8	15	38	39	0
DE	16	28	36	20	0	OH	0	5	35	55	5
FL	2	13	20	47	18	OK	19	10	39	25	7
GA	5	16	40	35	4	OR	15	27	25	31	2
ID	6	23	32	38	1	PA	0	4	31	62	3
IL	3	6	35	43	13	RI	0	0	50	50	0
IN	2	5	29	57	7	SC	10	22	41	24	3
IA	2	11	22	56	9	SD	34	29	26	10	1
KS	5	15	30	42	8	TN	3	7	29	53	8
KY	1	5	32	53	9	TX	11	21	32	28	8
LA	2	3	39	51	5	UT	18	30	26	26	0
ME	0	6	29	53	12	VT	0	0	8	92	0
MD	8	12	24	55	1	VA	16	22	38	23	1
MA	0	0	50	50	0	WA	8	16	40	36	0
MI	1	11	40	42	6	WV	25	27	32	15	1
MN	5	15	38	35	7	WI	3	11	29	47	10
MS	3	8	33	44	12	WY	41	28	26	5	0
MO	0	4	19	66	11	48 Sts	21	21	29	25	4
MT	20	21	25	29	5						
NE	41	25	25	9	0	Prev Wk	21	21	29	24	5
NV	5	25	45	15	10	Prev Yr	9	17	29	34	11

Rice Percent Headed

	Prev Year	Prev Week	Jul 26 2026	5-Yr Avg
AR	55	37	63	45
CA	42	23	45	39
LA	87	88	93	83
MS	77	67	82	72
MO	42	27	46	39
TX	90	80	89	85
6 Sts	61	47	67	54

These 6 States planted 100% of last year's rice acreage.

Rice Condition by Percent

	VP	P	F	G	EX
AR	0	5	30	47	18
CA	0	0	20	60	20
LA	0	3	19	69	9
MS	0	0	50	42	8
MO	0	1	17	67	15
TX	1	3	28	65	3
6 Sts	0	3	26	56	15
Prev Wk	1	3	25	55	16
Prev Yr	0	3	20	57	20

VP - Very Poor; P - Poor; F - Fair; G - Good; EX - Excellent

NA - Not Available; *Revised

Crop Progress and Condition

Week Ending July 26, 2026





Crop Progress and Condition

Week Ending July 26, 2026





International Weather and Crop Summary

July 19 – 25, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Short-term drought in western Europe contrasted with widespread moderate to heavy showers in eastern portions of the continent.

WESTERN FSU: Widespread showers and near- to below-normal temperatures maintained good to excellent summer crop prospects.

EASTERN FSU: Moderate to heavy rain in the north benefited filling spring wheat and barley, while unusual out-of-season showers in the eastern cotton belt transitioned to seasonably dry and hot weather farther west.

MIDDLE EAST: Seasonably sunny skies and near- to above-normal temperatures in Turkey promoted the development of irrigated reproductive to filling summer crops before the arrival of late-week showers.

AUSTRALIA: Mostly sunny skies promoted the development of vegetative winter crops.

SOUTH ASIA: Monsoon showers were widespread across the region, providing much-needed moisture that will aid the development of cotton and soybean crops.

EAST ASIA: Typhoon Noul made landfall in southern China just east of Hong Kong late in the week, delivering widespread heavy rainfall across southern portions of the region.

SOUTHEAST ASIA: Monsoon conditions persisted across the region, though Vietnam and parts of Cambodia experienced comparatively drier weather this past week.

MEXICO: Mostly dry weather from northeastern into southeastern Mexico reduced moisture reserves for summer crops, while monsoon-related showers extended northward from the western portion of the southern plateau corn belt.

CANADIAN PRAIRIES: Hot weather promoted the growth of grains and oilseeds that had previously exhibited developmental delays due to periods of cool weather and pockets of excessive moisture.

SOUTHEASTERN CANADA: Cool, showery weather generally benefited summer crops but caused minor winter wheat harvest delays.

EUROPE
Total Precipitation(mm)
July 19 - 25, 2026



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

EUROPE

The latest round of extreme heat in western Europe abated, though intensifying western drought contrasted with widespread showers in eastern portions of the continent. A persistent ridge of high pressure over the northeastern Atlantic maintained dry weather in Spain, France, England, and the Low Countries, though the resultant northwesterly flow netted somewhat cooler temperatures. However, anomalous heat (3-6°C above normal) lingered from southern France into northern and eastern Spain, with daytime highs in the upper 30s to lower 40s (degrees C) early in the period exacerbating the deleterious impacts of drought and the recent heat wave on filling summer crops. In fact, the most recent satellite-derived Vegetation Health Index (VHI) for France's croplands remained the lowest on record for this time of year dating back to 1987. Farther east, daytime highs briefly spiked into the middle and upper 30s from Italy into Greece and the southern Balkans, though widespread albeit highly variable showers and thunderstorms (5-75 mm) helped mitigate the heat impacts and maintain or improve prospects for reproductive to filling corn, sunflowers, and soybeans. Across northeastern Europe, dry weather in western Germany transitioned to increasingly heavy rain (10-100 mm) from eastern Germany into Poland and southern portions of Scandinavia and the Baltic States, further improving conditions for reproductive summer crops and filling spring grains. Temperatures averaged 2 to 3°C below normal across much of central, eastern, and northern Europe, minimizing the risk of heat stress as crops progress through the key temperature-sensitive stages of development.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
July 19 - 25, 2026



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

WESTERN FSU

Mostly cool and unsettled weather persisted across much of the region, though hot and dry conditions returned to eastern croplands. Temperatures for the week averaged up to 2°C below normal across Belarus, Moldova, Ukraine, and western portions of Russia's Central District, minimizing the risk for heat stress as summer crops progress through the key temperature-sensitive reproductive stages of development. Furthermore, highly variable but locally heavy showers and thunderstorms (10-80 mm) maintained favorable soil moisture for corn, sunflowers, and soybeans, though pockets of dryness (5 mm or less) were noted in the Kherson Oblast (south-central Ukraine), north-central Ukraine, the western Central District, and from the northern North Caucasus District into the central Southern District. Farther east, dry and hot weather (35-40°C) in the southern and eastern Volga District accelerated the development of filling spring grains following the preceding week's soaking rainfall. The most recent satellite-derived Vegetation Health Index (VHI) continued to depict good to excellent crop vigor over most of the region, with below-normal VHI limited to south-central Ukraine and the central Southern District of Russia.

EASTERN FSU
Total Precipitation(mm)
July 19 - 25, 2026



EASTERN FSU

Widespread moderate to heavy rainfall in the spring grain belt as well as eastern cotton areas contrasted with seasonably dry and hot conditions in the western cotton belt. Rainfall for the week totaled 10 to 105 mm in the spring grain belt of northern Kazakhstan and central Russia, maintaining good to excellent yield prospects for late-flowering to filling wheat and barley. Furthermore, soaking rains (25 mm or more) in East Kazakhstan and western portions of Russia's Siberia District eased short-term drought and improved soil moisture for flowering to filling sunflowers. Farther south across the Commonwealth of Independent States (CIS), additional and highly unusual out-of-season showers (10-50 mm) from eastern Uzbekistan into Kyrgyzstan maintained ample supplemental soil moisture for cotton, while seasonably dry and hot weather in the western CIS favored the development of flowering to open boll cotton.

MIDDLE EAST
Total Precipitation(mm)
July 19 - 25, 2026



Weather station data for Syria and Iraq was not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

MIDDLE EAST

Seasonably sunny skies across the region promoted fieldwork and summer crop development before the arrival of late-week showers in Turkey. In Turkey, dry weather and near-normal temperatures favored the growth of reproductive to filling irrigated summer crops. However, an upper-air disturbance triggered moderate to heavy rain (10-110 mm) from the southern Anatolian Plateau northward to the Black Sea Coast at week's end, providing supplemental soil moisture for corn and sunflowers. The latest satellite-derived Vegetation Health Index continued to depict good to excellent conditions across most of Turkey's primary summer crop areas.

**Surface-based weather station data from Iraq, and much of Syria were either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA
Total Precipitation(mm)
July 19 - 25, 2026



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
https://creativecommons.org/licenses/by/3.0/au/legalcode

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

AUSTRALIA

Dry weather continued in eastern growing areas and returned to western portions of the continent. Following the preceding week's moderate to heavy showers in Western Australia, sunny skies and near- to below-normal temperatures favored the development of vegetative winter wheat, barley, and rapeseed. Dry weather continued over southern and eastern Australia, promoting winter crop development after moderate to heavy rain in late June and early July. However, July has trended drier than normal in northern New South Wales and southern Queensland as producers monitor the potential impacts of the developing strong El Niño.

SOUTH ASIA
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

SOUTH ASIA

Widespread monsoon showers brought relief to central and northwestern parts of the region, where rainfall has recently been inconsistent. Most areas—except southern Pakistan and southern India—received 25 to 200 mm of rainfall, with localized totals exceeding 200 mm, especially across northern and eastern India, Nepal, and Bangladesh. This moisture was particularly beneficial for soybean and cotton in central and northwestern India, supporting both sowing and early vegetative growth after several weeks of sporadic rainfall and dryness. Southern Pakistan and much of southern India, aside from the southwestern coastline, remained notably dry with minimal weekly rainfall, and moisture deficits continue to widen in these areas. Temperatures were generally near normal, though daytime highs in the northwest reached the upper 30s to lower 40s (degrees C), maintaining elevated heat stress. Elsewhere, highs ranged mostly from the lower to middle 30s, matching seasonal expectations.

EASTERN ASIA
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

EASTERN ASIA

Rainfall was prevalent across much of the region, aided by ongoing monsoon activity and by Typhoon Noul's landfall just east of Hong Kong, which produced heavy to locally extreme rainfall across southern China with totals reaching up to 300 mm. Eastern and northern China saw highly variable rainfall, with wetter pockets receiving 25 to 100 mm and drier areas remaining below 25 mm. Nei Mongol's combination of light rainfall—mostly under 10 mm with a few pockets reaching 25 to 50 mm—and warmer, drier weather increased stress on corn and soybeans, while Heilongjiang's more widespread 25 to 100 mm supported silking corn and podding soybeans. The Korean Peninsula experienced very heavy monsoon rainfall (up to 400 mm), particularly in North Korea, and Japan showed a north-south split, with the southern locales remaining mostly dry while the north reported moderate to heavy rainfall (25-100 mm). Temperatures were near to above normal (up to 6°C above normal) regionwide, with daytime highs generally in the lower to upper 30s (degrees C) and a few isolated pockets reaching the lower 40s. In Xinjiang, hot conditions (middle 30s to lower 40s) prevailed, but because the cotton is irrigated, the warmth largely supported flowering and boll set, with only the hottest areas likely experiencing minor heat-related flower loss.

SOUTHEAST ASIA
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

SOUTHEAST ASIA

Monsoon conditions persisted across the region, though Vietnam and parts of Cambodia and eastern Thailand were comparatively drier this past week. Rainfall distributions varied widely, with Thailand, Laos, parts of northern Vietnam, and much of the Philippines receiving 25 to over 150 mm, while southern Vietnam and eastern portions of Cambodia saw less than 25 mm. In the Philippines, very high rainfall totals in Luzon—particularly along the western coast—were driven by the Southwest Monsoon and further enhanced by Typhoon Noul passing just north of the island as a tropical storm, producing up to 300 mm. Malaysia and Indonesia experienced mixed conditions, though many palm-oil regions received 25 to 150 mm, maintaining generally adequate moisture. The rainfall distribution was favorable for heading rice and silking corn across the wetter northern tier, especially Myanmar, Thailand, and Laos. Daytime highs averaged in the middle to upper 30s (degrees C) throughout the region.

MEXICO
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

MEXICO

Showers waned across eastern sections of the southern plateau corn belt, with dryness extending into northeastern and southeastern Mexico. In the absence of drought and extreme heat, summer crops were slow to exhibit signs of stress; however, rain will soon be needed to ensure normal crop development. In contrast, frequent showers (mostly 10-50 mm) extended northward from western sections of the southern plateau. In northwestern Mexico, monsoon-related rainfall eased irrigation demands and locally boosted reservoir storage. Weekly temperatures were slightly above normal nearly nationwide, with only a few locations averaging more than 2°C above normal.

CANADIAN PRAIRIES
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

CANADIAN PRAIRIES

As the week began, a provincial report from Saskatchewan indicated that cropland topsoil moisture was 77 percent adequate and 12 percent surplus, reflecting a stretch of favorable weather that reduced pockets of lingering wetness. Subsequently, very warm, mostly dry weather continued to dominate the Prairies, with locally significant rain (25 mm or more) restricted to northern crop production areas. In fact, many southern Prairie locations experienced a completely dry week. Very warm weather (weekly temperatures averaging 1 to 4°C above normal) promoted fieldwork and advanced the development of summer crops, including oilseeds and small grains. Temperatures peaked at 30°C or higher throughout the southern Prairies, with a few readings topping 35°C in southeastern Alberta and southern Saskatchewan. Most Prairie crops remained in reasonably good shape, with 63 percent of Alberta's major crops rated in good to excellent condition at the beginning of the week.

SOUTHEASTERN CANADA
Total Precipitation(mm)
July 19 - 25, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

SOUTHEASTERN CANADA

Unlike the previous week, consistently cool weather prevailed, helping to hold temperatures 2 to 4°C below normal in Ontario. The highest temperatures during the week ranged from 25 to 30°C. Frequent showers accompanied the cool weather, most locations receiving 10 to 40 mm. Drier spots (less than 10 mm) included southern Quebec and areas of Ontario between Lakes Huron and Erie. Despite the cool weather, winter wheat harvesting advanced in areas where rain was light. In other areas, showers slowed fieldwork but maintained favorable moisture reserves for summer crops.

USDA United States Department of Agriculture

This product was prepared by the USDA Office of the Chief Economist (OCE) World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

July 26, 2026



Data obtained from USDA National Agricultural Statistics Service (NASS) weekly Crop Progress reports..

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**
Internet URL: **www.usda.gov/oce/weather-drought-monitor**
E-mail address: ***brad.rippey@usda.gov***

An archive of past *Weekly Weather and Crop Bulletins* can be found at https://esmis.nal.usda.gov/, keyword search "Weekly Weather and Crop Bulletin".