


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS

July 26 – August 1, 2026



Highlights provided by USDA/WAOB

Late-week **Midwestern** storminess, followed by cooler weather, stabilized corn and soybean conditions that had previously declined due to diminishing soil moisture reserves. In the **western Corn Belt**, heat had also been a factor in declining crop conditions, as temperatures reached 95°F or higher in many **Midwestern** areas west of the **Mississippi River**. Earlier, significant rain had fallen in parts of the **Northeast**, with 4- to 10-inch totals observed from **eastern New York** into **southern New England**. The **Northeastern** rain, which mostly fell from July 28-30, led

(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps	2
Temperature Departure Map	3
July 28 Drought Monitor & U.S. Monthly Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork.....	30




(Continued from front cover)

to pockets of flooding. In contrast, hot, dry weather prevailed in the **south-central U.S.**, including the **western Gulf Coast region** and much of the **southern Plains**. Farther west, showers associated with the **North American** monsoon circulation gradually waned, following scattered showers in the **Four Corners States** and environs. Little or no precipitation fell across the remainder of the **western U.S.** Dozens of wildfires raging in the **Northwest** led to heavy smoke and significant air-quality degradation. In early August, particularly dangerous fires in and near **Spokane, WA**, resulted in the loss of hundreds of homes. Weekly temperatures broadly averaged at least 5°F above normal from the **Four Corners States to the High Plains**, extending into portions of the **upper Midwest**. Above-normal temperatures were observed across much of the **South**, but near- or below-normal readings spread into areas along and near the **Pacific Coast**, extending as far south as **central California**. Near- or below-normal temperatures also stretched from the **eastern Corn Belt** into the **middle and northern Atlantic States**.



The week began with heat baking the **Plains** and adjacent **Rockies**. Record-setting high temperatures for July 26 soared to 111°F in **McCook, NE**; 109°F in **Russell and Garden City, KS**; 107°F in **Bismarck, ND**; and 107°F in **Burlington and Pueblo, CO**. In **Kansas**, record-shattering highs for July 27 rose to 111°F in **Hill City** and 110°F in **Russell and Garden City**. In **Texas**, a trio of daily-record highs occurred from July 26-28 in **Amarillo** (104, 105, and 104°F) and **Borger** (106, 107, and 105°F). Later, heat overspread the **Deep South**, where triple-digit, daily-record highs included 100°F (on July 28) in **Hattiesburg, MS**, and 101°F (on July 29) in **Tallahassee, FL**. That marked **Tallahassee's** first triple-digit reading and hottest day since September 2, 2024, when it was also 101°F. During a final surge of heat into the **north-central U.S.**, daily-record highs for July 29 in **North Dakota** included 104°F in **Bismarck** and 99°F in **Grand Forks**. Late in the week, heat was focused on the **Deep South** before rapidly appearing across the **West**. **Miami, FL**, notched consecutive daily-record highs of 96°F on July 30 and 31. On the last day of July, heat in the **Southwest** led to daily-record highs in **Safford, AZ** (110°F), and **San Jacinto, CA** (108°). On the first day of August, heat spanned the **West**. Among dozens of daily temperature records were highs of 116°F in **Phoenix, AZ**; 106°F in **Havre, MT**; 105°F in **Worland, WY**; 105°F in **Salt Lake City, UT**; and 104°F in **Winnemucca, NV**.



Early in the week, thunderstorms dotted the **East** and **Midwest**. Record-setting rainfall totals for July 27 reached 2.68 inches in **Salisbury, MD**, and 1.83 inches in **Miami, FL**. On the same day in **Wisconsin**, **Milwaukee's** daily-record sum of 1.75 inches accounted for nearly all of the month-to-date total of 1.91 inches. **Milwaukee** received rainfall totaling an additional 0.91 inch on July 31. Prior to mid-week, torrential rainfall erupted in parts of the **Northeast**. July 29 featured daily-record totals in **Albany, NY** (5.45 inches), and **Worcester, MA** (4.56 inches). For both locations, it was also the wettest July day on record, previously set with totals of 3.49 inches







in **Albany** on July 13, 1996, and 3.87 inches in **Worcester** on July 31, 1985. In **Albany**, the only wetter day on record occurred on September 16, 1999, when 5.60 inches fell during the passage of former Hurricane Floyd. Meanwhile, a separate disturbance sparked heavy **Midwestern** showers. Record-setting rainfall totals for July 30 included 2.77 inches in **Valentine, NE**, and 2.56 inches in **Mobridge, SD**. Elsewhere in **South Dakota**, **Sisseton** collected 5.33 inches during the last 2 days of July. The last day of July featured daily-record totals topping the 2-inch mark in many **Midwestern** locations, including **Dubuque, IA** (3.01 inches); **Poplar Bluff, MO** (2.46 inches); and **Rochester, MN** (2.35 inches). **Rochester's** monthly rainfall totaled 8.84 inches, representing the wettest July in that location since 1997. At week's end, heavy showers spread eastward, leading to record-setting rainfall amounts for August 1 in **Tallahassee, FL** (3.68 inches), and **Dayton, OH** (2.20 inches). Meanwhile in **Washington**, the Old Trails, Autumn Lane, and Fairview Fires were ignited in the **Spokane** area in early August, quickly torching thousands of acres and destroying hundreds of homes. Those fires added to the smoky pall hanging over the **interior Northwest**; the Big Grass Fire in **southeastern Oregon** and **southwestern Idaho** burned nearly 350,000 acres of vegetation and by early August had become the region's largest active incident.

Alaskan temperatures returned closer to normal levels, although chilly conditions lingered in some **northern areas**. Despite the modest warming trend, daily-record lows included 27°F (on July 30) in **Utqiagvik** and 40°F (on July 29) in **Kodiak**. Precipitation was less widespread than recent weeks but broadly fell across **eastern sections of the state**. Still, July precipitation was well below normal in parts of **southeastern Alaska**, including **Yakutat**, where rainfall totaled only 3.09 inches (40 percent of normal). Conversely, **Anchorage** ended the month with 4.49 inches (247 percent of normal). Farther south, July rainfall at **Hawaii's** major airport observation sites ranged from 0.02 inch (4 percent of normal) in **Honolulu, Oahu**, to 11.28 inches (122 percent) in **Hilo**, on the **Big Island**.









National Weather Data for Selected Cities

Weather Data for the Week Ending August 1, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	69	51	74	46	60	1	0.00	-0.51	0.00	5.94	203	14.11	223	91	49	0	0	0	0
	BARROW	47	34	60	28	41	0	0.22	-0.05	0.12	1.10	76	7.09	290	97	78	0	4	3	0
	FAIRBANKS	70	47	79	42	59	-2	0.06	-0.49	0.04	3.16	82	10.21	164	92	38	0	0	2	0
	JUNEAU	66	49	72	42	57	0	0.50	-0.71	0.28	5.76	63	32.86	109	95	58	0	0	3	0
	KODIAK	66	49	74	40	57	0	0.00	-1.01	0.00	13.59	138	43.46	105	88	55	0	0	0	0
AL	NOME	56	46	60	38	51	-1	0.00	-0.71	0.00	2.33	72	7.97	106	92	66	0	0	0	0
	BIRMINGHAM	94	74	95	71	84	2	1.86	0.73	1.46	21.41	206	45.82	127	93	54	7	0	3	1
	HUNTSVILLE	91	71	96	64	81	0	0.87	0.02	0.45	10.39	119	34.74	103	99	56	5	0	3	0
	MOBILE	96	77	98	75	86	4	2.80	1.11	1.72	15.00	103	37.87	92	95	51	7	0	3	2
	MONTGOMERY	94	76	96	75	85	2	0.36	-0.67	0.23	10.25	110	29.53	92	99	58	7	0	2	0
AR	FORT SMITH	99	77	104	71	88	5	1.53	0.83	1.53	12.54	155	27.26	98	91	41	7	0	1	1
	LITTLE ROCK	99	78	102	76	88	6	0.00	-0.69	0.00	6.09	87	27.18	90	82	41	7	0	0	0
AZ	FLAGSTAFF	85	57	90	54	71	4	0.47	-0.33	0.22	4.52	149	9.06	83	87	30	1	0	4	0
	PHOENIX	112	92	116	83	102	6	0.02	-0.23	0.02	0.72	74	1.33	34	38	17	7	0	1	0
CA	PRESCOTT	93	69	99	66	81	5	0.48	-0.07	0.48	3.54	158	6.20	93	67	25	6	0	1	0
	TUCSON	106	82	110	78	94	7	0.00	-0.59	0.00	1.62	64	4.06	78	54	20	7	0	0	0
	BAKERSFIELD	101	72	103	69	86	1	0.00	0.00	0.00	0.00	0	3.19	72	46	13	7	0	0	0
	EUREKA	66	54	69	51	60	2	0.03	0.00	0.03	0.92	104	15.03	62	93	72	0	0	1	0
	FRESNO	101	69	105	65	85	1	0.00	0.00	0.00	0.00	0	6.54	84	51	12	7	0	0	0
	LOS ANGELES	79	68	81	67	74	3	0.00	-0.01	0.00	0.00	0	5.68	66	90	64	0	0	0	0
	REDDING	101	66	106	64	84	0	0.00	-0.02	0.00	0.02	2	15.49	73	53	11	7	0	0	0
	SACRAMENTO	96	61	101	59	78	2	0.00	0.00	0.00	0.00	0	10.67	88	80	21	7	0	0	0
	SAN DIEGO	78	69	81	67	74	2	0.00	-0.02	0.00	0.00	0	6.02	89	86	64	0	0	0	0
	SAN FRANCISCO	71	58	73	57	65	0	0.00	0.00	0.00	0.01	8	11.88	94	88	57	0	0	0	0
CO	STOCKTON	97	59	102	56	78	0	0.00	0.00	0.00	0.00	0	9.31	105	79	22	7	0	0	0
	ALAMOSA	90	54	93	49	72	7	0.20	-0.08	0.20	0.91	60	1.78	46	86	19	5	0	1	0
	CO SPRINGS	91	62	98	57	76	4	0.32	-0.48	0.13	3.04	55	8.07	78	82	26	3	0	3	0
	DENVER INTL	94	66	103	62	80	5	0.04	-0.48	0.02	3.33	80	7.26	75	73	22	7	0	2	0
	GRAND JUNCTION	100	71	104	64	86	6	0.00	-0.17	0.00	0.50	48	2.93	61	50	15	7	0	0	0
CT	PUEBLO	97	66	107	60	81	4	1.28	0.78	0.83	4.68	144	8.21	104	84	25	7	0	4	1
	BRIDGEPORT	81	67	86	61	74	-2	3.19	2.31	2.80	15.56	215	29.04	114	95	62	0	0	2	1
	HARTFORD	82	62	89	55	72	-2	4.81	3.76	2.35	10.02	116	27.42	103	98	54	0	0	4	3
DC	WASHINGTON	88	71	91	69	79	-2	0.34	-0.54	0.34	6.46	74	19.66	79	82	47	3	0	1	0
DE	WILMINGTON	85	66	89	58	76	-2	1.38	0.38	1.11	10.80	117	24.47	92	96	55	0	0	2	1
FL	DAYTONA BEACH	92	76	95	75	84	2	2.93	1.59	0.78	18.13	137	36.86	132	95	60	5	0	5	3
	JACKSONVILLE	95	75	98	72	85	2	2.67	1.22	2.32	13.42	92	27.31	89	93	55	7	0	3	1
	KEY WEST	91	82	93	79	86	1	0.42	-0.47	0.28	10.39	129	15.04	83	84	63	5	0	2	0
	MIAMI	94	78	96	74	86	1	4.10	2.39	1.83	11.06	60	30.98	90	90	52	7	0	5	3
	ORLANDO	92	77	97	75	84	2	0.00	-1.79	0.00	0.72	4	9.84	32	93	56	5	0	0	0
	PENSACOLA	95	79	98	75	87	4	3.73	1.90	2.56	19.02	122	35.63	89	90	52	7	0	2	2
	TALLAHASSEE	95	75	101	73	85	2	4.09	2.36	3.77	18.94	124	32.85	91	97	51	6	0	4	1
	TAMPA	89	79	93	75	84	0	2.54	0.73	0.98	13.69	88	26.10	92	90	64	2	0	3	3
	ATHENS	93	71	96	67	82	1	0.38	-0.54	0.38	8.54	92	27.42	94	95	48	6	0	1	0
	ATLANTA	91	73	94	70	82	1	1.33	0.41	0.93	11.92	126	29.85	97	88	52	5	0	4	1
GA	AUGUSTA	95	72	98	67	83	0	0.30	-0.76	0.30	7.14	76	23.65	87	95	43	7	0	1	0
	COLUMBUS	93	76	97	74	84	1	0.97	-0.07	0.97	13.54	158	37.85	128	93	52	6	0	1	1
	MACON	93	71	96	68	82	-1	0.02	-0.93	0.02	8.90	95	25.02	88	100	49	7	0	1	0
	SAVANNAH	96	76	99	75	86	3	1.98	0.66	1.30	6.58	52	15.99	54	92	47	7	0	2	2
	HILO	84	73	87	70	79	2	1.39	-0.92	0.33	25.36	150	88.52	138	93	64	0	0	7	0
HI	HONOLULU	89	77	90	76	83	1	0.00	-0.13	0.00	0.45	43	21.96	250	78	51	1	0	0	0
	KAHULUI	86	74	89	72	80	-1	0.16	0.03	0.07	1.37	191	29.09	296	88	59	0	0	3	0
	LIHUE	85	75	86	73	80	0	0.61	0.16	0.17	5.80	160	44.21	223	86	67	0	0	5	0
	BURLINGTON	85	69	94	61	77	2	0.96	0.16	0.69	11.74	130	23.29	101	96	66	2	0	2	1
	CEDAR RAPIDS	85	68	93	60	76	4	0.00	-0.93	0.00	10.89	107	21.85	99	97	64	2	0	0	0
IA	DES MOINES	87	72	97	63	79	3	0.58	-0.28	0.35	14.94	162	28.98	125	90	59	2	0	2	0
	DUBUQUE	83	67	93	59	75	3	3.18	2.15	3.01	16.02	158	30.62	129	96	63	2	0	2	1
	SIOUX CITY	88	69	97	60	78	4	0.50	-0.20	0.50	6.34	81	15.77	87	96	57	4	0	1	1
	WATERLOO	86	67	96	63	77	3	2.47	1.57	1.85	13.22	129	27.26	118	96	58	2	0	3	1
	BOISE	97	65	102	62	81	1	0.00	-0.04	0.00	1.25	129	7.32	99	50	15	7	0	0	0
ID	LEWISTON	92	63	100	60	78	-1	0.00	-0.07	0.00	0.85	49	9.28	111	48	18	5	0	0	0
	POCATELLO	96	55	103	52	76	3	0.16	0.05	0.16	0.62	42	4.88	66	77	16	6	0	1	0
	CHICAGO/O_HARE	83	67	92	62	75	-1	4.34	3.41	2.18	13.52	169	29.69	131	89	55	1	0	3	2
IL	MOLINE	85	67	96	57	76	1	2.04	1.20	1.88	11.97	127	22.82	95	97	61	2	0	2	1
	PEORIA	84	68	95	60	76	0	0.62	-0.09	0.38	10.11	137	24.36	107	94	61	1	0	3	0
	ROCKFORD	83	64	96	55	74	0	1.15	0.27	0.70	10.20	111	23.36	102	95	58	2	0	2	1
	SPRINGFIELD	84	68	94	59	76	0	0.37	-0.41	0.22	8.34	97	26.49	111	97	63	2	0	2	0
	EVANSVILLE	87	68	92	65	78	-1	1.20	0.35	0.83	12.76	142	27.77	91	95	59	3	0	3	1
IN	FORT WAYNE	85	63	87	59	74	1	1.06	0.20	0.72	8.12	93	24.81	101	96	54	0	0	2	

Weather Data for the Week Ending August 1, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																		TEMP. °F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
KY	LEXINGTON	84	65	88	60	75	-2	2.06	0.92	1.18	16.30	159	32.17	101	97	57	0	0	3	2	
	LOUISVILLE	86	70	91	66	78	-2	0.65	-0.30	0.65	19.30	228	37.85	126	89	57	1	0	1	1	
LA	PADUCAH	88	70	94	65	79	-1	2.06	1.19	1.31	18.27	204	33.54	106	98	61	3	0	3	1	
	BATON ROUGE	95	78	96	77	87	3	0.00	-1.07	0.00	17.34	148	47.44	127	93	51	7	0	0	0	
	LAKE CHARLES	95	78	96	76	87	2	0.00	-1.27	0.00	11.20	90	30.26	86	94	50	7	0	0	0	
	NEW ORLEANS	95	79	96	78	87	3	0.00	-1.44	0.00	19.26	131	44.08	112	93	51	7	0	0	0	
MA	SHREVEPORT	97	78	99	77	88	3	0.00	-0.69	0.00	0.00	0	0.00	0	87	41	7	0	0	0	
	BOSTON	77	64	85	59	70	-4	***	***	***	***	***	***	***	95	59	0	0	***	***	
MD	WORCESTER	77	61	84	54	69	-2	6.81	5.87	4.56	14.19	171	32.19	119	93	57	0	0	3	3	
	BALTIMORE	86	66	88	62	76	-2	0.45	-0.63	0.45	8.55	99	21.72	84	92	50	0	0	1	0	
ME	CARIBOU	75	57	82	51	66	-1	0.74	-0.13	0.74	9.70	117	26.48	115	95	56	0	0	1	1	
	PORTLAND	77	58	82	49	67	-4	0.10	-0.65	0.07	6.27	81	24.56	91	93	47	0	0	2	0	
MI	ALPENA	82	61	88	56	71	3	1.41	0.69	0.70	9.69	160	28.34	167	98	54	0	0	2	2	
	GRAND RAPIDS	82	64	88	59	73	1	1.91	1.05	1.36	5.76	72	15.28	66	93	53	0	0	4	1	
	HOUGHTON LAKE	81	59	86	51	70	2	1.31	0.69	1.21	7.67	126	28.04	163	97	54	0	0	2	1	
	LANSING	83	63	88	57	73	1	0.69	-0.02	0.42	5.55	81	19.33	98	95	49	0	0	2	0	
MN	MUSKEGON	80	64	83	57	72	0	0.86	0.19	0.59	5.13	87	26.83	136	93	58	0	0	2	1	
	TRAVERSE CITY	82	63	89	56	73	2	0.48	-0.16	0.30	9.19	171	26.12	171	93	50	0	0	3	0	
	DULUTH	81	62	87	58	71	4	2.48	1.73	2.48	9.81	116	20.52	115	96	59	0	0	1	1	
	INT'L FALLS	83	57	89	53	70	5	0.34	-0.34	0.30	4.72	60	10.50	69	99	54	0	0	2	0	
MO	MINNEAPOLIS	90	71	100	64	80	6	1.56	0.69	1.56	7.97	90	17.23	90	89	45	4	0	1	1	
	ROCHESTER	84	65	94	61	75	5	2.34	1.42	2.34	13.72	141	22.72	105	97	56	2	0	1	1	
	ST. CLOUD	89	67	97	63	78	8	0.70	-0.07	0.70	7.48	100	15.10	90	96	47	5	0	1	1	
	COLUMBIA	88	71	99	64	79	1	1.43	0.61	1.40	12.14	143	34.98	138	95	60	2	0	2	1	
MS	KANSAS CITY	90	74	99	64	82	3	2.71	1.85	2.24	13.93	140	33.32	137	90	58	3	0	3	1	
	SAINT LOUIS	88	73	98	67	80	0	1.85	0.96	1.63	15.64	183	35.88	135	91	57	3	0	3	1	
	SPRINGFIELD	90	74	97	65	82	2	0.24	-0.60	0.16	12.61	149	31.94	117	89	52	5	0	2	0	
	JACKSON	98	76	99	75	87	5	0.08	-1.06	0.08	11.81	122	31.80	88	96	50	7	0	1	0	
MT	MERIDIAN	95	75	97	74	85	2	0.85	-0.28	0.76	14.63	147	41.76	115	98	55	7	0	2	1	
	TUPELO	93	75	97	71	84	2	0.02	-0.95	0.01	6.49	67	27.50	76	97	54	6	0	2	0	
	BILLINGS	96	69	104	66	82	7	0.05	-0.18	0.04	3.21	92	9.06	94	57	18	7	0	2	0	
	BUTTE	90	50	95	47	70	5	0.12	-0.14	0.11	3.63	98	9.54	111	78	13	3	0	2	0	
NC	CUT BANK	91	51	98	47	71	5	0.12	-0.11	0.12	2.37	60	3.24	43	63	15	5	0	1	0	
	GLASGOW	96	64	104	57	80	6	0.00	-0.33	0.00	6.10	126	12.00	129	72	19	6	0	0	0	
	GREAT FALLS	95	57	102	54	76	6	0.00	-0.22	0.00	6.37	159	13.93	139	57	14	7	0	0	0	
	HAVRE	97	57	106	51	77	5	0.00	-0.24	0.00	3.37	83	6.81	82	67	14	7	0	0	0	
ND	MISSOULA	93	55	96	51	74	3	0.00	-0.15	0.00	2.19	72	10.40	116	69	18	6	0	0	0	
	ASHEVILLE	84	64	90	56	74	-1	0.92	-0.17	0.69	11.51	119	30.52	104	95	50	1	0	3	1	
	CHARLOTTE	89	70	93	64	80	-1	0.47	-0.50	0.24	9.00	114	21.70	84	94	48	4	0	3	0	
	GREENSBORO	86	67	88	63	77	-2	0.13	-0.93	0.13	7.45	88	19.85	77	91	51	0	0	1	0	
NE	HATTERAS	85	69	88	62	77	-4	1.96	0.59	1.57	13.07	130	28.48	89	94	61	0	0	2	1	
	RALEIGH	88	68	90	63	78	-3	2.20	0.94	1.04	13.70	151	22.45	85	96	52	1	0	3	2	
	WILMINGTON	89	71	93	69	80	-1	0.13	-1.46	0.13	9.23	72	21.23	67	95	52	3	0	1	0	
	BISMARCK	96	64	107	57	80	7	0.31	-0.31	0.31	3.72	57	9.45	77	86	25	5	0	1	0	
NH	DICKINSON	95	61	102	54	78	7	0.40	-0.06	0.22	3.28	58	8.23	77	79	21	5	0	2	0	
	FARGO	93	65	101	56	79	8	0.21	-0.34	0.21	3.81	51	9.60	65	92	41	5	0	1	0	
	GRAND FORKS	90	64	99	57	77	8	0.84	0.21	0.84	6.56	89	12.52	94	96	45	3	0	1	1	
	JAMESTOWN	90	64	99	57	77	7	0.59	-0.04	0.59	6.94	98	10.76	83	98	46	4	0	1	1	
NJ	GRAND ISLAND	91	68	103	60	79	3	4.00	3.19	2.80	10.21	133	17.60	100	97	54	3	0	3	2	
	LINCOLN	91	71	101	63	81	3	2.48	1.82	1.46	11.63	148	21.40	115	94	54	3	0	3	2	
	NORFOLK	92	69	103	58	80	5	1.90	1.27	1.90	4.49	60	13.10	76	95	48	4	0	1	1	
	NORTH PLATTE	95	65	108	57	80	4	1.69	0.92	1.46	5.47	80	9.80	67	94	39	5	0	2	1	
NM	OMAHA	92	73	104	63	82	4	0.91	0.09	0.80	5.67	69	16.04	82	91	50	4	0	2	1	
	SCOTTSBLUFF	96	64	106	56	80	4	0.18	-0.13	0.16	3.15	74	7.46	68	89	25	7	0	3	0	
	VALENTINE	93	66	106	56	80	3	3.71	3.15	3.07	11.50	167	15.67	114	94	38	4	0	2	2	
	CONCORD	83	58	89	49	70	-1	0.87	0.00	0.52	8.65	115	26.85	115	95	47	0	0	2	1	
NV	ATLANTIC_CITY	84	66	87	57	75	-2	0.59	-0.44	0.47	2.54	30	13.90	53	93	54	0	0	2	0	
	NEWARK	84	68	88	65	76	-2	0.95	-0.19	0.49	7.32	79	21.91	79	90	54	0	0	3	0	
OH	ALBUQUERQUE	98	72	101	68	85	6	0.13	-0.29	0.13	2.30	101	5.06	113	60	18	7	0	1	0	
	ELY	93	56	97	48	74	4	0.00	-0.17	0.00	0.72	59	4.60	77	51	9	6	0	0	0	
NY	LAS VEGAS	111	89	115	85	100	6	0.00	-0.09	0.00	0.05	10	0.79	31	18	7	7	0	0	0	
	RENO	97	61	101	59	79	1	0.00	-0.06	0.00	0.45	72	3.34	71	33	6	7	0	0	0	
	WINNEMUCCA	99	52	103	47	76	0	0.00	-0.04	0.00	0.81	123	5.40	101	32	6	7	0	0	0	
	ALBANY	81	63	87	60	72	-1	7.33	6.30	5.19	15.08	172	29.06	125	94	59	0	0	4	2	
PA	BINGHAMTON	76	61	80	59	68	-1	3.08	2.15	1.89	9.23	106	27.75	115	98	62	0	0	5	2	
	BUFFALO	82	64	88	60	73	1	0.17	-0.61	0.11	5.73	85	27.98	126	90	48	0	0	3	0	
	ROCHESTER	81	63	85	60	72	-1	1.07	0.26	0.66	10.93	155	31.60	157	95	54	0	0	2	1	
	SYRACUSE	82	64	88	59	73	1	0.62	-0.22	0.45	7.50	99	30.20	134	95	54	0	0	2	0	
RI	AKRON-CANTON	82																			

Weather Data for the Week Ending August 1, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	YOUNGSTOWN	81	59	85	54	70	-1	0.09	-0.84	0.09	7.85	94	27.96	114	98	53	0	0	1	0	
	OKLAHOMA CITY	102	74	107	71	88	5	0.00	-0.74	0.00	7.11	86	16.86	75	74	28	7	0	0	0	
	TULSA	100	77	103	70	89	5	0.00	-0.73	0.00	15.45	181	34.10	136	76	37	7	0	0	0	
OR	ASTORIA	68	54	75	49	61	0	0.84	0.69	0.40	4.86	154	32.75	94	95	63	0	0	3	0	
	BURNS	92	47	96	43	69	-1	0.00	-0.06	0.00	0.73	70	5.65	87	66	12	6	0	0	0	
	EUGENE	84	51	91	45	68	-2	0.00	-0.04	0.00	0.81	52	15.74	69	91	34	1	0	0	0	
PA	MEDFORD	92	60	98	57	76	-1	0.00	-0.05	0.00	0.39	42	7.93	77	68	19	6	0	0	0	
	PENDLETON	86	57	92	53	72	-3	0.00	-0.05	0.00	0.28	21	1.40	17	57	21	1	0	0	0	
	PORTLAND	82	61	90	59	71	-1	0.00	-0.08	0.00	1.48	68	18.52	91	77	34	1	0	0	0	
	SALEM	83	55	90	51	69	-2	0.00	-0.04	0.00	1.90	126	15.97	73	87	31	1	0	0	0	
	ALLENTOWN	84	62	87	56	73	-2	1.91	0.70	1.37	6.74	68	21.22	78	98	51	0	0	5	1	
	ERIE	81	65	85	60	73	0	1.30	0.52	1.29	6.23	87	25.49	110	87	53	0	0	2	1	
	MIDDLETOWN	84	68	87	67	76	-1	1.29	0.20	1.29	7.08	79	22.02	86	88	54	0	0	1	1	
	PHILADELPHIA	86	70	90	65	78	0	0.80	-0.27	0.72	10.31	120	22.12	87	88	48	1	0	2	1	
	PITTSBURGH	82	62	85	57	72	-1	0.35	-0.56	0.35	10.19	119	31.04	127	91	49	0	0	1	0	
	WILKES-BARRE	81	62	84	60	71	-2	2.30	1.35	1.54	9.33	123	25.02	116	97	56	0	0	3	2	
RI	WILLIAMSPORT	83	63	89	61	73	-1	1.57	0.43	1.48	5.23	60	19.89	81	93	53	0	0	3	1	
	PROVIDENCE	79	63	85	56	71	-4	1.48	0.73	0.73	7.80	114	24.02	89	94	57	0	0	3	2	
	CHARLESTON	92	75	97	72	84	1	1.44	-0.05	0.86	8.54	65	18.48	62	95	54	5	0	2	2	
SD	COLUMBIA	95	73	100	66	84	2	1.63	0.34	1.63	6.95	66	20.11	73	89	40	7	0	1	1	
	FLORENCE	91	71	93	65	81	-1	0.64	-0.64	0.30	8.82	83	22.17	83	96	47	5	0	3	0	
	GREENVILLE	89	68	93	63	79	-1	1.78	0.56	0.98	7.66	86	24.76	84	96	49	2	0	3	1	
TN	ABERDEEN	89	65	96	58	77	5	2.66	2.09	2.66	5.31	76	12.69	89	94	49	4	0	1	1	
	HURON	90	67	98	57	78	5	1.95	1.27	1.79	7.69	112	13.67	91	97	45	4	0	3	1	
	RAPID CITY	97	64	105	58	81	7	0.39	-0.11	0.39	2.22	42	8.40	67	86	27	5	0	1	0	
TX	SIOUX FALLS	88	70	97	61	79	5	0.09	-0.67	0.09	4.89	64	13.22	75	95	50	4	0	1	0	
	BRISTOL	85	63	88	55	74	-2	1.96	0.82	0.93	12.43	137	28.41	101	100	54	0	0	3	2	
	CHATTANOOGA	92	74	97	67	83	2	0.46	-0.57	0.45	9.12	97	28.91	86	87	45	6	0	2	0	
UT	KNOXVILLE	88	70	95	63	79	1	1.44	0.39	0.80	12.62	131	33.26	100	92	53	2	0	3	2	
	MEMPHIS	93	77	98	72	85	3	0.69	-0.35	0.51	10.47	117	32.19	93	86	53	6	0	3	1	
	NASHVILLE	91	72	97	65	82	1	1.27	0.44	0.97	12.50	144	28.72	91	88	47	5	0	3	1	
	ABILENE	101	76	104	73	89	3	0.00	-0.38	0.00	6.98	128	17.41	119	77	29	7	0	0	0	
	AMARILLO	101	73	105	69	87	7	0.02	-0.65	0.02	3.59	62	6.16	51	62	21	7	0	1	0	
	AUSTIN	98	76	100	74	87	0	0.00	-0.41	0.00	10.62	186	20.56	100	92	40	7	0	0	0	
	BEAUMONT	95	75	96	74	85	1	0.00	-1.38	0.00	16.45	119	35.52	103	98	53	7	0	0	0	
	BROWNSVILLE	98	80	99	78	89	2	0.00	-0.37	0.00	4.00	81	10.09	83	88	45	7	0	0	0	
	CORPUS CHRISTI	98	77	101	73	87	2	0.00	-0.38	0.00	8.72	141	21.55	130	96	46	7	0	0	0	
	DEL RIO	98	77	100	76	87	-1	0.01	-0.34	0.01	9.01	233	11.36	104	83	36	7	0	1	0	
VA	EL PASO	105	78	108	70	91	7	0.09	-0.31	0.09	3.76	158	6.46	161	50	15	7	0	1	0	
	FORT WORTH	100	80	103	79	90	3	0.00	-0.34	0.00	9.66	165	34.98	155	67	31	7	0	0	0	
	GALVESTON	91	82	92	82	86	0	0.00	-0.58	0.00	11.81	152	26.72	119	83	65	7	0	0	0	
	HOUSTON	97	78	98	76	87	2	0.00	-0.70	0.00	12.37	125	34.48	118	92	44	7	0	0	0	
	LUBBOCK	98	72	102	66	85	4	0.72	0.40	0.48	6.05	131	10.85	98	71	23	7	0	2	0	
	MIDLAND	99	73	102	72	86	1	0.01	-0.38	0.01	2.26	65	8.66	112	68	24	7	0	1	0	
	SAN ANGELO	97	70	101	67	83	-2	0.37	0.11	0.37	4.98	143	14.05	121	88	32	6	0	1	0	
	SAN ANTONIO	97	77	99	75	87	1	0.00	-0.33	0.00	10.72	187	27.80	149	88	38	7	0	0	0	
	VICTORIA	98	74	103	73	86	1	0.00	-0.61	0.00	7.89	101	22.73	96	98	46	7	0	0	0	
	WACO	100	76	102	75	88	1	0.00	-0.36	0.00	6.37	122	20.65	96	86	34	7	0	0	0	
WY	WICHITA FALLS	104	75	108	73	89	4	0.00	-0.43	0.00	5.39	99	16.00	97	71	24	7	0	0	0	
	SALT LAKE CITY	100	74	105	67	87	4	0.43	0.31	0.41	0.92	63	6.92	69	54	15	7	0	2	0	
	LYNCHBURG	85	63	87	58	74	-2	0.04	-0.97	0.04	7.51	92	21.82	84	96	50	0	0	1	0	
VT	NORFOLK	85	71	89	66	78	-3	0.23	-1.39	0.23	10.30	96	23.21	83	91	51	0	0	1	0	
	RICHMOND	87	68	89	65	78	-1	0.74	-0.30	0.58	12.85	140	26.81	102	92	49	0	0	3	1	
	ROANOKE	85	65	87	60	75	-3	1.91	0.98	1.58	8.85	97	20.24	76	91	49	0	0	2	1	
WA	WASH/DULLES	86	67	89	64	77	0	0.00	-0.87	0.00	11.00	128	25.03	97	86	47	0	0	0	0	
	BURLINGTON	83	63	89	61	73	1	1.96	1.11	1.02	8.99	106	23.04	107	94	48	0	0	3	2	
	OLYMPIA	77	51	87	46	64	-1	0.10	0.00	0.06	2.39	119	25.44	96	95	42	0	0	2	0	
WI	QUILLAYUTE	65	52	72	44	59	-2	3.21	2.85	1.54	6.39	251	22.76	46	100	73	0	0	4	3	
	SEATTLE-TACOMA	76	58	84	54	67	-1	0.06	-0.07	0.06	2.06	99	20.90	100	84	41	0	0	1	0	
	SPOKANE	86	58	93	57	72	-1	0.00	-0.07	0.00	1.00	62	7.73	80	49	18	1	0	0	0	
WV	YAKIMA	89	54	94	48	71	-3	0.00	-0.04	0.00	0.19	27	3.75	80	76	18	4	0	0	0	
	EAU CLAIRE	87	63	95	60	75	4	0.18	-0.68	0.18	9.17	106	18.93	96	97	52	2	0	1	0	
	GREEN BAY	82	62	87	55	72	1	0.73	-0.04	0.38	10.30	131	26.77	142	97	58	0	0	3	0	
WY	LA CROSSE	87	67	97	63	77	3	0.84	-0.06	0.81	13.85	146	26.65	121	93	50	2	0	2	1	
	MADISON	85	64	97	56	74	3	2.39	1.45	1.46	9.56	96	25.17	109	95	52	2	0	2	2	
	MILWAUKEE	80	65	88	61	73	-1	4.74	4.01	2.06	10.32	130	26.04	124	90	62	0	0	3	3	
WY	BECKLEY	81	64	83	57	72	1	0.91	-0.28	0.62	10.83	114	27.93	99	87	53	0	0	3	1	
	CHARLESTON	83	65	85	58	74	-2	0.96	-0.22	0.94	11.86	115	26.91	91	99	56	0	0			

National Agricultural Summary

July 27 – August 2, 2021

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across major U.S. agricultural regions. Above-normal temperatures prevailed across the Rockies, Great Plains, and the upper and middle Mississippi Valley, where several areas recorded departures of 2 to 8°F above average. Temperatures ranged from near to below normal across much of the eastern U.S. Meanwhile, below-normal precipitation dominated

much of the central and southern Plains, reducing soil moisture across the region. In contrast, above-normal precipitation was observed across portions of the northern Plains, Ohio Valley, and localized areas of the upper Mississippi Valley and northern Atlantic States, with some locations receiving more than twice their typical weekly totals.

Corn: Ninety percent of the nation's corn was silking by August 2, four percentage points ahead of last year and 3 points ahead of the 5-year average. Forty-three percent of the corn crop was at the dough stage by week's end, 3 percentage points ahead of last year and 5 points ahead of average. Six percent of the corn crop had reached the dented stage by August 2, one percentage point ahead of both last year and the average. On August 2, sixty-one percent of the nation's corn crop was rated in good to excellent condition, 2 percentage points below the previous week and 12 points below the same time last year. In Iowa, the largest corn-producing state, 80 percent of the corn was rated in good to excellent condition.

Soybeans: Eighty-eight percent of the 2026 soybean crop was blooming by August 2, four percentage points ahead of both last year and the 5-year average. Sixty-two percent of the soybean crop had begun setting pods by week's end, 6 percentage points ahead of last year and 7 points ahead of average. On August 2, sixty-three percent of the nation's soybean crop was rated in good to excellent condition, unchanged from the previous week but 6 percentage points below the same time last year.

Winter Wheat: Eighty-six percent of the nation's winter wheat acreage had been harvested by August 2, one percentage point ahead of last year but equal to the 5-year average. Harvest progress was at or beyond 95 percent in 12 of the 18 estimating states.

Cotton: Eighty-eight percent of the cotton crop had reached the squaring stage by August 2, two percentage points ahead of last year but equal to the 5-year average. Fifty-five percent of the cotton crop was setting bolls by week's end, 2 percentage points ahead of last year but 1 point behind average. By August 2, four percent of the nation's cotton crop had bolls opening, 1 percentage point behind last year and 2 points behind average. On August 2, forty-two percent of the cotton crop was rated in good to excellent condition, 4 percentage points below the previous week and 13 points below the same time last year.

Sorghum: Fifty-two percent of the sorghum crop had reached the headed stage by August 2, three percentage points ahead of last year but 1 point behind the 5-year average. By August 2, twenty-eight percent of the sorghum crop had reached the coloring stage, 5 percentage points ahead of both last year and the 5-year average. On August 2, thirty-six percent of the sorghum

was rated in good to excellent condition, 5 percentage points below the previous week and 30 points below the same time last year.

Rice: Seventy-seven percent of the nation's rice crop had reached the headed stage by August 2, four percentage points ahead of last year and 10 points ahead of the 5-year average. By August 2, nine percent of the 2026 rice acreage had been harvested, 4 percentage points ahead of both last year and the average. On August 2, seventy-one percent of the nation's rice crop was rated in good to excellent condition, unchanged from the previous week but 7 percentage points below the same time last year.

Other Small Grains: Forty-eight percent of the nation's oat crop had been harvested by August 2, nine percentage points ahead of last year and 6 points ahead of the 5-year average. On August 2, forty-seven percent of the oat acreage was rated in good to excellent condition, 1 percentage point below the previous week and 11 points below the same time last year.

Ninety-eight percent of the barley crop had reached the headed stage by August 2, nine percentage points ahead of last year and 2 points ahead of the 5-year average. Seven percent of the barley acreage had been harvested by August 2, three percentage points ahead of last year but 2 points behind average. On August 2, forty-six percent of the barley crop was rated in good to excellent condition, 6 percentage points below the previous week but 4 points above the same time last year.

Ninety-eight percent of the spring wheat crop had reached the headed stage by August 2, three percentage points ahead of last year and 1 point ahead of the 5-year average. Five percent of the spring wheat acreage had been harvested by August 2, one percentage point ahead of last year but 3 points behind average. On August 2, fifty-five percent of the nation's spring wheat crop was rated in good to excellent condition, 2 percentage points above the previous week and 7 points above the same time last year.

Other Crops: Ninety percent of the nation's peanut crop had reached the pegging stage by August 2, one percentage point behind last year but equal to the 5-year average. On August 2, sixty-four percent of the peanut crop was rated in good to excellent condition, unchanged from the previous week but 9 percentage points below the same time last year.

Crop Progress and Condition

Week Ending August 2, 2026

Accessible Data Available from USDA/NASS

Corn Percent Silking				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
CO	45	79	87	64
IL	95	86	94	94
IN	85	74	87	87
IA	91	87	93	91
KS	84	70	83	85
KY	83	87	91	88
MI	75	64	84	77
MN	85	87	93	86
MO	94	90	95	94
NE	86	79	89	91
NC	97	98	100	96
ND	72	57	83	71
OH	84	63	90	83
PA	64	42	62	58
SD	89	78	95	83
TN	94	97	98	95
TX	94	91	94	92
WI	75	52	72	72
18 Sts	86	78	90	87
These 18 States planted 91% of last year's corn acreage.				

Corn Percent Dough				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
CO	9	8	32	12
IL	50	30	47	47
IN	31	20	37	32
IA	50	28	48	45
KS	49	34	56	48
KY	51	50	62	44
MI	30	12	37	23
MN	21	24	46	28
MO	63	50	64	62
NE	37	18	38	38
NC	86	73	82	78
ND	15	1	11	10
OH	37	13	37	30
PA	24	1	20	11
SD	23	11	28	24
TN	74	76	85	71
TX	78	71	76	76
WI	18	3	16	17
18 Sts	40	25	43	38
These 18 States planted 91% of last year's corn acreage.				

Corn Percent Dented				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
CO	0	NA	1	1
IL	1	NA	3	2
IN	0	NA	2	0
IA	8	1	4	6
KS	4	NA	5	5
KY	19	19	34	19
MI	0	NA	0	0
MN	0	1	5	2
MO	9	7	15	6
NE	1	NA	1	2
NC	69	41	59	46
ND	1	NA	0	0
OH	0	NA	0	0
PA	0	NA	0	0
SD	0	NA	0	0
TN	28	23	46	22
TX	63	56	63	63
WI	3	NA	0	1
18 Sts	5	NA	6	5
These 18 States planted 91% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	18	24	22	36	0
IL	2	9	29	47	13
IN	2	7	27	55	9
IA	1	3	16	60	20
KS	8	16	30	37	9
KY	0	9	22	56	13
MI	1	3	29	60	7
MN	1	5	19	58	17
MO	2	6	26	55	11
NE	5	12	29	42	12
NC	23	25	31	15	6
ND	6	24	33	35	2
OH	1	4	34	49	12
PA	0	0	11	68	21
SD	9	16	25	41	9
TN	1	3	15	50	31
TX	4	25	30	29	12
WI	3	5	20	55	17
18 Sts	4	10	25	48	13
Prev Wk	3	9	25	50	13
Prev Yr	2	5	20	53	20

Winter Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AR	100	100	100	100
CA	97	95	97	95
CO	95	96	98	95
ID	31	20	31	29
IL	100	98	100	100
IN	100	98	100	100
KS	100	100	100	99
MI	87	75	90	87
MO	100	100	100	100
MT	28	19	29	39
NE	90	92	96	91
NC	100	100	100	100
OH	100	97	100	100
OK	100	100	100	100
OR	65	48	73	69
SD	76	82	91	82
TX	100	99	100	100
WA	51	30	50	46
18 Sts	85	81	86	86
These 18 States harvested 92% of last year's winter wheat acreage.				

Cotton Percent Squaring				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AL	92	90	96	94
AZ	100	100	100	100
AR	97	96	98	98
CA	94	90	95	94
GA	96	92	96	95
KS	94	95	100	93
LA	92	95	97	96
MS	80	90	92	91
MO	89	87	91	94
NC	93	93	95	92
OK	92	81	95	87
SC	89	89	93	94
TN	80	93	99	91
TX	82	74	82	83
VA	95	94	98	96
15 Sts	86	81	88	88
These 15 States planted 99% of last year's cotton acreage.				

Crop Progress and Condition

Week Ending August 2, 2026

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AL	73	57	67	74
AZ	82	82	90	88
AR	79	75	88	86
CA	58	50	60	54
GA	70	50	63	66
KS	45	35	69	57
LA	73	61	85	80
MS	53	51	60	68
MO	49	38	61	62
NC	71	67	76	62
OK	39	28	48	41
SC	58	33	50	69
TN	56	74	82	64
TX	46	39	46	47
VA	61	49	66	67
15 Sts	53	45	55	56
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Bolls Opening				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AL	1	NA	2	1
AZ	28	19	35	31
AR	7	2	3	5
CA	0	NA	0	0
GA	1	NA	1	1
KS	0	NA	1	1
LA	11	2	6	7
MS	6	2	4	4
MO	0	NA	0	0
NC	1	0	0	0
OK	0	NA	0	0
SC	1	NA	0	0
TN	0	3	4	1
TX	5	NA	5	6
VA	0	NA	0	0
15 Sts	5	NA	4	6
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	4	16	63	16
AZ	0	0	9	57	34
AR	0	2	22	51	25
CA	0	0	5	5	90
GA	2	7	31	49	11
KS	3	9	30	42	16
LA	0	4	34	54	8
MS	0	4	49	35	12
MO	0	0	13	86	1
NC	1	1	26	44	28
OK	1	8	81	9	1
SC	1	8	35	47	9
TN	4	12	27	49	8
TX	8	22	42	24	4
VA	1	1	45	53	0
15 Sts	5	15	38	34	8
Prev Wk	3	13	38	37	9
Prev Yr	5	10	30	45	10

Soybeans Percent Blooming				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AR	97	96	97	96
IL	87	81	88	87
IN	80	73	84	82
IA	88	80	88	90
KS	71	63	71	73
KY	70	74	80	69
LA	100	100	100	99
MI	85	74	84	85
MN	84	89	93	87
MS	96	96	98	95
MO	76	72	82	73
NE	81	85	90	89
NC	82	80	87	75
ND	91	86	92	85
OH	84	70	87	84
SD	79	78	91	80
TN	76	88	92	79
WI	82	78	86	81
18 Sts	84	80	88	84
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AR	86	87	90	82
IL	64	50	62	61
IN	53	41	57	51
IA	63	48	61	63
KS	34	32	45	37
KY	51	55	63	49
LA	92	93	95	89
MI	45	33	50	53
MN	54	61	75	55
MS	84	84	90	84
MO	47	37	51	43
NE	53	39	61	60
NC	54	49	59	49
ND	57	46	59	50
OH	56	33	58	52
SD	35	31	48	44
TN	55	70	78	56
WI	52	33	53	47
18 Sts	56	47	62	55
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	1	3	28	53	15
IL	3	8	31	48	10
IN	2	6	28	55	9
IA	1	4	17	60	18
KS	1	8	32	52	7
KY	1	5	22	59	13
LA	1	3	33	58	5
MI	1	12	36	48	3
MN	1	5	19	63	12
MS	0	4	23	44	29
MO	1	6	29	57	7
NE	3	8	32	47	10
NC	2	9	22	53	14
ND	3	9	44	42	2
OH	0	5	36	50	9
SD	8	13	25	46	8
TN	1	4	20	56	19
WI	3	7	20	57	13
18 Sts	2	7	28	52	11
Prev Wk	2	7	28	52	11
Prev Yr	2	5	24	54	15

Crop Progress and Condition

Week Ending August 2, 2026

Sorghum Percent Headed				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
CO	37	32	52	38
KS	34	23	36	38
NE	53	25	51	49
OK	39	33	45	38
SD	40	24	37	55
TX	87	84	87	86
6 Sts	49	40	52	53
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
CO	0	3	13	1
KS	6	8	14	6
NE	5	3	5	3
OK	12	11	20	12
SD	3	1	3	4
TX	70	65	70	68
6 Sts	23	22	28	23
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	37	21	23	19	0
KS	6	21	34	32	7
NE	2	16	38	41	3
OK	4	15	43	34	4
SD	19	24	29	28	0
TX	4	23	40	26	7
6 Sts	8	21	35	30	6
Prev Wk	8	17	34	32	9
Prev Yr	2	6	26	48	18

Rice Percent Headed				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AR	73	63	75	63
CA	54	45	55	52
LA	90	93	97	88
MS	89	82	91	83
MO	57	46	61	52
TX	94	89	94	92
6 Sts	73	67	77	67
These 6 States planted 100% of last year's rice acreage.				

Rice Percent Harvested				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AR	0	NA	0	0
CA	0	NA	0	0
LA	26	26	51	22
MS	0	NA	0	0
MO	0	NA	0	0
TX	14	NA	13	13
6 Sts	5	NA	9	5
These 6 States harvested 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	1	6	27	47	19
CA	0	0	15	65	20
LA	0	3	23	68	6
MS	0	4	51	35	10
MO	0	0	15	72	13
TX	0	3	35	60	2
6 Sts	0	4	25	56	15
Prev Wk	0	3	26	56	15
Prev Yr	0	2	20	55	23

Spring Wheat Percent Headed				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
ID	100	97	100	100
MN	100	98	100	100
MT	84	73	95	94
ND	98	97	99	97
SD	100	100	100	99
WA	100	100	100	100
6 Sts	95	92	98	97
These 6 States planted 100% of last year's spring wheat acreage.				

Spring Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
ID	8	1	5	6
MN	4	1	4	11
MT	3	0	1	10
ND	1	0	2	2
SD	21	19	39	34
WA	22	7	21	20
6 Sts	4	2	5	8
These 6 States harvested 100% of last year's spring wheat acreage.				

Spring Wheat Condition by Percent					
	VP	P	F	G	EX
ID	3	8	35	52	2
MN	0	1	9	86	4
MT	0	5	40	38	17
ND	4	15	35	41	5
SD	3	12	42	42	1
WA	3	7	31	54	5
6 Sts	2	10	33	48	7
Prev Wk	3	12	32	46	7
Prev Yr	4	13	35	43	5

Barley Percent Headed				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
ID	100	97	100	100
MN	99	93	98	99
MT	75	88	95	92
ND	97	97	99	97
WA	100	100	100	100
5 Sts	89	93	98	96
These 5 States planted 81% of last year's barley acreage.				

Barley Percent Harvested				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
ID	10	6	12	8
MN	4	4	10	13
MT	1	0	1	11
ND	3	1	9	3
WA	22	7	21	21
5 Sts	4	2	7	9
These 5 States harvested 85% of last year's barley acreage.				

Barley Condition by Percent					
	VP	P	F	G	EX
ID	2	9	35	54	0
MN	0	1	12	80	7
MT	2	9	51	23	15
ND	3	7	43	41	6
WA	1	4	34	60	1
5 Sts	2	8	44	38	8
Prev Wk	2	7	39	46	6
Prev Yr	2	14	42	39	3

Crop Progress and Condition

Week Ending August 2, 2026

Pasture and Range Condition by Percent Week Ending Aug 2, 2026												
	VP	P	F	G	EX		VP	P	F	G	EX	
AL	3	5	14	61	17		NH	0	0	2	98	0
AZ	39	27	20	14	0		NJ	14	5	53	28	0
AR	6	21	35	31	7		NM	38	32	25	5	0
CA	0	0	30	60	10		NY	1	11	31	50	7
CO	43	33	21	3	0		NC	0	24	53	21	2
CT	0	0	30	65	5		ND	12	25	39	24	0
DE	16	26	35	23	0		OH	0	2	26	68	4
FL	4	13	18	41	24		OK	19	16	39	22	4
GA	4	16	40	36	4		OR	15	27	26	30	2
ID	3	20	37	39	1		PA	0	5	24	71	0
IL	2	5	34	44	15		RI	0	0	40	55	5
IN	2	5	32	55	6		SC	10	21	36	29	4
IA	2	9	22	55	12		SD	25	21	32	20	2
KS	6	17	33	39	5		TN	3	8	29	52	8
KY	2	7	34	50	7		TX	13	25	36	22	4
LA	3	9	43	42	3		UT	15	39	20	26	0
ME	2	7	43	37	11		VT	0	3	36	61	0
MD	7	16	30	46	1		VA	19	24	32	24	1
MA	0	0	45	55	0		WA	5	22	43	30	0
MI	1	19	38	38	4		WV	22	29	35	13	1
MN	5	16	43	33	3		WI	4	12	30	46	8
MS	3	10	31	44	12		WY	50	25	23	2	0
MO	0	3	17	70	10		48 Sts	23	23	29	22	3
MT	26	20	20	28	6							
NE	44	27	22	7	0		Prev Wk	21	21	29	25	4
NV	5	30	40	15	10		Prev Yr	10	16	30	33	11

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	7	16	64	13
FL	0	1	19	79	1
GA	1	8	33	51	7
NC	1	1	15	44	39
OK	3	12	26	56	3
SC	2	9	27	57	5
TX	1	4	44	48	3
VA	0	0	38	62	0
8 Sts	1	6	29	55	9
Prev Wk	1	5	30	56	8
Prev Yr	0	3	24	62	11

Peanuts Percent Pegging				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
AL	87	84	89	88
FL	99	87	95	96
GA	96	90	94	95
NC	96	97	98	93
OK	62	58	67	61
SC	92	90	97	93
TX	70	48	68	64
VA	84	91	95	88
8 Sts	91	84	90	90
These 8 States planted 95% of last year's peanut acreage.				

Oats Percent Harvested				
	Prev Year	Prev Week	Aug 2 2026	5-Yr Avg
IA	62	67	87	70
MN	22	21	34	33
NE	74	78	80	81
ND	5	0	7	4
OH	61	37	76	72
PA	54	36	56	32
SD	47	45	68	58
TX	100	100	100	100
WI	35	27	41	31
9 Sts	39	34	48	42
These 9 States harvested 78% of last year's oat acreage.				

Oat Condition by Percent					
	VP	P	F	G	EX
IA	0	2	16	67	15
MN	1	4	20	66	9
NE	14	41	33	11	1
ND	5	9	37	44	5
OH	0	1	15	82	2
PA	0	0	25	67	8
SD	14	18	34	31	3
TX	17	31	34	16	2
WI	1	2	20	63	14
9 Sts	8	16	29	41	6
Prev Wk	8	15	29	41	7
Prev Yr	8	10	24	49	9

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised


Crop Progress and Condition

Week Ending August 2, 2026



Crop Progress and Condition

Week Ending August 2, 2026



International Weather and Crop Summary

July 26 – August 1, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Intensifying drought and a brief incursion of extreme heat in western Europe further lowered yield prospects for rapidly filling to maturing summer crops.

WESTERN FSU: Drier and warmer weather in western croplands transitioned to moderate to heavy rain in central portions of the region.

EASTERN FSU: Moderate to heavy rain in the north benefited filling spring wheat and barley, while seasonably drier and hotter weather favored open boll cotton farther south.

MIDDLE EAST: Seasonably sunny but cool weather in Turkey promoted the development of irrigated reproductive to filling summer crops, though locally hot conditions were noted in southern cotton areas.

AUSTRALIA: Mostly sunny but cool weather favored vegetative winter crops.

SOUTH ASIA: Monsoon activity delivered rainfall to most areas except southeastern India, supplying moisture that will continue to support cotton and soybean growth.

EAST ASIA: Weekly rainfall offered timely moisture that helped maintain development in summer crops approaching the latter part of the season.

SOUTHEAST ASIA: Ample rainfall persisted across most of the region, helping maintain favorable moisture for ongoing crop development.

MEXICO: Hot, mostly dry conditions in north-central and northeastern Mexico contrasted with occasional showers across the southern plateau corn belt and the western Sierra Madre.

CANADIAN PRAIRIES: Another week of hot, mostly dry weather reduced soil moisture availability for some immature summer crops, especially on the southwestern Prairies.


SOUTHEASTERN CANADA: Scattered showers maintained generally favorable soil moisture reserves for summer crops, including corn and soybeans.



EUROPE

Total Precipitation(mm)

July 26 - August 1, 2026



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EUROPE

Intensifying drought and a brief incursion of extreme heat in western Europe transitioned to showery but increasingly hot weather across central and eastern portions of the continent. A persistent ridge of high pressure over the northeastern Atlantic shifted eastward as the week progressed, exacerbating dryness and drought in Spain, France, and England. As the high moved ashore, temperatures spiked into the upper 30s and lower 40s (degrees C) from southern and central Spain into France (peak reading of 42.2°C on July 29). Furthermore, the lack of appreciable rain in western Europe exacerbated short-term dryness and drought; the latest satellite-derived Vegetation Health Index (VHI) remained mired at the lowest on record (since 1987) for this time of year for France's croplands. Summer crops in Spain, France, and Italy were filling to maturing two to four weeks ahead of average due to the historically hot summer to date. Daytime highs surged into the middle and upper 30s


over the rest of central and southeastern Europe as the week progressed. However, moderate to heavy showers and thunderstorms (10-55 mm) mitigated the impacts of the hot weather from northern Germany into the Baltic States, while highly variable showers (2-50 mm, locally more) fell from Italy into Austria and the southwestern Balkans. Summer crops (corn, sunflowers, and soybeans) in eastern Europe ranged from reproductive (northeast) to filling (south and southeast), while cotton in Greece was flowering. Crop vigor remained highly variable, with good to excellent crop conditions depicted by the latest VHI in northeastern and southeastern Europe bisected by an east-west ribbon of poor vegetative health from southern Germany into Hungary and northern Serbia.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU

Total Precipitation(mm)

July 26 - August 1, 2026



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



WESTERN FSU


Warm and dry conditions in western crop areas contrasted with widespread rain in central and eastern portions of the region. Mostly dry and increasingly warm weather (highs reaching the middle 30s degrees C by week's end) in Moldova, western Ukraine, and southern Belarus accelerated the development of reproductive corn and sunflowers. Conversely, a slow-moving area of low pressure and its attendant cold front produced widespread moderate to heavy rain (15-100 mm, locally more) in eastern Ukraine and western Russia, maintaining adequate to abundant moisture

supplies for reproductive summer crops as well as filling spring grains. The clouds and rain also minimized the risk of heat stress, continuing the recent stretch of nearly ideal temperatures for reproductive summer crops. However, dry and warm conditions (up to 3°C above normal) in the southeastern Volga District favored spring grain maturation and drydown. The most recent satellite-derived Vegetation Health Index (VHI) continued to depict good to excellent crop vigor over most of the region, with below-normal VHI values limited to south-central Ukraine.

EASTERN FSU

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Widespread moderate to heavy rainfall in the spring grain belt contrasted with seasonably dry and hot conditions in cotton areas farther south. Rainfall for the week totaled 2 to 25 mm in northern Kazakhstan, 10 to 65 mm in central Russia, and 25 to 150 mm (locally more) in central and eastern portions of Russia's Siberia District. The rain maintained good to excellent yield prospects for filling spring wheat and barley despite the ongoing anomalous warmth (3-7°C above normal) in the western and central

spring grain belt. Daytime highs ranged from 36 to 40°C in crop areas of northern Kazakhstan, though consistently wet weather since May positioned crops to withstand the heat without significant deleterious impacts on yields. Farther south across the Commonwealth of Independent States, seasonably drier and hot weather (1-3°C above normal) favored the development of open boll cotton following one of the wettest water years (September 1 – Current) on record in many parts of the region.

MIDDLE EAST
Total Precipitation(mm)
July 26 - August 1, 2026



Weather station data for Syria and Iraq was not available for this week's analysis.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MIDDLE EAST

Seasonably sunny skies across the region promoted fieldwork and summer crop development. In Turkey, dry weather and below-normal temperatures (2-5°C below normal) favored the growth of reproductive to filling irrigated summer crops. However, southern and southeastern growing areas were notably hotter, with daytime highs in the lower to middle 40s (degrees C) accelerating the


development of irrigated cotton. The latest satellite-derived Vegetation Health Index continued to depict good to excellent conditions across most of Turkey's primary summer crop areas.

**Surface-based weather station data from Iraq, and much of Syria were either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA

Total Precipitation(mm)

July 26 - August 1, 2026



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
 Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
 Computer generated contours
 Based on preliminary data



AUSTRALIA


Mostly dry and cool weather favored seasonal fieldwork and winter crop development. In Western Australia, significant rainfall (10 mm or more) was confined to non-growing areas southwest of the Darling Scarp and isolated locales along the state's northern and eastern croplands. Similarly, rainfall in southern and southeastern Australia was mostly limited to the immediate coast, while completely dry

conditions were noted in northern New South Wales and southern Queensland. Temperatures for the week averaged near to below normal, with nighttime freezes (-3 to -1°C) most prevalent in southeastern portions of the continent. Winter crops were mostly vegetative and subsequently freeze tolerant, though winter rapeseed in northern portions of Western Australia was flowering where lows remained above freezing.

SOUTH ASIA

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTH ASIA


Monsoon rainfall covered much of the region, providing moisture that supported Kharif crop establishment and early to mid-season growth. Precipitation totals generally ranged from 25 to over 200 mm across central, eastern, and northern India, Nepal, and Bangladesh, reinforcing moisture for soybeans, cotton, corn, and rice in key producing states such as Madhya Pradesh, Maharashtra, Gujarat, Telangana, and Uttar Pradesh. A few highly localized events produced up to 350 mm of rainfall, adding to already robust moisture supplies in parts of the eastern and northeastern belt as well as pockets along the Western Ghats. Western and northwestern India—

where rainfall has fluctuated in recent weeks—also saw renewed showers, helping stabilize early vegetative development of cotton and soybean. In contrast, parts of southern Pakistan and southeastern India remained noticeably dry, with many locations receiving less than 10 mm. Temperatures were broadly near normal across the region, though extreme maxima in parts of Pakistan and northwestern India climbed into the upper 30s to lower 40s (degrees C), sustaining elevated evaporative losses. Elsewhere, temperatures in the lower to middle 30s aligned with typical monsoon-season conditions and did not present significant additional stress.

EASTERN ASIA

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN ASIA

Widespread rainfall across East Asia this week provided timely moisture that helped maintain development in summer crops approaching the latter part of the season, although notable exceptions occurred beneath a strong blocking high centered over Mongolia and Inner Mongolia. This blocking pattern produced above-normal temperatures (up to 9°C above normal) and suppressed precipitation in those interior regions, although Mongolia's wheat-producing provinces still received 10 to 50 mm of rain that offered short-term relief despite lingering seasonal deficits. In contrast, Heilongjiang and Jilin saw ample weekly rainfall of 25 to 100 mm, supporting favorable mid-season conditions for corn and soybeans even with elevated temperatures. Rainfall was

more variable (10-100 mm) across the North China Plain, but generally sufficient to maintain reproductive-stage corn development. Southern and southeastern China's single-crop rice paddies benefited from warm, seasonally appropriate conditions with adequate moisture for heading and grain fill. Moving eastward, the Korean Peninsula and Japan also experienced above-normal temperatures (up to 5°C above normal), but rainfall varied considerably. On the Korean Peninsula, there was a clear north-south divide, with North Korea receiving 10 to 50 mm of rainfall while South Korea remained mostly dry with less than 10 mm. Meanwhile, central and northern Japan averaged 25 to 200 mm, while southern Japan remained drier with less than 25 mm of weekly rainfall.

SOUTHEAST ASIA
Total Precipitation(mm)
July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEAST ASIA


Monsoon activity remained active across the Philippines and Indochina, delivering widespread showers that maintained favorable moisture for rice, corn, and other seasonal crops. Rainfall totals varied, with much of the region receiving 25 to 150 mm and localized pockets exceeding 200 mm, particularly in the coastal plains of Burma. This sustained wet weather preserved adequate soil moisture, bolstered irrigation

supplies, and provided beneficial rainfall for Malaysia's palm oil areas, where consistent moisture supports overall palm growth. Daytime highs averaged in the middle 30s (degrees C) throughout the region, aligning with typical monsoon-season conditions and supporting mid-season development for rice, corn, soybeans, and other field crops now progressing through vegetative and reproductive stages.

MEXICO

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Above-normal temperatures developed nearly nationwide, although showers helped to offset some of the effects of heat across the southern plateau corn belt and the western Sierra Madre. However, hot, mostly dry weather in north-central and northeastern Mexico boosted irrigation demands and stressed some rangeland, pastures, and rain-fed crops. Across the country, weekly temperatures generally averaged 1 to 3°C above normal, except as

much as 4°C above normal in Chihuahua. High temperatures frequently topped 40°C at lower elevations across northern Mexico. Meanwhile, weekly rainfall totals of 10 to 50 mm or more were commonly observed across the southern plateau, maintaining mostly favorable moisture reserves for corn and other summer crops. In contrast, dry weather prevailed as far south as Zacatecas, San Luis Potosí, and northern Veracruz.

CANADIAN PRAIRIES

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


As the week began, a provincial report from Saskatchewan indicated that cropland topsoil moisture was 67 percent adequate and 28 percent very short to short, with the latter value increasing by 16 percentage points in 7 days. Subsequently, another week of hot, mostly dry weather across the Prairies further reduced topsoil moisture availability, favoring fieldwork and hastening crop

development but adversely affecting immature small grains and oilseeds in drier areas. Any meaningful Prairie rainfall was restricted to far northern crop production areas, primarily across Alberta. Meanwhile, weekly temperatures averaged 1 to 4°C above normal, with maximum readings briefly ranging from 35 to 40°C in southern Alberta and southwestern Saskatchewan.

SOUTHEASTERN CANADA

Total Precipitation(mm)

July 26 - August 1, 2026



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA


The return of warm weather boosted weekly temperatures as much as 2°C above normal, with readings occasionally peaking near 30°C. Meanwhile, scattered showers maintained generally favorable soil moisture reserves for summer crops, including corn and soybeans. Rainfall totals ranging from 10 to 50 mm were

commonly observed across southeastern Canada, although lower amounts were noted in some of Quebec's eastern farming areas and in Ontario between Lakes Erie, Huron, and Ontario. In the latter region, totals mostly below 10 mm favored fieldwork, including winter wheat harvesting.

Days Suitable for Fieldwork

Week Ending

August 2, 2026



Data obtained from USDA National Agricultural Statistics Service (NASS) weekly Crop Progress reports.

The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
Weekly Weather and Crop Bulletin, NOAA/USDA, Joint Agricultural
Weather Facility, USDA South Building, Room 4443B, Washington, DC
20250.

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippy@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://esmis.nal.usda.gov/>, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**Agricultural Weather Analysts.... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guandin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... *Brad Pugh, Adam Allgood, Ryan Bolt,
and Rich Tinker*