
Volume 113, No. 44 www.usda.gov/oce/weather-drought-monitor November 3, 2026

WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



CPC gridded precipitation data supplemented with AHPS (water.weather.gov/precip/) for quality control purposes

HIGHLIGHTS
October 25 – 31, 2026


Highlights provided by USDA/WAOB


For the second week in a row, dry weather dominated most areas from the **Mississippi Valley eastward**. Although rain encroached at times from the west, many **Midwestern** producers were able to complete soybean harvesting and make progress on cutting corn. On the **Plains**, however, there was only a brief window between rain events. The **Plains'** rain benefited rangeland, pastures, and fall-sown crops, but was a detriment to fieldwork and threatened the quality of open-boll cotton. Farther west, the

(Continued on page 3)


Contents

Highlights & Total Precipitation Map 1
Extreme Maximum & Minimum Temperature Maps 2
Temperature Departure Map 3
October 27 Drought Monitor &
U.S. Monthly Drought Outlook 4
National Weather Data for Selected Cities 5
National Agricultural Summary 8
Crop Progress and Condition Tables 9
International Weather and Crop Summary 13
Bulletin Information & Days Suitable for Fieldwork..... 22


Extreme Maximum Temperature (F)
October 25 - 31, 2026
110
100
90
80
70
60
50
40
30
20
10
0
-10
-20
Bold line denotes 95°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS & Alaska)
and station (Hawaii) data
NOAA


Extreme Minimum Temperature (F)
October 25 - 31, 2026
90
80
70
60
50
40
30
20
10
0
-10
-20
-30
-40
Bold line denotes 32°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS and Alaska)
and station (Hawaii) data
NOAA

(Continued from front cover)





week began with lingering flooding in portions of the **Four Corners region**, as heavy precipitation shifted from the **Southwest** to the **Plains**. On October 26, the **Rio Grande at Alamosa, CO**, climbed to its highest level since June 1949, while the **San Juan River near Bluff, UT**, achieved its highest crest since September 1970. Late in the week, another round of heavy precipitation arrived in parts of the **West**, as remnant moisture associated with former Hurricane Vance interacted with a **Pacific** storm system. Some of the same areas in the **Four Corners States** that had experienced flooding only a few days earlier saw creeks and rivers rising anew, with water levels peaking in most cases in early November. Meanwhile, record-setting warmth pushed weekly temperatures 5 to 15°F above normal from the **central and southern Plains into mid-South and Midwest**. A broader area, encompassing the **central and southern Rockies** and much of the **central and eastern U.S.**, experienced above-normal temperatures. Cooler-than-normal conditions were limited to a few areas, including portions of the **Pacific Coast States** and the **northern High Plains**.

A surge of record-setting warmth into the **Midwest** pushed daily-record highs for October 28 to 78°F in **Waterloo, IA**; 74°F in **Madison, WI**; and 71°F in **Pellston, MI**. A day later, warmth arrived in the **mid-South** and **Northeast**, leading to record-setting highs for October 29 in **El Dorado, AR** (88°F), and **Rochester, NY** (76°F). Meanwhile, persistent onshore flow near the **southern Atlantic Coast** resulted in peak wind gusts topping 30 mph each day from October 24-28 in **Florida** locations such as **Jacksonville** and **Gainesville**. A gust to 42 mph was recorded in **Jacksonville** on October 25. Despite lingering cool, breezy conditions along the **southern Atlantic Coast** and a modest cool spell in the **Northwest** and **Far West**, no daily-record lows were reported. However, readings below the 20-degree mark were observed in a few **Northern** locations, including **Lewistown, MT** (18°F on October 25); **Minot, ND** (18°F on October 26); and **Houlton, ME** (17°F on October 28).

As the week began, heavy rain continued to fall across **southern sections of the Rockies and High Plains**. Record-setting totals for October 25 included 2.23 inches in **Dalhart, TX**, and 1.44 inches in **Clayton, NM**. With 3.48 inches (535 percent of normal), **Alamosa, CO**, completed its wettest October on record, surpassing the 1969 standard of 2.37 inches. In **Texas**, **Borger's** monthly sum of 3.35 inches (203 percent of normal) represented its highest October total since 2015, when 4.87 inches fell. Meanwhile, isolated heavy showers in **Florida** resulted in a daily-record sum (2.85 inches on October 25) in **Fort Pierce**. By mid-week, showers across the **upper Midwest** resulted in a daily-record total (0.84 inch) in **Ashland, WI**. During the second half of the week, spotty heavy showers developed farther south, with **Del Rio, TX**, collecting 4.25 inches on October 29, a record for the date. That marked the wettest October day in **Del Rio** since October 13, 2005, when 7.59 inches fell. By October 30, large-scale precipitation returned across the **southern High Plains**, **Great Basin**, and **Southwest**, leading to daily-record amounts in **Midland, TX** (1.44 inches); **Eureka, NV** (0.58 inch); and **Nogales, AZ** (0.23 inch). Nogales noted additional daily records on October 31, with 0.58 inch, and November 1, with 1.48 inches.

Alaska's mostly mild autumn continued, with weekly temperatures averaging 10 to 20°F above normal across much of the **northern two-thirds of the state**. Daily-record highs were set or tied in several locations, including **Kodiak** (56°F on October 26) and **Kotzebue** (40°F on October 27). Conversely, cooler-than-normal conditions covered most of **southeastern Alaska**. From October 23-30, minimum temperatures in **Juneau** ranged from 21 to 31°F. Meanwhile, peak wind gusts in **King Salmon** topped 50 mph on October 28 and 29. **Bethel** recorded a southerly gust to 60 mph on October 25. Some areas received significant precipitation, with **Fairbanks** netting snowfall totaling 5.7 inches on October 25-26. Daily-record precipitation totals included 0.73 inch (on the 30th) in **McGrath**; 0.48 inch (on the 28th) in **Kotzebue**; and 0.44 inch (on the 26th) in **Fairbanks**. Farther south, a winter-like storm system delivered heavy rain in much of **Hawaii**, particularly across **Honolulu and Maui Counties**. Daily-record totals reached 1.14 inches (on the 28th) in **Kahului, Maui**, and 1.78 inches (on the 29th) in **Hilo**, on the **Big Island**. **Hilo's** 4-day (October 28-31) rainfall reached 7.24 inches. At the state's major airport observation sites, October rainfall ranged from 1.62 inches (195 percent of normal) in **Kahului** to 14.98 inches (146 percent) in **Hilo**. Additionally, **Hilo** posted daily-record highs of 89°F on October 27 and 29.


U.S. Drought Monitor
October 27, 2026
(Released Thursday, Oct. 29, 2026)
Valid 8 a.m. EDT
Drought Impact Types:
Delineates dominant impacts
S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)
Intensity:
None
D0 Abnormally Dry
D1 Moderate Drought
D2 Severe Drought
D3 Extreme Drought
D4 Exceptional Drought
Author:
Richard Tinker
CPC/NOAA/NWS/NCEP
The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.aspx
droughtmonitor.unl.edu


Monthly Drought Outlook
Valid: November 2026
Issued: October 31, 2026
Alaska
Aleutian Islands
Hawaii
Puerto Rico &
U.S. Virgin Islands
Forecast Category
Drought Worsens
Drought Develops
Drought Unchanged
Drought Improves
Drought Removed
No drought

National Weather Data for Selected Cities

Weather Data for the Week Ending October 31, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE ˚F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. ˚F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	43	32	49	26	38	8	0.47	0.15	0.25	6.52	132	23.03	163	97	71	0	2	4	0
	BARROW	34	25	36	18	29	0	0.22	0.11	0.09	2.29	173	10.77	224	95	82	0	7	5	0
	FAIRBANKS	35	23	41	18	29	13	0.59	0.44	0.43	6.11	289	18.96	182	98	82	0	7	4	0
	JUNEAU	44	27	50	21	35	-3	0.74	-0.98	0.69	16.43	93	54.87	101	96	54	0	6	2	1
	KODIAK	50	37	56	34	43	4	0.54	-1.49	0.27	10.89	66	59.18	94	98	71	0	0	4	0
	NOME	40	35	42	24	37	12	1.82	1.45	0.61	7.48	185	21.93	149	96	80	0	1	7	1
AL	BIRMINGHAM	78	50	82	41	64	4	0.00	-0.79	0.00	6.54	89	56.58	119	87	37	0	0	0	0
	HUNTSVILLE	76	48	82	43	62	3	0.00	-0.81	0.00	2.87	40	44.88	101	95	35	0	0	0	0
	MOBILE	80	56	82	52	68	4	0.05	-0.81	0.05	5.17	55	50.84	89	85	43	0	0	1	0
	MONTGOMERY	78	50	81	44	64	1	0.06	-0.58	0.06	6.24	95	37.83	89	96	42	0	0	1	0
AR	FORT SMITH	79	57	83	50	68	9	0.42	-0.63	0.42	2.33	27	29.91	75	86	38	0	0	1	0
	LITTLE ROCK	80	54	84	50	67	9	0.27	-0.82	0.27	1.63	21	32.00	78	91	34	0	0	1	0
AZ	FLAGSTAFF	56	33	61	28	44	1	0.46	0.11	0.31	10.11	300	20.94	123	94	47	0	5	2	0
	PHOENIX	83	63	87	60	73	0	0.40	0.28	0.28	1.87	164	4.96	84	65	29	0	0	2	0
	PRESCOTT	66	41	70	37	54	0	0.93	0.74	0.53	7.31	349	16.39	151	90	37	0	0	2	1
	TUCSON	80	57	85	53	68	0	0.71	0.57	0.57	2.08	105	9.52	104	66	34	0	0	2	1
CA	BAKERSFIELD	72	54	80	51	63	0	0.12	0.01	0.12	0.85	264	4.04	85	86	45	0	0	1	0
	EUREKA	56	40	59	37	48	-5	0.58	-0.14	0.55	2.10	70	17.17	62	100	75	0	0	2	1
	FRESNO	73	54	79	49	63	1	0.03	-0.16	0.02	0.39	64	6.93	83	86	41	0	0	2	0
	LOS ANGELES	74	62	77	60	68	2	0.19	0.03	0.19	1.42	240	7.10	77	85	52	0	0	1	0
	REDDING	69	44	73	40	56	-3	0.00	-0.60	0.00	1.28	54	16.77	70	83	32	0	0	0	0
	SACRAMENTO	70	49	74	44	59	-1	0.00	-0.28	0.00	0.39	42	11.06	84	91	39	0	0	0	0
	SAN DIEGO	74	62	78	60	68	2	0.15	-0.01	0.11	1.81	293	7.83	106	87	53	0	0	2	0
	SAN FRANCISCO	67	54	71	51	61	0	0.00	-0.28	0.00	0.18	20	12.15	90	84	50	0	0	0	0
	STOCKTON	72	47	76	43	59	-2	0.00	-0.24	0.00	0.39	50	9.81	101	98	42	0	0	0	0
CO	ALAMOSA	56	34	59	31	45	5	0.10	0.04	0.09	5.85	375	7.98	121	100	42	0	1	2	0
	CO SPRINGS	62	39	69	35	50	4	0.34	0.20	0.21	3.45	162	13.83	90	96	42	0	0	2	0
	DENVER INTL	61	39	66	37	50	4	0.30	0.12	0.30	2.93	125	12.31	91	96	44	0	0	1	0
	GRAND JUNCTION	63	44	66	41	53	5	0.17	-0.03	0.08	4.73	216	8.49	108	87	45	0	0	3	0
	PUEBLO	66	41	74	34	53	5	0.06	-0.10	0.03	3.06	217	13.75	122	96	42	0	0	2	0
CT	BRIDGEPORT	63	41	74	34	52	0	0.00	-0.79	0.00	10.87	139	46.80	126	89	43	0	0	0	0
	HARTFORD	64	35	74	28	49	1	0.00	-0.90	0.00	8.24	92	40.49	102	90	33	0	3	0	0
DC	WASHINGTON	70	49	77	43	59	3	0.00	-0.81	0.00	6.91	91	31.85	89	91	43	0	0	0	0
DE	WILMINGTON	69	41	74	34	55	2	0.00	-0.76	0.00	8.81	109	39.11	101	98	41	0	0	0	0
FL	DAYTONA BEACH	81	72	83	70	76	5	0.68	-0.01	0.49	10.58	88	58.11	125	88	63	0	0	3	0
	JACKSONVILLE	77	63	80	59	70	3	0.25	-0.18	0.14	17.20	148	53.78	110	94	67	0	0	2	0
	KEY WEST	84	76	85	74	80	1	0.00	-1.02	0.00	12.19	94	30.52	84	92	74	0	0	0	0
	MIAMI	85	75	88	71	80	2	1.77	0.50	0.44	14.25	79	49.98	81	93	65	0	0	5	0
	ORLANDO	83	70	84	66	77	5	0.00	-0.50	0.00	0.00	0	9.84	20	95	55	0	0	0	0
	PENSACOLA	80	61	81	57	71	4	0.01	-0.98	0.01	20.19	178	64.47	110	77	46	0	0	1	0
	TALLAHASSEE	82	60	84	50	71	5	0.00	-0.62	0.00	9.51	116	45.41	88	83	44	0	0	0	0
	TAMPA	85	69	88	65	78	3	0.40	0.06	0.40	10.67	126	47.83	105	90	52	0	0	1	0
GA	ATHENS	75	49	81	43	62	3	0.01	-0.68	0.01	1.85	25	32.67	80	93	37	0	0	1	0
	ATLANTA	74	54	81	50	64	4	0.06	-0.67	0.06	6.25	88	38.71	92	81	36	0	0	1	0
	AUGUSTA	78	48	82	41	63	2	0.00	-0.49	0.00	5.15	83	31.19	83	94	39	0	0	0	0
	COLUMBUS	78	54	80	47	66	3	0.00	-0.59	0.00	6.28	102	49.49	123	86	38	0	0	0	0
	MACON	78	47	82	40	62	1	0.00	-0.56	0.00	3.14	49	33.27	85	98	37	0	0	0	0
	SAVANNAH	78	55	81	49	67	2	0.00	-0.55	0.00	6.67	82	27.46	64	94	49	0	0	0	0
HI	HILO	84	75	87	73	80	5	7.59	5.00	2.98	31.44	166	140.69	149	89	68	0	0	5	4
	HONOLULU	84	74	86	70	79	-1	1.29	0.84	1.06	3.00	125	25.98	217	87	63	0	0	3	1
	KAHULUI	82	71	88	65	77	-2	1.39	1.13	1.12	2.76	216	33.28	287	92	69	0	0	4	1
	LIHUE	81	72	82	67	76	-1	0.48	-0.33	0.29	10.69	195	58.22	211	88	67	0	0	4	0
IA	BURLINGTON	70	51	77	46	61	12	0.39	-0.25	0.27	5.19	78	30.54	92	88	50	0	0	2	0
	CEDAR RAPIDS	67	49	76	45	58	12	0.22	-0.39	0.11	2.39	38	24.25	75	91	57	0	0	3	0
	DES MOINES	68	53	76	49	60	13	0.13	-0.42	0.11	15.75	263	51.41	155	87	56	0	0	2	0
	DUBUQUE	64	47	75	42	55	11	0.15	-0.46	0.06	10.94	162	43.35	126	89	56	0	0	3	0
	SIOUX CITY	62	47	71	38	55	10	0.91	0.57	0.74	5.18	102	25.17	93	94	64	0	0	3	1
	WATERLOO	65	46	78	37	55	9	0.28	-0.25	0.18	13.34	226	44.58	135	93	60	0	0	3	0
ID	BOISE	61	39	65	35	50	3	0.10	-0.12	0.10	1.53	123	8.85	100	82	36	0	0	1	0
	LEWISTON	54	42	62	37	48	1	0.36	0.07	0.15	3.04	180	12.49	118	93	58	0	0	5	0
	POCATELLO	57	33	62	25	45	3	0.22	0.01	0.19	3.84	205	10.19	104	95	50	0	4	2	0
IL	CHICAGO/O_HARE	67	51	76	44	59	10	0.07	-0.68	0.07	6.80	102	39.75	119	79	49	0	0	1	0
	MOLINE	69	46	79	39	57	9	0.37	-0.26	0.29	10.00	163	38.11	112	94	52	0	0	2	0
	PEORIA	71	50	78	46	61	11	0.29	-0.44	0.25	5.43	81	36.20	110	87	47	0	0	2	0
	ROCKFORD	67	44	76	37	55	8	0.02	-0.57	0.02	9.41	150	34.83	105	94	50	0	0	1	0
	SPRINGFIELD	73	50	80	46	62	10	0.32	-0.40	0.32	4.29	69	32.73	98	87	44	0	0	1	0
IN	EVANSVILLE	76	48	80	45	62	8	0.00	-0.82	0.00	4.21	62	33.85	84	97	39	0	0	0	0
	FORT WAYNE	69	44	79	37	57	8	0.04	-0.61	0.04	6.69	111	39.52	116	95	46	0	0	1	0
	INDIANAPOLIS	73	50	79	44	62	11	0.04	-0.70	0.04	3.06	48	41.05	110	83	38	0	0	1	0
	SOUTH BEND	67	45	73	38	56	9	0.00	-0.82	0.00	6.73	93	20.52	60	92	50	0	0	0	0
KS	CONCORDIA	71	54	80	49	63	12	1.38	1.05	1.17	7.08	148	25.35	96	96	65	0	0	4	1
	DODGE CITY	68	51	78	44	60	8	1.14	0.77	0.70	7.13	213	20.38	100	98	70	0	0	5	1
	GOODLAND	57	41	70	35	49	2	0.48	0.23	0.28	4.99	177	17.05	94	99	78	0	0	3	0
	TOPEKA	75	56	81	50	65	14	1.44	0.91	1.14	11.28	177	43.22	129	94	56	0	0	2	1
	WICHITA	75	58	82	50	67	13	0.44	-0.06	0.19	7.96	135	36.40	114	94	59	0	0	3	0

Based on 1991-2020 normals ***** Not Available**

Weather Data for the Week Ending October 31, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. °F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	LEXINGTON	74	46	76	41	60	7	0.00	-0.81	0.00	3.37	47	41.71	98	84	31	0	0	0	0
	LOUISVILLE	76	51	78	47	64	8	0.00	-0.78	0.00	3.44	46	43.13	105	86	33	0	0	0	0
	PADUCAH	77	49	80	45	63	8	0.11	-0.78	0.11	5.25	69	43.93	104	99	41	0	0	1	0
LA	BATON ROUGE	83	55	85	48	69	4	0.00	-1.04	0.00	0.00	0	50.77	96	94	41	0	0	0	0
	LAKE CHARLES	83	59	85	53	71	4	0.94	-0.14	0.94	4.65	46	35.17	68	97	41	0	0	1	1
	NEW ORLEANS	79	63	80	59	71	3	1.13	0.29	1.13	11.65	132	61.53	112	93	52	0	0	1	1
	SHREVEPORT	79	57	82	52	68	5	0.00	-1.06	0.00	0.00	0	0.00	0	91	45	0	0	0	0
MA	BOSTON	63	43	73	38	53	2	***	***	***	***	***	***	***	76	38	0	0	***	***
	WORCESTER	60	40	68	33	50	4	0.00	-1.06	0.00	9.82	108	45.58	113	76	34	0	0	0	0
MD	BALTIMORE	69	43	76	37	56	3	0.00	-0.84	0.00	6.03	72	33.67	88	98	42	0	0	0	0
ME	CARIBOU	54	29	64	22	42	2	0.04	-0.85	0.04	4.24	57	34.51	102	79	39	0	5	1	0
	PORTLAND	59	32	69	25	46	0	0.01	-1.13	0.01	6.81	75	34.23	86	88	38	0	5	1	0
MI	ALPENA	61	37	72	29	49	6	0.06	-0.59	0.06	4.42	75	38.06	147	94	49	0	2	1	0
	GRAND RAPIDS	65	44	72	38	54	7	0.00	-0.91	0.00	5.30	71	25.25	74	93	48	0	0	0	0
	HOUGHTON LAKE	61	38	71	27	50	8	0.08	-0.60	0.08	5.31	93	36.81	143	92	46	0	2	1	0
	LANSING	65	43	72	37	54	8	0.00	-0.69	0.00	6.17	103	29.20	100	93	48	0	0	0	0
	MUSKEGON	64	45	69	36	55	7	0.01	-0.84	0.01	6.22	88	38.91	130	91	50	0	0	1	0
	TRAVERSE CITY	64	43	73	33	53	8	0.17	-0.57	0.17	5.40	77	33.51	133	87	44	0	0	1	0
MN	DULUTH	50	35	57	30	42	4	0.53	-0.03	0.46	5.24	82	28.24	101	93	64	0	1	2	0
	INT_L FALLS	47	27	60	21	37	1	0.15	-0.31	0.09	5.13	98	19.37	84	97	59	0	6	3	0
	MINNEAPOLIS	59	45	72	40	52	8	0.85	0.41	0.37	5.85	104	23.54	81	90	55	0	0	5	0
	ROCHESTER	58	45	72	35	51	9	0.28	-0.17	0.18	7.76	128	31.65	100	93	60	0	0	4	0
	ST. CLOUD	53	40	61	33	47	7	2.05	1.58	1.25	6.77	120	23.14	88	98	62	0	0	4	1
MO	COLUMBIA	76	55	80	52	65	12	0.04	-0.66	0.04	3.29	45	42.39	115	82	46	0	0	1	0
	KANSAS CITY	74	57	79	53	65	14	0.54	-0.03	0.33	9.62	132	50.00	139	87	56	0	0	2	0
	SAINT LOUIS	76	56	82	50	66	12	0.14	-0.62	0.09	4.07	66	43.66	122	81	43	0	0	2	0
	SPRINGFIELD	77	55	81	51	66	12	0.19	-0.64	0.19	2.38	30	35.45	92	80	38	0	0	1	0
MS	JACKSON	83	51	87	45	67	6	0.00	-0.91	0.00	2.37	32	38.91	81	95	38	0	0	0	0
	MERIDIAN	78	48	81	42	63	1	0.02	-0.89	0.02	7.48	106	49.94	105	97	44	0	0	1	0
	TUPELO	78	47	82	43	63	3	0.46	-0.40	0.46	1.69	22	29.19	61	96	35	0	0	1	0
MT	BILLINGS	49	32	58	27	40	-3	0.16	-0.06	0.15	5.79	211	16.74	127	91	54	0	3	2	0
	BUTTE	48	27	53	23	38	2	0.70	0.53	0.43	4.05	212	14.48	123	95	49	0	6	2	0
	CUT BANK	39	27	47	20	33	-4	0.09	-0.02	0.09	4.64	280	10.32	103	97	75	0	6	1	0
	GLASGOW	44	31	48	29	38	-1	0.21	0.06	0.18	3.46	175	16.14	129	93	68	0	6	2	0
	GREAT FALLS	42	28	53	20	35	-4	0.06	-0.14	0.05	4.43	184	20.46	151	99	67	0	4	2	0
	HAVRE	46	28	49	26	37	-1	0.17	0.07	0.17	2.78	157	10.27	94	92	61	0	3	1	0
	MISSOULA	48	33	54	28	40	2	0.17	-0.13	0.07	3.63	169	14.72	124	96	61	0	4	3	0
NC	ASHEVILLE	70	41	79	34	55	2	0.00	-0.72	0.00	7.19	95	42.44	101	96	34	0	0	0	0
	CHARLOTTE	74	48	82	43	61	4	0.00	-0.61	0.00	5.30	77	30.74	83	91	38	0	0	0	0
	GREENSBORO	72	47	81	43	59	3	0.00	-0.67	0.00	4.87	63	27.31	72	92	43	0	0	0	0
	HATTERAS	69	58	73	50	64	-1	0.36	-0.72	0.33	3.67	27	38.87	75	91	68	0	0	2	0
	RALEIGH	73	47	82	41	60	3	0.00	-0.65	0.00	4.94	58	28.82	73	95	41	0	0	0	0
	WILMINGTON	76	53	81	44	64	3	0.00	-0.70	0.00	8.74	65	45.94	86	94	48	0	0	0	0
ND	BISMARCK	51	30	61	22	40	2	0.00	-0.27	0.00	2.09	66	13.21	74	98	54	0	5	0	0
	DICKINSON	50	28	55	21	39	1	0.10	-0.11	0.10	3.80	135	13.97	94	98	58	0	6	1	0
	FARGO	51	32	57	24	41	2	0.20	-0.18	0.16	4.37	90	14.73	66	94	63	0	3	3	0
	GRAND FORKS	49	29	56	21	39	2	0.04	-0.31	0.04	5.83	140	21.22	105	94	57	0	4	1	0
	JAMESTOWN	48	31	56	25	39	2	0.13	-0.15	0.13	5.53	148	18.28	96	98	65	0	6	1	0
NE	GRAND ISLAND	63	46	69	38	54	7	1.13	0.81	0.68	7.84	196	29.81	120	99	68	0	0	3	1
	LINCOLN	69	51	80	44	60	12	0.88	0.51	0.46	13.70	272	40.01	149	95	58	0	0	4	0
	NORFOLK	61	45	69	35	53	8	1.00	0.68	0.72	5.65	125	25.87	103	99	70	0	0	3	1
	NORTH PLATTE	58	42	72	32	50	5	0.91	0.65	0.48	4.24	130	14.82	73	99	69	0	1	4	0
	OMAHA	69	51	81	46	60	12	0.47	0.07	0.20	14.07	266	36.33	124	94	56	0	0	4	0
	SCOTTSBLUFF	59	40	67	32	49	5	0.43	0.21	0.43	2.09	85	11.02	75	98	53	0	1	1	0
	VALENTINE	57	39	67	34	48	4	0.96	0.76	0.65	4.31	137	21.96	117	99	56	0	0	2	1
NH	CONCORD	64	29	73	23	46	1	0.04	-0.93	0.04	5.01	62	33.56	96	92	32	0	6	1	0
NJ	ATLANTIC_CITY	68	39	76	33	53	1	0.00	-0.95	0.00	7.94	103	23.24	61	94	43	0	0	0	0
	NEWARK	68	45	74	38	56	3	0.00	-0.83	0.00	6.66	87	40.19	102	83	35	0	0	0	0
NM	ALBUQUERQUE	68	47	71	44	58	4	0.13	-0.02	0.11	5.56	275	11.45	147	88	35	0	0	2	0
NV	ELY	57	32	61	26	45	3	0.09	-0.11	0.09	2.70	187	8.50	104	87	36	0	5	1	0
	LAS VEGAS	75	58	81	56	67	1	0.36	0.29	0.33	1.27	200	2.25	65	58	30	0	0	2	0
	RENO	61	37	65	31	49	-1	0.18	0.05	0.18	0.89	126	5.55	98	76	27	0	2	1	0
	WINNEMUCCA	59	28	64	19	43	-1	0.27	0.09	0.26	0.73	69	7.78	119	91	33	0	5	2	0
NY	ALBANY	61	35	71	28	48	1	0.00	-0.80	0.00	5.27	69	36.61	106	91	40	0	3	0	0
	BINGHAMTON	60	39	68	34	49	5	0.00	-0.82	0.00	7.76	99	39.65	110	83	46	0	0	0	0
	BUFFALO	63	42	71	39	53	5	0.08	-0.78	0.08	5.74	70	37.71	112	82	46	0	0	1	0
	ROCHESTER	64	40	76	35	52	4	0.04	-0.68	0.04	5.85	91	41.00	138	88	45	0	0	1	0
	SYRACUSE	63	36	74	30	50	3	0.12	-0.76	0.12	5.28	72	38.24	114	89	40	0	1	1	0
OH	AKRON-CANTON	66	43	73	39	55	6	0.00	-0.76	0.00	6.10	89	38.43	107	90	46	0	0	0	0
	CINCINNATI	74	49	77	43	61	10	0.00	-0.77	0.00	2.67	41	38.25	99	80	32	0	0	0	0
	CLEVELAND	67	44	76	38	56	5	0.00	-0.83	0.00	4.96	65	35.76	103	89	47	0	0	0	0
	COLUMBUS	71	46	76	40	58	8	0.00	-0.66	0.00	9.74	161	48.86	137	91	38	0	0	0	0
	DAYTON	70	47	76	43	59	8	0.00	-0.67	0.00	5.57	89	45.85	130	85	37	0	0	0	0
	MANSFIELD	67	45	74	38	56	8	0.00	-0.73	0.00	6.10	93	38.92	107	88	43	0	0	0	0
	TOLEDO	69	44	78	39	57	7	0.01	-0.56	0.01	5.30	96	34.58	115	96	42	0	0	1	0

Based on 1991-2020 normals ***** Not Available**

Weather Data for the Week Ending October 31, 2026

STATES AND STATIONS		TEMPERATURE ˚F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. ˚F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
	YOUNGSTOWN	66	39	74	32	52	5	0.00	-0.77	0.00	6.50	90	41.17	117	96	44	0	2	0	0
OK	OKLAHOMA CITY	75	58	81	54	66	10	0.42	-0.24	0.35	11.57	164	28.90	87	94	59	0	0	2	0
	TULSA	77	58	83	51	68	10	0.65	-0.21	0.58	8.00	104	42.61	118	91	53	0	0	2	1
OR	ASTORIA	56	43	58	34	49	-1	2.59	0.69	0.75	6.53	69	39.57	87	98	70	0	0	6	2
	BURNS	51	22	55	17	37	-4	0.07	-0.13	0.07	1.80	156	7.45	94	97	44	0	7	1	0
	EUGENE	55	42	58	35	48	-1	1.18	0.22	0.37	4.22	92	19.96	72	98	68	0	0	6	0
	MEDFORD	56	37	60	33	46	-5	0.59	0.19	0.26	2.09	122	10.01	81	96	51	0	0	3	0
	PENDLETON	53	37	58	29	45	-1	0.42	0.11	0.37	3.27	202	4.69	47	91	56	0	1	2	0
	PORTLAND	56	47	58	39	51	0	2.14	1.15	0.78	3.96	80	22.52	87	95	66	0	0	6	1
	SALEM	54	44	56	36	49	-2	1.39	0.38	0.62	3.72	75	19.70	72	96	70	0	0	6	1
PA	ALLENTOWN	66	37	71	28	51	1	0.00	-0.77	0.00	6.59	73	33.26	82	96	43	0	2	0	0
	ERIE	64	44	75	38	54	4	0.05	-0.91	0.05	3.11	35	34.37	98	87	49	0	0	1	0
	MIDDLETOWN	66	41	71	36	54	3	0.00	-0.75	0.00	9.20	106	36.33	96	97	47	0	0	0	0
	PHILADELPHIA	68	46	74	39	57	3	0.00	-0.72	0.00	9.36	118	39.72	106	85	39	0	0	0	0
	PITTSBURGH	67	42	74	36	55	5	0.00	-0.66	0.00	9.47	154	48.77	143	89	42	0	0	0	0
	WILKES-BARRE	63	37	69	30	50	1	0.00	-0.76	0.00	6.83	86	37.07	112	92	42	0	1	0	0
	WILLIAMSPORT	64	37	71	30	50	2	0.00	-0.76	0.00	8.89	105	37.11	100	98	46	0	1	0	0
RI	PROVIDENCE	64	38	73	34	51	1	0.00	-0.93	0.00	12.04	144	40.78	105	88	34	0	0	0	0
SC	CHARLESTON	78	53	82	48	66	2	0.00	-0.65	0.00	7.41	71	33.95	73	95	49	0	0	0	0
	COLUMBIA	77	47	83	39	62	2	0.00	-0.53	0.00	3.90	55	25.98	67	95	37	0	0	0	0
	FLORENCE	78	48	83	38	63	2	0.00	-0.59	0.00	3.39	42	32.33	82	91	36	0	0	0	0
	GREENVILLE	73	48	81	42	60	3	0.00	-0.71	0.00	6.90	94	37.06	89	92	40	0	0	0	0
SD	ABERDEEN	51	34	62	25	42	3	0.65	0.28	0.37	3.97	96	17.76	86	99	68	0	3	3	0
	HURON	56	38	68	28	47	5	0.76	0.43	0.52	6.06	138	21.26	97	97	63	0	1	3	1
	RAPID CITY	55	33	65	31	44	2	0.17	-0.05	0.12	2.33	88	13.36	80	97	54	0	4	3	0
	SIOUX FALLS	56	41	65	32	48	5	1.85	1.49	0.75	9.30	182	24.91	96	98	72	0	1	5	2
TN	BRISTOL	74	38	78	36	56	4	0.00	-0.59	0.00	4.69	87	39.52	106	99	32	0	0	0	0
	CHATTANOOGA	76	47	81	45	62	4	0.00	-0.80	0.00	3.98	50	37.72	83	98	38	0	0	0	0
	KNOXVILLE	74	46	78	43	60	5	0.00	-0.67	0.00	5.26	83	44.31	103	94	39	0	0	0	0
	MEMPHIS	79	56	82	52	67	8	0.83	-0.07	0.83	2.35	33	34.67	77	78	34	0	0	1	1
	NASHVILLE	78	48	81	45	64	7	0.00	-0.73	0.00	1.30	18	31.94	75	85	29	0	0	0	0
TX	ABILENE	75	59	82	56	67	5	1.53	0.93	0.67	4.11	74	21.54	95	93	55	0	0	4	2
	AMARILLO	67	55	77	51	61	6	2.19	1.90	1.55	10.19	296	18.46	101	98	66	0	0	3	1
	AUSTIN	78	64	84	62	71	4	0.33	-0.55	0.28	3.48	47	24.44	79	97	58	0	0	3	0
	BEAUMONT	81	63	83	59	72	5	0.41	-0.76	0.41	11.42	93	48.03	90	96	50	0	0	1	0
	BROWNSVILLE	89	71	98	70	80	5	0.00	-0.63	0.00	9.74	102	19.84	83	94	52	2	0	0	0
	CORPUS CHRISTI	85	69	87	66	77	5	2.18	1.53	1.07	5.37	62	26.91	96	95	59	0	0	4	2
	DEL RIO	77	66	83	63	72	3	4.65	4.35	4.22	6.36	135	17.91	98	92	66	0	0	5	1
	EL PASO	76	58	80	55	67	5	1.11	0.99	0.82	8.41	396	15.89	205	91	44	0	0	3	1
	FORT WORTH	80	63	83	60	72	8	0.13	-0.94	0.13	4.84	68	39.82	125	85	46	0	0	1	0
	GALVESTON	80	71	83	68	75	4	0.50	-0.60	0.39	4.36	57	31.17	90	88	61	0	0	2	0
	HOUSTON	82	62	86	58	73	5	0.29	-0.96	0.16	3.54	34	40.02	91	97	48	0	0	2	0
	LUBBOCK	66	56	73	52	61	4	1.57	1.30	0.88	8.15	199	19.03	113	98	74	0	0	4	1
	MIDLAND	71	58	77	54	65	3	1.92	1.72	1.44	4.30	149	12.99	106	94	68	0	0	3	1
	SAN ANGELO	76	59	84	56	67	5	0.97	0.50	0.63	3.01	61	17.57	93	94	56	0	0	5	1
	SAN ANTONIO	78	65	82	62	72	5	2.60	1.79	1.60	6.02	78	35.60	125	93	63	0	0	2	2
	VICTORIA	82	65	87	60	74	5	1.49	0.70	0.89	7.96	93	32.00	91	97	58	0	0	3	1
	WACO	80	60	84	55	70	6	0.23	-0.73	0.15	3.77	51	24.43	79	95	49	0	0	2	0
	WICHITA FALLS	77	58	83	51	68	8	0.21	-0.39	0.21	7.12	121	23.42	94	93	56	0	0	1	0
UT	SALT LAKE CITY	62	44	66	42	53	4	0.33	0.03	0.33	3.58	154	12.68	99	87	45	0	0	1	0
VA	LYNCHBURG	71	41	80	36	56	3	0.00	-0.67	0.00	4.34	61	28.17	78	98	40	0	0	0	0
	NORFOLK	69	53	80	45	61	2	0.00	-0.80	0.00	3.59	38	32.94	77	94	55	0	0	0	0
	RICHMOND	73	46	82	41	59	4	0.00	-0.70	0.00	7.89	98	40.92	105	99	44	0	0	0	0
	ROANOKE	71	43	80	38	57	2	0.00	-0.57	0.00	7.14	101	30.03	81	92	40	0	0	0	0
	WASH/DULLES	70	43	76	38	56	4	0.00	-0.78	0.00	8.51	112	38.59	104	97	42	0	0	0	0
VT	BURLINGTON	56	35	67	26	46	0	0.32	-0.47	0.24	4.81	64	32.66	101	85	41	0	3	3	0
WA	OLYMPIA	54	40	56	34	47	0	2.04	0.56	0.80	4.44	62	29.98	86	100	74	0	0	5	2
	QUILLAYUTE	53	41	57	37	47	-1	2.39	-0.60	0.63	11.88	78	35.37	52	100	77	0	0	7	2
	SEATTLE-TACOMA	55	44	58	34	49	-1	1.24	0.08	0.55	3.31	60	25.02	91	95	65	0	0	5	1
	SPOKANE	50	38	56	34	44	2	0.63	0.22	0.37	2.12	108	9.85	81	94	58	0	0	2	0
	YAKIMA	56	30	61	23	43	-2	0.11	-0.07	0.10	2.16	247	5.96	104	93	46	0	5	2	0
WI	EAU CLAIRE	58	44	72	33	51	9	0.72	0.26	0.37	3.72	60	24.34	81	91	53	0	0	4	0
	GREEN BAY	63	42	74	31	52	8	0.13	-0.41	0.11	7.77	132	36.33	130	91	49	0	1	2	0
	LA CROSSE	63	47	74	35	55	8	0.43	-0.04	0.28	8.85	144	37.57	117	84	49	0	0	3	0
	MADISON	64	45	75	37	55	10	0.06	-0.54	0.04	6.43	103	35.66	107	89	49	0	0	2	0
	MILWAUKEE	64	49	74	41	57	8	0.07	-0.52	0.04	6.36	107	34.86	114	85	54	0	0	2	0
WV	BECKLEY	67	42	70	37	55	5	0.00	-0.63	0.00	8.80	148	43.27	115	89	35	0	0	0	0
	CHARLESTON	73	41	75	38	57	4	0.00	-0.66	0.00	6.66	104	45.37	114	100	33	0	0	0	0
	ELKINS	69	34	74	31	51	3	0.00	-0.67	0.00	9.14	138	48.00	118	99	33	0	2	0	0
	HUNTINGTON	75	45	78	41	60	7	0.00	-0.65	0.00	6.39	103	36.04	93	90	34	0	0	0	0
WY	CASPER	61	33	67	24	47	6	0.00	-0.20	0.00	1.59	74	9.08	82	84	29	0	4	0	0
	CHEYENNE	59	37	66	33	48	6	0.28	0.09	0.19	1.55	62	12.30	85	97	39	0	0	2	0
	LANDER	56	32	65	29	44	4	0.12	-0.13	0.12	3.47	146	10.73	90	82	36	0	4	1	0
	SHERIDAN	56	25	62	21	41	0	0.00	-0.25	0.00	1.04	34	10.33	75	90	34	0	7	0	0

Based on 1991-2020 normals

***** Not Available**

National Agricultural Summary

October 26 – November 1, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across key agricultural U.S. regions. Temperatures averaged above normal across much of the central and eastern U.S., with portions of the Corn Belt averaging 6 to 12°F above normal. Most of the West experienced near-normal temperatures, except for portions of the Pacific Northwest and northern Rocky Mountains, where some locations averaged 2 to 6°F below normal. Meanwhile, dry weather across the Ohio Valley and Northeast supported fieldwork and harvest activities. In contrast, portions of the Plains received above-normal precipitation, with some locations on the southern Plains recording more than twice the normal weekly amount.

Corn: Seventy-four percent of the 2026 corn acreage had been harvested by November 1, three percentage points behind the 5-year average. By the week's end, corn harvest progress was behind the 5-year average pace in seven of the 18 estimating states.

Soybeans: Eighty-eight percent of the 2026 soybean acreage had been harvested by November 1, four percentage points ahead of the 5-year average. By week's end, soybean harvest progress was at or ahead of the 5-year average pace in 15 of the 18 estimating states.

Cotton: Ninety-two percent of the nation's cotton crop had bolls opening by November 1, three percentage points behind the 5-year average. Sixty-three percent of the 2026 cotton acreage had been harvested by November 1, nine percentage points ahead of the 5-year average. Cotton harvest progress was at or ahead of the 5-year average pace in 11 of the 15 estimating states.

Winter Wheat: Eighty-three percent of the intended 2027 winter wheat acreage had been planted by November 1, one percentage point behind the 5-year average. Sixty-five percent of the winter wheat acreage had emerged by November 1, equal to the 5-year average. On November 1, forty-four percent of the winter wheat crop was rated in good to excellent condition.

Sorghum: Ninety-six percent of the nation's sorghum crop was mature by November 1, four percentage points behind the 5-year average. Sixty-four percent of the 2026 sorghum acreage had been harvested by November 1, fourteen percentage points behind the 5-year average. Sorghum harvest progress was behind the 5-year average pace in five of the six estimating states.

Other Crops: Sixty-six percent of the 2026 peanut acreage had been harvested by November 1, six percentage points behind the 5-year average. By the week's end, producers in Virginia had harvested 95 percent of their acreage, 7 percentage points ahead of the 5-year average.

Eighty-six percent of the 2026 sugarbeet crop had been harvested by November 1, equal to the 5-year average.

Sixty-one percent of the 2026 sunflower crop had been harvested by November 1, five percentage points ahead of the 5-year average.

Crop Progress and Condition

Week Ending November 1, 2026

Accessible Data Available from USDA/NASS

Winter Wheat Percent Planted

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AR	NA	29	54	59
CA	NA	30	35	35
CO	NA	98	99	96
ID	NA	96	98	98
IL	NA	70	84	81
IN	NA	67	78	77
KS	NA	80	86	87
MI	NA	75	84	83
MO	NA	58	74	68
MT	NA	90	95	94
NE	NA	95	98	94
NC	NA	24	43	37
OH	NA	68	88	86
OK	NA	51	62	79
OR	NA	90	95	88
SD	NA	95	97	96
TX	NA	70	77	75
WA	NA	98	99	97
18 Sts	NA	76	83	84

These 18 States planted 90% of last year's winter wheat acreage.

Winter Wheat Percent Emerged

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AR	NA	13	23	36
CA	NA	15	17	15
CO	NA	68	81	79
ID	NA	66	86	80
IL	NA	40	57	54
IN	NA	27	42	50
KS	NA	48	66	68
MI	NA	61	74	70
MO	NA	31	50	42
MT	NA	68	75	76
NE	NA	80	89	85
NC	NA	9	19	20
OH	NA	48	68	64
OK	NA	32	41	59
OR	NA	61	72	56
SD	NA	76	85	77
TX	NA	55	63	53
WA	NA	90	94	82
18 Sts	NA	53	65	65

These 18 States planted 90% of last year's winter wheat acreage.

Winter Wheat Condition by Percent

	VP	P	F	G	EX
AR	10	12	37	38	3
CA	0	0	15	80	5
CO	1	9	53	32	5
ID	0	3	21	70	6
IL	3	5	34	47	11
IN	2	5	25	58	10
KS	6	14	33	42	5
MI	0	2	33	60	5
MO	0	1	26	60	13
MT	0	1	42	56	1
NE	9	5	19	63	4
NC	3	11	19	59	8
OH	1	2	29	56	12
OK	5	20	50	20	5
OR	6	16	32	33	13
SD	7	12	45	34	2
TX	9	25	33	27	6
WA	3	8	64	15	10
18 Sts	5	13	38	38	6
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	NA	NA	NA	NA	NA

Cotton Percent Bolls Opening

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AL	NA	94	96	98
AZ	NA	98	99	100
AR	NA	100	100	100
CA	NA	95	97	96
GA	NA	96	99	97
KS	NA	95	97	90
LA	NA	100	100	100
MS	NA	100	100	100
MO	NA	100	100	99
NC	NA	93	95	96
OK	NA	80	90	98
SC	NA	100	100	99
TN	NA	100	100	98
TX	NA	84	87	92
VA	NA	100	100	100
15 Sts	NA	89	92	95

These 15 States planted 99% of last year's cotton acreage.

Cotton Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AL	NA	47	62	56
AZ	NA	49	53	50
AR	NA	81	92	84
CA	NA	50	55	52
GA	NA	33	47	44
KS	NA	21	30	35
LA	NA	81	91	90
MS	NA	83	95	80
MO	NA	64	87	72
NC	NA	23	41	44
OK	NA	17	32	38
SC	NA	28	43	41
TN	NA	67	80	64
TX	NA	55	61	48
VA	NA	38	48	53
15 Sts	NA	52	63	54

These 15 States harvested 99% of last year's cotton acreage.

Sugarbeets Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
ID	NA	62	85	82
MI	NA	30	50	61
MN	NA	86	91	98
ND	NA	96	100	93
4 Sts	NA	75	86	86

These 4 States harvested 87% of last year's sugarbeet acreage.

Sunflowers Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
CO	NA	52	65	65
KS	NA	37	55	68
ND	NA	46	61	55
SD	NA	45	60	55
4 Sts	NA	46	61	56

These 4 States harvested 85% of last year's sunflower acreage.

Crop Progress and Condition

Week Ending November 1, 2026

Soybeans Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AR	NA	91	94	87
IL	NA	81	91	85
IN	NA	75	87	81
IA	NA	78	90	90
KS	NA	61	72	78
KY	NA	73	81	67
LA	NA	99	100	97
MI	NA	69	81	72
MN	NA	93	97	98
MS	NA	98	99	93
MO	NA	65	79	73
NE	NA	75	84	88
NC	NA	32	49	42
ND	NA	88	96	91
OH	NA	69	83	83
SD	NA	89	94	92
TN	NA	81	88	72
WI	NA	87	94	84
18 Sts	NA	79	88	84

These 18 States harvested 96% of last year's soybean acreage.

Corn Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
CO	NA	50	65	65
IL	NA	74	86	83
IN	NA	61	75	71
IA	NA	47	66	79
KS	NA	79	86	87
KY	NA	91	93	87
MI	NA	28	43	54
MN	NA	65	82	85
MO	NA	79	86	85
NE	NA	55	66	75
NC	NA	96	98	96
ND	NA	58	76	69
OH	NA	35	53	60
PA	NA	35	61	53
SD	NA	44	63	75
TN	NA	98	100	94
TX	NA	95	97	96
WI	NA	42	61	57
18 Sts	NA	60	74	77

These 18 States harvested 93% of last year's corn acreage.

Sorghum Percent Mature

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
CO	NA	99	99	99
KS	NA	88	92	98
NE	NA	89	94	99
OK	NA	99	100	99
SD	NA	95	99	100
TX	NA	100	100	100
6 Sts	NA	93	96	100

These 6 States planted 100% of last year's sorghum acreage.

Sorghum Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
CO	NA	45	65	71
KS	NA	40	49	70
NE	NA	35	42	71
OK	NA	66	71	66
SD	NA	51	63	79
TX	NA	95	97	98
6 Sts	NA	56	64	78

These 6 States harvested 100% of last year's sorghum acreage.

Peanuts Percent Harvested

	Prev Year	Prev Week	Nov 1 2026	5-Yr Avg
AL	NA	49	61	74
FL	NA	58	65	88
GA	NA	51	69	72
NC	NA	51	69	73
OK	NA	35	50	59
SC	NA	56	67	67
TX	NA	41	51	52
VA	NA	91	95	88
8 Sts	NA	51	66	72


These 8 States harvested 95% of last year's peanut acreage.


VP - Very Poor; P - Poor; F - Fair; G - Good; EX - Excellent

NA - Not Available; *Revised

Crop Progress and Condition


Week Ending November 1, 2026






Crop Progress and Condition

Week Ending November 1, 2026





International Weather and Crop Summary

October 25 – 31, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Moderate to heavy showers over northern and eastern Europe contrasted with drier weather in southwestern portions of the continent.

WESTERN FSU: Additional rain in southwestern growing areas juxtaposed with sunny and warm conditions farther east.

MIDDLE EAST: Widespread moderate to heavy rain resumed across the western half of the region, causing localized flooding but boosting soil moisture for winter crops.

AUSTRALIA: Widespread albeit highly variable showers across southern and eastern Australia favored filling winter crops and recently-planted cotton and sorghum.

SOUTH AFRICA: Dry conditions persisted across most areas, with only scattered showers along the eastern coastline and above-normal temperatures limiting moisture for corn planting in the east.


ARGENITINA: Mostly dry conditions prevailed across the region, though adequate soil moisture and below-normal temperatures remained favorable for crop development.

BRAZIL: Scattered rainfall occurred across portions of the region, accompanied by above-normal warmth in the north and cooler-than-normal conditions in southern areas.

MEXICO: Remnant moisture from former eastern Pacific Hurricane Vance contributed to locally heavy showers and a boost in reservoir storage in portions of the Pacific Coast States from Sonora to Jalisco, as well as north-central Mexico.



EUROPE
Total Precipitation(mm)
October 25 - 31, 2026



Station precipitation reports from France and Hungary are either missing or suspect.


CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

EUROPE

Drier weather across southwestern Europe contrasted with additional moderate to heavy showers in northern and eastern portions of the continent. Following the preceding week's historic rainfall along the Mediterranean Coast of eastern Spain and southern France, dry weather facilitated flood recovery efforts. Dry weather also prevailed farther inland across Spain, central and southern France, and much of Italy, promoting seasonal fieldwork and winter crop establishment. However, the drier-than-normal start to the 2026-27 Water Year persisted on the Iberian Peninsula, raising concerns about drought development. Conversely, early-week showers moistened soils in northern France* (10-35 mm) and southeastern England (5-25 mm), while moderate to heavy rain (10-80 mm) favored winter crop establishment in Germany and the Low Countries. In eastern Europe, light to moderate showers (5-30 mm) maintained favorable soil moisture for winter crops from Poland into Slovakia and northern Hungary, while drier conditions (5 mm or less) maintained drought in southeastern Hungary, northern Serbia, and western Romania. However, a pocket of heavy rain (25-120 mm) in the lower Danube River Valley eased long-term drought and boosted soil moisture for winter wheat, barley, and rapeseed establishment. Similarly heavy rainfall in Greece (50-100 mm) eased lingering dryness concerns but caused localized flooding along the country's southeastern Aegean Sea Coast. Near- to below-normal temperatures in locales adjacent to the Adriatic Sea transitioned to abnormal warmth (3-7°C above normal) in northernmost portions of the continent, with the first widespread freezes of the season (-3 to 0°C) noted from Austria into central Poland.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
October 25 - 31, 2026




Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

WESTERN FSU

A broad area of high pressure north of the Caspian Sea maintained an expanding area of dry and warm weather, though locally heavy showers lingered in southwestern portions of the region. Another area of low pressure drifted northwestward from the Black Sea, producing moderate to heavy rainfall (10-40 mm) from the Black Sea Coast northwestward into Moldova and southwestern Ukraine. The recent and ongoing rains—which began in mid-October—further eased these western croplands out of drought and boosted establishment prospects for winter wheat, barley, and rapeseed. Conversely, a strong blocking high anchored north of the Caspian Sea maintained dry and warm weather (3-5°C above normal) across western Russia, with dry conditions expanding westward into Belarus and northern Ukraine. Drought continued to plague much of western Russia, where soil moisture supplies remained limited for winter wheat emergence and establishment. However, summer crop harvesting proceeded at a rapid pace under sunny skies and late-season warmth.

MIDDLE EAST
Total Precipitation(mm)
October 25 - 31, 2026



Weather station data for Iraq was not available for this week's analysis.


CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

MIDDLE EAST

The return of stormy weather across western growing areas contrasted with drier conditions farther east. An area of low pressure over the Aegean Sea drifted across Turkey before recurving northward toward the Black Sea. The resultant onshore flow from the Mediterranean Sea netted heavy to excessive rainfall (50-250 mm, locally more) and localized flooding in coastal locales of western and southwestern Turkey, while widespread light to moderate showers (5-25 mm) on the Anatolian Plateau favored winter grain emergence and establishment. Similarly, highly variable albeit locally heavy rain was noted in southeastern Turkey's GAP region (30-110 mm), western and northern Syria (10-45 mm), and northern Iraq* (10-40 mm), boosting moisture supplies for winter crop planting and establishment. Mostly dry weather (5 mm or less) over much of Iran favored winter grain planting, though moderate to heavy showers (10-35 mm) dotted northernmost portions of the country. Temperatures during the monitoring period averaged 2 to 5°C above normal nearly everywhere, save for near-normal temperatures in eastern Iran and locally chilly conditions (up to 3°C below normal) along Turkey's southwestern coast.

**Surface-based weather station data from Iraq was either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA
Total Precipitation(mm)
October 25 - 31, 2026




Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
https://creativecommons.org/licenses/by/3.0/au/legalcode

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

AUSTRALIA

An area of low pressure and its attendant cold front trekked slowly eastward across the continent, producing widespread albeit highly variable showers across most primary crop areas. In Western Australia, light to moderate showers (5-15 mm) mainly fell in the state's western primary croplands, with mostly dry weather in the east favoring winter crop maturation and drydown. Abundant subtropical and tropical moisture fed into the system as it drifted east, producing moderate to heavy rain (10-65 mm) in South Australia, western Victoria, and southern New South Wales. Lighter showers (5-25 mm) across central New South Wales transitioned into moderate to very heavy rain (15-100 mm) in northern New South Wales and southeastern Queensland, boosting moisture for later-filling winter crops in the south and recently-sown cotton and sorghum farther north. In fact, torrential rains outside of Queensland's primary growing areas were noted north of the Great Artesian Basin (40-155 mm) and along and adjacent to the state's southeastern coast (50-200 mm, locally more). Yield prospects for winter wheat, barley, and rapeseed remained good to excellent across most of Australia, as indicated by the latest satellite-derived Vegetation Health Index (VHI); in fact, the VHI has continued to climb nearly everywhere and remained the highest for this time of year since 2022. Temperatures averaged near to below normal, with no occurrences of adverse heat as the winter crop growing campaign draws to a close.

SOUTH AFRICA
Total Precipitation(mm)
October 25 - 31, 2026




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

SOUTH AFRICA

Predominantly dry weather persisted across the region, with rainfall limited primarily to the eastern coastline, where scattered showers produced 10 to 50 mm and isolated higher amounts in Eastern Cape. Temperatures remained above normal across most of the country, with daytime highs reaching the 30s (degrees C) but cooler temperatures along the coast (middle 20s). The lack of widespread rainfall continued to reduce soil moisture for early planting in the eastern corn belt. In the west, continued dry conditions favored winter grain and oilseed harvesting across Western, Northern, and Eastern Cape.


ARGENTINA
Total Precipitation(mm)
October 25 - 31, 2026



ARGENTINA

Mostly dry conditions prevailed across the country, with rainfall generally limited to less than 15 mm across most crop areas and locally higher totals of 15 to 50 mm in portions of Buenos Aires and La Pampa. Temperatures averaged 1 to 4°C below normal across much of the agricultural regions, with daytime highs ranging from the upper 20s to lower 30s (degrees C). Despite the limited rainfall, adequate soil moisture reserves supported wheat maturation as well as the planting and establishment of corn, soybeans, and sunflowers, while cooler temperatures minimized moisture stress on early reproductive corn. While moisture remained generally favorable, the Ministry of Agriculture noted that persistent cloud cover and reduced solar radiation slowed crop development in some areas. Frost concerns remained limited to southern and western fringe areas outside the major crop belt. As of October 29, rice planting was 72 percent complete, sunflower and corn planting were 55 and 37 percent complete, respectively.

BRAZIL
Total Precipitation(mm)
October 25 - 31, 2026




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

BRAZIL

A pronounced north-south temperature contrast developed across the country. Temperatures averaged 1 to 4°C above normal across northern growing areas and 1 to 5°C below normal across portions of Paraná, Santa Catarina, and Rio Grande do Sul, with daytime highs reaching the middle to upper 30s (degrees C) in northern and central regions and the middle 20s to lower 30s in the south. Rainfall ranged from 15 to 50 mm across central production regions and Paraná, with locally higher totals exceeding 75 mm, while portions of Rio Grande do Sul received less than 10 mm. Conditions generally favored soybean and corn establishment across central and western areas. Paraná reported that excessive rainfall continued to affect wheat harvest quality and field access for soybean and first-crop corn planting, while Rio Grande do Sul continued to monitor uneven field conditions and lingering excess soil moisture from earlier periods of persistent rainfall that had slowed winter grain harvest and summer crop seeding.

MEXICO
Total Precipitation(mm)
October 25 - 31, 2026




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

MEXICO

Hurricane Vance remained offshore but contributed to a surge of tropical moisture across the Pacific Coast States from Sonora to Jalisco, as well as north-central Mexico. The rain, which totaled 25 to 100 mm or more from southern Sonora to coastal Jalisco, along with southern Durango, slowed fieldwork but provided a boost in reservoir storage. Vance-related rainfall eventually affected much of north-central Mexico and parts of northwestern Mexico. However, a few days after Vance's October 29 dissipation, dry weather developed nearly nationwide. Across the southern plateau corn belt, mostly dry weather throughout the week favored summer crop maturation and harvesting.

This is the final weekly summary of the season for Mexico; coverage will resume in May 2027.



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**
Internet URL: **www.usda.gov/oce/weather-drought-monitor**
E-mail address: ***brad.rippey@usda.gov***

An archive of past *Weekly Weather and Crop Bulletins* can be found at https://esmis.nal.usda.gov/, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE
World Agricultural Outlook Board
Managing Editor..... ***Brad Rippey***
Agricultural Weather Analysts.... ***Eric Luebehusen and Maureen Sartini***

National Agricultural Statistics Service
Agricultural Statistician and State Summaries Editor..... ***Noemi Guindin***

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service/Climate Prediction Center
Meteorologists..... ***Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker***

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).