
Volume 113, No. 46 www.usda.gov/oce/weather-drought-monitor November 17, 2026

Weekly Weather and Crop Bulletin

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS
November 8 – 14, 2026


Highlights provided by USDA/WAOB


Significant precipitation was scarce and generally limited to the **southern half of Texas**, the **Pacific Northwest**, and parts of the **Northeast**. Rain in **southern Texas** was locally excessive, leading to pockets of flash flooding that eventually led to river flooding. Near **Tilden, TX**, the **Nueces River** on November 16 achieved its highest crest since earlier this year, on July 28. Precipitation from the **eastern Corn Belt and lower Great Lakes region into the Northeast** included some early-season snow. Some of the heaviest precipitation (1 to 2 inches or more), a mix of rain

(Continued on page 3)

Contents


Highlights & Total Precipitation Map 1
Extreme Maximum & Minimum Temperature Maps 2
Temperature Departure Map 3
November 10 Drought Monitor &
Winter Wheat Condition Index, Autumn 2016-2026 4
National Weather Data for Selected Cities 5
October Crop Summary &
U.S. Crop Production Highlights 8
National Agricultural Summary 10
Crop Progress and Condition Tables 11
November 12 ENSO Update 15
International Weather and Crop Summary 16
Bulletin Information & Days Suitable for Fieldwork 24


Extreme Maximum Temperature (F)
November 8 - 14, 2026
110
100
90
80
70
60
50
40
30
20
10
0
-10
-20
Bold line denotes 95°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS & Alaska)
and station (Hawaii) data
NOAA


Extreme Minimum Temperature (F)
November 8 - 14, 2026
90
80
70
60
50
40
30
20
10
0
-10
-20
-30
-40
Bold line denotes 32°F contour
CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary gridded (CONUS and Alaska)
and station (Hawaii) data
NOAA

(Continued from front cover)


and snow, fell in the **northern mid-Atlantic** and **southern New England**. Across the remainder of the country, mostly dry weather prevailed, aside from light precipitation in the **West**, **southern High Plains**, and **southern Florida**. Dry conditions across large sections of the **Plains**, **South**, and **western Corn Belt** favored late-season fieldwork, including summer crop harvesting and final winter wheat planting efforts. By November 15, only 12 percent of the U.S. corn and 4 percent of the soybeans remained in the field. Near- or above-normal temperatures dominated the U.S., except in parts of the **Southeast**, with weekly temperatures averaging at least 10 to 15°F above normal across the **northern High Plains** and environs. A much broader area, encompassing the **northern two-thirds of the West** and the **northwestern half of the Plains**, noted temperatures averaging more than 5°F above normal. However, a late-week cool spell from the **Midwest into the East** led to the lowest temperatures of the season to date. Temperatures fell below 20°F in parts of the **upper Midwest** and dipped to 32°F or below along and north of a line from **northern Louisiana to southern Alabama**.




Early in the week, warmth on the **northern High Plains** boosted high temperatures for November 8 to daily-record levels in **Montana** locations such as **Havre** (71°F) and **Helena** (69°F). Warmth also prevailed in **southern California**, where **Newport Beach** (84°F on the 8th) notched a daily-record high. The following day on the **Plains**, **Omaha, NE**, tied a daily-record high (75°F) for November 9. Meanwhile, the **Northwest** experienced warm weather for much of the week, with daily-record highs for November 10 reaching 74°F in **Roseburg, OR**, and 64°F in **Bellingham, WA**. Another daily record was set on November 11 in **Bellingham**, where the high reached 69°F. Elsewhere in **Washington**, record-setting highs for the 11th included 67°F in **Seattle** and 66°F in **Olympia**. Farther south and east, warmth in advance of a cold front led to daily-record highs on November 11 in locations such as **Vicksburg, MS** (83°F), and **Poplar Bluff, MO** (79°F). On November 12, **Bellingham, WA**, collected a third consecutive daily-record high with a reading of 68°F. **Bellingham's** fourth (and final) consecutive daily-record reading occurred on November 13, with a high of 61°F. Warmth became more expansive across **California**, where daily-record highs reached 87°F (on November 11) in **Santa Maria** and 83°F (on November 12) in **Merced**.

As the week began, heavy rain in **southern Texas** led to record-setting totals for November 8 in **Brownsville** (3.65 inches), **Corpus Christi** (3.24 inches), and **Del Rio** (2.34 inches). From November 6-9, **Brownsville** collected 8.41 inches. Rain in **Texas** lingered into November 10, when **Victoria** measured a daily-record sum of 1.62 inches. A few days later, heavy precipitation developed in **northern sections of the middle Atlantic States**. Record-setting precipitation totals for November 12 included 3.56 inches at **New York's JFK Airport**, 1.75 inches in **Scranton, PA**, and 1.48 inches in **Binghamton, NY**. **Binghamton** also received 2.6 inches of snow from November 12-14. In **Marquette, MI**, November 11-13 snowfall totaled 4.0 inches. At week's end, a fast-moving disturbance delivered some precipitation from the **Pacific Coast to the southern Plains**. On November 14, **Midland, TX**, measured a daily-record rainfall of 0.73 inch.

Mild weather continued in **Alaska**, except in the **Aleutians** and neighboring areas in the **southwestern part of the state**. In the **Pribilof Islands**, **St. Paul Island** posted consecutive daily-record lows (16 and 14°F, respectively) on November 11 and 12, followed by a reading of 12°F—not a record for the date—on November 13. With a low of -4°F on November 9, **Bethel** recorded its first sub-zero reading of the autumn. Similarly, **King Salmon** noted its first sub-zero reading of the season on November 14, with a low of -5°F. Meanwhile in **Anchorage**, 5.5 inches of snow fell on November 15, following a mild week with only a trace of precipitation. Elsewhere, mild, wet weather prevailed in **southeastern Alaska**, where **Ketchikan** netted rainfall totaling more than one-quarter inch during each of the first 15 days of November. **Ketchikan's** total of 15.99 inches during the first half of November was 181 percent of normal. Farther south, generally light showers dotted **Hawaii**. During the first half of November, precipitation at the state's major airport observation sites ranged from a trace in **Honolulu, Oahu**, to 5.22 inches (75 percent of normal) in **Hilo**, on the **Big Island**.


U.S. Drought Monitor
November 10, 2026
(Released Thursday, Nov. 12, 2026)
Valid 7 a.m. EST
Drought Impact Types:
Delineates dominant impacts
S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)
Intensity:
None
D0 Abnormally Dry
D1 Moderate Drought
D2 Severe Drought
D3 Extreme Drought
D4 Exceptional Drought
Author:
Jonathan Case
NASA/MSFC/UAH
The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.aspx
droughtmonitor.unl.edu


U.S. WINTER WHEAT Condition Index
Index
Date
2016
2019
2018
2017
2023
2025
2026
2020
2021
2024
2022
Despite planting and emergence delays on the Plains related first to drought, then rain, winter wheat condition has improved in recent weeks due to beneficial precipitation and mild weather.
Based on NASS crop progress data.
Condition Index = 4*Excellent + 3*Good + 2*Fair + 1*Poor

National Weather Data for Selected Cities

Weather Data for the Week Ending November 14, 2026

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE ˚F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
																	TEMP. ˚F		PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	36	26	43	21	31	7	0.00	-0.28	0.00	6.52	118	23.03	157	95	67	0	6	0	0
	BARROW	15	11	19	10	13	0	0.43	0.34	0.13	2.85	188	11.33	226	87	78	0	7	6	0
	FAIRBANKS	24	11	31	8	18	12	0.11	-0.07	0.11	6.30	254	19.15	178	93	76	0	7	1	0
	JUNEAU	45	37	50	30	41	7	1.79	0.30	0.80	21.03	102	59.47	104	96	71	0	1	7	1
	KODIAK	38	33	43	32	36	-1	2.78	1.10	1.35	15.16	76	63.45	96	92	72	0	1	5	3
	NOME	24	13	29	6	19	-1	0.08	-0.23	0.06	7.63	162	22.07	144	93	75	0	7	2	0
AL	BIRMINGHAM	67	39	76	30	53	-2	0.02	-0.95	0.02	8.30	89	58.34	118	94	31	0	1	1	0
	HUNTSVILLE	64	38	72	31	51	-3	0.07	-0.80	0.07	5.17	58	47.18	102	95	39	0	1	1	0
	MOBILE	72	44	79	32	58	-2	0.03	-1.05	0.03	5.26	45	50.93	86	88	30	0	1	1	0
	MONTGOMERY	68	38	76	30	53	-5	0.00	-0.86	0.00	6.42	78	38.01	86	97	33	0	1	0	0
AR	FORT SMITH	67	40	79	33	54	1	0.00	-0.96	0.00	3.28	31	30.86	74	89	36	0	0	0	0
	LITTLE ROCK	68	42	83	32	55	2	0.00	-1.10	0.00	2.26	23	32.62	76	86	37	0	1	0	0
AZ	FLAGSTAFF	57	28	61	25	42	3	0.62	0.29	0.39	14.22	351	25.05	141	93	39	0	7	2	0
	PHOENIX	81	62	86	60	71	4	0.00	-0.12	0.00	2.97	215	6.07	98	70	30	0	0	0	0
	PRESCOTT	65	38	69	36	52	3	0.14	0.00	0.14	9.19	385	18.27	164	87	33	0	0	1	0
	TUCSON	76	54	80	53	65	2	0.36	0.26	0.36	3.99	180	11.43	122	74	28	0	0	1	0
CA	BAKERSFIELD	76	51	86	48	63	5	0.15	0.04	0.15	1.11	206	4.30	86	85	34	0	0	1	0
	EUREKA	64	51	68	48	58	6	1.67	0.66	1.06	3.81	78	18.88	64	97	68	0	0	4	1
	FRESNO	74	49	82	46	62	5	0.23	0.04	0.23	0.86	87	7.40	85	86	35	0	0	1	0
	LOS ANGELES	79	62	88	58	70	7	0.63	0.48	0.48	2.58	293	8.26	87	82	37	0	0	2	0
	REDDING	71	44	79	39	57	3	0.82	0.13	0.82	2.14	58	17.63	70	91	41	0	0	1	1
	SACRAMENTO	71	46	77	45	59	4	1.17	0.85	1.17	1.76	114	12.43	91	97	44	0	0	1	1
	SAN DIEGO	78	59	85	56	68	5	1.22	1.07	0.80	3.18	352	9.20	121	83	38	0	0	2	1
	SAN FRANCISCO	68	55	72	52	61	4	1.29	0.91	1.27	1.76	110	13.73	96	95	64	0	0	2	1
	STOCKTON	73	46	77	42	59	3	0.58	0.30	0.58	1.06	79	10.47	102	100	47	0	0	1	1
CO	ALAMOSA	57	22	60	20	39	7	0.11	0.03	0.11	5.95	365	8.09	121	95	29	0	6	1	0
	CO SPRINGS	62	34	71	32	48	7	0.02	-0.07	0.02	3.59	154	13.96	90	75	27	0	1	1	0
	DENVER INTL	65	36	72	26	50	9	0.00	-0.15	0.00	2.98	110	12.36	89	65	24	0	1	0	0
	GRAND JUNCTION	60	38	63	36	49	7	0.31	0.17	0.31	5.61	224	9.38	114	83	39	0	0	1	0
	PUEBLO	65	29	74	26	47	5	0.00	-0.11	0.00	3.38	204	14.07	122	89	30	0	6	0	0
CT	BRIDGEPORT	56	42	61	36	49	2	0.26	-0.41	0.25	12.11	132	48.04	125	81	52	0	0	2	0
	HARTFORD	52	40	60	33	46	2	0.56	-0.21	0.33	9.70	92	41.96	102	84	54	0	0	4	0
DC	WASHINGTON	63	45	69	41	54	2	0.00	-0.65	0.00	7.11	79	32.04	86	76	39	0	0	0	0
DE	WILMINGTON	60	41	67	36	50	2	0.07	-0.61	0.07	10.35	109	40.65	102	87	48	0	0	1	0
FL	DAYTONA BEACH	76	57	82	44	67	-1	0.00	-0.68	0.00	15.00	112	62.53	131	90	51	0	0	0	0
	JACKSONVILLE	75	49	80	37	62	-1	0.00	-0.46	0.00	17.48	140	54.06	109	95	43	0	0	0	0
	KEY WEST	83	76	85	68	79	2	0.00	-0.44	0.00	12.19	87	30.52	81	85	64	0	0	0	0
	MIAMI	83	71	87	64	77	1	0.01	-0.86	0.01	20.06	101	55.79	88	82	54	0	0	1	0
	ORLANDO	78	61	82	48	69	0	0.00	-0.40	0.00	0.00	0	9.84	20	89	41	0	0	0	0
	PENSACOLA	72	49	78	42	61	-2	0.00	-1.00	0.00	20.57	154	64.85	107	79	32	0	0	0	0
	TALLAHASSEE	74	44	80	32	59	-2	0.00	-0.68	0.00	10.49	110	46.39	87	94	38	0	1	0	0
	TAMPA	77	62	83	50	70	-1	0.00	-0.31	0.00	12.47	137	49.64	107	82	48	0	0	0	0
GA	ATHENS	68	41	77	33	55	0	0.00	-0.89	0.00	2.35	26	33.17	78	90	33	0	0	0	0
	ATLANTA	66	44	74	36	55	0	0.01	-0.93	0.01	6.75	75	39.22	89	84	36	0	0	1	0
	AUGUSTA	71	41	76	32	56	-1	0.00	-0.61	0.00	5.59	76	31.63	81	93	32	0	1	0	0
	COLUMBUS	60	37	60	37	49	-9	0.00	-0.13	0.00	6.54	96	49.75	122	70	25	0	0	0	0
	MACON	71	41	78	32	56	-1	0.00	-0.76	0.00	4.19	53	34.31	84	98	32	0	1	0	0
	SAVANNAH	74	47	80	37	60	0	0.00	-0.54	0.00	6.86	75	27.65	63	89	33	0	0	0	0
HI	HILO	84	72	86	70	78	4	0.79	-2.51	0.16	36.12	142	145.37	144	87	56	0	0	7	0
	HONOLULU	84	75	85	73	79	1	0.00	-0.55	0.00	3.11	89	26.10	199	77	51	0	0	0	0
	KAHULUI	84	72	85	71	78	0	0.23	-0.17	0.13	3.50	173	34.01	275	86	54	0	0	4	0
	LIHUE	81	73	82	72	77	1	0.68	-0.25	0.14	14.18	195	61.72	210	85	62	0	0	6	0
IA	BURLINGTON	56	34	66	25	45	2	0.00	-0.57	0.00	5.77	74	31.11	90	92	43	0	2	0	0
	CEDAR RAPIDS	54	32	65	22	43	4	0.28	-0.22	0.28	4.17	57	26.03	78	92	45	0	3	1	0
	DES MOINES	56	34	70	24	45	4	0.00	-0.46	0.00	17.95	258	53.60	157	89	42	0	3	0	0
	DUBUQUE	52	32	63	23	42	4	0.34	-0.19	0.34	12.58	160	44.99	127	91	49	0	3	1	0
	SIOUX CITY	56	29	67	19	43	5	0.00	-0.29	0.00	6.26	110	26.24	95	91	44	0	4	0	0
	WATERLOO	54	30	66	20	42	3	0.00	-0.46	0.00	14.44	210	45.68	134	94	45	0	4	0	0
ID	BOISE	62	40	68	38	51	9	0.44	0.18	0.38	1.98	113	9.30	100	85	35	0	0	2	0
	LEWISTON	58	46	64	43	52	9	0.43	0.13	0.24	3.67	161	13.13	118	91	57	0	0	3	0
	POCATELLO	60	29	64	26	45	8	0.32	0.11	0.32	5.03	220	11.38	112	95	41	0	6	1	0
IL	CHICAGO/O_HARE	55	38	66	30	47	3	0.21	-0.35	0.21	7.51	96	40.46	117	83	49	0	1	1	0
	MOLINE	55	33	66	23	44	2	0.20	-0.34	0.20	10.68	147	38.79	110	94	47	0	3	1	0
	PEORIA	56	35	67	28	45	1	0.00	-0.65	0.00	6.89	86	37.67	110	88	45	0	2	0	0
	ROCKFORD	53	32	65	26	43	2	0.35	-0.17	0.34	10.32	140	35.74	104	95	48	0	4	2	0
	SPRINGFIELD	59	32	70	21	46	0	0.00	-0.66	0.00	4.57	61	33.01	95	91	40	0	4	0	0
IN	EVANSVILLE	62	35	73	29	48	0	0.28	-0.63	0.28	5.13	60	34.77	83	95	44	0	2	1	0
	FORT WAYNE	55	34	67	29	44	2	0.45	-0.24	0.34	7.63	103	40.46	114	94	57	0	2	4	0
	INDIANAPOLIS	58	37	70	30	48	3	0.20	-0.61	0.15	3.57	44	41.56	106	92	48	0	2	2	0
	SOUTH BEND	54	33	64	26	44	2	0.23	-0.44	0.15	7.42	86	21.21	59	95	56	0	2	3	0
KS	CONCORDIA	62	35	75	25	48	4	0.00	-0.28	0.00	8.10	151	26.37	98	86	40	0	3	0	0
	DODGE CITY	63	36	72	30	50	4	0.13	-0.07	0.13	11.79	310	25.04	121	91	39	0	1	1	0
	GOODLAND	62	34	74	31	48	7	0.00	-0.14	0.00	5.77	184	17.83	96	88	40	0	1	0	0
	TOPEKA	61	33	75	24	47	1	0.00	-0.43	0.00	12.87	177	44.80	131	98	42	0	3	0	0
	WICHITA	64	37	71	31	50	3	0.00	-0.35	0.00	8.38	126	36.81	113	94	44	0	2	0	0

Based on 1991-2020 normals

***** Not Available**

Weather Data for the Week Ending November 14, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. °F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	LEXINGTON	58	37	71	31	48	0	0.57	-0.13	0.29	6.26	73	44.61	102	91	47	0	2	3	0
	LOUISVILLE	61	39	73	32	50	0	0.34	-0.38	0.15	5.58	62	45.27	107	88	44	0	1	3	0
	PADUCAH	63	35	74	27	49	-1	0.00	-0.92	0.00	7.65	81	46.33	105	98	42	0	3	0	0
LA	BATON ROUGE	75	48	82	39	62	1	0.00	-0.91	0.00	0.00	0	50.77	93	86	28	0	0	0	0
	LAKE CHARLES	73	52	79	44	62	0	0.45	-0.54	0.24	5.96	49	36.48	68	91	36	0	0	3	0
	NEW ORLEANS	71	56	79	48	63	0	0.10	-0.78	0.10	11.78	110	61.67	109	84	37	0	0	1	0
	SHREVEPORT	71	50	81	39	60	3	0.00	-0.96	0.00	0.00	0	0.00	0	86	41	0	0	0	0
MA	BOSTON	54	44	58	35	49	2	***	***	***	***	***	***	***	84	54	0	0	***	***
	WORCESTER	48	37	53	31	42	1	0.45	-0.45	0.21	12.25	112	48.01	114	87	58	0	2	3	0
MD	BALTIMORE	61	40	68	38	50	2	0.07	-0.64	0.07	7.43	75	35.07	88	85	41	0	0	1	0
ME	CARIBOU	40	30	43	21	35	0	0.31	-0.45	0.22	6.17	68	36.44	103	97	69	0	5	3	0
	PORTLAND	50	35	57	28	42	1	0.32	-0.63	0.28	8.12	73	35.53	85	89	53	0	2	2	0
MI	ALPENA	48	33	59	29	40	2	0.39	-0.08	0.29	5.27	76	38.91	145	95	65	0	3	4	0
	GRAND RAPIDS	51	35	63	32	43	1	0.20	-0.55	0.20	5.83	64	25.78	72	94	62	0	2	1	0
	HOUGHTON LAKE	48	33	59	29	40	3	0.43	-0.09	0.23	5.98	88	37.48	140	95	64	0	5	3	0
	LANSING	51	35	63	30	43	1	0.21	-0.38	0.21	6.62	92	29.65	98	92	58	0	2	1	0
	MUSKEGON	51	35	58	32	43	0	0.19	-0.49	0.10	6.74	79	39.42	126	95	64	0	1	2	0
	TRAVERSE CITY	50	37	59	34	44	3	0.73	0.22	0.25	7.12	87	35.23	134	92	61	0	0	4	0
MN	DULUTH	46	28	57	17	37	5	0.00	-0.47	0.00	8.47	114	31.46	109	88	49	0	6	0	0
	INT_L FALLS	44	24	59	14	34	5	0.00	-0.36	0.00	6.95	116	21.19	89	96	53	0	7	0	0
	MINNEAPOLIS	51	33	61	24	42	5	0.00	-0.38	0.00	7.72	120	25.41	85	84	44	0	3	0	0
	ROCHESTER	50	29	63	22	40	4	0.00	-0.44	0.00	8.96	129	32.85	101	90	51	0	3	0	0
	ST. CLOUD	51	27	65	17	39	6	0.03	-0.31	0.03	9.33	146	25.71	95	95	44	0	5	1	0
MO	COLUMBIA	60	36	72	22	48	1	0.00	-0.68	0.00	3.68	42	42.78	112	95	44	0	2	0	0
	KANSAS CITY	59	36	72	26	48	3	0.00	-0.48	0.00	12.13	146	52.50	143	94	46	0	3	0	0
	SAINT LOUIS	61	38	72	27	49	1	0.00	-0.85	0.00	4.79	61	44.38	118	91	45	0	1	0	0
	SPRINGFIELD	61	33	71	23	47	-1	0.00	-0.93	0.00	2.94	30	36.01	89	91	36	0	4	0	0
MS	JACKSON	70	42	81	31	56	-1	0.00	-1.01	0.00	2.57	27	39.12	78	91	33	0	1	0	0
	MERIDIAN	71	39	79	30	55	-2	0.00	-0.93	0.00	8.08	90	50.54	102	94	30	0	1	0	0
	TUPELO	66	37	74	28	51	-3	0.04	-0.84	0.04	2.74	29	30.25	61	88	38	0	1	1	0
MT	BILLINGS	64	40	67	34	52	14	0.00	-0.15	0.00	6.40	210	17.34	129	71	32	0	0	0	0
	BUTTE	57	30	61	25	43	14	0.09	-0.06	0.09	4.36	197	14.79	123	96	37	0	6	1	0
	CUT BANK	59	35	67	23	47	15	0.00	-0.11	0.00	4.76	253	10.44	102	77	33	0	2	0	0
	GLASGOW	55	34	61	30	44	12	0.00	-0.13	0.00	4.14	185	16.81	131	90	53	0	1	0	0
	GREAT FALLS	63	42	67	38	53	17	0.00	-0.17	0.00	4.74	172	20.77	149	64	32	0	0	0	0
	HAVRE	58	29	71	28	44	11	0.00	-0.13	0.00	2.78	141	10.27	92	96	47	0	7	0	0
	MISSOULA	50	31	55	27	41	7	0.10	-0.19	0.06	3.97	146	15.06	121	97	65	0	5	2	0
NC	ASHEVILLE	60	37	71	34	49	0	0.23	-0.58	0.23	9.86	108	45.11	104	92	36	0	0	1	0
	CHARLOTTE	67	40	74	32	54	1	0.00	-0.79	0.00	6.27	74	31.70	82	92	33	0	1	0	0
	GREENSBORO	66	39	73	32	52	1	0.00	-0.76	0.00	5.83	63	28.28	72	86	34	0	1	0	0
	HATTERAS	65	49	72	44	57	-3	0.06	-1.06	0.06	4.40	28	39.61	73	86	51	0	0	1	0
	RALEIGH	67	41	75	34	54	1	0.00	-0.80	0.00	5.96	59	29.84	72	93	34	0	0	0	0
	WILMINGTON	70	46	77	39	58	1	0.00	-0.83	0.00	9.16	61	46.35	85	90	35	0	0	0	0
ND	BISMARCK	51	27	62	22	39	7	0.00	-0.17	0.00	2.75	78	13.87	76	91	48	0	6	0	0
	DICKINSON	51	31	65	28	41	9	0.00	-0.14	0.00	4.59	148	14.76	97	94	56	0	6	0	0
	FARGO	49	27	62	15	38	6	0.00	-0.24	0.00	5.62	104	15.98	70	89	48	0	5	0	0
	GRAND FORKS	48	27	60	17	37	8	0.17	-0.07	0.16	7.28	155	22.67	109	94	52	0	6	2	0
	JAMESTOWN	48	27	60	17	38	7	0.00	-0.14	0.00	6.94	171	19.69	102	92	52	0	5	0	0
NE	GRAND ISLAND	58	32	71	20	45	4	0.00	-0.26	0.00	9.74	215	31.70	125	89	42	0	3	0	0
	LINCOLN	60	31	76	18	45	4	0.00	-0.31	0.00	14.27	250	40.58	147	89	37	0	3	0	0
	NORFOLK	57	29	68	17	43	5	0.00	-0.29	0.00	6.80	133	27.02	105	92	37	0	4	0	0
	NORTH PLATTE	60	29	69	25	45	6	0.00	-0.12	0.00	4.61	130	15.19	74	95	41	0	6	0	0
	OMAHA	59	33	75	22	46	4	0.00	-0.35	0.00	15.40	256	37.67	125	93	39	0	3	0	0
	SCOTTSBLUFF	62	33	71	28	48	9	0.00	-0.15	0.00	2.67	95	11.59	77	92	38	0	4	0	0
	VALENTINE	58	31	70	29	44	6	0.00	-0.14	0.00	4.64	134	22.29	117	91	46	0	5	0	0
NH	CONCORD	50	34	55	26	42	2	0.90	0.13	0.37	6.80	70	35.35	97	94	57	0	2	6	0
NJ	ATLANTIC_CITY	60	39	68	36	50	1	0.63	-0.15	0.63	9.64	103	24.93	62	89	48	0	0	1	1
	NEWARK	58	43	65	37	51	2	1.91	1.17	1.59	9.54	104	43.07	106	76	48	0	0	2	1
NM	ALBUQUERQUE	63	39	67	36	51	3	0.22	0.08	0.14	6.15	267	12.04	150	83	35	0	0	2	0
NV	ELY	59	26	65	22	43	6	0.18	0.02	0.11	3.60	203	9.39	111	83	25	0	7	2	0
	LAS VEGAS	73	54	77	53	64	5	0.00	-0.06	0.00	1.64	218	2.62	74	52	23	0	0	0	0
	RENO	64	33	70	31	49	3	0.25	0.12	0.25	1.26	132	5.92	100	82	22	0	3	1	0
	WINNEMUCCA	64	28	68	24	46	6	0.22	0.05	0.22	1.07	76	8.12	118	86	25	0	6	1	0
NY	ALBANY	50	39	60	33	44	2	1.52	0.86	1.22	7.59	84	38.93	108	87	60	0	0	2	1
	BINGHAMTON	47	37	60	30	42	2	1.75	1.04	1.48	9.81	106	41.70	111	92	64	0	3	5	1
	BUFFALO	48	38	58	34	44	1	0.32	-0.49	0.19	6.83	69	38.80	110	88	61	0	0	3	0
	ROCHESTER	49	38	62	33	44	1	0.69	0.07	0.29	6.83	88	41.98	135	93	61	0	0	4	0
	SYRACUSE	49	39	61	32	44	2	0.00	-0.74	0.00	5.30	60	38.26	109	97	67	0	1	0	0
OH	AKRON-CANTON	52	36	62	32	44	0	0.53	-0.18	0.21	7.37	88	39.70	107	93	56	0	1	4	0
	CINCINNATI	58	37	72	31	47	1	0.86	0.17	0.62	4.74	59	40.32	101	91	46	0	2	3	1
	CLEVELAND	53	39	64	37	46	0	1.59	0.80	1.44	7.39	80	38.18	105	91	55	0	0	2	1
	COLUMBUS	55	36	67	31	46	1	0.38	-0.25	0.33	11.42	155	50.54	136	94	56	0	1	2	0
	DAYTON	55	36	67	31	46	0	0.41	-0.27	0.25	6.92	90	47.20	128	92	56	0	2	3	0
	MANSFIELD	52	35	62	29	43	0	0.93	0.19	0.80	8.00	99	40.82	108	91	61	0	1	3	1
	TOLEDO	54	34	67	29	44	0	0.72	0.11	0.64	6.24	92	35.52	114	90	53	0	2	2	1

Based on 1991-2020 normals

***** Not Available**

Weather Data for the Week Ending November 14, 2026

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS TEMP. °F		NUMBER OF DAYS PRECIP	
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE SEP 1	PCT. NORMAL SINCE SEP 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
	YOUNGSTOWN	51	35	63	33	43	0	0.69	0.03	0.45	7.98	92	42.64	116	97	60	0	0	3	0
OK	OKLAHOMA CITY	66	42	73	36	54	3	0.08	-0.33	0.08	12.17	153	29.50	87	92	41	0	0	1	0
	TULSA	67	40	76	30	53	1	0.00	-0.66	0.00	8.74	96	43.36	116	91	38	0	1	0	0
OR	ASTORIA	61	49	65	44	55	7	1.59	-0.98	0.55	8.82	61	41.87	83	97	69	0	0	5	1
	BURNS	57	25	65	19	41	5	0.20	-0.01	0.20	2.00	127	7.65	92	92	36	0	7	1	0
	EUGENE	60	47	66	42	54	7	0.82	-0.53	0.28	5.09	72	20.83	69	99	71	0	0	5	0
	MEDFORD	62	43	71	38	53	6	0.53	-0.04	0.29	2.61	95	10.54	79	98	56	0	0	3	0
	PENDLETON	60	42	70	40	51	9	0.19	-0.15	0.09	3.55	157	4.97	46	95	50	0	0	3	0
	PORTLAND	58	51	62	46	54	6	1.34	0.06	0.66	5.86	80	24.41	87	94	70	0	0	5	1
	SALEM	59	49	65	44	54	7	1.48	0.13	0.48	5.50	74	21.48	72	97	74	0	0	6	0
PA	ALLENTOWN	56	40	64	35	48	2	1.07	0.37	0.96	7.86	75	34.53	82	80	51	0	0	2	1
	ERIE	52	42	59	38	47	2	0.39	-0.47	0.26	4.13	39	35.39	96	81	57	0	0	2	0
	MIDDLETOWN	57	41	67	37	49	3	0.34	-0.34	0.34	9.65	96	36.78	93	82	45	0	0	1	0
	PHILADELPHIA	59	45	65	40	52	3	0.77	0.13	0.60	11.09	120	41.45	107	79	46	0	0	2	1
	PITTSBURGH	53	36	64	34	45	1	0.39	-0.26	0.21	10.14	135	49.44	140	93	50	0	0	2	0
	WILKES-BARRE	51	39	61	33	45	1	2.15	1.50	1.77	9.56	103	39.79	115	85	56	0	0	4	1
	WILLIAMSPORT	53	38	66	33	46	2	1.19	0.48	1.14	10.63	107	38.86	101	86	51	0	0	3	1
RI	PROVIDENCE	54	40	61	34	47	1	0.60	-0.35	0.35	15.94	156	44.69	110	87	51	0	0	3	0
SC	CHARLESTON	73	46	80	36	60	1	0.00	-0.61	0.00	7.52	64	34.05	71	91	33	0	0	0	0
	COLUMBIA	71	42	79	32	56	1	0.00	-0.65	0.00	4.87	58	26.95	67	92	33	0	1	0	0
	FLORENCE	72	41	79	37	56	0	0.00	-0.61	0.00	3.64	39	32.58	80	88	30	0	0	0	0
	GREENVILLE	67	39	75	30	53	0	0.00	-0.87	0.00	7.57	84	37.72	87	90	32	0	1	0	0
SD	ABERDEEN	52	25	65	16	39	6	0.00	-0.17	0.00	5.23	115	19.03	91	95	46	0	6	0	0
	HURON	54	29	66	20	42	6	0.00	-0.19	0.00	9.76	203	24.96	112	94	44	0	5	0	0
	RAPID CITY	58	33	71	29	46	9	0.00	-0.13	0.00	2.56	88	13.60	80	87	45	0	4	0	0
	SIOUX FALLS	54	29	68	18	42	5	0.00	-0.28	0.00	10.64	187	26.25	99	89	44	0	4	0	0
TN	BRISTOL	60	35	70	31	47	-1	0.35	-0.33	0.19	5.56	83	40.39	105	93	40	0	3	2	0
	CHATTANOOGA	65	40	76	36	52	0	0.31	-0.70	0.31	5.94	60	39.67	84	91	38	0	0	1	0
	KNOXVILLE	61	39	70	36	50	0	0.10	-0.77	0.09	6.44	80	45.49	102	88	41	0	0	2	0
	MEMPHIS	65	41	76	34	53	-1	0.00	-1.01	0.00	4.84	53	37.16	79	85	37	0	0	0	0
	NASHVILLE	64	37	74	32	50	-1	0.00	-0.77	0.00	4.77	54	35.41	80	84	38	0	1	0	0
TX	ABILENE	69	50	77	43	59	2	0.40	0.06	0.40	4.63	73	22.05	94	95	55	0	0	1	0
	AMARILLO	64	40	72	38	52	3	0.26	0.08	0.26	10.77	279	19.04	102	92	42	0	0	1	0
	AUSTIN	71	56	80	52	64	1	2.07	1.32	1.00	7.19	80	28.16	87	97	60	0	0	4	2
	BEAUMONT	72	54	78	49	63	0	0.87	-0.04	0.56	13.61	96	50.22	91	91	46	0	0	3	1
	BROWNSVILLE	78	67	84	60	72	1	7.16	6.70	3.72	19.13	181	29.22	117	92	69	0	0	5	3
	CORPUS CHRISTI	75	60	80	54	67	0	4.74	4.23	3.22	11.28	117	32.83	113	97	65	0	0	4	2
	DEL RIO	69	57	76	53	63	0	2.81	2.59	2.32	9.42	181	20.96	112	97	72	0	0	2	1
	EL PASO	67	47	71	43	57	1	0.24	0.15	0.24	8.75	378	16.24	204	91	41	0	0	1	0
	FORT WORTH	73	53	80	47	63	5	0.11	-0.48	0.09	4.98	59	39.96	121	85	42	0	0	2	0
	GALVESTON	72	62	76	59	67	0	1.13	0.15	0.61	5.87	61	32.68	89	90	58	0	0	3	1
	HOUSTON	74	56	82	50	65	1	0.31	-0.64	0.13	4.83	39	41.31	90	91	47	0	0	3	0
	LUBBOCK	65	41	72	37	53	2	0.37	0.18	0.37	8.52	188	19.40	112	95	47	0	0	1	0
	MIDLAND	66	50	72	45	58	3	0.80	0.64	0.72	5.25	162	13.95	111	98	56	0	0	2	1
	SAN ANGELO	69	51	76	44	60	2	1.31	1.01	0.96	5.22	93	19.79	101	99	60	0	0	3	1
	SAN ANTONIO	70	55	78	48	63	1	1.80	1.30	0.91	7.94	90	37.52	127	95	63	0	0	4	2
	VICTORIA	71	56	81	50	64	0	3.80	3.08	1.60	11.98	120	36.02	98	97	65	0	0	5	3
	WACO	72	51	79	45	61	3	0.30	-0.37	0.17	5.16	59	25.83	80	97	53	0	0	2	0
	WICHITA FALLS	70	47	77	40	58	4	0.56	0.15	0.56	9.02	134	25.31	99	93	44	0	0	1	1
UT	SALT LAKE CITY	60	39	63	37	49	6	0.41	0.09	0.41	5.38	183	14.48	108	84	46	0	0	1	0
VA	LYNCHBURG	64	34	72	27	49	1	0.00	-0.76	0.00	5.17	60	29.00	77	91	34	0	2	0	0
	NORFOLK	65	46	72	40	56	1	0.00	-0.76	0.00	9.94	91	39.29	89	82	39	0	0	0	0
	RICHMOND	65	40	72	35	53	2	0.00	-0.71	0.00	9.20	97	42.23	104	87	37	0	0	0	0
	ROANOKE	63	42	72	38	52	3	0.00	-0.66	0.00	7.50	90	30.40	80	72	35	0	0	0	0
	WASH/DULLES	61	41	70	37	51	4	0.07	-0.65	0.07	9.18	101	39.26	102	80	41	0	0	1	0
VT	BURLINGTON	46	38	52	31	42	1	0.56	-0.06	0.26	5.83	66	33.68	100	88	61	0	1	3	0
WA	OLYMPIA	57	44	66	39	51	7	1.56	-0.41	0.87	6.87	63	32.41	84	99	74	0	0	5	1
	QUILLAYUTE	56	53	61	48	55	9	1.47	-1.63	1.01	15.35	70	38.83	53	96	84	0	0	3	1
	SEATTLE-TACOMA	60	49	66	44	54	7	1.84	0.33	0.96	5.78	68	27.48	91	93	60	0	0	5	1
	SPOKANE	52	42	57	38	47	9	0.64	0.16	0.50	2.84	98	10.57	81	95	69	0	0	4	1
	YAKIMA	54	38	61	33	46	6	0.13	-0.07	0.10	2.38	191	6.18	101	98	65	0	0	2	0
WI	EAU CLAIRE	51	29	64	18	40	5	0.00	-0.43	0.00	4.66	66	25.28	82	93	46	0	4	0	0
	GREEN BAY	51	33	62	25	42	4	0.10	-0.36	0.10	8.57	125	37.13	128	91	50	0	4	1	0
	LA CROSSE	53	32	66	22	43	3	0.00	-0.44	0.00	10.42	148	39.13	119	90	43	0	4	0	0
	MADISON	53	32	63	24	42	4	0.00	-0.52	0.00	7.05	96	36.28	105	93	47	0	3	0	0
	MILWAUKEE	53	35	64	31	44	2	0.00	-0.50	0.00	6.88	98	35.38	112	83	50	0	2	0	0
WV	BECKLEY	53	36	65	30	44	-1	0.61	0.00	0.35	9.83	137	44.30	114	88	53	0	3	3	0
	CHARLESTON	58	38	71	32	48	0	0.60	-0.10	0.30	7.81	100	46.52	113	99	50	0	1	3	0
	ELKINS	54	33	67	28	44	0	0.82	0.20	0.55	10.33	131	49.19	117	93	52	0	3	3	1
	HUNTINGTON	60	40	73	31	50	2	0.33	-0.33	0.20	7.39	98	37.05	93	89	44	0	1	3	0
WY	CASPER	62	32	65	27	47	11	0.00	-0.15	0.00	2.54	103	10.03	88	76	28	0	5	0	0
	CHEYENNE	61	34	67	29	47	10	0.00	-0.15	0.00	1.70	60	12.45	85	76	25	0	3	0	0
	LANDER	60	32	64	29	46	12	0.00	-0.18	0.00	4.04	146	11.31	92	67	30	0	4	0	0
	SHERIDAN	66	29	72	25	47	12	0.00	-0.19	0.00	1.17	34	10.46	74	83	25	0	6	0	0

Based on 1991-2020 normals

***** Not Available**

October Agricultural Summary

Fieldwork

Fieldwork summary provided by USDA/NASS

Highlights: October brought mixed weather conditions across key U.S. agricultural regions. Warmer-than-normal weather covered most of the nation, with temperatures averaging 2 to 8°F above normal across the Plains and Mississippi Valley. In contrast, temperatures were near normal to slightly below normal in the Pacific Northwest and northern New England. Meanwhile, precipitation widely varied. Below-normal precipitation prevailed across much of the Pacific Northwest and Delta, with many areas receiving less than 50 percent of normal rainfall. Drier-than-normal conditions also persisted across portions of the Ohio Valley. In contrast, the Southwest and central and southern Plains received above-normal precipitation, with some locations receiving up to four times the normal rainfall. Portions of the Southeast also received above-normal precipitation.

Summary: Eighty-three percent of the nation's corn crop was mature by October 4, equal to the 5-year average. Twenty-three percent of the 2026 corn acreage had been harvested by October 4, four percentage points behind the 5-year average. By October 18, ninety-five percent of the nation's corn crop was mature, 1 percentage point behind the 5-year average. Forty-four percent of the 2026 corn acreage had been harvested by October 18, eight percentage points behind the 5-year average. On October 18, fifty-six percent of the nation's corn crop was rated in good to excellent condition. By November 1, seventy-four percent of the 2026 corn acreage had been harvested, 3 percentage points behind the 5-year average. On November 1, corn harvest progress was behind the 5-year average pace in seven of the 18 estimating states.

Eighty-five percent of the soybean crop had dropped leaves by October 4, two percentage points behind the 5-year average. Twenty-five percent of the 2026 soybean acreage had been harvested by October 4, eight percentage points behind the 5-year average. By October 18, ninety-six percent of the soybean crop had dropped leaves, 1 percentage point behind the 5-year average. Sixty-four percent of the 2026 soybean acreage had been harvested by October 18, one percentage point behind the 5-year average. By November 1, eighty-eight percent of the 2026 soybean acreage had been harvested, 4 percentage points ahead of the 5-year average. On November 1, soybean harvest progress was at or ahead of the 5-year average pace in 15 of the 18 estimating states.

Thirty-six percent of the intended 2027 winter wheat acreage had been planted by October 4, ten percentage points behind the 5-year average. Sixteen percent of the winter wheat acreage had emerged by October 4, four percentage points behind the 5-year average. By October 18, sixty-three percent of the intended 2027 winter wheat acreage had been planted, 6 percentage points behind the 5-year average. Thirty-nine percent of the winter wheat acreage had emerged by October 18, four percentage points behind the 5-year average. By November 1, eighty-three percent of the intended 2027 winter wheat acreage had been planted, 1 percentage point behind the 5-year average. Sixty-five percent of the winter wheat acreage had emerged by November 1, equal to the 5-year average. On November 1, forty-four percent of the winter wheat crop was rated in good to excellent condition.

Seventy-four percent of the nation's cotton crop had bolls opening by October 4, two percentage points behind the 5-year average. Twenty-three percent of the 2026 cotton acreage had been harvested by October 4, two percentage points ahead of the 5-year average. By October 18, eighty-five percent of the nation's cotton crop had bolls opening, 4 percentage points behind the 5-year average. Forty-one percent of the 2026 cotton acreage had been harvested by October 18, four percentage points ahead of the 5-year average. On October 18, thirty-five percent of the cotton crop was rated in good to excellent condition. By November 1, ninety-two percent of the nation's cotton crop had bolls opening, 3 percentage points behind the 5-year average. Sixty-three percent of the 2026 cotton acreage had been harvested by November 1, nine percentage points ahead of the 5-year average. On November 1, cotton harvest progress was at or ahead of the 5-year average pace in 11 of the 15 estimating states.

Ninety-six percent of the sorghum crop had reached the coloring stage by October 4, two percentage points behind the 5-year average. Seventy-two percent of the nation's sorghum crop was mature by October 4, three percentage points behind the 5-year average. Thirty-two percent of the 2026 sorghum acreage had been harvested by October 4, six percentage points behind the 5-year average. By October 18, eighty-seven percent of the nation's sorghum crop was mature, 5 percentage points behind the 5-year average. Forty-six percent of the 2026 sorghum acreage had been harvested by October 18, twelve percentage points behind the 5-year average. On October 18, twenty-six percent of the sorghum crop was rated in good to excellent condition. By November 1, ninety-six percent of the nation's sorghum crop was mature, 4 percentage points

behind the 5-year average. Sixty-four percent of the 2026 sorghum acreage had been harvested by November 1, fourteen percentage points behind the 5-year average. On November 1, sorghum harvest progress was behind the 5-year average pace in five of the six estimating states.

Eighty-six percent of the nation's rice acreage had been harvested by October 4, seven percentage points ahead of the 5-year average. By October 18, ninety-seven percent of the nation's rice acreage had been harvested, 4 percentage points ahead of the 5-year average. By October 18, rice harvest progress was at or beyond 98 percent complete in five of the six estimating states.

Twenty-two percent of the 2026 peanut acreage had been harvested by October 4, one percentage point behind the 5-year average. By October 18, thirty-nine percent of the peanuts had been harvested, 7 percentage points behind the 5-year average. On October 18, fifty-two percent of the peanut crop was rated in good to excellent condition. By November 1, sixty-six percent of the peanuts had been harvested, 6 percentage points behind the 5-year average. On November 1, peanut harvest progress was behind the 5-year average pace in six of the eight estimating states.

Nineteen percent of the 2026 sugarbeet crop had been harvested by October 4, three percentage points behind the 5-year average. By October 18, fifty-five percent of the 2026 sugarbeet crop had been harvested, 2 percentage points behind the 5-year average. By November 1, eighty-six percent of the 2026 sugarbeet crop had been harvested, equal to the 5-year average.

Six percent of the 2026 sunflower crop had been harvested by October 4, one percentage point ahead of the 5-year average. By October 18, twenty-four percent of the 2026 sunflower crop had been harvested, 2 percentage points behind the 5-year average. By November 1, sixty-one percent of the 2026 sunflower crop had been harvested, 5 percentage points ahead of the 5-year average.

U.S. Crop Production Highlights


The following information was released by USDA's Agricultural Statistics Board on November 10, 2026. Forecasts refer to November 1.


Corn production for grain is forecast at 15.9 billion bushels, down 1 percent from the previous forecast and down 6 percent from 2025 (figure 1). If realized, this would be the second-highest U.S. grain production on record. The average U.S. yield is forecast at 179.6 bushels per acre, down 1.6 bushels from the previous forecast and down 6.9 bushels from 2025.

Soybean production for beans is forecast at a record-high 4.57 billion bushels, up less than 1 percent from the previous forecast and up 7 percent from 2025. U.S. yields are expected to average a record-high 53.3 bushels per acre, up 0.2 bushel from the previous forecast and up 0.3 bushel from 2025.

All cotton production is forecast at 13.2 million 480-pound bales, down 2 percent from the previous forecast and down 5 percent from 2025. The average U.S. yield is forecast at 775 pounds per harvested acre, down 15 pounds from the previous forecast and down 77 pounds from 2025.

The current corn and soybean production forecasts are based on information collected before harvest was complete, so the final numbers may change as more information becomes available. Based on 20 years of actual results, there is a 90 percent chance that the final corn production will be between 15.5 billion bushels and 16.3 billion bushels, and the final soybean production will fall between 4.43 billion bushels and 4.71 billion bushels.





National Agricultural Summary

November 9 – 15, 2026

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

Weather conditions varied across major United States agricultural regions. Temperatures averaged above normal across much of the Nation, with portions of the northern Rockies and Plains recording anomalies of 6 to 12°F above normal. Portions of the Southeast experienced slightly below-normal temperatures. Precipitation varied considerably across the Nation during the week. Above-normal precipitation was reported in portions of the Pacific Southwest and southern Plains, where some locations received more than twice their normal weekly totals. In contrast, very dry conditions dominated much of the Corn Belt. These dry conditions generally favored harvest activities.

Corn: Eighty-eight percent of the 2026 corn acreage had been harvested by November 15, two percentage points behind last year and 4 percentage points behind the 5-year average. By the week's end, corn harvest progress was behind the 5-year average pace in 10 of the 18 estimating States.

Soybeans: Ninety-six percent of the 2026 soybean acreage had been harvested by November 15, three percentage points ahead of last year and 1 percentage point ahead of the 5-year average. Soybean harvest progress was at or ahead of the 5-year average pace in 14 of the 18 estimating States by the week's end.

Cotton: Ninety-five percent of the Nation's cotton crop had bolls opening by November 15, four percentage points behind both last year and the 5-year average. Seventy-seven percent of the 2026 cotton acreage had been harvested by November 15, seven percentage points ahead of last year and 6 percentage points ahead of the 5-year average. Cotton harvest progress was at or ahead of the 5-year average pace in 11 of the 15 estimating States by the week's end.

Winter Wheat: Ninety-two percent of the intended 2027 winter wheat acreage had been planted by November 15, one percentage point ahead of last year but 2 percentage points behind the 5-year average. Eighty-two percent of the winter wheat acreage had emerged by November 15, four percentage points ahead of last year and 1 percentage point ahead of the 5-year average. On November 15, fifty-three percent of the winter wheat crop was rated in good to excellent condition, 4 percentage points above the previous week and 8 percentage points above the same time last year.

Sorghum: Seventy-nine percent of the 2026 sorghum acreage had been harvested by November 15, two percentage points behind last year and 11 percentage points behind the 5-year average. Sorghum harvest progress was behind the 5-year average pace in 5 of the 6 estimating States by the week's end.

Other Crops: Eighty-seven percent of the 2026 peanut acreage had been harvested by November 15, equal to last year but 1 percentage point behind the 5-year average. By the week's end, peanut harvest progress was behind the 5-year average pace in 3 of the 8 estimating States.

Ninety-six percent of the 2026 sugarbeet crop had been harvested by November 15, one percentage point behind last year and 2 percentage points behind the 5-year average.

Eighty-three percent of the 2026 sunflower crop had been harvested by November 15, seven percentage points ahead of last year and 1 percentage point ahead of the 5-year average.

Crop Progress and Condition

Week Ending November 15, 2026

Accessible Data Available from USDA/NASS

Winter Wheat Percent Planted

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AR	84	71	79	85
CA	49	45	55	56
CO	98	99	100	99
ID	100	100	100	100
IL	91	93	97	93
IN	90	88	94	93
KS	93	92	96	97
MI	97	90	95	96
MO	80	81	90	88
MT	98	97	99	99
NE	78	99	100	96
NC	73	61	78	70
OH	96	94	98	97
OK	91	77	84	92
OR	99	97	98	98
SD	99	98	99	100
TX	85	82	84	87
WA	99	100	100	100
18 Sts	91	89	92	94

These 18 States planted 90% of last year's winter wheat acreage.

Winter Wheat Percent Emerged

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AR	66	35	45	67
CA	25	20	30	29
CO	94	90	95	94
ID	93	95	97	95
IL	72	71	81	79
IN	63	60	74	75
KS	83	78	86	85
MI	94	81	90	89
MO	55	63	75	70
MT	79	84	91	88
NE	74	96	98	93
NC	57	33	50	48
OH	88	78	90	89
OK	70	61	66	79
OR	86	79	85	75
SD	89	91	96	88
TX	69	71	74	71
WA	96	97	98	96
18 Sts	78	76	82	81

These 18 States planted 90% of last year's winter wheat acreage.

Winter Wheat Condition by Percent

	VP	P	F	G	EX
AR	9	11	30	46	4
CA	0	0	15	80	5
CO	0	10	35	27	28
ID	0	3	19	72	6
IL	3	5	28	53	11
IN	2	5	28	55	10
KS	4	9	30	45	12
MI	1	4	33	60	2
MO	0	2	24	61	13
MT	0	1	36	63	0
NE	8	6	20	60	6
NC	0	3	18	68	11
OH	0	1	27	62	10
OK	2	15	48	32	3
OR	5	12	28	39	16
SD	7	12	40	35	6
TX	2	17	32	37	12
WA	3	7	57	27	6
18 Sts	3	10	34	43	10
Prev Wk	4	12	35	41	8
Prev Yr	6	13	36	37	8

Cotton Percent Bolls Opening

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AL	100	99	100	100
AZ	100	100	100	100
AR	100	100	100	100
CA	100	100	100	99
GA	100	100	100	100
KS	65	99	100	93
LA	100	100	100	100
MS	100	100	100	100
MO	100	100	100	100
NC	97	98	99	99
OK	100	95	100	100
SC	100	100	100	100
TN	100	100	100	100
TX	94	90	91	98
VA	100	100	100	100
15 Sts	99	94	95	99

These 15 States planted 99% of last year's cotton acreage.

Cotton Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AL	75	68	77	78
AZ	56	55	61	60
AR	96	97	99	97
CA	78	60	70	79
GA	69	59	71	65
KS	29	39	61	55
LA	97	96	99	98
MS	95	97	99	94
MO	90	93	97	92
NC	61	56	71	73
OK	71	51	57	64
SC	59	60	74	64
TN	88	90	98	85
TX	59	65	68	63
VA	75	63	75	74
15 Sts	70	71	77	71

These 15 States harvested 99% of last year's cotton acreage.

Sugarbeets Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
ID	97	92	98	97
MI	97	60	75	95
MN	100	95	100	100
ND	97	100	100	99
4 Sts	97	90	96	98

These 4 States harvested 87% of last year's sugarbeet acreage.

Sunflowers Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
CO	93	80	90	89
KS	73	64	74	86
ND	78	76	82	80
SD	73	73	83	83
4 Sts	76	74	83	82

These 4 States harvested 85% of last year's sunflower acreage.

Crop Progress and Condition

Week Ending November 15, 2026

Corn Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
CO	89	77	88	89
IL	96	93	96	96
IN	91	87	93	90
IA	95	72	84	95
KS	91	88	92	96
KY	94	96	99	95
MI	80	61	73	78
MN	96	88	93	97
MO	90	89	93	94
NE	73	74	85	90
NC	95	99	100	99
ND	78	85	89	88
OH	92	69	80	86
PA	78	67	70	73
SD	88	68	78	92
TN	94	100	100	98
TX	95	99	100	99
WI	84	72	84	82
18 Sts	90	81	88	92

These 18 States harvested 93% of last year's corn acreage.

Soybeans Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AR	97	96	98	97
IL	96	96	99	97
IN	97	93	96	95
IA	97	93	96	99
KS	89	78	87	92
KY	80	87	92	83
LA	100	100	100	100
MI	93	86	95	91
MN	100	100	100	100
MS	98	100	100	98
MO	87	84	91	90
NE	83	90	94	96
NC	62	62	73	65
ND	95	98	100	99
OH	94	92	97	95
SD	98	96	98	99
TN	85	93	96	86
WI	96	97	98	96
18 Sts	93	92	96	95

These 18 States harvested 96% of last year's soybean acreage.

Peanuts Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
AL	83	65	76	88
FL	91	80	90	96
GA	89	80	89	89
NC	91	84	95	93
OK	88	65	75	86
SC	91	82	91	88
TX	72	63	73	73
VA	96	100	100	98
8 Sts	87	77	87	88

These 8 States harvested 95% of last year's peanut acreage.

Sorghum Percent Harvested

	Prev Year	Prev Week	Nov 15 2026	5-Yr Avg
CO	85	80	90	91
KS	76	57	69	87
NE	57	54	68	85
OK	80	76	81	86
SD	82	68	73	91
TX	95	99	100	99
6 Sts	81	70	79	90


These 6 States harvested 100% of last year's sorghum acreage.


VP - Very Poor; P - Poor; F - Fair; G - Good; EX - Excellent

NA - Not Available; *Revised

Crop Progress and Condition


Week Ending November 15, 2026






Crop Progress and Condition

Week Ending November 15, 2026





November 12 ENSO Diagnostic Discussion




Figure 1: Average relative sea surface temperature (SST) anomalies (°C) for October 2026. Anomalies are computed with respect to the 1991-2020 base period monthly means.

ENSO Alert System Status: El Niño Advisory

Synopsis: El Niño continues to strengthen, with a strong to very strong event likely through January-March 2027.

Compared to last month, El Niño strengthened, as sea-surface temperature anomalies exceeded 4.0°C and anomalous warmth extended farther westward across the eastern equatorial Pacific Ocean. The Niño indices increased, reaching +2.5°C in Niño-3.4, +3.6°C in Niño-3, and +4.4°C in Niño-1+2. The equatorial subsurface temperature index (averaged from 180°-100°W) remained significantly above normal, associated with a deeper-than-normal thermocline and anomalies exceeding +10.0°C at depth in the eastern Pacific Ocean. Low-level westerly and upper-level easterly wind anomalies extended from the western to the east-central equatorial Pacific. Convection and rainfall remained enhanced in the central and eastern Pacific and suppressed over Indonesia. The traditional and equatorial Southern Oscillation indices were consistently negative. Collectively, the coupled ocean-atmosphere system reflected the ongoing evolution of El Niño.

The official CPC ENSO outlook, which synthesizes multiple models from North America and abroad, indicates El Niño will continue to strengthen until weakening begins in early 2027. Chances for a historic event (+2.5°C or more for a 3-month RONI value) exceeding previous El Niño events dating back to 1950 are near 60 percent for the October-December and November-January periods. Even with a very strong El Niño, odds of experiencing impacts consistent with El Niño are quite high, though not guaranteed. In summary, El Niño continues to strengthen, with a roughly 80 percent chance of a strong to very strong event expected through January-March 2027.

The next ENSO Diagnostics Discussion is scheduled for **10 December 2026**. To receive notification, please send an e-mail to:

ncep.list.enso-update@noaa.gov

International Weather and Crop Summary

November 8 – 14, 2026

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Mostly dry and cold weather over northeastern Europe contrasted with periods of moderate to heavy rain across the southern third of the continent.

WESTERN FSU: The recent spell of seasonably cold weather ushered most winter crops into dormancy.

MIDDLE EAST: Drier and somewhat warmer weather returned to the region from west to east, favoring fieldwork and winter crop establishment.

AUSTRALIA: Mostly sunny skies favored winter crop drydown and harvesting across most growing areas, though late-week showers briefly curtailed fieldwork in eastern Australia.


SOUTH AFRICA: Rainfall favored parts of the central and eastern Maize Triangle, aiding planting progress and early crop establishment, while above-average temperatures persisted in the west.

ARGENITINA: Scattered showers delivered light to moderate rainfall across portions of the central and northern crop belt, while much of eastern Argentina remained comparatively dry.

BRAZIL: Uneven rainfall patterns delivered localized moisture across portions of central, eastern, and northern Brazil, while lighter precipitation in the south supported some drying of fields and soils.



EUROPE
Total Precipitation(mm)
November 8 - 14, 2026



Station precipitation reports from France and Hungary are either missing or suspect.


CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

EUROPE

Mostly dry but cold weather across northeastern Europe contrasted with periods of moderate to heavy rain across the southern third of the continent. An expansive area of high pressure anchored over northern Europe shifted southeastward as the week progressed, maintaining sunny but colder-than-normal weather (2-4°C below normal) from Germany eastward. In fact, 7- and 14-day average temperatures below 5°C indicated winter crops have gone dormant over the continent's northeastern quadrant. Farther west, light to moderate showers in France* (10-20 mm, locally more) and southern England (3-10 mm) moistened soils for winter crop establishment following several weeks of dry weather. Meanwhile, a series of moisture-laden Atlantic storms trekked eastward across the Mediterranean Basin, producing moderate to heavy rain (10-100 mm) from the Iberian Peninsula into Italy and the Balkans. Furthermore, there were several pockets of torrential rainfall (100-400 mm) which caused localized flooding in western Spain, northwestern Italy, and the northwestern Balkans. The wet weather eliminated short-term drought in Portugal and Spain, eased long-term drought in Hungary and environs, and boosted soil moisture for winter crop establishment from Italy into the lower Danube River Valley. Colder air surging southeastward also caused snow to fall in the higher elevations, though precipitation changed to rain as warmer air arrived later in the week.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
November 8 - 14, 2026



Data availability may be affected by the current geopolitical situation in Ukraine


CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

WESTERN FSU

Winter crops went dormant nearly everywhere as cold weather settled over the region. Early in the period, below-normal temperatures and widespread hard freezes (-2°C or lower, locally as cold as -8°C) brought the growing season to an abrupt end, with 7- and 14-day average temperatures at or below 5°C indicating winter crops were dormant over most of the region save for southern growing areas. Winter crops benefited from timely rains during the latter half of autumn from Moldova and Ukraine into southernmost Russia, while dryness and drought left winter wheat poorly established across much of west-central Russia. However, widespread moderate to heavy showers (10-80 mm) during the monitoring period from southern Ukraine into Russia improved soil moisture reserves for spring growth; spring rains are a bigger determinant of winter crop yield potential than autumn precipitation.

This will be the last weekly summary for Western FSU. Coverage will resume in March 2027 to coincide with winter crops breaking dormancy.

MIDDLE EAST
Total Precipitation(mm)
November 8 - 14, 2026



Weather station data for Iraq was not available for this week's analysis.


CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

MIDDLE EAST

Following a protracted spell of wet weather, drier conditions and moderating temperatures favored a resumption of fieldwork and winter crop establishment. A parade of Mediterranean storms—which began in early October and peaked with widespread heavy rain in late October and early November—finally relented, allowing late summer crop harvesting and winter grain planting to resume from Turkey into Iran. However, moderate to heavy early-week showers in southwestern Iran (15-80 mm) boosted soil moisture for winter crops before drier weather returned. In areas where producers were able to sow winter wheat and barley before the protracted wetness arrived, crops have abundant soil moisture heading into the late autumn and winter for establishment. In fact, drier-than-normal weather since September 1 has been limited to parts of southern Khorasan in northeastern Iran. Furthermore, the recent cold snap abated as the week progressed, although temperatures still averaged 2 to 4°C below normal; winter crops in the region's climatologically colder northern growing areas typically go dormant in early December and follow suit several weeks later in northeastern Iran.

**Surface-based weather station data from Iraq was either missing or suspect; radar and satellite data were used to augment the analysis.*

AUSTRALIA
Total Precipitation(mm)
November 8 - 14, 2026




Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
https://creativecommons.org/licenses/by/3.0/au/legalcode

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

AUSTRALIA

Mostly dry weather prevailed across the continent, though showers peppered eastern growing areas later in the monitoring period. Winter crop drydown and harvesting proceeded at a rapid pace over most of the continent's primary growing areas, with the latest satellite-derived Vegetation Health Index indicating good to excellent conditions for maturing winter wheat, barley, and rapeseed. However, light to moderate showers (5-25 mm) accompanied a cold front later in the week in southeastern and eastern Australia, briefly slowing harvest activities but maintaining favorable moisture supplies for summer crop planting and establishment. There were several pockets of heavier rain (25 mm or more) outside of primary growing areas in Western Australia and Queensland. Cooler-than-normal conditions in western Australia (1-3°C below normal) contrasted with near-normal temperatures farther east, though extreme heat was not a concern.

SOUTH AFRICA
Total Precipitation(mm)
November 8 - 14, 2026




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data

SOUTH AFRICA

Periods of scattered showers brought 10 to 50 mm of rainfall across much of the eastern and central production belt, with locally higher totals of 50 to 80 mm in parts of the northeastern and eastern interior. Rainfall across portions of the Maize Triangle improved soil moisture for corn planting and germination, while supporting emergence in the earliest-seeded fields. Temperatures averaged near to above normal, locally reaching up to 5°C above normal, across much of the country. Daytime highs ranged from the lower to middle 30s (degrees C) for much of the central and eastern production areas and middle to upper 30s elsewhere. The warm, dry weather continued to aid ongoing wheat harvest efforts in Western Cape.


ARGENTINA
Total Precipitation(mm)
November 8 - 14, 2026



ARGENTINA


Scattered showers provided uneven rainfall across the central and northern agricultural regions, with most of the areas receiving light to moderate rainfall (10-50 mm) while localized pockets of heavier rainfall occurred in parts of Córdoba. The moisture aided corn and soybean planting and supported early crop development, although some northern areas continued to report limited soil moisture. According to Argentina's Ministry of Agriculture, warmer temperatures accelerated early corn growth following earlier cool and cloudy conditions, while cotton planting advanced in Chaco as rainfall improved seedbed moisture. Rice planting neared completion in key northeastern production areas, where adequate water supplies supported emergence and vegetative development. Temperatures averaged near to above normal, with daytime highs generally reaching the lower to upper 30s (degrees C) across the main production belt and locally exceeding 40°C in the northeast. As of November 12, rice planting was 79 percent complete, while corn, cotton, and soybean planting stood at 44, 22 and 18 percent complete, respectively.

BRAZIL
Total Precipitation(mm)
November 8 - 14, 2026



BRAZIL

Rainfall was more active across portions of central, eastern, and northern Brazil, with most agricultural areas receiving 10 to 50 mm and localized higher totals exceeding 50 mm, while comparatively lighter rainfall in the south allowed fields to dry somewhat. The improved moisture benefited soybean planting, emergence, and early vegetative development in parts of the central and northern production regions, although rainfall remained uneven and additional moisture was still needed in some areas. Temperatures averaged near normal across Brazil, with daytime highs ranging in the lower to middle 30s (degrees C) across most agricultural areas, while some areas reached the upper 30s and southern coastal areas remained cooler in the upper 20s. According to the government of Paraná, soybean planting reached 79 percent complete but remained behind normal due to delays caused by previous excessive rainfall, while first-season corn planting was 98 percent complete. A report from Rio Grande do Sul indicated that warmer temperatures and increased sunshine supported soybean planting progress and favored first-season corn development. Wheat harvest advanced to 76 percent complete, with the drier weather aiding fieldwork although quality concerns lingered in some areas following previous wet conditions.



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**
Internet URL: **www.usda.gov/oce/weather-drought-monitor**
E-mail address: ***brad.rippey@usda.gov***

An archive of past *Weekly Weather and Crop Bulletins* can be found at https://esmis.nal.usda.gov/, keyword search "Weekly Weather and Crop Bulletin".

U.S. DEPARTMENT OF AGRICULTURE
World Agricultural Outlook Board
Managing Editor..... ***Brad Rippey***
Agricultural Weather Analysts.... ***Eric Luebehusen and Maureen Sartini***

National Agricultural Statistics Service
Agricultural Statistician and State Summaries Editor..... ***Noemi Guindin***

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service/Climate Prediction Center
Meteorologists..... ***Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker***

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).