

Chickens and Eggs

ISSN: 1948-9064

Released March 22, 2011, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

February Egg Production Up 1 Percent

United States egg production totaled 7.01 billion during February 2011, up 1 percent from last year. Production included 6.03 billion table eggs, and 974 million hatching eggs, of which 908 million were broiler-type and 66 million were egg-type. The total number of layers during February 2011 averaged 339 million, down slightly from last year. February egg production per 100 layers was 2,065 eggs, up 1 percent from February 2010.

All layers in the United States on March 1, 2011 totaled 339 million, down 1 percent from last year. The 339 million layers consisted of 282 million layers producing table or market type eggs, 54.1 million layers producing broiler-type hatching eggs, and 3.02 million layers producing egg-type hatching eggs. Rate of lay per day on March 1, 2011, averaged 73.9 eggs per 100 layers, up 1 percent from March 1, 2010.

Egg-Type Chicks Hatched Down 7 Percent

Egg-type chicks hatched during February 2011 totaled 37.3 million, down 7 percent from February 2010. Eggs in incubators totaled 40.0 million on March 1, 2011, up 3 percent from a year ago.

Domestic placements of egg-type pullet chicks for future hatchery supply flocks by leading breeders totaled 264 thousand during February 2011, down 11 percent from February 2010.

Broiler-Type Chicks Hatched Up 1 Percent

Broiler-type chicks hatched during February 2011 totaled 709 million, up 1 percent from February 2010. Eggs in incubators totaled 642 million on March 1, 2011, down slightly from a year earlier.

Leading breeders placed 7.11 million broiler-type pullet chicks for future domestic hatchery supply flocks during February 2011, up 2 percent from February 2010.

This page intentionally left blank.

Contents

Average Number of All Layers on Hand During the Month – United States: 2010-2011	4
Egg Production During the Month by Type – United States: 2010-2011	4
Average Number of Layers During the Month – United States	5
All Egg Production During the Month – United States	5
Layers on Hand and Eggs Produced by Type and Forced Molt – United States: January-February 2010 and 2011	6
Layers on Hand and Eggs Produced by Type and Forced Molt – United States: February-March 2010 and 2011	7
Layers on Hand and Eggs Produced – States and United States: During January 2010 and 2011	8
Layers on Hand and Eggs Produced – States and United States: During February 2010 and 2011	9
Egg Production by Type – States and United States: January 2010 and 2011	10
Egg Production by Type – States and United States: February 2010 and 2011	11
Forced Molt as Percent of All Layers by Month – United States: 2010-2011	12
Forced Molt as Percent of All Layers – States and United States: March 1, 2010 and 2011	12
Hatchery Production – United States: 2010 and 2011	13
Egg-Type Eggs in Incubators – Regions and United States: March 1, 2010 and 2011	14
Egg-Type Chicks Hatched by Month – United States: 2010-2011	14
Intended Placements of Egg-Type Pullet Chicks for Hatchery Supply Flocks by Month – United States: 2010-2011	15
Broiler-Type Eggs in Incubators – Regions and United States: March 1, 2010 and 2011	15
Broiler-Type Chicks Hatched – States and United States: February 2010 and 2011	16
Broiler-Type Chicks Hatched by Month – United States: 2010-2011	16
Intended Placements of Broiler-Type Pullet Chicks for Hatchery Supply Flocks by Month and Total: 2010-2011	17
Statistical Methodology	18
Regional Listing	19
Terms and Definitions of Chickens and Eggs Estimates	19
Information Contacts	19

Average Number of All Layers on Hand During the Month - United States: 2010-2011

[Blank data cells indicate estimation period has not yet begun]

Month	2010	2011
	(1,000 layers)	(1,000 layers)
December ¹	342,098 341,318	342,661 341,701 339,287
September	338,739 336,804 339,447	

¹ December preceding year.


Egg Production During the Month by Type - United States: 2010-2011

[Blank data cells indicate estimation period has not yet begun. Totals may not add due to rounding]


Month	Total eggs		Table eggs		Hatchin	ig eggs
WOTHT	2010	2011	2010	2011	2010	2011
	(million eggs)					
December ¹	7,853	7,920	6,779	6,850	1,074	1,070
January	7,724	7,821	6,637	6,739	1,087	1,083
February	6,935	7,005	5,950	6,030	985	974
March	7,839		6,740		1,098	
April	7,578		6,503		1,075	
May	7,716		6,607		1,109	
June	7,484		6,415		1,069	
July	7,719		6,610		1,109	
August	7,765		6,669		1,096	
September	7,514		6,464		1,050	
October	7,698		6,618		1,080	
November	7,573		6,538		1,036	
During year	91,398		78,530		12,868	

¹ December preceding year.

Average Layers During the Month – United States



All Egg Production During the Month – United States



Layers on Hand and Eggs Produced by Type and Forced Molt – United States: January-February 2010 and 2011

[Totals may not add due to rounding]

Item	2010	2011	2011 as percent of 2010
Layers during January			
All layers	340,596	341,701	100
Table egg type	283,154	284,176	100
Hatching egg type1,000	57,442	57,525	100
Broiler-type hatching	54,501	54,606	100
Egg-type hatching1,000	2,941	2,919	99
Eggs per 100 layers during January			
All layersnumber	2,268	2,289	101
Table egg typenumber	2,344	2,371	101
Hatching egg typenumber	1,892	1,883	100
Broiler-type hatchingnumber	1,859	1,855	100
Egg-type hatchingnumber	2,516	2,398	95
Eggs produced during January			
All layers million	7,724	7,821	101
Table egg typemillion	6,637	6,739	102
Hatching egg typemillion	1,087	1,083	100
Broiler-type hatchingmillion	1,013	1,013	100
Egg-type hatchingmillion	74	70	95
Layers on February 1			
All layers1,000	339,747	339,626	100
Table egg type1,000	281,946	282,293	100
Hatching egg type1,000	57,801	57,333	99
Broiler-type hatching	54,839	54,345	99
Egg-type hatching1,000	2,962	2,988	101
Eggs per 100 layers on February 1			
All layersnumber	72.5	73.4	101
Table egg typenumber	74.8	75.9	101
Hatching egg typenumber	60.8	60.7	100
Broiler-type hatchingnumber	59.7	59.8	100
Egg-type hatchingnumber	81.8	78.0	95
Forced molt layers on February 1			
Being moltedpercent	3.6	3.6	100
Molt completedpercent	20.3	20.3	100
Layers sold for slaughter during January	14,086	14,530	103
Layers rendered, died, destroyed, composted			
or disappeared for any reason during January1,000	7,735	7,695	99
Pullets on February 1	103,227	106,500	103
Pullets added during January ¹	20,551	21,043	102
1 Dullet chicks less than 2 days and added to mullet fleets			

¹ Pullet chicks less than 3 days old added to pullet flocks.

Layers on Hand and Eggs Produced by Type and Forced Molt – United States: February-March 2010 and 2011

[Totals may not add due to rounding]

Layers during February	Item	2010	2011	2011 as percent of 2010
All layers	Lavers during February			
Table egg type		340,486	339,287	100
Hatching egg type		,		100
Broiler-type hatching 1,000 2,963 3,007 101	00 71	,		99
Egs per 100 layers during February All layers				98
All layers	,	,		101
Table egg type	Eggs per 100 layers during February			
Hatching egg type number 1,696 1,702 100 Broiler-type hatching number 2,295 2,195 96 Eggs produced during February All layers million 5,950 6,030 101 Table egg type million 985 974 99 Broiler-type hatching million 985 974 99 Broiler-type hatching million 985 66 97 Layers on March 1 All layers 1,000 341,191 338,920 99 Table egg type 1,000 282,865 281,791 100 Hatching egg type 1,000 55,368 54,109 98 Egg-type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 All layers 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 All layers 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1,000 1,0	All layersnumber	2,037	2,065	101
Broiler-type hatching	Table egg typenumber	2,107	2,138	101
Broiler-type hatching	Hatching egg typenumber	1,696	1,702	100
Eggs produced during February All layers			1,674	101
All layers	Egg-type hatchingnumber	2,295	2,195	96
Table egg type million Broiler-type hatching 5,950 million 6,030 million 101 million Broiler-type hatching million 985 974 99 Egg-type hatching million 917 908 99 Layers on March 1 All layers 1,000 341,191 338,920 99 Table egg type 1,000 282,865 281,791 100 Hatching egg type 1,000 58,326 57,129 98 Broiler-type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 34,191 73.0 73.9 101 All layers number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Hatching egg type number 59.0 59.7 101 Egg-type hatching number 59.0 59.7 101 Egg-type hatching number 59.0	Eggs produced during February			
Hatching egg type	All layers million	6,935	7,005	101
Broiler-type hatching million 81 908 99	Table egg type million	5,950	6,030	101
Egg-type hatching million 68 66 97 Layers on March 1 All layers 1,000 341,191 338,920 99 Table egg type 1,000 58,326 57,129 98 Broiler-type hatching egg type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1 All layers 73.0 73.9 101 Table egg type number 75.7 76.6 101 Hatching egg type number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Hatching egg type in the percent begg type in the percent begge	Hatching egg type million	985	974	99
Layers on March 1 All layers	Broiler-type hatching million	917	908	99
All layers 1,000 341,191 338,920 99 Table egg type 1,000 282,865 281,791 100 Hatching egg type 1,000 58,326 57,129 98 Broiler-type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1 32,958 3,020 102 Eggs per 100 layers on March 1 73.0 73.9 101 Table egg type number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Broiler-type hatching number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 81.9 76.6 94 Being molted percent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027	Egg-type hatching million	68	66	97
Table egg type 1,000 282,865 281,791 100 Hatching egg type 1,000 58,326 57,129 98 Broiler-type hatching 1,000 55,368 54,109 98 Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 73.0 73.9 101 All layers number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Hatching egg type number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 81.9 76.6 94 Forced molt layers on March 1 92 3.0 94 Molt completed percent 3.2 3.0 94 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132	Layers on March 1			
Hatching egg type	All layers 1,000	341,191	338,920	99
Broiler-type hatching	Table egg type	282,865	281,791	100
Egg-type hatching 1,000 2,958 3,020 102 Eggs per 100 layers on March 1 1 1,000 2,958 3,020 102 All layers number 73.0 73.9 101 Table egg type number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Broiler-type hatching number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 9ercent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Hatching egg type	58,326	57,129	98
Eggs per 100 layers on March 1 All layers	Broiler-type hatching	55,368	54,109	98
All layers number 73.0 73.9 101 Table egg type number 75.7 76.6 101 Hatching egg type number 60.2 60.6 101 Broiler-type hatching number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 percent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Egg-type hatching	2,958	3,020	102
Table egg type number Hatching egg type 75.7 mumber foo.2 76.6 mumber foo.2 101 mumber foo.2 60.6 mumber foo.2 101 mumber foo.2 60.6 mumber foo.2 101 mum	Eggs per 100 layers on March 1			
Hatching egg type number 60.2 60.6 101 Broiler-type hatching number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 Being molted percent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	All layers number	73.0	73.9	101
Broiler-type hatching number 59.0 59.7 101 Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 percent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Table egg typenumber	75.7	76.6	101
Egg-type hatching number 81.9 76.6 94 Forced molt layers on March 1 percent 3.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Hatching egg typenumber	60.2	60.6	101
Forced molt layers on March 1 Being molted	Broiler-type hatchingnumber	59.0	59.7	101
Being molted percent Molt completed 3.2 20.2 3.0 94 Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Egg-type hatchingnumber	81.9	76.6	94
Molt completed percent 21.2 20.2 95 Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	·			
Layers sold for slaughter during February 1,000 13,549 14,368 106 Layers rendered, died, destroyed, composted or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	· ·			- ·
Layers rendered, died, destroyed, composted or disappeared for any reason during February	Molt completedpercent	21.2	20.2	95
or disappeared for any reason during February 1,000 6,847 9,027 132 Pullets on March 1 1,000 102,946 104,886 102	Layers sold for slaughter during February	13,549	14,368	106
Pullets on March 1	Layers rendered, died, destroyed, composted			
	or disappeared for any reason during February	6,847	9,027	132
Pullets added during February ¹	Pullets on March 1	102,946	104,886	102
	Pullets added during February ¹	22,469	22,099	98

¹ Pullet chicks less than 3 days old added to pullet flocks.

Layers on Hand and Eggs Produced – States and United States: During January 2010 and 2011

State	Table egg layers in flocks 30,000 and above		All la	yers	Eggs pe all la	
	2010	2011	2010	2011	2010	2011
	(1,000)	(1,000)	(1,000)	(1,000)	(number)	(number)
Alabama	1,232	1,304	9,539	9,630	1,908	1,900
Arkansas	3,197	3,432	12,299	12,175	1,976	2,021
California	19,031	19,451	19,332	19,756	2,317	2,273
Colorado	3,044	3,221	3,589	3,604	2,508	2,442
Connecticut	2,518	2,256	2,585	2,318	2,321	2,330
Florida	9,581	9,165	9,903	9,534	2,292	2,444
Georgia	9,020	8,481	17,654	17,249	2,169	2,180
Hawaii ¹	254	(NA)	299	(NA)	1,839	(NA)
Illinois	4,430	4,438	4,650	4,650	2,387	2,473
Indiana	22,995	23,091	23,712	23,788	2,324	2,333
lowa	53,688	52,510	54,558	53,349	2,256	2,315
Maine	3,529	3,515	3,602	3,570	2,388	2,381
Maryland	2,215	1,997	2,323	2,115	2,282	2,364
Michigan	10,067	10,046	10,225	10,207	2,367	2,410
Minnesota	9,811	9,923	10,295	10,397	2,351	2,318
Mississippi	1,450	1,452	6,162	6,019	1,980	1,994
Missouri	5,749	6,029	7,053	7,456	2,311	2,293
Nebraska	9,473	9,266	9,523	9,316	2,426	2,480
New York	3,715	4,063	3,941	4,290	2,487	2,471
North Carolina	6,067	5,766	13,183	13,289	2,101	2,047
Ohio	26,838	27,853	27,329	28,338	2,294	2,318
Oregon	2,187	2,123	2,309	2,276	2,555	2,504
Pennsylvania	22,605	24,066	23,714	25,246	2,471	2,464
South Carolina	3,221	3,056	4,477	4,312	2,100	2,226
South Dakota	2,346	2,351	2,386	2,391	2,473	2,384
Texas	13,680	14,153	18,204	18,568	2,263	2,278
Utah	3,358	3,337	3,388	3,367	2,273	2,228
Virginia	1,140	1,098	2,841	2,793	2,042	2,112
Washington	6,259	6,315	6,374	6,431	2,306	2,457
Wisconsin	4,166	4,080	4,721	4,612	2,394	2,407
Other States ²	11,796	11,828	20,426	20,655	2,183	2,179
United States	278,662	279,666	340,596	341,701	2,268	2,289

⁽NA) Not available.

Included in Other States in 2011.

Includes data for states not listed in this table.

Layers on Hand and Eggs Produced - States and United States: During February 2010 and 2011

State	Table egg	layers in	All la		Eggs pe	r 100 for lyers
	2010	2011	2010	2011	2010	2011
	(1,000)	(1,000)	(1,000)	(1,000)	(number)	(number)
Alabama	1,292	1,350	9,681	9,762	1,653	1,690
Arkansas	3,172	3,286	12,299	11,974	1,789	1,846
California	19,154	18,904	19,461	19,210	2,107	2,061
Colorado	3,053	3,291	3,571	3,705	2,240	2,105
Connecticut	2,473	2,171	2,545	2,239	2,083	2,099
Florida	9,369	9,024	9,664	9,374	2,080	2,166
Georgia	8,875	8,592	17,597	16,986	1,978	1,978
Hawaii ¹	260	(NA)	305	(NA)	1,705	(NA)
Illinois	4,290	4,339	4,514	4,558	2,171	2,216
Indiana	23,074	22,923	23,822	23,656	2,091	2,135
lowa	53,223	52,180	54,103	53,056	2,026	2,086
Maine	3,546	3,396	3,601	3,451	2,194	2,202
Maryland	2,205	1,984	2,308	2,114	2,123	2,129
Michigan	10,158	10,126	10,325	10,298	2,150	2,224
Minnesota	9,902	9,968	10,383	10,445	2,119	2,011
Mississippi	1,475	1,467	6,101	5,991	1,819	1,803
Missouri	5,682	5,980	7,074	7,373	2,092	2,089
Nebraska	9,329	9,309	9,379	9,359	2,186	2,244
New York	3,805	4,076	4,031	4,307	2,208	2,275
North Carolina	6,057	5,887	13,308	13,368	1,871	1,863
Ohio	27,033	26,964	27,532	27,452	2,041	2,091
Oregon	2,283	2,280	2,400	2,417	2,167	2,193
Pennsylvania	22,485	23,846	23,583	25,050	2,230	2,224
South Carolina	3,130	3,137	4,394	4,423	1,912	1,990
South Dakota	2,347	2,308	2,387	2,348	2,178	2,129
Texas	13,379	14,033	17,980	18,395	2,041	2,033
Utah	3,392	3,420	3,422	3,450	1,958	2,058
Virginia	1,138	1,150	2,946	2,869	1,799	1,778
Washington	6,385	6,343	6,500	6,459	2,031	2,214
Wisconsin	4,119	3,992	4,689	4,552	2,069	2,175
Other States ²	11,837	11,813	20,581	20,646	1,953	1,971
United States	277,922	277,539	340,486	339,287	2,037	2,065

⁽NA) Not available.

Included in Other States in 2011.

Includes data for States not listed in this table.

Egg Production by Type - States and United States: January 2010 and 2011

[Totals may not add due to rounding. Data by type of flock not shown for some States to avoid disclosing individual operations, data included in United States totals]

State	Total pro	duction	Table	eggs	Hatchir	ng eggs
State	2010	2011	2010	2011	2010	2011
	(million eggs)					
Alabama	182	183	27	30	155	153
Arkansas	243	246	78	83	165	163
California	448	449	(D)	(D)	(D)	(D)
Colorado	90	88	(D)	(D)	(D)	(D)
Connecticut	60	54	(D)	(D)	(D)	(D)
Florida	227	233	222	227	5	6
Georgia	383	376	215	208	168	168
Hawaii ¹	5.5	(NA)	5.5	(NA)	-	(NA)
Illinois	111	115	108	112	3	3
Indiana	551	555	538	542	13	13
lowa	1,231	1,235	1,217	1,223	14	12
Maine	86	85	(D)	(D)	(D)	(D)
Maryland	53	50	52	49	1	1
Michigan	242	246	(D)	(D)	(D)	(D)
Minnesota	242	241	233	233	9	8
Mississippi	122	120	35	35	87	85
Missouri	163	171	(D)	(D)	(D)	(D)
Nebraska	231	231	231	231	=	-
New York	98	106	(D)	(D)	(D)	(D)
North Carolina	277	272	144	138	133	134
Ohio	627	657	(D)	(D)	(D)	(D)
Oregon	59	57	57	55	2	2
Pennsylvania	586	622	565	601	21	21
South Carolina	94	96	72	74	22	22
South Dakota	59	57	59	57	-	-
Texas	412	423	(D)	(D)	(D)	(D)
Utah	77	75	77	75	-	-
Virginia	58	59	27	27	31	32
Washington	147	158	(D)	(D)	(D)	(D)
Wisconsin	113	111	(D)	(D)	(D)	(D)
Other States ²	446	450	309	312	137	139
United States	7,724	7,821	6,637	6,739	1,087	1,083

⁻ Represents zero.

⁽D) Withheld to avoid disclosing data for individual operations.

⁽NA) Not available.

Included in Other States in 2011.
Includes data for States not listed in this table.

Egg Production by Type – States and United States: February 2010 and 2011

[Totals may not add due to rounding. Data by type of flock not shown for some States to avoid disclosing individual operations, data included in United States totals]

Ctoto	Total pro	duction	Table	eggs	Hatching eggs	
State	2010	2011	2010	2011	2010	2011
	(million eggs)					
Alabama	160	165	24	26	136	139
Arkansas	220	221	72	73	148	148
California	410	396	(D)	(D)	(D)	(D)
Colorado	80	78	(D)	(D)	(D)	(D)
Connecticut	53	47	(D)	(D)	(D)	(D)
Florida	201	203	197	199	4	4
Georgia	348	336	194	190	154	146
Hawaii ¹	5.2	(NA)	5.2	(NA)	-	(NA)
Illinois	98	101	95	98	3	3
Indiana	498	505	485	493	13	12
lowa	1,096	1,107	1,083	1,094	13	13
Maine	79	76	(D)	(D)	(D)	(D)
Maryland	49	45	48	44	1	1
Michigan	222	229	(D)	(D)	(D)	(D)
Minnesota	220	210	212	203	` <u>é</u>	7
Mississippi	111	108	32	32	79	76
Missouri	148	154	(D)	(D)	(D)	(D)
Nebraska	205	210	205	210	. ,	-
New York	89	98	(D)	(D)	(D)	(D)
North Carolina	249	249	130	128	119	121
Ohio	562	574	(D)	(D)	(D)	(D)
Oregon	52	53	`51	`51	` í	`ź
Pennsylvania	526	557	507	537	19	20
South Carolina	84	88	64	68	20	20
South Dakota	52	50	52	50	-	-
Texas	367	374	(D)	(D)	(D)	(D)
Utah	67	71	`67	71	-	-
Virginia	53	51	23	22	30	29
Washington	132	143	(D)	(D)	(D)	(D)
Wisconsin	97	99	(D)	(D)	(D)	(D)
Other States ²	402	407	277	283	125	124
United States	6,935	7,005	5,950	6,030	985	974

⁻ Represents zero.

⁽D) Withheld to avoid disclosing data for individual operations.

⁽NA) Not available.

¹ Included in Other States in 2011.
2 Includes data for States not listed in this table.

Forced Molt as Percent of All Layers by Month - United States: 2010-2011

[As of the first of the month. Blank data cells indicate estimation period has not yet begun]

Month	Being	molted	Molt completed		
WOTH	2010	2011	2010	2011	
	(percent)	(percent)	(percent)	(percent)	
January	2.7	2.8	20.8	21.3	
February	3.6	3.6	20.3	20.3	
March	3.2	3.0	21.2	20.2	
April	2.8		21.3		
May	4.2		21.5		
June	3.3		22.7		
July	3.3		22.5		
August			22.6		
September			23.0		
October	4.4		21.7		
November	2.7		22.5		
December	1.8		22.5		

Forced Molt as Percent of All Layers - States and United States: March 1, 2010 and 2011

[As of the first of the month]

Charles	Being mo	olted	Molt completed		
State	2010	2011	2010	2011	
	(percent)	(percent)	(percent)	(percent)	
Alabama	2.0	2.0	6.5	5.0	
Arkansas	-	-	10.0	10.5	
California	4.0	4.0	30.0	28.0	
Colorado	-	2.5	16.0	18.0	
Connecticut	3.5	10.0	13.0	7.5	
Florida	6.0	4.0	36.0	34.5	
Georgia	1.5	1.5	15.5	18.5	
Hawaii ¹	9.5	(NA)	48.5	(NA)	
Illinois	2.0	5.5	23.0	31.0	
Indiana	3.0	3.0	32.5	25.0	
lowa	5.0	5.0	33.0	32.0	
Maine	-	-	-	-	
Maryland	-	2.0	17.0	33.0	
Michigan	2.5	0.5	25.0	17.0	
Minnesota	3.0	5.5	24.0	19.0	
Mississippi	1.0	2.0	9.0	10.5	
Missouri	3.5	4.5	22.0	19.0	
Nebraska	1.0	-	2.0	3.5	
New York	2.0	0.5	9.5	11.5	
North Carolina	0.5	0.5	10.5	17.0	
Ohio	5.5	4.0	16.5	15.5	
Oregon	2.5	2.5	26.5	25.0	
Pennsylvania	3.0	2.0	12.5	9.5	
South Carolina	-	-	17.0	16.5	
South Dakota	6.5	6.5	20.0	30.5	
Texas	1.5	2.5	17.0	19.0	
Utah	5.0	5.0	37.0	36.0	
Virginia	2.5	-	14.5	17.0	
Washington	12.0	4.5	31.0	30.5	
Wisconsin	4.5	4.5	33.0	29.5	
Other States ²	2.5	3.0	16.6	15.0	
United States	3.2	3.0	21.2	20.2	

⁻ Represents zero.
(NA) Not available.

Included in Other States in 2011.

Includes data for States not listed in this table.

Hatchery Production - United States: 2010 and 2011

Item	2010	2011	2011 as percent of 2010
	(1,000)	(1,000)	(percent)
Egg-type Eggs in incubators on March 1 Chicks hatched during February Chicks hatched January through February	38,773	39,975	103
	40,120	37,336	93
	78,914	78,702	100
Pullets hatched during February for intended placements: Hatchery supply flocks Cumulative potential placements 7-18 months earlier 1	296	264	89
	3,296	3,168	96
Broiler-type Eggs in incubators on March 1 Chicks hatched during February Chicks hatched January through February	642,804	642,437	100
	699,776	708,724	101
	1,475,391	1,489,847	101
Pullets hatched during February for intended placements: Hatchery supply flocks Cumulative potential placements 7-15 months earlier ²	6,994	7,107	102
	62,005	63,945	103

¹ 2011 includes pullet chicks hatched August 2009 through July 2010. ² 2011 includes pullet chicks hatched November 2009 through July 2010.

Egg-Type Eggs in Incubators – Regions and United States: March 1, 2010 and 2011

[See regional listing on page 19]

Region	2010 2011		2011 as percent of 2010	
	(1,000)	(1,000)	(percent)	
North Atlantic East North Central West North Central South Atlantic South Central West	5,130 8,034 7,601 4,593 5,128 8,287	4,463 8,346 7,889 5,336 5,473 8,468	87 104 104 116 107 102	
United States	38,773	39,975	103	

Egg-Type Chicks Hatched by Month - United States: 2010-2011

[Blank data cells indicate estimation period has not yet begun]

		By months		Cumulative			
Month	2010	2011	2011 as percent of 2010	2010	2011	2011 as percent of 2010	
	(1,000)	(1,000)	(percent)	(1,000)	(1,000)	(percent)	
January February March April May June July August September October November December	38,794 40,120 45,151 47,503 43,075 42,623 38,053 37,023 40,307 41,263 38,947 37,845	41,366 37,336	107 93	38,794 78,914 124,065 171,568 214,643 257,266 295,319 332,342 372,649 413,912 452,859 490,704	41,366 78,702	107 100	

Intended Placements of Egg-Type Pullet Chicks for Hatchery Supply Flocks by Month – United States: 2010-2011

[Blank data cells indicate estimation period has not yet begun]

Month	Pullet chicks hatched		2011 as percent	Cumulative potential placements relative to current supply flocks 7-18 months earlier ¹		
	2010	2011	of 2010	2010	2011	
	(1,000)	(1,000)	(percent)	(1,000)	(1,000)	
January February March April May June July August September October November December	227 296 260 232 230 318 218 265 251 170 263 263	220 264	97 89	3,198 3,296 3,308 3,318 3,322 3,295 3,405 3,392 3,432 3,415 3,340 3,295	3,292 3,168 3,142 3,173 3,066 3,039 2,993 2,986 2,954	
Total	2,993					

¹ For February 2011, includes breeder pullet chicks hatched August 2009 through July 2010. The 7-18 months represent the first laying cycle. Molting and additional laying cycles will increase the cumulative potential placements.

Broiler-Type Eggs in Incubators - Regions and United States: March 1, 2010 and 2011

[See regional listing on page 19]

Region	2010	2011	2011 as percent of 2010
	(1,000)	(1,000)	(percent)
North Atlantic East North Central West North Central South Atlantic South Central West	11,757 12,032 28,641 235,619 331,445 23,310	12,620 12,097 28,779 239,341 326,142 23,458	107 101 100 102 98 101
United States	642,804	642,437	100

Broiler-Type Chicks Hatched - States and United States: February 2010 and 2011

		During February	/	January-February			
State	2010	2011	2011 as percent of 2010	2010	2011	2011 as percent of 2010	
	(1,000)	(1,000)	(percent)	(1,000)	(1,000)	(percent)	
Alabama Arkansas Delaware Florida Georgia Kentucky Louisiana Maryland Mississippi North Carolina	97,461 79,360 10,370 4,542 103,818 25,618 11,346 28,612 64,536 61,531	101,042 78,596 13,498 4,345 109,647 24,989 11,292 25,155 62,689 65,891	104 99 130 96 106 98 100 88 97	206,588 168,762 22,620 9,189 218,246 54,724 23,790 61,535 134,286 130,428	211,262 165,063 28,663 9,052 231,224 51,116 23,662 52,716 132,983 138,201	102 98 127 99 106 93 99 86 99	
Oklahoma	21,957 11,347 18,317 51,373 20,370 62,359	23,042 13,306 17,864 49,290 19,939 62,866	105 117 98 96 98	47,379 25,322 38,489 107,927 42,838	48,164 27,812 37,784 107,430 41,468	102 110 98 100 97	
19 States ¹	672,917	683,451	102	1,422,896	1,439,998	101	
Other States ²	26,859	25,273	94	52,495	49,849	95	
United States	699,776	708,724	101	1,475,391	1,489,847	101	

Broiler-Type Chicks Hatched by Month - United States: 2010-2011

[Blank data cells indicate estimation period has not yet begun]

	By months			Cumulative			
Month	2010	2011	2011 as percent of 2010	2010	2011	2011 as percent of 2010	
	(1,000)	(1,000)	(percent)	(1,000)	(1,000)	(percent)	
January	775,615 699,776 786,954 767,225 797,833 786,707 800,860 798,529 761,473 766,978 740,661 785,649	781,123 708,724	101 101	775,615 1,475,391 2,262,345 3,029,570 3,827,403 4,614,110 5,414,970 6,213,499 6,974,972 7,741,950 8,482,611 9,268,260	781,123 1,489,847	101 101	

¹ States in the weekly hatchery production estimating program.
² Not published separately to avoid disclosing data for individual operations.

Intended Placements of Broiler-Type Pullet Chicks for Hatchery Supply Flocks by Month and Total: 2010-2011

[Blank data cells indicate estimation period has not yet begun]

Month	Pullet chicks hatched		2011 as percent	Cumulative potential placements relative to current supply flocks 7-15 months earlier ¹		
	2010	2011	of 2010	2010	2011	
	(1,000)	(1,000)	(percent)	(1,000)	(1,000)	
United States placements						
January February March April May June July August September October November December	7,219 6,994 6,610 6,538 8,351 7,585 6,675 7,313 7,128 6,876 7,466 6,771	6,989 7,107	97 102	62,833 62,005 62,142 62,672 61,918 62,049 61,903 62,882 62,218 61,671 61,995 63,183	63,658 63,945 63,912 64,413 64,070 64,542 64,703 65,154 63,910	
Annual total	85,526					
Total placements ²						
January	8,626 8,972 8,910 8,031 10,338 9,666 8,520 9,009 9,087 8,553 9,157 8,596	8,548 8,782	99 98			
Annual total	107,465					

¹ For February 2011, includes breeder pullet chicks hatched November 2009 through July 2010. ² United States production of intended placements worldwide.

Statistical Methodology

Survey Procedures: Primary data for the *Chickens and Eggs* report are from weekly and/or monthly questionnaires sent to producers. An attempt is made to collect information for layer and egg estimates from each known contractor and independent producer who has at least 30,000 table egg layers, flocks of hatchery supply layers, or pullet only operations with at least 500 pullets. Coverage for operations with less than 30,000 table egg layers are estimated each month based on data reported in December. Approximately 650 contractors, independent egg producers, and pullet only operations are contacted each month. All known hatcheries, approximately 300, are contacted for information on a weekly and/or monthly basis.

Estimating Procedures: Sound statistical methodology is employed to derive estimates from the reported data. All data are analyzed for unusual values. Data from each operation are compared to their own past operating profile and to trends from similar operations. Data for missing operations are estimated based on similar operations or historical data. NASS field offices prepare these estimates by using a combination of survey indications and historic trends. Individual State estimates are reviewed by the Agricultural Statistics Board for reasonableness. Individual hatchery data are summed to State, regional, and United States totals.

For chicken hatcheries, chicks hatched consist of all chicks of domesticated breeds including males and chicks destined for hatchery supply flocks and research purposes. Eggs set are eggs in incubators for the purpose of hatching. The relationship of egg-type chicks hatched to chicken inventory and poultry marketings are carefully monitored. The disposition of egg-type chicks hatched prior to placement into the laying flock can vary significantly, which can make comparisons to changes in layer inventory inconsistent over time. Broiler chicks placed are specifically placed on feed for meat production. Intended placement data reported by leading breeders include pullet chicks expected from eggs sold the preceding month. The breeders in this report account for a large percentage of replacement pullets for hatchery supply flocks. Production of replacement pullets by these breeders indicates the number of pullets available to hatchery supply layer flocks several months before the pullets will actually move into the laying flocks. "Hatchery Supply Flocks" include all generations of layers which could lay eggs to supply a hatchery. This includes the generations of parents, grandparents, great-grandparents, pedigree, etc. Also included are research flocks, vaccine flocks, and specific pathogen-free flocks. The broiler cumulative potential placements are a moving total of the intended placements 7-15 months earlier. The egg-type cumulative potential placements of 7-18 months earlier represent the first laying cycle. Molting and additional laying cycles will increase the cumulative potential placements of egg-type hatching flocks.

Revision Policy: The previous month's estimates are subject to revision if late reports or corrected data indicates a different level. Additionally, revisions after the monthly report will be made at the end of the marketing year and published in the annual reports of *Chickens and Eggs Summary* and *Hatchery Production Summary*. Estimates will also be reviewed for chickens and eggs after data from the 5-year Census of Agriculture are available. No revisions will be made after that date.

Reliability: Estimates are based on a census of all known contractors and independent producers who have at least 30,000 table egg layers, flocks of hatchery supply layers, pullet only operations with at least 500 pullets, or operating hatcheries and therefore, have no sampling error. However, estimates are subject to errors such as omission, duplication, and mistakes in reporting, recording, and processing the data. While these errors cannot be measured directly, they are minimized through strict quality controls in the data collection process and a careful review of all reported data for consistency and reasonableness.

To assist in evaluating the reliability of the estimates in this report, the "Root Mean Square Error" is shown for selected items in the following table. The "Root Mean Square Error" is a statistical measure based on past performance and is computed using the differences between first and final estimates. The "Root Mean Square Error" for all layers over the past 24 months is 0.4 percent. This means that chances are 2 out of 3 that the final estimate will not be above or below the current estimate of 339 million layers by more than 0.4 percent. Chances are 9 out of 10 that the difference will not exceed 0.6 percent.

Reliability of Layer and Egg Estimates

[Based on data for the past twenty-four months]

Item	_	90 percent confidence level	Difference between first and latest estimate				
	Root mean square error		Averege	Cmallast	Lorgoot	Mor	Months
	Square error		Average	Smallest	Largest	Below latest	Above latest
	(percent)	(percent)	(1,000)	(1,000)	(1,000)	(number)	(number)
All layers	0.4	0.6	1,127	316	2,021	23	1
			(million)	(million)	(million)		
Eggs	0.3	0.6	25	7	45	23	1

Regional Listing

North Atlantic: Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania,

Rhode Island, Vermont.

East North Central: Illinois, Indiana, Michigan, Ohio, Wisconsin.

West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota.

South Atlantic: Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia.

South Central: Alabama, Arkansas, Kentucky, Louisiana, Mississippi, Oklahoma, Tennessee, Texas.

Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, New Mexico, Nevada, Oregon, West:

Utah, Washington, Wyoming.

Terms and Definitions of Chickens and Eggs Estimates

All Layers includes both table egg and hatching egg flocks regardless of size.

Intended Placements are reported by leading breeders. Coverage may not be 100 percent. Includes expected pullet chicks from eggs sold during the preceding month at the rate of 125 pullet chicks per case of 30 dozen eggs.

Information Contacts

Listed below are the commodity specialists in the Livestock Branch of the National Agricultural Statistics Service to contact for additional information. E-mail inquiries may be sent to nass@nass.usda.gov

Dan Kerestes, Chief, Livestock Branch	(202) 720-3570
Bruce Boess, Head, Poultry and Specialty Commodities Section	(202) 720-4447
Doug Bounds – Poultry Slaughter, Turkey Hatchery, Turkeys Raised	(202) 720-3106
David Colwell – Cold Storage	(202) 720-8784
Chris Hawthorn – Catfish Processing, Catfish Production, Trout Production,	
Census of Aquaculture, Egg Products, Mink	(202) 720-0585
Kim Linonis – Layers, Eggs	(202) 690-8632
Troy Marshall – Broiler Hatchery, Chicken Hatchery, Honey	

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: http://www.nass.usda.gov
- ➤ Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit http://www.nass.usda.gov and in the "Receive NASS Updates" box under "Receive reports by Email," click on "National" or "State" to select the reports you would like to receive.
- ➤ Printed reports may be purchased from the National Technical Information Service (NTIS) by calling toll-free (800) 999-6779, or (703) 605-6220 if calling from outside the United States or Canada. Accepted methods of payment are Visa, MasterCard, check, or money order.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, political beliefs, genetic information, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Assistant Secretary for Civil Rights, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, S.W., Stop 9410, Washington, DC 20250-9410, or call toll-free at (866) 632-9992 (English) or (800) 877-8339 (TDD) or (866) 377-8642 (English Federal-relay) or (800) 845-6136 (Spanish Federal-relay). USDA is an equal opportunity provider and employer.