



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
Color										
11 & 21	1 - 2	-	4	137	1,610	8,770	37,561	113,472	252,861	414,415
	3	-	-	11	199	1,259	5,430	17,171	46,576	70,646
	4	-	-	-	2	37	256	878	3,628	4,801
	5	-	-	-	-	1	7	18	114	140
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	4	148	1,811	10,067	43,254	131,539	303,179	490,002
31	1 - 2	-	-	3	275	1,380	4,504	9,864	20,214	36,240
	3	-	-	13	250	1,292	5,056	14,569	43,242	64,422
	4	-	-	1	39	360	1,534	5,332	16,961	24,227
	5	-	-	1	2	48	234	1,001	3,213	4,499
	6	-	-	-	-	-	22	136	473	631
	7	-	-	-	-	1	2	9	51	63
	8	-	-	-	-	-	-	-	4	4
TOTAL		-	-	18	566	3,081	11,352	30,911	84,158	130,086
41	1 - 2	-	-	1	11	27	169	964	4,657	5,829
	3	-	-	-	15	139	835	4,567	26,740	32,296
	4	-	-	1	9	103	713	3,141	16,114	20,081
	5	-	-	2	26	57	256	1,072	4,056	5,469
	6	-	-	1	5	9	74	497	1,523	2,109
	7	-	-	-	-	4	48	236	872	1,160
	8	-	-	-	-	3	11	74	347	435
TOTAL		-	-	5	66	342	2,106	10,551	54,309	67,379
51	1 - 2	-	-	-	1	6	45	121	260	433
	3	-	-	-	1	26	209	551	2,167	2,954
	4	-	-	-	-	9	64	429	2,300	2,802
	5	-	-	-	-	3	16	112	802	933
	6	-	-	-	-	-	5	35	173	213
	7	-	-	-	-	-	1	51	134	186
	8	-	-	-	-	-	1	81	448	530
TOTAL		-	-	-	2	44	341	1,380	6,284	8,051
61	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	7	13	20
	4	-	-	-	-	-	-	8	53	61
	5	-	-	-	-	-	-	7	28	35
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	1	5	6
TOTAL		-	-	-	-	-	-	23	101	124
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	10	52	377	1,906	8,078	25,473	43,075	78,971
	3	-	-	3	36	453	1,752	5,278	12,571	20,093
	4	-	-	-	1	15	104	523	1,899	2,542
	5	-	-	-	-	1	2	56	256	315
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	10	55	414	2,375	9,936	31,330	57,802	101,922
32	1 - 2	-	-	5	34	349	1,071	2,972	5,523	9,954
	3	-	-	7	81	490	1,391	4,790	13,431	20,190
	4	-	1	10	57	139	529	2,070	7,188	9,994
	5	-	-	-	3	17	146	538	2,320	3,024
	6	-	-	-	-	1	30	73	392	496
	7	-	-	-	-	2	6	4	41	53
	8	-	-	-	-	-	-	-	5	5
TOTAL		-	1	22	175	998	3,173	10,447	28,900	43,716
42	1 - 2	-	-	-	6	89	222	519	1,130	1,966
	3	-	-	-	49	322	899	2,647	9,183	13,100
	4	-	-	1	33	325	1,179	3,367	9,447	14,352
	5	-	-	-	13	61	457	1,235	3,367	5,133
	6	-	-	1	-	14	141	337	818	1,311
	7	-	-	-	2	9	38	106	221	376
	8	-	-	-	-	1	7	28	140	176
TOTAL		-	-	2	103	821	2,943	8,239	24,306	36,414
52	1 - 2	-	-	-	14	65	131	132	476	818
	3	-	-	-	16	164	398	1,406	3,290	5,274
	4	-	-	-	8	106	339	1,365	4,364	6,182
	5	-	-	-	2	41	212	639	2,151	3,045
	6	-	-	-	1	4	36	187	671	899
	7	-	-	-	-	1	9	44	137	191
	8	-	-	-	-	-	1	42	104	147
TOTAL		-	-	-	41	381	1,126	3,815	11,193	16,556

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	-	2	26	21	49
	4	-	-	-	-	-	2	51	115	168
	5	-	-	-	-	1	4	16	86	107
	6	-	-	-	-	2	7	7	32	48
	7	-	-	-	-	4	4	3	3	14
	8	-	-	-	-	-	2	6	2	10
TOTAL		-	-	-	-	7	21	110	260	398
13 & 23	1 - 2	-	-	11	37	384	2,920	8,101	13,525	24,978
	3	-	-	4	2	83	323	1,343	3,838	5,593
	4	-	-	-	-	5	32	155	477	669
	5	-	-	-	-	-	-	13	48	61
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	15	39	472	3,275	9,613	17,893	31,307
33	1 - 2	-	1	-	-	42	445	1,898	4,321	6,707
	3	-	-	-	2	62	385	1,747	6,267	8,463
	4	-	-	-	-	25	161	654	3,151	3,991
	5	-	-	-	-	3	40	170	864	1,077
	6	-	-	-	-	-	5	22	171	198
	7	-	-	-	-	-	-	2	33	35
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	1	-	2	132	1,036	4,493	14,808	20,472
43	1 - 2	-	-	-	2	5	19	83	201	310
	3	-	-	1	17	180	573	1,306	1,873	3,950
	4	-	-	1	7	161	691	2,454	3,855	7,169
	5	-	-	-	5	39	246	1,286	2,357	3,933
	6	-	-	-	-	1	33	239	653	926
	7	-	-	-	-	6	9	47	175	237
	8	-	-	-	-	6	14	19	98	137
TOTAL		-	-	2	31	398	1,585	5,434	9,212	16,662
53	1 - 2	-	-	-	16	29	29	63	60	197
	3	-	-	3	92	253	315	1,087	1,373	3,123
	4	-	-	3	50	137	636	1,774	2,812	5,412
	5	-	-	-	9	75	771	1,443	2,033	4,331
	6	-	-	-	2	23	479	970	1,100	2,574
	7	-	-	-	-	3	78	308	321	710
	8	-	-	-	-	-	3	36	200	239
TOTAL		-	-	6	169	520	2,311	5,681	7,899	16,586
63	1 - 2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	-	1	18	26	45
	4	-	-	-	-	3	7	80	123	213
	5	-	-	-	-	-	4	61	151	216
	6	-	-	-	-	1	2	16	66	85
	7	-	-	-	-	-	3	2	11	16
	8	-	-	-	-	-	1	1	11	13
TOTAL		-	-	-	-	4	18	179	389	590
24 - 54	1 - 8	-	-	5	56	354	1,908	4,761	10,625	17,709
25 - 35	1 - 8	-	-	1	6	23	180	89	101	400
81 - 85	1 - 8	-	-	1	10	16	50	277	577	931
TOTAL ALL		-	16	280	3,491	20,035	84,615	258,872	631,996	999,305

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple								
		35	36	37	38	39	40 &+	35 to 40+	Total	
Color										
11 & 21	1 - 2	401,666	505,020	652,540	345,001	164,341	47,476	2,116,044	2,530,459	
	3	91,324	143,856	211,954	123,887	63,461	26,063	660,545	731,191	
	4	8,141	14,371	21,034	9,926	4,321	2,025	59,818	64,619	
	5	315	597	827	269	67	21	2,096	2,236	
	6	7	12	20	5	1	-	45	45	
	7	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	
TOTAL		501,453	663,856	886,375	479,088	232,191	75,585	2,838,548	3,328,550	
31	1 - 2	49,900	99,953	173,968	97,872	53,047	11,669	486,409	522,649	
	3	127,867	303,212	624,168	451,611	323,385	126,428	1,956,671	2,021,093	
	4	45,851	110,425	217,552	187,843	164,187	97,774	823,632	847,859	
	5	8,100	15,620	26,513	16,909	13,613	9,125	89,880	94,379	
	6	1,259	2,657	3,504	1,121	430	235	9,206	9,837	
	7	131	346	407	84	19	4	991	1,054	
	8	4	22	15	-	-	-	41	45	
TOTAL		233,112	532,235	1,046,127	755,440	554,681	245,235	3,366,830	3,496,916	
41	1 - 2	15,311	29,106	46,082	22,066	12,016	2,453	127,034	132,863	
	3	110,824	280,280	669,662	459,855	331,108	123,676	1,975,405	2,007,701	
	4	72,728	212,378	642,599	639,976	519,754	305,969	2,393,404	2,413,485	
	5	14,804	37,432	114,741	151,219	135,526	97,149	550,871	556,340	
	6	4,059	8,034	12,891	11,119	8,890	6,761	51,754	53,863	
	7	1,913	3,971	4,273	1,129	439	263	11,988	13,148	
	8	816	2,129	2,218	322	99	51	5,635	6,070	
TOTAL		220,455	573,330	1,492,466	1,285,686	1,007,832	536,322	5,116,091	5,183,470	
51	1 - 2	489	588	683	190	66	8	2,024	2,457	
	3	5,310	10,643	19,221	9,100	4,349	1,687	50,310	53,264	
	4	8,899	22,044	52,982	39,297	17,971	7,805	148,998	151,800	
	5	3,464	8,830	24,221	26,564	14,797	6,788	84,664	85,597	
	6	686	1,543	3,751	4,472	3,148	1,543	15,143	15,356	
	7	435	407	516	497	312	137	2,304	2,490	
	8	1,064	1,119	855	106	30	9	3,183	3,713	
TOTAL		20,347	45,174	102,229	80,226	40,673	17,977	306,626	314,677	
61	1 - 2	-	1	-	-	-	-	1	1	
	3	11	26	16	8	2	-	63	83	
	4	72	93	82	54	4	2	307	368	
	5	45	90	92	50	5	1	283	318	
	6	11	36	53	20	3	2	125	127	
	7	2	7	4	5	2	1	21	21	
	8	2	1	-	1	-	-	4	10	
TOTAL		143	254	247	138	16	6	804	928	
71	1 - 2	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	
	4	-	-	1	-	-	-	1	1	
	5	-	2	-	-	-	-	2	2	
	6	1	-	-	-	-	-	1	1	
	7	-	-	-	-	-	-	-	-	
	8	-	-	1	-	-	-	1	1	
TOTAL		1	2	2	-	-	-	5	5	
12 & 22	1 - 2	41,772	32,566	22,117	6,283	1,844	365	104,947	183,918	
	3	18,063	19,520	16,206	5,698	1,755	490	61,732	81,825	
	4	2,483	2,969	2,614	901	394	98	9,459	12,001	
	5	160	188	263	54	43	19	727	1,042	
	6	-	3	16	-	6	1	26	27	
	7	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	
TOTAL		62,478	55,246	41,216	12,936	4,042	973	176,891	278,813	
32	1 - 2	7,431	5,948	4,937	1,547	729	114	20,706	30,660	
	3	25,243	25,121	23,028	9,811	4,200	1,463	88,866	109,056	
	4	15,008	17,389	15,608	7,219	3,738	1,924	60,886	70,880	
	5	3,638	4,922	3,987	1,505	1,053	479	15,584	18,608	
	6	623	823	660	260	164	63	2,593	3,089	
	7	50	100	99	28	9	5	291	344	
	8	4	7	8	2	-	-	21	26	
TOTAL		51,997	54,310	48,327	20,372	9,893	4,048	188,947	232,663	
42	1 - 2	1,983	1,904	1,393	229	68	14	5,591	7,557	
	3	23,823	31,498	31,676	9,963	3,368	917	101,245	114,345	
	4	25,355	42,078	54,092	23,882	10,552	4,524	160,483	174,835	
	5	7,324	12,312	17,981	10,102	5,305	3,024	56,048	61,181	
	6	1,805	2,591	2,905	2,145	1,170	490	11,106	12,417	
	7	482	860	609	362	232	155	2,700	3,076	
	8	266	384	290	98	53	62	1,153	1,329	
TOTAL		61,038	91,627	108,946	46,781	20,748	9,186	338,326	374,740	
52	1 - 2	370	322	129	8	-	1	830	1,648	
	3	4,987	6,805	4,631	959	303	54	17,739	23,013	
	4	10,136	15,783	15,214	5,823	1,925	434	49,315	55,497	
	5	4,947	8,964	11,453	5,591	2,284	473	33,712	36,757	
	6	1,149	1,904	3,286	2,126	1,017	306	9,788	10,687	
	7	234	347	693	474	238	198	2,184	2,375	
	8	409	501	598	92	6	2	1,608	1,755	
TOTAL		22,232	34,626	36,004	15,073	5,773	1,468	115,176	131,732	

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple							Total
		35	36	37	38	39	40 &+	35 to 40+	
62	1 - 2	-	-	-	-	-	-	-	2
	3	26	26	36	11	2	1	102	151
	4	167	290	374	84	4	2	921	1,089
	5	192	298	446	97	22	3	1,058	1,165
	6	93	122	211	109	39	4	578	626
	7	19	23	20	18	18	3	101	115
	8	8	8	8	2	-	-	26	36
TOTAL		505	767	1,095	321	85	13	2,786	3,184
13 & 23	1 - 2	10,587	6,916	3,899	741	230	94	22,467	47,445
	3	4,989	4,520	3,034	669	229	139	13,580	19,173
	4	783	762	543	105	31	32	2,256	2,925
	5	42	31	43	3	2	-	121	182
	6	2	-	1	1	-	-	4	10
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		16,403	12,229	7,520	1,519	492	265	38,428	69,735
33	1 - 2	4,626	3,428	1,841	490	134	50	10,569	17,276
	3	8,648	7,216	5,839	2,108	789	401	25,001	33,464
	4	7,073	5,911	4,259	2,051	753	418	20,465	24,456
	5	2,380	2,339	1,339	537	248	112	6,955	8,032
	6	460	382	236	71	31	9	1,189	1,387
	7	87	53	17	4	4	-	165	200
	8	3	5	-	-	-	-	8	9
TOTAL		23,277	19,334	13,531	5,261	1,959	990	64,352	84,824
43	1 - 2	287	236	156	31	9	1	720	1,030
	3	2,471	2,463	2,600	840	327	104	8,805	12,755
	4	5,136	4,644	4,909	2,280	1,042	549	18,560	25,729
	5	3,666	3,494	2,545	1,101	590	300	11,696	15,629
	6	1,163	1,317	801	290	134	62	3,767	4,693
	7	389	356	260	93	22	10	1,130	1,367
	8	154	90	152	33	10	18	457	594
TOTAL		13,266	12,600	11,423	4,668	2,134	1,044	45,135	61,797
53	1 - 2	48	34	14	-	-	-	96	293
	3	1,021	847	401	75	38	5	2,387	5,510
	4	2,728	2,082	1,479	374	147	22	6,832	12,244
	5	2,244	1,563	1,391	460	179	55	5,892	10,223
	6	639	560	513	207	87	21	2,027	4,601
	7	136	129	119	71	19	9	483	1,193
	8	107	108	496	30	10	10	761	1,000
TOTAL		6,923	5,323	4,413	1,217	480	122	18,478	35,064
63	1 - 2	1	2	-	-	-	-	3	5
	3	34	21	21	2	-	-	78	123
	4	162	84	142	12	2	2	404	617
	5	149	99	134	27	5	-	414	630
	6	98	62	67	22	-	1	250	335
	7	17	18	3	4	1	-	43	59
	8	8	6	3	-	-	1	18	31
TOTAL		469	292	370	67	8	4	1,210	1,800
24 - 54	1 - 8	14,395	8,185	3,538	1,045	263	71	27,497	45,206
25 - 35	1 - 8	117	81	48	7	-	-	253	653
81 - 85	1 - 8	743	379	59	24	7	2	1,214	2,145
TOTAL ALL		1,249,354	2,109,850	3,803,936	2,709,869	1,881,277	893,311	12,647,597	13,646,902

EXTRANEIOUS MATTER	
Bark - Level 1	532,659
Bark - Level 2	16
Grass - Level 1	11,417
Grass - Level 2	13
Prep - Level 1	1,033
Prep - Level 2	12
Seed Coat - Level 1	1,102,353
Seed Coat - Level 2	2
Oil - Level 1	157
Oil - Level 2	1
Spindle Twist - Level 1	5
Spindle Twist - Level 2	-
Other - Level 1	291
Other - Level 2	3
Plastic - Level 1	4,032
Plastic - Level 2	2

Average Staple	37.09
Percent Tenderable	74.8
SAMPLES CLASSED	13,646,902

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	*	*	*	0.1	0.3	0.8	1.9	2.9	3.7	4.8	2.5	1.2	0.3	18.5
	3	-	-	*	*	*	*	0.1	0.3	0.7	1.1	1.6	0.9	0.5	0.2	5.4
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	0.1	0.3	1.0	2.2	3.7	4.9	6.5	3.5	1.7	0.6
31	1-2	-	-	*	*	*	*	0.1	0.1	0.4	0.7	1.3	0.7	0.4	0.1	3.8
	3	-	-	*	*	*	*	0.1	0.3	0.9	2.2	4.6	3.3	2.4	0.9	14.8
	4	-	-	*	*	*	*	*	0.1	0.3	0.8	1.6	1.4	1.2	0.7	6.2
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	*	*	*	0.1	0.2	0.6	1.7	3.9	7.7	5.5	4.1	1.8
41	1-2	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	3	-	-	-	*	*	*	*	0.2	0.8	2.1	4.9	3.4	2.4	0.9	14.7
	4	-	-	*	*	*	*	*	0.1	0.5	1.6	4.7	4.7	3.8	2.2	17.7
	5	-	-	*	*	*	*	*	*	0.1	0.3	0.8	1.1	1.0	0.7	4.1
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.1	0.4	1.6	4.2	10.9	9.4	7.4	3.9
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	0.1	1.1
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	*	0.1	0.3	0.7	0.6	0.3	0.1	2.3
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-
12 & 22	1-2	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.3
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.3	0.1	*	*
32	1-2	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	*	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.1	0.1	*
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.3
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.1	0.2	0.4	0.7	0.8	0.3	0.2	0.1
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
33	1 - 2	-	*	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL		-	*	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
63	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
25 - 35	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
81 - 85	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	*	*	*	0.1	0.6	1.9	4.6	9.2	15.5	27.9	19.9	13.8	6.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.9
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	8.1
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	*
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	37.09
Percent Tenderable	74.8
SAMPLES CLASSED	13,646,902

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*
31	1-2	-	-	-	-	-	*	*	*	0.2	0.5	1.0	0.6	0.3	*	2.6
	3	-	-	-	-	*	*	*	0.1	0.6	1.9	5.3	4.4	2.9	0.7	15.8
	4	-	-	-	-	-	*	*	*	0.2	0.6	2.0	2.5	1.8	0.6	7.8
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	0.1	0.9	3.0	8.3	7.8	5.2	1.4
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.3	0.7	0.2	0.1	*	1.6
	3	-	-	-	-	-	*	*	0.2	1.3	3.6	8.5	5.5	2.4	0.3	22.0
	4	-	-	-	-	-	*	*	0.2	1.1	3.4	8.8	8.2	4.3	0.8	26.9
	5	-	-	-	-	*	*	*	*	0.3	0.6	1.7	2.0	1.4	0.4	6.5
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	*	*	0.1	0.6	2.8	8.1	19.8	16.1	8.4	1.6
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.8	0.5	0.1	*	2.0
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.5	0.4	0.1	*	1.4
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.7	1.7	1.2	0.3	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	-	-	*	*	-	*	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.3	0.1	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	1.7
	4	-	-	-	-	-	*	*	0.1	0.4	0.9	1.1	0.4	0.1	*	3.0
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.2	0.9	1.8	2.0	0.7	0.3	0.1
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	*	0.2	0.5	0.6	0.6	0.3	0.1	*

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
53	1 - 2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
63	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	-	-	-	*	*	0.3	1.4	6.0	14.8	33.4	26.5	14.4	3.1	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.8
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	25.2
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.33
Percent Tenderable	62.8
SAMPLES CLASSED	697,193

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	*	*	0.2	1.5	7.0	13.8	24.3	18.4	8.0	1.9	75.2
	3	-	-	-	-	-	-	*	*	0.3	0.6	1.2	1.2	0.8	0.3	4.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.2	1.5	7.2	14.5	25.6	19.7	8.7	2.2
31	1-2	-	-	-	-	*	*	0.1	0.3	1.0	2.0	2.5	1.0	0.6	0.1	7.5
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	1.8	1.3	0.9	0.5	5.9
	4	-	-	-	-	-	-	*	*	*	0.1	0.5	0.4	0.3	0.2	1.6
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.4	1.4	3.0	4.8	2.8	1.8	0.9
41	1-2	-	-	-	-	-	*	-	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	0.1	*	0.4
	5	-	-	-	-	*	-	*	*	*	*	0.1	0.1	*	0.1	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.3	0.5	0.2	0.1	0.1
51	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	1.1	0.9	0.2	0.1	*	2.6
	3	-	-	-	-	-	-	*	*	*	0.2	0.3	*	*	*	0.5
	4	-	-	-	-	-	-	*	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	0.2	1.3	1.2	0.3	0.1	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	0.1	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.4	2.0	9.0	19.1	32.2	23.1	10.9	3.2	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	2.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.3
Plastic - Level 2	-

Average Staple	37.10
Percent Tenderable	83.4
SAMPLES CLASSED	294,616

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	*	-	*	*	*	0.1	0.1	*	0.2
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.3
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1
31	1-2	-	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.5	0.1	1.6
	3	-	-	-	-	-	-	*	*	0.1	0.6	3.2	2.8	4.1	2.5	13.4
	4	-	-	-	-	-	-	-	*	*	0.2	1.2	1.3	1.9	2.0	6.6
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.9	4.9	4.6	6.6	4.8
41	1-2	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	0.6
	3	-	-	-	-	-	*	*	*	0.2	0.9	5.6	5.1	6.9	3.0	21.8
	4	-	-	-	-	-	-	*	*	0.1	0.7	8.4	9.7	11.0	9.9	39.7
	5	-	-	-	-	-	-	-	*	*	0.1	1.7	2.8	2.6	3.0	10.1
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	0.3	1.8	16.0	17.8	20.8	16.1
51	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.8	0.6	0.3	0.2	2.0
	5	-	-	-	-	-	-	-	-	*	*	0.3	0.5	0.2	0.2	1.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	1.3	1.2	0.6	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.2	0.1
52	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	*	0.4	2.8	22.5	24.1	28.4	21.7	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.45
Percent Tenderable	95.0
SAMPLES CLASSED	1,260,101

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	*	*	0.7	3.1	9.3	12.7	14.3	7.4	0.6	48.2
	3	-	-	-	-	-	-	*	*	0.3	1.5	2.4	2.2	2.3	0.3	9.1
	4	-	-	-	-	-	*	-	-	*	*	0.2	0.1	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.8	3.4	10.8	15.3	16.7	9.8	0.9	57.7
31	1-2	-	-	-	-	-	-	*	0.1	0.6	1.8	7.4	6.9	3.8	0.7	21.3
	3	-	-	-	-	-	*	*	*	0.2	0.5	2.4	4.0	5.2	2.2	14.6
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.5	0.5	0.6	0.3	2.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.8	2.6	10.3	11.5	9.7	3.2	38.3
41	1-2	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	0.8
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.8	0.4	0.1	2.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
32	1-2	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	0.2
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	*	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	*	*	*	0.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	-	*	*

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	*	*	-	*	*
	7	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	1.0	4.5	14.0	26.6	29.3	20.1	4.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.9
Bark - Level 2	-
Grass - Level 1	0.4
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.56
Percent Tenderable	92.7
SAMPLES CLASSED	135,957

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-
31	1-2	-	-	-	-	-	-	-	*	0.1	0.2	0.6	0.3	*	*	-	1.3
	3	-	-	-	-	-	-	-	0.2	0.8	1.6	4.1	3.7	1.3	0.1	-	11.7
	4	-	-	-	-	-	-	-	*	0.2	0.5	1.4	2.1	1.0	*	-	5.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	0.2	1.1	2.3	6.2	6.2	2.4	0.1	-
41	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	-	-	*	0.1	0.7	1.8	4.6	6.1	2.0	0.2	-	15.6
	4	-	-	-	-	*	*	*	0.1	0.6	2.1	7.1	16.5	7.8	0.7	-	35.0
	5	-	-	-	-	-	-	-	*	0.1	0.4	1.7	4.9	3.2	0.3	-	10.5
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	*	-	0.9
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	0.3	1.5	4.4	13.7	28.0	13.4	1.1	-
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	0.1	0.2	0.6	0.2	*	-	-	1.2
	4	-	-	-	-	-	-	*	0.1	0.2	0.5	2.0	1.8	0.4	*	-	5.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.8	1.2	0.4	*	-	2.7
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	0.5
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	-	0.1	0.2	0.5	0.9	3.5	3.5	0.9	0.1	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.3
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	1.0
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.5	0.6	0.3	*	-	1.8
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	0.5
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.6	0.9	1.0	0.6	*	-
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.7	0.6	0.2	*	-	2.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	*	-	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.2	0.4	0.5	1.2	1.1	0.4	*	-

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	-	*	-
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-
43	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*
53	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	*	0.1	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.2	1.1	3.8	9.0	26.2	40.3	18.0	1.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	54.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.59
Percent Tenderable	40.4
SAMPLES CLASSED	88,940

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*
31	1-2	-	-	-	-	-	*	*	0.1	0.3	0.6	1.0	0.4	0.1	*	2.5
	3	-	-	-	-	*	*	*	0.3	1.1	2.6	6.1	3.9	1.5	0.2	15.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.6	1.8	1.8	1.1	0.2	5.7
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.5	1.6	3.8	9.0	6.2	2.7	0.5
41	1-2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.4
	3	-	-	-	-	*	*	0.1	0.7	2.6	5.2	9.3	4.9	1.6	0.2	24.5
	4	-	-	-	-	*	*	*	0.3	1.5	3.9	9.1	7.6	3.7	0.6	26.8
	5	-	-	-	-	-	*	*	*	0.2	0.5	1.5	1.8	1.2	0.3	5.5
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	0.2	1.2	4.6	10.1	20.4	14.6	6.6	1.0
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.5	0.9	0.6	0.2	*	2.5
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.4	0.2	*	1.5
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.5	1.0	1.8	1.2	0.5	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	0.2	0.4	0.6	0.6	0.1	*	*	2.0
	4	-	-	-	-	*	*	*	0.1	0.4	0.8	1.1	0.4	0.1	*	3.1
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.1	0.3	1.0	1.7	2.0	0.7	0.2	*
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	*	*	1.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.4	0.7	0.9	0.4	0.1	*

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	-	-	*	*	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL ALL		-	-	-	-	*	*	0.4	2.4	8.6	18.0	35.0	23.5	10.3	1.7	100.0	

EXTRANEIOUS MATTER	
Bark - Level 1	0.6
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	40.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.05
Percent Tenderable	52.2
SAMPLES CLASSED	2,143,225

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	*	0.2	0.9	3.2	4.5	2.8	0.8	0.1	*	*	12.4
	3	-	-	-	*	*	*	0.3	1.9	3.8	2.7	0.7	0.1	*	*	9.5
	4	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	*	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	*	0.2	1.2	5.2	8.7	5.8	1.6	0.2	*	*
31	1-2	-	-	-	-	*	*	0.1	0.6	0.8	0.6	0.3	0.1	*	*	2.5
	3	-	-	-	*	*	0.1	0.5	2.6	5.0	4.3	2.0	0.5	*	*	15.0
	4	-	-	-	-	*	*	0.2	1.1	3.7	3.9	1.7	0.1	*	*	10.8
	5	-	-	-	-	-	*	*	0.1	0.5	0.9	0.5	*	*	-	2.1
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	*	0.2	0.8	4.4	10.1	9.9	4.5	0.7	*	*
41	1-2	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	-	*	*	0.3	0.5	0.4	0.1	*	*	-	1.5
	4	-	-	-	-	-	*	*	0.7	1.9	2.0	0.7	0.1	*	*	5.4
	5	-	-	-	-	-	*	*	0.3	1.4	2.2	1.1	*	*	-	5.1
	6	-	-	-	-	-	*	*	0.1	0.5	0.9	0.5	*	*	-	2.1
	7	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	-	-	-	0.8
	8	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	TOTAL		-	-	-	-	-	*	0.1	1.5	4.7	5.9	2.7	0.1	*	*
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	0.2	0.1	*	-	-	-	0.3
	8	-	-	-	-	-	-	*	0.2	0.4	0.3	0.1	-	-	-	0.9
	TOTAL		-	-	-	-	-	-	*	0.2	0.6	0.5	0.1	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.3	0.6	0.4	0.2	*	*	-
32	1-2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	*	0.1	0.7	1.6	1.0	0.1	*	-	-	3.7
	4	-	-	-	-	-	*	*	0.4	1.5	1.2	0.4	*	*	-	3.5
	5	-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	1.1
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	0.1	0.2	1.3	3.7	2.8	0.8	0.1	*	-
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	-	*	*	0.2	0.6	0.4	0.1	*	-	-	1.4
	5	-	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	-	-	1.2
	6	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	0.5
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	8	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	TOTAL		-	-	-	-	-	*	0.1	0.4	1.3	1.4	0.5	0.1	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	-	0.5
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	-	-	-	0.4
33	1 - 2	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.5	0.9	0.3	0.1	*	*	*	-	1.8
	4	-	-	-	-	-	*	*	0.4	1.3	0.7	0.2	0.1	*	-	-	2.7
	5	-	-	-	-	-	-	*	0.1	0.5	0.4	0.1	*	*	-	-	1.0
	6	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	1.0	2.8	1.5	0.4	0.1	*	*	-	5.9
43	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.2	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	0.4	0.8	0.4	0.1	*	-	-	-	1.6
	5	-	-	-	-	-	*	0.1	0.2	0.8	0.7	0.1	*	-	-	-	2.0
	6	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	7	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
TOTAL		-	-	-	-	*	*	0.1	0.9	2.2	1.6	0.3	*	*	-	-	5.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	*	0.1	*	*	0.2	*	-	-	-	0.4
TOTAL		-	-	-	-	-	-	*	0.1	0.1	*	0.2	*	-	-	-	0.4
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	*	0.1	0.9	1.6	0.5	*	*	-	-	-	3.0
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL ALL		-	-	-	*	*	0.5	2.8	16.4	36.6	30.5	11.7	1.4	0.1	*	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	40.5
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.35
Percent Tenderable	22.5
SAMPLES CLASSED	202,008

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.6	0.7	0.1	1.9	
	3	-	-	-	-	-	-	*	*	0.1	0.7	0.9	1.4	0.6	3.7		
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2		
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	0.1	1.1	1.5	2.1	0.7	5.7	
31	1-2	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.6	0.5	0.1	1.6	
	3	-	-	-	-	-	-	*	*	0.1	0.6	2.8	5.0	6.4	3.7	18.6	
	4	-	-	-	-	-	-	-	*	*	0.2	1.5	2.3	3.5	3.5	11.0	
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.5	
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	0.2	1.0	4.6	8.0	10.6	7.4	31.7
41	1-2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.4	
	3	-	-	-	-	-	-	*	*	0.2	0.5	2.4	4.7	5.8	2.6	16.2	
	4	-	-	-	-	-	-	*	*	*	0.5	4.3	6.8	9.5	8.3	29.4	
	5	-	-	-	-	-	-	-	*	*	*	1.0	1.4	1.9	2.0	6.3	
	6	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.3	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	0.2	1.1	7.8	13.1	17.4	13.0	52.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2	
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.9	
	5	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.3	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	1.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.4	0.3	0.2	*	1.0	
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	0.7	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.3	0.1	1.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	1.2
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.5	0.3	2.9	
	5	-	-	-	-	-	-	-	*	*	*	0.3	0.3	0.2	0.1	0.9	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.6	1.4	1.5	1.0	0.5	5.2
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.3	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.5

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.2
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.1	0.8	3.2	15.9	25.2	32.4	22.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.6
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.56
Percent Tenderable	87.6
SAMPLES CLASSED	345,639

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.2	0.1	0.8
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	1.0
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.7	0.2
31	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.8	0.5	0.2	2.6
	3	-	-	-	-	-	-	*	*	0.3	1.2	3.2	5.1	5.5	2.3	17.7
	4	-	-	-	-	-	-	*	*	0.1	0.3	1.4	2.3	3.4	2.2	9.7
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.8
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.5	1.9	5.4	8.4	9.7	4.9
41	1-2	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	0.1	1.1
	3	-	-	-	-	-	*	*	0.1	0.7	1.7	4.9	5.5	4.9	2.1	19.9
	4	-	-	-	-	-	-	*	*	0.3	1.4	6.0	8.1	10.0	5.9	31.8
	5	-	-	-	-	-	-	*	*	*	0.3	1.4	1.9	2.9	2.6	9.1
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.5
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	1.0	3.6	12.8	15.9	18.1	10.8
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	0.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.5	0.5	0.4	0.3
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	-	-	-	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.1	*
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	0.1	1.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	0.1	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.2	0.4	0.7	0.3	0.3	0.2
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	5	-	-	-	-	-	*	-	*	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	-	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL ALL		-	-	-	-	-	*	*	0.3	1.9	6.3	19.9	25.8	29.3	16.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.25
Percent Tenderable	86.8
SAMPLES CLASSED	1,124,715

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	-	-	*	*	0.2	0.1	0.2	0.1	0.7
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.4
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	0.3	0.2	0.3	0.2
31	1-2	-	-	-	-	-	-	*	*	*	0.2	2.3	1.1	1.1	0.5	5.2
	3	-	-	-	-	-	-	-	*	*	0.4	5.4	4.0	4.9	2.7	17.4
	4	-	-	-	-	-	-	-	-	*	0.1	0.9	1.2	1.2	0.9	4.3
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.6	8.5	6.4	7.3	4.2
41	1-2	-	-	-	-	-	-	-	*	*	0.1	0.7	0.5	0.5	0.1	1.9
	3	-	-	-	*	*	-	*	*	*	0.7	8.7	8.0	9.1	4.7	31.3
	4	-	-	-	-	-	-	-	*	*	0.3	5.7	8.9	7.9	6.4	29.3
	5	-	-	-	-	-	-	-	-	*	*	0.5	1.7	1.5	0.9	4.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	0.1	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	*	-	*	*	0.1	1.2	15.6	19.2	19.1	12.2
51	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.2	0.1	0.8
	4	-	-	-	-	-	-	-	-	*	*	0.4	0.9	0.5	0.2	2.0
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.4	0.4	0.1	1.0
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.8	1.6	1.1	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*
52	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL ALL		-	-	-	*	*	-	*	*	0.1	1.9	25.5	27.6	28.0	16.9	100.0	

EXTRANEIOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.34
Percent Tenderable	94.3
SAMPLES CLASSED	619,467

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	0.1	1.5	12.2	23.4	27.5	13.1	8.6	4.2	90.5
	3	-	-	-	-	-	-	-	*	0.4	0.5	0.6	0.4	0.2	0.1	2.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	1.5	12.5	23.9	28.1	13.5	8.9	4.3	92.8
31	1-2	-	-	-	-	-	-	-	0.1	0.8	0.9	1.6	0.4	0.4	0.2	4.5
	3	-	-	-	-	-	-	-	0.1	0.2	0.2	0.3	0.2	0.1	*	1.2
	4	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.3	1.1	1.2	1.9	0.5	0.5	0.2	5.7
41	1-2	-	-	-	-	-	-	-	*	-	*	0.1	*	-	-	0.2
	3	-	-	-	-	-	-	-	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	0.1	*	-	-	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.2	0.1	*	0.1	*	-	*	0.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.3	0.2	*	*	*	0.5
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.3	0.3	*	*	*	0.6
32	1-2	-	-	-	*	*	*	-	-	-	*	*	*	*	*	0.1
	3	-	-	*	*	*	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	-	-	-	-	*	*	*	*	*	0.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	*	0.1
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	*	*	*	-	0.1	2.0	13.8	25.5	30.5	14.1	9.4	4.6		100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.88
Percent Tenderable	87.3
SAMPLES CLASSED	26,245

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
31	1-2	-	-	-	-	-	*	*	0.1	0.3	0.5	1.1	0.5	0.2	*	*	2.7
	3	-	-	-	-	-	-	*	0.1	0.8	2.8	6.4	4.5	2.6	0.7	*	17.8
	4	-	-	-	-	-	-	*	*	0.1	0.6	1.9	1.7	1.4	0.5	*	6.3
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.2	3.9	9.5	6.8	4.2	1.2	*	27.1
41	1-2	-	-	-	-	-	*	*	*	0.2	0.5	0.7	0.3	0.1	*	*	1.9
	3	-	-	-	-	-	*	*	0.2	1.5	5.9	13.2	7.6	4.2	1.3	*	33.8
	4	-	-	-	-	-	*	*	0.1	0.6	3.1	9.1	6.1	4.4	2.1	*	25.5
	5	-	-	-	-	-	-	*	*	*	0.2	0.7	0.7	0.6	0.4	*	2.8
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	2.3	9.7	23.8	14.7	9.4	3.8	*	64.0
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	0.9
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.8	0.3	0.2	0.1	*	1.7
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL		-	-	-	-	-	*	*	0.2	0.6	1.4	0.5	0.3	0.1	*	*	3.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	*	0.1	0.2	0.4	0.2	0.1	0.1	*	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.2	*	*	*	1.3
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.7	0.3	0.1	0.1	*	1.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.3	0.8	1.5	0.6	0.2	0.1	*	3.5
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	*	*	0.4

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	*	0.5	4.1	15.5	37.1	23.1	14.3	5.4		100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.43
Percent Tenderable	91.7
SAMPLES CLASSED	542,443

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	*	*	*	0.2	0.6	1.3	2.3	4.7	12.7	12.9	9.7	4.0	48.5
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.5	1.8	1.5	1.5	1.4	7.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.3	0.7	1.5	2.7	5.2	14.5	14.4	11.2	5.5	56.1
31	1-2	-	-	-	*	*	0.2	0.4	0.7	1.0	1.4	2.3	1.5	0.9	0.3	8.7
	3	-	-	*	*	0.1	0.3	0.5	1.0	1.2	1.4	2.8	2.4	1.7	1.0	12.4
	4	-	-	*	*	*	0.1	0.1	0.2	0.3	0.4	0.5	0.5	0.5	0.4	3.2
	5	-	-	*	-	*	*	*	*	*	0.1	0.1	*	0.1	0.1	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.5	1.1	1.9	2.6	3.3	5.7	4.5	3.3	1.7	24.8
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.7
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	*	0.9
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	0.6
	6	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	0.1	0.3	0.4	0.4	0.5	0.4	0.2	0.2	0.1	2.7
51	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	0.1	0.3	0.4	0.5	0.7	0.7	0.3	0.1	*	3.0
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	0.1	0.3	0.5	0.7	0.9	0.9	0.3	0.1	0.1	4.0
32	1-2	-	-	-	*	*	0.1	0.1	0.3	0.3	0.2	0.2	0.1	*	*	1.3
	3	-	-	*	*	*	0.1	0.3	0.5	0.5	0.4	0.3	0.1	*	*	2.2
	4	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	0.1	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.2	0.5	0.9	1.0	0.9	0.7	0.3	0.1	0.1	4.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.2
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	1.1
52	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
13 & 23	1 - 2	-	-	*	-	*	*	0.1	0.2	0.2	0.3	0.3	0.1	*	*	*	1.3
	3	-	-	*	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	-	*	*	0.1	0.3	0.3	0.4	0.4	0.1	*	*	*	1.6
33	1 - 2	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.6	0.8	0.7	0.5	0.1	*	*	*	3.0
43	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	0.7
53	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	-	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	*	*	*	0.1	0.5	0.3	0.2	*	*	*	*	1.2
25 - 35	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL ALL		-	*	*	*	0.4	1.3	3.4	6.6	9.6	12.5	23.6	20.0	15.0	7.5		100.0

EXTRANEIOUS MATTER	
Bark - Level 1	11.0
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	*
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	37.00
Percent Tenderable	74.3
SAMPLES CLASSED	507,165

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	0.8
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	0.2	0.4	0.4	0.3	*
31	1-2	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	*	1.4
	3	-	-	-	-	-	-	*	0.1	0.5	1.9	4.3	4.7	2.7	0.5	14.7
	4	-	-	-	-	-	-	*	*	0.1	0.4	1.7	2.3	2.3	0.7	7.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.2	0.7	2.6	6.5	7.5	5.3	1.3
41	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	3	-	-	-	-	-	*	0.1	0.5	1.6	3.3	6.9	4.8	2.0	0.3	19.6
	4	-	-	-	-	-	*	0.1	0.3	1.4	3.7	9.8	9.9	6.6	1.9	33.7
	5	-	-	-	-	-	*	*	*	0.2	0.5	1.5	2.2	2.4	1.3	8.2
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	-	-	-	*	0.2	0.9	3.3	7.6	18.4	17.1	11.2	3.7
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	0.1	0.3	0.7	1.2	0.6	0.3	0.1	3.1
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.4	0.1	2.1
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.5	1.1	2.1	1.4	0.8	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	0.1
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	4	-	-	-	-	-	-	*	*	0.2	0.4	0.7	0.3	0.1	0.1	1.8
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.7	1.3	0.6	0.3	0.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	0.2	0.2	0.4	0.2	0.1	*	1.2

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.4	5.1	12.7	29.3	27.5	18.2	5.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.7
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.53
Percent Tenderable	89.5
SAMPLES CLASSED	252,614

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	-	*	0.2	0.6	0.8	0.9	0.4	*	2.9
	3	-	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	1.0
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	0.7	1.1	1.2	0.7	0.1	3.9
31	1-2	-	-	-	-	-	-	*	*	1.1	4.2	5.6	3.6	1.7	0.1	16.3
	3	-	-	-	-	-	-	*	*	0.6	4.7	13.8	8.8	5.4	1.0	34.3
	4	-	-	-	-	-	-	-	*	*	0.5	2.5	2.0	1.3	0.4	6.7
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	1.8	9.3	22.0	14.5	8.4	1.5	57.6
41	1-2	-	-	-	-	-	-	*	*	0.2	0.7	0.8	0.4	0.1	*	2.2
	3	-	-	-	-	-	-	-	*	0.5	3.6	8.4	3.9	1.8	0.2	18.4
	4	-	-	-	-	-	-	*	*	0.1	1.2	6.2	4.4	1.7	0.3	14.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.7	0.8	0.3	0.1	2.0
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.7	5.6	16.1	9.6	3.9	0.6	36.7
51	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	0.1	*	1.2
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
52	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	*	*	*	-	*	*

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	*	*	*	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.1	2.9	15.9	40.0	25.6	13.2	2.3		100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.37
Percent Tenderable	90.4
SAMPLES CLASSED	589,030

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	*	*	*	0.2	0.8	2.3	5.0	7.5	8.7	10.2	4.0	1.5	0.4	40.5
	3	-	-	*	*	*	0.1	0.3	0.9	1.7	2.7	3.9	2.1	0.8	0.3	12.8
	4	-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	0.2	0.9	2.7	5.9	9.3	11.8	14.5	6.3	2.3	0.7
31	1-2	-	-	*	*	*	0.1	0.1	0.2	0.4	0.7	1.0	0.4	0.1	*	3.1
	3	-	-	*	*	*	0.1	0.2	0.5	1.4	3.0	3.8	1.8	0.7	0.2	11.7
	4	-	-	-	*	*	*	0.1	0.3	0.6	1.5	1.8	0.8	0.4	0.2	5.7
	5	-	-	-	*	*	*	0.1	0.1	0.3	0.4	0.2	0.1	0.1	0.1	1.2
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	*	*	*	0.2	0.5	1.1	2.6	5.4	7.0	3.2	1.3	0.5
41	1-2	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	3	-	-	-	*	*	*	*	0.1	0.4	0.8	1.3	0.6	0.2	*	3.4
	4	-	-	-	*	*	*	*	0.1	0.3	0.7	0.8	0.4	0.2	0.1	2.7
	5	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	0.1	0.1	0.9
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL		-	-	*	*	*	*	0.1	0.3	1.0	2.1	2.7	1.3	0.5	0.2
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	0.2	0.5	0.9	0.8	0.5	0.3	0.1	*	*	3.4
	3	-	-	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	*	0.2	0.6	1.2	1.2	1.0	0.7	0.2	0.1	*
32	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.2
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL		-	-	*	*	*	*	0.2	0.4	0.7	0.7	0.5	0.2	0.1	*
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.1	0.3	0.5	0.5	0.4	0.2	*	*
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	*	*	*

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	*	-	*	*
13 & 23	1 - 2	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	0.9
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.3
33	1 - 2	-	*	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL		-	*	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.1
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.5
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
63	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	*	*	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
25 - 35	1 - 8	-	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
81 - 85	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	*	*	0.1	0.4	1.6	4.7	10.3	16.6	22.5	26.6	11.5	4.3	1.4	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	7.2
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	*
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	36.08
Percent Tenderable	71.7
SAMPLES CLASSED	4,697,434

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
31	1-2	-	-	-	-	-	-	-	*	*	0.2	0.3	0.4	0.3	0.1	1.3
	3	-	-	-	-	-	-	-	*	0.1	0.6	2.2	1.6	1.1	0.6	6.2
	4	-	-	-	-	-	-	-	-	*	0.1	0.4	0.3	0.2	0.2	1.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.2	0.8	2.9	2.3	1.6	0.9	8.7
41	1-2	-	-	-	-	-	-	-	*	0.2	0.6	1.4	1.4	1.1	0.3	5.1
	3	-	-	-	-	-	-	*	*	0.4	3.5	15.0	12.7	11.3	5.8	48.9
	4	-	-	-	-	-	-	*	*	0.1	1.0	5.9	6.2	6.5	4.4	24.1
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.5	0.4	1.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.7	5.1	22.5	20.8	19.5	11.0	79.6
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	0.3	1.3	0.8	0.4	0.2	3.1
	4	-	-	-	-	-	-	-	*	*	0.3	1.4	1.0	0.8	0.7	4.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.7
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.7	2.9	2.0	1.4	1.1	8.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	-	-	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	0.1	0.1	1.0
	4	-	-	-	-	-	-	-	*	0.1	0.4	0.5	0.2	0.1	0.1	1.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.2	0.7	0.9	0.3	0.2	0.2	2.4
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.2

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.1	1.0	6.9	29.5	26.4	22.9	13.3	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.05
Percent Tenderable	93.5
SAMPLES CLASSED	120,110

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2020 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	5,789	15	131	-	4	-	107	6	176,023	-
Arizona	1,446	-	476	-	-	-	1	-	6,960	-
Arkansas	13,395	-	1,193	2	23	-	43	-	904	-
California	2,563	-	554	-	-	-	2	-	63	-
Florida	937	-	18	-	-	-	3	-	48,327	-
Georgia	13,556	-	445	-	16	-	232	3	863,266	-
Kansas	81,741	-	81	1	-	-	1	-	3	-
Louisiana	2,030	-	145	-	1	-	7	-	40	-
Mississippi	6,152	-	930	1	2	-	182	1	651	-
Missouri	2,430	-	275	-	-	-	103	-	290	-
New Mexico	75	-	17	-	-	-	-	-	108	-
North Carolina	2,553	-	225	-	-	-	90	-	17	-
Oklahoma	55,742	1	15	1	-	-	7	-	23	2
South Carolina	4,393	-	149	-	-	-	38	-	1,730	-
Tennessee	927	-	30	-	6	-	1	-	29	-
Texas	337,369	-	6,710	8	97	1	204	2	3,874	-
Virginia	1,561	-	23	-	8	-	12	-	45	-
United States	532,659	16	11,417	13	157	1	1,033	12	1,102,353	2

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	13	-	124	-	-	-	182,191	21
Arizona	1	-	737	-	-	-	9,621	-
Arkansas	4	-	210	-	1	-	15,773	2
California	7	-	28	-	2	-	3,219	-
Florida	3	-	4	-	-	-	49,292	-
Georgia	31	-	385	-	-	-	877,931	3
Kansas	-	-	37	-	-	-	81,863	1
Louisiana	3	-	50	-	-	-	2,276	-
Mississippi	8	-	332	-	1	-	8,258	2
Missouri	4	-	95	-	-	-	3,197	-
New Mexico	-	-	5	-	-	-	205	-
North Carolina	-	-	42	-	-	-	2,927	-
Oklahoma	-	-	109	1	-	-	55,896	5
South Carolina	-	-	16	-	-	-	6,326	-
Tennessee	1	-	67	-	-	-	1,061	-
Texas	216	3	1,783	1	1	-	350,254	15
Virginia	-	-	8	-	-	-	1,657	-
United States	291	3	4,032	2	5	-	1,651,947	49

Table 21. -- Tenderability of upland cotton classed, by states, 2020 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	437,942	62.8	259,251	37.2
Arizona	245,644	83.4	48,972	16.6
Arkansas	1,196,943	95.0	63,158	5.0
California	126,022	92.7	9,935	7.3
Florida	35,976	40.4	52,964	59.6
Georgia	1,118,927	52.2	1,024,298	47.8
Kansas	45,428	22.5	156,580	77.5
Louisiana	302,624	87.6	43,015	12.4
Mississippi	976,220	86.8	148,495	13.2
Missouri	584,295	94.3	35,172	5.7
New Mexico	22,919	87.3	3,326	12.7
North Carolina	497,380	91.7	45,063	8.3
Oklahoma	376,655	74.3	130,510	25.7
South Carolina	226,118	89.5	26,496	10.5
Tennessee	532,244	90.4	56,786	9.6
Texas	3,367,577	71.7	1,329,857	28.3
Virginia	112,330	93.5	7,780	6.5
United States	10,205,244	74.8	3,441,658	25.2

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1-2	12.4	48.5	41.2	39.3	13.2	0.3	0.8	0.7	0.2	0.4	*	0.2
	3	9.5	7.4	14.7	10.5	12.3	0.6	1.0	0.9	0.2	0.8	0.1	0.4
	4	1.0	0.2	1.2	0.7	1.0	*	*	*	*	*	*	*
	5	*	*	*	*	*	-	*	*	*	*	-	*
	6	*	-	-	*	*	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		23.0	56.1	57.2	50.6	26.6	0.9	1.9	1.6	0.4	1.3	0.1
31	1-2	2.5	8.7	4.6	6.1	5.3	0.9	2.5	2.0	2.7	1.4	1.3	2.1
	3	15.0	12.4	10.6	12.2	23.4	14.3	17.7	16.7	17.8	14.7	6.2	15.4
	4	10.8	3.2	5.9	5.6	9.1	9.7	8.8	9.1	6.3	7.5	1.1	6.0
	5	2.1	0.4	1.6	1.2	0.9	0.8	0.6	0.6	0.3	0.5	*	0.3
	6	0.2	*	0.2	0.1	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		30.6	24.8	23.0	25.2	38.8	25.7	29.5	28.4	27.1	24.1	8.7
41	1-2	0.2	0.2	0.1	0.1	1.3	0.3	1.1	0.9	1.9	0.5	5.1	1.9
	3	1.5	0.7	0.4	0.7	8.5	15.7	20.5	19.1	33.8	19.6	48.9	31.9
	4	5.4	0.9	0.6	1.6	6.5	39.7	33.2	35.2	25.5	33.7	24.1	27.6
	5	5.1	0.6	0.9	1.5	1.4	13.2	8.9	10.1	2.8	8.2	1.5	4.1
	6	2.1	0.3	0.6	0.7	0.2	0.9	0.5	0.6	0.1	0.5	*	0.2
	7	0.8	0.1	0.3	0.3	*	*	*	*	*	*	-	*
	8	0.2	*	0.1	0.1	*	*	-	*	-	*	-	*
	TOTAL		15.2	2.7	2.9	5.0	18.0	69.8	64.2	65.9	64.0	62.4	79.6
51	1-2	-	*	*	*	0.1	*	*	*	*	*	0.1	*
	3	*	*	*	*	0.4	0.2	0.2	0.2	0.9	0.6	3.1	1.1
	4	*	*	*	*	0.4	1.0	1.0	1.0	1.7	3.1	4.2	2.4
	5	0.1	*	*	*	0.1	0.7	0.9	0.8	0.4	2.1	0.7	0.9
	6	0.1	*	*	*	*	0.1	0.2	0.2	*	0.4	*	0.1
	7	0.3	*	*	0.1	*	*	*	*	*	*	*	*
	8	0.9	*	0.1	0.2	*	*	-	*	*	*	-	*
	TOTAL		1.5	0.1	0.1	0.3	1.0	2.0	2.2	2.2	3.1	6.3	8.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	*	-	*	*	-	*	-	*
	5	-	-	-	-	*	-	*	*	-	*	-	*
	6	-	-	-	-	*	*	-	*	-	*	-	*
	7	-	-	*	*	*	-	-	-	-	*	-	*
	8	*	-	-	*	-	-	-	-	-	-	-	-
	TOTAL		*	-	*	*	*	*	*	*	-	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	-	-	-	-	-	-
12 & 22	1-2	0.4	3.0	3.4	2.7	1.2	*	*	*	*	*	*	*
	3	1.0	0.9	2.3	1.4	1.2	*	*	*	*	*	*	*
	4	0.2	0.1	0.3	0.2	0.2	*	*	*	*	*	*	*
	5	*	*	*	*	*	-	-	-	-	-	*	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		1.6	4.0	6.1	4.3	2.7	*	*	*	*	*	*
32	1-2	0.4	1.3	0.9	1.0	0.3	*	*	*	0.1	*	*	*
	3	3.7	2.2	2.4	2.6	1.7	*	0.2	0.2	0.5	0.3	0.4	0.5
	4	3.5	0.8	1.2	1.5	1.1	0.1	0.1	0.1	0.4	0.3	0.2	0.3
	5	1.1	0.2	0.4	0.5	0.3	*	*	*	*	*	*	*
	6	0.2	*	0.1	0.1	*	*	-	*	*	-	*	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-	-	-
	TOTAL		9.0	4.6	5.1	5.6	3.5	0.2	0.4	0.3	1.0	0.7	0.6
42	1-2	*	*	*	*	0.2	*	*	*	0.1	*	*	*
	3	0.3	0.2	*	0.2	1.8	0.1	0.3	0.3	1.3	0.8	1.0	1.1
	4	1.4	0.4	0.1	0.5	1.9	0.6	0.7	0.7	1.7	1.8	1.2	1.7
	5	1.2	0.3	0.2	0.4	0.7	0.4	0.3	0.3	0.4	0.8	0.2	0.4
	6	0.5	0.1	0.2	0.2	0.2	*	*	*	*	0.1	*	*
	7	0.2	0.1	0.1	0.1	*	*	*	*	*	*	-	*
	8	0.1	*	0.1	*	*	-	-	-	*	-	-	*
	TOTAL		3.7	1.1	0.8	1.4	4.9	1.2	1.4	1.3	3.5	3.5	2.4

Table 23. --- Continued.

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1-2	-	*	-	*	0.1	*	*	*	*	-	*	*
	3	-	*	-	*	0.7	*	*	*	0.1	0.1	0.1	0.1
	4	*	*	*	*	0.8	*	0.1	0.1	0.2	0.5	0.1	0.3
	5	*	*	*	*	0.4	*	0.1	0.1	0.1	0.5	*	0.2
	6	*	*	*	*	0.1	*	*	*	*	0.2	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	-	*
	8	0.5	*	*	0.1	*	*	*	*	*	*	-	*
TOTAL		0.5	*	*	0.1	2.2	0.1	0.2	0.2	0.4	1.2	0.2	0.6
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	*	-	*	*	-	*	*	-	*	-	*
	6	-	*	-	*	*	-	*	*	*	*	-	*
	7	-	-	-	-	*	-	-	-	*	*	-	*
	8	*	-	-	*	*	-	-	-	-	-	-	-
TOTAL		*	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	0.1	1.3	0.8	0.9	0.1	*	-	*	*	-	-	*
	3	0.2	0.3	0.6	0.4	0.1	*	-	*	-	-	-	-
	4	0.1	*	0.1	*	*	-	-	-	-	-	-	-
	5	*	*	*	*	*	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	1.6	1.5	1.4	0.1	*	-	*	*	-	-	*
33	1-2	0.2	0.9	0.6	0.6	*	-	*	*	*	*	*	*
	3	1.8	1.4	1.2	1.4	0.1	*	*	*	0.1	*	*	0.1
	4	2.7	0.6	0.5	0.9	*	*	*	*	0.1	*	*	*
	5	1.0	0.1	0.2	0.3	*	*	*	*	*	*	*	*
	6	0.2	*	*	*	*	-	-	-	*	*	-	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		5.9	3.0	2.5	3.3	0.2	*	*	*	0.1	0.1	0.1	0.1
43	1-2	*	*	*	*	*	-	*	*	*	-	*	*
	3	0.4	0.1	*	0.1	0.2	*	*	*	0.1	*	0.1	0.1
	4	1.6	0.2	0.1	0.4	0.4	*	*	*	0.2	0.1	0.1	0.2
	5	2.0	0.2	0.1	0.5	0.2	*	*	*	0.1	0.1	*	0.1
	6	0.9	0.1	0.1	0.2	*	*	*	*	*	*	*	*
	7	0.2	*	*	0.1	*	-	*	*	-	*	-	*
	8	0.1	*	*	*	*	-	-	-	-	-	-	-
TOTAL		5.2	0.7	0.3	1.4	0.9	*	0.1	0.1	0.3	0.3	0.2	0.3
53	1-2	-	*	-	*	*	-	*	*	-	-	-	-
	3	-	*	*	*	0.2	-	*	*	*	*	-	*
	4	*	*	*	*	0.3	-	*	*	*	*	*	*
	5	*	*	*	*	0.3	*	*	*	*	0.1	*	*
	6	*	*	-	*	0.2	-	*	*	*	*	-	*
	7	*	*	*	*	*	-	*	*	-	*	-	*
	8	0.4	*	*	0.1	*	-	*	*	-	-	-	-
TOTAL		0.4	*	*	0.1	1.1	*	*	*	*	0.1	*	*
63	1-2	-	*	-	*	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-	-
	4	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*
	6	*	-	-	*	*	-	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	*	*	-	*	*	-	-	-	-	-	-	-
TOTAL		*	*	-	*	*	-	*	*	*	*	*	*
24 - 54	1-8	3.0	1.2	0.4	1.2	0.1	*	*	*	*	*	*	*
25 - 35	1-8	-	*	*	*	-	-	-	-	-	-	-	-
81 - 85	1-8	0.1	*	*	*	*	*	*	*	-	-	-	-
Staple 28 & Shorter		-	*	*	*	-	-	-	-	-	-	-	-
29		-	*	*	*	*	-	-	-	-	-	-	-
30		*	*	0.2	0.1	*	-	-	-	-	-	-	*
31		*	0.4	0.9	0.5	0.2	-	-	-	*	-	-	*
32		0.5	1.3	3.1	1.8	0.5	*	*	*	*	*	-	*
33		2.8	3.4	7.5	4.8	1.5	*	*	*	*	0.2	*	0.1
34		16.4	6.7	13.3	10.9	4.3	0.1	0.3	0.2	0.5	1.4	0.1	0.7
35		36.6	9.6	17.4	17.3	11.6	0.6	1.7	1.4	4.1	5.1	1.0	3.9
36		30.5	12.5	16.9	17.4	24.8	2.9	6.0	5.1	15.5	12.7	6.9	13.6
37		11.7	23.6	20.2	20.2	32.6	18.9	19.2	19.1	37.1	29.3	29.5	33.9
38		1.4	20.0	12.2	13.8	16.1	20.7	25.7	24.3	23.1	27.5	26.4	24.8
39		0.1	15.0	6.6	9.4	6.1	31.8	30.1	30.6	14.3	18.2	22.9	16.5
40 & Longer		*	7.5	1.8	4.2	2.2	25.1	17.0	19.4	5.4	5.6	13.3	6.5
Average Staple		35.35	37.00	35.87	36.28	36.64	38.59	38.28	38.38	37.43	37.53	38.05	37.54
Average Length		1.10	1.16	1.12	1.13	1.14	1.21	1.20	1.20	1.17	1.17	1.19	1.17

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					Classing Office Total
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	
11 & 21	1-2	74.9	57.1	0.1	0.2	0.3	0.3	0.2	0.2	0.5	0.7	2.9	0.9
	3	6.7	14.6	0.2	0.2	0.4	0.4	0.3	0.1	0.8	0.4	1.0	0.4
	4	0.4	1.7	*	*	*	*	*	*	0.1	*	*	*
	5	*	0.1	*	-	*	*	*	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		82.0	73.5	0.3	0.4	0.7	0.7	0.5	0.3	1.3	1.0	3.9
31	1-2	1.4	1.1	1.6	1.3	2.5	2.3	4.2	1.9	2.9	5.2	16.3	6.3
	3	1.2	3.6	13.0	11.7	15.8	15.2	20.7	13.0	17.1	17.4	34.3	20.1
	4	0.7	3.7	8.5	5.2	5.7	6.2	6.7	5.3	13.9	4.3	6.7	6.3
	5	0.2	1.6	0.8	0.3	0.3	0.4	0.3	0.2	1.6	0.3	0.2	0.3
	6	*	0.3	*	*	*	*	*	*	*	*	*	*
	7	*	*	-	-	*	*	-	-	*	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL		3.4	10.4	23.9	18.6	24.3	24.1	31.9	20.4	35.5	27.2	57.6
41	1-2	*	*	1.3	0.3	1.4	1.4	2.2	0.8	0.8	1.9	2.2	1.5
	3	*	*	18.2	15.6	24.5	23.2	28.3	24.3	15.5	31.3	18.4	24.3
	4	*	0.2	27.8	35.0	26.8	27.3	25.3	39.7	27.4	29.3	14.0	28.9
	5	*	0.4	8.4	10.5	5.5	6.1	3.2	8.9	10.7	4.6	2.0	5.9
	6	*	0.6	0.7	0.9	0.4	0.4	0.1	0.4	0.9	0.2	0.1	0.3
	7	*	0.4	*	*	*	*	*	*	*	*	*	*
	8	-	0.3	*	-	*	*	-	-	-	-	-	-
	TOTAL		0.1	2.0	56.4	62.4	58.7	58.4	59.1	74.1	55.4	67.3	36.7
51	1-2	*	*	0.1	*	*	*	*	*	*	*	*	*
	3	*	*	0.8	1.2	0.9	0.9	0.1	0.4	0.1	0.8	*	0.3
	4	-	*	2.9	5.2	2.5	2.7	0.3	2.4	0.3	2.0	*	1.4
	5	-	*	2.1	2.7	1.5	1.6	0.2	1.5	0.2	1.0	*	0.8
	6	-	*	0.5	0.5	0.3	0.3	*	0.1	*	0.1	*	0.1
	7	-	*	0.1	*	*	*	*	*	*	*	*	*
	8	-	0.1	*	-	*	*	*	*	*	-	-	*
	TOTAL		*	0.1	6.6	9.6	5.2	5.6	0.7	4.4	0.6	3.8	0.1
61	1-2	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	*	*	*	*	-	-	*	-	-	*
	4	-	-	*	*	*	*	-	-	*	-	-	*
	5	-	-	*	*	*	*	-	*	-	-	-	*
	6	-	-	*	*	*	*	-	-	-	-	-	-
	7	-	-	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL		-	*	0.1	0.1	*	*	-	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	*	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	*	-	*	*	-	*	-	-	-
12 & 22	1-2	7.1	4.6	*	-	*	*	*	*	-	*	*	*
	3	1.0	1.8	*	-	*	*	*	*	*	*	*	*
	4	0.1	0.3	*	-	*	*	*	-	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		8.2	6.7	*	-	*	*	*	*	*	*	0.1
32	1-2	0.3	0.4	*	*	*	*	0.1	*	*	*	0.2	0.1
	3	0.3	0.8	0.3	0.1	0.4	0.4	1.0	0.1	0.6	0.1	0.8	0.4
	4	0.1	0.7	0.4	0.2	0.2	0.2	0.6	0.1	0.9	0.1	0.2	0.2
	5	*	0.3	0.1	*	*	*	0.1	*	0.2	*	*	*
	6	*	0.1	*	-	*	*	*	-	*	*	*	*
	7	*	*	*	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL		0.7	2.2	0.8	0.3	0.7	0.7	1.8	0.2	1.8	0.2	1.2
42	1-2	*	*	0.1	*	0.1	0.1	*	*	*	*	*	*
	3	*	*	1.7	1.0	2.0	2.0	1.7	0.1	0.5	0.1	0.2	0.3
	4	*	0.1	3.1	1.8	3.1	3.0	2.9	0.3	2.4	0.2	0.1	0.7
	5	*	0.1	1.2	0.5	0.8	0.8	0.8	0.1	1.7	*	*	0.3
	6	*	*	0.2	*	0.1	0.1	*	*	0.2	*	*	*
	7	*	*	*	*	*	*	*	-	*	*	*	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
	TOTAL		*	0.3	6.4	3.4	6.0	6.0	5.5	0.5	4.8	0.3	0.4

* Less than 0.05 percent.

Table 24. -- Continued.

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1-2	-	*	*	*	*	*	-	-	*	-	*	*
	3	*	*	0.5	0.8	0.3	0.4	*	*	*	*	*	*
	4	-	-	1.5	2.1	1.3	1.4	0.1	*	0.1	*	*	*
	5	-	*	1.2	0.9	0.9	1.0	0.1	*	0.2	*	*	*
	6	-	*	0.4	0.1	0.3	0.3	*	*	*	*	*	*
	7	-	*	0.1	*	*	*	*	*	*	*	-	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		*	*	3.7	3.9	2.8	3.0	0.2	*	0.4	*	*	0.1
62	1-2	-	-	*	-	-	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	*	-	-	*
	4	-	-	0.1	0.1	*	*	-	-	-	-	-	-
	5	-	-	0.1	0.1	*	*	-	-	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-	-	-
	7	-	-	*	*	*	*	-	-	-	-	-	-
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		-	*	0.3	0.3	0.1	0.1	-	-	*	-	-	*
13 & 23	1-2	3.2	1.1	-	-	*	*	-	-	-	-	*	*
	3	0.4	0.6	-	-	*	*	*	-	-	*	*	*
	4	*	0.1	*	-	*	*	*	-	-	*	-	*
	5	*	*	-	-	*	*	-	-	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		3.6	1.8	*	-	*	*	*	-	-	*	*	*
33	1-2	0.5	0.4	*	-	*	*	*	-	*	*	*	*
	3	0.3	0.6	*	*	0.1	*	*	*	*	*	0.1	*
	4	0.1	0.5	*	*	*	*	*	*	*	*	*	*
	5	*	0.2	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	-	-	-	-	-	-
	7	-	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.9	1.7	0.1	*	0.1	0.1	0.1	*	*	*	0.1	*
43	1-2	*	*	*	*	*	*	*	-	-	*	*	*
	3	*	*	0.2	0.2	0.2	0.2	*	*	*	*	*	*
	4	*	0.1	0.3	0.2	0.3	0.3	0.1	0.1	*	*	*	*
	5	*	0.1	0.1	*	0.1	0.1	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	-	*	*	*	*	-	-	-	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		*	0.3	0.6	0.5	0.7	0.7	0.2	0.1	0.1	*	*	0.1
53	1-2	*	-	*	*	*	*	*	*	*	-	*	*
	3	-	*	0.1	0.2	0.1	0.1	*	*	*	-	*	*
	4	-	-	0.2	0.2	0.2	0.2	*	*	*	*	*	*
	5	-	*	0.2	0.1	0.2	0.2	*	*	*	*	-	*
	6	-	*	0.1	*	0.1	0.1	*	-	*	*	-	*
	7	-	*	*	-	*	*	-	*	-	-	-	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		*	*	0.6	0.5	0.5	0.5	*	*	*	*	*	*
63	1-2	-	-	*	-	-	*	-	-	*	-	-	*
	3	-	*	*	-	*	*	-	-	*	*	-	*
	4	-	-	0.1	*	*	*	-	-	*	*	-	*
	5	-	-	*	*	*	*	-	*	-	*	-	*
	6	-	-	*	-	*	*	-	-	-	-	*	*
	7	-	-	*	*	*	*	-	-	-	-	-	-
	8	-	-	*	-	*	*	-	-	-	-	-	-
TOTAL		-	*	0.1	*	*	0.1	-	*	*	*	*	*
24 - 54	1-8	1.1	1.1	0.1	*	0.1	0.1	*	*	-	*	*	*
25 - 35	1-8	*	*	-	-	*	*	-	-	-	-	-	-
81 - 85	1-8	*	0.1	*	-	*	*	-	-	-	*	-	*
Staple													
28 & Shorter		*	-	-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-	-	-
30		0.2	0.1	-	-	-	-	-	-	-	*	-	*
31		1.0	0.3	*	*	*	*	-	-	-	*	-	*
32		4.1	1.7	*	*	*	*	*	-	*	-	*	*
33		10.4	5.8	0.4	0.3	0.4	0.4	*	*	*	*	*	*
34		19.0	13.1	2.1	1.1	2.4	2.3	0.3	*	0.3	*	0.1	0.1
35		22.3	19.3	7.7	3.8	8.6	8.3	3.0	0.4	2.5	0.1	2.9	1.3
36		18.9	22.4	16.6	9.0	18.0	17.5	11.8	2.8	7.1	1.9	15.9	6.9
37		17.4	24.8	32.8	26.2	35.0	34.4	34.4	24.0	20.9	25.5	40.0	28.8
38		5.3	8.7	26.8	40.3	23.5	24.6	26.1	25.5	24.9	27.6	25.6	26.0
39		1.2	2.9	11.6	18.0	10.3	10.8	19.3	27.0	28.1	28.0	13.2	23.4
40 & Longer		0.2	0.9	2.0	1.5	1.7	1.7	5.1	20.3	16.3	16.9	2.3	13.5
Average Staple		35.18	35.83	37.16	37.59	37.05	37.09	37.61	38.40	38.19	38.34	37.37	38.05
Average Length		1.10	1.12	1.16	1.18	1.16	1.16	1.18	1.20	1.19	1.20	1.17	1.19

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

Color	Leaf	Rayville				Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1-2	-	1.9	-	3.0	75.2	48.2	90.5	80.7	68.3	18.5
	3	-	3.7	-	4.0	4.3	9.1	2.3	*	5.5	5.4
	4	-	0.2	-	0.3	0.1	0.4	*	-	0.2	0.5
	5	-	*	-	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	5.7	-	7.3	79.7	57.7	92.8	80.7	74.0
31	1-2	-	1.6	-	2.3	7.5	21.3	4.5	18.6	11.6	3.8
	3	-	18.6	-	19.9	5.9	14.6	1.2	0.2	8.0	14.8
	4	-	11.0	-	10.5	1.6	2.3	*	-	1.7	6.2
	5	-	0.5	-	0.7	0.2	0.1	-	-	0.2	0.7
	6	-	*	-	*	*	*	-	-	*	0.1
	7	-	-	-	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	31.7	-	33.5	15.2	38.3	5.7	18.9	21.5
41	1-2	-	0.4	-	0.6	0.2	0.4	0.2	0.3	0.2	1.0
	3	-	16.2	-	16.0	0.3	0.8	0.1	0.1	0.4	14.7
	4	-	29.4	-	25.2	0.4	0.6	0.1	-	0.4	17.7
	5	-	6.3	-	5.5	0.4	0.2	0.1	-	0.3	4.1
	6	-	0.3	-	0.4	0.2	*	*	-	0.1	0.4
	7	-	*	-	*	*	*	-	-	*	0.1
	8	-	-	-	*	*	-	-	-	*	*
	TOTAL		-	52.6	-	47.8	1.4	2.1	0.5	0.3	1.5
51	1-2	-	*	-	*	*	-	-	-	*	*
	3	-	0.2	-	0.2	*	*	*	-	*	0.4
	4	-	0.9	-	0.7	*	-	-	-	*	1.1
	5	-	0.3	-	0.2	-	-	-	-	-	0.6
	6	-	*	-	*	*	*	-	-	*	0.1
	7	-	*	-	*	*	-	-	-	*	*
	8	-	-	-	*	*	-	-	-	*	*
	TOTAL		-	1.4	-	1.2	*	*	*	-	*
61	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	*	-	*	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	-	0.1	2.6	0.1	0.5	-	1.7	1.3
	3	-	0.1	-	0.2	0.5	0.1	0.1	-	0.4	0.6
	4	-	*	-	*	0.1	*	-	-	*	0.1
	5	-	-	-	*	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	0.1	-	0.3	3.1	0.2	0.6	-	2.1
32	1-2	-	0.1	-	0.1	0.1	0.2	0.1	*	0.1	0.2
	3	-	1.0	-	1.3	0.1	0.4	*	-	0.2	0.8
	4	-	0.7	-	0.9	0.1	0.3	*	-	0.1	0.5
	5	-	0.1	-	0.2	*	0.1	-	-	*	0.1
	6	-	*	-	*	*	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	1.9	-	2.5	0.4	1.0	0.1	*	0.5
42	1-2	-	0.1	-	0.1	*	*	-	-	*	0.1
	3	-	1.2	-	1.3	*	0.1	*	-	0.1	0.8
	4	-	2.9	-	2.8	*	0.1	-	*	0.1	1.3
	5	-	0.9	-	1.1	*	0.2	-	-	0.1	0.4
	6	-	0.1	-	0.3	*	0.1	-	-	*	0.1
	7	-	*	-	*	*	*	-	-	*	*
	8	-	-	-	*	*	*	-	-	*	*
	TOTAL		-	5.2	-	5.5	0.1	0.6	*	*	0.2

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
 * Less than 0.05 percent.

Table 25. -- Continued.

Color	Leaf	Rayville				Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
52	1-2	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	0.1	-	*	-	-	*	0.2
	4	-	0.3	-	0.3	-	*	-	-	*	0.4
	5	-	0.1	-	0.1	*	*	-	-	*	0.3
	6	-	*	-	0.1	*	*	-	-	*	0.1
	7	-	*	-	*	*	-	-	-	*	*
	8	-	-	-	*	*	-	-	-	*	*
TOTAL		-	0.5	-	0.7	*	*	-	-	*	1.0
62	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	*	*
	8	-	-	-	-	*	-	-	-	*	*
TOTAL		-	*	-	*	*	-	-	-	*	*
13 & 23	1-2	-	-	-	-	*	*	0.1	*	*	0.3
	3	-	-	-	-	*	*	0.1	-	*	0.1
	4	-	-	-	-	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	*	*	0.5
33	1-2	-	*	-	*	*	*	*	0.1	*	0.1
	3	-	0.1	-	0.2	*	*	0.1	-	*	0.2
	4	-	0.1	-	0.2	*	*	*	-	*	0.2
	5	-	*	-	*	*	-	-	-	*	0.1
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.2	-	0.4	*	*	0.1	0.1	*	0.6
43	1-2	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	0.1	*	*	*	-	*	0.1
	4	-	0.2	-	0.3	*	*	*	-	*	0.2
	5	-	0.1	-	0.1	*	*	-	-	*	0.1
	6	-	*	-	*	*	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.4	-	0.5	*	*	*	-	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	0.1
	5	-	*	-	*	-	-	-	-	-	0.1
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	0.1	-	*	-	-	*	0.3
63	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	*	-	-	-	*	*
TOTAL		-	-	-	*	*	-	-	-	*	*
24 - 54	1-8	-	*	-	0.2	*	-	*	-	*	0.3
25 - 35	1-8	-	-	-	-	-	-	-	-	-	*
81 - 85	1-8	-	-	-	*	-	-	-	-	-	*
Staple											
28 & Shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	*	-	*	*
30		-	-	-	-	-	-	*	-	*	0.1
31		-	-	-	*	*	*	*	-	*	0.2
32		-	-	-	0.1	*	*	-	-	*	0.8
33		-	*	-	0.2	0.4	0.1	0.1	-	0.3	2.0
34		-	0.1	-	1.2	2.1	1.0	2.0	3.3	1.8	4.6
35		-	0.8	-	4.7	9.0	4.5	13.8	6.0	7.9	9.2
36		-	3.2	-	7.8	19.1	14.0	25.5	22.8	18.1	15.5
37		-	15.9	-	18.4	32.2	26.6	30.5	37.8	30.6	27.9
38		-	25.2	-	23.5	23.1	29.3	14.1	15.4	24.2	19.9
39		-	32.4	-	26.7	10.9	20.1	9.4	15.6	13.6	13.9
40 & Longer		-	22.4	-	17.7	3.2	4.3	4.6	2.1	3.6	6.6
Average Staple		-	38.56	-	38.11	37.10	37.56	36.88	37.18	37.22	37.09
Average Length		-	1.21	-	1.19	1.16	1.17	1.15	1.16	1.16	1.16

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	40.5	11.0	19.4	19.4	2.1	2.3	0.6	1.1	0.5	1.7	1.3	0.9
Bark - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	*	*	0.2	0.3	0.1	0.2	*	0.1	*	*
Grass - Level 2	*	*	*	*	-	*	*	*	-	-	-	-
Oil - Level 1	-	-	*	*	*	*	*	*	-	-	0.1	0.1
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	*	*	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Prep - Level 2	-	-	*	*	*	-	*	*	-	-	-	-
Seed Coat - Level 1	*	*	*	*	0.1	0.1	*	0.1	*	0.7	*	0.2
Seed Coat - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	*	0.1	-	-	-	-	*	-	*
23	0.1	*	0.1	*	0.2	-	-	-	*	*	*	*
24	0.3	0.1	0.2	0.2	0.4	*	*	*	*	0.1	*	*
25	1.2	0.3	0.8	0.7	0.9	*	*	*	0.3	0.7	0.3	0.4
26	3.5	1.2	2.5	2.1	1.8	0.2	0.3	0.2	2.0	2.7	2.2	2.2
27	10.0	3.6	6.2	5.7	3.7	0.9	1.4	1.2	7.2	8.5	9.3	7.9
28	22.6	8.5	11.9	12.3	8.1	3.9	5.2	4.8	16.0	19.9	21.8	17.9
29	23.7	15.1	17.2	17.4	16.1	15.2	16.8	16.3	22.4	27.5	25.8	24.3
30	19.1	18.5	18.8	18.7	20.9	32.7	33.0	32.9	21.7	22.3	20.4	21.7
31	11.6	18.1	16.9	16.5	18.4	25.7	25.5	25.5	15.7	11.5	12.6	14.1
32	5.9	15.3	12.4	12.5	13.3	13.0	10.2	11.0	8.6	4.5	5.0	7.0
33	1.6	10.5	7.2	7.7	9.5	5.7	5.3	5.4	3.9	1.6	2.0	3.0
34	0.4	5.6	3.5	3.9	4.5	2.1	1.8	1.9	1.5	0.5	0.5	1.1
35	0.1	2.2	1.6	1.6	1.6	0.7	0.4	0.5	0.5	0.2	0.2	0.4
36	*	0.8	0.5	0.5	0.4	0.1	*	0.1	0.1	*	*	0.1
37	*	0.2	0.2	0.2	0.1	*	*	*	*	*	*	*
38	*	*	0.1	*	*	*	*	*	*	-	-	*
39	-	*	*	*	*	-	-	-	-	-	-	-
40 & Above	-	*	*	*	-	-	-	-	-	-	-	-
Average	29.53	31.15	30.60	30.66	30.88	31.00	30.84	30.88	30.13	29.66	29.69	29.94
MIKE												
2.4 & Below	1.0	*	0.1	0.2	-	-	-	-	*	*	-	*
2.5	4.3	0.1	0.1	0.9	*	-	-	-	*	*	-	*
2.6	4.2	0.2	0.2	0.9	*	*	-	*	*	-	*	*
2.7	5.4	0.2	0.3	1.2	*	*	-	*	*	*	*	*
2.8	6.7	0.3	0.5	1.5	*	*	*	*	*	*	*	*
2.9	6.3	0.5	0.6	1.6	0.1	*	*	*	0.1	*	*	0.1
3.0	6.3	0.8	0.9	1.8	0.1	0.1	*	*	0.1	*	*	0.1
3.1	6.2	1.1	1.2	2.1	0.2	0.1	*	*	0.2	*	0.1	0.2
3.2	6.6	1.6	1.6	2.5	0.3	0.1	*	*	0.3	*	0.2	0.2
3.3	7.0	2.4	2.4	3.2	0.4	0.1	*	*	0.6	0.1	0.4	0.4
3.4	7.2	3.3	3.0	3.9	0.7	0.1	*	*	1.0	0.4	0.8	0.8
3.5	7.5	4.1	3.8	4.6	1.0	0.2	*	0.1	1.4	0.7	1.2	1.2
3.6	6.3	4.9	4.4	5.0	1.6	0.5	*	0.2	2.2	1.2	1.9	1.9
3.7	5.3	5.7	5.5	5.6	2.4	0.7	0.1	0.3	3.2	2.4	3.2	3.0
3.8	4.5	6.9	6.3	6.2	3.7	1.1	0.2	0.5	4.8	4.1	5.0	4.6
3.9	4.2	7.6	6.7	6.7	5.1	2.0	0.5	0.9	6.3	6.1	6.1	6.2
4.0	3.6	8.5	7.5	7.2	6.9	2.7	0.9	1.4	8.0	7.9	8.5	8.1
4.1	2.9	8.9	8.0	7.5	8.4	4.7	1.8	2.6	9.3	9.7	10.0	9.5
4.2	2.1	9.1	8.3	7.5	9.6	7.4	3.2	4.4	10.6	11.2	11.8	10.9
4.3	1.5	8.3	8.5	7.2	10.5	10.8	5.3	6.9	11.3	12.7	13.0	11.9
4.4	0.6	7.1	7.9	6.2	10.7	14.3	8.4	10.2	10.9	12.9	12.6	11.6
4.5	0.2	5.7	7.2	5.3	10.3	16.1	12.8	13.8	10.0	10.6	10.0	10.2
4.6	0.2	4.6	5.9	4.3	9.2	14.1	16.2	15.6	7.7	8.2	7.0	7.7
4.7	0.1	3.1	3.8	2.9	7.2	10.4	17.4	15.3	5.6	5.2	4.6	5.4
4.8	0.1	2.2	2.2	2.0	5.2	6.5	14.4	12.1	3.6	3.1	2.4	3.3
4.9	*	1.3	1.4	1.3	3.2	4.1	9.8	8.1	1.9	1.8	1.0	1.7
5.0	*	0.9	0.8	0.8	1.8	2.1	5.2	4.3	0.7	1.1	0.4	0.8
5.1	-	0.5	0.4	0.4	0.9	1.2	2.3	2.0	0.2	0.4	0.2	0.3
5.2	-	0.2	0.1	0.2	0.4	0.5	1.0	0.9	0.1	0.2	0.1	0.1
5.3	-	0.1	0.1	0.1	0.1	0.2	0.3	0.3	*	0.1	*	*
5.4	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*
5.5 & Above	-	*	*	*	*	*	*	*	*	*	-	*
Average	3.30	4.04	4.06	3.92	4.32	4.47	4.64	4.59	4.24	4.29	4.23	4.25

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	2.1	9.8	1.1	1.1	0.6	0.7	0.3	0.6	0.3	0.4	0.2	0.4
Bark - Level 2	-	-	*	-	-	*	-	-	-	-	-	-
Grass - Level 1	0.3	0.1	*	*	*	*	*	*	*	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	*	-	*	*	-	*	*	-	*	*
Oil - Level 2	*	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	*	*	0.1	*	*	*
Prep - Level 2	-	-	*	-	*	*	-	-	-	-	-	-
Seed Coat - Level 1	0.2	*	39.9	54.3	40.3	40.7	0.4	*	0.2	*	*	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	*	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	0.1	*	-	*	*	*	-	-	*	-	*
23	0.1	0.2	*	*	*	*	*	*	-	-	-	*
24	0.3	0.4	0.2	*	0.2	0.2	*	*	*	*	*	*
25	1.0	1.0	0.4	0.1	0.9	0.8	*	*	*	*	*	*
26	2.7	2.6	1.3	0.7	2.9	2.6	0.3	*	*	*	0.1	0.1
27	6.8	6.5	4.2	3.4	7.8	7.1	2.2	0.2	0.4	0.2	0.6	0.5
28	13.8	12.5	11.9	11.9	16.6	15.7	9.9	2.0	2.2	1.5	5.1	3.4
29	19.0	17.8	23.1	27.5	25.0	24.7	29.1	10.4	8.8	9.6	22.0	14.6
30	19.5	20.2	26.9	30.1	23.3	24.2	33.9	27.2	21.3	32.0	36.6	30.7
31	16.8	17.6	18.4	16.9	13.5	14.4	17.4	31.9	32.0	33.5	24.0	29.0
32	11.1	11.4	8.6	6.3	5.9	6.4	5.3	16.9	20.0	15.8	8.3	13.8
33	5.8	5.9	3.3	2.2	2.4	2.5	1.3	7.4	8.0	5.4	2.6	5.3
34	2.2	2.5	1.1	0.7	0.9	0.9	0.3	3.2	5.2	1.6	0.7	2.1
35	0.7	0.9	0.3	0.2	0.3	0.3	0.1	0.6	1.8	0.4	0.1	0.5
36	0.2	0.3	0.1	0.1	0.1	0.1	*	0.1	0.2	0.1	*	0.1
37	*	0.1	*	*	*	*	*	*	*	*	*	*
38	*	*	*	*	*	*	-	*	*	*	*	*
39	*	*	*	*	*	*	-	-	*	*	-	*
40 & Above	*	*	*	-	*	*	-	-	-	-	-	-
Average	30.30	30.39	30.29	30.19	29.83	29.92	30.22	31.34	31.58	31.22	30.62	31.05
MIKE												
2.4 & Below	*	0.8	*	-	*	*	*	*	*	-	*	*
2.5	0.2	2.2	*	-	*	*	*	*	*	*	*	*
2.6	0.3	2.2	*	-	*	*	*	*	*	*	*	*
2.7	0.4	2.2	*	-	*	*	*	*	*	*	*	*
2.8	0.6	2.5	0.1	-	*	*	*	*	*	*	*	*
2.9	1.0	2.8	0.1	*	*	*	*	*	*	*	*	*
3.0	1.2	3.1	0.1	*	*	*	0.1	*	0.1	0.1	*	*
3.1	1.6	3.3	0.1	*	*	*	0.1	*	0.1	0.1	0.1	0.1
3.2	2.1	3.5	0.2	0.1	*	0.1	0.2	0.1	0.1	0.2	0.1	0.1
3.3	2.3	3.9	0.3	0.2	0.1	0.1	0.3	0.1	0.1	0.3	0.2	0.2
3.4	2.7	4.1	0.4	0.2	0.1	0.2	0.5	0.3	0.1	0.6	0.3	0.4
3.5	3.3	4.5	0.7	0.4	0.2	0.3	0.7	0.6	0.2	1.0	0.5	0.6
3.6	3.7	4.8	1.1	1.0	0.5	0.6	1.0	1.0	0.2	1.6	0.8	1.0
3.7	4.6	5.2	1.8	1.7	0.8	1.0	1.6	1.7	0.3	2.3	1.5	1.7
3.8	5.2	5.6	2.7	3.6	1.4	1.7	2.5	2.8	0.5	3.7	2.2	2.7
3.9	6.2	6.0	3.8	5.2	2.3	2.7	3.7	4.5	0.6	5.5	2.9	4.0
4.0	7.3	6.1	5.2	8.4	3.7	4.1	4.6	6.4	1.1	7.3	4.3	5.5
4.1	8.5	6.1	7.0	10.6	5.6	6.0	5.7	9.3	2.1	9.2	5.8	7.5
4.2	8.8	6.0	8.2	12.7	8.0	8.2	7.1	12.1	3.5	10.6	7.7	9.5
4.3	8.0	5.9	9.5	13.6	10.5	10.5	8.9	13.5	5.9	11.3	9.2	10.9
4.4	7.8	5.5	11.0	12.7	13.0	12.6	10.3	13.7	8.7	11.5	10.1	11.6
4.5	7.2	4.6	11.6	10.3	13.6	13.1	10.3	12.7	12.4	10.2	10.6	11.3
4.6	6.0	3.5	11.0	8.2	12.7	12.3	10.5	9.3	14.6	8.1	10.6	9.9
4.7	4.4	2.4	9.1	4.9	10.4	10.0	9.6	5.8	14.0	6.1	9.7	7.9
4.8	3.0	1.4	6.6	2.9	7.6	7.3	8.0	3.4	12.8	4.2	8.8	6.1
4.9	1.8	0.8	4.1	1.5	4.7	4.5	6.1	1.7	9.4	2.8	6.5	4.1
5.0	0.9	0.4	2.5	0.9	2.7	2.6	3.8	0.6	6.5	1.6	3.9	2.4
5.1	0.5	0.2	1.3	0.4	1.2	1.2	2.3	0.2	4.2	0.9	2.3	1.4
5.2	0.2	0.1	0.9	0.2	0.5	0.5	1.3	0.1	1.7	0.5	1.2	0.7
5.3	0.1	*	0.4	0.1	0.2	0.2	0.6	0.1	0.6	0.1	0.4	0.3
5.4	*	*	0.3	0.1	0.1	0.1	0.2	*	0.2	0.1	0.1	0.1
5.5 & Above	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
Average	4.07	3.76	4.40	4.29	4.46	4.45	4.45	4.31	4.63	4.30	4.46	4.39

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).
* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Rayville				Visalia					United States
	Arkansas 2/	Louisiana	Mississippi 2/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
Extraneous Matter										
Bark - Level 1	-	0.6	-	4.2	0.5	1.9	0.3	*	0.9	3.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	*
Grass - Level 1	-	*	-	0.1	0.2	0.4	0.1	-	0.2	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	*
Other - Level 1	-	*	-	*	*	*	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	*
Plastic - Level 1	-	*	-	*	0.3	*	*	0.1	0.2	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	*
Prep - Level 1	-	*	-	*	*	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	*	-	0.1	2.4	*	0.4	-	1.6	8.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	*	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Strength 1/										
22 & Below	-	-	-	-	*	-	-	-	*	*
23	-	-	-	-	*	-	*	-	*	0.1
24	-	-	-	*	*	*	*	-	*	0.2
25	-	*	-	*	0.1	0.1	0.2	-	0.1	0.6
26	-	*	-	0.1	0.5	0.1	1.1	*	0.4	1.6
27	-	0.1	-	0.9	2.2	0.5	5.6	8.1	2.0	4.4
28	-	1.1	-	3.1	7.0	1.7	15.8	18.4	6.3	10.0
29	-	8.1	-	10.8	12.2	7.1	22.8	11.2	11.3	18.2
30	-	28.5	-	28.1	18.3	17.1	26.6	26.6	18.6	24.4
31	-	29.1	-	27.0	21.2	16.9	18.8	23.7	19.9	20.0
32	-	14.4	-	13.7	15.3	11.1	7.4	11.1	13.5	11.0
33	-	9.6	-	8.8	9.4	9.1	1.5	1.0	8.6	5.7
34	-	6.1	-	5.2	7.0	7.7	0.1	0.2	6.7	2.6
35	-	2.4	-	2.0	4.0	8.6	*	0.5	5.1	1.0
36	-	0.6	-	0.5	2.1	10.1	*	0.2	4.3	0.4
37	-	0.1	-	0.1	0.7	7.3	0.1	0.1	2.6	0.1
38	-	*	-	*	0.1	2.0	-	*	0.7	*
39	-	-	-	-	*	0.3	*	*	0.1	*
40 & Above	-	-	-	-	*	0.3	*	*	0.1	*
Average	-	31.61	-	31.38	31.56	33.06	30.07	30.32	31.88	30.60
MIKE										
2.4 & Below	-	-	-	*	*	*	*	-	*	0.2
2.5	-	-	-	*	*	*	*	-	*	0.5
2.6	-	-	-	0.1	*	0.1	*	-	*	0.5
2.7	-	-	-	*	*	0.1	*	-	*	0.5
2.8	-	*	-	*	*	0.1	0.1	-	0.1	0.5
2.9	-	*	-	*	*	0.2	0.2	*	0.1	0.6
3.0	-	*	-	0.1	0.1	0.2	0.5	*	0.1	0.7
3.1	-	*	-	0.1	0.1	0.4	1.2	*	0.2	0.8
3.2	-	*	-	0.2	0.1	0.5	1.3	0.2	0.3	0.9
3.3	-	*	-	0.3	0.2	0.6	1.3	0.6	0.4	1.1
3.4	-	0.1	-	0.4	0.3	0.9	2.0	0.2	0.6	1.3
3.5	-	0.1	-	0.4	0.4	1.3	2.7	0.3	0.8	1.6
3.6	-	0.2	-	0.7	0.5	2.4	3.2	2.0	1.2	2.0
3.7	-	0.3	-	0.9	0.6	4.1	3.8	1.7	1.8	2.5
3.8	-	0.4	-	1.1	1.1	5.4	4.5	3.5	2.6	3.3
3.9	-	1.1	-	1.7	1.5	7.8	5.1	6.6	3.7	4.2
4.0	-	1.9	-	2.5	2.3	7.7	4.9	6.8	4.1	5.3
4.1	-	3.1	-	3.9	3.5	9.3	7.6	6.3	5.5	6.6
4.2	-	5.4	-	5.8	5.0	9.2	7.7	5.9	6.4	8.0
4.3	-	8.0	-	8.0	7.1	9.4	7.4	5.8	7.7	9.1
4.4	-	11.0	-	10.7	9.7	9.4	8.3	4.2	9.4	10.0
4.5	-	13.6	-	13.1	11.8	9.1	7.9	7.1	10.7	10.1
4.6	-	16.4	-	15.2	13.0	7.3	7.4	7.3	10.9	9.3
4.7	-	15.2	-	14.1	12.2	5.3	7.2	14.1	10.0	7.7
4.8	-	11.1	-	9.9	10.0	3.5	6.0	10.8	8.0	5.7
4.9	-	7.1	-	6.5	7.6	3.2	4.7	9.6	6.3	3.7
5.0	-	3.4	-	3.1	5.2	2.1	3.1	6.1	4.3	2.1
5.1	-	1.2	-	1.2	3.7	0.8	0.9	2.9	2.7	1.1
5.2	-	0.3	-	0.3	2.1	0.5	0.9	7.1	1.7	0.5
5.3	-	0.1	-	0.1	1.0	0.1	0.4	-	0.8	0.2
5.4	-	0.1	-	0.1	0.6	0.2	0.2	-	0.6	0.1
5.5 & Above	-	*	-	*	0.2	*	*	-	0.2	*
Average	-	4.56	-	4.50	4.57	4.23	4.26	4.45	4.45	4.27

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	1.0	*	0.1	0.2	-	-	-	-	*	*	-	*
2.5 - 2.6	8.5	0.3	0.4	1.8	*	*	-	*	*	*	*	*
2.7 - 2.9	18.4	1.0	1.5	4.3	0.1	0.1	*	*	0.1	*	0.1	0.1
3.0 - 3.2	19.0	3.6	3.8	6.4	0.6	0.2	*	0.1	0.6	0.1	0.3	0.4
3.3 - 3.4	14.2	5.6	5.4	7.1	1.1	0.2	*	0.1	1.6	0.5	1.1	1.2
3.5 - 3.6	13.8	9.0	8.2	9.6	2.5	0.7	0.1	0.3	3.6	1.8	3.1	3.1
3.7 - 4.2	22.5	46.6	42.3	40.7	36.1	18.5	6.6	10.1	42.2	41.3	44.6	42.3
4.3 - 4.9	2.6	32.3	37.0	28.7	56.3	76.3	84.3	81.9	50.9	54.5	50.3	51.8
5.0 - 5.2	*	1.5	1.3	1.4	3.1	3.8	8.5	7.1	0.9	1.7	0.6	1.1
5.3 & Above	-	0.1	0.1	0.1	0.2	0.3	0.5	0.4	*	0.1	*	*
Average	3.30	4.04	4.06	3.92	4.32	4.47	4.64	4.59	4.24	4.29	4.23	4.25
Leaf Grade												
1 - 2	16.3	64.5	51.7	51.2	21.9	1.5	4.5	3.6	4.9	2.4	6.6	4.4
3	33.9	26.1	32.4	29.9	50.7	30.9	40.1	37.4	54.9	37.1	59.8	50.6
4	27.7	6.7	10.2	11.8	21.8	51.3	44.0	46.2	36.0	47.2	31.1	38.5
5	13.8	1.9	3.5	4.6	4.5	15.1	10.8	12.0	4.0	12.2	2.5	6.0
6	4.5	0.6	1.3	1.6	0.9	1.1	0.7	0.8	0.2	1.2	0.1	0.4
7	1.8	0.2	0.5	0.6	0.2	0.1	*	*	*	0.1	*	*
8	2.2	0.1	0.3	0.6	*	*	*	*	*	*	-	*
Average	3.69	2.26	2.60	2.64	3.11	3.84	3.63	3.69	3.40	3.73	3.30	3.48
Trash 1/												
00	0.1	0.2	*	0.1	*	-	-	-	-	-	-	-
01	5.3	31.4	20.7	22.8	4.1	*	0.3	0.2	0.2	0.1	0.3	0.2
02	14.2	32.8	33.4	29.7	19.0	2.0	5.0	4.2	6.6	3.3	8.1	5.9
03	15.9	17.1	20.4	18.1	26.2	10.2	15.5	13.9	24.1	15.1	26.0	21.9
04	14.4	8.5	10.8	10.4	21.8	20.3	22.1	21.5	30.3	25.2	30.9	29.0
05	12.3	4.2	5.9	6.3	13.7	23.2	21.5	22.0	21.3	23.9	20.0	21.8
06	10.1	2.3	3.3	4.1	7.3	19.1	15.9	16.9	10.7	15.9	9.3	11.9
07	8.0	1.3	2.0	2.8	3.7	12.3	9.9	10.6	4.3	8.8	3.6	5.5
08	5.8	0.8	1.2	1.9	1.9	6.8	5.3	5.7	1.6	4.3	1.2	2.3
09	4.0	0.5	0.8	1.2	1.0	3.3	2.6	2.8	0.5	2.0	0.4	0.9
10	2.8	0.3	0.5	0.8	0.5	1.5	1.2	1.3	0.2	0.9	0.1	0.4
11	1.8	0.2	0.3	0.5	0.3	0.6	0.5	0.5	0.1	0.4	*	0.2
12	1.3	0.1	0.2	0.4	0.2	0.3	0.2	0.2	*	0.2	*	0.1
13	0.9	0.1	0.2	0.3	0.1	0.1	0.1	0.1	*	0.1	*	*
14	0.6	0.1	0.1	0.2	0.1	*	*	*	*	*	-	*
15	0.5	*	0.1	0.1	*	*	*	*	*	*	*	*
16	0.4	*	*	0.1	*	*	*	*	*	*	*	*
17	0.3	*	*	0.1	*	*	*	*	*	*	*	*
18 & Above	1.6	0.1	0.1	0.4	*	*	*	*	*	*	-	*
Average	0.54	0.25	0.29	0.32	0.38	0.55	0.50	0.52	0.43	0.50	0.41	0.45
Uniformity 2/												
74 & Below	*	*	*	*	0.1	-	-	-	-	-	-	-
75	0.2	0.1	0.2	0.1	0.2	*	*	*	-	-	-	-
76	1.1	0.4	0.9	0.7	0.6	*	*	*	*	*	*	*
77	4.9	1.6	4.2	3.2	1.5	0.1	0.1	0.1	0.2	0.3	0.1	0.2
78	14.5	6.0	13.1	10.2	3.6	1.1	1.0	1.0	1.2	1.6	0.5	1.2
79	28.1	17.6	26.0	22.6	8.6	5.2	4.4	4.7	6.1	8.6	3.0	6.4
80	36.8	32.3	31.0	32.6	20.9	21.9	18.1	19.2	20.5	29.9	15.3	22.4
81	13.9	29.6	18.0	22.5	35.2	39.1	41.4	40.7	35.8	36.8	37.8	36.4
82	0.5	10.7	5.5	6.9	23.2	23.8	28.5	27.1	27.7	17.9	31.0	25.4
83	*	1.5	1.0	1.0	5.5	7.5	5.6	6.2	7.3	4.2	10.6	6.9
84	*	0.1	0.1	0.1	0.6	1.3	0.7	0.8	1.1	0.6	1.5	1.0
85 & Above	*	*	*	*	*	*	*	*	0.1	*	0.1	0.1
Average	79.83	80.64	80.08	80.29	81.22	81.52	81.56	81.55	81.54	81.20	81.79	81.48
Tenderable	22.5	74.3	65.1	61.6	83.6	90.8	88.3	89.0	91.7	89.5	93.5	91.3
SAMPLES CLASSED	202,008	507,165	419,441	1,128,614	1,745,018	369,658	883,743	1,253,401	542,443	252,614	120,110	915,167

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	0.8	*	-	*	*	*	*	*	-	*	*
2.5 - 2.6	0.6	4.5	*	-	*	*	*	*	*	*	*	*
2.7 - 2.9	2.0	7.5	0.2	*	*	*	0.1	*	*	*	0.1	*
3.0 - 3.2	4.9	9.9	0.4	0.2	0.1	0.1	0.4	0.1	0.3	0.4	0.3	0.2
3.3 - 3.4	5.0	8.0	0.7	0.4	0.2	0.3	0.8	0.4	0.3	1.0	0.5	0.6
3.5 - 3.6	7.0	9.3	1.9	1.3	0.7	0.9	1.7	1.6	0.4	2.6	1.3	1.7
3.7 - 4.2	40.6	35.1	28.7	42.3	21.7	23.6	25.2	36.9	8.2	38.7	24.4	30.9
4.3 - 4.9	38.2	24.1	62.8	54.0	72.5	70.3	63.6	60.0	77.6	54.1	65.5	61.7
5.0 - 5.2	1.6	0.7	4.6	1.5	4.4	4.3	7.5	0.9	12.4	3.0	7.4	4.5
5.3 & Above	0.1	0.1	0.8	0.3	0.4	0.4	0.9	0.1	0.8	0.2	0.5	0.4
Average	4.07	3.76	4.40	4.29	4.46	4.45	4.45	4.31	4.63	4.30	4.46	4.39
Leaf Grade												
1 - 2	88.2	65.0	3.2	1.8	4.4	4.1	6.8	2.9	4.2	7.8	21.6	8.9
3	10.1	22.3	35.2	31.1	44.7	42.7	52.2	38.1	34.6	50.1	54.8	45.9
4	1.4	7.6	45.1	50.1	40.3	41.4	36.2	47.9	45.2	35.9	21.2	37.5
5	0.3	2.9	14.3	15.2	9.4	10.4	4.7	10.6	14.7	5.9	2.3	7.3
6	0.1	1.2	2.0	1.6	1.1	1.3	0.2	0.5	1.3	0.2	0.1	0.4
7	*	0.6	0.2	0.1	0.1	0.1	*	*	*	*	*	*
8	-	0.4	*	-	*	*	*	*	-	-	-	*
Average	1.65	2.32	3.77	3.84	3.58	3.62	3.39	3.68	3.74	3.40	3.03	3.44
Trash 1/												
00	0.9	0.1	*	-	*	*	-	-	-	-	*	*
01	64.1	36.4	0.3	0.1	0.3	0.3	0.4	0.1	0.4	0.5	3.1	1.0
02	26.0	32.2	4.7	3.2	6.7	6.3	8.0	3.5	4.3	8.2	19.1	8.7
03	6.1	14.1	15.3	12.8	20.4	19.3	23.0	13.9	13.1	20.8	27.5	19.5
04	1.8	6.9	23.2	22.8	25.7	25.2	28.1	23.2	20.7	25.0	23.1	23.9
05	0.6	3.8	21.7	23.8	20.6	20.9	21.0	23.7	21.5	20.5	14.3	20.3
06	0.3	2.3	15.4	17.8	12.9	13.4	11.2	17.4	17.0	13.1	7.4	13.4
07	0.1	1.4	9.3	10.3	6.9	7.4	5.1	9.9	10.9	6.9	3.3	7.3
08	0.1	0.9	5.0	5.2	3.4	3.8	2.1	4.8	6.2	3.0	1.4	3.5
09	*	0.6	2.5	2.4	1.6	1.8	0.8	2.1	3.1	1.2	0.5	1.5
10	*	0.4	1.3	1.0	0.7	0.8	0.3	0.8	1.5	0.5	0.2	0.6
11	*	0.3	0.6	0.4	0.3	0.4	0.1	0.3	0.7	0.1	0.1	0.2
12	*	0.2	0.3	0.2	0.2	0.2	*	0.1	0.3	*	*	0.1
13	*	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*	*
14	*	0.1	0.1	*	*	*	*	*	0.1	*	*	*
15	*	0.1	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*	*	*	*
18 & Above	*	0.1	*	*	*	*	*	*	*	*	*	*
Average	0.15	0.24	0.50	0.52	0.46	0.47	0.43	0.51	0.52	0.45	0.37	0.46
Uniformity 2/												
74 & Below	*	0.1	-	-	-	-	-	-	-	-	-	-
75	0.2	0.3	*	-	*	*	-	-	-	-	-	-
76	1.3	1.1	0.1	*	*	*	*	*	-	*	*	*
77	5.1	3.6	0.5	0.2	0.2	0.3	0.1	*	*	*	*	*
78	16.3	10.8	2.0	1.1	1.5	1.6	0.7	0.1	0.2	0.1	0.1	0.2
79	30.8	23.3	9.0	5.6	7.5	7.7	4.7	0.8	1.5	0.7	1.4	1.4
80	30.7	30.7	29.4	30.9	23.7	24.9	22.6	7.9	8.7	6.9	14.3	10.7
81	12.8	21.3	37.6	43.0	36.6	37.0	42.7	34.4	32.9	29.7	39.3	35.1
82	2.5	7.4	17.4	14.8	22.7	21.6	24.2	40.1	43.4	41.0	33.1	37.4
83	0.3	1.4	3.6	3.9	6.5	6.0	4.5	14.8	11.6	18.1	10.3	13.3
84	*	0.2	0.3	0.6	1.0	0.9	0.5	1.8	1.5	3.1	1.2	1.8
85 & Above	*	*	*	*	0.1	0.1	*	0.1	0.2	0.3	0.1	0.2
Average	79.78	80.24	81.15	81.23	81.40	81.35	81.45	82.11	82.04	82.24	81.85	82.01
Tenderable	77.8	61.1	50.1	40.5	52.2	51.5	84.4	96.7	80.2	94.3	90.4	92.0
SAMPLES CLASSED	474,710	1,968,185	437,903	88,940	2,143,225	2,670,068	259,290	890,443	220,259	619,467	589,030	2,578,489

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Rayville				Visalia					United States
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
MIKE Range										
2.4 & Below	-	-	-	*	*	*	*	-	*	0.2
2.5 - 2.6	-	-	-	0.1	*	0.1	*	-	*	0.9
2.7 - 2.9	-	*	-	0.1	0.1	0.4	0.3	*	0.2	1.6
3.0 - 3.2	-	*	-	0.4	0.3	1.1	3.0	0.2	0.7	2.4
3.3 - 3.4	-	0.1	-	0.6	0.5	1.5	3.4	0.7	1.0	2.4
3.5 - 3.6	-	0.2	-	1.1	0.8	3.7	5.8	2.2	2.0	3.5
3.7 - 4.2	-	12.3	-	15.9	13.9	43.6	33.6	30.7	24.0	30.0
4.3 - 4.9	-	82.4	-	77.3	71.4	46.7	48.8	58.3	62.7	55.5
5.0 - 5.2	-	4.9	-	4.6	11.0	3.0	4.7	9.3	8.3	3.6
5.3 & Above	-	0.2	-	0.2	1.9	0.1	0.6	-	1.4	0.3
Average	-	4.56	-	4.50	4.57	4.23	4.26	4.45	4.45	4.27
Leaf Grade										
1 - 2	-	4.1	-	6.2	85.6	70.3	95.9	99.7	82.1	25.6
3	-	41.2	-	43.4	11.2	25.2	3.9	0.3	14.6	38.3
4	-	45.9	-	41.3	2.3	3.8	0.2	*	2.6	28.4
5	-	8.4	-	8.1	0.7	0.6	0.1	-	0.6	6.6
6	-	0.4	-	0.9	0.2	0.1	*	-	0.2	0.9
7	-	*	-	0.1	0.1	*	-	-	*	0.2
8	-	-	-	0.1	*	*	-	-	*	0.1
Average	-	3.60	-	3.54	1.83	2.16	1.57	1.15	1.89	3.12
Trash 1/										
00	-	-	-	-	*	0.1	*	0.3	0.1	0.1
01	-	0.3	-	0.7	55.7	34.6	67.3	93.3	51.2	12.0
02	-	5.1	-	7.4	32.5	39.4	28.8	6.0	33.6	15.5
03	-	16.2	-	18.4	7.0	16.0	3.1	0.4	9.2	18.2
04	-	24.7	-	24.2	2.4	5.7	0.5	0.1	3.2	19.0
05	-	23.4	-	21.2	1.1	2.4	0.2	-	1.4	15.0
06	-	15.9	-	14.0	0.6	1.0	0.1	-	0.7	9.6
07	-	8.4	-	7.5	0.3	0.4	*	*	0.3	5.3
08	-	3.7	-	3.5	0.2	0.2	*	-	0.2	2.7
09	-	1.4	-	1.6	0.1	0.1	*	-	0.1	1.3
10	-	0.6	-	0.8	0.1	0.1	*	-	0.1	0.6
11	-	0.2	-	0.4	*	*	-	-	*	0.3
12	-	0.1	-	0.2	*	*	-	-	*	0.2
13	-	*	-	0.1	*	*	-	-	*	0.1
14	-	*	-	0.1	*	*	-	-	*	*
15	-	*	-	*	*	-	-	-	*	*
16	-	*	-	*	*	-	-	-	*	*
17	-	*	-	*	*	-	-	-	*	*
18 & Above	-	*	-	*	*	-	-	-	*	*
Average	-	0.48	-	0.47	0.17	0.21	0.14	0.11	0.18	0.39
Uniformity 2/										
74 & Below	-	*	-	*	*	*	-	-	*	*
75	-	*	-	*	*	*	*	-	*	0.1
76	-	*	-	*	0.1	0.1	*	-	0.1	0.4
77	-	*	-	*	0.4	0.5	0.6	0.2	0.4	1.3
78	-	0.1	-	0.4	2.6	1.9	2.4	0.4	2.4	4.0
79	-	0.7	-	3.4	11.6	9.5	11.9	4.0	10.8	10.5
80	-	6.8	-	13.5	27.3	30.7	25.2	37.2	28.4	22.4
81	-	34.1	-	34.5	37.2	28.3	37.5	50.9	35.0	32.2
82	-	45.7	-	38.2	17.7	8.0	20.7	6.7	14.8	21.9
83	-	11.4	-	9.1	2.9	13.9	1.6	0.7	5.9	6.2
84	-	1.0	-	0.8	0.3	8.1	*	0.2	2.4	0.9
85 & Above	-	0.1	-	0.1	*	0.3	*	0.1	0.1	0.1
Average	-	82.08	-	81.82	81.09	81.46	81.11	81.08	81.20	81.19
Tenderable	-	87.6	-	84.1	83.4	92.7	87.3	90.8	86.5	74.8
SAMPLES CLASSED	-	345,639	-	444,662	294,616	135,957	26,245	11,770	468,588	13,646,902

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2020 Crop

Quality Designation	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	11,676	90.9	57,522	12.4	8,981	53.3	15,342	38.8	93,521	17.6
	2	535	4.2	33,817	7.3	3,974	23.6	5,111	12.9	43,437	8.2
	3	3	*	264	0.1	56	0.3	98	0.2	421	0.1
	4	-	-	-	-	1	*	2	*	3	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		12,214	95.1	91,603	19.8	13,012	77.2	20,553	52.0	137,382	25.8
02	1	548	4.3	120,740	26.1	1,664	9.9	8,525	21.6	131,477	24.7
	2	41	0.3	216,989	46.9	2,071	12.3	8,694	22.0	227,795	42.8
	3	12	0.1	9,238	2.0	76	0.5	521	1.3	9,847	1.9
	4	3	*	67	*	-	-	25	0.1	95	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		604	4.7	347,034	75.0	3,811	22.6	17,765	44.9	369,214	69.4
03	1	1	*	4,278	0.9	19	0.1	126	0.3	4,424	0.8
	2	-	-	16,042	3.5	18	0.1	742	1.9	16,802	3.2
	3	12	0.1	2,744	0.6	-	-	175	0.4	2,931	0.6
	4	15	0.1	205	*	-	-	18	*	238	*
	5	1	*	5	*	-	-	-	-	6	*
	6	-	-	-	-	-	-	1	*	1	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		29	0.2	23,274	5.0	37	0.2	1,062	2.7	24,402	4.6
04	1	-	-	228	*	-	-	4	*	232	*
	2	-	-	265	0.1	1	*	49	0.1	315	0.1
	3	1	*	162	*	1	*	20	0.1	184	*
	4	1	*	43	*	-	-	16	*	60	*
	5	-	-	3	*	-	-	15	*	18	*
	6	-	-	-	-	-	-	25	0.1	25	*
	7	-	-	-	-	-	-	9	*	9	*
TOTAL		2	*	701	0.2	2	*	138	0.3	843	0.2
05	1	-	-	5	*	-	-	1	*	6	*
	2	-	-	19	*	-	-	2	*	21	*
	3	-	-	14	*	-	-	1	*	15	*
	4	-	-	5	*	-	-	10	*	15	*
	5	-	-	-	-	-	-	7	*	7	*
	6	-	-	-	-	-	-	7	*	7	*
	7	-	-	-	-	-	-	4	*	4	*
TOTAL		-	-	43	*	-	-	32	0.1	75	*
06	1	-	-	3	*	-	-	-	-	3	*
	2	-	-	15	*	-	-	-	-	15	*
	3	-	-	6	*	-	-	-	-	6	*
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	25	*	-	-	-	-	25	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	18	*	-	-	-	-	18	*
	3	-	-	15	*	-	-	-	-	15	*
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	33	*	-	-	-	-	33	*
Staple											
44 & Shorter		6	*	3,964	0.9	424	2.5	1,431	3.6	5,825	1.1
46		253	2.0	40,690	8.8	2,649	15.7	6,484	16.4	50,076	9.4
48		7,165	55.8	77,245	16.7	10,102	59.9	20,741	52.4	115,253	21.7
50		5,353	41.7	293,751	63.5	3,496	20.7	8,983	22.7	311,583	58.6
52 & Longer		72	0.6	47,063	10.2	191	1.1	1,911	4.8	49,237	9.3
Average Staple		48.81		49.47		48.04		48.17		49.31	
Average Length		1.42		1.44		1.40		1.40		1.43	
Extraneous Matter											
Bark		2	*	27	*	2	*	98	0.2	129	*
Grass		1	*	1,038	0.2	415	2.5	112	0.3	1,566	0.3
Spindle Twist		-	-	166	*	-	-	255	0.6	421	0.1
Prep		-	-	11	*	-	-	40	0.1	51	*
All Other		-	-	76	*	15	0.1	42	0.1	133	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2020 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	2	*	2	*
2.5 - 2.6	-	-	4	*	3	*	7	*	14	*
2.7 - 2.9	3	*	76	*	5	*	303	0.8	387	0.1
3.0 - 3.2	3	*	423	0.1	298	1.8	1,537	3.9	2,261	0.4
3.3 - 3.4	14	0.1	1,840	0.4	642	3.8	2,016	5.1	4,512	0.8
3.5 - 3.6	23	0.2	7,690	1.7	1,777	10.5	2,718	6.9	12,208	2.3
3.7 - 4.2	10,833	84.3	133,040	28.8	11,419	67.7	22,681	57.3	177,973	33.5
4.3 - 4.9	1,972	15.3	319,273	69.0	2,718	16.1	10,284	26.0	334,247	62.8
5.0 - 5.2	1	*	301	0.1	-	-	2	*	304	0.1
5.3 & Above	-	-	50	*	-	-	-	-	50	*
Average	4.09		4.32		3.96		4.00		4.28	
MIKE										
2.4 & Below	-	-	-	-	-	-	2	*	2	*
2.5	-	-	-	-	2	*	-	-	2	*
2.6	-	-	4	*	1	*	7	*	12	*
2.7	1	*	3	*	-	-	44	0.1	48	*
2.8	2	*	38	*	3	*	83	0.2	126	*
2.9	-	-	35	*	2	*	176	0.4	213	*
3.0	2	*	76	*	46	0.3	255	0.6	379	0.1
3.1	-	-	102	*	83	0.5	506	1.3	691	0.1
3.2	1	*	245	0.1	169	1.0	776	2.0	1,191	0.2
3.3	-	-	613	0.1	216	1.3	957	2.4	1,786	0.3
3.4	14	0.1	1,227	0.3	426	2.5	1,059	2.7	2,726	0.5
3.5	12	0.1	2,999	0.6	846	5.0	1,272	3.2	5,129	1.0
3.6	11	0.1	4,691	1.0	931	5.5	1,446	3.7	7,079	1.3
3.7	132	1.0	8,450	1.8	1,199	7.1	1,810	4.6	11,591	2.2
3.8	373	2.9	11,207	2.4	1,553	9.2	2,055	5.2	15,188	2.9
3.9	1,481	11.5	18,486	4.0	2,236	13.3	3,701	9.4	25,904	4.9
4.0	3,032	23.6	22,877	4.9	1,668	9.9	4,778	12.1	32,355	6.1
4.1	3,581	27.9	27,787	6.0	2,202	13.1	5,671	14.3	39,241	7.4
4.2	2,234	17.4	44,233	9.6	2,561	15.2	4,666	11.8	53,694	10.1
4.3	1,334	10.4	71,176	15.4	1,573	9.3	4,263	10.8	78,346	14.7
4.4	492	3.8	86,483	18.7	626	3.7	3,914	9.9	91,515	17.2
4.5	116	0.9	75,007	16.2	454	2.7	1,563	4.0	77,140	14.5
4.6	28	0.2	51,875	11.2	63	0.4	529	1.3	52,495	9.9
4.7	1	*	25,538	5.5	2	*	12	*	25,553	4.8
4.8	1	*	7,734	1.7	-	-	2	*	7,737	1.5
4.9	-	-	1,460	0.3	-	-	1	*	1,461	0.3
5.0	-	-	207	*	-	-	2	*	209	*
5.1	1	*	63	*	-	-	-	-	64	*
5.2	-	-	31	*	-	-	-	-	31	*
5.3 & Above	-	-	66	*	-	-	-	-	66	*
Average	4.09		4.32		3.96		4.00		4.28	
Strength										
36 & Below	4	*	834	0.2	1,402	8.3	1,121	2.8	3,361	0.6
37	4	*	6,047	1.3	921	5.5	1,181	3.0	8,153	1.5
38	16	0.1	16,630	3.6	821	4.9	1,544	3.9	19,011	3.6
39	12	0.1	20,020	4.3	550	3.3	1,580	4.0	22,162	4.2
40	66	0.5	10,659	2.3	1,121	6.6	2,402	6.1	14,248	2.7
41	255	2.0	13,554	2.9	2,016	12.0	4,002	10.1	19,827	3.7
42	812	6.3	33,267	7.2	3,046	18.1	5,424	13.7	42,549	8.0
43	2,933	22.8	70,636	15.3	2,912	17.3	6,226	15.7	82,707	15.5
44	5,038	39.2	99,260	21.5	2,233	13.2	7,005	17.7	113,536	21.3
45	2,581	20.1	99,054	21.4	1,036	6.1	5,179	13.1	107,850	20.3
46	906	7.1	59,008	12.8	563	3.3	2,497	6.3	62,974	11.8
47	161	1.3	23,646	5.1	174	1.0	951	2.4	24,932	4.7
48 & Above	61	0.5	10,098	2.2	67	0.4	438	1.1	10,664	2.0
Average	44.40		44.15		41.92		42.97		44.00	
Uniformity										
83 & Below	9	0.1	1,083	0.2	88	0.5	648	1.6	1,828	0.3
84	38	0.3	22,825	4.9	1,311	7.8	1,970	5.0	26,144	4.9
85	831	6.5	54,963	11.9	3,593	21.3	6,024	15.2	65,411	12.3
86	7,235	56.3	169,339	36.6	9,071	53.8	19,893	50.3	205,538	38.6
87	4,687	36.5	191,740	41.4	2,771	16.4	10,684	27.0	209,882	39.5
88 & Above	49	0.4	22,763	4.9	28	0.2	331	0.8	23,171	4.4
Average	86.76		86.73		86.25		86.43		86.70	
SAMPLES CLASSED	12,849		462,713		16,862		39,550		531,974	

NOTE: Totals may not add due to rounding.
* Less than 0.05 percent.