



Volume 66, No.27

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	22	32.7	23.8	25,770	34	66.1	49.9	506,499
Corpus Christi	3	85.6	83.5	2,506	47	79.1	63.7	1,388,517
Dumas	5	74.6	48.1	16,241	34	77.1	52.1	1,400,649
Florence	17	86.0	73.0	25,235	46	91.7	78.0	1,317,964
Lamesa	12	77.3	56.8	26,450	26	79.9	56.3	404,852
Lubbock	27	57.2	49.2	29,559	57	72.8	52.6	1,907,193
Macon	56	77.0	59.9	73,065	72	78.8	60.4	2,339,162
Memphis	13	86.7	70.8	33,111	71	87.6	74.6	3,160,343
Rayville*	-	-	-	-	17	77.6	57.5	398,550
Visalia	14	90.5	78.4	26,430	28	88.3	72.8	278,018
United States	170	73.7	58.7	258,854	432	80.9	63.6	13,101,747
AMERICAN PIMA								
Visalia	8			15,149	19			353,378
United States	8			15,149	20			353,378
United States all cotton	178			274,003	441			13,455,129

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	3.2	30.9	6.8	6.9	14.7	2.6	0.6	0.6	34.0	54.3
	3	3.7	10.8	28.9	7.8	9.8	2.0	0.5	0.6	9.7	10.4
	4	0.3	0.7	1.4	0.5	0.2	0.1	*	*	0.6	0.9
	5	*	*	-	*	-	*	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	7.1 42.4	37.2 15.2	24.7 4.6	1.1 1.3	44.4 65.6	1.1 1.3	44.4 65.6	44.4 65.6	65.6
31	1 - 2	3.5	2.4	1.6	2.8	7.6	5.2	7.1	5.0	14.3	4.2
	3	8.4	7.5	28.6	21.2	36.5	23.0	12.9	21.2	19.6	8.1
	4	4.1	3.5	10.0	8.7	9.8	7.8	2.3	6.9	6.7	3.3
	5	0.6	0.5	0.4	0.6	0.3	0.4	0.1	0.5	1.2	0.8
	6	0.1	*	-	*	-	*	*	*	0.1	0.1
	7	*	*	-	*	-	-	-	*	-	*
	8	-	*	-	*	-	-	-	*	-	-
	Total	----	16.7 14.0	40.5 33.5	54.2 36.5	22.4 33.6	42.0 16.5	22.4 33.6	42.0 16.5	42.0 16.5	16.5
41	1 - 2	0.8	0.5	*	0.9	0.1	0.7	4.6	2.4	0.1	*
	3	5.0	4.7	5.3	13.6	6.0	17.5	23.7	25.7	0.4	0.1
	4	4.2	3.2	6.9	14.1	12.8	24.5	17.9	24.2	0.3	0.2
	5	2.1	1.2	0.2	2.6	2.0	5.3	3.9	5.0	0.3	0.4
	6	1.0	0.3	-	0.2	0.1	0.3	0.3	0.4	0.2	0.4
	7	0.5	0.1	-	*	-	*	*	0.1	0.1	0.2
	8	0.2	*	-	*	-	-	*	*	-	*
	Total	----	13.8 10.0	12.5 31.4	20.9 48.3	50.4 57.9	1.4 1.4	50.4 57.9	1.4 1.4	1.4 1.4	1.4
51	1 - 2	*	*	-	0.1	-	*	0.3	*	-	-
	3	0.9	0.2	0.2	0.8	*	0.8	8.8	1.3	-	*
	4	3.0	0.4	0.1	1.6	0.1	2.1	10.6	2.9	-	-
	5	2.7	0.4	*	0.7	*	0.9	1.7	1.2	-	-
	6	1.6	0.2	-	0.1	*	0.1	0.2	0.2	-	-
	7	0.7	0.1	-	*	*	*	-	*	-	*
	8	0.3	0.1	-	*	-	-	*	*	-	-
	Total	----	9.2 1.4	0.3 3.3	0.2 3.9	21.6 5.7	- *	21.6 5.7	- *	- *	*
61	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	- *	- *	- *	- *	- *	- *	- *	- *	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	- -	- -	- *	- *	- *	- *	- *	- -	-
12 & 22	1 - 2	0.2	3.5	-	0.5	-	*	*	*	1.7	7.2
	3	1.3	3.5	*	0.8	-	*	*	*	3.0	3.6
	4	0.3	0.5	-	0.1	-	*	*	*	0.5	0.5
	5	*	*	-	*	-	*	-	*	*	*
	6	-	*	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.8 7.5	* 1.4	- *	0.1 *	5.3 11.3	0.1 *	5.3 11.3	5.3 11.3	11.3
32	1 - 2	0.2	0.5	-	0.1	-	0.1	0.1	*	1.2	0.5
	3	1.7	2.1	0.2	1.6	-	0.2	0.5	0.1	2.7	1.2
	4	1.2	1.4	0.4	1.2	-	0.1	0.1	0.1	1.5	0.8
	5	0.4	0.3	0.1	0.2	-	*	*	*	0.5	0.3
	6	0.1	0.1	-	*	-	-	*	*	0.1	0.1
	7	*	*	-	*	-	-	*	*	*	*
	8	-	*	-	*	-	-	-	*	-	-
	Total	----	3.5 4.4	0.8 3.1	- 0.4	0.8 0.3	5.9 2.8	0.8 0.3	5.9 2.8	5.9 2.8	2.8
42	1 - 2	1.2	0.4	-	0.1	-	0.1	*	*	*	*
	3	5.2	2.9	0.8	2.0	*	1.4	0.3	0.2	0.1	*
	4	5.1	3.1	3.1	4.4	-	2.2	0.6	0.4	0.1	*
	5	1.4	1.2	0.8	1.6	*	0.6	0.4	0.1	0.1	*
	6	0.1	0.3	-	0.2	-	0.1	0.1	*	0.1	*
	7	0.1	0.1	-	*	-	*	0.1	*	*	*
	8	0.1	*	-	*	-	-	*	*	-	*
	Total	----	13.3 8.0	4.7 8.3	* 4.4	1.5 0.8	0.3 0.1	1.5 0.8	0.3 0.1	0.3 0.1	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	0.1	*	-	*	-	*	-	*	-	-
	3	0.7	0.2	0.4	0.2	-	0.3	0.1	*	-	-
	4	2.8	1.0	0.5	1.1	*	0.9	0.7	0.2	-	-
	5	5.0	1.6	*	0.9	*	0.4	0.4	0.1	-	*
	6	3.1	1.0	-	0.2	-	0.1	0.1	*	-	-
	7	1.3	0.4	-	*	-	*	*	*	-	-
	8	0.3	0.2	-	*	-	-	*	*	-	-
Total	----	13.3	4.5	1.0	2.3	*	1.7	1.3	0.3	-	*
62	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	*	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	*	-	*	-	*	-	-
	6	*	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	*	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
Total	----	*	*	-	*	-	*	-	*	-	-
13 & 23	1 - 2	*	0.2	-	*	-	-	*	*	0.1	0.5
	3	0.1	0.3	-	*	-	*	*	*	0.2	0.5
	4	*	0.1	-	*	-	*	*	*	*	0.1
	5	-	*	-	*	-	-	-	*	-	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.6	-	0.1	-	*	*	*	0.3	1.1
33	1 - 2	0.1	0.1	-	*	-	*	*	*	*	0.2
	3	0.2	0.5	-	0.1	-	*	0.2	*	0.2	0.4
	4	0.2	0.3	*	*	-	*	0.1	*	0.1	0.2
	5	0.1	0.1	-	*	-	*	*	*	*	0.1
	6	*	*	-	*	-	-	0.1	*	-	*
	7	-	*	-	*	-	-	*	*	-	*
	8	-	-	-	*	-	-	*	*	-	-
Total	----	0.6	1.0	*	0.1	-	*	0.4	*	0.3	0.8
43	1 - 2	0.1	*	-	*	-	*	*	*	-	*
	3	0.3	0.4	*	0.1	-	*	0.1	*	*	*
	4	0.7	0.6	0.2	0.2	-	*	0.1	*	*	*
	5	0.3	0.3	0.1	0.1	-	*	0.1	*	-	*
	6	*	0.1	-	*	-	*	*	*	*	*
	7	*	*	-	*	-	-	*	*	*	*
	8	-	*	-	*	-	-	*	*	-	*
Total	----	1.4	1.5	0.4	0.5	-	*	0.4	0.1	*	*
53	1 - 2	*	*	-	*	-	*	-	-	-	-
	3	0.5	0.1	0.2	*	-	*	-	*	-	*
	4	3.1	0.8	0.9	0.2	-	*	*	*	-	*
	5	5.9	1.4	0.4	0.3	-	*	*	*	-	*
	6	3.8	1.1	-	0.1	-	*	*	*	-	*
	7	1.2	0.5	*	*	-	*	-	*	-	-
	8	0.6	0.1	-	*	-	-	*	*	-	-
Total	----	15.1	3.9	1.6	0.7	-	0.1	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	*	*	*	*	-	*	-	-	-	-
	5	*	*	-	*	-	*	-	-	-	-
	6	0.2	*	-	*	-	*	-	-	-	-
	7	0.2	*	-	*	-	*	-	-	-	-
	8	0.2	*	-	*	-	-	-	-	-	-
Total	----	0.6	0.1	*	*	-	*	-	-	-	-
24 - 54	1 - 8	3.0	0.8	0.8	*	-	*	0.1	*	*	0.3
25 - 35	1 - 8	-	-	-	*	-	-	-	-	-	-
81 - 85	1 - 8	0.4	*	0.2	*	-	-	-	-	-	*
STAPLE											
28 & Shorter		*	*	-	-	-	-	-	-	*	*
29		0.1	0.1	-	-	-	-	-	-	*	*
30		0.1	0.2	-	*	-	-	-	-	0.3	0.1
31		1.0	0.7	-	*	-	-	-	-	2.4	0.7
32		2.7	2.1	-	0.4	-	*	-	-	5.2	3.3
33		6.0	5.1	0.1	1.7	-	0.2	0.6	0.2	12.3	9.0
34		13.8	11.9	0.3	7.5	0.1	1.9	5.9	3.6	22.2	19.6
35		14.8	19.3	3.5	15.2	1.7	10.2	28.2	17.6	27.4	27.4
36		21.6	22.7	14.1	18.6	20.6	24.4	28.7	39.3	15.2	23.4
37		28.4	25.1	20.6	30.9	58.6	48.1	29.2	33.0	13.0	12.9
38		10.4	9.3	18.2	17.4	17.6	13.1	5.8	5.1	1.7	2.7
39		1.2	3.1	29.8	7.3	1.3	1.9	1.4	1.0	0.3	0.7
40 & Longer		0.1	0.4	13.4	0.9	*	0.1	0.2	0.1	*	0.2
Average Staple		35.75	35.83	37.96	36.54	36.96	36.66	36.04	36.21	34.74	35.10
Average Length		1.12	1.12	1.19	1.14	1.15	1.14	1.12	1.13	1.08	1.09

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.1	31.3	0.9	2.1	1.9	1.9	-	13.3	81.6	74.3
	3	2.8	8.5	0.5	1.1	0.6	1.1	-	5.9	5.2	7.2
	4	0.3	0.7	*	*	*	*	-	0.2	0.1	0.4
	5	*	*	-	*	*	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	4.2 40.5	1.4 3.2	2.6 3.0	- 19.4	86.9 82.0	86.9	82.0	86.9	82.0
31	1 - 2	6.6	4.7	3.3	6.3	18.4	8.8	-	6.9	4.7	6.7
	3	21.1	14.3	7.2	20.0	25.1	21.3	-	24.4	2.6	4.6
	4	13.2	7.0	0.8	3.3	2.1	3.9	-	6.3	1.9	1.5
	5	2.7	1.3	*	0.1	0.1	0.2	-	0.4	0.5	0.3
	6	0.4	0.1	-	*	*	*	-	*	*	*
	7	*	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	44.0 27.4	11.3 29.6	45.7 34.1	- 38.0	9.7 13.1	9.7	13.1	9.7	13.1
41	1 - 2	0.6	0.2	4.4	2.2	5.1	4.5	-	0.4	*	0.3
	3	3.7	2.2	27.4	23.4	24.8	29.3	-	13.0	*	0.2
	4	10.8	4.3	11.3	15.0	7.6	14.5	-	17.5	0.1	0.2
	5	9.8	3.5	1.4	1.9	0.5	2.1	-	4.0	0.2	0.1
	6	5.6	1.9	0.1	0.1	*	0.2	-	0.2	*	*
	7	4.3	0.9	-	*	-	-	-	*	-	*
	8	1.9	0.3	-	*	-	-	-	*	-	*
	Total	----	36.8 13.3	44.6 42.7	38.0 50.5	- 35.1	0.3 0.8	0.3	0.8	0.3	0.8
51	1 - 2	-	*	2.3	0.5	0.3	0.1	-	0.1	-	*
	3	*	*	18.2	6.3	4.5	1.6	-	0.8	-	*
	4	0.2	*	12.8	6.3	1.5	1.5	-	0.9	-	*
	5	0.8	*	3.3	1.6	0.4	0.5	-	0.3	-	*
	6	0.7	0.1	0.6	0.2	*	0.1	-	*	-	*
	7	1.7	0.2	*	*	-	*	-	*	-	*
	8	3.5	0.5	-	*	-	-	-	*	-	-
	Total	----	6.9 0.8	37.1 14.9	6.8 3.9	- 2.1	- *	- *	- *	- *	- *
61	1 - 2	-	-	*	*	-	*	-	-	*	*
	3	-	*	*	*	-	*	-	*	*	*
	4	-	*	*	*	*	*	-	*	-	-
	5	-	*	*	*	*	*	-	-	-	-
	6	-	*	*	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	*	*	-	*	-	-	-	-	-	-
	Total	----	* *	0.1 0.1	* *	- *	* *	- *	* *	* *	* *
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-
	5	-	*	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- *	- *	- *	- *	- *	- *	- *	- *	- *
12 & 22	1 - 2	0.1	5.7	*	*	-	*	-	*	1.2	1.6
	3	0.3	3.0	*	*	-	*	-	0.2	0.3	1.1
	4	*	0.3	-	*	-	*	-	0.1	*	0.1
	5	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.4 9.0	* *	- *	- *	- *	- *	0.3	1.5	2.8
32	1 - 2	0.3	0.9	*	0.1	*	0.1	-	*	0.1	0.1
	3	1.4	2.5	0.2	0.6	0.1	0.4	-	0.4	0.4	0.2
	4	0.7	1.3	0.1	0.2	0.1	0.1	-	0.2	0.4	0.2
	5	0.1	0.3	*	*	*	*	-	*	0.2	0.1
	6	-	*	-	*	*	*	-	*	*	*
	7	-	*	-	-	-	-	-	-	*	*
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	2.6 5.0	0.3 0.8	0.3 0.6	- 0.7	1.1 0.7	1.1	0.7	1.1	0.7
42	1 - 2	0.1	*	0.1	0.1	0.4	0.5	-	*	*	*
	3	0.6	0.4	1.1	2.2	3.8	3.7	-	1.0	*	*
	4	0.6	0.4	1.1	2.6	1.3	2.0	-	1.4	-	*
	5	0.2	0.3	0.2	0.5	0.1	0.2	-	0.5	*	*
	6	0.2	0.1	*	*	*	*	-	0.1	0.1	*
	7	0.1	*	-	*	-	-	-	*	*	*
	8	*	*	-	-	-	-	-	*	-	*
	Total	----	1.8 1.3	2.5 5.5	5.6 6.4	- 3.0	0.1 0.1	0.1	0.1	0.1	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	*	*	-	*	*	*
	3	*	*	0.5	0.6	0.6	0.6	-	0.2	-	*
	4	0.1	*	1.2	1.4	0.3	0.5	-	0.4	-	*
	5	0.7	0.1	0.3	0.6	*	0.1	-	0.3	-	*
	6	0.7	0.1	0.1	0.1	-	*	-	0.1	-	*
	7	0.1	*	*	*	-	-	-	*	-	*
	8	*	*	-	*	-	-	-	*	-	*
Total	----	1.6	0.3	2.2	2.7	1.0	1.3	-	1.0	*	*
62	1 - 2	-	-	-	*	-	*	-	-	*	*
	3	-	-	*	*	-	*	-	*	*	*
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	*	*	*	*	-	*	-	-
	6	*	*	*	*	-	*	-	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	-	*	*	*
13 & 23	1 - 2	*	0.3	-	*	-	*	-	*	*	0.1
	3	0.1	0.3	-	*	-	*	-	*	*	0.1
	4	*	0.1	-	-	-	-	-	*	*	*
	5	-	*	-	-	-	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.7	-	*	-	*	-	*	0.1	0.2
33	1 - 2	*	0.2	-	*	-	*	-	*	*	*
	3	0.1	0.5	*	*	*	*	-	*	0.1	*
	4	*	0.2	*	*	-	*	-	*	*	0.1
	5	-	*	*	*	-	*	-	*	*	*
	6	*	*	-	-	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.9	*	*	*	*	-	0.1	0.2	0.2
43	1 - 2	*	*	*	*	-	*	-	*	*	*
	3	0.1	0.1	0.1	0.1	*	*	-	*	*	*
	4	*	0.1	0.1	0.1	*	*	-	0.1	-	*
	5	*	0.1	*	*	-	*	-	*	*	*
	6	-	*	*	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	*	*
	8	-	*	-	-	-	-	-	-	-	*
Total	----	0.2	0.3	0.2	0.3	*	0.1	-	0.1	0.1	0.1
53	1 - 2	-	*	-	*	-	-	-	*	-	-
	3	*	*	*	*	*	*	-	*	*	*
	4	0.1	*	0.1	0.1	*	*	-	0.1	-	-
	5	0.5	*	*	0.1	*	*	-	0.1	-	-
	6	0.3	*	*	*	*	*	-	*	-	-
	7	0.1	*	*	*	-	-	-	*	-	*
	8	*	*	-	-	-	-	-	*	-	*
Total	----	1.0	0.1	0.2	0.2	*	*	-	0.2	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	*	*	-	*	-	-	-	*	-	-
	7	*	*	*	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	*
Total	----	*	*	*	*	-	-	-	*	-	*
24 - 54	1 - 8	0.2	0.4	*	*	*	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		0.2	0.2	*	*	-	-	-	-	*	*
31		0.8	1.0	0.1	*	*	*	-	*	*	*
32		2.3	3.1	0.2	0.1	*	*	-	*	0.1	0.1
33		4.7	7.2	2.6	1.1	0.1	0.2	-	0.2	0.6	0.3
34		11.9	14.2	9.7	5.7	1.1	1.7	-	1.1	1.4	1.4
35		20.5	21.6	20.9	17.2	14.8	9.8	-	8.1	4.0	4.1
36		26.3	24.0	32.0	29.0	34.9	27.4	-	22.9	10.1	13.1
37		29.9	21.7	26.5	33.4	43.5	52.0	-	41.1	40.0	36.2
38		3.0	5.4	6.8	10.4	5.1	8.0	-	17.6	23.6	24.2
39		0.3	1.3	1.2	2.7	0.4	0.9	-	7.1	12.3	13.7
40 & Longer		*	0.2	0.1	0.4	*	0.1	-	2.0	8.0	7.0
Average Staple		35.64	35.47	35.95	36.32	36.38	36.57	-	36.94	37.48	37.47
Average Length		1.11	1.11	1.12	1.13	1.13	1.14	-	1.15	1.17	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	44.0	12.0	6.2	0.7	-	0.1	4.3	2.6	3.6	2.2
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.7	1.5	-	*	0.1	0.2	*	0.1
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	1.4	0.1	0.9	0.7	*	0.1	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	*	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	0.3	0.3	-	*	-	-	-	-	*	0.1
23	0.4	0.3	-	*	-	-	-	-	0.3	0.2
24	0.5	0.5	-	0.1	-	*	-	*	0.7	0.6
25	1.8	0.9	0.1	0.2	*	*	0.6	0.2	1.7	1.5
26	4.2	2.2	0.6	0.8	0.5	0.4	4.9	2.8	2.4	3.5
27	7.7	5.0	1.7	2.4	2.3	2.8	20.2	15.7	6.9	8.5
28	13.0	9.1	6.3	6.4	12.7	12.9	31.7	31.8	15.4	16.1
29	15.3	13.7	16.6	13.6	23.3	29.5	21.2	25.8	24.3	21.4
30	18.4	16.9	27.5	20.5	25.9	30.7	11.9	14.1	22.3	20.8
31	16.2	15.7	26.1	21.9	20.6	16.6	5.9	6.2	14.6	14.2
32	10.3	14.5	13.5	14.7	11.4	5.3	2.6	2.4	7.2	7.7
33	6.9	12.5	5.1	9.1	2.9	1.4	0.8	0.7	2.7	3.5
34	2.6	6.1	1.8	5.5	0.4	0.3	0.2	0.2	1.0	1.3
35	1.4	1.7	0.5	3.1	*	*	*	*	0.2	0.4
36	0.9	0.5	-	1.3	-	*	*	*	0.1	0.1
37	0.2	0.1	-	0.4	-	*	-	-	*	*
38	0.1	*	-	0.1	-	-	-	-	*	*
39	*	*	-	*	-	-	-	-	*	*
40 & Above	*	*	-	*	-	-	-	-	-	-
Average	30.29	30.97	30.86	31.34	30.40	30.13	28.91	29.10	29.88	29.87
Mike										
2.4 & Below	*	*	-	*	-	*	-	-	*	*
2.5	0.1	*	-	*	-	*	-	*	0.1	*
2.6	0.3	0.1	-	*	-	*	-	*	*	0.1
2.7	0.4	0.1	-	*	-	*	*	*	0.1	0.1
2.8	0.8	0.2	-	*	-	*	*	*	0.2	0.3
2.9	1.9	0.3	-	*	-	*	0.1	*	0.3	0.3
3.0	1.8	0.5	-	*	-	*	0.4	*	0.3	0.6
3.1	3.1	0.8	-	0.1	-	*	0.2	*	0.8	0.9
3.2	2.1	1.0	-	0.1	-	*	0.4	0.1	1.3	1.4
3.3	2.8	1.3	*	0.1	-	*	0.5	0.1	0.9	1.7
3.4	2.2	1.3	0.1	0.2	-	*	0.8	0.3	1.5	2.0
3.5	4.4	2.0	0.5	0.4	*	*	0.7	0.4	1.4	2.6
3.6	6.6	3.1	0.5	0.8	0.1	0.1	0.7	0.7	2.3	3.4
3.7	5.5	3.9	0.6	1.2	0.1	0.2	1.0	1.2	4.6	4.3
3.8	6.2	4.9	1.2	1.9	0.4	0.4	2.0	2.0	5.6	4.7
3.9	8.1	6.5	1.5	2.9	0.5	0.7	2.0	3.1	7.0	5.8
4.0	8.7	7.3	3.4	4.0	1.2	1.4	4.1	4.8	8.7	6.3
4.1	7.9	8.3	5.2	5.6	1.2	2.1	5.2	6.7	6.7	7.1
4.2	5.3	9.0	9.8	7.7	2.2	3.3	8.2	9.1	7.8	7.4
4.3	6.2	9.5	17.3	9.9	4.5	5.2	11.3	11.7	9.2	8.4
4.4	6.7	9.4	22.1	11.0	7.4	7.1	14.4	13.2	7.1	8.6
4.5	6.4	8.5	21.3	11.1	6.6	9.6	15.8	13.1	6.1	8.0
4.6	4.9	6.7	10.4	11.2	9.0	12.8	13.1	11.5	5.8	7.3
4.7	2.5	5.4	4.2	10.7	15.9	14.7	8.7	8.8	5.6	6.4
4.8	1.8	3.8	1.3	9.0	15.4	14.2	4.2	6.1	6.7	5.2
4.9	2.1	2.9	0.5	5.9	10.9	11.7	2.3	3.7	4.0	3.3
5.0	0.6	1.8	0.1	3.2	9.9	8.4	1.8	2.0	2.2	2.0
5.1	0.3	0.8	0.1	1.7	7.4	4.8	1.5	0.8	2.1	0.9
5.2	*	0.3	-	0.8	5.3	2.2	0.2	0.3	1.4	0.4
5.3	-	0.1	-	0.4	1.5	0.9	0.2	0.1	0.2	0.2
5.4	-	0.1	-	0.2	0.2	0.3	*	*	*	0.1
5.5 & Above	-	*	-	*	0.3	0.1	-	*	*	*
Average	3.96	4.21	4.37	4.47	4.74	4.68	4.39	4.41	4.25	4.21

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending Jan 16, 2025

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	28.3	8.6	1.4	1.0	0.3	0.1	-	0.3	1.8	0.6
Bark - Level 2	-	-	-	-	-	*	-	*	-	-
Grass - Level 1	*	0.1	0.3	0.1	0.1	*	-	0.1	0.1	0.2
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	-	-	*	*
Prep - Level 2	-	-	-	*	-	*	-	-	-	-
Seed Coat - Level 1	*	*	9.6	2.7	-	0.2	-	0.6	0.1	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	-	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	0.1	0.2	-	-	-	-	-	-	-	-
23	0.2	0.3	-	*	-	-	-	-	-	-
24	0.5	0.7	*	*	-	*	-	*	-	*
25	0.7	1.4	0.1	0.1	*	0.1	-	*	*	0.1
26	1.8	3.0	1.3	0.5	0.1	0.4	-	*	0.1	0.2
27	4.4	6.3	6.0	2.7	2.8	3.8	-	0.6	0.8	0.9
28	9.4	11.5	15.9	9.9	25.8	22.9	-	4.5	2.4	3.6
29	14.4	16.4	28.9	22.9	47.5	41.2	-	18.6	7.1	9.3
30	20.3	19.5	23.9	27.9	20.2	23.0	-	31.9	18.1	17.1
31	24.8	18.3	14.1	20.2	2.9	6.5	-	27.9	29.5	22.3
32	13.3	12.3	6.6	10.1	0.6	1.6	-	11.0	20.8	17.1
33	6.3	6.2	2.3	3.9	*	0.4	-	3.7	9.7	11.5
34	2.6	2.6	0.6	1.4	*	0.1	-	1.3	3.6	8.7
35	0.8	0.9	0.1	0.4	-	*	-	0.3	2.8	5.0
36	0.2	0.3	*	0.1	-	*	-	*	2.1	2.7
37	*	0.1	*	*	-	*	-	*	0.8	1.1
38	-	*	-	*	-	-	-	*	1.6	0.5
39	-	-	-	*	-	-	-	-	0.6	0.1
40 & Above	-	-	-	*	-	-	-	-	0.1	*
Average	30.69	30.39	29.97	30.52	29.41	29.56	-	30.83	31.95	32.04
Mike										
2.4 & Below	0.1	*	-	*	-	-	-	-	-	*
2.5	0.1	0.1	-	-	-	-	-	*	-	*
2.6	*	0.1	-	*	-	-	-	*	*	*
2.7	0.2	0.2	-	*	*	*	-	*	-	*
2.8	0.4	0.3	*	*	*	*	-	*	-	*
2.9	0.5	0.5	*	*	*	*	-	*	0.2	*
3.0	0.5	0.7	*	*	*	*	-	*	0.3	0.1
3.1	1.3	1.0	*	*	0.1	*	-	*	0.4	0.2
3.2	2.8	1.4	*	*	0.1	0.1	-	*	0.1	0.4
3.3	3.4	1.7	*	*	*	0.1	-	0.1	0.5	0.6
3.4	3.2	2.0	0.1	0.1	0.1	0.2	-	0.1	0.7	0.9
3.5	3.5	2.6	0.1	0.1	0.2	0.3	-	0.1	1.5	1.1
3.6	4.0	3.3	0.2	0.2	0.3	0.5	-	0.2	2.9	1.6
3.7	4.2	3.9	0.5	0.4	0.3	0.9	-	0.4	4.9	2.5
3.8	5.4	4.6	1.4	0.7	0.6	1.6	-	0.5	5.5	4.0
3.9	5.3	5.2	1.2	1.2	0.6	2.6	-	1.3	7.3	5.3
4.0	5.7	5.9	2.5	2.0	1.0	4.0	-	1.8	7.5	6.5
4.1	6.7	6.8	3.8	3.5	1.3	5.7	-	3.0	8.0	7.7
4.2	8.6	7.5	6.3	5.5	4.4	7.7	-	5.0	11.1	8.7
4.3	8.7	8.2	8.4	7.6	8.1	10.1	-	7.4	9.4	8.8
4.4	8.5	8.8	9.1	10.3	13.4	12.0	-	9.8	9.9	9.6
4.5	8.1	8.7	11.9	12.2	14.9	13.2	-	10.0	6.8	8.4
4.6	6.2	7.9	14.8	13.4	16.6	13.5	-	10.4	6.1	7.5
4.7	5.9	6.6	12.5	13.2	13.7	11.3	-	11.8	5.2	7.2
4.8	3.3	4.9	9.7	11.1	10.4	7.9	-	11.8	3.6	6.1
4.9	2.2	3.4	8.0	8.1	7.0	4.5	-	8.3	3.2	4.8
5.0	0.8	1.9	4.9	5.3	4.3	2.3	-	6.1	2.1	2.9
5.1	0.2	1.0	2.3	3.0	1.7	1.0	-	4.5	1.3	2.1
5.2	0.1	0.5	1.2	1.3	0.6	0.4	-	3.1	0.7	1.2
5.3	*	0.2	0.7	0.6	0.3	0.2	-	2.3	0.5	0.9
5.4	*	0.1	0.1	0.2	*	0.1	-	1.1	*	0.4
5.5 & Above	-	*	0.1	0.1	*	*	-	0.6	*	0.2
Average	4.10	4.21	4.56	4.58	4.57	4.46	-	4.63	4.24	4.36

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	*	-	*	-	-	*	*
2.5 - 2.6	0.4	0.1	-	*	-	*	-	*	0.1	0.1
2.7 - 2.9	3.2	0.6	-	*	-	*	0.1	*	0.5	0.7
3.0 - 3.2	7.0	2.3	-	0.1	-	*	1.1	0.1	2.4	2.9
3.3 - 3.4	5.0	2.6	0.1	0.4	-	*	1.2	0.4	2.4	3.7
3.5 - 3.6	10.9	5.1	1.0	1.2	0.1	0.1	1.4	1.1	3.8	6.0
3.7 - 4.2	41.7	40.0	21.7	23.2	5.7	8.0	22.5	26.9	40.4	35.6
4.3 - 4.9	30.8	46.2	77.0	68.7	69.7	75.3	69.9	68.2	44.7	47.3
5.0 - 5.2	0.9	2.9	0.2	5.7	22.6	15.3	3.5	3.1	5.6	3.3
5.3 & Above	-	0.2	-	0.6	2.0	1.2	0.2	0.1	0.2	0.3
Average	3.96	4.21	4.37	4.47	4.74	4.68	4.39	4.41	4.25	4.21
Leaf										
1 - 2	9.4	38.5	8.5	11.5	22.3	8.6	12.7	8.1	51.4	66.9
3	28.0	33.3	64.7	48.1	52.3	45.2	47.2	49.2	36.0	24.4
4	25.0	15.9	24.2	32.4	22.9	37.8	32.5	34.8	9.8	6.1
5	19.2	7.4	2.4	7.2	2.4	7.8	6.5	7.0	2.2	1.6
6	11.3	3.2	0.2	0.8	0.1	0.5	0.8	0.7	0.5	0.6
7	4.9	1.2	*	0.1	*	*	0.2	0.1	0.1	0.3
8	2.1	0.5	-	*	-	-	0.1	*	-	*
Average	4.17	2.99	3.21	3.37	3.05	3.46	3.36	3.43	2.52	2.18
HVI Trash 1/										
00	-	0.1	-	*	-	-	-	-	0.1	0.7
01	2.1	16.7	0.1	2.0	2.8	0.9	1.8	0.6	24.1	40.5
02	11.0	25.2	16.2	11.4	24.9	10.6	14.1	10.0	37.8	30.7
03	15.2	18.7	36.6	22.3	28.5	22.0	23.2	23.6	21.9	14.3
04	12.5	12.6	25.3	24.6	20.7	24.2	24.1	25.3	8.6	6.6
05	10.4	8.0	12.8	18.0	13.3	19.2	17.7	18.8	3.8	3.1
06	9.3	5.3	5.3	10.7	6.5	12.0	9.7	11.3	1.7	1.6
07	8.3	3.7	2.1	5.7	2.3	6.3	5.0	5.7	0.9	0.9
08	7.5	2.7	0.7	2.8	0.7	2.9	2.4	2.6	0.5	0.5
09	6.3	2.0	0.4	1.3	0.2	1.2	1.0	1.2	0.3	0.4
10	5.2	1.5	0.2	0.6	0.1	0.5	0.5	0.5	0.1	0.2
11	3.7	1.1	0.1	0.3	*	0.2	0.3	0.2	0.1	0.2
12	2.9	0.8	0.1	0.1	*	0.1	0.1	0.1	*	0.1
13	2.0	0.5	*	0.1	*	*	0.1	*	*	0.1
14	1.4	0.4	-	*	-	*	*	*	*	*
15	0.9	0.2	-	*	-	*	*	*	-	*
16	0.5	0.2	-	*	-	*	*	*	-	*
17	0.4	0.1	-	*	-	*	*	*	-	*
18 & Above	0.5	0.2	-	*	-	*	0.1	*	-	*
Average	0.61	0.37	0.37	0.43	0.35	0.44	0.42	0.44	0.24	0.22
UNIFORMITY 2/										
74 & Below	0.2	0.1	-	*	-	-	-	-	0.2	0.1
75	0.4	0.3	-	*	-	-	-	-	0.5	0.3
76	0.9	0.8	-	*	-	-	-	-	3.3	1.5
77	3.9	2.7	0.3	0.2	*	*	0.1	*	7.9	6.2
78	11.0	7.8	1.8	1.2	0.2	0.4	1.3	0.3	19.8	16.7
79	24.3	18.4	6.9	4.9	2.7	3.0	10.5	2.9	31.4	28.5
80	31.9	27.3	20.2	18.9	16.1	17.1	38.8	18.3	24.4	29.8
81	22.8	25.9	32.4	38.8	30.4	35.2	37.6	37.2	11.3	13.5
82	4.4	13.2	26.3	27.8	28.6	29.1	10.2	31.3	1.1	2.9
83	0.3	3.2	10.9	7.4	16.6	12.6	1.4	9.3	*	0.4
84	*	0.2	1.2	0.9	4.8	2.3	0.1	0.7	-	*
85 & Above	-	*	*	*	0.6	0.3	-	*	-	*
Average	80.14	80.60	81.55	81.57	82.01	81.83	80.94	81.72	79.47	79.77
Tenderable 3/	32.7	66.1	85.6	79.1	74.6	77.1	86.0	91.7	77.3	79.9
SAMPLES CLASSED										
Week	25,770		2,506		16,241		25,235		26,450	
Season	506,499		1,388,517		1,400,649		1,317,964		404,852	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.1	*	-	*	-	-	-	-	-	*
2.5 - 2.6	0.1	0.1	-	*	-	-	-	*	*	*
2.7 - 2.9	1.0	1.0	*	*	*	*	-	*	0.2	0.1
3.0 - 3.2	4.6	3.2	*	*	0.2	0.1	-	0.1	0.8	0.8
3.3 - 3.4	6.6	3.8	0.1	0.1	0.1	0.2	-	0.2	1.2	1.6
3.5 - 3.6	7.6	5.9	0.3	0.3	0.5	0.8	-	0.4	4.5	2.6
3.7 - 4.2	35.9	33.8	15.8	13.2	8.2	22.5	-	12.0	44.4	34.7
4.3 - 4.9	42.9	48.5	74.4	75.9	84.1	72.5	-	69.5	44.3	52.5
5.0 - 5.2	1.1	3.4	8.4	9.6	6.6	3.7	-	13.7	4.1	6.2
5.3 & Above	*	0.4	0.9	0.8	0.3	0.2	-	4.1	0.5	1.5
Average	4.10	4.21	4.56	4.58	4.57	4.46	-	4.63	4.24	4.36
Leaf										
1 - 2	8.9	43.4	11.0	11.3	26.2	15.9	-	20.8	87.7	83.1
3	30.2	31.9	55.5	54.3	59.6	57.9	-	46.0	8.7	13.4
4	26.3	14.5	27.4	29.2	12.9	22.6	-	27.1	2.7	2.6
5	14.8	5.7	5.3	4.8	1.2	3.2	-	5.6	0.9	0.7
6	8.0	2.4	0.7	0.4	0.1	0.4	-	0.5	0.1	0.1
7	6.4	1.3	*	*	-	*	-	*	*	*
8	5.4	0.8	-	*	-	-	-	*	-	*
Average	4.23	2.88	3.29	3.29	2.89	3.14	-	3.18	1.76	1.87
HVI Trash 1/										
00	-	*	-	-	-	*	-	-	0.4	0.2
01	1.2	19.3	0.9	1.1	3.7	2.0	-	4.4	60.2	51.7
02	11.1	28.0	14.7	14.1	31.0	19.0	-	19.8	28.9	33.7
03	16.3	18.7	29.6	27.8	35.8	31.3	-	24.1	5.1	8.4
04	16.0	11.9	25.0	25.3	18.3	23.9	-	21.2	1.8	2.8
05	12.3	7.3	14.8	16.0	7.0	13.1	-	14.5	1.4	1.4
06	8.7	4.6	7.9	8.4	2.6	6.0	-	8.3	0.9	0.8
07	6.6	2.9	3.8	4.0	1.0	2.6	-	4.3	0.5	0.4
08	5.5	2.0	1.7	1.8	0.4	1.1	-	2.0	0.3	0.2
09	4.2	1.4	0.9	0.8	0.1	0.5	-	0.9	0.2	0.1
10	3.5	1.0	0.4	0.4	*	0.2	-	0.3	0.1	0.1
11	3.1	0.8	0.2	0.2	*	0.1	-	0.1	*	*
12	2.7	0.6	0.1	0.1	*	0.1	-	0.1	*	*
13	2.2	0.4	0.1	*	*	*	-	*	*	*
14	1.8	0.3	*	*	*	*	-	*	*	*
15	1.6	0.2	*	*	-	*	-	*	*	*
16	1.1	0.2	*	*	-	-	-	*	-	*
17	0.7	0.1	*	*	-	-	-	*	*	*
18 & Above	1.4	0.2	*	*	-	-	-	*	-	*
Average	0.61	0.34	0.40	0.40	0.31	0.37	-	0.38	0.16	0.18
UNIFORMITY 2/										
74 & Below	0.2	0.1	-	-	-	-	-	-	-	-
75	0.2	0.3	-	*	-	-	-	*	*	*
76	1.1	1.2	*	*	-	*	-	*	*	*
77	3.3	3.8	0.1	0.1	*	0.1	-	*	0.3	0.1
78	8.1	10.4	1.1	0.5	0.1	0.4	-	0.2	1.2	1.0
79	18.6	21.5	4.6	3.6	2.7	2.7	-	2.1	8.4	5.6
80	32.2	30.1	18.0	15.5	19.8	14.3	-	14.5	30.7	23.6
81	27.0	22.9	33.7	32.9	33.4	33.9	-	33.8	34.7	35.5
82	7.5	8.2	27.1	29.6	35.9	37.0	-	33.3	19.0	25.6
83	1.6	1.4	12.3	14.1	7.8	11.0	-	13.9	5.1	6.5
84	0.2	0.1	2.7	3.4	0.3	0.6	-	1.9	0.5	1.8
85 & Above	*	*	0.2	0.3	*	*	-	0.2	*	0.2
Average	80.41	80.29	81.75	81.90	81.73	81.85	-	81.93	81.25	81.51
Tenderable 3/	57.2	72.8	77.0	78.8	86.7	87.6	-	77.6	90.5	88.3
SAMPLES CLASSED										
Week	29,559		73,065		33,111		-		26,430	
Season		1,907,193		2,339,162		3,160,343		398,550		278,018

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 16, 2025

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	8.1	17.7		MIKE	-	*
	2	12.1	15.7		2.4 & Below	*	*
	3	0.4	0.8		2.5 - 2.6	1.2	0.4
	4	*	0.1		2.7 - 2.9	1.8	2.1
	5	-	*		3.0 - 3.2	3.7	5.7
	6	-	-		3.3 - 3.4	15.6	18.3
	7	-	-		3.5 - 3.6	74.6	72.1
Total -----		20.6	34.3		3.7 - 4.2	3.2	1.3
02	1	8.1	15.5		4.3 - 4.9	-	*
	2	58.5	39.7		5.0 - 5.2	*	*
	3	5.6	4.4		5.3 & Above		
	4	0.3	0.4		Average	3.82	3.78
	5	*	*		ALL RANGE MIKE		
	6	-	*		2.4 & Below	-	*
	7	-	-		2.5	-	*
Total -----		72.4	60.1		2.6	*	*
03	1	0.1	0.3		2.7	*	0.1
	2	2.9	2.8		2.8	0.3	0.1
	3	2.2	1.6		2.9	0.8	0.2
	4	0.1	0.3		3.0	0.2	0.3
	5	*	*		3.1	0.8	0.7
	6	-	*		3.2	0.9	1.1
	7	-	*		3.3	1.4	1.9
Total -----		5.3	5.0		3.4	2.3	3.8
04	1	-	*		3.5	6.0	7.0
	2	0.1	0.1		3.6	9.5	11.3
	3	0.6	0.2		3.7	12.6	15.8
	4	0.1	0.1		3.8	17.4	18.2
	5	*	*		3.9	17.4	16.7
	6	*	*		4.0	13.7	11.7
	7	-	*		4.1	9.1	6.8
Total -----		0.9	0.4		4.2	4.4	2.9
05	1	-	*		4.3	2.3	1.0
	2	*	*		4.4	0.7	0.2
	3	0.3	0.1		4.5	0.2	*
	4	0.4	0.1		4.6	*	*
	5	*	*		4.7	*	*
	6	-	*		4.8	-	*
	7	*	*		4.9	*	*
Total -----		0.7	0.2		5.0	-	*
06	1	-	-		5.1	-	*
	2	-	*		5.2	-	-
	3	-	*		5.3 & Above	*	*
	4	0.1	*		Average	3.82	3.78
	5	-	*		STRENGTH 1/		
	6	-	*		36 & Below	0.1	3.3
	7	-	*		37	0.9	4.0
Total -----		0.1	*		38	0.5	5.2
07	1	-	-		39	1.9	3.9
	2	-	-		40	5.4	3.4
	3	-	-		41	11.0	5.8
	4	-	-		42	19.8	11.6
	5	*	*		43	28.3	18.6
	6	-	*		44	19.3	20.3
	7	-	*		45	8.5	15.3
Total -----		*	*		46	3.4	6.3
STAPLE					47	0.7	1.8
44 & Shorter		0.5	1.4		48 & Above	0.3	0.5
46		2.1	7.8		Average	43.21	43.00
48		27.1	25.9		UNIFORMITY		
50		53.1	47.6		83 & Below	0.9	1.2
52 & Longer		17.2	17.2		84	5.0	7.4
Average Staple		49.68	49.43		85	22.1	23.8
Average Length		1.44	1.43		86	53.2	52.5
EXTRANEIOUS MATTER					87	17.0	14.1
Bark		0.1	*		88 & Above	1.8	1.0
Grass		0.9	0.2		Average	86.32	86.18
Spindle Twist		2.1	0.8		Samples Classed		
Preparation		*	*		Week	15,149	
All Other		*	*		Season		353,378

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.