



Volume 65, No.20

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	31	68.9	53.9	46,293	32	71.2	53.3	278,777
Corpus Christi	4	71.1	46.1	2,429	48	82.1	45.3	988,525
Dumas	20	62.2	34.6	41,678	37	59.3	33.4	941,437
Florence	46	69.8	51.5	152,436	48	70.7	50.8	922,719
Lamesa	26	69.8	46.0	42,242	28	76.0	52.2	176,298
Lubbock	53	62.1	40.7	183,030	56	69.2	45.1	993,382
Macon	77	88.0	74.8	245,926	77	90.2	76.2	1,612,907
Memphis	66	89.7	74.1	251,674	73	89.1	72.6	2,523,103
Rayville	4	53.2	26.7	3,795	20	62.7	37.0	246,780
Visalia	16	85.3	71.4	22,667	22	87.4	68.6	120,651
United States	343	77.9	60.5	992,170	441	79.5	58.5	8,804,579
AMERICAN PIMA								
Visalia	17			39,160	19			171,662
United States	17			39,160	19			171,662
United States all cotton	358			1,031,330	455			8,976,241

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	15.6	27.6	0.2	28.2	5.3	4.3	6.0	4.7	31.6	49.5
	3	5.3	8.9	0.7	18.7	2.7	3.6	4.6	3.4	5.3	7.7
	4	0.4	1.3	-	1.7	0.2	0.1	0.4	0.2	0.1	0.3
	5	*	0.1	-	*	*	*	*	*	*	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	21.2	37.8	0.9	48.7	8.2	8.0	11.0	8.3	37.0	57.5
31	1 - 2	10.8	7.2	7.4	2.6	5.1	8.0	9.8	11.0	9.5	6.7
	3	24.2	15.1	23.8	6.0	28.8	35.7	39.0	43.6	19.4	12.8
	4	6.6	5.5	4.4	1.8	16.8	12.9	13.0	14.2	4.8	3.9
	5	0.5	1.3	0.2	0.1	2.1	0.9	1.2	1.0	0.5	0.6
	6	*	0.2	-	*	*	*	*	*	*	0.1
	7	-	*	-	*	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	42.1	29.2	35.9	10.5	52.9	57.5	63.0	69.9	34.2	24.0
41	1 - 2	0.5	0.4	0.4	0.4	0.2	0.3	0.5	0.3	0.1	0.1
	3	5.6	3.5	9.6	1.9	9.6	9.3	8.4	6.7	1.8	0.8
	4	6.0	3.5	14.0	1.1	19.9	17.0	12.2	10.5	2.9	1.7
	5	2.7	2.0	1.9	0.2	7.1	5.7	3.4	3.1	2.2	1.4
	6	1.0	0.8	-	*	0.6	0.6	0.5	0.3	1.4	0.8
	7	0.2	0.2	-	*	*	*	*	*	0.6	0.3
	8	*	*	-	*	-	*	-	-	*	*
Total	----	16.0	10.4	25.9	3.6	37.4	33.0	25.1	21.0	9.1	5.0
51	1 - 2	*	*	*	*	-	*	-	*	*	*
	3	*	*	4.1	0.3	*	*	*	*	*	*
	4	0.1	*	14.1	0.2	0.1	0.1	0.1	*	*	*
	5	0.4	0.1	5.6	0.1	*	*	0.1	*	*	*
	6	0.3	0.1	0.2	*	*	*	0.1	*	0.1	*
	7	0.1	*	-	*	*	*	*	*	0.3	0.1
	8	*	0.1	-	-	-	*	-	-	0.1	*
Total	----	0.9	0.3	24.0	0.7	0.1	0.2	0.3	0.1	0.5	0.2
61	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	0.3	*	-	-	-	-	-	-
	4	-	-	0.4	*	-	-	-	*	-	-
	5	-	-	-	*	-	*	-	-	-	-
	6	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	0.7	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	0.2	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.2	*	-	-	-	-	-	-
12 & 22	1 - 2	1.9	4.4	-	17.9	*	*	*	*	4.4	5.4
	3	1.5	4.1	-	8.8	*	*	*	*	2.2	1.9
	4	0.2	1.0	-	1.0	-	*	*	*	0.3	0.2
	5	-	*	-	0.1	-	*	*	*	*	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.7	9.6	-	27.8	*	*	*	*	6.9	7.5
32	1 - 2	0.8	0.7	*	0.8	-	*	*	*	1.8	0.9
	3	4.0	2.4	1.9	2.0	0.1	0.4	0.1	0.2	4.4	2.2
	4	2.6	2.2	0.7	0.9	0.1	0.2	0.1	0.1	2.3	1.0
	5	0.6	0.8	-	0.2	0.1	*	0.1	*	0.5	0.2
	6	*	0.1	-	*	*	*	*	*	0.1	*
	7	-	*	-	*	-	*	-	-	*	*
	8	-	*	-	*	-	-	-	-	-	-
Total	----	8.0	6.1	2.6	3.8	0.3	0.6	0.2	0.4	9.1	4.3
42	1 - 2	*	*	-	0.2	*	*	-	*	*	*
	3	0.8	0.4	1.3	0.8	0.3	0.2	*	0.1	0.1	0.1
	4	1.8	0.9	0.6	0.4	0.5	0.3	0.1	0.1	0.4	0.2
	5	1.6	1.3	-	0.1	0.2	0.1	0.1	*	0.4	0.1
	6	0.8	0.9	-	*	*	*	*	*	0.2	0.1
	7	0.3	0.3	-	*	-	*	*	*	0.1	*
	8	0.1	*	-	*	-	*	-	-	-	-
Total	----	5.4	4.0	1.9	1.6	1.0	0.6	0.3	0.3	1.1	0.5

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	-
	3	*	*	1.6	0.2	*	*	-	*	-	-
	4	*	*	2.6	0.1	*	*	*	*	-	*
	5	*	*	0.9	*	*	*	*	*	*	*
	6	0.1	0.1	*	*	*	*	*	*	*	*
	7	0.1	0.1	-	*	-	*	*	*	*	*
	8	0.1	0.1	-	-	-	*	-	-	*	*
Total	----	0.3	0.3	5.2	0.4	0.1	*	*	*	*	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	0.1	*	-	-	-	-	-	-
	4	-	-	0.5	*	-	-	-	*	-	-
	5	-	-	0.3	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.9	*	-	-	-	*	-	-
13 & 23	1 - 2	0.1	0.4	-	1.1	-	-	*	*	0.3	0.2
	3	0.2	0.4	-	0.8	-	-	-	*	0.1	0.1
	4	*	0.1	-	0.2	-	*	-	*	*	*
	5	*	*	-	*	-	*	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.9	-	2.1	-	*	*	*	0.5	0.4
33	1 - 2	0.2	0.1	-	0.1	-	*	-	*	0.3	0.1
	3	0.8	0.3	0.2	0.2	-	*	*	*	0.8	0.3
	4	0.5	0.3	0.1	0.2	-	*	*	*	0.4	0.1
	5	0.1	0.1	-	0.1	*	*	*	*	*	*
	6	*	*	-	*	*	*	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	0.9	0.3	0.6	*	*	*	*	1.4	0.6
43	1 - 2	-	*	-	*	-	*	-	*	*	*
	3	*	*	0.6	*	-	*	*	*	*	*
	4	0.1	0.1	0.4	*	*	*	*	*	*	*
	5	0.1	0.1	-	*	*	*	*	*	*	*
	6	*	0.1	-	*	-	*	*	*	*	*
	7	*	*	-	*	-	-	*	*	-	-
	8	*	*	-	*	-	*	-	-	-	-
Total	----	0.3	0.3	1.0	0.2	*	*	0.1	*	0.1	*
53	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	0.2	*	-	-	-	-	-	-
	4	-	*	0.1	*	-	-	-	*	-	-
	5	*	*	-	*	-	-	-	*	-	-
	6	*	*	-	*	-	-	*	*	-	-
	7	*	*	-	*	-	-	-	*	-	-
	8	-	*	-	*	-	-	-	-	-	-
Total	----	*	*	0.3	*	-	-	*	*	-	-
63	1 - 2	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	0.1	*	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	0.1	*	-	-	-	-	-	*
24 - 54	1 - 8	0.2	0.1	-	*	-	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	0.1	*	-	-	-	-	*	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	*	*	-	-	-	-	-	-
30		*	*	0.2	*	-	-	-	*	*	*
31		0.3	0.3	1.5	0.3	-	-	*	*	0.4	0.3
32		1.6	1.6	7.0	1.7	-	*	0.1	0.1	2.3	1.8
33		2.7	3.5	4.5	6.6	0.1	0.4	1.4	1.8	6.9	6.0
34		6.2	8.1	4.2	19.1	1.3	3.1	7.5	8.4	15.7	14.4
35		12.7	14.0	3.0	27.6	3.7	9.5	21.9	21.4	25.8	23.8
36		20.4	20.8	3.0	22.2	12.6	21.9	31.4	32.0	25.8	25.1
37		26.9	28.5	28.1	14.6	46.3	44.2	29.7	28.7	18.1	21.5
38		14.4	14.2	33.1	5.3	26.5	16.3	6.3	6.0	4.3	5.6
39		8.8	6.5	13.5	2.2	8.1	4.0	1.6	1.3	0.6	1.2
40 & Longer		6.0	2.3	1.7	0.3	1.4	0.5	0.2	0.2	*	0.3
Average Staple		36.66	36.37	36.79	35.39	37.23	36.74	36.07	36.01	35.39	35.58
Average Length		1.14	1.13	1.15	1.10	1.16	1.15	1.12	1.12	1.10	1.11

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	23.4	37.0	2.1	2.6	10.9	11.2	*	3.2	76.8	69.0
	3	7.9	10.7	2.2	2.3	5.5	4.8	0.1	2.1	4.6	7.2
	4	0.3	0.5	0.2	0.2	0.3	0.2	0.1	*	*	0.5
	5	*	*	*	*	*	*	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	31.6 48.2	4.5 5.1	16.7 16.2	0.2 5.4	81.4 76.6				
31	1 - 2	15.0	9.8	6.5	9.6	18.7	19.1	3.3	7.0	6.5	6.2
	3	29.2	19.7	24.6	34.9	38.9	39.8	12.8	22.3	7.7	6.4
	4	5.8	5.2	10.1	12.3	9.0	9.8	1.4	6.2	1.7	3.5
	5	0.3	0.4	1.4	1.3	0.6	0.7	-	0.3	0.2	0.7
	6	*	*	0.1	0.1	*	*	-	*	-	*
	7	-	*	*	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	50.3 35.2	42.8 58.2	67.2 69.4	17.5 35.8	16.1 16.9				
41	1 - 2	0.1	0.1	1.7	1.2	0.8	0.5	2.3	1.2	*	*
	3	2.0	0.8	19.4	14.1	7.6	5.8	44.4	15.8	0.2	0.1
	4	2.6	1.5	19.2	13.5	5.7	5.8	25.3	16.1	0.2	0.3
	5	1.0	0.7	6.4	3.8	1.3	1.7	1.6	3.9	0.2	0.2
	6	0.3	0.3	1.2	0.5	0.1	0.2	*	0.3	0.1	0.1
	7	0.1	0.1	0.2	0.1	*	*	-	*	-	-
	8	*	*	*	*	-	-	-	*	-	-
	Total	----	6.0 3.4	48.0 33.2	15.5 14.1	73.5 37.4	0.8 0.7				
51	1 - 2	*	*	0.1	*	*	*	-	*	-	-
	3	*	*	0.8	0.2	0.1	*	0.2	0.2	-	-
	4	*	*	1.0	0.2	0.1	*	0.6	0.5	-	-
	5	*	*	0.4	0.1	0.1	*	1.0	0.6	*	*
	6	*	*	0.1	*	*	*	0.4	0.1	*	*
	7	*	*	*	*	*	*	-	*	-	-
	8	*	*	*	*	-	-	-	-	-	-
	Total	----	* *	2.4 0.5	0.3 0.1	2.2 1.5	* *				
61	1 - 2	-	*	*	*	-	*	-	-	-	-
	3	-	-	*	*	-	*	-	-	-	-
	4	-	-	*	*	-	*	-	-	-	-
	5	-	-	*	*	*	*	-	-	-	-
	6	-	-	*	*	-	*	-	*	-	-
	7	-	-	-	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- *	* *	* *	- *	- *				
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	* *	- -	- -	- -	- -				
12 & 22	1 - 2	1.7	3.4	*	*	*	*	-	1.7	*	3.0
	3	1.3	2.6	*	*	*	*	0.1	1.2	*	1.1
	4	0.1	0.4	*	*	*	*	0.1	0.1	-	0.1
	5	*	*	-	-	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	3.1 6.4	* *	* *	0.2 3.0	* 4.1				
32	1 - 2	1.2	0.7	*	0.1	*	*	-	1.0	0.2	0.2
	3	3.5	2.4	0.3	0.5	0.1	*	0.3	3.7	0.7	0.6
	4	1.3	1.2	0.2	0.3	*	*	0.7	1.4	0.2	0.4
	5	0.2	0.3	*	*	*	*	0.2	0.2	*	0.1
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	6.2 4.5	0.6 0.9	0.1 0.1	1.3 6.3	1.0 1.4				
42	1 - 2	*	*	*	*	*	*	*	0.4	-	*
	3	0.2	0.1	0.4	0.6	*	*	1.3	3.8	0.1	*
	4	0.4	0.3	0.5	0.8	*	*	1.8	3.8	0.2	0.1
	5	0.3	0.3	0.2	0.3	*	*	1.6	1.2	*	*
	6	0.1	0.2	0.1	*	*	*	0.2	0.2	-	*
	7	*	0.1	*	*	-	*	-	*	-	-
	8	*	*	*	*	-	-	-	-	-	-
	Total	----	1.2 0.9	1.3 1.8	0.1 0.1	4.9 9.4	0.3 0.2				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	*	-	*	-	-
	3	*	*	0.1	*	*	*	-	0.1	-	-
	4	-	*	0.1	*	*	*	*	0.2	-	-
	5	*	*	*	*	*	*	-	0.2	-	-
	6	*	*	*	*	*	*	-	0.1	-	-
	7	*	*	*	*	-	*	-	*	-	-
	8	0.1	*	*	*	-	-	-	-	-	-
Total	----	0.1	*	0.3	0.1	*	*	*	0.7	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	-
	4	-	-	*	*	-	-	-	*	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	*	-	-
13 & 23	1 - 2	0.2	0.1	*	*	-	-	-	*	-	0.1
	3	0.2	0.2	*	*	-	-	-	0.1	-	*
	4	*	0.1	-	-	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.4	*	*	-	-	-	0.2	-	0.1
33	1 - 2	0.1	*	*	*	*	*	-	*	*	*
	3	0.5	0.2	*	*	*	*	-	*	0.2	*
	4	0.2	0.2	*	*	*	*	-	*	*	*
	5	*	0.1	*	*	-	*	*	*	-	-
	6	*	*	*	*	-	-	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.8	0.5	*	*	*	*	*	0.1	0.2	0.1
43	1 - 2	*	*	-	*	-	*	-	*	-	-
	3	*	*	*	*	*	*	0.1	*	*	*
	4	0.1	*	*	*	*	*	*	0.1	*	*
	5	0.1	0.1	*	*	*	*	0.1	0.1	*	*
	6	0.1	0.1	*	*	*	*	*	0.1	-	-
	7	*	*	-	*	-	-	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	0.3	0.3	*	*	*	*	0.2	0.2	*	*
53	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	*	*	*	-	*	-	*	-	-
	4	-	-	*	*	*	*	-	*	-	-
	5	-	*	*	*	*	*	-	*	-	-
	6	*	*	*	*	-	-	-	*	-	-
	7	*	*	*	*	-	-	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	*	-	-
24 - 54	1 - 8	0.1	0.1	*	*	-	-	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		0.1	0.1	*	*	-	*	-	-	-	-
31		0.7	0.5	*	*	-	*	-	*	-	-
32		2.6	1.9	0.2	0.2	*	*	-	0.4	*	*
33		6.6	5.3	1.0	1.7	*	*	-	2.4	0.2	0.1
34		12.3	11.3	5.5	7.3	0.4	0.4	1.4	7.3	1.8	1.2
35		19.4	18.8	16.0	18.2	4.3	5.0	6.5	16.4	4.2	8.3
36		23.0	23.2	26.5	28.5	16.0	19.7	22.6	26.9	14.7	19.4
37		21.5	23.8	36.0	32.5	51.5	48.8	57.3	29.9	34.0	34.0
38		8.8	9.4	11.1	9.2	22.2	20.7	7.2	11.5	24.2	19.3
39		3.6	4.1	3.1	2.1	4.9	4.7	2.9	4.5	17.1	12.6
40 & Longer		1.4	1.5	0.6	0.3	0.7	0.7	2.2	0.7	3.8	5.1
Average Staple		35.78	35.93	36.39	36.20	37.08	37.01	36.80	36.29	37.41	37.20
Average Length		1.12	1.12	1.13	1.13	1.16	1.16	1.15	1.13	1.17	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	12.5	8.7	2.5	0.1	*	*	1.3	1.2	7.0	3.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.7	0.3	0.4	0.3	*	0.2	0.3	0.2	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	1.5	0.6	*	*	*	*	0.1	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	*	*	*	*	0.1	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	0.1	0.1	1.1	0.5	-	-	-	-	*	*
23	0.2	0.2	2.8	0.6	-	-	-	-	0.1	*
24	0.3	0.4	0.8	1.4	-	*	-	*	0.2	0.2
25	0.7	0.8	0.2	2.7	*	*	*	*	0.6	0.6
26	1.2	1.6	0.6	5.0	0.1	0.1	0.2	0.1	1.9	2.2
27	2.5	3.3	0.9	8.2	0.5	0.9	1.2	0.8	5.7	5.1
28	4.6	6.0	2.4	11.3	2.6	3.5	7.6	5.0	11.9	10.3
29	8.8	9.5	7.3	14.2	7.0	11.5	19.2	16.3	17.0	15.0
30	15.1	13.7	15.2	14.7	15.5	23.7	26.4	27.7	20.7	19.6
31	19.3	15.8	20.7	12.6	25.1	29.9	23.9	26.5	17.7	18.8
32	16.5	15.3	34.9	10.5	26.3	19.1	14.3	14.8	12.6	13.0
33	14.4	14.5	10.0	8.7	14.8	7.6	5.5	6.4	6.7	8.2
34	9.2	11.9	2.4	5.4	5.0	2.6	1.4	1.8	2.8	4.4
35	5.1	5.4	0.6	2.8	2.3	0.8	0.4	0.4	1.3	1.8
36	1.6	1.2	*	1.1	0.7	0.2	0.1	0.1	0.6	0.6
37	0.4	0.3	-	0.2	*	*	*	*	0.2	0.1
38	*	*	-	*	-	-	-	-	0.1	*
39	-	*	-	*	-	-	-	-	*	*
40 & Above	-	-	-	-	-	-	-	-	-	*
Average	31.78	31.73	31.22	30.36	31.90	31.30	30.83	31.01	30.60	30.82
Mike										
2.4 & Below	*	*	-	*	-	-	-	-	-	*
2.5	0.2	0.1	-	*	-	*	-	*	-	*
2.6	0.5	0.1	-	0.1	-	*	*	*	-	*
2.7	0.3	0.2	-	0.1	*	*	*	*	-	*
2.8	0.3	0.4	-	0.1	-	*	*	*	-	*
2.9	0.4	0.6	-	0.2	-	*	*	*	*	*
3.0	0.4	1.0	-	0.2	-	*	*	*	*	0.1
3.1	0.5	1.3	0.8	0.4	*	*	*	*	0.1	0.1
3.2	0.5	1.6	*	0.6	*	*	0.1	*	0.2	0.2
3.3	0.8	1.7	*	0.8	*	*	0.2	0.1	0.3	0.3
3.4	1.4	2.3	-	1.1	*	*	0.2	0.1	0.3	0.4
3.5	2.1	2.8	0.1	1.3	*	*	0.4	0.2	0.8	0.6
3.6	2.7	3.1	0.2	1.7	*	*	0.6	0.3	1.4	0.9
3.7	3.4	3.7	1.3	2.2	0.1	0.1	0.8	0.5	2.4	1.5
3.8	4.2	4.5	2.1	3.0	0.2	0.1	1.2	0.8	2.4	2.2
3.9	4.9	5.2	1.9	4.0	0.5	0.2	1.7	1.2	4.0	3.3
4.0	5.4	6.1	5.9	5.3	0.7	0.5	2.3	2.0	4.4	3.5
4.1	6.5	6.8	4.7	6.8	0.9	0.9	3.3	3.0	6.0	4.3
4.2	7.9	7.4	6.4	8.7	1.3	1.6	5.1	4.4	5.5	5.9
4.3	8.4	8.2	5.9	10.2	1.9	2.5	6.6	5.7	6.9	7.1
4.4	8.0	8.1	8.9	10.7	3.4	4.0	7.5	6.9	6.5	7.4
4.5	10.8	8.8	9.2	10.7	5.2	5.8	7.9	8.1	7.8	8.7
4.6	8.9	7.6	10.1	9.5	8.6	8.1	8.0	9.3	9.6	10.1
4.7	6.6	5.9	9.3	7.6	12.0	10.3	8.8	10.2	10.5	10.9
4.8	4.8	4.4	8.0	5.6	13.3	12.4	9.2	10.2	8.5	9.8
4.9	3.5	3.2	15.0	3.8	15.2	13.9	8.7	9.7	7.8	7.3
5.0	2.6	2.2	7.2	2.4	13.9	12.9	7.7	9.0	5.3	5.4
5.1	1.3	1.3	2.5	1.6	9.1	10.5	7.3	7.2	3.5	3.8
5.2	0.8	0.7	0.3	0.8	6.3	7.8	5.9	5.3	2.7	2.5
5.3	0.9	0.4	*	0.4	4.3	4.6	3.7	3.2	1.6	1.9
5.4	0.6	0.1	-	0.1	2.1	2.4	1.8	1.6	0.9	1.1
5.5 & Above	0.1	*	-	0.1	1.0	1.5	1.3	1.2	0.7	0.6
Average	4.28	4.20	4.53	4.34	4.84	4.85	4.67	4.70	4.51	4.54

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	16.9	10.6	0.9	0.4	*	*	1.9	0.6	3.3	0.7
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.1	0.1	0.1	*	-	*	*	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	0.1	-	*	-	*	0.5	0.7
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	*	*	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	-	-	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	*	*	-	*	-	-	-	-
23	*	*	*	*	*	*	-	-	*	*
24	0.1	0.1	*	*	-	*	-	0.1	*	0.1
25	0.6	0.5	*	0.1	*	*	0.4	0.4	*	0.3
26	1.8	1.6	0.3	0.3	*	0.1	2.3	1.3	0.2	1.6
27	4.8	4.2	1.8	1.7	0.4	0.7	3.1	3.2	0.5	2.9
28	9.7	8.6	6.4	6.4	4.0	5.6	1.6	6.3	1.3	6.1
29	15.2	13.7	16.2	16.0	23.5	23.7	4.8	11.8	4.2	10.6
30	16.4	16.8	25.4	25.8	41.2	38.6	12.1	22.1	13.7	13.3
31	16.3	17.6	23.7	24.4	23.0	22.6	42.1	27.2	20.5	14.4
32	14.2	15.7	14.8	14.8	5.9	6.8	23.0	17.6	22.5	14.5
33	10.5	10.9	7.1	6.7	1.7	1.6	8.5	7.1	14.7	10.8
34	6.1	6.1	2.8	2.6	0.3	0.3	1.8	1.8	10.9	8.9
35	2.8	2.9	1.0	1.0	*	0.1	0.4	0.7	6.3	6.3
36	1.1	1.0	0.3	0.4	*	*	*	0.3	3.7	3.9
37	0.4	0.3	0.1	0.1	-	*	-	*	1.1	3.3
38	*	*	*	*	-	-	-	*	0.3	2.2
39	-	-	-	*	-	-	-	-	0.2	0.5
40 & Above	-	-	-	-	-	-	-	-	*	0.1
Average	31.09	31.20	31.03	31.01	30.53	30.50	31.40	30.99	32.54	32.19
Mike										
2.4 & Below	*	*	*	*	-	-	-	-	-	-
2.5	0.1	0.1	*	*	-	-	-	-	-	-
2.6	0.1	0.1	*	*	-	-	-	-	-	*
2.7	0.2	0.1	*	*	-	-	-	*	-	*
2.8	0.2	0.2	*	*	-	-	-	*	-	*
2.9	0.3	0.2	*	*	*	*	-	*	*	*
3.0	0.3	0.3	0.1	*	*	*	-	*	-	0.1
3.1	0.3	0.3	0.1	*	0.1	*	-	0.1	*	0.1
3.2	0.4	0.5	*	*	0.1	*	-	0.1	*	0.2
3.3	0.6	0.7	0.1	*	0.2	0.1	-	0.1	*	0.2
3.4	0.8	0.9	0.1	0.1	0.4	0.1	-	0.3	*	0.4
3.5	1.0	1.2	0.2	0.2	0.5	0.2	0.1	0.5	*	0.5
3.6	1.3	1.5	0.5	0.3	0.8	0.4	*	0.5	0.6	0.8
3.7	1.6	1.9	1.1	0.7	1.3	0.7	-	0.6	0.9	1.4
3.8	2.2	2.2	1.6	1.3	2.0	1.1	*	0.9	2.2	2.6
3.9	2.6	2.7	2.5	2.3	2.7	1.7	0.1	1.2	2.8	3.3
4.0	3.1	3.2	4.0	4.0	4.1	2.8	-	1.6	4.2	5.0
4.1	3.6	4.0	5.7	5.9	5.2	4.1	*	2.6	6.0	6.2
4.2	4.6	4.9	8.0	8.3	6.1	5.9	0.9	4.0	7.5	8.0
4.3	6.0	6.0	10.0	10.4	8.1	8.5	4.7	5.5	8.6	9.1
4.4	7.8	7.4	11.2	11.9	10.1	11.1	2.3	6.7	9.7	10.1
4.5	8.5	8.6	11.8	12.4	11.9	12.4	5.2	8.2	11.2	10.9
4.6	9.4	9.6	11.7	11.8	11.8	12.9	8.4	10.3	11.1	10.5
4.7	10.0	10.4	10.2	10.3	11.1	11.6	14.3	11.2	10.3	9.1
4.8	9.8	9.9	7.8	8.1	8.4	9.4	17.0	11.5	7.7	6.7
4.9	8.2	8.1	5.7	5.7	5.8	6.6	6.8	9.0	5.8	5.5
5.0	6.3	5.6	3.8	3.3	4.2	4.5	4.3	8.0	4.3	4.1
5.1	4.2	3.6	2.2	1.7	2.6	2.7	10.2	5.8	1.8	1.7
5.2	2.7	2.3	1.0	0.7	1.2	1.4	20.0	4.5	1.7	1.6
5.3	1.8	1.5	0.4	0.3	0.6	0.7	5.4	2.9	1.2	1.2
5.4	1.1	1.0	0.2	0.2	0.3	0.4	0.4	2.1	1.3	0.6
5.5 & Above	0.8	1.0	0.2	0.1	0.2	0.4	0.1	1.7	1.0	0.3
Average	4.52	4.51	4.48	4.48	4.49	4.55	4.87	4.68	4.51	4.46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	*	-	-	-	-	-	*
2.5 - 2.6	0.6	0.2	-	0.1	-	*	*	*	-	*
2.7 - 2.9	1.0	1.2	-	0.4	*	*	*	*	*	0.1
3.0 - 3.2	1.5	3.8	0.9	1.2	*	*	0.1	*	0.3	0.4
3.3 - 3.4	2.2	4.0	*	1.9	*	*	0.4	0.2	0.6	0.8
3.5 - 3.6	4.8	5.9	0.3	3.0	0.1	0.1	0.9	0.4	2.2	1.5
3.7 - 4.2	32.3	33.7	22.2	29.9	3.7	3.3	14.4	11.8	24.6	20.7
4.3 - 4.9	51.1	46.2	66.4	58.1	59.6	57.0	56.6	60.2	57.5	61.4
5.0 - 5.2	4.7	4.2	10.0	4.8	29.3	31.2	20.9	21.4	11.5	11.6
5.3 & Above	1.6	0.6	*	0.6	7.4	8.4	6.7	6.0	3.2	3.6
Average	4.28	4.20	4.53	4.34	4.84	4.85	4.67	4.70	4.51	4.54
Leaf										
1 - 2	30.0	40.7	8.1	51.3	10.6	12.6	16.2	16.1	48.0	63.0
3	42.6	35.3	44.5	39.8	41.7	49.2	52.2	54.1	34.2	25.9
4	18.3	14.9	38.1	7.8	37.5	30.6	26.0	25.2	11.1	7.4
5	6.0	5.9	9.0	0.9	9.5	6.9	4.9	4.3	3.7	2.3
6	2.3	2.3	0.3	0.2	0.7	0.6	0.7	0.4	1.9	0.9
7	0.6	0.7	-	*	*	*	0.1	*	1.0	0.4
8	0.2	0.2	-	*	-	*	-	-	0.1	*
Average	3.06	2.88	3.49	2.51	3.48	3.34	3.21	3.18	2.68	2.29
HVI Trash 1/										
00	-	*	-	*	-	*	-	*	0.1	0.5
01	9.1	15.9	*	15.5	1.8	1.5	2.2	1.9	22.9	36.0
02	25.6	27.9	7.8	36.7	12.0	15.5	16.8	16.6	31.6	30.9
03	23.8	20.6	22.2	25.8	20.6	25.7	26.4	27.2	20.0	15.4
04	16.5	12.9	25.0	12.9	23.2	22.8	23.4	23.6	10.8	7.8
05	9.8	7.9	19.2	5.4	17.8	15.6	15.1	15.2	5.6	4.0
06	5.8	5.0	13.5	2.1	11.6	9.3	8.3	8.3	3.0	2.1
07	3.5	3.3	7.0	0.9	6.8	5.0	4.1	4.1	1.9	1.3
08	2.1	2.1	3.2	0.4	3.5	2.5	2.0	1.8	1.2	0.8
09	1.4	1.5	1.5	0.2	1.6	1.2	0.9	0.8	0.9	0.5
10	1.0	1.0	0.3	0.1	0.7	0.5	0.5	0.3	0.7	0.4
11	0.6	0.7	0.1	*	0.3	0.2	0.2	0.1	0.5	0.2
12	0.4	0.5	*	*	0.1	0.1	0.1	0.1	0.3	0.2
13	0.2	0.3	-	*	0.1	*	0.1	*	0.2	0.1
14	0.1	0.2	-	*	*	*	*	*	0.1	*
15	0.1	0.1	-	*	*	*	*	*	*	*
16	*	0.1	-	*	*	*	*	*	*	*
17	*	*	-	*	*	*	*	*	*	*
18 & Above	*	0.1	-	*	*	*	*	*	*	*
Average	0.36	0.34	0.45	0.27	0.44	0.41	0.40	0.39	0.29	0.24
UNIFORMITY 2/										
74 & Below	*	*	*	*	-	-	-	-	0.1	*
75	0.1	0.1	0.4	0.1	-	-	-	*	0.1	0.1
76	0.7	0.5	0.9	0.4	-	-	-	*	0.8	0.6
77	2.1	2.5	0.5	1.5	*	*	*	*	2.9	2.6
78	6.9	9.7	4.1	4.0	0.2	0.3	0.3	0.2	10.1	9.3
79	15.6	19.4	6.3	10.3	1.2	1.6	2.2	2.0	22.9	22.5
80	25.7	25.0	14.4	24.2	4.5	7.0	13.2	12.4	34.0	32.9
81	29.4	24.3	42.9	36.4	12.4	19.0	30.1	32.1	23.6	24.1
82	16.0	15.4	20.4	20.0	25.1	33.7	34.8	35.6	5.1	7.1
83	3.0	3.0	9.1	3.0	35.9	27.5	16.9	15.8	0.4	0.8
84	0.4	0.2	1.0	0.2	17.6	9.7	2.3	1.9	*	*
85 & Above	-	*	-	*	3.0	1.3	0.2	0.1	-	*
Average	80.77	80.61	81.36	81.07	82.99	82.57	82.02	82.01	80.25	80.34
Tenderable 3/	68.9	71.2	71.1	82.1	62.2	59.3	69.8	70.7	69.8	76.0
SAMPLES CLASSED										
Week	46,293		2,429		41,678		152,436		42,242	
Season	278,777		988,525		941,437		922,719		176,298	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	*	*	*	*	-	-	-	-	-	-
2.5 - 2.6	0.2	0.1	*	*	-	-	-	-	-	*
2.7 - 2.9	0.7	0.5	0.1	*	*	*	-	0.1	*	*
3.0 - 3.2	1.1	1.1	0.1	0.1	0.2	0.1	-	0.3	*	0.3
3.3 - 3.4	1.4	1.6	0.1	0.1	0.6	0.2	-	0.5	*	0.6
3.5 - 3.6	2.3	2.7	0.7	0.5	1.4	0.6	0.1	1.0	0.6	1.3
3.7 - 4.2	17.7	18.9	22.9	22.5	21.4	16.4	1.0	10.9	23.7	26.4
4.3 - 4.9	59.7	60.0	68.3	70.6	67.2	72.5	58.6	62.4	64.2	61.9
5.0 - 5.2	13.1	11.5	7.0	5.7	8.1	8.7	34.5	18.2	7.8	7.3
5.3 & Above	3.6	3.5	0.7	0.6	1.1	1.6	5.8	6.7	3.6	2.1
Average	4.52	4.51	4.48	4.48	4.49	4.55	4.87	4.68	4.51	4.46
Leaf										
1 - 2	41.7	51.1	10.4	13.5	30.4	30.8	5.6	14.5	83.6	78.6
3	44.7	36.7	47.8	52.8	52.2	50.5	59.3	49.5	13.5	15.5
4	10.9	9.4	31.5	27.5	15.2	15.9	30.0	28.5	2.3	4.8
5	2.0	2.0	8.6	5.5	2.1	2.5	4.5	6.6	0.5	1.1
6	0.5	0.6	1.5	0.7	0.1	0.3	0.6	0.9	0.1	0.1
7	0.1	0.2	0.2	0.1	*	*	-	0.1	-	-
8	0.1	0.1	*	*	-	-	-	*	-	-
Average	2.70	2.55	3.43	3.27	2.88	2.89	3.35	3.30	1.79	1.95
HVI Trash 1/										
00	*	*	*	*	-	*	-	-	0.1	0.1
01	13.0	19.7	1.3	1.7	5.4	6.6	0.3	2.3	54.4	49.3
02	34.8	36.1	13.1	16.8	28.7	28.0	7.2	16.1	30.0	31.6
03	26.3	21.9	24.7	28.4	30.1	28.5	25.2	26.0	9.6	9.7
04	14.1	11.2	23.6	23.8	18.7	18.4	28.7	22.8	3.4	4.2
05	6.3	5.4	16.4	14.7	9.4	9.9	19.6	15.2	1.3	2.4
06	2.8	2.6	9.8	7.7	4.3	4.8	10.1	8.7	0.5	1.3
07	1.2	1.3	5.4	3.7	2.0	2.2	4.4	4.5	0.2	0.7
08	0.6	0.7	2.8	1.7	0.8	1.0	2.2	2.2	0.2	0.3
09	0.3	0.4	1.5	0.8	0.3	0.4	1.2	1.1	0.1	0.2
10	0.2	0.2	0.7	0.4	0.1	0.2	0.5	0.6	0.1	0.1
11	0.1	0.2	0.3	0.2	0.1	0.1	0.4	0.3	*	*
12	0.1	0.1	0.2	0.1	*	*	0.1	0.1	*	*
13	*	0.1	0.1	*	*	*	-	0.1	-	*
14	*	*	*	*	*	*	-	*	-	*
15	*	*	*	*	*	*	-	-	-	-
16	*	*	*	*	-	-	-	-	-	-
17	*	*	*	*	-	-	-	-	-	-
18 & Above	*	*	*	*	-	-	-	-	-	-
Average	0.29	0.27	0.43	0.39	0.33	0.33	0.43	0.40	0.17	0.19
UNIFORMITY 2/										
74 & Below	0.1	*	-	*	-	-	-	-	-	-
75	0.3	0.2	-	*	*	*	-	-	-	*
76	1.0	0.9	*	*	*	*	-	-	-	*
77	3.7	3.1	0.1	0.2	*	*	*	0.1	*	0.2
78	10.9	9.2	0.7	1.4	0.1	0.1	0.1	1.3	0.3	2.1
79	21.0	19.9	5.4	8.0	0.8	1.0	4.0	5.5	3.3	8.8
80	28.1	28.0	20.4	25.4	8.1	8.5	5.8	15.0	18.2	22.5
81	21.6	23.4	37.6	35.8	24.6	24.0	18.1	29.7	31.5	29.5
82	10.4	11.5	26.9	22.4	39.5	37.7	34.8	31.5	32.0	21.6
83	2.6	3.1	7.8	6.0	24.7	25.3	27.3	15.2	12.9	10.4
84	0.4	0.5	1.1	0.8	2.1	3.2	9.5	1.6	1.5	4.3
85 & Above	0.1	0.1	0.1	*	0.2	0.2	0.5	0.1	0.2	0.5
Average	80.38	80.51	81.57	81.36	82.30	82.32	82.51	81.81	81.82	81.55
Tenderable 3/	62.1	69.2	88.0	90.2	89.7	89.1	53.2	62.7	85.3	87.4
SAMPLES CLASSED										
Week	183,030		245,926		251,674		3,795		22,667	
Season		993,382		1,612,907		2,523,103		246,780		120,651

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 07, 2023

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	11.6	11.4		MIKE	-	-
	2	14.6	14.8		2.4 & Below	-	-
	3	0.6	0.6		2.5 - 2.6	0.3	0.1
	4	-	*		2.7 - 2.9	1.0	0.3
	5	-	-		3.0 - 3.2	2.7	1.5
	6	-	-		3.3 - 3.4	4.5	3.5
	7	-	-		3.5 - 3.6	11.8	11.2
Total -----		26.8	26.7		3.7 - 4.2	75.3	78.1
02	1	5.9	8.1		4.3 - 4.9	4.3	5.3
	2	39.3	43.9		5.0 - 5.2	*	*
	3	10.6	10.1		5.3 & Above	-	*
	4	1.0	0.6		Average	3.84	3.88
	5	*	*		ALL RANGE MIKE		
	6	*	*		2.4 & Below	-	-
	7	-	*		2.5	0.1	*
Total -----		56.8	62.7		2.6	0.2	0.1
03	1	0.1	0.1		2.7	0.3	0.1
	2	3.0	3.0		2.8	0.3	0.1
	3	7.2	4.7		2.9	0.5	0.2
	4	2.4	1.2		3.0	0.8	0.3
	5	0.2	0.1		3.1	0.6	0.4
	6	0.1	*		3.2	1.3	0.9
	7	*	*		3.3	2.2	1.3
Total -----		12.9	9.2		3.4	2.3	2.2
04	1	*	*		3.5	4.8	4.3
	2	0.1	*		3.6	7.1	6.9
	3	0.6	0.4		3.7	10.1	9.8
	4	1.5	0.5		3.8	13.6	13.9
	5	0.4	0.1		3.9	18.3	17.5
	6	0.1	*		4.0	15.1	16.3
	7	0.1	*		4.1	11.4	13.0
Total -----		2.7	1.1		4.2	6.7	7.6
05	1	-	-		4.3	2.8	3.4
	2	*	*		4.4	1.1	1.4
	3	*	*		4.5	0.2	0.4
	4	0.1	*		4.6	0.2	0.1
	5	*	*		4.7	*	*
	6	0.1	*		4.8	*	*
	7	0.2	0.1		4.9	-	*
Total -----		0.5	0.2		5.0	*	*
06	1	-	-		5.1	-	*
	2	-	-		5.2	*	*
	3	-	-		5.3 & Above	-	*
	4	-	*		Average	3.84	3.88
	5	*	*		STRENGTH 1/		
	6	*	*		36 & Below	6.6	3.1
	7	0.1	*		37	8.7	5.1
Total -----		0.2	*		38	6.6	7.5
07	1	-	-		39	5.6	6.9
	2	-	-		40	10.5	6.7
	3	-	-		41	16.7	10.4
	4	-	-		42	19.9	16.0
	5	-	-		43	13.8	16.8
	6	-	-		44	7.3	13.2
	7	*	*		45	3.3	9.4
Total -----		*	*		46	0.6	3.8
STAPLE					47	0.3	1.0
44 & Shorter		1.2	1.1		48 & Above	0.1	0.2
46		6.9	9.0		Average	41.22	42.19
48		36.8	36.6		UNIFORMITY		
50		42.6	44.6		83 & Below	1.8	0.5
52 & Longer		12.4	8.8		84	4.5	3.9
Average Staple		49.16	49.02		85	22.8	21.7
Average Length		1.43	1.42		86	49.2	48.3
EXTRANEIOUS MATTER					87	20.7	24.8
Bark		*	*		88 & Above	1.1	0.8
Grass		*	0.2		Average	86.31	86.41
Spindle Twist		0.2	0.2		Samples Classed		
Preparation		*	*		Week	39,160	
All Other		0.1	*		Season		171,662

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.