



Volume 64, No.18

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	29	74.3	59.7	32,455	29	75.3	56.7	154,575
Corpus Christi	8	88.2	76.8	10,251	49	80.1	63.1	1,213,614
Dumas	36	80.4	58.8	115,898	38	75.5	51.7	970,749
Florence	51	85.8	71.4	142,511	51	87.6	73.6	805,449
Lamesa	17	74.2	58.0	20,706	19	75.0	57.7	59,501
Lubbock	54	60.4	45.5	143,729	55	63.1	46.0	460,680
Macon	78	94.6	85.6	243,304	79	93.5	83.1	1,446,888
Memphis	74	93.3	82.0	268,210	74	91.6	79.2	1,674,322
Rayville	14	68.5	46.6	16,421	21	66.0	41.6	380,673
Visalia	14	87.0	72.2	22,382	19	83.4	61.6	97,824
United States	375	84.9	71.5	1,015,867	434	83.7	68.0	7,264,275
AMERICAN PIMA								
Visalia	18			30,228	20			169,247
United States	18			30,228	20			169,247
United States all cotton	391			1,046,095	451			7,433,522

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton><https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	26.9	36.4	21.5	34.6	27.7	20.9	0.6	1.9	35.4	41.5
	3	14.5	19.8	6.8	5.1	12.5	9.0	1.7	2.7	8.6	11.8
	4	1.4	1.8	0.2	0.1	0.3	0.2	0.2	0.2	0.4	0.8
	5	*	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	42.8 58.1	28.5 39.7	40.5 30.1	2.5 4.8	44.3 54.2				
31	1 - 2	12.7	5.7	5.8	7.0	14.6	16.3	2.6	3.6	14.4	12.1
	3	21.4	12.7	19.3	9.9	32.4	36.8	26.9	32.6	23.0	18.2
	4	8.0	5.2	3.8	1.4	5.6	6.3	16.5	19.3	9.8	7.0
	5	0.8	0.8	*	*	0.2	0.3	1.7	1.9	2.3	1.5
	6	*	*	-	*	*	*	*	*	0.2	0.2
	7	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	43.0 24.4	29.0 18.3	52.8 59.6	47.7 57.4	49.6 39.0				
41	1 - 2	0.5	0.2	0.5	2.7	0.2	0.5	0.5	0.2	0.1	*
	3	3.7	1.6	15.6	9.2	2.9	4.8	15.1	9.0	0.6	0.3
	4	3.6	1.5	16.7	3.8	2.2	3.6	23.2	18.1	1.5	0.9
	5	1.1	0.7	1.7	0.4	0.3	0.5	7.7	6.6	1.3	0.7
	6	0.1	0.1	-	*	*	*	0.6	0.7	0.3	0.2
	7	*	*	-	*	*	*	*	*	*	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	9.0 4.2	34.5 16.2	5.7 9.5	47.1 34.7	3.8 2.2				
51	1 - 2	-	-	-	0.5	*	*	-	*	-	-
	3	*	*	0.6	2.5	0.1	*	0.1	*	-	-
	4	-	-	1.8	1.2	0.2	0.1	0.5	0.2	-	-
	5	-	*	0.2	0.2	0.1	*	0.4	0.2	-	-
	6	*	*	-	*	*	*	0.1	*	-	-
	7	*	*	-	*	-	*	*	*	-	-
	8	-	-	-	*	-	*	-	-	-	-
	Total	----	* *	2.6 4.4	0.5 0.2	1.1 0.4	- -				
61	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.1	-	*	-	*	-	-
	4	-	-	*	*	-	*	-	-	-	-
	5	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	* 0.2	* *	- *	- -				
71	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- *	- -	- -	- -				
12 & 22	1 - 2	1.5	5.3	-	4.1	*	*	-	*	0.2	0.8
	3	1.0	4.3	-	0.8	*	*	*	*	0.3	0.9
	4	0.1	0.6	-	0.1	-	-	*	*	*	0.1
	5	*	*	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.5 10.2	- 4.9	* *	* *	0.5 1.7				
32	1 - 2	0.5	0.2	-	1.5	*	*	*	*	0.1	0.3
	3	0.8	0.5	0.1	1.7	0.2	0.1	0.2	0.6	0.4	1.0
	4	0.5	0.4	*	0.3	0.1	0.1	0.3	0.5	0.5	0.5
	5	0.1	0.2	-	*	*	*	0.1	0.1	0.1	0.1
	6	*	*	-	*	-	*	*	*	*	*
	7	-	*	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.9 1.4	0.1 3.5	0.3 0.2	0.6 1.2	1.1 1.9				
42	1 - 2	*	*	*	0.8	-	*	*	*	-	*
	3	*	*	1.2	3.0	*	0.2	0.2	0.2	*	*
	4	*	*	1.5	1.8	0.1	0.2	0.4	0.7	0.2	0.2
	5	*	*	0.2	0.3	*	*	0.1	0.3	0.1	0.2
	6	-	*	-	*	*	*	*	*	*	0.1
	7	-	*	-	*	-	-	*	*	*	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	0.1 0.1	2.9 6.0	0.1 0.4	0.7 1.2	0.4 0.6				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	0.3	*	*	-	-	-	*
	3	-	-	0.4	1.9	*	*	*	*	-	-
	4	-	-	1.4	1.3	*	*	*	*	-	*
	5	-	-	0.4	0.3	*	*	*	*	-	-
	6	-	-	-	*	*	*	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	2.1	3.8	0.1	0.1	0.1	0.1	-	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.2	-	-	-	-	-	-
	4	-	-	-	0.1	-	*	*	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.3	-	*	*	*	-	-
13 & 23	1 - 2	0.1	0.3	-	0.3	-	-	-	*	-	*
	3	0.1	0.6	-	0.2	-	*	-	*	0.1	0.1
	4	*	0.2	-	*	-	-	*	*	*	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	1.1	-	0.5	-	*	*	*	0.1	0.1
33	1 - 2	*	*	*	0.1	-	-	*	*	-	*
	3	0.2	0.2	0.1	0.3	*	*	*	*	0.1	0.1
	4	0.2	0.2	*	0.1	*	*	*	*	0.1	0.1
	5	*	*	-	*	*	*	*	*	*	*
	6	*	*	-	*	-	-	*	*	-	*
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.4	0.2	0.6	*	*	0.1	*	0.2	0.2
43	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	*	*	*	0.3	*	*	*	*	*	*
	4	*	*	*	0.3	*	*	*	*	*	*
	5	*	*	-	0.1	-	*	*	*	*	*
	6	-	*	-	*	*	*	*	*	-	*
	7	-	*	-	*	-	-	-	*	-	*
	8	-	-	-	*	-	-	-	-	-	-
Total	----	0.1	0.1	*	0.8	*	*	0.1	*	*	*
53	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	*	-	0.2	-	-	-	-	-	-
	4	-	-	*	0.3	-	-	-	*	-	-
	5	-	-	*	0.1	-	-	*	*	-	-
	6	-	*	-	*	-	-	*	*	-	-
	7	*	*	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	*	*	*	0.6	-	-	*	*	-	-
63	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	0.1	-	-	-	-	-	-
	5	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	*	-	-	-	-
24 - 54	1 - 8	*	0.1	-	0.1	-	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	*	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	-
30		-	0.1	-	0.2	-	-	-	*	-	-
31		0.4	0.4	-	1.0	-	-	*	*	-	*
32		0.9	1.8	*	2.9	-	*	*	*	*	0.1
33		2.5	6.3	1.2	7.6	*	0.1	0.1	0.3	0.4	1.3
34		4.9	9.7	7.8	16.6	0.3	0.6	1.2	2.1	5.9	6.7
35		8.7	13.1	15.6	24.0	2.0	2.5	6.4	9.0	11.7	12.5
36		13.7	15.8	18.5	23.4	7.9	7.5	20.0	22.8	23.2	21.2
37		27.7	22.5	33.3	18.4	26.2	29.2	41.2	39.5	30.2	32.9
38		18.2	14.2	18.5	4.7	28.9	28.3	19.4	17.7	19.6	18.7
39		16.3	11.5	4.9	1.1	22.1	20.4	9.0	7.0	6.2	4.7
40 & Longer		6.6	4.7	0.1	0.2	12.6	11.4	2.5	1.6	2.6	1.9
Average Staple		37.09	36.45	36.51	35.34	38.00	37.91	37.08	36.88	36.73	36.62
Average Length		1.16	1.14	1.14	1.10	1.19	1.19	1.16	1.15	1.15	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	21.2	26.8	6.1	7.9	46.8	51.5	11.1	5.0	32.5	46.6
	3	17.9	19.2	5.0	5.9	10.7	10.3	6.2	3.0	5.9	11.2
	4	2.9	2.6	0.3	0.3	0.3	0.4	0.1	0.1	*	0.4
	5	0.1	0.2	*	*	*	*	-	*	-	*
	6	*	*	*	*	*	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	42.0 48.8	11.4 14.1	57.8 62.2	17.5 8.2	38.4 58.2	38.4 58.2	38.4 58.2	38.4 58.2	38.4 58.2
31	1 - 2	12.7	7.5	11.8	12.9	9.1	11.5	9.0	8.0	22.8	12.5
	3	24.9	18.4	31.8	36.2	18.0	16.1	33.7	25.5	25.5	13.8
	4	9.9	9.5	9.2	10.5	4.9	4.6	6.5	4.5	3.8	2.0
	5	2.5	2.7	0.8	0.9	0.4	0.4	0.3	0.1	0.1	0.2
	6	0.3	0.4	*	*	*	*	-	*	-	*
	7	*	*	*	*	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	50.2 38.6	53.6 60.4	32.3 32.6	49.4 38.2	52.1 28.5	52.1 28.5	52.1 28.5	52.1 28.5	52.1 28.5
41	1 - 2	0.1	*	2.5	1.5	0.4	0.1	1.3	1.8	0.3	0.4
	3	0.9	0.5	17.0	11.4	3.3	1.3	16.7	21.2	1.2	2.2
	4	1.4	1.1	10.8	8.2	3.4	1.8	6.8	15.0	2.2	1.6
	5	1.3	1.3	2.1	1.7	0.8	0.6	0.8	2.0	0.8	0.4
	6	0.9	0.8	0.2	0.1	0.1	0.1	0.1	0.1	0.1	*
	7	0.4	0.3	*	*	*	*	-	*	-	*
	8	*	*	-	-	-	-	-	*	-	-
	Total	----	5.0 4.1	32.5 22.9	7.9 3.9	25.6 40.2	4.6 4.6	4.6 4.6	4.6 4.6	4.6 4.6	4.6 4.6
51	1 - 2	-	-	*	*	*	*	-	*	-	-
	3	*	*	0.5	0.2	*	*	0.4	0.9	*	*
	4	*	*	0.6	0.2	0.2	0.1	0.6	1.7	-	*
	5	-	-	0.1	0.1	0.1	0.1	0.1	0.5	*	*
	6	*	*	*	*	*	*	-	*	-	-
	7	*	*	*	*	*	*	*	*	-	-
	8	0.1	*	-	-	-	-	-	*	-	-
	Total	----	0.1 0.1	1.3 0.5	0.4 0.2	1.1 3.1	* *	* *	* *	* *	* *
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	-
	4	-	-	*	*	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	* *	- *	* *	* *	* *	* *	- -	- -
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	- -	- -	- -	- -	- -
12 & 22	1 - 2	0.3	2.0	*	*	*	*	0.1	0.1	0.5	3.8
	3	1.0	3.3	*	*	*	*	*	0.1	0.9	2.0
	4	0.4	0.9	*	*	*	*	*	*	*	0.3
	5	*	0.1	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.7 6.3	0.1 *	0.1 0.1	0.1 0.1	0.1 0.2	0.1 0.2	0.1 0.2	1.4 6.0	1.4 6.0
32	1 - 2	*	0.1	*	*	0.1	0.1	0.1	0.1	0.2	0.2
	3	0.3	0.6	0.1	0.2	0.4	0.2	1.3	0.4	0.9	0.9
	4	0.3	0.6	0.1	0.1	0.1	0.1	0.6	0.2	0.9	0.8
	5	0.1	0.2	*	*	*	*	*	*	0.2	0.3
	6	*	*	*	*	-	*	-	*	*	*
	7	*	*	-	-	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	0.7 1.6	0.2 0.4	0.6 0.4	2.0 0.6	2.2 2.1	2.2 2.1	2.2 2.1	2.2 2.1	2.2 2.1
42	1 - 2	*	*	*	*	*	*	0.1	0.2	*	*
	3	*	*	0.3	0.6	0.2	0.1	1.5	2.4	*	*
	4	*	*	0.3	0.5	0.2	0.2	1.3	1.7	0.1	0.1
	5	*	*	0.1	0.1	0.1	0.1	0.6	0.3	0.3	0.1
	6	*	*	*	*	*	*	0.1	*	0.1	*
	7	*	*	-	*	-	*	*	*	*	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	* 0.1	0.7 1.2	0.5 0.4	3.6 4.7	0.5 0.3	0.5 0.3	0.5 0.3	0.5 0.3	0.5 0.3

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	-	*	-	0.1	-	-
	3	-	*	*	0.1	*	*	*	1.6	-	-
	4	-	*	0.1	0.2	0.1	0.1	0.1	2.0	*	*
	5	-	*	*	0.1	0.1	0.1	*	0.4	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	*	*	*	*	*	*	*	*	-	-
	8	*	*	-	-	-	-	*	*	-	-
Total	----	*	*	0.1	0.3	0.2	0.2	0.2	4.1	*	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	0.1	-	-
	4	-	-	-	*	-	-	-	0.1	-	-
	5	-	-	-	*	*	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	-	0.2	-	-
13 & 23	1 - 2	*	*	-	-	-	*	-	-	*	0.1
	3	*	0.2	-	*	*	*	-	-	-	*
	4	*	0.1	-	*	-	*	-	-	-	*
	5	*	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	0.3	-	*	*	*	-	-	*	0.1
33	1 - 2	*	*	*	*	*	*	-	-	*	*
	3	*	0.1	*	*	*	*	*	*	*	*
	4	*	0.1	*	*	*	*	*	*	0.1	*
	5	*	*	*	*	*	*	-	*	*	*
	6	*	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	*	*	0.1	*	*	*	0.2	0.1
43	1 - 2	-	*	-	-	*	*	-	*	-	-
	3	*	*	*	*	*	*	0.1	*	*	*
	4	*	*	*	*	*	*	0.2	*	0.1	*
	5	*	*	*	*	*	*	*	*	0.3	0.1
	6	*	*	*	*	*	*	*	*	0.1	*
	7	*	*	-	*	-	-	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	0.1	*	0.3	0.1	0.5	0.1
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	*	*	-	0.1	*	*
	4	-	-	*	*	*	*	*	0.1	*	*
	5	-	*	-	*	*	*	*	*	-	-
	6	-	-	-	*	*	*	-	*	*	*
	7	-	-	*	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	*	*	*	*	*	*	0.3	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	0.1	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	0.1	-	-
24 - 54	1 - 8	*	*	*	*	-	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.1	*	*	*	*	-	*	-	-
32		0.3	0.5	0.1	0.1	*	*	0.2	0.3	-	-
33		1.0	1.5	1.1	1.4	*	*	2.5	2.0	0.1	*
34		3.6	4.1	4.9	7.0	0.4	0.6	1.5	5.8	1.6	2.1
35		10.4	10.0	13.1	15.4	5.3	4.5	11.7	11.0	6.8	10.2
36		21.1	19.8	22.3	23.2	17.4	16.2	16.9	16.7	14.2	21.5
37		33.5	32.5	36.6	34.3	32.9	31.6	24.0	24.7	30.0	34.6
38		18.8	18.4	15.7	14.1	23.8	25.0	15.2	18.6	23.9	21.4
39		7.9	9.4	5.3	4.0	15.5	16.3	22.5	15.5	15.3	7.3
40 & Longer		3.2	3.7	0.9	0.5	4.5	5.8	5.5	5.6	8.1	2.9
Average Staple		36.86	36.88	36.60	36.42	37.39	37.49	37.22	37.02	37.49	36.97
Average Length		1.15	1.15	1.14	1.14	1.17	1.17	1.16	1.16	1.17	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	9.3	9.5	0.1	0.3	0.4	0.3	0.4	0.4	7.0	7.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	2.9	1.5	0.1	0.2	0.2	0.3	0.6	0.4
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.2	-	*	*	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.3	0.2	*	*	-	*	0.1	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	*	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	0.1	*	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	-	0.1	-	0.7	-	-	-	-	-	-
23	-	*	-	0.8	-	-	-	-	-	*
24	*	0.2	*	1.6	*	*	*	*	*	*
25	0.1	0.5	0.3	2.5	*	*	*	*	0.4	0.4
26	0.5	1.6	1.4	4.5	*	0.1	0.1	0.3	1.5	1.7
27	2.0	3.2	5.1	7.9	0.2	0.4	0.9	1.6	5.7	6.4
28	6.6	8.8	10.5	13.9	1.6	2.2	4.4	6.9	12.6	11.1
29	11.4	15.6	18.1	18.8	8.9	10.1	16.2	20.5	17.7	15.4
30	15.8	18.0	31.3	19.0	26.0	28.6	29.4	30.0	21.8	20.8
31	17.7	17.6	16.9	14.1	31.7	33.5	26.8	23.2	18.5	20.3
32	17.7	14.1	8.5	8.4	20.1	16.9	15.0	11.5	9.2	12.5
33	15.7	11.1	5.6	4.6	7.2	5.4	5.2	4.5	5.3	5.9
34	9.4	6.8	2.0	2.3	2.9	1.9	1.5	1.2	3.9	3.1
35	2.1	1.8	0.3	0.8	1.1	0.7	0.4	0.3	2.2	1.5
36	0.6	0.5	0.1	0.2	0.2	0.1	*	*	0.8	0.5
37	0.3	0.1	*	*	*	*	*	*	0.2	0.1
38	*	*	-	*	-	-	-	-	0.1	*
39	*	*	-	-	-	-	-	-	*	*
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	31.66	31.11	30.46	29.82	31.45	31.24	30.97	30.71	30.63	30.66
Mike										
2.4 & Below	*	*	-	*	-	-	-	-	-	-
2.5	0.1	0.1	-	*	-	*	-	-	0.1	*
2.6	0.3	0.3	-	*	-	*	-	-	-	-
2.7	0.3	0.3	-	*	-	*	-	-	0.1	*
2.8	0.3	0.3	-	*	*	*	-	-	0.5	0.4
2.9	0.5	0.7	*	*	*	*	-	*	0.8	0.4
3.0	0.9	1.0	*	*	*	*	*	*	1.2	0.7
3.1	1.2	1.1	0.4	*	*	*	*	*	1.1	0.6
3.2	2.6	1.6	0.3	*	*	*	*	*	1.9	1.3
3.3	3.1	2.0	0.3	0.1	*	*	0.1	0.1	1.6	1.7
3.4	4.3	2.9	0.4	0.1	*	*	0.1	0.1	2.0	1.9
3.5	4.4	3.5	1.0	0.3	0.1	0.1	0.3	0.2	2.2	2.9
3.6	5.6	4.8	1.0	0.5	0.2	0.1	0.4	0.3	4.0	4.3
3.7	6.3	5.7	1.2	1.0	0.3	0.2	0.7	0.7	6.3	4.6
3.8	7.0	6.5	1.7	2.1	0.5	0.4	1.1	1.1	6.9	5.5
3.9	7.3	6.8	2.7	3.6	1.1	0.8	2.6	2.2	7.5	5.1
4.0	6.9	7.5	4.5	5.8	2.0	1.2	3.8	3.6	4.2	3.6
4.1	6.6	7.6	6.0	8.6	3.4	1.9	5.6	5.5	5.9	5.5
4.2	7.2	8.2	6.1	11.6	4.9	3.0	7.5	8.0	7.9	8.4
4.3	7.5	8.1	10.4	12.9	6.9	4.8	10.0	10.2	7.2	8.5
4.4	5.9	7.4	14.6	12.3	8.6	7.0	11.4	11.4	7.0	7.7
4.5	6.0	7.1	13.6	11.0	9.9	9.2	11.1	12.0	6.0	7.2
4.6	5.1	5.5	13.8	10.2	11.1	11.4	10.0	11.0	4.2	6.2
4.7	3.7	3.7	9.7	8.2	11.0	12.4	9.4	10.1	3.2	5.1
4.8	1.6	2.2	6.0	5.5	11.5	12.4	7.9	8.2	4.4	4.6
4.9	1.7	2.0	3.4	3.3	9.8	11.4	6.1	6.1	4.3	3.9
5.0	1.2	1.5	1.7	1.6	7.2	8.9	4.3	4.1	3.5	3.7
5.1	1.4	1.2	1.0	0.7	5.0	6.6	3.6	2.4	2.5	2.4
5.2	0.5	0.5	0.2	0.3	3.4	4.3	2.3	1.5	1.7	1.9
5.3	0.4	0.2	*	0.1	2.0	2.3	1.0	0.7	0.8	0.8
5.4	*	*	-	*	0.8	1.0	0.5	0.4	0.7	0.7
5.5 & Above	*	*	-	*	0.5	0.7	0.1	0.1	0.1	0.2
Average	4.03	4.09	4.41	4.38	4.65	4.72	4.52	4.51	4.18	4.25

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	19.8	16.5	0.3	0.3	0.8	0.2	0.5	0.7	0.6	0.2
Bark - Level 2	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	-	*	*	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.1	0.1	0.4	*	*	0.1	0.4	*	1.0
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	*	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	*	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	-	*	*	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	*	*	*	*	-	*	-	-
23	*	*	*	*	*	*	-	*	-	-
24	0.1	0.1	0.1	*	*	*	-	0.1	-	-
25	0.3	0.3	0.1	0.2	*	*	*	0.2	*	*
26	1.3	1.4	0.4	1.0	0.1	*	0.2	0.9	0.2	0.1
27	3.9	3.8	1.8	4.1	0.9	0.4	0.7	2.8	1.2	2.0
28	8.9	8.4	6.4	11.6	7.3	3.7	3.6	7.0	4.7	7.8
29	14.5	13.7	17.5	22.5	25.6	17.9	12.9	15.7	9.6	15.0
30	18.2	17.0	26.7	26.4	36.2	36.0	24.5	24.7	14.9	18.0
31	18.7	18.3	23.2	19.0	20.6	28.4	20.9	25.2	16.8	17.0
32	16.2	16.6	14.6	9.7	6.9	10.2	23.2	15.4	19.4	13.7
33	10.1	11.2	6.5	3.9	1.7	2.6	8.9	5.9	10.6	10.1
34	4.9	5.9	2.1	1.2	0.5	0.6	3.1	1.6	3.9	6.2
35	2.0	2.3	0.6	0.3	0.1	0.1	1.8	0.3	3.1	3.5
36	0.7	0.7	0.1	0.1	*	*	0.2	0.1	5.0	2.7
37	0.1	0.2	*	*	-	-	-	*	7.1	2.6
38	*	*	*	*	-	-	-	*	3.1	0.9
39	-	-	-	-	-	-	-	-	0.1	0.1
40 & Above	-	-	-	-	-	-	-	-	0.2	0.1
Average	31.09	31.21	30.91	30.39	30.44	30.78	31.39	30.84	32.48	31.69
Mike										
2.4 & Below	*	*	-	*	-	-	-	-	-	-
2.5	0.2	0.2	*	*	-	-	-	-	-	-
2.6	0.5	0.3	*	*	-	*	-	*	-	-
2.7	0.7	0.4	*	*	*	*	-	*	-	-
2.8	0.8	0.6	*	*	*	*	-	-	*	*
2.9	1.1	0.9	*	*	*	*	-	*	0.1	0.1
3.0	1.9	1.5	*	*	0.1	*	-	*	0.1	*
3.1	2.7	2.2	0.1	*	0.1	*	-	*	0.2	0.1
3.2	3.5	2.9	0.2	0.1	0.2	0.1	*	*	0.4	0.2
3.3	4.5	3.6	0.3	0.2	0.2	0.1	0.2	*	0.8	0.2
3.4	5.3	4.3	0.5	0.3	0.5	0.3	0.1	*	0.8	0.4
3.5	6.3	4.9	0.8	0.4	0.8	0.5	0.4	0.1	1.1	0.5
3.6	6.5	5.2	1.5	0.7	1.7	0.9	0.9	0.2	1.3	0.9
3.7	6.5	5.5	2.5	1.3	2.4	1.5	1.8	0.3	2.2	1.4
3.8	6.0	5.6	3.6	2.2	3.4	2.4	0.9	0.5	3.2	1.9
3.9	6.0	5.9	4.9	3.5	4.6	3.6	0.9	0.7	4.0	2.6
4.0	6.3	6.2	6.8	5.3	6.1	5.1	3.1	1.3	3.4	3.0
4.1	5.9	6.1	8.2	7.1	8.1	7.0	2.4	1.5	4.9	4.1
4.2	5.7	6.0	10.2	9.5	10.1	8.9	3.7	2.4	4.8	5.0
4.3	5.1	5.8	11.6	11.7	10.9	10.6	2.7	3.2	9.1	7.2
4.4	4.4	5.4	11.5	13.0	11.0	11.3	3.8	4.9	13.6	8.8
4.5	4.0	5.0	11.3	13.2	10.8	11.0	6.4	7.5	13.2	10.9
4.6	3.4	4.6	9.7	11.2	9.3	10.2	10.5	10.3	9.9	11.3
4.7	2.7	4.0	7.4	8.3	7.1	8.4	13.1	12.5	8.3	11.6
4.8	2.8	3.5	4.2	5.4	5.1	6.2	11.8	13.8	6.6	9.9
4.9	2.3	2.9	2.1	3.1	3.5	4.7	10.4	13.1	3.9	6.7
5.0	1.9	2.2	1.2	1.7	1.9	3.1	11.5	12.1	3.9	3.9
5.1	1.4	1.6	0.7	1.0	0.9	1.9	7.2	7.5	3.1	3.7
5.2	0.8	1.0	0.2	0.4	0.5	1.2	4.6	3.7	0.6	2.8
5.3	0.5	0.6	0.1	0.2	0.3	0.5	1.7	1.9	0.3	1.9
5.4	0.3	0.4	0.1	0.1	0.1	0.2	0.9	1.0	0.3	0.7
5.5 & Above	0.2	0.6	0.2	0.1	0.1	0.1	1.1	1.0	0.1	0.2
Average	3.94	4.05	4.32	4.39	4.34	4.42	4.69	4.75	4.41	4.54

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	*	-	-	-	-	-	-
2.5 - 2.6	0.5	0.4	-	*	-	*	-	-	0.1	*
2.7 - 2.9	1.1	1.3	*	*	*	*	-	*	1.4	0.9
3.0 - 3.2	4.7	3.7	0.7	0.1	0.1	*	*	*	4.3	2.6
3.3 - 3.4	7.4	4.8	0.7	0.2	0.1	0.1	0.2	0.1	3.5	3.6
3.5 - 3.6	10.0	8.3	1.9	0.8	0.3	0.1	0.7	0.5	6.2	7.2
3.7 - 4.2	41.3	42.2	22.1	32.7	12.3	7.4	21.3	21.0	38.8	32.7
4.3 - 4.9	31.5	35.9	71.5	63.4	68.5	68.6	65.9	69.0	36.3	43.2
5.0 - 5.2	3.0	3.2	2.9	2.7	15.6	19.8	10.3	8.0	7.8	8.0
5.3 & Above	0.5	0.2	*	0.2	3.2	4.0	1.6	1.3	1.6	1.8
Average	4.03	4.09	4.41	4.38	4.65	4.72	4.52	4.51	4.18	4.25
Leaf										
1 - 2	42.3	48.2	27.9	51.9	42.6	37.7	3.7	5.8	50.1	54.7
3	41.7	39.8	44.1	35.2	48.2	51.0	44.3	45.2	33.1	32.5
4	13.8	9.9	25.5	10.9	8.5	10.4	41.2	39.1	12.5	9.6
5	2.0	1.8	2.5	1.8	0.7	0.9	10.0	9.1	3.7	2.6
6	0.2	0.2	-	0.2	*	0.1	0.7	0.8	0.5	0.5
7	*	*	-	*	*	*	*	0.1	*	0.1
8	-	-	-	*	-	*	-	-	-	-
Average	2.71	2.58	3.00	2.48	2.65	2.72	3.60	3.54	2.58	2.48
HVI Trash 1/										
00	-	*	-	0.1	-	*	-	-	*	*
01	10.3	15.6	7.7	20.9	10.7	8.4	0.2	0.6	22.9	25.7
02	33.9	35.8	24.8	29.6	40.1	36.9	5.2	7.1	31.5	33.9
03	24.2	23.6	23.1	21.5	28.2	29.8	18.6	19.0	20.3	19.9
04	14.8	12.5	20.9	13.6	12.7	14.8	24.9	24.1	12.2	10.3
05	9.1	6.4	14.0	7.5	4.9	6.2	21.4	20.4	6.4	5.1
06	4.4	3.1	6.3	3.6	2.0	2.4	14.5	13.7	3.2	2.4
07	1.8	1.5	2.5	1.7	0.8	0.9	8.1	7.9	1.8	1.3
08	0.7	0.8	0.7	0.8	0.3	0.3	4.1	4.0	0.9	0.7
09	0.4	0.4	0.1	0.4	0.1	0.1	1.8	1.8	0.5	0.4
10	0.2	0.2	*	0.2	*	*	0.8	0.8	0.2	0.2
11	0.1	0.1	-	0.1	*	*	0.3	0.3	0.1	0.1
12	*	*	-	*	*	*	0.1	0.1	*	*
13	*	*	*	*	*	*	*	*	-	*
14	*	*	-	*	*	*	*	*	*	*
15	*	*	-	*	-	*	*	*	-	-
16	-	*	-	*	*	*	*	*	-	-
17	-	*	-	*	-	*	-	*	-	-
18 & Above	*	*	-	*	*	*	*	*	-	-
Average	0.31	0.28	0.34	0.28	0.27	0.29	0.48	0.47	0.27	0.26
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	*
75	0.1	*	*	0.1	-	-	-	*	*	*
76	0.3	0.3	0.1	0.5	-	-	*	*	0.1	0.2
77	1.9	1.9	0.7	1.7	*	*	*	0.1	1.7	1.8
78	7.7	7.7	4.7	4.2	0.1	0.2	0.3	0.4	8.1	6.9
79	21.6	21.6	15.5	11.5	1.1	1.2	2.0	2.8	19.3	17.4
80	31.0	31.1	22.5	29.4	6.1	6.3	10.3	12.2	33.0	30.5
81	23.4	23.8	34.4	35.2	22.6	23.0	28.7	28.4	26.2	32.3
82	12.8	11.9	19.2	14.9	37.8	38.5	34.1	33.8	10.7	9.8
83	1.2	1.7	2.7	2.2	26.4	24.8	20.6	19.0	0.8	1.0
84	*	0.1	0.3	0.1	5.1	5.4	3.6	3.1	*	*
85 & Above	-	*	-	*	0.7	0.6	0.3	0.2	-	-
Average	80.54	80.54	80.98	80.89	82.45	82.42	82.17	82.07	80.54	80.63
Tenderable 3/	74.3	75.3	88.2	80.1	80.4	75.5	85.8	87.6	74.2	75.0
SAMPLES CLASSED										
Week	32,455		10,251		115,898		142,511		20,706	
Season		154,575		1,213,614		970,749		805,449		59,501

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	*	*	-	*	-	-	-	-	-	-
2.5 - 2.6	0.7	0.4	*	*	-	*	-	*	-	-
2.7 - 2.9	2.6	1.9	*	*	*	*	-	*	0.1	0.1
3.0 - 3.2	8.1	6.7	0.3	0.1	0.4	0.1	*	*	0.7	0.3
3.3 - 3.4	9.7	7.9	0.8	0.4	0.7	0.4	0.3	0.1	1.7	0.6
3.5 - 3.6	12.8	10.1	2.4	1.1	2.5	1.5	1.3	0.3	2.4	1.4
3.7 - 4.2	36.3	35.3	36.1	28.9	34.7	28.5	12.8	6.9	22.4	18.0
4.3 - 4.9	24.7	31.1	57.8	65.9	57.8	62.4	58.7	65.6	64.4	66.4
5.0 - 5.2	4.1	4.8	2.1	3.1	3.4	6.2	23.3	23.3	7.6	10.5
5.3 & Above	1.0	1.7	0.4	0.3	0.5	0.9	3.7	3.8	0.6	2.8
Average	3.94	4.05	4.32	4.39	4.34	4.42	4.69	4.75	4.41	4.54
Leaf										
1 - 2	34.2	36.5	20.5	22.4	56.4	63.3	21.6	15.4	56.3	63.6
3	45.0	42.3	54.8	54.5	32.6	28.1	60.0	55.3	34.6	30.1
4	14.9	14.9	21.3	20.0	9.3	7.2	16.3	25.5	7.3	5.2
5	4.1	4.5	3.1	2.8	1.6	1.3	1.8	3.5	1.6	1.0
6	1.2	1.3	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.1
7	0.4	0.3	*	*	*	*	*	*	*	*
8	0.1	0.1	-	-	-	-	*	*	-	-
Average	2.92	2.90	3.07	3.03	2.44	2.31	2.99	3.18	2.45	2.29
HVI Trash 1/										
00	-	*	*	*	*	*	-	*	*	*
01	7.4	8.8	3.9	4.6	23.7	29.0	3.0	2.2	22.3	28.3
02	31.8	31.7	24.1	26.0	34.9	36.0	27.0	20.3	39.3	40.7
03	27.0	25.0	30.8	30.5	19.7	17.5	35.3	31.6	21.2	18.5
04	15.5	14.9	21.0	20.1	11.1	9.0	19.8	23.5	8.8	7.0
05	8.0	8.3	11.2	10.4	5.8	4.5	8.9	12.7	4.0	2.8
06	4.4	4.7	5.3	4.9	2.7	2.1	3.5	5.7	2.0	1.3
07	2.4	2.7	2.2	2.1	1.2	1.0	1.2	2.3	1.0	0.7
08	1.4	1.6	0.9	0.8	0.6	0.5	0.6	0.9	0.5	0.3
09	0.9	1.0	0.3	0.3	0.2	0.2	0.3	0.4	0.4	0.2
10	0.5	0.6	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.1
11	0.3	0.3	0.1	0.1	*	*	0.1	0.1	0.1	*
12	0.2	0.2	*	*	*	*	0.1	*	0.1	*
13	0.1	0.1	*	*	*	*	*	*	0.1	*
14	0.1	0.1	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	-	*	*	*
17	*	*	*	*	-	*	*	*	*	*
18 & Above	*	*	*	*	-	*	*	*	*	*
Average	0.33	0.33	0.34	0.34	0.26	0.24	0.33	0.36	0.25	0.23
UNIFORMITY 2/										
74 & Below	*	*	*	*	-	-	-	-	-	-
75	0.1	0.1	*	*	-	-	*	*	-	-
76	0.5	0.5	0.1	0.1	*	*	*	*	*	*
77	2.4	2.0	0.5	0.6	0.1	*	*	0.2	0.3	0.2
78	8.2	6.7	2.6	3.5	0.5	0.3	0.3	1.6	2.5	1.8
79	20.4	17.3	10.4	14.6	5.6	3.4	2.1	6.2	8.7	11.0
80	31.0	28.4	29.0	30.9	23.9	17.2	12.8	20.0	28.6	29.5
81	25.0	27.6	34.2	31.4	34.8	32.3	38.5	34.4	31.1	39.0
82	9.7	13.5	17.2	14.7	25.1	30.9	34.5	28.0	12.0	13.5
83	2.5	3.5	5.2	3.7	8.7	13.8	9.0	8.5	9.1	3.1
84	0.2	0.5	0.8	0.5	1.3	2.0	2.6	0.8	7.7	1.9
85 & Above	*	0.1	0.1	*	0.1	0.1	0.2	0.1	0.1	*
Average	80.51	80.74	81.16	80.95	81.55	81.85	81.88	81.54	81.44	81.13
Tenderable 3/	60.4	63.1	94.6	93.5	93.3	91.6	68.5	66.0	87.0	83.4
SAMPLES CLASSED										
Week	143,729		243,304		268,210		16,421		22,382	
Season		460,680		1,446,888		1,674,322		380,673		97,824

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 24, 2022

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	30.2	38.1		MIKE	-	-
	2	22.0	18.4		2.4 & Below	-	-
	3	0.2	0.3		2.5 - 2.6	-	-
	4	*	*		2.7 - 2.9	-	*
	5	-	-		3.0 - 3.2	0.2	0.6
	6	-	-		3.3 - 3.4	1.2	1.3
	7	-	-		3.5 - 3.6	4.0	4.5
Total -----		52.5	56.7		3.7 - 4.2	80.5	81.0
02	1	12.1	10.8		4.3 - 4.9	14.0	12.5
	2	29.3	27.0		5.0 - 5.2	-	-
	3	2.8	2.4		5.3 & Above	-	-
	4	*	*		Average	4.02	4.00
	5	-	-		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		44.3	40.2		2.6	-	-
03	1	0.1	0.1		2.7	-	-
	2	1.5	1.4		2.8	-	*
	3	1.2	1.2		2.9	-	*
	4	0.2	0.1		3.0	0.1	*
	5	-	*		3.1	0.1	0.2
	6	-	-		3.2	0.1	0.4
	7	-	-		3.3	0.5	0.6
Total -----		3.0	2.9		3.4	0.7	0.7
04	1	-	-		3.5	0.8	1.3
	2	0.1	0.1		3.6	3.1	3.3
	3	0.1	0.1		3.7	7.0	6.9
	4	*	*		3.8	8.3	10.7
	5	*	*		3.9	12.6	15.4
	6	-	-		4.0	18.8	18.5
	7	-	-		4.1	18.0	16.7
Total -----		0.2	0.2		4.2	15.8	12.8
05	1	-	-		4.3	10.0	7.6
	2	*	*		4.4	2.9	3.4
	3	*	*		4.5	1.1	1.2
	4	*	*		4.6	0.1	0.3
	5	-	*		4.7	*	*
	6	*	*		4.8	-	*
	7	-	-		4.9	*	*
Total -----		*	*		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	4.02	4.00
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	0.3	0.8
	7	-	-		37	1.3	2.1
Total -----		-	-		38	4.8	5.2
07	1	-	-		39	5.3	5.2
	2	-	-		40	4.2	2.4
	3	-	-		41	4.1	3.7
	4	-	-		42	5.6	8.1
	5	-	-		43	12.2	14.1
	6	-	-		44	15.3	17.4
	7	-	-		45	17.5	18.5
Total -----		-	-		46	15.9	12.7
STAPLE					47	10.2	7.4
44 & Shorter		1.8	0.9		48 & Above	3.2	2.6
46		11.0	12.2		Average	44.20	43.93
48		52.9	56.6		UNIFORMITY		
50		31.8	28.7		83 & Below	0.3	0.1
52 & Longer		2.6	1.5		84	4.1	3.9
Average Staple		48.45	48.35		85	15.8	16.7
Average Length		1.41	1.41		86	46.6	50.0
EXTRANEIOUS MATTER					87	31.8	27.6
Bark		-	*		88 & Above	1.4	1.7
Grass		0.3	0.1		Average	86.55	86.51
Spindle Twist		0.1	*		Samples Classed		
Preparation		-	*		Week	30,228	
All Other		*	*		Season		169,247

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.