



Volume 61, No.12

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	14	71.9	51.5	7,838	16	28.7	17.8	29,056
Corpus Christi	48	82.2	52.3	179,959	51	85.0	59.2	1,328,174
Dumas	37	94.2	75.6	135,793	38	94.3	78.5	244,965
Florence	51	80.3	51.3	111,589	51	82.7	54.8	192,794
Lamesa	16	58.9	26.3	24,372	17	52.9	23.3	31,144
Lubbock	28	56.5	23.0	21,039	29	54.7	20.3	24,205
Macon	71	93.1	74.8	208,036	71	91.8	70.3	468,699
Memphis	77	94.0	83.5	277,573	77	94.0	82.2	475,628
Rayville	21	94.1	72.5	60,391	21	96.0	81.4	150,523
Visalia	6	86.9	71.8	8,436	6	86.7	58.4	27,000
United States	369	88.5	68.3	1,035,026	377	87.6	65.9	2,972,188
AMERICAN PIMA								
Visalia*	-			-	-			-
United States	-			-	-			-
United States all cotton	370			1,037,573	378			2,974,783

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	62.9	22.6	25.3	31.7	32.8	31.1	12.9	15.0	46.5	44.9
	3	14.0	4.5	11.7	16.8	24.5	25.0	16.7	20.1	6.9	5.9
	4	0.6	0.2	0.9	1.4	3.1	3.0	1.2	1.4	0.5	0.4
	5	-	*	*	*	0.1	0.1	*	*	*	*
	6	-	-	-	*	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-
Total	----	77.5	27.3	38.0	49.9	60.4	59.2	30.8	36.4	53.9	51.1
31	1 - 2	3.8	1.2	4.6	4.6	2.4	2.3	4.8	3.9	3.3	2.7
	3	5.5	2.5	10.9	11.0	18.4	19.6	33.0	30.0	3.4	3.3
	4	1.4	0.7	4.2	4.0	11.4	11.7	16.3	15.9	2.6	2.6
	5	*	0.3	0.3	0.4	1.7	1.7	1.2	1.4	0.2	0.3
	6	-	0.1	*	*	*	0.1	*	*	-	-
	7	-	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	*	-	-	-	-
Total	----	10.7	4.8	20.0	20.0	33.9	35.4	55.3	51.2	9.5	8.8
41	1 - 2	-	-	1.1	1.1	0.1	0.1	0.1	*	*	*
	3	-	*	4.2	4.2	1.2	1.0	2.8	2.3	-	-
	4	0.1	0.5	2.7	2.7	2.1	2.2	5.4	4.5	0.1	0.1
	5	-	1.1	0.3	0.4	1.4	1.3	1.4	1.2	0.1	0.1
	6	-	0.6	*	*	0.2	0.2	*	0.1	*	*
	7	-	0.2	-	*	*	*	*	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.1	2.5	8.4	8.5	5.1	4.7	9.7	8.0	0.3	0.2
51	1 - 2	-	*	0.3	0.1	*	*	*	*	-	-
	3	-	*	1.5	0.7	*	*	*	*	-	-
	4	-	*	0.9	0.5	*	*	*	*	-	-
	5	-	0.3	0.1	0.1	*	*	*	*	-	-
	6	-	0.1	*	*	*	*	-	-	-	-
	7	-	*	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.5	2.8	1.4	0.1	*	*	*	-	-
61	1 - 2	-	-	0.1	*	-	-	-	*	-	-
	3	-	-	0.3	0.1	-	-	-	*	-	-
	4	-	-	0.1	0.1	-	*	-	*	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	0.5	0.2	*	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-
12 & 22	1 - 2	5.1	5.8	9.8	7.1	0.1	0.1	0.1	0.2	11.3	11.8
	3	3.2	2.2	6.4	5.0	0.1	0.1	0.4	0.4	5.5	5.0
	4	0.2	0.1	1.0	0.9	*	*	0.1	0.1	0.3	0.3
	5	-	*	0.1	0.1	-	*	*	*	*	*
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	8.5	8.1	17.3	13.0	0.2	0.2	0.6	0.6	17.2	17.1
32	1 - 2	0.1	0.1	1.0	0.6	*	*	0.1	0.1	3.8	3.1
	3	0.4	0.3	3.6	1.8	0.1	0.2	1.1	1.2	6.4	6.2
	4	0.4	0.7	1.6	0.9	0.1	0.1	0.8	0.9	1.7	2.1
	5	0.1	1.0	0.3	0.2	*	*	0.1	0.1	0.3	0.3
	6	-	0.4	0.1	*	-	-	*	*	*	*
	7	-	*	-	*	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	2.5	6.6	3.5	0.2	0.3	2.1	2.3	12.2	11.8
42	1 - 2	-	*	0.6	0.3	*	*	*	*	*	*
	3	*	0.1	1.8	0.9	*	*	0.4	0.3	*	*
	4	-	0.9	1.1	0.7	*	0.1	0.7	0.6	0.3	0.3
	5	*	3.4	0.2	0.2	*	*	0.2	0.3	0.3	0.3
	6	*	3.0	*	*	-	*	*	*	*	0.2
	7	-	1.0	-	*	-	-	-	*	*	0.2
	8	-	0.3	-	*	-	-	-	-	-	-
Total	----	0.1	8.7	3.7	2.1	0.1	0.1	1.3	1.2	0.7	1.0

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	0.1	*	*	*	-	*	-	-
	3	-	*	0.6	0.2	*	*	*	*	-	-
	4	-	0.1	0.7	0.2	*	*	*	*	-	-
	5	-	0.3	0.2	0.1	*	*	*	*	-	*
	6	-	0.5	*	*	-	-	-	*	-	*
	7	-	0.3	-	*	-	-	-	-	-	*
	8	-	0.3	-	*	-	-	-	-	-	-
Total	----	-	1.5	1.6	0.5	*	*	*	*	-	*
62	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	*	*	*	*	*	-	*	-	-
	5	-	*	*	*	-	-	-	*	-	-
	6	-	-	*	*	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	0.1	0.1	*	*	-	*	-	-
13 & 23	1 - 2	0.6	0.4	0.2	0.1	-	-	-	-	0.6	0.8
	3	0.5	0.4	0.1	0.2	-	-	-	*	0.4	0.8
	4	*	*	*	*	-	-	-	-	0.1	0.1
	5	-	*	*	*	-	-	-	-	-	*
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.1	0.8	0.4	0.4	-	-	-	*	1.1	1.7
33	1 - 2	*	*	*	*	*	*	-	*	0.9	1.2
	3	0.4	0.2	0.1	0.1	*	*	*	*	2.5	3.5
	4	0.7	0.8	*	*	-	-	*	*	1.2	2.0
	5	0.1	1.8	*	*	-	-	-	-	0.2	0.7
	6	-	1.0	*	*	-	-	-	-	*	0.1
	7	-	0.2	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
Total	----	1.2	4.0	0.1	0.1	*	*	*	*	4.8	7.6
43	1 - 2	-	*	*	*	*	*	-	-	*	*
	3	-	0.2	0.1	*	*	*	-	*	0.1	0.1
	4	-	1.7	0.1	*	-	-	*	*	0.1	0.1
	5	*	3.8	*	*	-	*	*	*	0.1	0.2
	6	-	3.6	*	*	-	-	-	-	0.1	0.1
	7	-	1.7	-	*	-	-	-	-	*	*
	8	-	1.5	-	*	-	-	-	-	-	-
Total	----	*	12.6	0.2	0.1	*	*	*	*	0.3	0.5
53	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	-
	4	-	0.4	*	*	*	*	-	*	-	-
	5	-	0.9	*	*	*	*	-	*	-	-
	6	-	1.8	*	*	-	-	-	-	-	-
	7	-	2.5	-	-	-	-	-	-	-	*
	8	-	1.8	-	*	-	-	-	-	-	-
Total	----	-	7.3	0.1	*	*	*	-	*	-	*
63	1 - 2	-	-	*	*	*	*	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-
	4	-	*	*	*	*	*	-	*	-	-
	5	-	*	*	*	*	*	*	*	-	-
	6	-	*	*	*	*	*	-	*	-	-
	7	-	*	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	0.1	*	*	*	*	*	*	-	-
24 - 54	1 - 8	*	12.4	*	*	*	*	-	*	0.1	0.1
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	6.7	-	*	*	*	-	*	-	-
STAPLE											
28 & Shorter		-	0.2	-	-	-	-	-	-	-	-
29		*	0.2	*	*	-	-	-	-	0.2	0.1
30		1.2	1.0	0.1	*	-	-	-	-	1.4	1.8
31		5.0	3.6	0.6	0.3	-	-	*	*	6.8	7.2
32		15.6	6.5	2.0	1.3	*	*	0.1	0.1	17.6	20.3
33		19.1	9.0	4.4	4.2	*	*	0.5	0.6	23.1	24.2
34		14.6	14.7	10.3	10.0	0.1	0.1	3.8	3.9	18.5	16.9
35		11.0	30.1	18.4	18.5	1.9	1.4	11.7	11.4	14.6	13.0
36		16.8	23.7	20.9	22.8	8.2	7.6	24.9	24.8	9.7	9.5
37		11.9	9.4	22.7	26.3	25.3	26.1	37.0	36.7	6.3	5.5
38		3.7	1.3	14.5	12.2	38.3	38.1	15.4	16.1	1.9	1.5
39		0.9	0.3	5.1	3.9	23.9	23.9	6.1	5.7	*	*
40 & Longer		0.1	*	1.0	0.6	2.3	2.7	0.5	0.6	-	-
Average Staple		34.30	34.73	36.07	36.07	37.81	37.83	36.67	36.67	33.76	33.60
Average Length		1.07	1.08	1.13	1.12	1.18	1.18	1.14	1.14	1.05	1.05

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	14.0	12.5	27.4	25.6	13.0	15.7	19.9	25.8	75.2	52.7
	3	6.9	6.1	22.6	21.2	10.7	13.6	22.4	25.1	14.3	17.0
	4	0.2	0.2	1.1	0.9	0.9	1.1	2.0	1.7	1.4	1.5
	5	-	-	*	*	*	*	*	*	0.2	0.1
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	21.1 18.8	51.1 47.7	24.6 30.4	44.4 52.6	91.1 71.3				
31	1 - 2	4.6	4.1	6.3	5.4	8.2	7.9	3.7	3.4	2.3	0.9
	3	8.0	7.2	26.3	26.5	26.4	25.4	18.6	16.6	3.4	2.5
	4	0.6	0.6	7.6	8.0	14.0	13.0	9.3	8.9	1.2	1.9
	5	-	-	0.4	0.3	1.8	1.9	1.2	0.9	0.3	0.3
	6	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	13.2 11.8	40.6 40.2	50.4 48.2	32.9 29.8	7.3 5.6				
41	1 - 2	-	-	0.3	0.2	0.3	0.2	0.8	0.6	*	*
	3	*	*	1.4	1.2	3.6	2.6	5.6	4.3	0.1	*
	4	0.1	0.1	1.4	1.8	10.5	8.4	5.4	4.2	0.1	0.1
	5	*	*	0.3	0.4	7.4	6.4	2.5	1.6	0.1	*
	6	-	-	*	*	0.9	0.8	0.3	0.2	-	*
	7	-	-	-	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1 0.1	3.4 3.6	22.7 18.4	14.6 10.9	0.3 0.2				
51	1 - 2	-	-	*	*	*	*	*	*	-	-
	3	*	*	*	*	*	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	-	-
	5	-	-	*	*	*	*	*	0.1	-	-
	6	-	-	*	*	*	*	0.1	*	-	-
	7	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	*	-	-	-	-
	Total	----	* *	* *	0.1 0.1	0.2 0.2	- -				
61	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- *	- *	- -	- -				
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	- -				
12 & 22	1 - 2	13.6	12.7	0.9	1.2	0.1	0.2	1.1	1.3	0.3	9.2
	3	6.3	6.5	0.6	0.9	0.3	0.4	1.8	1.3	0.1	9.6
	4	0.2	0.3	*	*	0.1	0.1	0.5	0.2	0.1	1.6
	5	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	20.2 19.5	1.6 2.1	0.5 0.7	3.5 2.9	0.5 20.5				
32	1 - 2	9.5	9.4	0.5	0.8	0.1	0.3	0.6	0.4	0.1	0.1
	3	18.3	19.8	1.7	3.3	0.5	0.8	1.8	1.5	0.1	0.4
	4	4.4	5.0	0.5	1.1	0.4	0.5	0.7	0.4	0.3	1.0
	5	0.4	0.4	*	0.1	0.1	0.1	0.3	0.1	0.1	0.5
	6	*	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	32.5 34.7	2.8 5.3	1.1 1.6	3.3 2.5	0.7 2.0				
42	1 - 2	*	*	*	*	*	*	0.1	*	*	*
	3	0.2	0.3	0.1	0.3	0.2	0.2	0.3	0.4	*	*
	4	0.2	0.4	0.1	0.5	0.3	0.3	0.3	0.3	*	*
	5	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	*	*
	6	*	*	*	*	*	*	*	*	-	-
	7	-	-	-	*	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.6 0.9	0.3 1.0	0.6 0.6	1.0 0.9	0.1 0.1				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	*	-	*	-	-
	3	*	*	-	*	*	*	*	*	-	-
	4	*	*	*	*	*	*	*	*	-	-
	5	-	-	*	*	*	*	*	*	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	*	*	-	-
62	1 - 2	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	-	-	-	-
13 & 23	1 - 2	0.5	0.7	-	*	-	-	-	-	-	0.2
	3	0.7	0.7	-	*	-	-	-	-	-	0.1
	4	*	*	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.2	1.5	-	*	-	-	-	-	-	0.3
33	1 - 2	3.4	3.5	*	*	*	*	-	*	-	*
	3	5.3	6.0	*	*	*	*	0.1	*	-	*
	4	1.2	1.9	*	*	*	*	0.1	*	-	-
	5	*	0.1	*	*	-	*	*	*	-	-
	6	-	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	9.9	11.5	*	*	*	*	0.1	0.1	-	*
43	1 - 2	0.1	0.1	*	*	*	*	*	*	-	-
	3	0.8	0.7	*	*	*	*	*	0.1	-	*
	4	0.3	0.3	*	*	*	*	*	*	-	-
	5	0.1	0.1	-	*	-	*	*	*	*	*
	6	-	*	-	-	-	*	*	*	-	-
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.2	1.2	*	*	*	*	0.1	0.1	*	*
53	1 - 2	*	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	*	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	*	*	-	*	-	-
63	1 - 2	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	*	*	-	-	-	-
24 - 54	1 - 8	*	*	*	*	-	-	*	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		0.2	0.2	-	-	-	-	-	-	-	-
30		1.5	1.5	*	*	-	-	-	-	-	-
31		5.3	5.3	*	0.1	-	-	*	*	-	-
32		15.1	15.5	0.6	1.0	*	*	*	*	-	-
33		23.0	24.0	2.7	4.4	*	*	0.3	0.1	-	*
34		21.9	23.0	9.0	11.4	0.7	1.0	1.5	1.7	*	0.6
35		13.3	12.7	16.6	18.3	7.7	9.5	3.3	2.7	4.5	5.1
36		9.9	9.0	23.6	23.1	23.9	27.3	13.2	12.1	18.9	24.8
37		7.6	6.7	34.0	31.1	42.8	39.3	30.4	28.7	35.1	32.0
38		2.0	1.7	11.3	9.1	16.0	14.5	23.9	28.5	16.3	23.2
39		0.3	0.3	2.1	1.4	7.7	7.4	21.7	22.9	22.9	13.5
40 & Longer		*	*	0.1	0.1	1.1	1.0	5.7	3.3	2.4	0.8
Average Staple		33.90	33.81	36.18	35.95	36.93	36.83	37.60	37.61	37.41	37.16
Average Length		1.06	1.05	1.13	1.12	1.15	1.15	1.18	1.18	1.17	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	0.5	44.6	0.4	0.4	0.3	0.6	1.4	1.0	3.3	5.2
Bark - Level 2	-	-	-	-	*	*	-	-	-	-
Grass - Level 1	-	*	0.3	0.3	0.2	0.3	0.4	0.3	-	-
Grass - Level 2	-	-	-	-	*	*	-	-	-	-
Prep - Level 1	-	-	*	*	*	*	-	*	-	-
Prep - Level 2	-	-	*	*	-	-	-	-	-	-
Seed Coat - Level 1	5.8	1.6	*	*	*	*	*	*	0.2	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*
Plastic - Level 2	-	-	-	-	-	*	-	-	-	-
STRENGTH 1/22 & Below	0.6	1.0	*	*	-	-	-	*	0.3	0.5
23	0.6	1.1	*	*	-	-	*	*	1.2	1.2
24	3.2	4.1	0.1	0.1	*	*	*	*	3.0	3.5
25	6.0	10.7	0.6	0.6	*	*	0.2	0.3	7.3	8.0
26	7.5	20.2	1.7	1.7	0.1	0.1	0.7	1.1	16.1	17.7
27	8.9	22.8	3.8	4.7	0.8	0.8	3.0	3.4	14.4	16.5
28	18.3	17.3	7.4	10.5	3.1	3.5	8.1	8.8	17.1	15.6
29	11.7	7.9	13.6	18.0	13.6	14.9	18.8	19.8	17.9	15.8
30	8.9	4.1	21.6	23.2	35.9	37.4	24.4	24.2	10.6	10.1
31	9.7	3.8	21.8	19.5	30.2	28.8	19.3	18.6	7.7	6.7
32	10.6	3.0	14.8	11.5	10.5	9.4	13.7	13.4	2.6	2.4
33	7.8	2.2	8.4	5.6	4.6	4.0	7.8	7.1	1.3	1.4
34	3.8	1.0	4.0	2.9	1.0	0.9	3.2	2.6	0.5	0.4
35	1.8	0.5	1.4	1.2	0.1	0.2	0.7	0.6	0.1	0.1
36	0.5	0.1	0.5	0.3	*	*	0.1	0.1	0.1	*
37	0.1	*	0.1	0.1	-	-	*	*	-	-
38	*	*	*	*	-	-	-	-	-	-
39	-	-	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	29.65	27.82	30.98	30.60	30.92	30.85	30.85	30.72	28.39	28.21
Mike										
2.4 & Below	-	0.2	-	*	-	-	-	-	-	-
2.5	-	0.7	-	-	-	-	-	-	-	-
2.6	-	0.6	-	*	-	-	-	-	-	-
2.7	-	0.9	-	*	-	-	-	*	*	*
2.8	-	0.9	-	*	-	-	*	*	-	-
2.9	-	1.1	*	*	-	-	*	*	*	*
3.0	-	1.1	0.2	0.1	-	-	*	*	*	*
3.1	*	1.9	0.4	0.2	*	*	*	*	0.1	0.1
3.2	*	1.9	0.4	0.3	-	*	*	*	0.1	0.1
3.3	*	1.0	0.2	0.4	*	*	*	*	0.1	0.1
3.4	0.1	1.4	0.5	0.7	*	*	*	*	0.2	0.2
3.5	0.3	1.9	1.1	1.1	*	*	*	*	0.3	0.3
3.6	0.6	3.1	1.4	1.7	*	*	0.1	0.1	0.6	0.5
3.7	1.5	4.6	2.0	2.5	0.1	0.1	0.1	0.2	1.1	1.0
3.8	2.0	4.9	2.9	3.6	0.4	0.4	0.2	0.3	2.1	1.9
3.9	3.5	6.6	4.2	4.6	0.9	1.1	0.3	0.4	2.3	2.2
4.0	7.5	6.5	5.5	5.3	1.8	2.4	0.6	0.8	3.9	4.1
4.1	9.3	8.7	7.2	6.8	3.1	3.1	1.3	1.5	3.6	4.5
4.2	13.7	11.1	8.2	7.9	4.1	4.6	2.2	2.7	4.3	5.3
4.3	14.7	10.9	9.5	9.1	7.0	7.9	4.1	4.9	8.5	9.5
4.4	13.1	9.4	10.7	10.2	12.0	12.7	6.7	7.6	11.9	12.3
4.5	10.6	6.8	11.6	10.0	15.0	16.2	10.0	10.9	12.6	12.8
4.6	7.3	4.4	10.4	9.3	16.5	16.6	13.6	13.6	15.0	15.0
4.7	6.1	4.0	8.7	8.7	15.5	14.5	15.3	15.6	12.4	12.0
4.8	4.8	2.8	6.6	6.8	12.1	10.6	15.7	15.4	7.8	7.3
4.9	2.5	1.5	4.0	4.4	6.7	5.4	13.2	11.9	5.3	4.6
5.0	1.8	0.7	2.3	3.1	2.4	2.1	8.7	7.6	4.3	3.6
5.1	0.5	0.2	1.2	1.7	1.1	1.1	4.3	3.8	2.1	1.7
5.2	-	*	0.4	0.8	0.9	0.7	2.2	1.8	0.7	0.6
5.3	-	*	0.1	0.4	0.3	0.3	0.8	0.7	0.2	0.2
5.4	-	-	*	0.2	*	0.1	0.3	0.4	0.3	0.2
5.5 & Above	-	-	*	0.2	*	*	0.2	0.2	*	*
Average	4.34	4.07	4.37	4.38	4.57	4.55	4.70	4.68	4.50	4.48

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	5.9	5.7	1.4	1.3	0.2	0.2	1.0	0.6	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.5	0.5	0.1	0.2	*	*	*	0.1	0.2	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	*	*	*	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	*	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	1.2	1.1	*	*	*	*	-	-	-	-
23	2.6	2.6	*	0.1	*	*	-	-	-	-
24	4.1	4.1	0.2	0.4	*	*	-	-	-	-
25	6.4	6.6	1.1	2.2	*	0.1	*	*	-	-
26	9.5	9.9	4.0	7.3	0.3	0.6	0.7	1.0	*	0.1
27	13.9	14.5	11.1	16.2	2.7	4.9	4.8	4.7	2.4	2.5
28	17.8	17.9	22.3	25.3	14.8	18.8	9.5	11.0	3.2	4.7
29	16.1	15.9	28.2	24.5	31.1	31.8	20.6	26.0	11.0	17.3
30	11.0	10.8	18.4	14.0	29.1	25.6	30.0	26.6	33.2	29.4
31	7.3	7.2	8.7	6.2	14.1	12.1	14.6	15.0	22.5	22.2
32	4.9	4.7	3.8	2.5	6.0	4.8	13.2	11.0	9.8	14.0
33	3.5	3.2	1.5	0.9	1.4	1.1	5.7	4.0	2.0	4.5
34	1.3	1.1	0.5	0.3	0.3	0.2	0.8	0.6	*	0.4
35	0.4	0.4	0.2	0.1	*	*	0.1	0.1	0.5	0.2
36	0.1	0.1	0.1	*	*	*	*	*	7.9	2.5
37	*	*	*	*	-	*	-	*	5.8	1.8
38	-	-	-	-	-	-	-	-	1.7	0.5
39	-	-	-	-	-	-	-	-	*	*
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	28.65	28.59	29.41	28.94	30.06	29.84	30.50	30.31	31.70	31.07
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	*	-	-	-	-	-	-
2.7	-	-	-	*	-	-	-	-	-	-
2.8	-	-	*	*	-	-	-	-	-	-
2.9	-	-	*	*	*	*	-	-	*	*
3.0	-	-	*	*	*	*	-	*	1.7	0.5
3.1	-	-	*	*	*	*	-	*	1.7	0.5
3.2	-	-	*	*	*	*	*	*	0.9	0.3
3.3	*	*	*	0.1	*	*	*	*	1.3	0.4
3.4	0.1	0.1	0.1	0.1	0.1	0.1	*	*	1.4	0.4
3.5	0.2	0.2	0.1	0.2	0.1	0.2	*	*	2.5	0.8
3.6	0.4	0.4	0.2	0.4	0.3	0.4	0.2	0.2	3.7	1.2
3.7	0.9	0.9	0.5	0.7	0.8	0.9	0.2	0.1	2.7	0.9
3.8	1.4	1.5	0.9	1.1	1.7	1.7	0.9	0.6	2.6	1.3
3.9	2.1	2.2	1.4	1.9	2.8	2.7	2.5	2.1	4.6	2.0
4.0	3.2	3.3	2.4	3.0	4.6	4.0	2.7	2.8	3.4	1.9
4.1	5.1	5.3	4.6	5.2	6.6	5.9	4.5	5.1	9.0	6.4
4.2	7.2	7.9	7.4	8.1	8.9	8.2	5.2	7.2	8.6	8.0
4.3	9.4	10.0	11.3	11.7	11.5	10.7	8.1	13.8	10.7	10.6
4.4	10.8	11.1	14.0	14.4	12.7	12.5	11.8	16.2	9.7	12.1
4.5	12.4	12.3	15.1	15.2	14.1	14.6	14.6	15.8	8.7	12.8
4.6	11.8	11.8	14.2	13.6	12.8	13.6	13.7	12.7	6.1	11.0
4.7	9.5	9.4	11.5	10.1	9.3	10.1	16.0	11.7	6.8	8.1
4.8	9.1	8.6	7.8	6.9	6.3	6.6	12.0	7.2	4.8	7.8
4.9	7.3	6.8	4.8	4.2	3.8	4.2	4.7	2.7	3.7	4.9
5.0	4.9	4.3	2.3	1.8	2.0	2.1	1.9	1.1	2.9	3.7
5.1	2.7	2.3	1.0	0.8	1.0	0.9	0.6	0.4	1.9	2.2
5.2	1.4	1.2	0.2	0.3	0.5	0.4	0.3	0.2	0.4	1.5
5.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	*	0.6
5.4	*	*	0.1	0.1	*	*	*	*	-	-
5.5 & Above	*	*	*	*	-	-	-	*	-	-
Average	4.52	4.50	4.49	4.46	4.43	4.44	4.52	4.46	4.25	4.45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	0.2	-	*	-	-	-	-	-	-
2.5 - 2.6	-	1.3	-	*	-	-	-	-	-	-
2.7 - 2.9	-	3.0	*	*	-	-	*	*	*	*
3.0 - 3.2	*	4.9	1.0	0.5	*	*	*	*	0.2	0.2
3.3 - 3.4	0.1	2.4	0.7	1.2	*	*	*	*	0.3	0.3
3.5 - 3.6	0.9	5.0	2.5	2.8	*	*	0.1	0.1	0.9	0.8
3.7 - 4.2	37.5	42.4	30.2	30.7	10.3	11.7	4.8	5.8	17.2	19.0
4.3 - 4.9	59.2	39.8	61.5	58.5	84.8	83.9	78.6	79.7	73.5	73.6
5.0 - 5.2	2.3	0.9	3.9	5.5	4.5	3.9	15.2	13.1	7.2	5.8
5.3 & Above	-	*	0.1	0.8	0.3	0.5	1.3	1.3	0.5	0.4
Average	4.34	4.07	4.37	4.38	4.57	4.55	4.70	4.68	4.50	4.48
Leaf										
1 - 2	72.5	30.2	43.3	45.7	35.3	33.6	18.0	19.2	66.5	64.5
3	24.0	10.7	41.3	41.0	44.3	45.9	54.5	54.4	25.3	24.9
4	3.3	8.6	13.5	11.5	16.8	17.1	24.4	23.4	6.9	8.1
5	0.2	17.8	1.7	1.6	3.3	3.1	3.0	3.0	1.1	1.9
6	*	15.4	0.2	0.2	0.3	0.2	*	0.1	0.1	0.4
7	-	9.5	-	*	*	*	*	*	*	0.3
8	-	7.9	-	*	-	*	-	-	-	-
Average	2.07	4.29	2.67	2.62	2.84	2.86	3.12	3.10	2.20	2.25
HVI Trash 1/										
00	0.1	*	*	*	-	*	-	-	0.1	0.1
01	41.1	15.9	13.7	14.6	11.6	10.2	2.5	2.8	36.7	37.8
02	35.3	16.4	31.4	33.0	29.2	28.8	18.5	19.3	32.3	28.6
03	15.2	6.1	23.6	24.3	24.4	25.5	27.6	27.8	15.0	14.0
04	4.9	2.3	15.2	14.3	16.2	16.9	24.1	23.5	7.4	7.9
05	2.0	2.2	8.9	7.5	9.4	9.6	14.7	14.3	4.2	4.7
06	0.8	3.2	4.2	3.5	5.0	4.9	7.4	7.2	2.2	2.6
07	0.4	5.2	1.8	1.6	2.4	2.4	3.1	3.1	1.1	1.5
08	0.1	5.6	0.7	0.7	1.0	1.0	1.2	1.2	0.6	0.9
09	*	6.3	0.3	0.3	0.4	0.4	0.5	0.5	0.2	0.5
10	*	6.3	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.3
11	*	5.7	0.1	0.1	0.1	0.1	*	*	*	0.2
12	-	5.1	*	*	*	*	*	*	*	0.1
13	-	4.1	*	*	*	*	*	*	*	0.1
14	-	3.4	*	*	*	*	*	*	*	0.1
15	-	2.6	*	*	*	*	*	*	*	0.1
16	-	2.2	*	*	*	*	*	*	*	0.1
17	-	1.7	*	*	*	*	-	-	-	0.1
18 & Above	-	5.6	-	*	*	*	-	-	*	0.1
Average	0.20	0.76	0.30	0.29	0.32	0.32	0.38	0.37	0.23	0.25
UNIFORMITY 2/										
74 & Below	0.3	0.3	*	*	-	-	-	-	*	*
75	0.5	0.3	0.1	*	-	-	*	*	0.2	0.2
76	3.4	1.3	0.5	0.2	*	*	*	*	1.8	1.8
77	12.6	6.4	1.7	0.9	0.1	0.1	0.1	0.1	10.0	10.6
78	18.3	11.5	4.8	3.5	0.6	0.6	0.8	0.8	23.1	25.0
79	22.2	18.3	12.3	12.0	2.9	3.2	5.3	5.5	30.2	28.8
80	18.5	31.8	25.6	27.6	18.7	20.5	23.4	24.1	23.9	23.3
81	14.6	25.2	32.5	34.2	49.1	48.0	37.5	37.5	8.9	8.3
82	7.7	4.3	17.4	17.9	24.5	23.5	26.6	25.9	1.5	1.7
83	1.7	0.5	4.6	3.4	3.7	3.6	5.6	5.4	0.2	0.3
84	0.2	0.1	0.5	0.3	0.4	0.4	0.7	0.6	-	-
85 & Above	-	-	0.1	*	*	*	0.1	0.1	-	-
Average	79.68	80.11	80.99	81.04	81.51	81.47	81.48	81.46	79.41	79.38
Tenderable 3/	71.9	28.7	82.2	85.0	94.2	94.3	80.3	82.7	58.9	52.9
SAMPLES CLASSED										
Week	7,838		179,959		135,793		111,589		24,372	
Season		29,056		1,328,174		244,965		192,794		31,144

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	*	-	-	-	-	-	-
2.7 - 2.9	-	-	*	*	*	*	-	-	*	*
3.0 - 3.2	-	-	*	*	*	0.1	*	*	4.3	1.3
3.3 - 3.4	0.1	0.1	0.1	0.2	0.1	0.1	*	0.1	2.7	0.8
3.5 - 3.6	0.6	0.6	0.2	0.6	0.5	0.6	0.3	0.2	6.3	2.0
3.7 - 4.2	19.8	21.1	17.2	19.9	25.3	23.5	15.9	18.1	31.0	20.6
4.3 - 4.9	70.3	70.1	78.7	76.1	70.4	72.1	80.9	80.0	50.5	67.3
5.0 - 5.2	8.9	7.9	3.5	2.9	3.5	3.5	2.8	1.6	5.2	7.3
5.3 & Above	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	*	0.6
Average	4.52	4.50	4.49	4.46	4.43	4.44	4.52	4.46	4.25	4.45
Leaf										
1 - 2	45.7	43.0	35.6	33.2	21.8	24.3	26.2	31.7	77.9	63.1
3	46.4	47.3	52.8	53.4	41.7	43.1	50.7	49.4	18.1	29.7
4	7.2	8.8	10.8	12.5	26.1	23.3	18.4	15.8	3.2	6.1
5	0.7	0.9	0.7	0.9	9.4	8.4	4.2	2.9	0.8	1.1
6	*	0.1	*	*	1.0	0.9	0.4	0.2	*	*
7	*	*	*	*	*	*	*	*	-	-
8	-	-	-	-	-	*	-	-	-	-
Average	2.59	2.64	2.74	2.79	3.25	3.17	3.01	2.89	1.98	2.30
HVI Trash 1/										
00	-	-	*	*	*	*	-	-	0.2	0.1
01	9.8	9.1	8.8	7.7	4.3	4.9	5.6	6.7	45.3	28.8
02	39.2	37.1	34.6	32.9	20.8	23.1	27.3	32.0	37.9	44.1
03	28.5	28.8	30.6	30.9	22.8	24.2	27.5	27.6	10.9	17.3
04	13.9	14.7	15.9	16.9	17.7	17.3	17.9	16.3	3.5	6.1
05	5.1	5.8	6.4	7.2	12.9	11.7	10.4	9.0	1.4	2.2
06	2.1	2.7	2.3	2.7	9.4	8.3	5.5	4.5	0.5	0.9
07	0.9	1.2	0.9	1.0	6.0	5.3	3.0	2.2	0.2	0.3
08	0.3	0.4	0.3	0.3	3.3	2.9	1.5	1.0	0.1	0.1
09	0.1	0.2	0.1	0.1	1.6	1.4	0.7	0.4	*	*
10	0.1	0.1	*	0.1	0.7	0.6	0.3	0.2	*	*
11	*	*	*	*	0.3	0.3	0.2	0.1	-	*
12	*	*	*	*	0.2	0.1	0.1	*	-	-
13	-	*	*	*	0.1	*	*	*	-	-
14	-	-	*	*	*	*	*	*	-	-
15	-	-	-	*	*	*	-	-	-	-
16	-	-	-	*	*	*	-	-	-	-
17	*	*	-	*	-	*	-	-	-	-
18 & Above	-	-	*	*	-	*	-	-	-	-
Average	0.28	0.29	0.29	0.30	0.40	0.38	0.35	0.32	0.18	0.21
UNIFORMITY 2/										
74 & Below	0.1	0.1	-	-	-	-	-	-	-	-
75	0.7	0.7	*	*	-	-	-	-	-	-
76	2.8	2.6	*	*	*	*	-	-	-	-
77	8.2	8.2	0.2	0.3	0.1	0.1	*	*	-	-
78	16.9	17.7	1.8	2.8	0.4	0.5	0.6	0.5	*	*
79	28.2	29.3	9.4	12.2	4.0	4.1	4.7	4.9	4.4	2.6
80	26.1	25.5	27.8	31.8	17.9	18.5	15.1	19.9	38.2	30.3
81	12.1	11.6	37.7	35.4	36.1	36.1	36.8	43.9	35.8	43.1
82	3.9	3.5	18.6	14.4	31.7	31.0	31.0	24.3	18.6	22.4
83	0.8	0.7	3.9	2.7	9.1	9.0	10.7	5.8	2.8	1.4
84	0.1	0.1	0.5	0.3	0.7	0.7	0.9	0.5	0.2	0.1
85 & Above	*	*	*	*	*	*	0.1	0.1	-	-
Average	79.65	79.63	81.21	81.00	81.70	81.68	81.74	81.51	81.23	81.35
Tenderable 3/	56.5	54.7	93.1	91.8	94.0	94.0	94.1	96.0	86.9	86.7
SAMPLES CLASSED										
Week	21,039		208,036		277,573		60,391		8,436	
Season		24,205		468,699		475,628		150,523		27,000

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Oct 17, 2019

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	-	-		MIKE		
	2	-	-		2.4 & Below	-	-
	3	-	-		2.5 - 2.6	-	-
	4	-	-		2.7 - 2.9	-	-
	5	-	-		3.0 - 3.2	-	-
	6	-	-		3.3 - 3.4	-	-
	7	-	-		3.5 - 3.6	-	-
Total -----		-	-		3.7 - 4.2	-	-
02	1	-	-		4.3 - 4.9	-	-
	2	-	-		5.0 - 5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	-	-
	5	-	-		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		-	-		2.6	-	-
03	1	-	-		2.7	-	-
	2	-	-		2.8	-	-
	3	-	-		2.9	-	-
	4	-	-		3.0	-	-
	5	-	-		3.1	-	-
	6	-	-		3.2	-	-
	7	-	-		3.3	-	-
Total -----		-	-		3.4	-	-
04	1	-	-		3.5	-	-
	2	-	-		3.6	-	-
	3	-	-		3.7	-	-
	4	-	-		3.8	-	-
	5	-	-		3.9	-	-
	6	-	-		4.0	-	-
	7	-	-		4.1	-	-
Total -----		-	-		4.2	-	-
05	1	-	-		4.3	-	-
	2	-	-		4.4	-	-
	3	-	-		4.5	-	-
	4	-	-		4.6	-	-
	5	-	-		4.7	-	-
	6	-	-		4.8	-	-
	7	-	-		4.9	-	-
Total -----		-	-		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	-	-
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	-	-
	7	-	-		37	-	-
Total -----		-	-		38	-	-
07	1	-	-		39	-	-
	2	-	-		40	-	-
	3	-	-		41	-	-
	4	-	-		42	-	-
	5	-	-		43	-	-
	6	-	-		44	-	-
	7	-	-		45	-	-
Total -----		-	-		46	-	-
STAPLE	44 & Shorter	-	-		47	-	-
	46	-	-		48 & Above	-	-
	48	-	-		Average	-	-
	50	-	-		UNIFORMITY		
	52 & Longer	-	-		83 & Below	-	-
Average Staple		-	-		84	-	-
Average Length		-	-		85	-	-
EXTRANEEOUS MATTER	Bark	-	-		86	-	-
	Grass	-	-		87	-	-
	Spindle Twist	-	-		88 & Above	-	-
	Preparation	-	-		Average	-	-
	All Other	-	-		Samples Classed		
					Week	-	
					Season		-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.