



Volume 64, No.24

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	28	54.2	41.0	28,811	33	69.0	53.0	399,920
Corpus Christi	4	62.8	50.2	627	50	79.9	63.0	1,227,681
Dumas	11	84.7	60.5	14,751	38	76.8	53.4	1,301,932
Florence	33	84.6	70.0	48,262	51	87.5	73.6	1,559,875
Lamesa	9	61.6	48.5	12,678	26	74.4	58.9	182,965
Lubbock	40	44.0	32.7	83,250	58	54.7	40.7	1,368,443
Macon	77	91.3	79.1	176,924	79	93.4	83.2	2,919,827
Memphis	36	92.7	80.2	82,524	75	91.6	79.5	2,857,865
Rayville	2	48.8	46.8	1,512	21	66.2	42.1	416,355
Visalia	14	91.9	79.5	11,537	30	83.4	64.2	231,305
United States	254	78.8	66.0	460,876	461	82.8	68.3	12,466,168
AMERICAN PIMA								
Visalia	13			17,676	23			344,831
United States	13			17,676	23			344,831
United States all cotton	265			478,552	473			12,810,999

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1 - 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	7.2	24.7	10.5	34.2	28.4	22.6	0.2	1.2	15.9	34.6
	4	9.6	15.8	-	5.0	15.1	10.5	1.3	2.1	8.4	12.3
	5	1.1	1.6	-	0.1	0.2	0.2	0.2	0.2	1.1	1.0
	6	*	*	-	*	-	*	*	*	0.1	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	17.9 42.2	10.5 39.3	43.7 33.3	1.7 3.5	25.5 48.0	1.7 3.5	25.5 48.0	1.7 3.5	25.5 48.0
31	1 - 2	8.0	7.7	-	7.0	12.6	14.9	1.4	2.9	6.3	10.0
	3	19.7	19.0	0.6	10.0	29.8	35.0	12.8	26.1	23.3	20.0
	4	7.4	8.4	0.3	1.4	4.8	6.6	9.0	15.3	17.5	10.1
	5	1.8	1.4	-	*	0.1	0.3	0.9	1.7	4.3	2.1
	6	0.5	0.2	-	*	-	*	*	0.1	0.6	0.2
	7	0.2	*	-	-	-	-	-	*	*	*
	8	*	*	-	*	-	-	-	-	-	-
	Total	----	37.6 36.8	1.0 18.4	47.4 56.7	24.1 46.0	52.1 42.5	24.1 46.0	52.1 42.5	24.1 46.0	52.1 42.5
41	1 - 2	2.4	0.5	38.3	2.8	0.1	0.5	0.7	0.6	0.1	0.2
	3	14.6	3.9	16.6	9.2	2.6	4.3	17.9	14.6	2.4	0.8
	4	9.7	3.7	1.8	3.9	3.3	3.4	33.9	22.7	4.2	1.5
	5	2.9	1.7	-	0.4	0.6	0.6	7.8	6.9	3.5	1.3
	6	0.6	0.5	-	*	*	*	0.4	0.7	1.3	0.5
	7	0.4	0.1	-	*	-	*	*	*	0.2	0.1
	8	0.2	*	-	*	-	*	-	-	-	-
	Total	----	30.8 10.6	56.6 16.3	6.7 8.9	60.7 45.6	11.6 4.5	60.7 45.6	11.6 4.5	60.7 45.6	11.6 4.5
51	1 - 2	-	*	0.8	0.5	-	*	*	*	-	-
	3	0.1	*	13.4	2.5	0.1	0.1	2.0	0.5	-	-
	4	0.4	0.1	1.1	1.2	0.8	0.2	5.8	1.3	-	-
	5	0.2	0.1	-	0.2	0.6	0.1	2.7	0.8	-	-
	6	*	0.1	-	*	*	*	0.4	0.1	-	*
	7	*	*	-	*	*	*	*	*	-	*
	8	0.1	*	-	*	-	*	-	-	-	-
	Total	----	0.8 0.2	15.3 4.4	1.6 0.4	10.9 2.7	- *	10.9 2.7	- *	- *	- *
61	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.1	-	*	*	*	-	-
	4	-	-	-	*	-	*	*	*	-	-
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- 0.2	- *	- *	- *	- *	- *	- -	- -
71	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- *	- -	- -	- -	- -	- -	- -	- -
12 & 22	1 - 2	0.8	2.9	4.0	4.0	-	*	*	*	0.9	0.6
	3	1.4	2.4	1.3	0.8	*	*	0.1	*	0.9	0.6
	4	0.4	0.4	-	0.1	-	*	*	*	0.2	0.1
	5	*	*	-	*	-	-	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.5 5.7	5.3 4.8	* *	0.1 *	1.9 1.3	0.1 *	1.9 1.3	0.1 *	1.9 1.3
32	1 - 2	1.5	0.5	0.3	1.4	*	*	*	*	0.2	0.2
	3	1.8	0.9	0.8	1.7	*	0.1	0.2	0.4	2.8	1.0
	4	0.8	0.6	0.2	0.3	0.1	0.1	0.3	0.4	2.4	0.8
	5	0.2	0.2	-	*	*	*	0.1	0.1	0.5	0.3
	6	*	*	-	*	-	*	-	*	0.1	*
	7	*	*	-	-	-	-	-	*	*	*
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	4.3 2.2	1.3 3.5	0.1 0.2	0.6 0.9	6.1 2.4	0.6 0.9	6.1 2.4	0.6 0.9	6.1 2.4
42	1 - 2	0.5	0.1	-	0.8	-	*	*	*	-	*
	3	0.9	0.2	0.2	3.0	0.1	0.2	0.2	0.2	0.2	0.1
	4	0.8	0.2	0.5	1.8	0.2	0.2	0.6	0.5	0.7	0.2
	5	0.2	0.1	-	0.4	*	*	0.3	0.2	0.2	0.2
	6	0.2	*	-	*	-	*	*	*	*	0.1
	7	0.1	*	-	*	-	*	-	*	*	0.1
	8	*	*	-	*	-	-	-	-	-	-
	Total	----	2.7 0.5	0.6 6.1	0.3 0.4	1.1 1.0	1.2 0.6	1.1 1.0	1.2 0.6	1.1 1.0	1.2 0.6

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	0.2	0.3	-	*	-	-	-	*
	3	*	*	0.3	1.9	0.1	*	0.1	*	-	-
	4	*	*	-	1.3	0.1	*	0.2	*	-	*
	5	-	*	-	0.3	*	*	0.1	*	-	*
	6	*	*	-	*	-	*	*	*	-	*
	7	*	*	-	*	-	*	*	*	*	*
	8	-	*	-	*	-	-	-	-	-	-
Total	----	0.1	*	0.5	3.9	0.2	0.1	0.4	0.1	*	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.2	-	*	-	-	-	-
	4	-	-	-	0.1	*	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.3	*	*	-	*	-	-
13 & 23	1 - 2	0.1	0.2	3.2	0.3	-	*	-	*	0.1	0.1
	3	0.1	0.3	0.5	0.2	-	*	*	*	0.1	0.1
	4	*	0.1	-	*	-	*	*	*	*	*
	5	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.5	3.7	0.5	-	*	*	*	0.2	0.2
33	1 - 2	0.5	0.1	1.1	0.1	-	*	-	*	*	*
	3	0.6	0.3	3.2	0.3	-	*	*	*	0.3	0.2
	4	0.3	0.2	0.3	0.1	*	*	0.1	*	0.4	0.1
	5	0.1	*	-	*	-	*	*	*	0.1	0.1
	6	-	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	0.7	4.6	0.6	*	*	0.2	0.1	0.9	0.4
43	1 - 2	0.3	*	-	*	-	*	-	*	-	*
	3	0.2	0.1	-	0.3	*	*	*	*	*	*
	4	0.3	0.1	-	0.3	-	*	0.1	*	0.1	*
	5	*	*	-	0.1	-	*	*	*	0.2	*
	6	*	*	-	0.1	-	*	*	*	*	*
	7	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	*	-	*	-	-	-	-
Total	----	0.8	0.2	-	0.8	*	*	0.1	0.1	0.4	0.1
53	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	*	-	0.2	*	*	-	*	-	-
	4	*	*	-	0.3	-	*	*	*	-	-
	5	*	*	-	0.1	-	*	*	*	-	*
	6	*	*	-	*	-	*	*	*	-	*
	7	-	*	-	*	-	-	-	*	-	*
	8	-	-	-	*	-	-	-	-	-	-
Total	----	*	*	-	0.6	*	*	*	*	-	*
63	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	0.1	-	-	-	-	-	-
	5	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	*	-	*	-	-
24 - 54	1 - 8	0.7	0.2	0.6	0.1	-	*	*	*	0.1	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	*	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	-
30		*	*	0.2	0.2	-	-	-	*	-	*
31		0.1	0.2	1.1	1.0	-	-	*	*	-	0.1
32		1.5	1.1	15.5	2.9	-	*	*	*	*	0.3
33		3.0	4.1	21.1	7.6	*	0.1	0.3	0.3	1.0	1.1
34		9.5	7.8	8.5	16.6	-	0.5	2.6	1.7	8.9	5.6
35		15.2	11.4	1.0	23.9	0.1	2.6	9.2	7.6	19.7	13.7
36		20.1	15.8	4.0	23.4	2.1	7.5	20.9	20.3	26.7	24.6
37		24.6	25.0	39.6	18.4	13.0	27.6	35.8	39.6	32.4	33.2
38		14.5	15.9	8.6	4.7	25.0	28.1	20.7	19.5	10.2	15.6
39		7.2	11.9	0.6	1.1	32.6	21.0	7.6	8.6	1.1	4.4
40 & Longer		4.2	6.8	-	0.2	27.1	12.6	2.7	2.5	*	1.3
Average Staple		36.43	36.77	35.09	35.34	38.77	37.96	36.96	37.03	36.15	36.53
Average Length		1.14	1.15	1.10	1.10	1.21	1.19	1.15	1.16	1.13	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	13.6	20.3	1.3	5.1	57.4	48.2	2.1	5.2	27.1	38.2
	3	14.4	18.9	2.4	4.5	8.0	10.2	7.1	3.2	5.1	8.1
	4	1.4	2.9	0.3	0.4	0.2	0.3	0.9	0.1	0.1	0.3
	5	*	0.2	*	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	29.5	42.2	4.0	10.0	65.6	58.7	10.1	8.5	32.2	46.6
31	1 - 2	6.5	7.3	3.0	8.6	9.5	10.4	0.5	7.8	18.3	18.2
	3	22.0	20.9	12.9	27.5	12.9	16.6	4.0	25.1	25.1	18.7
	4	12.8	11.9	5.4	9.3	1.9	4.3	0.9	4.6	8.2	3.9
	5	2.8	3.5	0.5	0.8	0.1	0.4	-	0.2	0.8	0.4
	6	0.3	0.6	*	*	*	*	-	*	*	*
	7	*	*	-	*	-	*	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
Total	----	44.4	44.2	21.8	46.2	24.4	31.7	5.4	37.8	52.4	41.2
41	1 - 2	0.7	0.1	2.3	1.8	0.5	0.3	1.5	1.8	1.5	0.4
	3	5.7	1.4	24.8	17.1	3.0	2.7	7.3	21.0	3.7	2.1
	4	6.2	2.3	22.4	14.7	2.3	3.0	6.4	14.8	3.8	2.7
	5	3.7	2.0	4.5	3.2	0.3	0.8	3.8	2.0	2.7	1.4
	6	1.8	1.2	0.3	0.3	*	0.1	0.7	0.1	0.9	0.5
	7	0.6	0.6	*	*	*	*	0.1	*	0.3	0.1
	8	0.1	0.1	*	*	*	*	-	*	*	*
Total	----	18.6	7.7	54.3	37.0	6.1	7.0	19.8	39.6	12.9	7.3
51	1 - 2	-	*	0.4	0.1	*	*	-	*	-	-
	3	*	*	6.5	1.8	0.2	*	2.8	1.1	-	*
	4	*	*	7.7	2.3	0.4	0.1	18.0	2.0	*	*
	5	*	*	2.3	0.7	0.1	0.1	3.2	0.6	-	*
	6	0.1	*	0.3	0.1	*	*	1.2	0.1	0.1	0.1
	7	*	*	*	*	*	*	0.1	*	0.1	0.1
	8	*	*	*	*	*	*	-	*	0.1	*
Total	----	0.1	0.1	17.2	5.0	0.8	0.3	25.2	3.8	0.2	0.2
61	1 - 2	-	*	-	*	*	*	-	-	-	-
	3	-	*	*	*	0.1	*	-	*	-	-
	4	*	*	*	*	0.2	*	-	*	-	-
	5	-	*	*	*	0.1	*	0.1	*	-	-
	6	-	-	*	*	*	*	0.1	*	-	-
	7	-	-	*	*	*	*	0.1	*	-	-
	8	-	*	*	*	-	-	0.1	*	-	-
Total	----	*	*	0.1	*	0.4	*	0.3	*	-	-
71	1 - 2	-	*	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-
	4	-	*	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-
Total	----	-	*	*	*	-	-	-	-	-	-
12 & 22	1 - 2	0.6	0.9	*	*	0.1	*	-	0.1	0.2	1.9
	3	1.2	1.8	*	*	0.1	*	-	0.1	0.1	0.9
	4	0.1	0.5	*	*	*	*	0.1	*	-	0.1
	5	-	*	*	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.9	3.3	*	*	0.2	0.1	0.1	0.2	0.3	2.9
32	1 - 2	0.2	0.1	*	*	0.2	0.1	-	*	0.1	0.3
	3	1.4	0.6	0.2	0.2	0.6	0.5	0.1	0.4	0.6	0.5
	4	0.8	0.6	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.4
	5	0.1	0.2	0.1	*	*	*	-	*	-	0.1
	6	*	*	*	*	-	*	-	*	-	*
	7	*	*	*	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-
Total	----	2.5	1.5	0.5	0.3	0.9	0.9	0.3	0.7	0.8	1.3
42	1 - 2	*	*	*	*	*	*	0.1	0.2	*	*
	3	0.5	0.1	0.3	0.4	0.3	0.2	4.0	2.3	0.4	0.1
	4	0.7	0.1	0.6	0.4	0.4	0.4	8.1	1.7	0.4	0.1
	5	0.3	0.1	0.2	0.1	0.1	0.2	4.4	0.3	*	0.1
	6	0.1	*	*	*	*	*	0.6	*	-	*
	7	*	*	*	*	-	*	0.1	*	-	*
	8	*	*	-	*	-	*	-	*	-	*
Total	----	1.7	0.4	1.1	1.0	0.8	0.8	17.3	4.6	0.8	0.3

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	*	*	-	0.1	-	-
	3	*	*	0.1	0.1	0.1	*	0.4	1.5	-	-
	4	*	*	0.2	0.1	0.1	0.1	6.9	1.9	-	*
	5	*	*	0.1	0.1	*	0.1	4.4	0.4	-	-
	6	*	*	*	*	*	*	0.1	*	-	*
	7	*	*	*	*	*	*	-	*	-	*
	8	*	*	-	*	*	*	-	*	-	*
Total	----	0.1	*	0.5	0.3	0.3	0.2	11.8	3.9	-	*
62	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	-	*	*	*	*	-	*	-	-
	4	-	-	*	*	0.1	*	0.1	0.1	-	-
	5	-	-	*	*	0.1	*	0.1	*	-	-
	6	-	-	*	*	*	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	*	*	*	*	-	*	-	-
Total	----	-	*	*	*	0.2	*	0.1	0.2	-	-
13 & 23	1 - 2	*	*	-	*	*	*	-	-	*	0.1
	3	0.2	0.1	*	*	*	*	-	-	*	*
	4	0.1	*	*	*	-	*	-	-	-	*
	5	*	*	-	-	-	*	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	0.2	*	*	*	*	-	-	*	0.1
33	1 - 2	*	*	*	*	*	*	-	-	*	*
	3	0.1	0.1	*	*	*	*	-	*	0.1	*
	4	0.1	0.1	*	*	*	*	-	*	*	*
	5	*	*	*	*	-	*	-	*	-	*
	6	*	*	-	*	-	*	-	*	-	-
	7	*	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.3	0.2	0.1	*	0.1	0.1	-	0.1	0.1	*
43	1 - 2	*	*	*	*	*	*	-	*	-	-
	3	0.1	*	0.1	*	*	*	0.3	*	-	*
	4	0.2	*	0.1	*	0.1	0.1	3.9	0.1	0.1	*
	5	0.1	*	*	*	*	*	4.5	0.1	0.1	*
	6	*	*	*	*	-	*	0.7	*	-	*
	7	*	*	*	*	-	*	-	*	-	*
	8	*	*	*	*	-	-	-	*	-	-
Total	----	0.5	0.1	0.2	0.1	0.1	0.2	9.4	0.2	0.2	0.1
53	1 - 2	-	-	-	*	-	-	-	*	-	-
	3	-	*	*	*	*	*	-	0.1	-	*
	4	-	*	*	*	*	*	-	0.1	-	*
	5	*	*	*	*	0.1	*	0.1	*	-	*
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	*	*	-	*	-	-	-	-
	8	*	*	*	*	-	*	-	*	-	*
Total	----	0.1	*	0.1	*	0.1	*	0.1	0.3	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	*	-	-
	4	-	-	*	*	*	*	-	0.1	-	-
	5	-	-	*	*	*	*	-	*	-	-
	6	-	-	*	*	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	0.1	-	-
24 - 54	1 - 8	0.1	*	*	*	*	*	0.1	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	*	*	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.2	0.1	*	*	-	*	-	*	*	*
32		0.8	0.4	*	0.1	*	*	-	0.3	0.1	*
33		2.2	1.4	0.7	1.0	*	*	0.3	1.8	0.3	0.1
34		6.7	4.2	4.0	5.6	0.2	0.5	5.1	5.6	0.7	1.4
35		13.5	10.1	12.6	14.2	4.7	4.3	11.2	11.1	1.4	6.4
36		22.7	20.1	23.2	22.7	19.0	16.4	1.5	16.5	9.3	16.6
37		31.1	33.5	37.2	35.2	30.6	33.2	19.3	24.3	37.6	36.4
38		16.5	18.6	16.2	15.7	24.7	25.1	39.6	18.9	31.4	23.6
39		5.3	8.5	5.1	4.8	16.4	15.4	19.6	15.7	10.7	10.2
40 & Longer		1.0	3.2	0.8	0.8	4.3	5.1	3.4	5.7	8.5	5.3
Average Staple		36.47	36.85	36.65	36.55	37.42	37.45	37.48	37.04	37.78	37.29
Average Length		1.14	1.15	1.14	1.14	1.17	1.17	1.17	1.16	1.18	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	30.4	15.1	17.7	0.3	0.5	0.5	3.2	0.8	13.6	7.4
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	2.4	1.5	0.1	0.2	0.4	0.2	0.8	0.3
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.1	-	*	-	*	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.2	-	*	*	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	0.1	*	*	*	*	0.1	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	0.5	0.7	-	-	-	-	-	*
23	*	*	2.1	0.8	-	-	-	-	*	*
24	*	0.1	5.1	1.6	-	*	*	*	*	*
25	0.4	0.3	5.3	2.6	-	*	0.1	*	0.1	0.3
26	1.4	1.0	7.0	4.5	*	0.1	1.1	0.2	0.5	1.2
27	4.0	2.8	7.5	7.9	0.1	0.4	3.4	1.2	5.4	4.8
28	9.5	7.9	9.6	13.9	1.2	2.1	12.5	5.6	10.4	10.1
29	15.1	13.8	9.1	18.8	7.2	9.6	23.3	17.6	21.3	17.6
30	22.1	18.5	21.5	18.9	22.7	27.5	28.1	29.2	22.7	21.8
31	17.3	17.5	17.5	14.1	30.4	32.8	17.6	24.8	14.6	19.5
32	13.5	14.7	8.0	8.4	19.3	18.0	8.3	13.3	9.8	12.3
33	7.9	11.5	5.3	4.5	10.0	6.3	4.0	5.7	6.7	6.3
34	6.1	7.8	1.3	2.3	4.9	2.2	1.3	1.8	6.8	3.8
35	2.0	2.8	0.2	0.7	2.5	0.8	0.2	0.4	1.4	1.6
36	0.6	0.9	0.2	0.2	1.3	0.2	*	0.1	0.2	0.6
37	0.2	0.2	-	*	0.4	*	-	*	*	0.1
38	*	0.1	-	*	-	-	-	-	-	*
39	*	*	-	-	-	-	-	-	*	*
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	30.99	31.35	29.52	29.81	31.76	31.32	30.35	30.90	30.76	30.78
Mike										
2.4 & Below	-	*	-	*	-	-	-	-	-	*
2.5	*	0.1	-	*	-	*	-	*	*	*
2.6	0.2	0.3	-	*	-	*	*	*	0.1	0.1
2.7	0.6	0.4	-	*	-	*	*	*	0.2	0.1
2.8	1.6	0.7	-	*	-	*	*	*	0.1	0.4
2.9	1.4	0.9	-	*	-	*	*	*	1.5	0.5
3.0	1.6	1.3	-	*	-	*	*	*	2.3	0.8
3.1	1.9	1.6	-	*	-	*	0.2	0.1	1.6	1.1
3.2	3.1	2.1	-	*	-	*	0.3	0.1	2.3	1.9
3.3	3.6	2.9	-	0.1	-	*	0.4	0.2	4.1	2.4
3.4	3.8	3.7	0.2	0.1	-	0.1	0.5	0.2	5.4	2.8
3.5	4.0	4.4	0.2	0.3	*	0.1	0.8	0.4	4.1	3.3
3.6	4.2	5.2	1.0	0.5	*	0.2	1.1	0.6	5.1	4.0
3.7	4.6	5.9	1.1	1.1	0.1	0.3	1.7	1.0	6.4	5.0
3.8	5.9	6.4	2.9	2.1	0.5	0.4	2.5	1.7	8.1	6.0
3.9	7.3	6.9	4.3	3.6	0.9	0.8	3.9	2.8	7.0	5.6
4.0	6.2	7.4	4.3	5.8	1.3	1.3	4.6	4.1	6.4	4.9
4.1	6.1	7.3	3.3	8.5	2.3	2.0	5.3	6.0	5.9	5.9
4.2	7.1	7.6	4.1	11.6	3.8	3.2	7.0	8.1	6.7	8.0
4.3	7.4	7.6	5.1	12.9	5.4	5.0	9.8	10.0	5.3	7.7
4.4	7.5	7.1	8.0	12.3	7.5	7.3	11.6	11.0	4.7	7.4
4.5	6.1	6.3	15.9	11.0	10.0	9.6	11.1	11.5	5.2	7.0
4.6	5.4	4.7	16.4	10.2	14.8	11.7	11.4	10.7	4.2	5.7
4.7	4.2	3.2	14.4	8.3	14.6	12.6	8.6	9.3	4.5	5.0
4.8	3.0	2.2	9.3	5.6	13.7	12.2	6.5	7.5	1.8	4.3
4.9	1.7	1.5	5.9	3.3	10.7	11.0	4.6	5.6	2.1	3.6
5.0	1.1	1.1	1.9	1.6	6.9	8.5	3.3	3.8	2.1	2.9
5.1	0.2	0.7	1.6	0.7	4.1	6.2	2.2	2.4	2.3	1.7
5.2	0.4	0.3	-	0.3	2.1	3.9	1.4	1.4	0.6	1.0
5.3	-	0.1	0.2	0.1	0.9	2.0	0.9	0.7	*	0.4
5.4	-	0.1	-	*	0.2	0.9	0.3	0.4	*	0.3
5.5 & Above	-	*	-	*	0.1	0.6	0.1	0.2	-	0.1
Average	4.00	4.02	4.48	4.38	4.66	4.70	4.43	4.47	4.00	4.17

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending Jan 05, 2023

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	38.4	25.7	1.2	0.5	0.7	0.3	23.5	1.1	1.0	0.9
Bark - Level 2	-	*	-	-	-	-	-	-	-	*
Grass - Level 1	0.1	*	0.1	0.1	0.1	0.1	-	0.4	0.1	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.1	0.2	-	*	-	0.3	0.4	1.5
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	*	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	0.1	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	0.1	*	*	*	-	*	-	*	-	-
23	0.1	*	*	*	*	*	-	*	-	-
24	0.2	0.1	*	*	*	*	-	0.1	*	*
25	0.7	0.4	0.3	0.2	*	*	0.1	0.2	*	*
26	2.0	1.6	1.6	0.9	0.1	0.1	0.3	0.9	0.1	0.2
27	5.2	4.3	5.9	3.8	1.9	0.7	2.6	2.7	0.3	1.3
28	10.7	8.8	14.0	11.2	8.8	5.7	20.7	6.9	1.2	4.8
29	17.4	14.1	25.4	22.5	30.1	22.4	40.8	16.1	5.0	10.5
30	21.8	18.1	25.7	26.8	38.7	35.9	11.1	24.6	16.3	16.3
31	19.5	19.0	15.9	19.3	16.9	24.4	7.1	25.7	35.8	21.2
32	12.4	15.9	7.4	9.8	2.9	8.1	9.7	15.2	21.7	18.2
33	6.3	9.9	2.8	3.9	0.6	2.1	7.4	5.8	8.0	12.1
34	2.5	5.0	0.8	1.2	0.1	0.5	0.2	1.5	3.8	6.4
35	0.8	1.9	0.2	0.3	*	0.1	0.1	0.4	3.6	3.7
36	0.2	0.6	0.1	0.1	*	*	-	0.1	1.5	2.6
37	0.1	0.2	*	*	-	-	-	*	1.9	1.8
38	*	*	*	*	-	-	-	*	0.6	0.7
39	-	-	-	*	-	-	-	-	0.2	0.1
40 & Above	-	-	-	-	-	-	-	-	0.1	0.1
Average	30.56	31.06	30.10	30.42	30.16	30.58	30.05	30.84	32.02	31.94
Mike										
2.4 & Below	0.3	0.1	-	*	-	-	-	-	-	-
2.5	0.4	0.2	*	*	-	*	-	-	-	*
2.6	0.8	0.4	*	*	-	*	-	*	-	*
2.7	1.0	0.7	*	*	*	*	-	*	*	*
2.8	2.1	1.2	0.1	*	*	*	-	*	0.2	0.1
2.9	2.9	1.7	0.1	*	*	*	-	*	0.2	0.1
3.0	3.6	2.5	0.2	0.1	*	*	-	*	0.4	0.1
3.1	4.3	3.2	0.4	0.1	*	0.1	-	*	0.4	0.2
3.2	4.6	4.0	0.6	0.2	0.1	0.2	-	*	0.3	0.4
3.3	4.7	4.6	1.0	0.4	0.3	0.3	-	0.1	0.2	0.5
3.4	5.4	5.1	1.5	0.6	0.5	0.5	-	0.1	0.7	0.6
3.5	6.1	5.6	2.8	1.1	0.9	0.8	0.7	0.1	1.8	1.1
3.6	6.7	5.9	3.7	1.6	1.5	1.3	0.1	0.2	1.2	1.3
3.7	7.2	6.1	4.8	2.4	2.0	2.0	0.1	0.4	0.9	1.6
3.8	7.2	6.1	6.4	3.5	2.6	3.0	2.2	0.6	1.4	2.1
3.9	6.7	6.0	7.8	4.9	3.6	4.3	0.3	0.9	1.8	2.7
4.0	6.1	5.9	8.6	6.4	5.5	5.9	7.0	1.5	4.6	3.5
4.1	5.4	5.6	9.3	8.2	7.2	7.6	20.4	1.8	5.8	4.8
4.2	5.1	5.4	10.4	10.1	9.4	9.3	15.9	2.8	9.2	5.7
4.3	4.8	5.1	10.4	11.4	10.0	10.5	5.0	3.6	12.7	7.6
4.4	3.9	4.7	10.1	12.1	10.8	10.8	23.7	5.2	12.2	9.2
4.5	3.1	4.1	8.4	11.5	11.9	10.5	13.6	7.6	14.0	10.4
4.6	2.4	3.7	5.6	9.4	12.4	9.7	8.3	10.1	11.9	10.7
4.7	1.9	3.1	3.5	6.8	8.3	7.9	0.3	12.1	7.8	10.4
4.8	1.6	2.6	2.2	4.2	5.9	5.6	0.1	13.6	6.5	9.0
4.9	0.7	2.0	1.2	2.4	3.6	4.1	-	12.9	3.3	6.4
5.0	0.6	1.5	0.6	1.4	1.8	2.5	0.1	11.7	1.7	4.2
5.1	0.5	1.1	0.3	0.7	1.2	1.5	-	7.3	0.5	3.1
5.2	0.1	0.6	0.1	0.3	0.4	0.9	0.7	3.6	0.4	2.1
5.3	*	0.4	*	0.1	0.2	0.4	0.9	1.9	-	1.4
5.4	*	0.3	*	*	*	0.2	0.3	1.0	-	0.4
5.5 & Above	*	0.4	*	*	*	0.1	0.2	1.0	*	0.1
Average	3.75	3.91	4.15	4.31	4.38	4.38	4.30	4.73	4.37	4.48

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	*	-	*	-	-	-	-	-	*
2.5 - 2.6	0.2	0.3	-	*	-	*	*	*	0.1	0.1
2.7 - 2.9	3.6	2.1	-	*	-	*	*	*	1.7	1.1
3.0 - 3.2	6.6	4.9	-	0.1	-	0.1	0.5	0.2	6.2	3.9
3.3 - 3.4	7.3	6.6	0.2	0.2	-	0.1	0.8	0.4	9.5	5.2
3.5 - 3.6	8.2	9.6	1.1	0.8	*	0.3	1.9	1.0	9.2	7.2
3.7 - 4.2	37.2	41.6	20.1	32.5	8.9	8.1	24.9	23.8	40.3	35.3
4.3 - 4.9	35.2	32.5	75.0	63.5	76.8	69.3	63.7	65.7	27.8	40.7
5.0 - 5.2	1.7	2.2	3.5	2.7	13.0	18.6	6.9	7.6	5.1	5.6
5.3 & Above	-	0.2	0.2	0.2	1.2	3.5	1.2	1.3	0.1	0.8
Average	4.00	4.02	4.48	4.38	4.66	4.70	4.43	4.47	4.00	4.17
Leaf										
1 - 2	21.2	36.7	58.4	51.5	41.2	38.0	2.4	4.8	23.6	45.7
3	49.4	43.1	37.5	35.2	47.9	50.2	34.6	43.9	38.4	35.1
4	21.5	15.3	4.1	11.1	9.5	10.7	50.1	40.6	26.7	13.9
5	5.4	3.7	-	1.9	1.3	1.0	11.9	9.7	8.9	4.0
6	1.3	0.9	-	0.2	*	0.1	0.9	0.9	2.1	0.9
7	0.8	0.2	-	*	*	*	*	0.1	0.3	0.2
8	0.3	0.1	-	*	-	*	-	-	-	-
Average	3.19	2.85	2.38	2.49	2.70	2.72	3.74	3.58	3.22	2.69
HVI Trash 1/										
00	-	*	-	0.1	-	*	-	*	0.2	0.1
01	3.0	10.2	17.9	20.8	6.6	8.7	0.1	0.4	8.8	20.0
02	19.7	28.7	45.3	29.4	42.9	36.7	3.3	6.3	18.7	30.3
03	27.0	24.3	20.3	21.5	28.0	29.3	12.9	18.7	24.6	21.0
04	19.9	15.6	12.1	13.7	12.3	14.7	22.8	24.5	20.6	12.5
05	12.9	9.3	3.7	7.6	5.4	6.3	24.2	21.0	13.1	7.3
06	7.5	5.3	0.6	3.7	2.5	2.6	17.8	14.1	6.7	4.0
07	4.1	2.8	0.2	1.7	1.3	1.0	10.2	8.0	3.7	2.1
08	2.1	1.6	-	0.8	0.6	0.4	5.1	4.0	2.1	1.2
09	1.2	0.9	-	0.4	0.3	0.2	2.1	1.9	0.9	0.7
10	0.8	0.5	-	0.2	0.1	0.1	1.0	0.8	0.4	0.4
11	0.6	0.3	-	0.1	*	*	0.4	0.3	0.1	0.2
12	0.4	0.2	-	*	*	*	0.1	0.1	*	0.1
13	0.2	0.1	-	*	*	*	*	0.1	*	0.1
14	0.2	0.1	-	*	-	*	*	*	*	*
15	0.1	*	-	*	-	*	*	*	*	*
16	0.1	*	-	*	*	*	*	*	-	*
17	*	*	-	*	-	*	*	*	-	*
18 & Above	0.1	*	-	*	-	*	*	*	-	*
Average	0.40	0.34	0.24	0.28	0.29	0.29	0.51	0.48	0.37	0.29
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	*
75	*	*	1.0	0.1	-	-	*	*	0.1	*
76	0.4	0.3	3.5	0.5	-	-	*	*	0.3	0.2
77	2.2	1.7	6.2	1.8	-	*	*	*	2.4	1.7
78	11.9	7.8	7.2	4.3	*	0.2	0.8	0.4	16.7	7.2
79	28.1	21.5	16.4	11.5	0.5	1.2	3.8	2.4	33.6	18.6
80	31.9	31.1	25.5	29.5	3.1	6.3	16.9	11.4	33.5	31.8
81	19.5	24.9	37.3	35.2	12.8	22.3	32.9	28.5	12.2	30.9
82	5.6	10.9	2.9	14.8	34.3	37.8	30.0	34.2	1.1	8.5
83	0.5	1.7	-	2.2	31.3	25.4	13.2	19.5	*	0.9
84	*	0.1	-	0.1	15.2	6.0	2.2	3.3	-	*
85 & Above	-	*	-	*	2.7	0.7	0.2	0.3	-	-
Average	80.17	80.53	80.16	80.89	82.95	82.45	81.81	82.11	79.84	80.57
Tenderable 3/	54.2	69.0	62.8	79.9	84.7	76.8	84.6	87.5	61.6	74.4
SAMPLES CLASSED										
Week	28,811		627		14,751		48,262		12,678	
Season	399,920		1,227,681		1,301,932		1,559,875		182,965	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.3	0.1	-	*	-	-	-	-	-	-
2.5 - 2.6	1.2	0.6	*	*	-	*	-	*	-	*
2.7 - 2.9	6.0	3.6	0.2	0.1	*	*	-	*	0.4	0.2
3.0 - 3.2	12.4	9.7	1.2	0.4	0.2	0.3	-	0.1	1.1	0.7
3.3 - 3.4	10.1	9.7	2.4	1.0	0.8	0.7	-	0.1	0.9	1.1
3.5 - 3.6	12.8	11.5	6.5	2.7	2.4	2.1	0.8	0.4	3.0	2.4
3.7 - 4.2	37.6	35.1	47.3	35.4	30.2	32.2	45.9	8.0	23.7	20.4
4.3 - 4.9	18.5	25.3	41.3	57.9	62.9	59.0	51.0	64.9	68.3	63.8
5.0 - 5.2	1.1	3.2	1.0	2.4	3.3	4.9	0.9	22.6	2.5	9.4
5.3 & Above	0.1	1.1	*	0.2	0.2	0.7	1.5	3.9	*	2.0
Average	3.75	3.91	4.15	4.31	4.38	4.38	4.30	4.73	4.37	4.48
Leaf										
1 - 2	21.6	28.8	7.0	15.7	67.6	59.1	4.2	15.2	47.1	59.0
3	45.6	43.9	47.3	51.5	25.4	30.5	25.9	54.9	35.1	30.5
4	22.4	18.5	37.0	27.3	5.9	8.5	45.5	25.8	12.8	7.6
5	7.2	6.0	7.9	5.0	0.9	1.6	20.7	3.7	3.6	2.0
6	2.3	1.9	0.7	0.4	0.1	0.2	3.2	0.3	1.0	0.6
7	0.7	0.7	0.1	*	*	*	0.3	*	0.3	0.2
8	0.1	0.2	*	*	*	*	0.1	*	0.1	0.1
Average	3.24	3.09	3.48	3.23	2.25	2.40	3.94	3.19	2.71	2.42
HVI Trash 1/										
00	-	*	-	*	*	*	-	*	-	*
01	4.3	6.1	0.7	2.9	29.6	25.7	-	2.2	18.0	25.5
02	21.8	27.4	9.4	18.9	38.7	35.1	6.2	19.9	32.4	38.3
03	25.8	25.5	22.9	27.2	15.8	18.5	11.8	31.2	20.9	18.7
04	19.3	16.7	25.9	22.5	7.9	10.1	16.7	23.6	12.5	8.1
05	12.1	10.0	19.3	14.2	4.2	5.4	21.4	12.9	7.1	4.0
06	6.9	5.8	11.6	7.7	2.0	2.7	19.1	5.9	3.9	2.2
07	4.1	3.4	5.8	3.7	0.9	1.3	11.8	2.4	2.0	1.2
08	2.4	2.0	2.6	1.6	0.4	0.6	5.5	1.1	1.2	0.7
09	1.5	1.3	1.1	0.7	0.2	0.3	3.0	0.4	0.9	0.5
10	0.8	0.8	0.5	0.3	0.1	0.1	1.9	0.2	0.5	0.3
11	0.5	0.5	0.2	0.1	*	0.1	1.3	0.1	0.3	0.2
12	0.3	0.3	0.1	0.1	*	*	0.5	*	0.2	0.1
13	0.2	0.2	*	*	*	*	0.2	*	0.1	0.1
14	0.1	0.1	*	*	*	*	0.1	*	0.1	0.1
15	0.1	0.1	*	*	*	*	0.1	*	*	*
16	*	*	*	*	*	*	0.1	*	*	*
17	*	*	*	*	*	*	-	*	*	*
18 & Above	*	*	*	*	*	*	0.1	*	*	*
Average	0.39	0.36	0.44	0.38	0.23	0.25	0.54	0.36	0.30	0.25
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	*
75	0.2	0.1	-	*	-	-	-	*	-	*
76	1.0	0.6	*	0.1	-	*	-	*	-	*
77	3.8	2.5	0.2	0.4	*	*	0.1	0.2	0.2	0.2
78	11.4	8.1	1.7	2.5	0.4	0.3	4.0	1.5	1.4	1.6
79	22.7	19.1	7.9	10.9	2.9	3.6	13.7	6.0	8.5	9.7
80	28.7	28.8	24.0	27.2	21.8	18.8	31.7	19.6	33.6	27.9
81	21.7	25.6	35.0	33.1	32.0	33.2	25.8	35.2	40.1	36.9
82	8.5	11.9	22.6	18.9	33.3	30.2	16.1	28.3	14.3	17.9
83	1.7	2.8	7.0	5.9	9.1	12.1	8.5	8.3	1.9	4.4
84	0.2	0.4	1.3	1.0	0.6	1.6	0.1	0.9	*	1.3
85 & Above	*	*	0.1	0.1	*	0.1	-	0.1	*	0.1
Average	80.28	80.59	81.40	81.20	81.70	81.77	81.01	81.55	81.07	81.23
Tenderable 3/	44.0	54.7	91.3	93.4	92.7	91.6	48.8	66.2	91.9	83.4
SAMPLES CLASSED										
Week	83,250		176,924		82,524		1,512		11,537	
Season		1,368,443		2,919,827		2,857,865		416,355		231,305

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 05, 2023

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	28.2	34.4		MIKE	-	-
	2	19.0	18.6		2.4 & Below	-	-
	3	0.4	0.4		2.5 - 2.6	-	-
	4	*	*		2.7 - 2.9	0.1	0.1
	5	-	-		3.0 - 3.2	4.9	0.9
	6	-	-		3.3 - 3.4	2.5	1.8
	7	-	-		3.5 - 3.6	4.8	4.8
Total -----		47.6	53.4		3.7 - 4.2	76.9	78.1
02	1	8.5	10.6		4.3 - 4.9	10.9	14.4
	2	32.2	28.1		5.0 - 5.2	-	*
	3	7.0	4.0		5.3 & Above	-	-
	4	0.2	0.1		Average	3.94	4.01
	5	-	*		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		47.9	42.8		2.6	-	-
03	1	*	0.1		2.7	*	*
	2	0.9	1.6		2.8	*	*
	3	2.1	1.6		2.9	0.1	*
	4	0.7	0.2		3.0	0.6	0.1
	5	*	*		3.1	1.6	0.3
	6	-	-		3.2	2.7	0.5
	7	-	-		3.3	1.2	0.7
Total -----		3.6	3.5		3.4	1.3	1.0
04	1	-	*		3.5	1.8	1.5
	2	0.1	0.1		3.6	3.0	3.3
	3	0.3	0.1		3.7	6.6	6.0
	4	0.2	*		3.8	11.4	9.3
	5	0.1	*		3.9	14.6	13.5
	6	*	*		4.0	13.7	17.3
	7	*	*		4.1	15.9	17.1
Total -----		0.6	0.3		4.2	14.6	14.8
05	1	-	-		4.3	8.3	9.0
	2	-	*		4.4	1.8	3.7
	3	-	*		4.5	0.5	1.3
	4	*	*		4.6	0.2	0.3
	5	*	*		4.7	-	*
	6	*	*		4.8	-	*
	7	*	*		4.9	*	*
Total -----		0.1	*		5.0	-	*
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	*		Average	3.94	4.01
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	1.5	0.9
	7	-	-		37	4.6	2.4
Total -----		-	*		38	8.6	5.0
07	1	-	-		39	8.6	5.9
	2	-	-		40	5.2	3.1
	3	-	-		41	3.8	3.1
	4	-	-		42	7.5	6.5
	5	-	-		43	9.8	11.6
	6	-	-		44	16.0	16.0
	7	-	-		45	14.1	17.7
Total -----		-	-		46	8.5	13.6
STAPLE					47	5.7	9.1
44 & Shorter		2.1	1.3		48 & Above	6.2	5.1
46		16.0	11.6		Average	43.23	44.09
48		35.0	52.2		UNIFORMITY		
50		40.5	32.6		83 & Below	0.3	0.7
52 & Longer		6.4	2.4		84	14.4	5.7
Average Staple		48.66	48.47		85	18.1	20.0
Average Length		1.41	1.41		86	37.3	48.1
EXTRANEEOUS MATTER					87	27.1	23.7
Bark		0.8	0.1		88 & Above	2.9	1.7
Grass		2.5	0.4		Average	86.32	86.39
Spindle Twist		0.6	0.1		Samples Classed		
Preparation		*	*		Week	17,676	
All Other		0.1	0.1		Season		344,831

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.