



Quality of Cotton Classed by Classing Office for the week ending - 1/6/2022

Agricultural Marketing Service
Cotton Market News

January 11, 2022

Volume 63, No.21

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	38	74.5	60.2	100,091	38	72.0	55.3	900,473
Corpus Christi	7	80.3	73.1	1,685	52	86.2	74.3	1,733,153
Dumas	7	86.9	65.1	5,839	39	89.5	72.3	1,000,187
Florence	23	91.3	83.3	25,544	50	95.9	88.2	1,216,611
Lamesa	28	71.4	56.6	71,342	33	78.9	62.2	1,090,731
Lubbock	63	62.6	44.4	193,207	65	66.8	46.7	2,383,650
Macon	75	89.8	80.3	184,617	79	89.3	80.8	2,183,018
Memphis	63	92.6	84.2	127,040	79	95.5	87.3	2,305,679
Rayville	2	92.0	90.8	1,038	19	88.1	70.3	268,604
Visalia	14	81.4	67.2	19,054	26	83.6	66.7	295,817
United States	320	79.0	66.0	729,457	480	84.4	71.3	13,377,923
AMERICAN PIMA								
Visalia	11			11,548	20			280,494
United States	11			11,548	21			280,494
United States all cotton	330			741,005	493			13,658,430

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	51.6	42.5	19.1	17.9	-	0.4	0.6	0.9	78.2	76.7
	3	14.1	15.9	13.5	14.0	0.1	0.4	2.3	0.8	14.6	13.1
	4	1.0	1.5	0.6	0.9	*	*	0.4	0.1	1.8	1.4
	5	*	*	-	*	-	*	*	*	*	0.1
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	66.7	60.0	33.1	32.8	0.1	0.9	3.3	1.8	94.6	91.2
31	1 - 2	6.8	4.7	1.0	6.0	1.6	3.8	2.6	7.7	1.0	0.5
	3	12.6	12.5	14.5	26.6	6.7	21.4	26.7	30.4	1.5	0.9
	4	6.5	7.9	15.7	10.9	1.9	8.6	20.5	10.7	1.0	1.0
	5	0.9	1.7	0.7	0.8	0.1	0.4	2.5	0.7	0.2	0.3
	6	*	0.1	-	*	-	*	*	*	*	0.1
	7	*	*	-	*	-	-	-	*	-	*
	8	-	-	-	*	-	-	-	-	-	-
Total	----	26.9	26.9	31.9	44.3	10.4	34.2	52.3	49.5	3.7	2.9
41	1 - 2	0.1	*	2.3	0.6	17.0	1.8	0.5	1.6	*	*
	3	0.3	0.3	9.6	6.0	49.9	26.2	10.9	20.1	*	*
	4	1.0	0.9	12.1	7.1	17.2	30.1	21.3	20.6	-	*
	5	1.0	0.9	1.7	1.7	1.1	4.8	6.6	4.4	*	*
	6	0.4	0.4	0.2	0.2	*	0.1	0.4	0.3	-	*
	7	0.1	0.1	-	*	-	*	*	*	-	*
	8	*	*	-	*	-	-	-	-	-	-
Total	----	2.9	2.6	25.9	15.7	85.2	62.9	39.8	47.0	*	*
51	1 - 2	*	*	-	*	-	*	-	*	-	*
	3	*	*	0.4	0.2	0.1	0.2	0.2	*	-	*
	4	-	*	0.1	0.3	0.1	0.3	1.0	0.2	-	*
	5	*	*	-	0.1	0.2	0.1	0.8	0.2	-	*
	6	*	*	-	*	0.1	*	0.1	*	-	-
	7	*	*	-	*	-	*	-	*	-	-
	8	*	*	-	*	-	-	-	*	-	-
Total	----	0.1	*	0.4	0.7	0.4	0.7	2.0	0.5	-	*
61	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	*	-	-
Total	----	-	-	-	*	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	1.4	3.2	0.1	0.5	-	*	-	*	0.5	2.9
	3	0.8	2.7	0.2	0.8	-	*	*	*	0.6	1.5
	4	0.1	0.6	0.1	0.1	-	*	*	*	0.1	0.3
	5	*	*	-	*	-	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.3	6.5	0.4	1.4	-	*	*	*	1.1	4.8
32	1 - 2	0.1	0.2	-	0.1	*	*	-	*	*	*
	3	0.2	0.7	0.4	1.0	0.5	0.1	*	0.2	0.1	0.1
	4	0.2	1.0	0.8	0.7	0.2	0.1	0.3	0.1	*	0.1
	5	0.1	0.6	0.1	0.1	*	*	0.1	*	*	*
	6	*	0.1	-	*	-	*	*	*	*	*
	7	*	*	-	-	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.7	2.6	1.2	1.9	0.7	0.2	0.5	0.3	0.2	0.2
42	1 - 2	*	*	-	*	-	0.1	-	*	-	*
	3	*	*	2.3	0.5	1.7	0.4	*	0.2	*	*
	4	*	*	2.9	1.3	1.1	0.4	0.4	0.3	-	*
	5	*	0.1	0.7	0.4	0.3	0.1	0.3	0.1	*	*
	6	*	0.1	0.1	*	-	*	0.1	*	*	*
	7	*	*	-	*	-	-	*	*	*	*
	8	*	*	-	*	-	-	-	-	-	-
Total	----	0.1	0.3	6.0	2.3	3.1	0.9	0.8	0.6	*	*

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	Leaf	ABILENE Week Season		CORPUS CHRISTI Week Season		DUMAS Week Season		FLORENCE Week Season		LAMESA Week Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	-	-	*
	3	-	-	0.2	*	-	*	*	*	-	*
	4	*	*	0.4	0.2	*	*	0.3	0.1	-	*
	5	-	*	-	0.1	-	*	0.4	0.1	-	-
	6	*	*	0.1	*	-	*	*	*	-	*
	7	-	*	-	*	-	-	*	*	-	-
	8	*	*	-	*	-	-	*	*	-	-
Total	----	*	*	0.6	0.4	*	0.1	0.7	0.2	-	*
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
13 & 23	1 - 2	*	0.2	-	*	-	-	-	*	0.1	0.2
	3	0.1	0.3	-	*	-	-	*	*	0.1	0.3
	4	*	0.1	-	*	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	-	*
	6	-	*	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.6	-	0.1	-	-	*	*	0.1	0.5
33	1 - 2	*	*	-	*	-	*	-	*	*	*
	3	0.1	0.1	-	0.1	-	*	0.1	*	0.1	0.1
	4	0.1	0.2	0.1	0.1	-	*	0.2	*	*	0.1
	5	*	0.1	-	*	-	*	0.1	*	*	*
	6	*	*	-	*	-	-	*	*	-	*
	7	-	*	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	*
Total	----	0.2	0.4	0.1	0.2	-	*	0.4	*	0.1	0.2
43	1 - 2	*	*	-	*	-	*	-	*	*	*
	3	*	*	0.1	*	*	*	*	*	-	*
	4	*	*	0.1	0.1	*	*	0.1	*	-	*
	5	*	*	-	0.1	-	*	*	*	-	*
	6	*	*	-	*	-	-	*	*	-	*
	7	*	*	-	*	-	-	-	*	-	*
	8	*	*	-	-	-	-	-	-	-	*
Total	----	*	0.1	0.2	0.2	0.1	*	0.1	*	*	*
53	1 - 2	*	*	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	*	*	*	-	-
	4	-	*	0.2	*	-	*	*	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	*	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	*	-	-	-	-
	8	*	*	-	*	-	*	-	-	-	-
Total	----	*	*	0.2	0.1	-	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	-	-	*
24 - 54	1 - 8	0.1	0.1	-	*	-	*	*	*	0.1	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	*	*	*	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	*	-	-	-	-	-	*
30		*	*	-	*	-	-	-	*	0.1	0.1
31		0.3	0.4	-	*	-	-	-	*	0.7	0.3
32		2.0	2.1	-	*	-	*	*	*	1.5	1.2
33		7.2	5.8	-	0.3	-	*	0.3	0.4	6.7	5.5
34		14.0	12.6	0.2	1.9	*	0.3	5.5	3.1	19.4	15.6
35		22.5	20.2	4.9	7.7	0.5	2.1	9.1	10.9	27.9	24.3
36		24.1	19.6	6.8	21.3	6.3	6.3	15.0	23.9	23.5	24.0
37		18.5	20.7	26.0	42.5	31.7	22.4	36.2	37.4	14.9	21.0
38		6.8	10.8	46.1	19.4	37.6	27.4	24.0	18.4	3.8	6.2
39		3.6	5.9	13.6	6.2	21.3	28.6	8.5	5.1	1.5	1.6
40 & Longer		1.0	2.0	2.3	0.7	2.5	12.8	1.4	0.7	0.1	0.2
Average Staple		35.65	35.94	37.63	36.90	37.81	38.13	36.94	36.74	35.30	35.60
Average Length		1.11	1.12	1.18	1.15	1.18	1.19	1.15	1.15	1.10	1.11

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	71.7	61.5	7.3	2.3	0.6	0.4	2.4	1.3	47.1	55.8
	3	18.0	22.2	9.0	2.6	1.9	0.6	3.6	1.1	15.5	10.5
	4	2.0	2.9	0.7	0.2	0.5	0.1	0.9	*	0.3	0.3
	5	0.1	0.2	*	*	*	*	-	-	*	*
	6	*	*	-	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	91.8	86.7	17.0	5.1	3.0	1.1	6.8	2.4	63.0	66.5
31	1 - 2	0.5	0.3	4.9	4.6	3.2	7.1	10.7	4.8	7.5	10.5
	3	1.2	1.0	25.9	22.6	26.0	28.3	44.2	33.0	19.2	12.4
	4	1.0	1.2	9.3	7.2	14.7	10.0	11.8	13.2	6.3	2.8
	5	0.5	0.6	0.8	0.5	2.7	0.8	1.2	0.5	0.7	0.4
	6	0.1	0.1	*	*	0.2	*	-	*	0.1	*
	7	*	*	-	*	*	*	-	-	*	*
	8	-	*	-	-	-	-	-	-	*	*
Total	----	3.4	3.2	41.0	35.0	46.7	46.1	67.9	51.4	33.8	26.1
41	1 - 2	*	*	1.2	0.9	0.6	1.2	0.3	0.6	*	0.7
	3	*	*	15.3	19.7	19.4	21.7	12.0	15.9	0.1	0.9
	4	*	*	15.4	23.6	22.8	24.1	7.1	23.2	0.5	0.8
	5	*	*	3.2	5.5	5.1	4.2	1.9	3.6	0.2	0.4
	6	*	*	0.3	0.4	0.5	0.2	1.2	0.1	0.3	0.1
	7	*	*	*	*	*	*	-	-	0.1	*
	8	*	*	*	*	*	*	-	-	*	*
Total	---	0.1	0.1	35.4	50.1	48.5	51.5	22.5	43.5	1.2	3.0
51	1 - 2	-	-	0.1	*	-	*	-	*	-	*
	3	-	*	1.0	0.6	*	*	0.1	0.1	0.2	0.1
	4	-	-	1.9	1.9	0.1	0.1	0.1	0.2	0.3	0.1
	5	-	-	0.9	1.1	0.1	0.1	-	0.1	*	*
	6	-	*	0.1	0.2	0.1	*	-	*	-	*
	7	-	*	*	*	*	*	-	-	-	*
	8	-	*	-	*	-	*	-	-	*	*
Total	----	-	*	4.1	3.8	0.2	0.2	0.2	0.3	0.5	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	*
	4	-	-	*	*	-	-	-	*	-	*
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	*	*	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-
12 & 22	1 - 2	2.1	4.4	*	*	*	*	-	*	0.1	0.9
	3	1.5	3.5	*	*	*	*	1.3	0.1	0.5	0.9
	4	0.3	0.8	*	*	*	*	0.5	*	*	0.2
	5	*	0.1	-	*	*	*	-	-	-	*
	6	*	*	-	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	3.9	8.7	0.1	*	0.1	*	1.8	0.1	0.6	1.9
32	1 - 2	*	*	*	*	*	*	-	*	*	0.1
	3	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.6
	4	*	0.1	0.1	0.1	0.3	0.1	0.4	0.4	0.3	0.5
	5	*	0.1	*	*	0.1	*	-	0.1	0.1	0.1
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	-	-	*	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
Total	----	0.2	0.4	0.3	0.2	0.5	0.3	0.6	0.7	0.7	1.3
42	1 - 2	*	*	*	*	*	*	-	*	-	*
	3	*	*	0.5	0.8	0.2	0.2	0.1	0.2	-	0.1
	4	*	*	0.5	1.8	0.4	0.4	-	0.7	*	0.1
	5	*	*	0.2	0.6	0.1	0.1	-	0.2	0.1	0.2
	6	*	*	*	0.1	*	*	-	*	*	0.1
	7	*	*	*	*	*	*	-	-	-	*
	8	-	*	-	*	*	*	-	-	-	*
Total	----	*	*	1.2	3.3	0.7	0.7	0.1	1.1	0.1	0.6

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	-	*	-	-
	3	-	-	0.1	0.3	*	*	-	0.1	*	*
	4	-	-	0.3	1.1	*	*	-	0.1	*	*
	5	-	*	0.2	0.7	*	*	-	*	-	*
	6	-	-	0.1	0.1	*	*	-	*	-	*
	7	-	-	*	*	-	*	-	-	-	*
	8	-	-	*	*	-	-	-	-	*	*
Total	----	-	*	0.7	2.2	*	*	-	0.2	0.1	*
62	1 - 2	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	*
	4	-	-	*	*	-	-	-	*	-	*
	5	-	-	*	*	-	-	-	*	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	*	*	-	*	-	-	-	-
Total	----	-	*	*	*	-	*	-	*	-	*
13 & 23	1 - 2	0.2	0.2	*	*	*	*	-	-	-	*
	3	0.2	0.3	*	*	*	*	-	*	-	*
	4	0.1	0.1	*	*	*	*	-	-	*	*
	5	*	*	-	-	*	*	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	0.7	*	*	*	*	-	*	*	*
33	1 - 2	*	*	*	*	*	*	-	*	-	*
	3	*	0.1	*	*	*	*	-	*	-	*
	4	*	0.1	*	*	*	*	-	*	*	*
	5	*	*	*	*	*	*	-	*	-	*
	6	*	*	*	*	*	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.2	0.1	*	0.1	*	-	*	*	0.1
43	1 - 2	-	*	-	*	-	*	-	-	-	*
	3	*	*	*	*	*	*	-	*	-	*
	4	-	*	*	0.1	*	*	-	*	*	*
	5	-	*	*	*	*	*	-	*	*	*
	6	-	*	*	*	*	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	*	-	-	-	-	-	*
Total	----	*	*	0.1	0.1	0.1	*	-	0.1	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	*	-	*	-	-	-	*
	4	-	-	*	0.1	-	*	-	*	*	*
	5	-	-	0.1	0.1	-	*	-	*	-	*
	6	-	-	*	*	-	*	-	*	-	*
	7	-	*	*	*	-	-	-	-	-	-
	8	-	*	*	*	-	-	-	-	-	*
Total	----	-	*	0.1	0.2	-	*	-	*	*	*
63	1 - 2	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	*
	4	-	-	*	*	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	*	*	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	*	*	*	*	-	-	-	-	-	*
24 - 54	1 - 8	0.1	0.1	*	*	*	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		0.1	*	*	*	-	-	-	-	-	-
31		1.0	0.3	*	*	-	-	-	-	-	-
32		2.5	1.1	*	0.1	-	*	-	*	-	*
33		5.8	3.9	0.5	0.9	-	*	-	*	-	*
34		12.2	10.3	4.1	4.9	0.2	0.3	-	0.4	0.1	0.5
35		18.4	18.1	11.2	11.6	2.6	3.2	10.1	3.8	0.9	5.0
36		22.3	23.1	19.5	19.1	12.6	12.8	10.2	10.9	6.3	14.4
37		24.6	26.7	39.6	37.9	26.9	28.0	41.6	21.8	28.2	35.2
38		9.7	10.7	18.7	18.3	31.0	29.7	32.9	25.3	37.0	24.1
39		2.9	4.4	5.2	6.0	19.2	20.5	5.0	23.8	20.4	15.3
40 & Longer		0.6	1.3	1.2	1.2	7.6	5.6	0.2	14.0	7.1	5.5
Average Staple		35.79	36.10	36.77	36.73	37.75	37.68	37.13	37.97	37.92	37.46
Average Length		1.12	1.13	1.15	1.15	1.18	1.18	1.16	1.19	1.19	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	13.5	11.1	0.8	2.8	5.8	1.2	1.8	0.6	4.9	3.3
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	-	0.8	0.1	0.2	0.1	0.1	0.1	0.2
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.1	0.8	2.1	*	*	0.1	*	0.6	0.5
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	0.1	*	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	0.2	*	*	*	*	*
Plastic - Level 2	-	-	-	*	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	*	-	-	-	-	-	*
23	*	*	-	*	-	-	-	*	*	*
24	0.1	0.1	-	*	-	*	*	*	0.1	0.1
25	0.4	0.5	-	0.1	-	*	0.1	0.1	0.3	0.5
26	2.1	1.8	0.1	0.8	0.1	0.1	0.8	0.4	1.6	1.7
27	6.5	5.8	-	2.9	1.1	0.6	4.0	1.6	6.9	5.9
28	11.7	12.1	3.2	8.8	5.4	3.2	8.6	6.9	18.5	14.0
29	16.1	16.6	5.7	18.2	17.4	11.7	24.0	19.8	23.3	20.6
30	20.4	18.6	8.4	22.9	26.5	25.5	28.3	29.3	20.8	20.8
31	18.4	16.6	22.5	19.3	24.9	29.0	19.6	23.4	13.5	15.9
32	11.7	13.1	25.9	14.3	14.6	18.1	8.2	11.8	8.0	10.9
33	7.5	8.4	5.2	8.2	6.9	7.7	4.3	4.8	4.6	6.0
34	3.5	4.4	4.3	3.1	2.3	3.0	1.6	1.5	1.7	2.5
35	1.2	1.5	13.8	1.1	0.7	0.9	0.5	0.4	0.5	0.8
36	0.3	0.4	10.9	0.1	0.1	0.1	0.1	*	0.1	0.2
37	0.1	0.1	-	*	-	*	*	*	*	*
38	*	*	-	*	-	-	-	-	*	*
39	*	*	-	-	-	-	-	-	-	*
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	30.62	30.73	32.77	30.88	31.01	31.30	30.47	30.74	30.09	30.39
Mike										
2.4 & Below	*	*	-	*	-	*	-	-	0.1	0.1
2.5	*	*	-	*	-	*	-	*	0.3	0.1
2.6	0.2	0.1	-	*	-	*	-	*	0.8	0.2
2.7	0.2	0.2	0.1	*	-	*	-	*	1.0	0.4
2.8	0.2	0.3	0.1	*	-	*	-	*	1.7	0.6
2.9	0.4	0.6	0.1	*	*	*	*	*	2.0	0.8
3.0	0.5	1.0	0.2	*	0.1	*	*	*	2.4	1.2
3.1	1.0	1.5	0.1	*	0.1	*	0.1	*	2.6	1.8
3.2	1.8	2.3	1.2	0.1	*	*	0.1	*	3.2	2.5
3.3	2.8	3.3	3.4	0.2	*	*	0.2	0.1	3.8	3.4
3.4	3.8	4.5	5.4	0.3	0.1	*	0.7	0.2	5.1	4.3
3.5	4.3	5.3	2.2	0.4	0.4	0.1	1.0	0.3	6.4	5.3
3.6	5.8	6.2	4.7	0.8	0.4	0.1	1.8	0.5	7.2	6.0
3.7	7.1	7.2	3.7	1.3	0.4	0.4	2.4	0.9	8.6	7.1
3.8	8.8	8.3	13.0	2.0	0.6	0.6	3.8	1.6	10.2	8.4
3.9	9.7	9.5	9.0	3.0	0.3	1.0	4.7	2.8	9.8	9.0
4.0	10.3	9.9	8.8	4.4	0.5	1.7	5.7	5.1	9.0	9.5
4.1	9.7	9.3	10.9	6.9	1.6	2.8	8.6	7.7	8.2	9.5
4.2	8.1	8.1	11.3	9.1	3.5	4.6	12.3	10.8	6.3	8.4
4.3	6.4	6.5	18.4	11.0	5.9	7.8	14.6	13.5	4.2	6.8
4.4	4.5	4.8	3.1	12.1	8.9	11.8	12.6	14.7	2.9	5.1
4.5	4.3	3.6	3.7	12.9	15.3	14.6	10.7	14.3	2.1	3.6
4.6	3.7	2.7	0.4	12.1	16.9	15.2	7.6	11.3	1.2	2.4
4.7	2.7	1.9	0.1	9.5	17.9	13.7	5.5	7.7	0.7	1.5
4.8	1.6	1.2	-	6.1	14.6	10.5	3.1	4.5	0.2	0.9
4.9	1.0	0.8	-	3.3	7.5	6.7	1.6	2.2	0.1	0.5
5.0	0.6	0.4	-	1.9	2.9	3.9	1.6	1.1	*	0.2
5.1	0.2	0.2	-	1.2	1.3	2.1	0.5	0.4	*	0.1
5.2	0.1	0.1	-	0.8	0.2	1.1	0.3	0.2	*	0.1
5.3	*	*	-	0.4	0.2	0.6	0.4	0.1	*	0.1
5.4	*	*	-	0.1	*	0.2	0.1	*	-	*
5.5 & Above	-	*	-	0.1	0.1	0.1	*	*	-	*
Average	3.98	3.93	3.98	4.42	4.59	4.57	4.30	4.38	3.75	3.91

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending Jan 06, 2022

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	2.6	5.0	1.5	0.6	0.4	0.4	6.2	1.8	0.4	0.2
Bark - Level 2	-	*	-	*	-	-	-	-	-	-
Grass - Level 1	0.4	0.2	0.1	*	0.1	*	-	*	0.1	0.2
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	0.1	0.1	*	-	*	*	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.3	0.1	3.3	1.3	0.1	*	-	0.2	1.6	0.4
Seed Coat - Level 2	-	-	-	*	-	-	-	-	-	-
Oil - Level 1	*	*	-	*	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	*	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	0.1	*	*	*	*	-	*	*	*
Plastic - Level 2	-	*	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	*	*	-	-	-	*	-	*
23	0.1	*	*	*	-	-	-	*	-	*
24	0.3	0.1	*	0.1	*	*	-	*	-	*
25	1.1	0.5	0.3	0.3	*	*	-	*	*	*
26	3.2	1.8	1.4	1.4	0.1	*	-	0.2	*	0.1
27	8.1	5.4	5.0	5.1	0.8	0.3	-	0.6	0.9	0.8
28	14.5	11.4	14.8	13.9	4.7	2.6	1.5	4.2	1.0	3.2
29	18.8	17.4	28.3	26.6	17.3	13.9	6.1	12.9	5.9	8.2
30	19.5	20.2	28.4	27.8	31.9	30.6	14.4	31.4	12.3	15.6
31	15.9	18.3	13.6	15.3	28.1	31.3	16.4	27.1	23.4	22.1
32	10.3	12.9	5.5	6.2	12.4	15.1	27.8	11.7	17.5	17.9
33	5.0	7.2	2.0	2.4	3.7	4.9	21.1	7.7	11.4	11.2
34	2.1	3.2	0.5	0.7	0.7	1.1	12.2	3.0	11.1	7.8
35	0.8	1.1	0.1	0.2	0.1	0.2	0.4	0.7	11.5	4.8
36	0.2	0.3	*	*	*	*	-	0.5	4.3	2.9
37	*	0.1	*	*	-	*	0.1	*	0.5	2.7
38	*	*	-	*	-	*	-	*	0.2	1.8
39	*	*	-	*	-	-	-	-	*	0.5
40 & Above	*	*	-	-	-	-	-	-	*	0.1
Average	30.17	30.64	29.98	30.06	30.83	31.07	32.25	31.13	32.59	32.31
Mike										
2.4 & Below	0.3	0.1	-	-	-	-	-	-	0.1	*
2.5	0.6	0.3	*	*	0.1	*	-	*	0.1	*
2.6	1.0	0.5	*	*	0.2	*	-	*	0.1	*
2.7	1.3	0.8	*	*	0.2	*	-	*	0.4	0.1
2.8	1.7	1.2	*	*	0.3	*	1.2	*	0.4	0.2
2.9	2.2	1.8	0.1	*	0.2	*	0.1	*	1.1	0.4
3.0	3.3	2.6	0.1	0.1	0.2	0.1	0.8	*	0.5	0.3
3.1	3.9	3.5	0.1	0.1	0.3	0.1	-	*	2.1	0.4
3.2	5.0	4.5	0.3	0.2	0.5	0.2	-	*	2.6	0.6
3.3	6.1	5.5	0.6	0.3	0.8	0.3	-	0.1	2.5	0.8
3.4	6.7	6.3	1.2	0.5	1.0	0.5	-	0.2	3.2	1.2
3.5	7.4	7.0	1.8	0.8	1.7	0.7	0.5	0.2	3.7	1.5
3.6	7.3	7.6	2.9	1.2	2.3	1.2	0.2	0.4	7.3	1.8
3.7	7.6	8.1	4.2	1.8	3.5	1.9	2.2	0.6	5.3	2.0
3.8	8.0	8.1	5.8	2.7	4.4	2.9	3.6	0.8	8.1	3.2
3.9	7.5	7.9	7.2	4.1	5.3	4.1	4.6	1.2	6.9	3.9
4.0	6.7	7.3	8.2	5.8	7.2	6.0	6.5	1.8	5.6	4.5
4.1	5.9	6.6	9.8	8.0	9.2	8.8	8.9	2.3	7.2	5.5
4.2	5.3	5.7	11.4	10.2	11.1	11.3	5.9	4.4	7.5	6.8
4.3	4.4	4.6	11.7	12.6	11.4	12.8	7.4	7.6	8.5	8.1
4.4	3.3	3.5	10.0	13.7	10.8	13.0	19.1	10.0	7.3	9.3
4.5	2.2	2.5	8.2	12.7	9.2	11.8	26.8	12.8	6.0	10.1
4.6	1.3	1.7	6.8	10.4	8.0	9.4	12.1	15.9	4.3	8.8
4.7	0.7	1.1	4.4	7.0	6.2	6.6	0.2	15.5	2.9	7.5
4.8	0.3	0.6	2.5	3.9	3.4	4.2	0.1	10.9	1.5	7.1
4.9	0.1	0.3	1.3	2.0	1.4	2.2	-	6.9	2.0	5.8
5.0	*	0.2	0.6	1.0	0.9	1.0	-	4.5	2.0	4.0
5.1	*	0.1	0.3	0.5	0.3	0.4	-	2.7	0.7	3.0
5.2	*	*	0.1	0.1	*	0.2	-	0.7	0.2	1.6
5.3	*	*	0.1	0.1	0.1	0.1	-	0.3	0.1	0.8
5.4	-	*	*	*	0.1	*	-	0.1	-	0.4
5.5 & Above	*	*	*	*	*	*	-	*	-	0.3
Average	3.68	3.75	4.19	4.33	4.23	4.32	4.28	4.57	4.02	4.40

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	-	*	-	*	-	-	0.1	0.1
2.5 - 2.6	0.2	0.1	-	*	-	*	-	*	1.1	0.3
2.7 - 2.9	0.8	1.1	0.2	*	*	*	*	*	4.7	1.8
3.0 - 3.2	3.3	4.9	1.5	0.1	0.2	*	0.2	0.1	8.3	5.5
3.3 - 3.4	6.6	7.8	8.8	0.5	0.2	0.1	0.9	0.3	8.9	7.8
3.5 - 3.6	10.1	11.5	6.9	1.2	0.8	0.2	2.8	0.8	13.6	11.3
3.7 - 4.2	53.7	52.3	56.8	26.6	6.9	11.0	37.5	28.9	52.1	51.8
4.3 - 4.9	24.3	21.4	25.8	67.0	87.2	80.5	55.8	68.2	11.4	20.8
5.0 - 5.2	0.9	0.7	-	3.9	4.4	7.2	2.4	1.7	*	0.5
5.3 & Above	*	*	-	0.6	0.3	1.0	0.5	0.1	*	0.1
Average	3.98	3.93	3.98	4.42	4.59	4.57	4.30	4.38	3.75	3.91
Leaf										
1 - 2	60.0	50.9	22.4	25.2	18.7	6.1	3.7	10.3	79.8	80.4
3	28.3	32.5	41.1	49.2	59.0	48.8	40.2	51.7	17.0	16.0
4	8.9	12.1	32.9	21.8	20.6	39.6	44.4	32.1	2.9	2.9
5	2.1	3.5	3.2	3.4	1.6	5.4	10.9	5.5	0.3	0.5
6	0.5	0.7	0.4	0.3	0.1	0.1	0.6	0.4	*	0.1
7	0.2	0.2	-	*	-	*	*	*	*	*
8	0.1	*	-	*	-	*	*	*	-	*
Average	2.37	2.57	3.18	3.02	3.05	3.45	3.65	3.34	1.88	1.87
HVI Trash 1/										
00	0.1	0.1	-	*	-	-	-	-	0.2	0.3
01	28.7	22.0	1.7	5.6	2.5	0.3	0.1	0.8	53.6	53.3
02	33.5	30.4	20.4	21.3	18.7	6.7	4.2	10.9	31.4	30.9
03	17.9	19.7	20.8	25.3	29.2	19.5	15.3	23.0	10.1	9.7
04	9.2	11.8	20.4	20.8	25.3	25.7	23.4	25.1	3.3	3.4
05	4.8	6.8	18.2	13.4	13.8	21.9	22.6	18.8	0.9	1.3
06	2.6	3.9	10.1	7.2	6.1	13.8	16.1	11.1	0.3	0.5
07	1.4	2.2	5.0	3.5	2.8	7.0	9.5	5.7	0.1	0.2
08	0.7	1.3	2.0	1.6	1.0	3.1	5.0	2.6	*	0.1
09	0.4	0.8	0.8	0.7	0.5	1.2	2.3	1.1	*	0.1
10	0.2	0.4	0.1	0.3	0.2	0.5	0.9	0.5	*	*
11	0.1	0.2	0.1	0.1	*	0.2	0.4	0.2	*	*
12	0.1	0.1	0.3	0.1	*	*	0.1	0.1	*	*
13	*	0.1	-	*	*	*	0.1	*	*	*
14	0.1	0.1	0.1	*	-	*	*	*	-	*
15	*	*	-	*	-	*	*	*	-	*
16	*	*	0.1	*	-	*	-	*	-	*
17	*	*	-	*	-	*	-	*	-	*
18 & Above	*	*	-	*	-	*	*	*	-	*
Average	0.25	0.29	0.40	0.37	0.37	0.46	0.50	0.43	0.17	0.17
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	*	*	*
75	0.1	0.1	-	*	-	-	-	*	0.2	0.4
76	0.5	0.5	-	*	-	-	*	*	1.4	1.9
77	3.1	2.5	0.1	0.2	-	*	0.1	0.1	5.1	6.2
78	11.3	10.3	0.5	1.2	0.4	0.3	0.8	0.7	15.5	16.1
79	25.4	24.9	3.2	6.0	2.4	2.1	4.6	4.4	32.3	28.8
80	32.5	31.3	7.7	21.2	12.0	9.6	20.0	16.7	30.8	29.9
81	20.9	22.2	23.9	37.0	27.2	29.6	31.9	31.8	12.8	13.7
82	5.5	7.1	54.8	27.4	33.1	37.5	24.8	30.9	1.9	2.7
83	0.7	1.0	9.8	6.4	18.7	17.3	14.1	13.3	0.1	0.3
84	*	0.1	0.1	0.7	6.1	3.3	3.3	1.9	-	*
85 & Above	-	*	-	*	0.1	0.2	0.4	0.2	-	-
Average	80.19	80.29	82.04	81.50	82.16	82.13	81.77	81.81	79.76	79.75
Tenderable 3/	74.5	72.0	80.3	86.2	86.9	89.5	91.3	95.9	71.4	78.9
SAMPLES CLASSED										
Week	100,091		1,685		5,839		25,544		71,342	
Season		900,473		1,733,153		1,000,187		1,216,611		1,090,731

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.3	0.1	-	-	-	-	-	-	0.1	*
2.5 - 2.6	1.6	0.8	*	*	0.3	*	-	*	0.3	0.1
2.7 - 2.9	5.2	3.8	0.2	*	0.7	0.1	1.3	*	1.8	0.7
3.0 - 3.2	12.2	10.6	0.5	0.3	1.0	0.3	0.8	*	5.2	1.3
3.3 - 3.4	12.8	11.8	1.9	0.9	1.8	0.7	-	0.2	5.7	2.0
3.5 - 3.6	14.7	14.6	4.8	2.0	3.9	2.0	0.7	0.6	11.0	3.3
3.7 - 4.2	41.0	43.7	46.7	32.7	40.8	35.0	31.6	11.1	40.6	25.8
4.3 - 4.9	12.3	14.3	45.0	62.3	50.2	60.1	65.7	79.6	32.5	56.8
5.0 - 5.2	0.1	0.3	1.0	1.6	1.2	1.6	-	7.9	2.8	8.6
5.3 & Above	*	*	0.1	0.1	0.2	0.1	-	0.5	0.1	1.5
Average	3.68	3.75	4.19	4.33	4.23	4.32	4.28	4.57	4.02	4.40
Leaf										
1 - 2	74.6	66.4	13.5	7.9	4.4	8.8	13.4	6.8	54.7	68.0
3	21.1	27.2	52.1	46.6	47.7	51.0	61.6	50.6	35.8	25.7
4	3.4	5.2	28.3	36.0	38.8	34.8	20.8	37.8	7.8	4.8
5	0.7	1.0	5.6	8.6	8.3	5.2	3.1	4.6	1.1	1.1
6	0.2	0.2	0.6	0.9	0.8	0.3	1.2	0.2	0.4	0.3
7	0.1	*	*	0.1	0.1	*	-	-	0.1	0.1
8	*	*	*	*	*	*	-	-	*	*
Average	2.08	2.25	3.27	3.48	3.53	3.37	3.17	3.41	2.49	2.22
HVI Trash 1/										
00	0.1	*	*	*	-	*	-	-	-	*
01	39.8	30.8	1.9	1.0	0.1	0.8	0.4	0.4	18.8	31.6
02	40.8	41.6	15.7	10.7	5.1	8.6	14.5	8.4	42.0	41.0
03	12.9	16.8	27.0	23.5	18.1	20.7	28.8	21.8	22.3	16.3
04	4.0	6.3	23.9	25.1	25.1	24.9	24.0	26.4	9.8	5.9
05	1.4	2.6	15.5	18.4	21.7	20.4	15.2	20.7	4.0	2.4
06	0.6	1.1	8.4	10.9	14.3	12.8	7.7	12.3	1.4	1.2
07	0.3	0.5	4.2	5.6	8.1	6.7	4.3	5.9	0.7	0.6
08	0.1	0.2	1.9	2.7	4.1	3.0	1.9	2.5	0.4	0.4
09	0.1	0.1	0.8	1.2	1.9	1.3	1.2	1.0	0.3	0.2
10	*	*	0.4	0.5	0.8	0.5	0.6	0.4	0.1	0.1
11	*	*	0.2	0.2	0.4	0.2	0.6	0.2	0.1	0.1
12	*	*	0.1	0.1	0.1	0.1	0.7	*	0.1	*
13	*	*	*	*	*	*	0.2	*	*	*
14	-	*	*	*	*	*	-	*	*	*
15	*	*	*	*	*	*	-	-	-	*
16	-	*	*	*	-	-	-	-	*	*
17	-	*	*	*	-	-	-	-	*	*
18 & Above	-	*	*	*	-	*	-	-	*	*
Average	0.19	0.22	0.40	0.43	0.48	0.45	0.41	0.44	0.25	0.22
UNIFORMITY 2/										
74 & Below	0.1	*	-	-	-	-	-	-	-	-
75	0.4	0.2	*	*	-	-	-	*	-	-
76	2.0	1.2	*	0.1	*	*	-	*	*	*
77	6.7	4.2	0.1	0.4	*	*	-	*	0.1	0.2
78	16.7	11.5	1.2	2.5	0.3	0.1	-	0.1	1.2	1.1
79	27.1	23.3	7.3	11.8	1.7	1.2	-	1.0	11.7	8.6
80	27.2	29.8	27.3	31.7	9.8	9.7	7.9	7.6	32.2	29.0
81	14.1	20.5	37.2	33.6	29.5	30.6	22.3	25.6	38.4	36.2
82	4.7	7.5	21.0	15.6	38.6	38.3	29.9	41.6	13.4	17.5
83	1.0	1.5	5.2	3.7	17.8	17.9	39.6	20.4	2.7	5.0
84	0.1	0.2	0.6	0.5	2.1	2.0	0.2	3.4	0.2	2.3
85 & Above	*	*	*	*	0.2	0.1	0.2	0.1	*	0.1
Average	79.81	80.21	81.33	81.05	82.12	82.13	82.48	82.28	81.03	81.29
Tenderable 3/	62.6	66.8	89.8	89.3	92.6	95.5	92.0	88.1	81.4	83.6
SAMPLES CLASSED										
Week	193,207		184,617		127,040		1,038		19,054	
Season		2,383,650		2,183,018		2,305,679		268,604		295,817

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 06, 2022

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	44.1	47.5		MIKE	-	*
	2	13.6	15.0		2.4 & Below	*	*
	3	0.1	0.1		2.5 - 2.6	0.3	0.4
	4	-	-		2.7 - 2.9	1.2	1.3
	5	-	-		3.0 - 3.2	2.3	1.5
	6	-	-		3.3 - 3.4	1.2	2.9
	7	-	-		3.5 - 3.6	54.5	55.3
Total -----		57.7	62.6		3.7 - 4.2	40.4	38.5
02	1	15.9	15.6		4.3 - 4.9	-	*
	2	20.0	16.9		5.0 - 5.2	-	*
	3	2.1	1.3		5.3 & Above	-	*
	4	*	*		Average	4.14	4.14
	5	-	*		ALL RANGE MIKE	-	*
	6	-	*		2.4 & Below	*	*
	7	-	-		2.5	*	*
Total -----		38.0	33.9		2.6	0.1	0.1
03	1	0.1	0.2		2.7	0.1	0.1
	2	2.0	1.6		2.8	*	0.2
	3	0.9	0.7		2.9	0.2	0.4
	4	*	0.1		3.0	0.3	0.3
	5	-	*		3.1	0.8	0.6
	6	-	-		3.2	0.6	0.7
	7	-	-		3.3	1.7	0.8
Total -----		3.1	2.6		3.4	0.2	1.1
04	1	*	*		3.5	1.1	1.8
	2	0.6	0.3		3.6	2.0	2.9
	3	0.3	0.2		3.7	4.1	4.2
	4	*	*		3.8	8.5	6.9
	5	-	*		3.9	11.3	10.9
	6	-	*		4.0	12.3	14.2
	7	-	-		4.1	16.2	16.1
Total -----		1.0	0.6		4.2	18.8	15.6
05	1	-	*		4.3	15.8	12.6
	2	-	0.1		4.4	5.0	6.5
	3	*	0.1		4.5	0.6	2.7
	4	-	*		4.6	0.2	0.9
	5	-	*		4.7	-	0.2
	6	-	*		4.8	*	*
	7	-	-		4.9	-	*
Total -----		*	0.3		5.0	-	*
06	1	-	-		5.1	-	*
	2	-	*		5.2	-	*
	3	0.1	*		5.3 & Above	-	*
	4	0.1	*		Average	4.14	4.14
	5	*	*		STRENGTH 1/	1.3	1.3
	6	-	-		36 & Below	1.7	1.4
	7	-	-		37	3.0	2.7
Total -----		0.2	0.1		38	9.2	5.0
07	1	-	*		39	10.8	6.1
	2	-	*		40	5.8	3.3
	3	-	*		41	2.8	3.6
	4	0.1	*		42	4.5	7.7
	5	*	*		43	11.5	16.1
	6	*	*		44	13.0	19.8
	7	-	*		45	14.6	16.1
Total -----		0.1	*		46	9.7	10.6
STAPLE					47	12.0	6.4
44 & Shorter		1.5	1.1		48 & Above	44.10	44.46
46		18.6	12.1		Average	0.3	0.3
48		22.0	27.0		83 & Below	4.1	4.3
50		48.3	48.9		84	29.4	18.9
52 & Longer		9.6	10.9		85	23.2	39.1
Average Staple		48.92	49.13		86	39.2	35.2
Average Length		1.42	1.43		87	3.7	2.3
EXTRANEIOUS MATTER					88 & Above	86.52	86.56
Bark		0.1	*		Average	11,548	280,494
Grass		0.3	0.4		Samples Classed		
Spindle Twist		0.5	0.5		Week		
Preparation		*	*		Season		
All Other		*	0.1				

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.