



Quality of Cotton Classed by Classing Office for the week ending - 11/10/2022

Agricultural Marketing Service
Cotton Market News

November 11, 2022

Volume 64, No.16

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	21	82.5	62.9	29,541	21	74.2	53.7	74,015
Corpus Christi	14	73.5	56.7	16,904	49	80.0	63.0	1,183,419
Dumas	37	77.1	53.1	132,711	38	73.2	48.6	704,276
Florence	51	89.0	76.7	142,536	51	87.8	73.7	523,543
Lamesa	7	73.5	56.2	10,053	9	70.6	51.6	19,855
Lubbock	52	62.6	45.8	104,347	52	64.0	43.6	199,579
Macon	79	94.2	83.7	272,052	79	92.7	81.5	921,389
Memphis	73	93.9	82.8	274,383	73	90.7	77.7	1,125,804
Rayville	20	66.4	42.7	64,160	20	64.7	39.8	319,871
Visalia	12	86.4	64.2	15,733	14	80.1	54.0	56,050
United States	366	85.6	70.9	1,062,420	406	82.8	66.2	5,127,801
AMERICAN PIMA								
Visalia	17			40,643	18			98,190
United States	17			40,643	18			98,190
United States all cotton	383			1,103,063	423			5,225,991

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	37.3	41.1	16.8	34.8	19.7	19.5	1.3	2.5	49.1	45.5
	3	25.2	22.8	8.3	5.0	10.8	7.2	3.1	2.9	12.7	13.5
	4	2.8	1.8	0.1	0.1	0.2	0.1	0.4	0.2	0.7	0.8
	5	0.1	*	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	65.4 65.8	25.2 39.9	30.7 26.8	4.8 5.6	62.4 59.8	65.4 65.8	25.2 39.9	30.7 26.8	4.8 5.6
31	1 - 2	4.1	2.1	5.5	7.0	12.8	17.9	2.8	4.3	6.7	10.8
	3	11.5	7.3	26.2	9.6	40.3	37.8	31.1	35.4	14.2	14.3
	4	5.3	3.2	5.0	1.3	7.2	6.0	22.6	19.7	4.8	4.3
	5	1.0	0.6	0.1	*	0.3	0.2	2.5	1.8	0.4	0.3
	6	0.1	*	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	22.0 13.2	36.8 18.0	60.6 61.9	59.1 61.2	26.2 29.7	22.0 13.2	36.8 18.0	60.6 61.9	59.1 61.2
41	1 - 2	*	*	0.4	2.8	0.2	0.7	0.1	0.2	*	*
	3	0.2	0.1	10.1	9.1	4.0	5.4	6.6	7.2	*	0.1
	4	0.8	0.3	6.0	3.7	3.3	3.9	18.2	16.0	0.5	1.0
	5	1.0	0.4	0.4	0.4	0.6	0.5	7.9	5.8	0.9	0.7
	6	0.1	*	*	*	0.1	*	1.0	0.6	0.2	0.1
	7	-	-	-	*	*	*	0.1	*	*	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	2.1 0.9	17.0 16.0	8.2 10.6	34.0 29.8	1.8 2.0	2.1 0.9	17.0 16.0	8.2 10.6	34.0 29.8
51	1 - 2	-	-	*	0.5	*	*	*	*	-	-
	3	-	-	0.4	2.5	0.1	*	*	*	-	-
	4	-	-	1.8	1.2	0.1	*	0.1	0.1	-	-
	5	-	-	1.0	0.2	*	*	0.1	0.1	-	-
	6	-	-	0.1	*	*	*	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	3.3 4.4	0.2 0.1	0.3 0.3	- -	- -	- -	- -	- -
61	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	*	0.1	-	*	*	*	-	-
	4	-	-	-	*	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	* 0.2	* *	* *	- -	- -	- -	- -	- -
71	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- *	- -	- -	- -	- -	- -	- -	- -
12 & 22	1 - 2	5.0	8.1	0.1	4.2	*	*	*	*	1.5	1.5
	3	3.0	7.1	*	0.8	*	*	*	*	1.5	1.7
	4	0.4	0.9	-	0.1	-	-	*	*	*	0.1
	5	*	*	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	8.3 16.1	0.1 5.0	* *	* *	3.0 3.2	8.3 16.1	0.1 5.0	* *	3.0 3.2
32	1 - 2	*	0.1	0.1	1.5	*	*	*	0.1	0.5	0.6
	3	0.5	0.5	1.4	1.7	0.1	0.1	0.4	0.8	3.2	2.3
	4	0.4	0.5	1.1	0.3	*	*	0.4	0.6	1.3	0.8
	5	0.2	0.2	0.1	*	*	*	0.1	0.1	0.2	0.1
	6	*	*	-	*	-	*	*	*	*	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.1 1.3	2.7 3.6	0.1 0.1	0.9 1.5	5.2 3.9	1.1 1.3	2.7 3.6	0.1 0.1	0.9 1.5
42	1 - 2	*	*	0.2	0.8	*	*	*	*	-	*
	3	*	*	5.0	3.1	*	0.2	0.1	0.3	*	0.1
	4	*	*	4.0	1.8	0.1	0.2	0.4	0.9	0.5	0.5
	5	*	*	0.6	0.3	*	*	0.3	0.3	0.8	0.4
	6	0.1	*	0.1	*	*	*	*	*	0.2	0.1
	7	*	*	-	*	-	-	*	*	*	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	0.1 0.1	9.8 6.1	0.1 0.4	0.9 1.5	1.4 1.1	0.1 0.1	9.8 6.1	0.1 0.4	0.9 1.5

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	0.3	-	*	-	-	-	*
	3	-	-	1.0	1.9	*	*	*	*	-	-
	4	-	-	1.8	1.3	*	*	*	*	-	*
	5	-	-	0.9	0.3	*	*	*	*	-	-
	6	-	-	0.3	*	*	*	*	*	-	-
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	4.0	3.8	0.1	0.1	*	0.1	-	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.2	-	-	-	-	-	-
	4	-	-	0.1	0.1	-	*	-	-	-	-
	5	-	-	0.1	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	0.1	0.4	-	*	-	*	-	-
13 & 23	1 - 2	0.2	0.5	*	0.3	-	-	*	*	-	*
	3	0.3	1.2	-	0.2	-	*	*	*	-	*
	4	0.1	0.3	-	*	-	-	-	-	-	-
	5	-	*	-	*	-	-	-	-	-	-
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	2.0	*	0.5	-	*	*	*	-	*
33	1 - 2	*	*	*	0.1	-	-	-	*	-	*
	3	0.1	0.1	*	0.3	*	*	*	*	-	0.1
	4	0.1	0.2	*	0.1	*	*	*	*	*	0.1
	5	*	*	-	*	-	-	*	*	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.4	*	0.6	*	*	*	*	*	0.3
43	1 - 2	-	-	*	*	-	*	-	-	-	-
	3	-	*	0.1	0.3	-	*	*	*	-	-
	4	*	*	0.1	0.3	*	*	*	*	-	-
	5	-	*	*	0.1	*	*	*	*	-	-
	6	-	*	-	0.1	-	-	-	*	-	-
	7	*	*	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	*	*	0.2	0.8	*	*	*	*	-	-
53	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	*	0.2	-	-	-	-	-	-
	4	-	-	0.2	0.3	-	-	-	*	-	-
	5	-	-	0.2	0.1	-	-	*	*	-	-
	6	-	-	0.1	*	-	-	-	-	-	-
	7	-	-	0.1	*	-	-	-	-	-	-
	8	-	-	*	*	-	-	-	-	-	-
Total	----	-	-	0.7	0.6	-	-	*	*	-	-
63	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	*	0.1	-	*	-	-	-	-
24 - 54	1 - 8	0.1	0.2	-	0.1	-	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	*	-	-	-	-	-	-
29		*	*	-	*	-	-	-	-	-	-
30		*	0.1	0.1	0.2	-	-	-	*	-	-
31		0.6	0.4	0.4	1.0	-	-	*	*	-	-
32		1.2	2.4	0.8	3.0	*	*	*	*	-	0.2
33		5.6	9.3	1.5	7.7	*	0.1	0.2	0.4	*	0.7
34		9.6	13.9	3.9	16.8	0.3	0.7	1.8	2.4	4.0	6.9
35		11.9	15.0	11.0	24.2	1.6	2.6	8.1	9.8	5.9	13.8
36		15.1	15.9	21.3	23.5	5.5	7.7	23.1	23.4	19.1	19.6
37		25.2	18.6	44.2	18.0	25.1	30.4	39.3	38.8	53.4	40.0
38		13.7	11.7	14.3	4.3	27.1	28.3	18.4	17.3	12.8	14.8
39		11.7	9.1	2.3	1.0	21.3	19.9	7.4	6.6	4.7	3.8
40 & Longer		5.5	3.6	0.2	0.1	19.1	10.4	1.6	1.4	0.1	0.1
Average Staple		36.55	36.02	36.52	35.31	38.22	37.86	36.92	36.83	36.79	36.51
Average Length		1.14	1.12	1.14	1.10	1.20	1.18	1.15	1.15	1.15	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	23.7	32.9	7.5	9.0	49.8	54.1	6.1	4.0	50.9	53.7
	3	19.8	19.7	7.4	6.1	14.9	8.4	3.8	2.1	8.2	14.4
	4	2.7	2.2	0.6	0.3	0.6	0.2	0.2	0.1	0.4	0.7
	5	0.2	0.1	*	*	*	*	*	*	*	*
	6	*	*	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	46.4 54.9	15.4 15.3	65.4 62.7	10.1 6.1	59.5 68.9				
31	1 - 2	4.6	3.3	9.3	14.0	7.1	13.4	8.6	8.3	11.9	5.8
	3	17.3	12.0	36.9	37.5	16.9	15.4	35.3	24.4	12.4	6.1
	4	12.0	8.1	14.5	10.2	6.7	3.9	6.8	3.8	1.0	1.1
	5	4.2	2.7	1.4	0.8	0.8	0.3	0.3	0.1	*	0.2
	6	0.7	0.5	*	*	0.1	*	*	*	-	*
	7	0.1	*	*	*	*	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	38.9 26.7	62.1 62.5	31.6 33.0	50.9 36.6	25.4 13.2				
41	1 - 2	*	*	0.7	1.3	*	0.1	1.1	2.1	1.6	0.5
	3	0.3	0.2	8.7	9.7	0.3	1.0	17.4	22.7	8.8	2.7
	4	1.1	0.7	8.9	6.9	1.1	1.4	11.0	15.6	2.7	1.4
	5	1.8	1.1	2.1	1.4	0.7	0.4	1.3	2.0	0.3	0.3
	6	1.1	0.7	0.2	0.1	0.2	0.1	0.1	0.1	-	*
	7	0.4	0.3	*	*	*	*	-	*	-	*
	8	0.1	0.1	-	-	-	-	-	-	-	-
	Total	----	4.9 3.0	20.6 19.3	2.3 3.0	30.9 42.4	13.4 5.0				
51	1 - 2	-	-	*	*	*	*	*	*	-	-
	3	-	-	*	0.1	*	*	0.5	1.0	0.1	*
	4	*	*	0.1	0.2	*	0.1	1.7	1.8	*	*
	5	-	-	*	*	0.1	*	0.4	0.6	-	-
	6	*	*	*	*	*	*	*	*	-	-
	7	*	*	*	*	*	*	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	* *	0.2 0.3	0.1 0.1	2.6 3.5	0.1 *				
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	* *	- -			
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- -	- -	- -	- -		
12 & 22	1 - 2	1.7	4.1	*	*	0.1	*	*	0.1	0.6	6.3
	3	3.4	6.2	*	*	*	*	0.1	*	0.1	3.0
	4	1.2	1.3	*	*	*	*	*	*	*	0.4
	5	0.2	0.1	*	*	*	*	-	*	-	*
	6	*	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	6.5 11.7	* *	0.1 *	0.1 0.2	0.7 9.7				
32	1 - 2	0.2	0.2	*	0.1	0.1	0.1	*	0.1	0.2	0.2
	3	0.8	1.0	0.3	0.3	0.1	0.2	0.2	0.4	0.5	1.0
	4	1.0	1.0	0.2	0.1	*	0.1	0.1	0.1	0.1	1.1
	5	0.4	0.3	*	*	*	*	*	*	-	0.4
	6	0.1	0.1	*	*	*	*	*	*	-	*
	7	*	*	-	-	-	-	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	2.6 2.6	0.5 0.5	0.3 0.4	0.4 0.6	0.8 2.7				
42	1 - 2	*	*	*	0.1	*	*	0.1	0.3	*	*
	3	*	*	0.3	0.7	*	0.1	1.3	2.7	0.1	*
	4	0.1	*	0.4	0.6	0.1	0.2	1.1	1.9	*	0.2
	5	0.1	0.1	0.1	0.1	*	0.1	0.1	0.3	-	0.1
	6	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	-	-	-	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	0.2 0.1	0.9 1.6	0.1 0.4	2.7 5.2	0.1 0.3				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	*	*	*	0.1	-	-
	3	-	*	*	0.1	*	*	0.6	1.8	-	-
	4	-	-	0.1	0.2	*	0.1	1.3	2.3	-	-
	5	*	*	0.1	0.1	*	0.1	0.2	0.5	-	-
	6	-	-	*	*	*	*	*	*	-	-
	7	-	-	*	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	0.2	0.4	*	0.3	2.2	4.7	-	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	0.1	-	-
	4	-	-	-	*	-	-	*	0.1	-	-
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	*	0.2	-	-
13 & 23	1 - 2	*	0.1	-	-	*	*	-	-	-	0.1
	3	0.1	0.4	-	*	*	*	-	-	-	*
	4	*	0.1	*	*	-	-	-	-	-	*
	5	*	*	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.7	*	*	*	*	-	-	-	0.2
33	1 - 2	*	*	*	*	*	*	-	-	-	*
	3	0.1	0.1	*	*	*	*	*	*	*	*
	4	0.1	0.1	*	*	*	*	*	*	-	-
	5	*	*	*	*	*	*	*	*	-	*
	6	*	*	-	*	*	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	0.2	0.2	*	*	*	*	*	*	*	*
43	1 - 2	-	*	-	-	-	*	*	*	-	-
	3	-	-	*	*	-	*	*	*	-	-
	4	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	*	*	*	*	*	0.1	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	*	*	-	*	-	-	*	0.1	-	-
	4	-	-	*	*	*	*	*	0.2	-	-
	5	*	*	*	*	-	*	*	*	-	-
	6	-	-	*	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	*	*	*	*	*	*	*	0.3	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	0.1	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	0.1	-	-
24 - 54	1 - 8	*	*	-	-	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	*	*	-	-	-	-	-	-
31		0.1	0.2	*	*	-	*	*	*	-	-
32		0.4	0.9	0.1	0.2	*	*	0.1	0.3	-	-
33		1.4	2.1	1.1	1.7	*	0.1	1.2	2.1	-	*
34		3.4	4.5	6.0	8.2	0.3	0.7	4.8	6.3	0.9	2.3
35		8.7	9.1	15.8	16.2	4.0	4.7	10.5	11.0	10.5	13.3
36		18.1	18.1	23.7	23.6	14.7	15.9	15.3	16.7	13.9	26.1
37		32.6	32.0	34.1	33.6	29.7	31.6	21.1	25.1	39.7	36.6
38		19.9	18.5	14.6	12.9	25.4	25.2	20.5	19.0	25.5	17.3
39		11.3	10.5	4.2	3.3	17.2	16.3	20.3	14.5	6.2	3.4
40 & Longer		4.1	4.1	0.4	0.3	8.8	5.6	6.3	5.0	3.4	1.0
Average Staple		37.02	36.89	36.46	36.32	37.64	37.48	37.25	36.96	37.12	36.68
Average Length		1.16	1.15	1.14	1.13	1.18	1.17	1.16	1.15	1.16	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	5.5	11.0	0.2	0.3	0.5	0.2	0.5	0.4	7.9	8.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	2.3	1.5	0.2	0.2	0.3	0.3	1.3	0.7
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.5	-	*	*	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.6	0.2	*	*	-	*	0.1	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	*	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	*	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	*	*	*	*	*	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	-	*	0.1	0.7	-	-	-	-	-	-
23	*	*	0.2	0.9	-	-	-	-	-	-
24	0.3	0.2	0.3	1.6	*	*	-	*	-	-
25	0.5	0.5	0.6	2.6	*	*	*	*	*	0.1
26	1.4	2.5	1.0	4.5	*	0.1	0.2	0.3	0.2	0.8
27	3.0	4.5	2.2	8.0	0.2	0.5	1.4	1.6	2.7	8.0
28	8.5	11.3	7.3	13.9	1.3	2.4	6.7	7.3	11.2	13.0
29	14.6	17.3	17.0	18.8	7.2	10.0	21.9	21.3	21.5	17.1
30	17.1	18.8	21.0	18.8	27.8	28.7	31.8	30.0	23.5	18.9
31	19.9	16.3	24.0	13.9	36.1	34.6	22.4	22.6	15.9	16.3
32	15.0	12.4	16.3	8.3	18.4	16.5	10.4	10.9	14.3	14.9
33	10.1	9.5	7.3	4.6	6.3	5.0	4.0	4.5	7.6	6.5
34	7.1	4.8	1.9	2.3	1.8	1.6	1.1	1.2	2.5	2.8
35	2.2	1.4	0.6	0.8	0.7	0.5	0.2	0.3	0.5	1.0
36	0.3	0.4	0.1	0.2	0.1	0.1	*	*	0.1	0.4
37	*	0.1	-	*	*	*	-	*	-	0.1
38	*	*	-	*	-	-	-	-	*	*
39	-	*	-	-	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	31.16	30.76	30.86	29.80	31.38	31.20	30.66	30.67	30.74	30.60
Mike										
2.4 & Below	-	-	*	*	-	-	-	-	-	-
2.5	-	*	*	*	-	*	-	-	-	-
2.6	*	0.3	-	*	-	*	-	-	-	-
2.7	0.1	0.2	*	*	-	*	-	-	-	0.1
2.8	0.1	0.3	*	*	-	*	-	-	-	0.6
2.9	0.6	0.7	*	*	-	*	-	*	-	0.4
3.0	0.8	1.0	-	*	*	*	*	*	0.1	0.6
3.1	0.4	1.0	-	*	-	*	*	*	0.4	0.2
3.2	0.9	1.3	-	*	-	*	*	*	0.1	0.5
3.3	2.0	1.7	-	0.1	*	*	*	*	0.5	1.1
3.4	1.7	2.3	*	0.1	*	*	*	0.1	1.4	1.2
3.5	3.9	2.9	0.1	0.3	0.1	*	0.1	0.1	1.8	2.1
3.6	4.2	3.8	0.4	0.5	0.1	*	0.3	0.3	3.6	3.4
3.7	6.2	5.1	0.4	1.0	0.2	0.1	0.9	0.6	2.5	3.1
3.8	7.0	5.8	0.3	2.1	0.4	0.3	1.3	1.1	2.2	2.9
3.9	7.2	6.5	1.1	3.6	0.6	0.6	2.6	2.0	3.0	2.6
4.0	7.5	7.0	2.0	5.9	1.0	0.9	4.3	3.5	3.1	2.3
4.1	7.5	7.7	2.6	8.7	1.7	1.4	6.6	5.4	3.3	3.6
4.2	8.1	9.0	5.1	11.7	3.1	2.4	8.8	8.0	8.7	8.1
4.3	8.7	9.0	7.8	13.0	4.9	4.1	10.8	10.2	12.3	9.6
4.4	7.1	8.6	8.7	12.3	7.7	6.3	11.6	11.3	8.0	6.0
4.5	6.7	8.1	11.8	11.0	9.1	8.9	11.7	12.2	8.8	8.7
4.6	6.4	6.0	15.2	10.1	11.9	11.5	10.3	11.3	10.4	9.1
4.7	4.5	4.2	15.1	8.2	13.3	12.7	9.5	10.4	8.0	8.1
4.8	2.6	2.4	12.4	5.5	12.6	12.8	7.3	8.3	5.6	6.7
4.9	2.4	1.9	7.0	3.2	11.4	11.9	5.8	6.2	3.3	4.6
5.0	1.5	1.5	5.3	1.6	8.4	9.6	4.1	4.2	4.4	5.2
5.1	1.5	1.1	2.9	0.7	6.1	7.3	2.2	2.2	3.3	3.5
5.2	0.6	0.4	1.3	0.3	3.8	4.8	1.1	1.3	2.8	2.3
5.3	*	*	0.5	0.1	2.2	2.6	0.4	0.7	1.1	1.5
5.4	-	*	*	*	0.7	1.1	0.2	0.5	0.6	1.2
5.5 & Above	*	*	-	*	0.9	0.8	*	0.1	0.7	0.4
Average	4.14	4.12	4.59	4.38	4.71	4.75	4.48	4.51	4.42	4.40

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	16.5	13.7	0.2	0.3	0.1	0.1	1.1	0.5	-	-
Bark - Level 2	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	-	*
Grass - Level 2	*	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	-	*	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.1	0.2	0.5	*	*	0.1	0.4	0.4	1.5
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	*	-	*	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	*	*	*	-	*	-	-
23	*	*	*	*	*	*	*	*	-	-
24	*	0.1	*	*	*	*	*	0.1	-	-
25	0.3	0.4	0.1	0.3	*	*	0.1	0.2	-	-
26	1.2	1.3	0.8	1.4	*	*	0.3	1.0	0.1	0.1
27	3.4	3.4	3.9	5.5	0.2	0.3	1.2	3.2	0.6	2.7
28	7.5	7.2	13.1	14.4	2.6	2.6	4.0	7.6	3.1	10.4
29	12.4	11.9	25.0	24.9	15.8	14.7	13.2	16.6	12.0	19.8
30	15.6	15.6	26.9	26.0	35.9	36.0	24.1	24.8	19.4	20.3
31	17.2	18.3	17.6	16.6	30.2	31.3	32.6	25.3	17.4	14.0
32	18.3	17.9	8.2	7.2	12.0	11.4	16.9	14.4	12.0	10.0
33	13.2	12.7	3.3	2.7	2.7	2.9	6.3	5.5	11.3	9.9
34	7.3	7.1	0.9	0.8	0.5	0.6	1.0	1.1	11.4	7.2
35	2.7	2.9	0.2	0.2	0.1	0.1	0.4	0.2	5.5	3.1
36	0.8	1.0	0.1	0.1	*	*	*	*	3.3	1.5
37	0.2	0.2	*	*	-	-	*	*	3.9	1.1
38	*	*	*	*	-	-	-	-	0.1	*
39	-	-	-	-	-	-	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	*	*
Average	31.43	31.44	30.27	30.12	30.88	30.90	31.10	30.74	32.21	31.20
Mike										
2.4 & Below	*	*	*	*	-	-	-	-	-	-
2.5	0.1	0.1	*	*	-	-	-	-	-	-
2.6	0.1	0.1	*	*	-	*	-	-	-	-
2.7	0.1	0.1	*	*	-	*	*	*	-	-
2.8	0.3	0.4	*	*	-	*	-	-	*	*
2.9	0.9	0.9	*	*	*	*	*	*	0.2	0.1
3.0	1.5	1.4	*	*	*	*	*	*	0.1	*
3.1	2.4	2.1	*	*	*	*	*	*	0.1	*
3.2	3.3	2.7	0.1	*	0.1	0.1	*	*	0.2	0.1
3.3	3.5	3.1	0.2	0.1	0.2	0.1	*	*	*	*
3.4	4.0	3.6	0.4	0.2	0.5	0.2	*	*	0.1	0.2
3.5	4.1	4.0	0.5	0.2	0.8	0.4	0.2	0.1	0.3	0.2
3.6	4.4	4.3	0.8	0.4	1.2	0.6	0.3	0.2	0.7	0.7
3.7	4.7	4.5	1.1	0.8	1.9	1.2	0.3	0.2	1.7	0.9
3.8	5.2	5.0	2.1	1.6	3.0	2.0	0.8	0.5	3.0	1.3
3.9	5.7	5.4	3.2	2.8	4.0	3.1	1.1	0.6	2.9	1.9
4.0	5.8	5.7	4.6	4.6	5.5	4.6	1.7	1.1	4.6	2.5
4.1	5.7	5.7	7.1	6.7	7.6	6.5	1.7	1.3	6.4	3.2
4.2	5.8	5.9	9.5	9.3	9.1	8.4	1.9	2.2	4.9	4.2
4.3	5.9	6.0	11.1	11.7	10.9	10.3	2.9	3.1	3.9	5.6
4.4	5.9	6.0	12.5	13.3	11.4	11.1	4.6	4.7	3.7	6.6
4.5	6.1	5.9	13.8	14.0	11.6	11.1	6.7	7.5	7.2	9.8
4.6	5.5	5.6	11.9	12.0	10.3	10.6	10.1	10.3	11.3	12.6
4.7	4.6	5.2	8.9	8.8	7.8	9.1	12.6	12.4	16.0	14.3
4.8	4.0	4.4	5.7	5.9	5.4	6.8	13.5	14.2	12.4	12.2
4.9	3.5	3.6	3.1	3.5	3.8	5.3	11.1	13.7	8.1	7.2
5.0	2.6	2.8	1.7	2.0	2.3	3.6	11.4	12.4	5.7	4.2
5.1	1.6	1.9	0.8	1.1	1.3	2.3	9.4	7.8	2.2	4.4
5.2	1.1	1.3	0.4	0.5	0.6	1.4	4.8	3.8	2.4	4.2
5.3	0.8	0.9	0.2	0.2	0.2	0.7	2.5	1.9	1.7	2.8
5.4	0.5	0.6	0.1	0.1	0.1	0.3	1.5	1.0	0.3	0.6
5.5 & Above	0.5	1.0	0.1	0.1	*	0.1	0.9	1.0	0.2	0.1
Average	4.10	4.14	4.40	4.43	4.38	4.46	4.76	4.76	4.55	4.61

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	-	*	*	-	-	-	-	-	-
2.5 - 2.6	*	0.4	*	*	-	*	-	-	-	-
2.7 - 2.9	0.7	1.2	*	*	-	*	-	*	-	1.1
3.0 - 3.2	2.1	3.3	-	0.1	*	*	*	*	0.6	1.3
3.3 - 3.4	3.8	4.1	*	0.2	*	*	0.1	0.1	1.9	2.3
3.5 - 3.6	8.0	6.7	0.4	0.8	0.1	0.1	0.4	0.4	5.4	5.5
3.7 - 4.2	43.3	41.1	11.5	33.0	6.9	5.7	24.5	20.7	22.8	22.7
4.3 - 4.9	38.4	40.3	78.0	63.2	70.9	68.1	67.0	69.9	56.4	52.9
5.0 - 5.2	3.6	3.0	9.5	2.6	18.3	21.7	7.4	7.7	10.5	11.1
5.3 & Above	*	*	0.6	0.2	3.8	4.5	0.6	1.2	2.4	3.1
Average	4.14	4.12	4.59	4.38	4.71	4.75	4.48	4.51	4.42	4.40
Leaf										
1 - 2	46.6	51.9	23.1	52.4	32.8	38.2	4.2	7.1	57.8	58.5
3	40.8	39.1	52.6	34.9	55.3	50.7	41.3	46.6	31.7	32.1
4	9.9	7.4	20.3	10.6	10.9	10.3	42.2	37.4	7.8	7.6
5	2.4	1.4	3.4	1.8	0.9	0.8	11.0	8.1	2.3	1.5
6	0.3	0.2	0.5	0.2	0.1	*	1.2	0.7	0.4	0.2
7	*	*	0.1	*	*	*	0.1	*	*	*
8	-	-	*	*	-	-	-	-	-	-
Average	2.61	2.49	3.06	2.47	2.79	2.71	3.64	3.49	2.38	2.36
HVI Trash 1/										
00	*	*	-	0.1	-	*	-	-	*	0.1
01	14.7	18.5	3.1	21.3	6.2	8.6	0.2	0.8	30.2	30.1
02	35.9	37.8	25.8	29.6	34.4	37.1	5.5	8.4	32.1	34.3
03	24.0	23.3	29.2	21.3	32.2	29.7	16.4	20.0	19.5	19.7
04	12.7	11.1	21.6	13.5	16.2	14.7	22.9	24.2	9.8	9.3
05	6.4	5.0	10.7	7.4	6.7	6.1	21.1	19.9	4.6	3.9
06	3.0	2.1	4.9	3.6	2.7	2.4	15.2	13.0	2.2	1.5
07	1.5	1.1	2.3	1.7	1.0	0.9	9.4	7.3	1.0	0.7
08	1.0	0.6	1.1	0.8	0.4	0.3	4.9	3.6	0.3	0.2
09	0.5	0.3	0.5	0.4	0.1	0.1	2.4	1.7	0.2	0.1
10	0.2	0.1	0.3	0.2	*	*	1.2	0.7	*	*
11	0.1	0.1	0.2	0.1	*	*	0.5	0.3	*	*
12	*	*	0.1	*	*	*	0.2	0.1	*	*
13	*	*	0.1	*	*	*	0.1	*	-	-
14	*	*	*	*	*	*	*	*	-	-
15	-	*	-	*	*	*	*	*	-	-
16	-	-	*	*	*	*	*	*	-	-
17	-	*	-	*	-	*	*	*	-	-
18 & Above	-	-	*	*	-	*	*	*	-	-
Average	0.29	0.26	0.35	0.28	0.30	0.29	0.50	0.46	0.24	0.23
UNIFORMITY 2/										
74 & Below	*	*	*	*	-	-	-	-	-	-
75	*	*	0.1	0.1	-	-	-	-	-	-
76	0.1	0.2	0.2	0.5	-	-	*	*	*	*
77	0.9	1.5	0.7	1.8	*	*	0.1	0.1	0.1	0.3
78	5.2	7.0	1.6	4.2	0.1	0.2	0.5	0.5	2.4	3.6
79	17.6	20.7	6.0	11.4	0.8	1.2	2.8	3.1	10.3	16.9
80	32.8	33.1	25.4	29.4	4.1	6.3	10.5	13.1	27.2	31.6
81	28.0	24.4	43.5	35.3	17.5	22.7	29.9	28.3	45.7	36.7
82	13.2	11.0	19.0	14.9	38.2	38.9	34.4	33.2	11.2	9.1
83	2.1	1.9	3.2	2.2	30.3	24.7	18.5	18.4	3.1	1.8
84	0.1	0.1	0.2	0.1	7.9	5.4	3.1	3.1	-	-
85 & Above	*	*	*	*	1.2	0.5	0.2	0.3	-	-
Average	80.74	80.57	81.25	80.89	82.66	82.42	82.09	82.04	81.08	80.81
Tenderable 3/	82.5	74.2	73.5	80.0	77.1	73.2	89.0	87.8	73.5	70.6
SAMPLES CLASSED										
Week	29,541		16,904		132,711		142,536		10,053	
Season	74,015		1,183,419		704,276		523,543		19,855	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	*	*	*	*	-	-	-	-	-	-
2.5 - 2.6	0.2	0.1	*	*	-	*	-	-	-	-
2.7 - 2.9	1.3	1.4	*	*	*	*	*	*	0.2	0.1
3.0 - 3.2	7.1	6.2	0.1	*	0.2	0.1	*	*	0.3	0.2
3.3 - 3.4	7.5	6.7	0.6	0.3	0.7	0.3	*	0.1	0.1	0.2
3.5 - 3.6	8.5	8.2	1.3	0.7	1.9	1.0	0.5	0.3	1.0	0.9
3.7 - 4.2	32.9	32.2	27.7	25.8	31.2	25.8	7.6	5.8	23.4	14.1
4.3 - 4.9	35.4	36.8	67.0	69.3	61.4	64.4	61.4	65.9	62.6	68.3
5.0 - 5.2	5.4	5.9	3.0	3.6	4.2	7.3	25.6	24.1	10.3	12.8
5.3 & Above	1.8	2.4	0.3	0.3	0.4	1.1	4.9	3.9	2.1	3.5
Average	4.10	4.14	4.40	4.43	4.38	4.46	4.76	4.76	4.55	4.61
Leaf										
1 - 2	30.3	40.7	17.6	24.4	57.2	67.7	15.9	14.9	65.2	66.7
3	41.9	39.6	53.6	54.5	32.3	25.0	59.3	55.3	30.2	27.3
4	18.4	13.6	24.8	18.5	8.6	6.1	22.3	26.1	4.2	4.9
5	6.9	4.5	3.8	2.5	1.6	1.1	2.4	3.6	0.3	1.1
6	1.9	1.3	0.3	0.2	0.2	0.2	0.1	0.2	-	0.1
7	0.5	0.3	*	*	*	*	*	*	-	*
8	0.1	0.1	-	-	-	-	-	*	-	-
Average	3.08	2.83	3.15	2.98	2.44	2.22	3.11	3.18	2.27	2.23
HVI Trash 1/										
00	-	*	*	*	*	*	-	-	*	*
01	6.4	11.0	3.3	5.3	22.6	33.1	2.2	2.1	27.1	31.5
02	26.6	33.2	21.0	28.1	36.2	36.3	22.2	19.9	43.3	40.6
03	23.7	23.3	29.0	30.7	19.9	15.9	34.8	31.7	18.8	17.0
04	16.1	13.4	22.2	19.1	10.7	7.7	22.5	23.7	6.6	6.1
05	10.4	7.7	13.0	9.5	5.6	3.8	11.0	12.9	2.6	2.5
06	6.6	4.6	6.6	4.3	2.7	1.8	4.4	5.8	0.9	1.2
07	3.9	2.7	2.9	1.8	1.3	0.8	1.7	2.3	0.4	0.7
08	2.5	1.6	1.2	0.7	0.6	0.4	0.6	0.9	0.1	0.4
09	1.5	1.0	0.5	0.3	0.3	0.2	0.3	0.4	0.1	0.1
10	0.9	0.6	0.2	0.1	0.1	0.1	0.1	0.1	*	*
11	0.6	0.4	0.1	*	0.1	*	*	0.1	*	*
12	0.3	0.2	*	*	*	*	*	*	*	*
13	0.2	0.1	*	*	*	*	*	*	-	*
14	0.1	0.1	*	*	*	*	*	*	-	-
15	0.1	*	*	*	*	*	*	*	-	*
16	*	*	*	*	*	*	*	*	-	-
17	*	*	*	*	*	*	*	*	-	-
18 & Above	*	*	*	*	*	*	-	*	-	-
Average	0.37	0.32	0.36	0.33	0.26	0.23	0.34	0.36	0.22	0.22
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	-	-	-
75	*	*	*	*	-	-	*	*	-	-
76	0.2	0.3	*	0.1	*	*	*	*	*	*
77	1.0	1.4	0.3	0.8	*	*	0.1	0.3	0.2	0.1
78	4.2	5.2	2.1	4.3	0.2	0.3	1.0	1.8	1.8	1.5
79	12.3	14.3	12.0	17.6	2.0	3.0	4.6	6.9	5.7	12.8
80	25.3	26.3	32.0	33.1	14.1	15.8	16.2	21.1	23.1	29.7
81	31.7	29.9	34.0	29.5	31.8	31.6	32.5	34.0	54.6	41.6
82	19.1	17.1	15.7	12.0	32.1	32.2	32.9	27.0	14.4	13.6
83	5.3	4.8	3.4	2.4	16.4	14.7	11.2	8.2	0.2	0.7
84	0.8	0.7	0.4	0.3	3.1	2.2	1.4	0.7	*	*
85 & Above	0.1	0.1	*	*	0.2	0.1	0.1	0.1	-	-
Average	81.10	80.96	81.05	80.78	82.01	81.91	81.75	81.49	81.21	81.00
Tenderable 3/	62.6	64.0	94.2	92.7	93.9	90.7	66.4	64.7	86.4	80.1
SAMPLES CLASSED										
Week	104,347		272,052		274,383		64,160		15,733	
Season		199,579		921,389		1,125,804		319,871		56,050

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 10, 2022

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	38.1	41.5		MIKE	-	-
	2	17.1	17.5		2.4 & Below	-	-
	3	0.1	0.3		2.5 - 2.6	-	-
	4	-	*		2.7 - 2.9	*	*
	5	-	-		3.0 - 3.2	0.3	0.5
	6	-	-		3.3 - 3.4	1.2	1.2
	7	-	-		3.5 - 3.6	4.9	4.8
Total -----		55.3	59.3		3.7 - 4.2	83.5	82.4
02	1	9.6	10.4		4.3 - 4.9	10.0	11.0
	2	29.6	25.5		5.0 - 5.2	-	-
	3	1.8	1.8		5.3 & Above	-	-
	4	0.1	*		Average	3.98	3.98
	5	-	-		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		41.1	37.8		2.6	-	-
03	1	0.1	0.1		2.7	-	-
	2	1.8	1.2		2.8	-	*
	3	1.2	1.2		2.9	*	*
	4	0.2	0.2		3.0	*	*
	5	*	*		3.1	*	0.2
	6	-	-		3.2	0.2	0.3
	7	-	-		3.3	0.4	0.4
Total -----		3.4	2.7		3.4	0.8	0.8
04	1	-	-		3.5	1.6	1.5
	2	0.1	*		3.6	3.3	3.3
	3	0.1	0.1		3.7	7.2	7.2
	4	*	*		3.8	11.4	11.8
	5	*	*		3.9	16.6	16.7
	6	-	-		4.0	18.7	18.7
	7	-	-		4.1	16.0	16.3
Total -----		0.2	0.1		4.2	13.6	11.8
05	1	-	-		4.3	6.8	6.6
	2	*	*		4.4	3.0	3.3
	3	*	*		4.5	0.2	0.9
	4	*	*		4.6	*	0.2
	5	*	*		4.7	*	*
	6	*	*		4.8	-	*
	7	-	-		4.9	-	-
Total -----		*	*		5.0	-	-
06	1	-	-		5.1	-	-
	2	-	-		5.2	-	-
	3	-	-		5.3 & Above	-	-
	4	-	-		Average	3.98	3.98
	5	-	-		STRENGTH 1/		
	6	-	-		36 & Below	0.3	0.4
	7	-	-		37	1.1	2.5
Total -----		-	-		38	3.0	6.3
07	1	-	-		39	2.6	5.5
	2	-	-		40	1.6	1.7
	3	-	-		41	4.1	3.7
	4	-	-		42	7.9	8.7
	5	-	-		43	14.7	15.1
	6	-	-		44	18.4	18.2
	7	-	-		45	20.6	19.5
Total -----		-	-		46	14.5	11.7
STAPLE	44 & Shorter	0.2	0.9		47	8.6	5.3
	46	7.2	13.9		48 & Above	2.5	1.5
	48	64.1	59.7		Average	44.40	43.74
	50	27.9	24.5		UNIFORMITY		
	52 & Longer	0.6	0.9		83 & Below	0.1	0.1
	Average Staple	48.43	48.21		84	2.1	4.6
	Average Length	1.41	1.40		85	12.7	17.7
EXTRANEEOUS MATTER	Bark	*	*		86	57.7	52.9
	Grass	0.2	0.1		87	25.9	23.1
	Spindle Twist	*	*		88 & Above	1.5	1.5
	Preparation	*	*		Average	86.57	86.44
	All Other	*	*		Samples Classed		
					Week	40,643	
					Season		98,190

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.