



Volume 64, No.32

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene*	-	-	-	-	35	63.0	48.4	487,419
Corpus Christi*	-	-	-	-	50	79.6	62.8	1,238,269
Dumas	-	-	-	-	38	76.8	53.5	1,308,902
Florence*	-	-	-	-	51	87.1	73.1	1,666,321
Lamesa	-	-	-	-	26	72.7	56.4	214,433
Lubbock	4	28.0	18.5	1,534	59	53.4	39.6	1,484,065
Macon	7	80.4	67.9	6,086	79	92.6	81.9	3,274,315
Memphis*	-	-	-	-	75	91.7	79.7	3,145,651
Rayville	-	-	-	-	21	65.9	42.1	420,275
Visalia	9	35.9	33.6	4,374	31	82.5	65.8	383,730
United States	25	73.9	66.6	20,027	465	82.3	68.0	13,623,380
AMERICAN PIMA								
Visalia	6			7,267	23			446,064
United States	6			7,267	23			446,064
United States all cotton	30			27,294	476			14,069,444

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1 - 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	20.7	-	33.9	-	22.6	-	1.2	-	34.9
	4	-	13.4	-	5.0	-	10.5	-	2.0	-	12.0
	5	-	1.4	-	0.1	-	0.2	-	0.2	-	1.0
	6	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- 35.5	- 39.0	- 33.3	- 3.5	- 47.9				
31	1 - 2	-	7.4	-	6.9	-	14.9	-	2.7	-	9.5
	3	-	18.2	-	10.0	-	34.9	-	25.1	-	19.6
	4	-	7.9	-	1.4	-	6.6	-	15.1	-	9.8
	5	-	1.4	-	*	-	0.3	-	1.7	-	2.1
	6	-	0.2	-	*	-	*	-	0.1	-	0.2
	7	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	- 35.2	- 18.4	- 56.7	- 44.7	- 41.3				
41	1 - 2	-	1.2	-	2.8	-	0.5	-	0.6	-	0.2
	3	-	6.5	-	9.3	-	4.3	-	14.6	-	1.0
	4	-	5.2	-	3.9	-	3.5	-	23.0	-	1.7
	5	-	2.0	-	0.4	-	0.6	-	7.0	-	1.4
	6	-	0.6	-	*	-	0.1	-	0.7	-	0.5
	7	-	0.2	-	*	-	*	-	*	-	0.1
	8	-	0.1	-	*	-	*	-	-	-	-
	Total	----	- 15.7	- 16.4	- 8.9	- 45.9	- 4.9				
51	1 - 2	-	*	-	0.5	-	*	-	*	-	-
	3	-	0.1	-	2.5	-	0.1	-	0.7	-	*
	4	-	0.2	-	1.2	-	0.2	-	1.8	-	*
	5	-	0.2	-	0.2	-	0.1	-	0.9	-	-
	6	-	0.1	-	*	-	*	-	0.2	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-
	Total	----	- 0.7	- 4.5	- 0.4	- 3.6	- *				
61	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	0.1	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- 0.2	- *	- *	- -				
71	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- -	- *	- -	- -	- -				
12 & 22	1 - 2	-	2.4	-	4.0	-	*	-	*	-	0.7
	3	-	2.1	-	0.8	-	*	-	*	-	0.6
	4	-	0.4	-	0.1	-	*	-	*	-	0.1
	5	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- 4.9	- 4.8	- *	- *	- 1.4				
32	1 - 2	-	0.6	-	1.4	-	*	-	*	-	0.3
	3	-	1.5	-	1.7	-	0.1	-	0.4	-	1.1
	4	-	0.9	-	0.3	-	0.1	-	0.4	-	0.9
	5	-	0.2	-	*	-	*	-	0.1	-	0.3
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	- 3.3	- 3.5	- 0.2	- 0.9	- 2.6				
42	1 - 2	-	0.1	-	0.8	-	*	-	*	-	*
	3	-	0.6	-	3.0	-	0.2	-	0.2	-	0.1
	4	-	0.8	-	1.8	-	0.2	-	0.6	-	0.2
	5	-	0.3	-	0.4	-	*	-	0.3	-	0.2
	6	-	0.1	-	*	-	*	-	*	-	0.1
	7	-	*	-	*	-	*	-	*	-	0.1
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	- 1.9	- 6.1	- 0.4	- 1.0	- 0.7				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	0.3	-	*	-	-	-	*
	3	-	*	-	1.9	-	*	-	*	-	-
	4	-	*	-	1.3	-	*	-	0.1	-	*
	5	-	*	-	0.3	-	*	-	0.1	-	*
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	-	-	-	-	-
Total	----	-	0.1	-	3.9	-	0.1	-	0.2	-	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	0.2	-	*	-	*	-	-
	4	-	-	-	0.1	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.3	-	*	-	*	-	-
13 & 23	1 - 2	-	0.1	-	0.3	-	*	-	*	-	0.1
	3	-	0.3	-	0.2	-	*	-	*	-	0.1
	4	-	0.1	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.5	-	0.5	-	*	-	*	-	0.2
33	1 - 2	-	0.2	-	0.1	-	*	-	*	-	0.1
	3	-	0.4	-	0.3	-	*	-	*	-	0.2
	4	-	0.3	-	0.1	-	*	-	*	-	0.1
	5	-	0.1	-	*	-	*	-	*	-	0.1
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.0	-	0.6	-	*	-	0.1	-	0.4
43	1 - 2	-	0.1	-	0.1	-	*	-	*	-	*
	3	-	0.3	-	0.3	-	*	-	*	-	*
	4	-	0.3	-	0.3	-	*	-	*	-	0.1
	5	-	0.1	-	0.1	-	*	-	*	-	0.1
	6	-	*	-	0.1	-	*	-	*	-	0.1
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-
Total	----	-	0.8	-	0.9	-	*	-	0.1	-	0.3
53	1 - 2	-	*	-	*	-	*	-	-	-	-
	3	-	*	-	0.2	-	*	-	*	-	-
	4	-	*	-	0.3	-	*	-	*	-	-
	5	-	*	-	0.2	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	*	-	*
	8	-	*	-	*	-	-	-	-	-	-
Total	----	-	*	-	0.7	-	*	-	*	-	*
63	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	----	-	-	-	0.1	-	*	-	*	-	-
24 - 54	1 - 8	-	0.3	-	0.1	-	*	-	*	-	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	-	-	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	*	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	-
30		-	*	-	0.2	-	-	-	*	-	*
31		-	0.1	-	1.0	-	-	-	*	-	0.1
32		-	1.0	-	3.0	-	*	-	*	-	0.8
33		-	3.9	-	7.6	-	0.1	-	0.3	-	1.7
34		-	8.3	-	16.5	-	0.5	-	1.7	-	5.8
35		-	12.3	-	23.7	-	2.6	-	7.6	-	13.3
36		-	17.2	-	23.3	-	7.5	-	20.1	-	24.1
37		-	25.0	-	18.5	-	27.6	-	39.4	-	32.7
38		-	15.0	-	4.7	-	28.0	-	19.7	-	15.6
39		-	10.8	-	1.1	-	21.0	-	8.6	-	4.6
40 & Longer		-	6.4	-	0.2	-	12.6	-	2.6	-	1.2
Average Staple		-	36.69	-	35.33	-	37.96	-	37.03	-	36.49
Average Length		-	1.15	-	1.10	-	1.19	-	1.16	-	1.14

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	5.5	19.6	0.2	4.7	-	49.1	-	5.1	4.5	32.1
	3	5.2	18.5	0.6	4.3	-	10.2	-	3.2	2.0	7.7
	4	0.4	2.9	0.1	0.4	-	0.3	-	0.1	0.2	0.2
	5	0.1	0.2	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	11.2 41.2	0.9 9.4	- 59.6	- 8.5	6.7 40.0	6.7 40.0	6.7 40.0	6.7 40.0	6.7 40.0
31	1 - 2	13.3	7.3	1.4	7.9	-	10.3	-	7.7	3.5	15.0
	3	7.0	20.6	14.7	25.6	-	16.2	-	25.0	7.7	19.1
	4	1.7	11.7	11.2	8.9	-	4.1	-	4.6	2.9	5.0
	5	0.7	3.5	0.8	0.8	-	0.4	-	0.2	0.3	0.5
	6	0.1	0.6	*	*	-	*	-	*	-	*
	7	0.1	*	-	*	-	*	-	-	-	*
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	23.0 43.8	28.2 43.3	- 30.9	- 37.5	14.4 39.5	14.4 39.5	14.4 39.5	14.4 39.5	14.4 39.5
41	1 - 2	9.5	0.2	1.1	1.8	-	0.3	-	1.8	4.9	0.8
	3	14.2	1.7	21.1	17.5	-	2.7	-	20.8	16.8	4.8
	4	0.2	2.6	22.9	15.3	-	2.9	-	14.7	11.4	5.1
	5	-	2.0	4.3	3.4	-	0.8	-	2.0	3.0	2.5
	6	-	1.2	0.1	0.3	-	0.1	-	0.1	0.9	0.9
	7	-	0.6	-	*	-	*	-	*	0.1	0.2
	8	-	0.1	-	*	-	*	-	*	-	0.1
	Total	----	23.9 8.5	49.4 38.4	- 6.8	- 39.4	37.1 14.3	37.1 14.3	37.1 14.3	37.1 14.3	37.1 14.3
51	1 - 2	-	*	0.3	0.2	-	*	-	*	-	*
	3	-	*	4.0	2.5	-	0.1	-	1.2	*	0.1
	4	0.1	*	4.1	3.1	-	0.1	-	2.1	-	0.1
	5	-	*	1.5	1.0	-	0.1	-	0.6	0.1	0.1
	6	-	*	0.6	0.1	-	*	-	0.1	0.1	0.2
	7	-	*	0.1	*	-	*	-	*	0.1	0.1
	8	-	*	-	*	-	*	-	*	*	0.1
	Total	----	0.1 0.1	10.6 6.9	- 0.3	- 4.0	0.3 0.8	0.3 0.8	0.3 0.8	0.3 0.8	0.3 0.8
61	1 - 2	-	*	-	*	-	*	-	*	-	-
	3	-	*	0.1	*	-	*	-	*	-	*
	4	-	*	0.1	*	-	*	-	*	-	-
	5	-	*	0.1	*	-	*	-	*	-	-
	6	-	-	0.1	*	-	*	-	*	-	*
	7	-	-	0.1	*	-	*	-	*	-	*
	8	-	*	*	*	-	-	-	*	-	-
	Total	----	- *	0.6 0.1	- 0.1	- 0.1	- 0.1	- 0.1	- *	- *	- *
71	1 - 2	-	*	-	*	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-
	4	-	*	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- *	- *	- -	- -	- -	- -	- -	- -	- -
12 & 22	1 - 2	0.8	0.9	-	*	-	0.1	-	0.1	-	1.2
	3	0.7	1.8	0.1	*	-	0.1	-	0.1	*	0.7
	4	0.1	0.5	*	*	-	*	-	*	-	0.1
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.6 3.2	0.1 *	- 0.1	- 0.2	* 2.0	* 2.0	* 2.0	* 2.0	* 2.0
32	1 - 2	6.2	0.1	*	*	-	0.1	-	*	0.2	0.2
	3	5.1	0.7	0.7	0.2	-	0.5	-	0.4	2.8	0.6
	4	2.0	0.6	0.7	0.1	-	0.2	-	0.2	4.6	0.6
	5	0.8	0.2	0.3	*	-	*	-	*	0.9	0.1
	6	-	0.1	*	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	-	-	*
	Total	----	14.2 1.7	1.8 0.3	- 0.8	- 0.7	8.5 1.5	8.5 1.5	8.5 1.5	8.5 1.5	8.5 1.5
42	1 - 2	6.3	*	-	*	-	*	-	0.2	0.2	*
	3	7.7	0.1	0.3	0.4	-	0.2	-	2.3	3.3	0.1
	4	0.7	0.2	1.2	0.5	-	0.4	-	1.8	12.3	0.4
	5	0.3	0.1	0.5	0.2	-	0.1	-	0.3	9.7	0.4
	6	-	0.1	0.1	*	-	*	-	*	3.0	0.1
	7	-	*	0.1	*	-	*	-	*	0.2	0.1
	8	-	*	-	*	-	*	-	*	-	*
	Total	----	14.9 0.6	2.3 1.1	- 0.8	- 4.7	28.7 1.2	28.7 1.2	28.7 1.2	28.7 1.2	28.7 1.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	0.1	-	-
	3	-	*	0.3	0.1	-	*	-	1.5	*	*
	4	-	*	0.7	0.2	-	0.1	-	1.9	0.4	*
	5	-	*	0.8	0.1	-	0.1	-	0.4	0.6	*
	6	-	*	0.7	*	-	*	-	*	0.6	*
	7	-	*	0.2	*	-	*	-	*	0.2	*
	8	-	*	*	*	-	*	-	*	0.5	*
Total	----	-	*	2.8	0.4	-	0.2	-	4.0	2.3	0.2
62	1 - 2	-	-	*	*	-	*	-	*	-	-
	3	-	-	0.1	*	-	*	-	0.1	-	-
	4	-	-	0.2	*	-	*	-	0.1	-	-
	5	-	-	0.1	*	-	*	-	*	-	*
	6	-	-	0.2	*	-	*	-	*	-	*
	7	-	-	0.1	*	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	*	-	-
Total	----	-	*	0.7	*	-	*	-	0.2	-	*
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.2	-	*	-	*	-	*	-	0.1
33	1 - 2	0.1	*	*	*	-	*	-	-	-	*
	3	1.2	0.1	0.2	*	-	*	-	*	-	0.1
	4	0.5	0.1	0.2	*	-	*	-	*	*	*
	5	1.2	*	*	*	-	*	-	*	*	*
	6	0.2	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	3.3	0.2	0.5	*	-	0.1	-	0.1	*	0.1
43	1 - 2	0.4	*	-	*	-	*	-	*	-	*
	3	3.3	*	0.1	*	-	0.1	-	*	*	*
	4	0.7	0.1	0.2	*	-	0.1	-	0.1	0.1	0.1
	5	2.2	0.1	0.1	*	-	*	-	0.1	0.6	0.1
	6	0.9	*	*	*	-	*	-	*	0.5	*
	7	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	*	-	-	-	*	-	*
Total	----	7.4	0.2	0.5	0.1	-	0.2	-	0.2	1.3	0.2
53	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	*	*	*	-	*	-	0.1	-	*
	4	-	*	0.1	*	-	*	-	0.2	*	*
	5	-	*	0.2	*	-	*	-	0.1	0.1	*
	6	-	*	0.2	*	-	*	-	*	0.1	*
	7	-	*	0.1	*	-	*	-	-	0.1	*
	8	-	*	-	*	-	*	-	*	0.1	*
Total	----	-	*	0.6	*	-	*	-	0.3	0.4	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	*	-	-
	4	-	-	0.3	*	-	*	-	0.1	-	-
	5	-	-	0.2	*	-	*	-	*	-	-
	6	-	-	0.1	*	-	*	-	*	-	*
	7	-	-	-	*	-	*	-	*	-	*
	8	-	-	-	*	-	*	-	-	-	-
Total	----	-	-	0.6	*	-	*	-	0.1	-	*
24 - 54	1 - 8	0.3	0.1	0.3	*	-	*	-	*	0.3	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	0.2	*	-	*	-	*	*	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		-	*	-	*	-	-	-	-	-	-
31		-	0.1	-	*	-	*	-	*	-	*
32		-	0.5	0.1	0.1	-	*	-	0.3	*	*
33		0.1	1.5	1.3	1.0	-	*	-	1.8	0.8	0.1
34		1.4	4.4	6.4	5.6	-	0.4	-	5.7	14.3	1.3
35		14.6	10.4	23.0	14.3	-	4.4	-	11.3	29.6	5.9
36		27.3	20.2	31.4	22.8	-	16.5	-	16.4	17.6	15.3
37		32.8	33.2	29.0	35.2	-	32.9	-	24.3	12.5	35.0
38		14.4	18.1	3.6	15.6	-	25.3	-	18.9	10.3	24.5
39		6.8	8.3	0.8	4.7	-	15.5	-	15.6	10.2	11.8
40 & Longer		2.7	3.1	4.5	0.7	-	4.8	-	5.7	4.8	6.0
Average Staple		36.75	36.81	36.17	36.55	-	37.45	-	37.03	36.22	37.37
Average Length		1.15	1.15	1.13	1.14	-	1.17	-	1.16	1.13	1.17

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	-	22.1	-	0.5	-	0.5	-	1.0	-	7.8
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	1.5	-	0.2	-	0.2	-	0.3
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	0.1	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.2	-	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	0.7	-	-	-	-	-	*
23	-	*	-	0.9	-	-	-	-	-	*
24	-	0.1	-	1.6	-	*	-	*	-	0.1
25	-	0.3	-	2.6	-	*	-	*	-	0.4
26	-	1.2	-	4.5	-	0.1	-	0.3	-	1.6
27	-	3.3	-	8.0	-	0.4	-	1.3	-	5.3
28	-	8.5	-	13.9	-	2.1	-	5.9	-	10.6
29	-	14.7	-	18.8	-	9.6	-	17.9	-	18.2
30	-	18.6	-	18.9	-	27.4	-	28.9	-	21.2
31	-	17.3	-	14.0	-	32.8	-	24.4	-	18.0
32	-	14.3	-	8.4	-	18.0	-	13.2	-	11.4
33	-	10.9	-	4.5	-	6.4	-	5.7	-	6.6
34	-	7.2	-	2.2	-	2.3	-	1.8	-	4.1
35	-	2.6	-	0.7	-	0.8	-	0.4	-	1.7
36	-	0.8	-	0.2	-	0.2	-	0.1	-	0.6
37	-	0.2	-	*	-	*	-	*	-	0.1
38	-	0.1	-	*	-	-	-	-	-	*
39	-	*	-	-	-	-	-	-	-	*
40 & Above	-	*	-	-	-	-	-	-	-	-
Average	-	31.24	-	29.80	-	31.32	-	30.88	-	30.70
Mike										
2.4 & Below	-	*	-	*	-	-	-	-	-	*
2.5	-	0.1	-	*	-	*	-	*	-	*
2.6	-	0.3	-	*	-	*	-	*	-	0.1
2.7	-	0.4	-	*	-	*	-	*	-	0.2
2.8	-	0.7	-	*	-	*	-	*	-	0.6
2.9	-	0.9	-	*	-	*	-	*	-	0.6
3.0	-	1.3	-	*	-	*	-	0.1	-	1.0
3.1	-	1.6	-	*	-	*	-	0.1	-	1.3
3.2	-	2.1	-	0.1	-	*	-	0.1	-	2.1
3.3	-	2.9	-	0.1	-	*	-	0.2	-	2.9
3.4	-	3.8	-	0.2	-	0.1	-	0.3	-	3.4
3.5	-	4.5	-	0.3	-	0.1	-	0.5	-	4.2
3.6	-	5.4	-	0.5	-	0.2	-	0.8	-	4.7
3.7	-	6.1	-	1.1	-	0.3	-	1.2	-	5.4
3.8	-	6.6	-	2.1	-	0.4	-	1.9	-	6.2
3.9	-	7.0	-	3.6	-	0.8	-	2.9	-	5.6
4.0	-	7.4	-	5.7	-	1.3	-	4.2	-	5.0
4.1	-	7.4	-	8.5	-	2.1	-	6.0	-	5.9
4.2	-	7.5	-	11.5	-	3.2	-	8.1	-	7.6
4.3	-	7.7	-	12.8	-	5.0	-	9.9	-	7.3
4.4	-	7.0	-	12.2	-	7.3	-	10.9	-	6.9
4.5	-	6.0	-	11.0	-	9.6	-	11.3	-	6.4
4.6	-	4.5	-	10.3	-	11.7	-	10.5	-	5.1
4.7	-	3.1	-	8.3	-	12.6	-	9.2	-	4.5
4.8	-	2.2	-	5.6	-	12.2	-	7.5	-	3.9
4.9	-	1.5	-	3.3	-	10.9	-	5.6	-	3.1
5.0	-	1.0	-	1.6	-	8.5	-	3.8	-	2.6
5.1	-	0.6	-	0.7	-	6.1	-	2.3	-	1.5
5.2	-	0.3	-	0.3	-	3.9	-	1.4	-	0.9
5.3	-	0.1	-	0.1	-	2.0	-	0.7	-	0.4
5.4	-	*	-	*	-	0.9	-	0.4	-	0.3
5.5 & Above	-	*	-	*	-	0.6	-	0.2	-	0.1
Average	-	4.01	-	4.38	-	4.70	-	4.46	-	4.11

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	55.1	26.9	5.3	0.7	-	0.3	-	1.4	58.8	3.7
Bark - Level 2	-	*	-	-	-	-	-	-	-	*
Grass - Level 1	0.1	*	1.9	0.1	-	0.1	-	0.4	-	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	0.3	0.2	-	*	-	0.3	1.1	1.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	0.1	*	-	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	-	*	-	*	0.3	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	-	*	-	*	-	*	-	*	-	*
23	-	*	*	*	-	*	-	*	-	*
24	-	0.1	0.3	0.1	-	*	-	0.1	*	*
25	-	0.5	0.7	0.3	-	*	-	0.2	0.1	*
26	0.6	1.6	2.7	1.2	-	0.1	-	0.9	1.0	0.2
27	3.2	4.4	7.1	4.4	-	0.8	-	2.8	3.5	1.3
28	11.8	9.0	16.2	12.0	-	6.1	-	7.2	10.3	4.3
29	21.6	14.4	21.4	22.8	-	23.4	-	16.2	24.7	9.1
30	21.2	18.4	23.1	26.2	-	36.1	-	24.4	22.8	15.5
31	15.1	18.9	15.0	18.4	-	23.4	-	25.5	17.1	21.6
32	11.2	15.6	5.6	9.3	-	7.6	-	15.1	8.2	19.5
33	8.3	9.6	2.1	3.7	-	2.0	-	5.7	3.5	12.2
34	4.6	4.8	0.4	1.1	-	0.4	-	1.5	6.3	7.4
35	1.6	1.9	0.6	0.3	-	0.1	-	0.4	1.9	4.2
36	0.7	0.6	4.5	0.1	-	*	-	0.1	0.5	2.5
37	0.1	0.1	0.1	*	-	-	-	*	0.1	1.6
38	-	*	*	*	-	-	-	*	*	0.6
39	-	-	-	*	-	-	-	-	-	0.1
40 & Above	-	-	-	-	-	-	-	-	-	0.1
Average	30.81	31.01	30.18	30.33	-	30.54	-	30.82	30.66	32.02
Mike										
2.4 & Below	0.2	0.1	-	*	-	-	-	-	-	*
2.5	0.8	0.3	-	*	-	*	-	-	-	0.1
2.6	1.0	0.5	0.2	*	-	*	-	*	-	0.1
2.7	2.1	0.8	0.2	*	-	*	-	*	-	0.1
2.8	2.0	1.3	0.2	*	-	*	-	*	-	0.2
2.9	4.7	1.9	0.4	0.1	-	*	-	*	0.6	0.2
3.0	5.7	2.6	0.7	0.1	-	*	-	*	0.9	0.2
3.1	4.6	3.3	0.9	0.2	-	0.1	-	*	0.3	0.3
3.2	5.0	4.1	0.9	0.3	-	0.2	-	*	1.0	0.4
3.3	5.3	4.7	1.1	0.5	-	0.3	-	0.1	1.2	0.5
3.4	5.4	5.2	2.5	0.8	-	0.5	-	0.1	1.8	0.7
3.5	8.9	5.7	4.0	1.3	-	0.9	-	0.1	3.2	1.1
3.6	7.6	6.0	4.4	2.0	-	1.4	-	0.3	5.5	1.3
3.7	9.4	6.1	4.0	2.8	-	2.1	-	0.5	5.7	1.7
3.8	10.0	6.1	5.9	3.9	-	3.1	-	0.6	10.0	2.4
3.9	8.9	6.0	9.0	5.2	-	4.4	-	1.0	9.9	3.1
4.0	4.9	5.8	11.5	6.7	-	6.1	-	1.7	7.2	4.0
4.1	3.0	5.5	10.3	8.4	-	7.7	-	1.9	6.9	5.3
4.2	3.9	5.3	8.9	10.0	-	9.3	-	2.9	8.8	6.5
4.3	1.6	5.0	7.4	11.2	-	10.6	-	3.6	8.4	8.5
4.4	2.1	4.6	7.0	11.6	-	10.9	-	5.2	10.0	9.9
4.5	1.2	4.1	7.4	11.0	-	10.5	-	7.6	8.4	10.7
4.6	0.8	3.6	3.9	8.9	-	9.6	-	10.0	4.4	10.1
4.7	0.7	3.0	2.6	6.4	-	7.7	-	12.1	3.6	9.4
4.8	0.1	2.5	4.2	4.0	-	5.5	-	13.5	1.2	8.1
4.9	0.1	1.9	1.3	2.2	-	3.9	-	12.7	0.4	5.9
5.0	-	1.4	0.7	1.3	-	2.4	-	11.6	0.7	3.9
5.1	-	1.0	0.3	0.6	-	1.5	-	7.2	*	2.4
5.2	-	0.6	0.2	0.3	-	0.8	-	3.6	-	1.4
5.3	-	0.4	-	0.1	-	0.4	-	1.9	-	0.9
5.4	-	0.3	-	*	-	0.2	-	1.0	-	0.4
5.5 & Above	-	0.4	-	*	-	0.1	-	0.9	-	0.1
Average	3.57	3.89	4.09	4.29	-	4.37	-	4.73	4.07	4.44

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	*	-	*	-	-	-	-	-	*
2.5 - 2.6	-	0.3	-	*	-	*	-	*	-	0.1
2.7 - 2.9	-	2.0	-	*	-	*	-	0.1	-	1.4
3.0 - 3.2	-	5.0	-	0.2	-	0.1	-	0.3	-	4.5
3.3 - 3.4	-	6.8	-	0.2	-	0.1	-	0.5	-	6.3
3.5 - 3.6	-	9.9	-	0.9	-	0.3	-	1.3	-	8.9
3.7 - 4.2	-	41.9	-	32.5	-	8.1	-	24.4	-	35.8
4.3 - 4.9	-	31.9	-	63.4	-	69.4	-	64.7	-	37.3
5.0 - 5.2	-	1.9	-	2.7	-	18.5	-	7.5	-	4.9
5.3 & Above	-	0.2	-	0.2	-	3.5	-	1.3	-	0.7
Average	-	4.01	-	4.38	-	4.70	-	4.46	-	4.11
Leaf										
1 - 2	-	33.0	-	51.3	-	38.0	-	4.6	-	45.7
3	-	43.7	-	35.4	-	50.2	-	43.1	-	34.7
4	-	17.5	-	11.2	-	10.7	-	41.3	-	14.0
5	-	4.4	-	1.9	-	1.1	-	10.0	-	4.2
6	-	1.0	-	0.2	-	0.1	-	1.0	-	1.1
7	-	0.3	-	*	-	*	-	0.1	-	0.3
8	-	0.1	-	*	-	*	-	-	-	-
Average	-	2.94	-	2.50	-	2.73	-	3.60	-	2.69
HVI Trash 1/										
00	-	*	-	0.1	-	*	-	*	-	0.1
01	-	8.8	-	20.6	-	8.7	-	0.4	-	20.7
02	-	26.1	-	29.4	-	36.7	-	6.0	-	29.8
03	-	23.9	-	21.5	-	29.3	-	18.2	-	20.9
04	-	16.6	-	13.8	-	14.7	-	24.3	-	12.6
05	-	10.5	-	7.6	-	6.3	-	21.2	-	7.3
06	-	6.1	-	3.7	-	2.6	-	14.3	-	3.9
07	-	3.4	-	1.7	-	1.0	-	8.2	-	2.1
08	-	1.9	-	0.8	-	0.4	-	4.1	-	1.2
09	-	1.1	-	0.4	-	0.2	-	1.9	-	0.7
10	-	0.6	-	0.2	-	0.1	-	0.9	-	0.4
11	-	0.4	-	0.1	-	*	-	0.4	-	0.2
12	-	0.2	-	*	-	*	-	0.1	-	0.1
13	-	0.1	-	*	-	*	-	0.1	-	*
14	-	0.1	-	*	-	*	-	*	-	*
15	-	0.1	-	*	-	*	-	*	-	*
16	-	*	-	*	-	*	-	*	-	*
17	-	*	-	*	-	*	-	*	-	*
18 & Above	-	*	-	*	-	*	-	*	-	*
Average	-	0.36	-	0.29	-	0.29	-	0.48	-	0.29
UNIFORMITY 2/										
74 & Below	-	*	-	*	-	-	-	-	-	*
75	-	0.1	-	0.1	-	-	-	*	-	*
76	-	0.3	-	0.6	-	-	-	*	-	0.3
77	-	2.1	-	1.9	-	*	-	*	-	2.2
78	-	9.1	-	4.4	-	0.2	-	0.4	-	9.0
79	-	22.8	-	11.6	-	1.2	-	2.4	-	21.3
80	-	30.7	-	29.4	-	6.3	-	11.7	-	31.3
81	-	23.6	-	35.0	-	22.2	-	28.9	-	27.7
82	-	9.7	-	14.7	-	37.8	-	33.9	-	7.4
83	-	1.5	-	2.2	-	25.5	-	19.1	-	0.8
84	-	0.1	-	0.1	-	6.1	-	3.2	-	*
85 & Above	-	*	-	*	-	0.7	-	0.3	-	-
Average	-	80.44	-	80.88	-	82.46	-	82.10	-	80.43
Tenderable 3/	-	63.0	-	79.6	-	76.8	-	87.1	-	72.7
SAMPLES CLASSED										
Week	-		-		-		-		-	
Season		487,419		1,238,269		1,308,902		1,666,321		214,433

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.2	0.1	-	*	-	-	-	-	-	*
2.5 - 2.6	1.9	0.8	0.2	*	-	*	-	*	-	0.2
2.7 - 2.9	8.7	4.0	0.9	0.1	-	*	-	*	0.6	0.5
3.0 - 3.2	15.3	10.0	2.4	0.5	-	0.3	-	0.1	2.1	1.0
3.3 - 3.4	10.8	9.9	3.6	1.4	-	0.8	-	0.1	3.0	1.2
3.5 - 3.6	16.6	11.7	8.4	3.3	-	2.3	-	0.4	8.7	2.4
3.7 - 4.2	40.0	34.9	49.6	37.1	-	32.6	-	8.5	48.4	23.1
4.3 - 4.9	6.6	24.6	33.7	55.3	-	58.6	-	64.7	36.4	62.6
5.0 - 5.2	-	3.0	1.2	2.2	-	4.7	-	22.4	0.8	7.8
5.3 & Above	-	1.0	-	0.2	-	0.6	-	3.9	-	1.4
Average	3.57	3.89	4.09	4.29	-	4.37	-	4.73	4.07	4.44
Leaf										
1 - 2	42.2	28.1	3.1	14.7	-	59.9	-	15.1	13.2	49.4
3	44.5	43.8	42.4	50.7	-	30.1	-	54.7	32.8	33.2
4	6.5	18.9	42.2	28.5	-	8.2	-	26.0	32.1	11.6
5	5.5	6.2	9.2	5.6	-	1.5	-	3.9	15.3	3.8
6	1.2	2.0	2.3	0.5	-	0.2	-	0.3	5.2	1.3
7	0.1	0.7	0.7	0.1	-	*	-	*	0.9	0.5
8	-	0.2	0.1	*	-	*	-	*	0.6	0.3
Average	2.79	3.11	3.67	3.26	-	2.38	-	3.19	3.71	2.67
HVI Trash 1/										
00	-	*	-	*	-	*	-	*	-	*
01	3.8	5.9	0.1	2.7	-	25.9	-	2.1	2.1	20.0
02	36.6	26.8	3.7	17.7	-	35.5	-	19.8	14.4	33.5
03	31.0	25.4	15.1	26.5	-	18.4	-	31.1	18.4	19.8
04	13.9	16.8	22.0	22.8	-	9.9	-	23.5	17.4	10.6
05	4.5	10.2	21.0	14.9	-	5.3	-	12.9	15.1	6.1
06	2.4	5.9	17.1	8.2	-	2.6	-	6.0	11.4	3.7
07	2.5	3.5	9.7	4.0	-	1.2	-	2.5	7.5	2.2
08	1.8	2.1	4.3	1.8	-	0.6	-	1.1	4.5	1.4
09	1.6	1.3	2.1	0.8	-	0.3	-	0.5	3.3	0.9
10	0.9	0.8	1.3	0.3	-	0.1	-	0.2	2.4	0.6
11	0.7	0.5	0.9	0.1	-	0.1	-	0.1	1.3	0.4
12	0.3	0.3	0.6	0.1	-	*	-	*	0.5	0.3
13	-	0.2	0.6	*	-	*	-	*	0.5	0.2
14	-	0.1	0.5	*	-	*	-	*	0.3	0.1
15	-	0.1	0.3	*	-	*	-	*	0.2	0.1
16	-	*	0.2	*	-	*	-	*	0.1	0.1
17	-	*	0.1	*	-	*	-	*	0.2	*
18 & Above	-	*	0.3	*	-	*	-	*	0.3	0.1
Average	0.33	0.37	0.53	0.39	-	0.25	-	0.37	0.49	0.30
UNIFORMITY 2/										
74 & Below	-	*	*	*	-	-	-	-	0.1	*
75	-	0.1	-	*	-	-	-	*	0.2	*
76	0.1	0.6	0.1	0.1	-	*	-	*	1.7	0.1
77	1.2	2.7	0.7	0.4	-	*	-	0.2	7.1	0.5
78	12.6	8.5	1.2	2.4	-	0.3	-	1.6	28.3	2.4
79	31.0	19.5	8.7	10.6	-	3.8	-	6.2	24.8	10.3
80	26.3	28.8	24.4	27.0	-	19.3	-	19.7	20.6	27.4
81	15.1	25.1	32.3	33.3	-	33.1	-	35.1	10.0	36.0
82	10.4	11.6	21.4	19.1	-	30.2	-	28.1	6.6	17.9
83	3.1	2.7	9.1	5.9	-	11.7	-	8.2	0.6	4.3
84	0.1	0.4	2.0	1.0	-	1.5	-	0.8	0.1	1.0
85 & Above	-	*	*	0.1	-	0.1	-	0.1	-	*
Average	80.31	80.56	81.42	81.22	-	81.75	-	81.54	79.60	81.17
Tenderable 3/	28.0	53.4	80.4	92.6	-	91.7	-	65.9	35.9	82.5
SAMPLES CLASSED										
Week	1,534		6,086		-		-		4,374	
Season		1,484,065		3,274,315		3,145,651		420,275		383,730

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 02, 2023

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	33.8	33.9		MIKE	-	-
	2	11.4	17.8		2.4 & Below	-	*
	3	2.6	0.5		2.5 - 2.6	-	*
	4	-	*		2.7 - 2.9	-	0.1
	5	-	-		3.0 - 3.2	2.3	0.8
	6	-	-		3.3 - 3.4	4.4	1.8
	7	-	-		3.5 - 3.6	2.5	4.8
Total -----		47.8	52.1		3.7 - 4.2	62.7	78.4
02	1	22.3	10.9		4.3 - 4.9	28.1	14.1
	2	14.9	28.7		5.0 - 5.2	-	*
	3	7.5	4.4		5.3 & Above	-	*
	4	1.1	0.1		Average	4.06	4.01
	5	*	*		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	*
Total -----		45.8	44.1		2.6	-	*
03	1	0.2	0.1		2.7	-	*
	2	2.9	1.5		2.8	-	*
	3	1.8	1.6		2.9	-	*
	4	1.4	0.2		3.0	0.2	0.1
	5	0.2	*		3.1	0.5	0.2
	6	*	*		3.2	1.7	0.5
	7	-	-		3.3	2.2	0.8
Total -----		6.4	3.4		3.4	2.3	1.0
04	1	-	*		3.5	1.4	1.6
	2	-	0.1		3.6	1.2	3.2
	3	-	0.1		3.7	2.2	5.7
	4	*	*		3.8	6.9	9.0
	5	-	*		3.9	9.1	13.5
	6	-	*		4.0	10.0	17.4
	7	-	*		4.1	15.1	17.8
Total -----		*	0.2		4.2	19.3	14.9
05	1	-	-		4.3	16.7	9.0
	2	-	*		4.4	8.6	3.6
	3	-	*		4.5	2.6	1.2
	4	-	*		4.6	0.2	0.2
	5	-	*		4.7	*	*
	6	-	*		4.8	-	*
	7	-	*		4.9	-	*
Total -----		-	0.1		5.0	-	*
06	1	-	-		5.1	-	-
	2	-	*		5.2	-	-
	3	-	*		5.3 & Above	-	*
	4	-	*		Average	4.06	4.01
	5	-	*		STRENGTH 1/		
	6	-	-		36 & Below	5.3	1.0
	7	-	-		37	5.0	2.6
Total -----		-	*		38	9.1	5.2
07	1	-	-		39	5.7	5.7
	2	-	-		40	2.7	3.1
	3	-	*		41	1.5	3.0
	4	-	*		42	3.1	6.2
	5	-	-		43	9.4	11.5
	6	-	-		44	15.2	16.3
	7	-	-		45	17.3	17.9
Total -----		-	*		46	13.3	13.6
STAPLE					47	7.5	8.9
44 & Shorter		0.3	1.1		48 & Above	5.0	5.0
46		8.4	10.0		Average	43.38	44.07
48		50.5	50.6		UNIFORMITY		
50		34.7	35.3		83 & Below	0.8	0.6
52 & Longer		6.2	3.1		84	5.1	5.2
Average Staple		48.76	48.58		85	21.3	19.4
Average Length		1.42	1.41		86	35.5	46.7
EXTRANEIOUS MATTER					87	32.1	25.9
Bark		-	0.1		88 & Above	5.3	2.2
Grass		3.1	0.5		Average	86.53	86.44
Spindle Twist		-	0.1		Samples Classed		
Preparation		*	*		Week	7,267	
All Other		0.3	0.1		Season		446,064

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.