

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through February 28, 2019

Vol. 92, No. 7

March 13, 2019

mp_cn821

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through February 28, 2019

QUALITY		STAPLE								
COLOR	LEAF	26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	2	32	802	4,256	18,283	59,614	82,989
	3	-	1	-	5	367	2,150	9,827	35,493	47,843
	4	-	-	-	-	34	156	660	3,304	4,154
	5	-	-	-	-	-	1	14	120	135
	6	-	-	-	-	-	-	1	11	12
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	1	2	37	1,203	6,563	28,785	98,542	135,133
31	1-2	-	-	5	26	693	4,886	26,888	97,512	130,010
	3	-	1	5	44	621	5,776	35,640	168,203	210,290
	4	-	-	-	8	179	1,234	6,812	36,181	44,414
	5	-	-	-	1	35	132	470	3,408	4,046
	6	-	-	-	-	1	5	21	259	286
	7	-	-	-	-	-	-	2	29	31
	TOTAL----	-	1	10	79	1,529	12,033	69,833	305,592	389,077
41	1-2	-	-	8	60	447	2,640	12,207	35,754	51,116
	3	-	-	14	116	687	4,950	32,919	142,857	181,543
	4	-	2	2	26	240	1,918	12,726	67,712	82,626
	5	-	-	2	5	110	293	2,064	12,172	14,646
	6	-	-	-	1	50	43	287	1,618	1,999
	7	-	-	-	-	7	7	45	285	344
	TOTAL----	-	2	26	208	1,541	9,851	60,248	260,398	332,274
51	1-2	-	-	-	14	164	815	2,989	5,732	9,714
	3	-	-	1	28	238	1,936	10,911	28,026	41,140
	4	-	-	-	2	37	552	4,542	18,796	23,929
	5	-	-	1	1	15	129	767	4,256	5,169
	6	-	-	1	-	3	27	156	717	904
	7	-	-	-	-	-	2	55	174	231
	TOTAL----	-	-	3	45	457	3,461	19,420	57,701	81,087
61	1-2	-	-	-	1	4	20	130	112	267
	3	-	-	-	5	26	130	669	995	1,825
	4	-	-	-	-	7	64	553	1,711	2,335
	5	-	-	-	-	-	9	127	689	825
	6	-	-	-	-	-	1	16	94	111
	7	-	-	-	-	-	-	1	5	6
	TOTAL----	-	-	-	6	37	224	1,496	3,606	5,369
71	1-2	-	-	-	-	-	-	-	6	6
	3	-	-	-	-	-	-	2	8	10
	4	-	-	-	-	-	-	5	34	39
	5	-	-	-	-	-	-	1	13	14
	6	-	-	-	-	-	-	1	9	10
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	9	70	79
12 & 22	1-2	-	-	10	132	1,134	4,321	11,538	20,129	37,264
	3	-	-	-	80	733	2,190	7,566	19,729	30,298
	4	-	-	-	5	119	432	1,287	3,646	5,489
	5	-	-	-	2	7	28	80	288	405
	6	-	-	-	-	-	-	4	11	15
	7	-	-	-	-	-	-	-	1	1
	TOTAL----	-	-	10	219	1,993	6,971	20,475	43,804	73,472
32	1-2	-	-	1	43	316	2,117	8,086	16,436	26,999
	3	-	-	15	81	440	3,182	15,994	52,175	71,887
	4	-	-	1	37	212	1,195	5,126	19,917	26,488
	5	-	-	-	6	48	190	692	2,794	3,730
	6	-	-	-	-	-	12	32	190	234
	7	-	-	-	-	-	-	2	19	21
	TOTAL----	-	-	17	167	1,016	6,696	29,932	91,531	129,359
42	1-2	-	-	11	47	474	1,417	3,660	7,672	13,281
	3	-	-	65	259	1,168	4,563	16,485	46,587	69,127
	4	-	-	10	195	647	3,043	11,010	33,452	48,357
	5	-	-	1	22	201	853	3,167	8,341	12,585
	6	-	-	-	4	30	173	586	1,401	2,194
	7	-	-	-	-	5	13	70	180	268
	TOTAL----	-	-	87	527	2,525	10,062	34,978	97,633	145,812
52	1-2	-	-	4	54	294	620	925	1,781	3,678
	3	-	-	9	208	821	2,148	6,063	14,539	23,788
	4	-	-	-	103	411	1,343	5,032	15,423	22,312
	5	-	-	-	20	145	566	1,824	5,604	8,159
	6	-	-	-	2	21	151	587	1,315	2,076
	7	-	-	-	-	8	33	113	367	521
	TOTAL----	-	-	13	387	1,700	4,861	14,544	39,029	60,534

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through February 28, 2019

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	2	38	145	360	268	145	958
	3	-	-	4	125	707	1,415	2,032	2,794	7,077
	4	-	-	2	35	280	655	2,126	6,092	9,190
	5	-	-	1	5	37	148	731	2,994	3,916
	6	-	-	-	-	8	53	199	550	810
	7	-	-	-	-	-	12	68	83	163
TOTAL----		-	-	9	203	1,177	2,643	5,424	12,658	22,114
13 & 23	1-2	-	-	16	439	823	935	1,086	1,298	4,597
	3	-	-	5	362	621	960	1,740	2,352	6,040
	4	-	-	-	46	259	548	896	981	2,730
	5	-	-	-	-	107	141	289	166	703
	6	-	-	-	1	11	7	11	14	44
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	21	848	1,821	2,591	4,022	4,811	14,114
33	1-2	-	-	1	26	87	200	654	1,862	2,830
	3	-	-	1	70	208	642	2,461	8,249	11,631
	4	-	-	4	50	109	398	1,512	5,719	7,792
	5	-	-	3	7	39	186	472	1,458	2,165
	6	-	-	-	-	20	28	90	186	324
	7	-	-	-	-	-	1	24	21	46
TOTAL----		-	-	9	153	463	1,455	5,213	17,495	24,788
43	1-2	-	-	5	32	51	128	288	679	1,183
	3	-	-	24	315	598	935	2,208	5,797	9,877
	4	-	1	12	161	644	1,097	2,438	6,456	10,809
	5	-	-	7	32	455	613	1,107	2,994	5,208
	6	-	-	-	8	207	276	308	827	1,626
	7	-	-	-	1	23	41	78	184	327
TOTAL----		-	1	48	549	1,978	3,090	6,427	16,937	29,030
53	1-2	-	-	3	17	26	44	148	270	508
	3	-	-	14	232	262	472	1,569	3,275	5,824
	4	-	-	6	184	381	670	1,992	5,732	8,965
	5	-	-	-	50	215	472	1,187	3,394	5,318
	6	-	-	-	9	57	167	409	918	1,560
	7	-	-	-	4	34	54	98	200	390
TOTAL----		-	-	23	496	975	1,879	5,403	13,789	22,565
63	1-2	-	-	1	9	16	29	18	22	95
	3	-	-	4	101	218	309	695	1,192	2,519
	4	-	-	2	89	242	385	1,727	4,859	7,304
	5	-	-	-	9	70	167	1,035	3,858	5,139
	6	-	-	-	-	19	52	307	1,177	1,555
	7	-	-	-	-	1	1	52	212	266
TOTAL----		-	-	7	208	566	943	3,834	11,320	16,878
24-54	1-7	-	-	6	96	444	763	1,944	4,919	8,172
25-35	1-7	-	-	-	-	3	3	8	17	31
81-85 1/	1-7	-	-	1	53	133	348	1,063	2,923	4,521
All Colors	8 2/	-	-	-	26	57	44	110	389	626
TOTAL, ALL----		0	5	292	4,291	19,597	74,464	313,153	1,083,115	1,494,917

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through February 28, 2019

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	115,780	151,757	179,674	103,683	50,594	21,690	623,178	706,167
	4	94,637	136,893	138,720	78,493	42,609	13,597	504,949	552,792
	5	11,040	17,871	15,138	6,391	3,330	997	54,767	58,921
	6	351	796	464	132	67	28	1,838	1,973
	7	7	13	10	5	-	-	35	47
	7	-	-	-	-	-	-	-	-
TOTAL----		221,815	307,330	334,006	188,704	96,600	36,312	1,184,767	1,319,900
31	1-2	183,917	195,129	192,100	84,808	35,439	10,900	702,293	832,303
	3	456,947	648,646	761,770	406,315	183,851	51,944	2,509,473	2,719,763
	4	138,580	268,770	372,114	229,429	113,717	32,085	1,154,695	1,199,109
	5	14,774	36,163	48,679	24,858	12,039	3,837	140,350	144,396
	6	1,067	2,581	2,977	1,055	455	146	8,281	8,567
	7	85	179	144	39	12	2	461	492
	7	-	-	-	-	-	-	-	-
TOTAL----		795,370	1,151,468	1,377,784	746,504	345,513	98,914	4,515,553	4,904,630
41	1-2	58,109	61,882	52,333	22,524	7,012	855	202,715	253,831
	3	355,194	530,826	691,465	347,474	140,185	28,448	2,093,592	2,275,135
	4	242,336	498,316	957,158	645,817	300,982	84,532	2,729,141	2,811,767
	5	52,977	135,835	294,137	232,574	113,844	35,895	865,262	879,908
	6	7,925	21,191	43,176	27,125	13,347	3,184	115,948	117,947
	7	1,555	3,266	6,668	3,449	1,572	213	16,723	17,067
	7	-	-	-	-	-	-	-	-
TOTAL----		718,096	1,251,316	2,044,937	1,278,963	576,942	153,127	6,023,381	6,355,655
51	1-2	5,245	4,272	3,825	794	105	14	14,255	23,969
	3	42,023	49,247	59,485	19,300	4,686	552	175,293	216,433
	4	42,383	67,121	140,258	76,211	19,994	3,478	349,445	373,374
	5	13,040	28,442	76,029	68,620	20,855	3,832	210,818	215,987
	6	2,735	6,120	12,958	12,000	5,549	927	40,289	41,193
	7	741	1,536	2,411	1,328	539	123	6,678	6,909
	7	-	-	-	-	-	-	-	-
TOTAL----		106,167	156,738	294,966	178,253	51,728	8,926	796,778	877,865
61	1-2	147	98	34	2	-	-	281	548
	3	1,054	1,567	1,069	107	5	-	3,802	5,627
	4	2,037	3,421	2,998	401	26	1	8,884	11,219
	5	1,070	1,601	1,788	331	47	5	4,842	5,667
	6	172	262	291	78	18	2	823	934
	7	22	32	50	16	2	-	122	128
	7	-	-	-	-	-	-	-	-
TOTAL----		4,502	6,981	6,230	935	98	8	18,754	24,123
71	1-2	2	-	-	1	-	-	3	9
	3	7	8	4	1	1	-	21	31
	4	25	38	39	-	1	-	103	142
	5	27	43	68	1	-	-	139	153
	6	9	13	6	1	-	-	29	39
	7	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
TOTAL----		70	102	117	4	2	-	295	374
12 & 22	1-2	23,834	18,901	11,787	4,163	1,282	325	60,292	97,556
	3	31,526	31,044	16,427	4,540	2,476	780	86,793	117,091
	4	6,438	7,746	4,505	760	304	99	19,852	25,341
	5	465	494	342	37	9	7	1,354	1,759
	6	33	17	3	1	-	-	54	69
	7	2	-	-	-	-	-	2	3
	7	-	-	-	-	-	-	-	-
TOTAL----		62,298	58,202	33,064	9,501	4,071	1,211	168,347	241,819
32	1-2	18,249	11,925	5,768	1,476	576	192	38,186	65,185
	3	85,579	74,181	46,684	13,647	5,578	1,817	227,486	299,373
	4	46,845	56,258	45,737	14,251	6,090	1,784	170,965	197,453
	5	8,355	12,919	12,320	3,305	1,244	461	38,604	42,334
	6	861	1,449	1,491	395	109	45	4,350	4,584
	7	121	125	119	31	16	1	413	434
	7	-	-	-	-	-	-	-	-
TOTAL----		160,010	156,857	112,119	33,105	13,613	4,300	480,004	609,363
42	1-2	11,253	11,762	5,920	1,042	191	12	30,180	43,461
	3	98,693	137,978	114,951	30,208	8,123	1,288	391,241	460,368
	4	83,851	143,192	193,533	86,534	33,499	7,610	548,219	596,576
	5	21,620	38,203	60,330	36,914	20,356	6,247	183,670	196,255
	6	3,510	6,825	9,113	4,228	2,473	779	26,928	29,122
	7	638	1,167	1,776	589	219	45	4,434	4,702
	7	-	-	-	-	-	-	-	-
TOTAL----		219,565	339,127	385,623	159,515	64,861	15,981	1,184,672	1,330,484
52	1-2	1,659	1,040	738	140	19	3	3,599	7,277
	3	19,923	17,844	15,608	3,942	695	83	58,095	81,883
	4	29,260	37,966	49,993	20,312	5,772	838	144,141	166,453
	5	12,278	18,995	29,294	18,970	7,534	1,294	88,365	96,524
	6	2,467	3,742	5,573	3,646	1,896	371	17,695	19,771
	7	609	654	753	298	129	40	2,483	3,004
	7	-	-	-	-	-	-	-	-
TOTAL----		66,196	80,241	101,959	47,308	16,045	2,629	314,378	374,912

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through February 28, 2019

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	103	52	15	1	1	-	172	1,130
	3	1,547	1,164	682	101	17	-	3,511	10,588
	4	4,487	3,429	3,173	606	62	2	11,759	20,949
	5	3,088	2,500	2,700	541	60	3	8,892	12,808
	6	634	686	821	212	61	7	2,421	3,231
	7	100	122	158	50	22	2	454	617
	TOTAL----	9,959	7,953	7,549	1,511	223	14	27,209	49,323
13 & 23	1-2	1,349	1,131	823	233	94	24	3,654	8,251
	3	3,645	3,455	1,909	637	319	78	10,043	16,083
	4	1,271	1,329	821	155	73	33	3,682	6,412
	5	127	114	95	10	3	1	350	1,053
	6	5	2	1	3	-	-	11	55
	7	-	-	-	-	-	-	-	-
	TOTAL----	6,397	6,031	3,649	1,038	489	136	17,740	31,854
33	1-2	1,795	1,256	631	181	42	9	3,914	6,744
	3	11,167	9,135	5,147	1,746	755	126	28,076	39,707
	4	10,743	10,532	7,279	2,284	913	253	32,004	39,796
	5	3,283	3,906	3,231	930	323	92	11,765	13,930
	6	418	693	662	142	43	13	1,971	2,295
	7	43	119	81	11	1	-	255	301
	TOTAL----	27,449	25,641	17,031	5,294	2,077	493	77,985	102,773
43	1-2	786	783	426	108	25	4	2,132	3,315
	3	9,363	10,796	8,888	2,670	885	168	32,770	42,647
	4	11,923	16,319	19,281	8,350	3,407	640	59,920	70,729
	5	5,544	7,036	9,072	4,955	2,516	624	29,747	34,955
	6	1,590	2,064	2,266	984	544	159	7,607	9,233
	7	398	566	701	180	75	13	1,933	2,260
	TOTAL----	29,604	37,564	40,634	17,247	7,452	1,608	134,109	163,139
53	1-2	195	179	96	26	6	-	502	1,010
	3	3,406	3,127	1,911	554	100	30	9,128	14,952
	4	7,797	7,437	7,652	2,668	653	124	26,331	35,296
	5	4,948	5,557	7,012	2,964	913	190	21,584	26,902
	6	1,333	1,368	1,816	1,079	370	70	6,036	7,596
	7	323	266	374	140	68	11	1,182	1,572
	TOTAL----	18,002	17,934	18,861	7,431	2,110	425	64,763	87,328
63	1-2	12	16	20	1	-	-	49	144
	3	599	395	330	28	3	1	1,356	3,875
	4	3,138	1,842	1,297	299	33	3	6,612	13,916
	5	3,744	2,097	1,563	452	81	4	7,941	13,080
	6	1,448	718	561	182	39	6	2,954	4,509
	7	225	118	140	23	27	10	543	809
	TOTAL----	9,166	5,186	3,911	985	183	24	19,455	36,333
24-54	1-7	7,665	7,606	7,025	2,683	816	242	26,037	34,209
25-35	1-7	144	97	104	10	1	1	357	388
81-85 1/	1-7	2,707	1,835	1,586	360	82	11	6,581	11,102
All Colors	8 2/	1,081	1,700	1,952	849	218	81	5,881	6,507
TOTAL, ALL----		2,466,155	3,619,833	4,793,058	2,680,200	1,183,122	288,813	15,066,810	16,561,727
EXTRANEIOUS MATTER		Average Staple -----							36.5
		Percent Tenderable -----							67.7
Bark - Level 1		1,184,216							
Bark - Level 2		198							
Grass - Level 1		19,614							
Grass - Level 2		2							
Prep - Level 1		13,431							
Prep - Level 2		1							
Other - Level 1		1,087							
Other - Level 2		1							

16,561,727 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.4	0.7	0.9	1.1	0.6	0.3	0.1	4.3
	3	-	*	-	*	*	*	0.1	0.2	0.6	0.8	0.8	0.5	0.3	0.1	3.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	0.2	0.6	1.3	1.9	2.0	1.1	0.6	0.2	8.0
31	1-2	-	-	*	*	*	*	0.2	0.6	1.1	1.2	1.2	0.5	0.2	0.1	5.0
	3	-	*	*	*	*	*	0.2	1.0	2.8	3.9	4.6	2.5	1.1	0.3	16.4
	4	-	-	-	*	*	*	*	0.2	0.8	1.6	2.2	1.4	0.7	0.2	7.2
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.4	1.8	4.8	7.0	8.3	4.5	2.1	0.6	29.6
41	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5
	3	-	-	*	*	*	*	0.2	0.9	2.1	3.2	4.2	2.1	0.8	0.2	13.7
	4	-	*	*	*	*	*	0.1	0.4	1.5	3.0	5.8	3.9	1.8	0.5	17.0
	5	-	-	*	*	*	*	*	0.1	0.3	0.8	1.8	1.4	0.7	0.2	5.3
	6	-	-	-	*	*	*	*	*	*	0.1	0.3	0.2	0.1	*	0.7
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	*	*	*	*	0.1	0.4	1.6	4.3	7.6	12.3	7.7	3.5	0.9	38.4
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.4	0.1	*	*	1.3
	4	-	-	-	*	*	*	*	0.1	0.3	0.4	0.8	0.5	0.1	*	2.3
	5	-	-	*	*	*	*	*	*	0.1	0.2	0.5	0.4	0.1	*	1.3
	6	-	-	*	-	*	*	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.6	0.9	1.8	1.1	0.3	0.1	0.1	5.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
71	1-2	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	1.5
32	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	*	*	*	*	0.1	0.3	0.5	0.4	0.3	0.1	*	*	1.8
	4	-	-	*	*	*	*	*	0.1	0.3	0.3	0.3	0.1	*	*	1.2
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.2	0.6	1.0	0.9	0.7	0.2	0.1	*	3.7
42	1-2	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.3	0.6	0.8	0.7	0.2	*	*	2.8
	4	-	-	*	*	*	*	0.1	0.2	0.5	0.9	1.2	0.5	0.2	*	3.6
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.2	0.1	*	1.2
	6	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.6	1.3	2.0	2.3	1.0	0.4	0.1	8.0
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.6	0.3	0.1	*	2.3

* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	1.0
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	0.4	1.9	6.5	14.9	21.9	28.9	16.2	7.1	2.0	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	7.2															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

16,561,727 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	*	0.6
31	1-2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	1.4
	3	-	-	-	-	-	*	0.1	0.3	1.1	2.6	4.5	2.8	0.6	0.1	12.0
	4	-	-	-	-	-	*	0.1	0.3	0.9	2.3	1.9	0.6	0.1	*	6.1
	5	-	-	-	-	-	*	*	*	*	0.2	0.1	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.4	1.7	3.9	7.3	5.0	1.3	0.2	19.9
41	1-2	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.1
	3	-	-	-	-	*	*	0.1	0.7	2.4	4.1	5.4	2.5	0.5	*	15.8
	4	-	-	-	-	*	*	*	0.3	1.7	4.8	9.3	5.4	1.6	0.2	23.3
	5	-	-	-	*	*	-	*	0.1	0.3	1.1	3.0	2.0	0.9	0.1	7.6
	6	-	-	-	-	*	-	*	*	*	0.1	0.4	0.2	0.1	*	1.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	0.2	1.3	4.6	10.5	18.5	10.2	3.1	0.4	48.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	4	-	-	-	-	*	*	0.1	0.3	0.5	1.0	0.4	0.1	*	*	2.3
	5	-	-	-	-	*	*	*	0.1	0.3	0.8	0.4	0.1	*	*	1.7
	6	-	-	-	-	*	-	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.6	1.2	2.4	1.1	0.2	*	5.8
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.1	*	*	1.5
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.5	0.2	*	*	1.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.6	0.9	1.1	0.3	0.1	*	3.2
42	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	1.0	1.2	1.1	0.3	*	*	4.1
	4	-	-	-	-	*	*	0.3	0.3	1.1	2.2	2.7	0.9	0.2	*	7.5
	5	-	-	-	-	-	*	*	0.3	0.6	1.2	0.4	0.2	*	*	2.8
	6	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.8	2.4	4.2	5.3	1.7	0.5	0.1	15.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.1	*	*	*	1.2
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	*	0.8
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.7	1.0	0.3	*	*	2.9

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	1.8
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
63	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.1	0.7	3.5	11.2	22.5	36.8	19.2	5.4	0.7	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	11.9															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

805,131 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.7	2.3	2.4	1.6	1.3	1.1	9.5
	3	-	-	-	-	-	-	*	*	0.1	0.7	1.5	0.8	0.5	0.4	4.0
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.8	3.1	4.0	2.5	1.7	1.5	13.8
31	1-2	-	-	-	-	-	*	*	0.3	1.0	2.0	3.5	2.2	1.5	0.9	11.4
	3	-	-	-	-	-	-	*	0.1	0.8	2.5	5.6	3.8	2.8	1.8	17.5
	4	-	-	-	-	-	-	*	0.1	0.3	0.3	1.1	1.2	0.8	0.8	4.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.5	1.8	4.8	10.4	7.4	5.2	3.6	33.8
41	1-2	-	-	-	-	-	*	*	0.3	0.8	1.2	1.6	1.0	0.3	*	5.2
	3	-	-	-	-	-	*	*	0.4	1.8	4.1	6.0	3.5	2.4	0.8	19.1
	4	-	-	-	-	-	*	*	*	0.3	1.4	2.9	2.3	2.5	1.5	11.0
	5	-	-	-	-	-	-	*	*	*	0.2	0.4	0.6	0.9	0.6	2.7
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2
TOTAL----		-	-	-	-	-	*	*	0.8	3.0	7.0	11.0	7.6	6.3	3.1	38.7
51	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	-	-	*	0.3	0.5	0.4	0.2	0.1	0.1	*	1.6
	4	-	-	-	-	-	-	*	0.1	0.4	0.6	0.3	0.2	0.2	0.1	1.7
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	0.1	0.7
	6	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	-	*	*	0.1	0.5	1.0	1.4	0.7	0.5	0.3	4.4
61	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.2	*	*	*	0.5
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.4	0.5	0.1	*	0.1	1.6
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	0.2	0.3	0.5	0.2	0.1	0.1	1.5
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	1.2
	4	-	-	-	-	-	-	*	*	0.1	0.6	0.5	0.2	0.2	*	1.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.3	1.2	1.2	0.5	0.4	0.1	3.8
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	-	-	*	*	0.2	0.4	0.4	0.2	0.1	*	1.2

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	*	*	*	0.1	1.9	7.2	18.5	29.7	19.3	14.4	8.8	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.0														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

365,476 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	*
31	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.5
	3	-	-	-	-	-	-	*	*	0.2	0.9	1.4	0.7	0.7	0.2	4.1
	4	-	-	-	-	-	-	-	*	*	0.3	1.0	0.7	0.5	0.3	2.9
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.2	1.3	2.7	1.6	1.3	0.6	7.8
41	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	3	-	-	-	-	-	*	*	0.1	0.8	3.0	6.1	2.8	2.2	0.5	15.5
	4	-	-	-	-	-	-	*	*	0.4	2.7	11.7	7.9	5.4	2.4	30.5
	5	-	-	-	-	-	-	*	*	*	0.3	3.3	4.1	2.1	1.0	10.9
	6	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	0.1	0.9
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	0.1	1.3	6.1	21.4	15.3	10.1	4.0	58.3
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.4	0.8	0.3	0.1	*	1.7
	4	-	-	-	-	-	-	*	*	0.1	0.4	3.2	2.2	0.6	0.1	6.6
	5	-	-	-	-	-	-	-	*	*	0.1	1.8	2.7	0.8	0.1	5.5
	6	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	*	0.8
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	0.2	1.0	6.0	5.5	1.7	0.3	14.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.6	1.2	1.5	0.3	0.1	*	3.9
	4	-	-	-	-	-	-	*	*	0.3	1.1	3.3	1.8	0.7	0.2	7.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.7	0.8	0.4	0.2	2.2
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	0.2	0.9	2.5	5.5	3.0	1.3	0.4	13.8
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.6	0.3	0.2	*	1.4
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.4	0.2	*	1.1
	6	-	-	-	-	-	-	*	-	*	*	*	0.1	0.1	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.3	1.1	0.8	0.5	0.1	3.0

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	*	*	*	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	*	*
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	*	0.4	2.8	11.7	37.7	26.7	15.1	5.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.6														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,247,625 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	1.2	4.9	15.5	13.3	9.9	6.8	51.6
	3	-	-	-	-	-	-	-	*	0.1	0.6	2.8	4.0	2.4	2.6	12.4
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	1.3	5.5	18.3	17.3	12.3	9.4	64.2
31	1-2	-	-	-	-	-	-	*	0.2	0.3	1.3	4.3	2.3	2.0	1.1	11.5
	3	-	-	-	-	-	-	*	*	0.1	0.6	4.1	4.8	3.4	3.7	16.7
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.8	0.6	0.6	2.2
	5	-	-	-	-	-	-	-	-	-	-	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.2	0.5	1.9	8.6	7.9	6.1	5.5	30.6
41	1-2	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	4	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	0.3	0.2	0.2	0.1	1.2
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	*	0.1	*	0.1	0.1	0.1	*	0.5
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	0.6
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	0.3	0.2	0.2	1.1
32	1-2	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.4
	3	-	-	-	-	-	-	-	-	*	*	0.2	0.5	0.5	0.4	1.6
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1	0.2	0.4
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	0.1	0.4	0.6	0.7	0.7	2.4
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
52	1-2	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.2	0.4	2.0	7.7	27.9	26.4	19.5	15.9	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														38.0
Bark - Level 2		-														92.1
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

187,080 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	-	*	-	*	*	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
31	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	*	-	0.4
	3	-	-	-	-	-	-	-	0.1	0.2	0.4	1.2	2.5	1.1	*	5.6
	4	-	-	-	-	-	-	-	*	*	0.2	0.5	1.2	0.9	*	2.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.2	0.3	0.7	1.8	3.9	2.0	*	8.9
41	1-2	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	*	-	0.5
	3	-	-	-	-	-	-	*	0.6	1.3	2.7	5.8	5.1	1.5	*	17.1
	4	-	-	-	-	-	*	*	0.2	0.9	2.5	10.7	12.2	4.4	0.1	31.0
	5	-	-	-	-	-	-	*	*	0.2	0.4	1.8	2.4	1.2	*	6.0
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	1.0	2.5	5.7	18.4	19.8	7.1	0.2	54.8
51	1-2	-	-	-	-	-	-	*	*	-	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.2	0.2	0.3	0.6	0.5	0.1	-	1.9
	4	-	-	-	-	-	-	*	0.1	0.4	0.7	2.7	1.9	0.5	*	6.4
	5	-	-	-	-	-	-	-	*	0.1	0.3	1.5	1.4	0.5	*	3.7
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	-	*	0.1	0.4	0.7	1.2	5.0	4.1	1.1	*	12.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	*	-	0.1	0.1	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.3	0.8	1.0	0.4	0.1	*	2.7
	4	-	-	-	-	-	*	*	*	0.3	0.9	2.0	0.9	0.4	*	4.6
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.3	0.1	*	1.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.8	1.9	3.4	1.6	0.6	*	8.6
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.4	0.5	0.1	*	-	1.4
	4	-	-	-	-	-	*	0.1	0.2	0.6	1.1	2.1	1.0	0.3	*	5.3
	5	-	-	-	-	-	-	*	0.1	0.2	0.4	0.9	0.8	0.5	*	3.1
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	0.5	1.1	2.0	3.6	2.0	1.0	*	10.3

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	0.1	0.3	*	*	-	0.6
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	1
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	0.1	*	-	0.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.3	0.2	0.1	*	1.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.2	0.1	0.1	*	*	*	-	0.4
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	0.1	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	*	*	0.4	2.7	6.3	12.4	33.5	32.1	12.3	0.4	100
EXTRANEIOUS MATTER																
Bark - Level 1		21														Average Staple 37.2
Bark - Level 2		*														Percent Tenderable 59.3
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

82,621 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.6	0.4	0.2	*	1.7
	4	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.4	0.5	0.9	0.6	0.2	*	2.7
31	1-2	-	-	-	-	*	*	0.1	0.5	0.8	0.7	0.5	0.1	*	*	2.8
	3	-	-	-	-	*	*	0.1	0.9	2.7	4.0	6.0	3.7	1.1	0.1	18.7
	4	-	-	-	-	-	*	*	0.1	0.4	0.9	2.8	3.4	1.5	0.2	9.3
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.3	1.5	4.0	5.6	9.4	7.6	2.8	0.3	31.4
41	1-2	-	-	-	-	*	*	0.1	0.4	0.4	0.3	0.1	*	*	*	1.3
	3	-	-	-	-	*	*	0.3	1.7	3.4	3.8	4.2	2.0	0.5	*	16.0
	4	-	-	-	-	*	*	0.1	0.5	1.7	3.1	6.1	5.2	2.0	0.3	18.9
	5	-	-	-	-	-	*	*	*	0.1	0.3	1.0	1.4	0.7	0.1	3.7
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.5	2.6	5.6	7.5	11.5	8.7	3.3	0.5	40.1
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	-	*	*	0.3	0.9	1.0	0.7	0.6	0.1	*	*	3.6
	4	-	-	-	-	*	*	0.1	0.6	1.1	1.1	1.3	0.5	0.1	*	4.8
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.6	0.3	0.1	*	1.6
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	0.1	0.5	1.6	2.3	2.2	2.5	1.0	0.2	*	10.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	-	-	*	*	0.2	0.4	0.5	0.4	0.2	*	*	1.7
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.3	0.6	0.7	0.7	0.4	0.2	*	3.0
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.6	0.5	0.3	0.2	*	*	2.1
	4	-	-	-	*	*	*	*	0.2	0.6	0.7	0.9	0.6	0.2	*	3.2
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.6	1.3	1.4	1.5	1.0	0.3	*	6.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	1.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.4	0.5	0.5	0.5	0.2	0.1	*	2.3

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	1.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.2	1.8	7.6	15.4	19.1	27.9	19.8	7.2	0.9	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		11.9														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														
		Average Staple														
		Percent Tenderable														
		36.6														
		73.7														

1,942,703 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.4	1.4	0.8	*	*	*	2.8
	3	-	*	-	*	-	*	*	*	0.5	1.3	1.7	0.2	*	*	3.8
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	*	*	*	*	0.1	1.0	2.8	2.6	0.2	*	*	6.9
31	1-2	-	-	-	*	*	-	0.1	0.2	0.8	1.4	1.6	0.1	*	*	4.2
	3	-	-	*	-	*	*	0.1	0.4	3.0	5.7	6.5	0.8	*	*	16.6
	4	-	-	-	-	*	-	*	0.2	1.8	3.6	3.2	0.4	0.1	*	9.3
	5	-	-	-	-	-	-	*	*	0.2	0.8	0.6	*	*	*	1.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.9	5.8	11.7	11.9	1.3	0.1	*	31.9
41	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	0.3
	3	-	-	-	-	-	-	*	0.2	0.9	2.1	0.8	*	*	-	4.1
	4	-	-	-	-	*	*	*	0.4	4.1	6.5	1.7	0.2	*	*	12.9
	5	-	-	*	-	*	*	*	0.2	3.0	7.0	2.3	0.2	*	*	12.8
	6	-	-	-	*	-	*	-	*	0.6	1.8	1.2	0.1	*	-	3.8
	7	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	0.4
	TOTAL----	-	-	*	*	*	*	0.1	0.8	8.8	17.7	6.2	0.6	0.1	*	34.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	0.1	0.5	1.0	0.1	*	-	-	1.7
	6	-	-	*	-	-	*	*	*	0.2	0.3	0.3	*	*	-	0.9
	7	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	TOTAL----	-	-	*	*	*	*	0.2	1.1	1.6	0.5	*	*	*	-	3.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	3	-	-	-	-	*	*	*	*	0.3	0.3	0.1	*	-	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	-	*	1.1
32	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	-	*	0.1	0.8	0.4	0.2	*	*	0.1	1.6
	4	-	-	-	*	-	-	*	0.1	1.1	0.8	0.5	*	*	0.1	2.6
	5	-	-	-	-	*	-	-	*	0.2	0.3	0.2	*	*	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.3	2.1	1.6	0.8	0.1	*	*	0.1	5.2
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	*	0.2	0.2	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	1.0	0.7	0.1	*	*	*	2.1
	5	-	-	-	-	*	-	*	0.1	1.0	1.4	0.7	*	*	*	3.3
	6	-	-	-	-	-	-	*	0.2	0.6	0.8	*	*	*	*	1.7
	7	-	-	-	-	-	-	-	*	0.1	0.3	*	*	*	*	0.5
	TOTAL----	-	-	-	-	*	*	0.2	0.4	2.4	3.1	1.9	0.1	*	*	8.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	0.1	0.1	0.2	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.1	*	*	-	1.0
	6	-	-	-	-	-	-	*	0.1	0.1	0.3	0.1	*	*	-	0.6
	7	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	TOTAL----	-	-	-	-	-	*	*	0.2	0.5	1.0	0.3	0.1	*	-	2.1

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	0.3	0.2	0.1	-	-	-	0.6
33	1-2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	1.2
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.6	0.8	0.7	0.1	*	*	2.4
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	*	*	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	0.3	0.4	0.3	*	*	*	*	1.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	0.1	0.3	0.4	0.7	0.2	*	*	1.8
25-35	1-7	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.2
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
All Colors	8 2/	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
TOTAL, ALL-----		*	*	*	*	*	*	0.5	3.3	23.9	42.1	26.7	2.8	0.3	0.3	100
EXTRANEEOUS MATTER																
Bark - Level 1	36															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

134,148 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	0.2	0.4	0.1	1.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.5	0.1	1.8
31	1-2	-	-	-	-	-	-	*	0.1	0.6	0.7	0.8	0.4	0.2	*	2.8
	3	-	-	-	-	-	*	*	0.3	1.4	2.6	4.2	3.5	3.1	1.1	16.2
	4	-	-	-	*	*	*	*	0.1	0.3	0.6	1.4	1.4	1.8	1.0	6.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	-	*	0.1	0.4	2.3	3.9	6.5	5.3	5.1	2.2	25.9
41	1-2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.6	0.3	0.1	*	1.9
	3	-	-	-	-	*	*	*	0.4	1.9	3.7	5.5	4.8	1.9	0.4	18.6
	4	-	-	-	*	*	*	*	0.1	1.0	2.6	4.8	5.4	3.9	1.7	19.5
	5	-	-	-	-	-	*	*	*	0.1	0.3	1.1	1.1	1.0	0.7	4.3
	6	-	-	-	-	-	*	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	*	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	0.1	0.7	3.3	6.9	12.1	11.6	6.9	2.9	44.5
51	1-2	-	-	-	-	-	*	*	*	0.1	*	0.1	*	*	*	0.3
	3	-	-	-	*	-	*	*	0.1	0.2	0.3	0.6	0.3	0.1	*	1.6
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.6	0.4	0.1	*	1.8
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	*	-	*	*	0.1	0.5	0.9	1.5	0.9	0.2	0.1	4.3
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	1.2
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.2	0.4	0.4	0.5	0.2	0.1	0.1	2.0
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
	3	-	-	-	-	-	*	0.1	0.3	0.9	1.2	1.1	0.7	0.2	*	4.5
	4	-	-	-	-	*	*	*	0.2	0.8	1.3	1.5	1.0	0.6	0.1	5.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.3	0.1	0.1	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.7	1.9	2.8	3.1	2.0	1.1	0.2	11.8
52	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	*	-	*	*	0.1	0.3	0.6	0.4	0.2	*	*	1.7
	4	-	-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.3	0.1	*	2.5
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	0.1	*	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
TOTAL----		-	-	-	*	-	*	*	0.3	0.8	1.8	1.7	0.6	0.2	*	5.4

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.5	0.3	0.2	*	1.7
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.2	*	*	1.6
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.4	2.7	10.0	18.1	27.0	21.6	14.5	5.7	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	2.5															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

414,522 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.2	0.1	0.9
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	1.4
31	1-2	-	-	-	-	-	*	*	0.2	0.3	0.3	0.4	0.3	0.2	*	1.7
	3	-	-	-	-	-	*	*	0.3	1.1	1.8	3.3	3.9	2.6	0.5	13.6
	4	-	-	-	-	-	-	*	0.1	0.3	0.8	1.9	2.0	1.6	0.4	7.1
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.1	0.1	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.6	1.7	3.0	5.8	6.4	4.4	0.9	22.9
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	1.1
	3	-	-	-	-	-	*	0.1	0.5	1.9	2.9	4.8	4.3	2.1	0.3	16.9
	4	-	-	-	-	*	*	*	0.3	1.6	4.5	9.8	8.9	4.8	0.9	30.8
	5	-	-	-	-	-	*	*	0.2	1.2	3.7	2.9	1.6	0.4	10.0	10.0
	6	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.9	3.9	8.9	18.8	16.5	8.7	1.6	59.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	1.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.4	0.1	*	1.6
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.4	0.9	1.6	1.0	0.3	*	*	4.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	1.4
	4	-	-	-	-	-	*	*	0.2	0.6	0.9	1.2	0.7	0.3	0.1	3.9
	5	-	-	-	-	-	*	*	0.2	0.2	0.4	0.7	0.5	0.3	0.1	2.2
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	0.4	1.1	1.7	2.3	1.4	0.8	0.2	7.8
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	1.6

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	0.8
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	0.1	0.1	*	*	0.3
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.3	2.3	7.8	15.5	29.8	26.5	14.8	2.9	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,398,993 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.7
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	0.1	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.2	0.8	0.3	0.1	*	1.4
31	1-2	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	3	-	-	-	-	*	-	*	*	0.4	1.2	3.3	1.1	0.4	0.3	6.8
	4	-	-	-	-	*	-	-	*	*	0.3	1.1	1.0	0.5	0.2	3.1
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.5	1.7	4.8	2.4	1.0	0.6	11.0
41	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	3	-	-	-	-	-	*	*	0.1	1.1	3.8	11.0	3.6	1.3	0.6	21.5
	4	-	-	-	-	-	-	*	*	0.4	2.3	14.4	11.0	4.0	1.6	33.8
	5	-	-	-	-	-	-	-	*	*	0.2	2.2	3.8	2.0	0.6	8.8
	6	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	1.6	6.6	28.0	18.6	7.4	2.9	65.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	0.2	1.6	1.4	0.4	0.1	3.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.8	1.4	0.5	0.1	2.9
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	2.8	3.1	1.1	0.2	7.8	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	0.7
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.3	1.0	1.7	0.4	0.1	*	3.5
	4	-	-	-	-	*	*	*	*	0.2	0.9	2.4	1.6	0.9	0.2	6.3
	5	-	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.1	1.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.5	2.0	4.5	2.6	1.5	0.4	11.6
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.4	0.5	0.3	0.1	1.4

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	*	*	*	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
33	1-2	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	*	*	*	*	*	*	-
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	*	0.3	2.9	11.4	41.9	27.7	11.5	4.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

754,865 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	*	1.0	4.5	4.1	2.3	2.0	14.0
	3	-	-	-	-	-	-	-	-	*	0.1	0.8	2.0	2.0	1.2	6.1
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	1.1	5.4	6.1	4.4	3.3	20.4
31	1-2	-	-	-	-	-	-	-	*	0.2	1.2	5.9	3.9	4.0	2.7	17.9
	3	-	-	-	-	-	-	-	*	0.3	1.0	5.0	7.5	5.4	7.7	27.0
	4	-	-	-	-	-	-	-	*	0.1	0.2	1.4	1.0	1.0	1.2	5.1
	5	-	-	-	-	-	-	-	-	*	-	0.3	0.1	0.2	0.2	0.9
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	0.7	2.5	12.7	12.6	10.7	11.8	50.9
41	1-2	-	-	-	-	-	-	*	0.2	0.4	0.4	0.5	0.7	0.3	0.2	2.6
	3	-	-	-	-	-	-	0.1	0.3	1.5	2.8	4.3	2.5	1.3	1.5	14.3
	4	-	-	-	-	-	-	*	0.1	1.0	1.0	2.4	2.2	0.5	0.5	7.7
	5	-	-	-	-	-	-	-	*	0.2	0.1	0.4	0.9	0.3	0.1	2.0
	6	-	-	-	-	-	-	-	-	*	-	0.1	0.2	0.1	0.1	0.6
	7	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	0.2
	TOTAL----	-	-	-	-	-	-	0.1	0.6	3.1	4.4	7.7	6.6	2.6	2.3	27.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	-	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	0.1	0.1	0.1	*	*	*	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	*	0.1	0.1	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	0.4
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	-	-	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	-	-	*	0.1	0.1	*	*	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	-	-	*	*	-	-	*

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.2	0.6	4.0	8.1	26.0	25.7	17.9	17.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.2														
Bark - Level 2		-														
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

33,626 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
31	1-2	-	-	-	-	*	*	*	0.2	0.4	0.3	0.5	0.2	*	*	1.6
	3	-	-	*	-	-	*	0.1	0.7	2.5	2.9	4.1	2.5	0.7	0.1	13.5
	4	-	-	-	-	-	*	0.2	1.2	1.9	2.0	1.4	0.5	0.1	*	7.3
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	0.1	*	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	-	*	*	0.1	1.1	4.1	5.3	6.8	4.3	1.3	0.1	23.2
41	1-2	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.4	0.1	*	*	1.6
	3	-	-	-	*	*	*	0.3	1.6	4.8	5.8	6.7	3.7	0.7	*	23.7
	4	-	-	*	-	*	*	0.1	0.9	4.0	6.6	6.7	4.4	1.3	0.1	24.2
	5	-	-	-	-	-	*	0.1	0.7	1.6	1.6	1.0	0.4	0.1	*	5.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.5	2.8	9.9	14.5	15.5	9.3	2.5	0.2	55.2
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	-	*	*	0.1	0.1	0.3	0.4	0.6	0.2	*	*	1.7
	4	-	-	-	-	*	*	*	0.1	0.4	0.6	0.7	0.3	0.1	*	2.2
	5	-	-	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	1.0
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.3	0.8	1.3	1.7	0.8	0.1	*	5.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	0.8
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	*	1.5
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	*	*	0.1	0.5	1.1	1.6	1.2	0.3	0.1	*	4.8
	4	-	-	-	-	*	*	0.2	0.8	1.5	1.2	1.2	0.5	0.1	*	4.4
	5	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	0.1	*	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.8	2.2	3.5	2.7	1.0	0.3	*	10.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.2	0.2	0.2	0.2	0.2	*	*	*	0.9
	4	-	-	-	-	-	*	0.1	0.2	0.4	0.4	0.1	*	*	*	1.2
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.8	0.3	0.1	*	2.8

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.1	0.9	5.6	18.1	26.3	28.4	15.9	4.3	0.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.2															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

702,826 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	*	0.1	0.5	0.8	0.9	0.8	0.4	0.1	*	3.6
	3	-	-	*	-	*	*	*	0.2	0.6	0.7	0.7	0.3	0.2	0.1	2.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	-	*	*	0.2	0.7	1.4	1.7	1.5	0.7	0.3	0.1	6.6
31	1-2	-	-	-	*	*	*	0.3	1.0	1.6	2.6	3.1	1.6	0.3	*	10.6
	3	-	-	-	-	*	0.1	0.4	1.5	3.1	6.0	8.4	4.6	2.0	0.3	26.5
	4	-	-	-	-	*	*	0.1	0.3	0.8	1.3	2.2	1.0	0.7	0.2	6.7
	5	-	-	-	-	*	-	*	*	0.1	0.2	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.8	2.9	5.5	10.1	13.9	7.3	3.1	0.6	44.3
41	1-2	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.6	0.2	*	*	2.5
	3	-	-	*	*	*	0.1	0.5	1.3	2.6	4.5	5.1	2.4	0.8	0.1	17.4
	4	-	-	-	*	*	*	0.3	1.3	2.0	2.7	3.7	1.5	0.9	0.3	12.8
	5	-	-	-	*	*	*	0.1	0.4	0.7	0.8	0.8	0.3	0.2	0.1	3.3
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.9	3.3	6.0	8.9	10.3	4.5	2.0	0.4	36.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	0.2	0.3	0.4	0.2	*	*	*	*	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	*	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	*	0.6
32	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.3	0.2	0.1	*	*	*	1.3
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	0.9
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.8	0.6	0.3	*	*	*	2.6
42	1-2	-	-	-	*	*	*	0.1	*	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.3	0.4	0.2	0.2	0.1	*	*	*	1.4
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.2	*	*	*	1.5
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.7
	6	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.2	0.6	1.0	0.9	0.7	0.5	0.1	*	*	4.1
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.6

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.3
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	*	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.6
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	0.1	0.7	3.2	9.7	16.2	23.4	27.2	12.9	5.5	1.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	9.0															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															
		Average Staple Percent Tenderable														
		36.3 77.9														

534,660 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
31	1-2	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	0.1	*	*	1.3
	3	-	-	-	-	*	*	0.2	0.8	1.3	2.1	1.5	2.0	0.5	*	10.2
	4	-	-	-	-	-	*	0.1	0.2	0.5	0.9	1.1	2.6	0.8	0.1	7.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.4	1.3	2.2	3.4	5.9	4.8	1.3	0.1	19.5
41	1-2	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	1.8
	3	-	-	-	-	*	*	0.5	1.4	2.7	3.7	2.6	3.3	0.7	0.1	17.8
	4	-	-	-	*	*	*	0.3	1.1	2.6	3.9	4.1	7.4	2.3	0.2	26.2
	5	-	-	-	-	*	*	*	0.1	0.5	0.9	1.1	2.6	0.9	0.1	7.3
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	0.1	0.9	3.0	6.2	8.8	16.7	13.5	4.0	0.4	53.6
51	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	*	*	*	0.2	0.4	0.5	0.5	0.4	0.3	*	*	2.6
	4	-	-	-	-	*	*	0.2	0.4	0.6	0.7	0.6	0.5	0.1	*	3.8
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.4	0.1	*	2.3
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	0.1	0.5	1.1	1.5	1.8	3.0	1.2	0.3	*	9.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.5	0.6	0.6	0.3	0.1	*	2.4
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	3	-	-	-	*	*	*	0.1	0.3	0.6	0.8	0.4	0.4	0.1	*	3.2
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.6	0.5	0.7	0.3	*	3.6
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.3	0.2	*	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.2	0.7	1.3	1.7	2.4	1.5	0.5	0.1	8.5
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	*	*	1.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.8	0.4	0.1	*	2.9

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.5
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.2	2.3	7.0	12.8	17.6	30.6	22.3	6.4	0.7	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.9														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

363,449 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.6	0.5	0.2	*	*	1.6
31	1-2	-	-	-	-	-	*	*	*	0.2	0.7	0.5	0.2	*	*	1.7
	3	-	-	-	-	-	*	*	*	0.4	1.8	2.3	0.6	0.2	0.1	5.5
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.6	0.2	0.1	*	1.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.8	3.0	3.5	1.1	0.3	0.1	8.8
41	1-2	-	-	-	-	-	*	*	0.1	1.2	1.8	0.7	0.1	*	*	4.0
	3	-	-	-	-	*	*	*	0.2	2.9	8.5	7.8	1.6	0.5	0.1	21.7
	4	-	-	-	-	-	*	*	0.1	0.7	4.0	7.8	2.2	0.6	0.1	15.4
	5	-	-	-	-	-	-	*	0.1	0.4	1.2	0.6	0.1	*	*	2.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.4	4.9	14.7	17.4	4.6	1.3	0.3	43.7
51	1-2	-	-	-	-	-	*	*	0.1	0.5	1.0	0.6	0.1	*	*	2.3
	3	-	-	-	-	-	*	*	0.1	0.5	1.0	0.6	0.1	*	*	2.3
	4	-	-	-	-	-	*	*	0.4	1.1	2.0	0.5	0.1	*	*	4.1
	5	-	-	-	-	-	-	*	0.1	0.4	0.9	0.3	*	*	*	1.7
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.0	2.6	3.5	0.9	0.1	*	*	8.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	-	0.6
	3	-	-	-	-	-	*	*	*	0.2	0.8	0.6	0.1	*	*	1.7
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	*	*	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	1.3	1.0	0.1	*	*	3.0
42	1-2	-	-	-	-	-	*	*	0.1	0.5	0.8	0.3	*	*	*	1.7
	3	-	-	-	-	-	*	*	0.3	2.5	6.2	4.2	0.6	0.1	*	13.8
	4	-	-	-	-	-	*	*	0.1	1.0	3.4	4.7	1.0	0.2	*	10.3
	5	-	-	-	-	-	-	*	0.1	0.4	0.9	0.2	*	*	*	1.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.4	4.1	10.8	10.0	1.8	0.4	0.1	27.6
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	0.8
	4	-	-	-	-	-	*	*	0.1	0.3	0.7	0.9	0.1	*	*	2.1
	5	-	-	-	-	-	-	*	0.1	0.3	0.5	0.1	*	*	*	1.0
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.6	1.3	1.7	0.3	*	*	4.1

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.3	*	*	*	1.0
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	0.8
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.1	*	*	2.1
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.1	1.4	12.6	35.4	38.6	9.3	2.2	0.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.5															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

762,544 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.3	0.8	1.5	1.8	1.8	1.0	0.4	0.1	7.6
	3	-	-	-	*	*	*	0.1	0.5	1.3	1.8	1.5	0.7	0.4	0.1	6.4
	4	-	-	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.4	1.4	2.9	3.8	3.5	1.7	0.8	0.1	14.8
31	1-2	-	-	*	*	*	0.1	0.3	1.1	2.1	2.0	1.7	0.7	0.3	0.1	8.3
	3	-	*	*	*	*	0.1	0.4	1.8	4.6	5.9	5.3	2.0	0.9	0.2	21.3
	4	-	-	-	*	*	*	0.1	0.4	1.6	2.8	2.9	0.9	0.4	0.1	9.3
	5	-	-	-	*	*	*	*	*	0.2	0.5	0.5	0.2	0.1	*	1.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.2	0.8	3.4	8.5	11.2	10.5	3.9	1.6	0.4	40.4
41	1-2	-	-	*	*	*	*	0.1	0.3	0.3	0.3	0.3	0.1	*	*	1.4
	3	-	-	*	*	*	0.1	0.3	0.9	1.7	1.8	1.8	0.9	0.3	0.1	7.8
	4	-	*	*	*	*	*	0.1	0.5	1.4	2.2	2.5	1.0	0.4	0.1	8.2
	5	-	-	*	*	*	*	*	0.1	0.4	1.0	1.4	0.6	0.2	*	3.8
	6	-	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	1.0
	7	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
TOTAL----		-	*	*	*	*	0.1	0.5	1.7	3.9	5.5	6.5	2.8	1.1	0.2	22.4
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.7
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	0.1	0.2	0.3	0.4	0.6	0.3	0.1	*	*	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
71	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	1.4
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	1.6
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.6	0.9	0.8	0.4	0.1	*	*	3.4
32	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	3	-	-	*	*	*	*	0.2	0.6	0.9	0.7	0.3	0.1	*	*	2.9
	4	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.4	0.1	*	*	2.0
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.4	1.1	1.8	1.6	0.9	0.2	0.1	*	6.2
42	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.5
	4	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.3	0.1	*	*	1.6
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.4	0.7	1.1	0.9	0.7	0.2	*	*	4.2
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.3	0.4	0.4	0.4	0.2	*	*	2.0

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
63	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
24-54	1-7	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
25-35	1-7	-	-	-	-	*	*	*	*	-	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	0.1	0.3	1.0	3.5	10.5	21.0	25.5	24.3	9.5	3.7	0.8	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	9.7															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

6,647,065 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	0.2	*	*	-	0.3
31	1-2	-	-	-	-	-	-	0.1	0.6	0.9	0.9	0.2	0.3	*	*	3.7
	3	-	-	-	-	-	*	0.1	1.7	5.4	5.6	1.3	2.9	0.5	*	21.7
	4	-	-	-	-	-	*	0.2	1.1	1.4	1.4	0.3	0.5	0.1	*	4.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	2.4	7.4	7.9	7.5	3.7	0.7	*	29.9
41	1-2	-	-	-	-	*	*	0.1	0.7	0.9	0.9	0.1	0.2	*	*	3.4
	3	-	-	-	-	*	*	0.4	3.7	9.9	9.8	1.9	3.5	0.6	*	35.5
	4	-	-	-	-	-	*	*	0.7	3.4	4.5	0.9	1.5	0.3	*	14.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	0.7
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.6	5.1	14.3	15.4	12.2	5.2	1.0	0.1	53.9
51	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	-	-	*	0.3	0.4	0.4	*	*	*	-	1.4
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.5	0.7	0.7	0.5	0.1	*	-	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
32	1-2	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.4	0.6	*	*	*	-	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	0.6	0.8	0.3	*	*	-	2.0
42	1-2	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	3	-	-	-	-	-	*	0.1	0.8	1.7	2.5	0.2	*	*	*	5.9
	4	-	-	-	-	-	-	*	0.1	0.7	1.6	0.2	0.1	*	*	3.3
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	1.1	2.6	4.3	1.7	0.1	*	*	9.9
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.2	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.3	0.3	0.3	0.2	*	*	-	-	1.0

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
February 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.4
53	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	*	*	*	*	*	0.9	9.6	26.1	29.6	22.6	9.2	1.7	0.1	100.0
EXTRANEOUS MATTER																
Bark - Level 1	0.4															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															
		Average Staple Percent Tenderable														
		36.0 82.1														

184,393 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through February 28, 2019

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	-	*	-	-	-	-	0.2	-	-
25	*	*	*	*	-	*	0.7	*	-
26	*	*	*	0.1	-	*	0.6	-	-
27	*	0.1	*	0.1	-	*	0.6	*	-
28	*	0.1	*	0.1	-	*	0.9	-	-
29	*	0.1	*	0.1	-	*	1.0	-	*
30	*	0.2	*	0.1	*	*	1.3	*	*
31	*	0.2	*	0.3	*	0.1	1.8	*	*
32	0.1	0.3	*	0.5	-	0.2	2.6	*	*
33	0.3	0.3	*	0.7	*	0.4	3.3	*	*
34	0.4	0.4	*	1.0	*	0.8	4.1	*	*
35	0.7	0.6	0.1	1.1	0.1	1.2	4.7	*	*
36	1.1	0.7	0.1	1.6	0.3	1.6	6.2	*	0.1
37	2.1	1.0	0.2	2.2	0.5	2.3	7.9	*	0.2
38	3.1	1.3	0.4	2.5	1.0	3.5	7.8	0.1	0.5
39	4.1	1.8	0.8	3.5	1.6	5.5	8.9	0.3	0.8
40	5.9	2.5	1.6	4.4	3.8	8.0	9.8	0.5	1.2
41	7.3	3.9	2.8	6.4	6.0	10.9	9.0	1.1	1.9
42	9.1	5.0	4.8	8.5	9.1	13.3	7.6	1.9	3.0
43	10.5	6.7	6.9	10.3	12.1	13.9	6.2	2.6	4.5
44	11.0	7.9	9.9	11.7	13.1	12.6	4.6	3.5	6.6
45	11.2	9.1	12.4	11.9	14.8	9.9	4.3	6.2	9.2
46	10.0	10.5	13.8	11.7	13.9	6.9	2.9	9.4	12.9
47	8.2	11.1	13.3	8.6	10.2	4.4	1.7	13.5	15.7
48	6.0	10.7	11.4	5.9	6.7	2.4	1.0	16.3	16.0
49	4.1	8.9	8.3	2.8	4.6	1.2	0.3	15.7	13.0
50	2.4	6.9	5.7	1.5	1.6	0.5	0.1	13.0	7.6
51	1.3	5.0	3.5	0.8	0.5	0.2	*	8.3	3.8
52	0.7	2.5	2.0	0.8	0.1	*	*	4.7	1.7
53	0.3	1.3	1.0	0.4	*	*	*	2.1	0.8
54	0.1	0.5	0.5	0.1	*	*	-	0.5	0.3
55	*	0.1	0.2	0.1	-	*	-	0.1	*
56	*	0.1	0.1	*	-	*	-	*	*
57	*	0.1	*	*	-	*	-	*	*
58	*	-	-	*	-	-	-	-	-
59	*	-	-	-	-	-	-	-	-
60 & above	*	-	-	-	-	*	-	-	-
Average mike	44	46	46	44	45	42	39	48	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	*	*	-	-
21	-	-	-	-	-	*	*	-	-
22	*	-	-	-	*	*	*	*	*
23	*	-	*	-	*	*	*	*	*
24	0.1	*	*	-	0.4	0.3	*	*	*
25	0.6	*	0.1	-	1.5	1.5	0.3	*	0.1
26	2.4	0.1	0.7	*	5.0	5.6	0.9	0.3	0.9
27	9.0	0.6	3.1	*	13.2	12.8	5.8	1.6	3.0
28	22.6	3.0	11.0	0.1	30.2	20.3	20.8	5.8	8.8
29	31.4	9.4	26.1	0.8	30.6	24.4	31.4	17.8	22.3
30	21.1	17.7	28.1	2.2	13.6	19.1	20.0	30.5	30.9
31	8.7	22.5	17.8	4.5	4.6	9.9	11.6	22.8	21.1
32	3.0	20.6	8.8	10.0	0.7	4.0	6.6	12.8	8.5
33	0.9	13.8	3.2	17.2	0.1	1.4	2.2	5.5	3.2
34	0.2	7.0	0.8	16.7	*	0.4	0.3	2.1	0.9
35	*	3.5	0.2	13.8	*	0.1	0.1	0.6	0.2
36 & above	*	1.7	*	34.7	-	*	*	0.2	*
Average strength	29	31	30	35	28	29	29	30	30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through February 28, 2019

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	-	*	*	*	-	-	0.1	-	*
25	-	0.1	-	0.1	-	-	0.3	-	0.1
26	-	0.2	-	0.1	*	-	0.4	-	0.2
27	*	0.3	*	0.1	-	-	0.4	-	0.2
28	-	0.4	*	0.2	-	-	0.5	*	0.2
29	-	0.3	*	0.3	*	-	0.7	*	0.3
30	*	0.9	*	0.4	*	*	0.9	*	0.4
31	*	0.8	*	0.5	*	*	1.2	*	0.5
32	*	0.7	*	0.8	*	*	1.5	*	0.7
33	*	1.0	0.1	0.9	*	*	1.8	*	0.9
34	*	2.5	0.1	1.2	0.1	*	2.2	*	1.1
35	*	3.7	0.2	1.5	0.2	0.1	2.7	*	1.4
36	0.1	5.0	0.4	1.8	0.4	0.1	3.2	0.1	1.7
37	0.2	4.4	0.6	2.6	0.7	0.2	3.7	0.1	2.1
38	0.4	6.6	0.9	3.7	1.5	0.3	4.2	0.1	2.7
39	0.7	8.1	1.5	4.6	2.9	0.5	4.8	0.2	3.4
40	1.1	9.1	2.3	6.3	5.3	1.0	5.4	0.3	4.3
41	2.2	7.7	3.3	8.0	8.7	1.7	5.9	0.6	5.4
42	4.1	8.5	4.9	8.6	11.9	2.5	6.3	1.8	6.6
43	6.1	8.0	6.9	9.1	14.6	3.8	6.8	3.8	7.6
44	8.2	8.3	9.6	9.7	15.3	5.6	7.0	7.5	8.4
45	10.4	5.9	13.0	10.2	12.9	7.8	7.2	14.2	9.1
46	11.6	5.4	15.0	8.9	9.9	9.9	7.2	20.0	9.4
47	12.4	5.1	14.1	7.1	6.9	11.5	6.6	20.3	8.9
48	11.3	3.3	11.0	5.3	4.4	12.9	5.6	15.5	7.8
49	10.1	1.5	7.2	3.5	2.2	12.2	4.5	8.6	6.1
50	7.6	0.9	4.5	2.3	1.2	11.0	3.3	4.1	4.3
51	5.7	0.7	2.4	1.4	0.5	8.4	2.3	1.9	2.8
52	4.0	0.2	1.2	0.7	0.2	5.5	1.5	0.7	1.7
53	2.5	0.1	0.5	0.3	0.1	3.1	1.0	0.2	0.9
54	1.1	0.1	0.1	0.1	*	1.5	0.6	*	0.5
55	0.3	-	*	*	*	0.3	0.3	*	0.2
56	*	*	*	*	*	*	0.1	*	*
57	*	-	*	-	*	*	*	*	*
58	*	-	*	-	*	*	*	*	*
59	-	-	-	-	*	-	*	-	*
60 & above	-	-	-	-	-	-	*	-	*
Average mike	47	41	46	43	44	48	42	47	44
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	-	-	*	-	-	*	-	*
22	-	-	*	*	*	-	*	-	*
23	*	-	*	*	0.1	*	0.1	*	0.1
24	*	-	0.1	0.1	0.5	*	0.4	0.2	0.2
25	*	*	0.5	0.3	2.2	0.1	0.8	1.0	0.7
26	0.5	*	2.0	1.1	6.4	1.0	1.9	4.4	2.1
27	2.8	1.2	5.2	3.7	11.7	6.1	4.2	8.6	5.4
28	11.6	5.5	11.5	10.6	18.5	18.5	9.3	19.0	12.2
29	24.5	19.3	19.9	18.6	23.7	29.0	16.4	26.6	20.6
30	28.1	28.9	23.5	23.3	20.5	22.5	20.0	20.5	22.2
31	17.4	25.3	17.9	19.2	10.3	12.8	19.6	11.2	17.0
32	8.7	14.7	10.7	12.1	4.0	6.5	14.5	5.5	10.5
33	4.4	3.9	5.6	7.5	1.5	2.5	7.9	2.0	5.4
34	1.6	0.8	2.3	2.6	0.5	0.7	3.3	0.7	2.2
35	0.3	0.3	0.6	0.7	0.1	0.2	1.1	0.2	0.8
36 & above	*	*	0.1	0.2	*	*	0.4	*	0.6
Average strength	29.9	30.3	30.0	30.2	28.8	29.4	30.3	29.1	29.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through February 28, 2019

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	*	-	-	-	-	*	*	*
72.5-73.4	-	*	-	-	-	-	-	*	*
73.5-74.4	-	-	-	-	-	-	*	*	*
74.5-75.4	-	*	-	*	-	-	*	*	*
75.5-76.4	*	*	*	*	*	*	*	0.1	*
76.5-77.4	0.2	0.1	*	*	0.1	0.1	0.2	0.3	0.1
77.5-78.4	1.0	0.5	0.2	0.3	1.0	1.0	1.1	1.4	0.9
78.5-79.4	5.2	3.1	1.2	1.3	4.4	5.3	5.4	6.9	4.3
79.5-80.4	21.0	12.9	7.5	4.1	34.3	20.5	27.6	20.5	18.1
80.5-81.4	41.5	32.1	27.1	17.2	48.8	38.7	48.2	36.8	38.6
81.5-82.4	24.8	34.6	37.6	32.1	10.2	25.9	16.4	25.0	29.3
82.5-83.4	5.5	13.9	22.2	17.1	1.0	7.2	1.0	7.4	7.8
83.5-84.4	0.8	2.5	4.0	17.2	0.1	1.1	0.1	1.5	0.9
84.5-85.4	0.1	0.3	0.2	10.1	*	0.1	*	0.2	0.1
85.5-86.4	*	*	*	0.5	-	*	*	*	*
86.5-87.4	*	*	*	0.1	-	*	*	*	-
87.5-88.4	*	-	*	-	-	-	*	*	*
88.5-89.4	*	-	*	-	-	-	*	-	*
89.5 & above	-	-	-	-	-	-	*	-	-
Average uniformity	81.0	81.5	81.8	82.5	80.6	81.0	80.7	81.0	81.1
TRASH 2/									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.2	7.2	0.1	25.5	*	0.5	1.1	0.6	0.2
0.2	5.0	24.9	2.2	43.4	2.0	7.6	8.8	9.1	5.3
0.3	17.1	26.2	10.5	21.4	12.1	20.5	13.9	22.1	16.1
0.4	24.0	18.2	19.9	6.9	24.8	25.0	13.6	25.1	22.5
0.5	20.7	10.7	22.7	2.0	25.4	20.6	12.8	19.6	21.6
0.6	14.2	5.8	18.9	0.6	17.6	13.0	11.9	12.1	16.0
0.7	8.7	3.0	12.5	0.2	9.7	6.9	10.5	6.4	9.7
0.8	4.9	1.6	7.0	0.1	4.7	3.3	8.8	3.0	5.0
0.9	2.6	0.9	3.5	*	2.2	1.4	6.5	1.3	2.3
1.0	1.4	0.5	1.6	*	0.9	0.6	4.4	0.5	0.9
1.1	0.7	0.3	0.7	*	0.3	0.3	2.9	0.2	0.4
1.2	0.3	0.2	0.3	*	0.2	0.1	1.9	0.1	0.1
1.3	0.1	0.1	0.1	*	0.1	*	1.1	*	0.1
1.4	0.1	0.1	*	*	*	*	0.6	*	*
1.5	*	0.1	*	-	*	*	0.4	*	*
1.6	*	*	*	-	*	*	0.2	*	*
1.7	*	*	*	-	*	*	0.2	-	*
1.8 & above	*	0.1	*	-	*	*	0.3	-	*
Average trash	0.50	0.36	0.55	0.22	0.51	0.46	0.59	0.44	0.50

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through February 28, 2019

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	*	*	*	-	*	*	*
74.5-75.4	-	-	*	*	*	-	0.1	*	*
75.5-76.4	*	-	*	0.1	0.1	*	0.3	0.1	0.1
76.5-77.4	*	*	0.3	0.6	0.6	*	1.1	0.2	0.6
77.5-78.4	*	*	1.8	3.0	3.4	0.2	3.6	1.3	2.1
78.5-79.4	0.3	0.7	8.5	12.4	13.9	2.0	10.3	9.6	7.0
79.5-80.4	2.5	2.8	25.6	29.3	34.4	11.9	22.4	32.9	19.6
80.5-81.4	14.7	16.7	35.4	34.0	32.9	29.6	30.2	37.0	32.2
81.5-82.4	37.2	39.4	22.4	16.6	12.1	35.6	22.0	15.6	25.7
82.5-83.4	35.4	36.7	5.2	3.5	2.2	17.7	8.3	3.0	10.4
83.5-84.4	9.3	3.6	0.7	0.5	0.2	2.7	1.4	0.3	2.0
84.5-85.4	0.6	0.1	0.1	*	*	0.2	0.1	*	0.2
85.5-86.4	*	*	*	*	*	*	*	-	*
86.5-87.4	*	-	*	*	-	-	*	-	*
87.5-88.4	*	-	-	*	-	-	*	-	*
88.5-89.4	-	-	-	*	-	-	*	-	*
89.5 & above	-	-	-	*	-	-	*	-	*
Average uniformity	82.3	82.1	80.8	80.5	80.4	81.6	80.8	80.6	81.1
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	5.2	0.2	2.7	0.3	0.8	4.0	0.4	2.3
0.2	3.1	30.4	5.7	18.2	5.6	10.0	19.2	10.9	12.6
0.3	12.7	29.2	20.0	26.3	16.0	21.8	23.9	32.2	20.6
0.4	21.2	17.2	26.4	21.4	23.1	24.4	19.4	31.1	21.4
0.5	23.0	8.8	21.1	13.8	22.2	19.2	13.2	16.4	17.2
0.6	18.4	4.5	13.2	7.9	15.6	12.0	8.3	6.1	11.6
0.7	11.5	2.2	7.1	4.3	9.0	6.5	5.0	2.0	6.8
0.8	5.8	1.1	3.5	2.4	4.5	3.1	2.9	0.6	3.7
0.9	2.6	0.6	1.6	1.3	2.1	1.4	1.7	0.2	1.9
1.0	1.0	0.3	0.7	0.7	0.9	0.6	1.0	0.1	0.9
1.1	0.4	0.2	0.3	0.4	0.4	0.2	0.6	*	0.5
1.2	0.1	0.1	0.1	0.2	0.2	0.1	0.3	*	0.2
1.3	*	*	*	0.1	0.1	*	0.2	*	0.1
1.4	*	*	*	0.1	*	*	0.1	*	0.1
1.5	*	*	*	*	*	*	0.1	*	*
1.6	*	*	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	*	*	*	*	*	-	*
Average trash	0.52	0.33	0.47	0.40	0.49	0.44	0.41	0.38	0.45

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through February 28, 2019

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	6.3	21.9	-	1.7	20.1
	2	9.5	23.2	-	6.3	21.7
	3	0.9	0.4	-	0.5	0.4
	4	*	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		16.8	45.5	-	8.5	42.3
02	1	12.6	6.5	-	4.3	6.6
	2	24.3	38.6	-	39.4	38.2
	3	2.1	6.4	-	17.4	6.9
	4	*	0.1	-	0.9	0.1
	5	-	*	-	*	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		39.1	51.5	-	62.0	51.8
03	1	1.4	*	-	0.2	0.1
	2	21.2	1.4	-	9.9	2.6
	3	9.9	1.3	-	11.5	2.1
	4	1.0	0.2	-	2.8	0.3
	5	*	*	-	0.1	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		33.4	2.8	-	24.5	5.2
04	1	0.1	*	-	*	*
	2	3.7	*	-	0.8	0.2
	3	4.5	0.1	-	1.6	0.3
	4	1.0	*	-	0.8	0.1
	5	0.1	*	-	*	*
	6	*	*	-	*	*
	7	*	-	-	-	*
Total -----		9.3	0.2	-	3.2	0.6
05	1	*	*	-	-	*
	2	0.3	*	-	0.2	*
	3	0.9	*	-	0.5	0.1
	4	0.1	*	-	0.8	*
	5	-	*	-	0.2	*
	6	-	*	-	*	*
	7	*	-	-	*	*
Total -----		1.3	*	-	1.7	0.1
06	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	-	*	*
	4	-	*	-	*	*
	5	-	-	-	-	-
	6	-	-	-	*	*
	7	0.1	-	-	*	*
Total -----		0.1	*	-	0.1	*
07	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	*	*
	7	-	-	-	*	*
Total -----		-	*	-	*	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	-	-	*
44		*	0.2	-	0.2	0.2
46		11.6	4.4	-	12.6	5.0
48 & longer		88.4	95.4	-	87.2	94.8
Average		48.9	49.3	-	48.1	49.2
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	*	-	-	*
80.5-81.4		-	*	-	-	*
81.5-82.4		*	0.1	-	*	0.1
82.5-83.4		0.1	0.5	-	0.1	0.4
83.5-84.4		0.2	2.4	-	0.9	2.2
84.5-85.4		9.9	15.1	-	3.9	14.2
85.5-86.4		49.0	40.9	-	37.5	41.2
86.5-87.4		38.5	35.6	-	55.6	36.8
87.5-88.4		2.2	5.1	-	1.8	4.8
88.5-89.4		*	0.3	-	*	0.3
89.5 & above		-	*	-	*	-
Average		86.3	86.2	-	86.5	86.2
BALES CLASSED		28,359	680,701	0	31,277	752,685

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through February 28, 2019

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.1	-	-	0.1
27 - 29	*	0.4	-	*	0.4
30 - 32	*	1.1	-	0.6	1.0
33 - 34	0.2	1.9	-	0.7	1.8
35 - 36	1.7	4.9	-	2.2	4.7
37 - 42	78.0	50.9	-	63.1	52.8
43 - 49	20.0	40.7	-	33.5	39.2
50 - 52	-	*	-	-	*
53 & above	-	*	-	-	*
Average	41	41	-	41	41
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	*	-	-	*
27	*	0.1	-	*	0.1
28	-	0.1	-	*	0.1
29	-	0.2	-	*	0.2
30	*	0.3	-	*	0.2
31	*	0.4	-	0.1	0.3
32	*	0.4	-	0.5	0.4
33	0.1	0.7	-	0.5	0.7
34	0.2	1.2	-	0.2	1.1
35	0.3	1.9	-	0.6	1.8
36	1.4	3.0	-	1.6	2.9
37	3.6	4.2	-	3.7	4.2
38	8.2	5.8	-	6.3	6.1
39	17.0	7.7	-	10.7	8.4
40	19.4	9.7	-	15.0	10.4
41	17.4	10.7	-	15.9	11.2
42	12.4	12.7	-	11.6	12.6
43	10.2	13.9	-	8.9	13.5
44	6.4	12.5	-	10.0	12.0
45	2.8	8.3	-	8.1	8.0
46	0.4	4.1	-	4.4	3.9
47	0.1	1.4	-	1.7	1.4
48	*	0.4	-	0.3	0.4
49	*	0.1	-	*	0.1
50	-	*	-	-	*
51	-	*	-	-	*
52	-	*	-	-	*
53	-	*	-	-	*
54	-	*	-	-	*
55	-	*	-	-	*
56	-	*	-	-	*
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	41	-	41	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	*	-	-	*
32	-	*	-	-	*
33	-	*	-	-	*
34	-	*	-	*	*
35	*	*	-	0.1	*
36	*	0.1	-	0.3	0.1
37	*	0.5	-	0.3	0.5
38	0.3	1.6	-	0.8	1.5
39	1.9	3.7	-	0.5	3.4
40	4.8	4.5	-	1.1	4.3
41	4.9	4.1	-	4.2	4.2
42	7.4	6.2	-	12.5	6.7
43	20.8	12.4	-	19.2	13.2
44	29.9	20.1	-	18.6	20.5
45 & above	29.9	46.6	-	42.5	45.5
Average	43.5	43.9	-	44.1	43.9
EXTRANEOUS MATTER					
Bark	0.7	*	-	0.5	0.1
Grass	0.1	0.1	-	0.1	0.1
Spindle Twist	0.1	0.2	-	0.3	0.2
Preparation	*	*	-	-	*

* Less than 0.05 percent.