



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	-	39	308	2,417	12,845	47,283	138,988	201,880
	3	-	-	5	77	483	2,669	11,216	47,915	62,365
	4	-	-	-	7	12	88	532	2,759	3,398
	5	-	-	-	-	-	1	34	164	199
	6	-	-	-	-	-	-	2	3	5
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	44	392	2,912	15,603	59,067	189,829	267,847
31	1 - 2	-	-	30	193	1,219	5,294	23,662	75,009	105,407
	3	-	-	11	259	1,604	8,349	38,998	155,019	204,240
	4	-	-	4	45	398	2,025	9,317	36,049	47,838
	5	-	-	3	11	54	205	717	2,720	3,710
	6	-	-	-	1	2	9	22	158	192
	7	-	-	-	-	-	1	-	6	7
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	48	509	3,277	15,883	72,716	268,961	361,394
41	1 - 2	-	-	-	3	42	409	2,453	7,468	10,375
	3	-	-	-	15	190	2,320	14,932	60,224	77,681
	4	-	-	1	20	219	1,774	11,612	47,633	61,259
	5	-	-	-	11	94	599	3,805	13,358	17,867
	6	-	-	-	1	22	137	714	2,449	3,323
	7	-	-	-	-	1	39	192	445	677
	8	-	-	-	-	-	-	13	38	51
TOTAL		-	-	1	50	568	5,278	33,721	131,615	171,233
51	1 - 2	-	-	-	1	5	93	388	997	1,484
	3	-	-	-	10	141	614	2,160	7,084	10,009
	4	-	-	-	7	95	465	1,525	5,724	7,816
	5	-	-	-	-	13	168	652	2,042	2,875
	6	-	-	-	-	5	58	375	785	1,223
	7	-	-	-	-	1	22	122	283	428
	8	-	-	-	-	2	9	38	115	164
TOTAL		-	-	-	18	262	1,429	5,260	17,030	23,999
61	1 - 2	-	-	-	-	-	2	19	86	107
	3	-	-	-	-	4	6	28	103	141
	4	-	-	-	-	2	5	12	32	51
	5	-	-	-	-	-	3	10	18	31
	6	-	-	-	-	-	-	15	7	22
	7	-	-	-	-	-	-	8	1	9
	8	-	-	-	-	-	-	2	2	4
TOTAL		-	-	-	-	6	16	94	249	365
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	2	-	2
	5	-	-	-	-	-	-	1	-	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	3	-	3
12 & 22	1 - 2	-	-	33	344	1,596	7,232	24,967	56,525	90,697
	3	-	-	7	127	652	3,702	9,754	24,260	38,502
	4	-	-	-	22	81	459	1,221	3,064	4,847
	5	-	-	-	2	5	24	78	300	409
	6	-	-	-	-	-	-	2	9	11
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	40	495	2,334	11,417	36,022	84,158	134,466
32	1 - 2	-	-	3	73	415	2,361	4,060	6,880	13,792
	3	-	-	18	139	1,014	4,623	9,782	18,567	34,143
	4	-	-	7	53	412	1,813	4,203	8,359	14,847
	5	-	-	-	11	80	340	972	1,631	3,034
	6	-	-	-	2	10	53	130	179	374
	7	-	-	-	1	-	1	4	10	16
	8	-	-	-	-	-	-	1	1	2
TOTAL		-	-	28	279	1,931	9,191	19,152	35,627	66,208
42	1 - 2	-	-	-	1	13	101	293	946	1,354
	3	-	-	2	16	101	613	2,403	6,061	9,196
	4	-	-	14	41	145	761	2,496	6,294	9,751
	5	-	-	6	13	142	691	1,828	4,070	6,750
	6	-	-	1	4	51	334	1,120	2,278	3,788
	7	-	-	-	2	14	111	328	514	969
	8	-	-	-	1	-	3	28	69	101
TOTAL		-	-	23	78	466	2,614	8,496	20,232	31,909
52	1 - 2	-	-	-	-	1	12	54	145	212
	3	-	-	-	-	4	135	508	1,098	1,745
	4	-	-	-	-	-	89	309	818	1,216
	5	-	-	-	-	1	41	210	500	752
	6	-	-	-	-	1	48	175	340	564
	7	-	-	-	-	1	35	171	161	368
	8	-	-	-	-	2	9	71	102	184
TOTAL		-	-	-	-	10	369	1,498	3,164	5,041

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	9	15	24
	3	-	-	-	-	-	2	13	68	83
	4	-	-	-	-	1	9	15	44	69
	5	-	-	-	-	-	2	13	27	42
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	1	1	2
	8	-	-	-	-	-	-	3	-	3
TOTAL		-	-	-	-	1	13	55	160	229
13 & 23	1 - 2	-	-	10	52	462	979	3,356	4,145	9,004
	3	-	-	6	67	355	981	2,066	3,044	6,519
	4	-	-	2	13	61	224	515	621	1,436
	5	-	-	-	-	4	63	84	61	212
	6	-	-	-	-	-	11	7	-	18
	7	-	-	-	-	-	1	-	-	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	18	132	882	2,259	6,028	7,871	17,190
33	1 - 2	-	-	3	20	43	96	274	634	1,070
	3	-	-	6	106	239	461	1,102	1,840	3,754
	4	-	-	2	34	144	541	902	1,364	2,987
	5	-	-	-	1	44	167	408	551	1,171
	6	-	-	-	-	7	21	63	78	169
	7	-	-	-	-	-	-	3	13	16
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	11	161	477	1,286	2,752	4,481	9,168
43	1 - 2	-	-	-	-	1	3	20	30	54
	3	-	-	-	2	36	46	164	290	538
	4	-	-	1	9	66	172	258	565	1,071
	5	-	-	-	7	56	175	336	739	1,313
	6	-	-	1	9	45	106	237	336	734
	7	-	-	-	2	31	44	106	89	272
	8	-	-	-	-	3	6	12	15	36
TOTAL		-	-	2	29	238	552	1,133	2,064	4,018
53	1 - 2	-	-	-	-	-	-	1	2	3
	3	-	-	-	5	12	6	27	73	123
	4	-	-	4	11	22	29	27	108	201
	5	-	-	-	4	5	24	18	29	80
	6	-	-	-	-	-	6	15	21	42
	7	-	-	-	-	5	7	16	10	38
	8	-	-	-	-	2	9	9	18	38
TOTAL		-	-	4	20	46	81	113	261	525
63	1 - 2	-	-	-	-	-	-	1	-	1
	3	-	-	1	-	-	4	1	1	7
	4	-	-	4	6	15	5	2	5	37
	5	-	-	-	6	5	7	3	3	24
	6	-	-	-	-	-	1	-	-	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	1	-	-	-	-	1
TOTAL		-	-	5	13	20	17	7	9	71
24 - 54	1 - 8	-	-	1	4	41	166	354	750	1,316
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	3	11	16	30	60
TOTAL ALL		-	-	225	2,180	13,474	66,185	246,487	766,491	1,095,042

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	261,090	372,920	475,987	183,506	67,077	17,387	1,377,967	1,579,847
	3	99,297	151,362	225,219	97,878	34,992	9,083	617,831	680,196
	4	6,036	10,603	13,586	6,220	2,568	737	39,750	43,148
	5	162	210	222	109	51	29	783	982
	6	4	2	1	3	2	4	16	21
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		366,589	535,097	715,015	287,716	104,690	27,240	2,036,347	2,304,194
31	1 - 2	181,919	333,624	423,368	124,546	37,237	6,035	1,106,729	1,212,136
	3	405,788	791,922	1,299,716	444,911	119,121	21,279	3,082,737	3,286,977
	4	99,810	195,465	394,635	194,914	48,476	10,188	943,488	991,326
	5	7,728	14,440	31,314	21,882	6,348	1,674	83,386	87,096
	6	444	579	1,173	1,100	315	109	3,720	3,912
	7	24	39	28	52	12	5	160	167
	8	-	-	-	-	-	-	-	-
TOTAL		695,713	1,336,069	2,150,234	787,405	211,509	39,290	5,220,220	5,581,614
41	1 - 2	16,111	22,650	23,878	6,438	1,559	152	70,788	81,163
	3	150,057	256,134	341,802	102,732	23,085	3,108	876,918	954,599
	4	130,869	234,105	404,011	165,055	39,954	6,757	980,751	1,042,010
	5	37,416	59,828	113,544	62,855	18,039	3,316	294,998	312,865
	6	6,086	10,304	15,071	8,514	3,253	636	43,864	47,187
	7	781	1,400	1,699	941	436	85	5,342	6,019
	8	45	79	67	30	9	6	236	287
TOTAL		341,365	584,500	900,072	346,565	86,335	14,060	2,272,897	2,444,130
51	1 - 2	1,174	1,513	1,426	286	26	-	4,425	5,909
	3	14,342	17,981	16,303	3,837	798	37	53,298	63,307
	4	13,326	18,709	22,986	8,644	2,774	248	66,687	74,503
	5	4,921	7,007	9,556	4,733	2,037	278	28,532	31,407
	6	2,041	2,712	2,986	1,366	911	123	10,139	11,362
	7	791	1,099	1,049	389	338	32	3,698	4,126
	8	181	232	166	59	59	6	703	867
TOTAL		36,776	49,253	54,472	19,314	6,943	724	167,482	191,481
61	1 - 2	13	13	6	2	-	-	34	141
	3	91	103	99	19	2	1	315	456
	4	78	86	66	22	3	-	255	306
	5	36	35	17	7	5	-	100	131
	6	5	7	11	3	1	-	27	49
	7	1	4	3	2	1	-	11	20
	8	17	1	-	-	-	-	18	22
TOTAL		241	249	202	55	12	1	760	1,125
71	1 - 2	-	-	-	-	-	-	-	-
	3	-	1	-	-	-	-	1	1
	4	-	2	-	-	-	-	2	4
	5	-	1	-	-	-	-	1	2
	6	-	-	2	-	-	-	2	2
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		-	4	2	-	-	-	6	9
12 & 22	1 - 2	75,453	54,784	30,091	5,103	961	265	166,657	257,354
	3	40,728	35,377	22,868	6,070	1,287	404	106,734	145,236
	4	4,651	4,834	3,304	1,102	228	59	14,178	19,025
	5	255	285	125	47	10	2	724	1,133
	6	5	19	2	-	-	-	26	37
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		121,092	95,299	56,390	12,322	2,486	730	288,319	422,785
32	1 - 2	7,622	5,586	3,150	831	394	96	17,679	31,471
	3	26,471	24,504	18,334	4,813	1,698	485	76,305	110,448
	4	12,304	12,371	11,068	3,953	1,450	496	41,642	56,489
	5	2,112	2,244	2,256	1,031	504	235	8,382	11,416
	6	219	261	237	152	78	25	972	1,346
	7	22	42	25	6	1	-	96	112
	8	1	-	1	-	-	-	2	4
TOTAL		48,751	45,008	35,071	10,786	4,125	1,337	145,078	211,286
42	1 - 2	1,470	1,086	515	91	11	4	3,177	4,531
	3	11,077	11,975	9,365	2,184	398	52	35,051	44,247
	4	12,349	14,521	14,695	5,313	1,662	261	48,801	58,552
	5	6,448	6,997	7,582	3,001	1,324	304	25,656	32,406
	6	2,934	2,647	2,347	876	371	109	9,284	13,072
	7	1,025	932	679	251	84	19	2,990	3,959
	8	133	142	75	12	11	4	377	478
TOTAL		35,436	38,300	35,258	11,728	3,861	753	125,336	157,245
52	1 - 2	161	129	105	6	1	-	402	614
	3	1,905	1,818	1,828	573	179	14	6,317	8,062
	4	1,940	2,668	3,923	1,622	664	98	10,915	12,131
	5	964	1,286	2,373	1,045	511	143	6,322	7,074
	6	715	552	821	356	225	62	2,731	3,295
	7	556	454	327	139	83	19	1,578	1,946
	8	187	284	174	40	30	24	739	923
TOTAL		6,428	7,191	9,551	3,781	1,693	360	29,004	34,045

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	2	3	-	-	-	-	5	29
	3	83	39	13	3	2	-	140	223
	4	108	47	55	12	2	-	224	293
	5	26	31	29	9	-	1	96	138
	6	16	9	7	16	3	-	51	57
	7	1	3	2	1	-	-	7	9
	8	-	-	-	1	-	-	1	4
TOTAL		236	132	106	42	7	1	524	753
13 & 23	1 - 2	3,210	2,296	1,132	226	54	6	6,924	15,928
	3	2,982	2,676	1,633	274	63	24	7,652	14,171
	4	676	546	449	70	19	5	1,765	3,201
	5	70	74	27	5	1	-	177	389
	6	2	-	-	-	1	-	3	21
	7	-	-	-	-	-	-	-	1
	8	-	-	-	-	-	-	-	-
TOTAL		6,940	5,592	3,241	575	138	35	16,521	33,711
33	1 - 2	994	754	662	245	45	25	2,725	3,795
	3	2,400	2,776	3,083	1,019	307	159	9,744	13,498
	4	1,369	1,620	1,817	719	219	84	5,828	8,815
	5	413	394	461	134	50	51	1,503	2,674
	6	83	61	58	7	3	14	226	395
	7	24	14	11	2	-	-	51	67
	8	4	1	-	-	-	-	5	6
TOTAL		5,287	5,620	6,092	2,126	624	333	20,082	29,250
43	1 - 2	60	55	69	15	2	2	203	257
	3	508	685	810	204	65	17	2,289	2,827
	4	819	1,170	1,339	454	152	44	3,978	5,049
	5	800	779	807	281	158	71	2,896	4,209
	6	449	408	361	85	46	18	1,367	2,101
	7	151	97	110	30	10	1	399	671
	8	32	20	16	20	-	1	89	125
TOTAL		2,819	3,214	3,512	1,089	433	154	11,221	15,239
53	1 - 2	4	61	57	5	-	-	127	130
	3	65	208	299	52	8	-	632	755
	4	123	193	495	164	33	8	1,016	1,217
	5	87	126	324	112	71	10	730	810
	6	42	37	106	34	38	12	269	311
	7	26	22	60	15	11	8	142	180
	8	36	9	12	6	2	-	65	103
TOTAL		383	656	1,353	388	163	38	2,981	3,506
63	1 - 2	-	1	1	-	-	-	2	3
	3	1	3	3	-	-	-	7	14
	4	10	21	31	1	-	-	63	100
	5	5	18	26	4	2	-	55	79
	6	1	9	11	4	3	1	29	30
	7	1	-	1	3	-	-	5	5
	8	-	-	-	1	-	-	1	2
TOTAL		18	52	73	13	5	1	162	233
24 - 54	1 - 8	995	1,164	1,262	358	129	65	3,973	5,289
25 - 35	1 - 8	-	-	-	-	-	-	-	-
81 - 85	1 - 8	68	57	44	26	4	-	199	259
TOTAL ALL		1,669,137	2,707,457	3,971,950	1,484,289	423,157	85,122	10,341,112	11,436,154

EXTRANEOUS MATTER	
Bark - Level 1	332,556
Bark - Level 2	-
Grass - Level 1	17,835
Grass - Level 2	-
Prep - Level 1	392
Prep - Level 2	-
Seed Coat - Level 1	11,946
Seed Coat - Level 2	-
Oil - Level 1	70
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	113
Other - Level 2	-
Plastic - Level 1	2,994
Plastic - Level 2	-

Average Staple	36.37
Percent Tenderable	79.3
SAMPLES CLASSED	11,436,154

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	*	*	*	0.1	0.4	1.2	2.3	3.3	4.2	1.6	0.6	0.2	13.8
	3	-	-	*	*	*	*	0.1	0.4	0.9	1.3	2.0	0.9	0.3	0.1	5.9
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.5	1.7	3.2	4.7	6.3	2.5	0.9	0.2	20.1
31	1 - 2	-	-	*	*	*	*	0.2	0.7	1.6	2.9	3.7	1.1	0.3	0.1	10.6
	3	-	-	*	*	*	0.1	0.3	1.4	3.5	6.9	11.4	3.9	1.0	0.2	28.7
	4	-	-	*	*	*	*	0.1	0.3	0.9	1.7	3.5	1.7	0.4	0.1	8.7
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.6	2.4	6.1	11.7	18.8	6.9	1.8	0.3	48.8
41	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	3	-	-	-	*	*	*	0.1	0.5	1.3	2.2	3.0	0.9	0.2	*	8.3
	4	-	-	*	*	*	*	0.1	0.4	1.1	2.0	3.5	1.4	0.3	0.1	9.1
	5	-	-	-	*	*	*	*	0.1	0.3	0.5	1.0	0.5	0.2	*	2.7
	6	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	0.3	1.2	3.0	5.1	7.9	3.0	0.8	0.1	21.4
51	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.3	0.4	0.5	0.2	0.1	*	1.7
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
12 & 22	1 - 2	-	-	*	*	*	0.1	0.2	0.5	0.7	0.5	0.3	*	*	*	2.3
	3	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	1.3
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.3	0.7	1.1	0.8	0.5	0.1	*	*	3.7
32	1 - 2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	1.0
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.1	*	*	1.8
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	1.4
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*
33	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	0.1	*	*	*
43	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	8	-	-	-	*	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL ALL		-	-	*	*	0.1	0.6	2.2	6.7	14.6	23.7	34.7	13.0	3.7	0.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.9
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.37
Percent Tenderable	79.3
SAMPLES CLASSED	11,436,154

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	*	0.2	1.2	2.5	5.0	1.7	0.5	0.1	11.3
	3	-	-	-	-	-	*	*	0.1	0.5	1.7	5.2	2.3	0.7	0.1	10.6
	4	-	-	-	-	-	*	*	*	*	0.2	0.4	0.2	0.1	*	0.9
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.4	1.7	4.4	10.5	4.3	1.2	0.3	22.8
31	1 - 2	-	-	-	-	*	*	0.2	0.7	1.5	2.1	2.4	0.6	0.1	*	7.7
	3	-	-	-	-	*	0.1	0.4	1.4	3.9	7.2	11.8	4.2	1.1	0.2	30.2
	4	-	-	-	-	*	*	0.1	0.4	1.3	2.7	4.7	2.1	0.6	0.1	12.1
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	1.5
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.7	2.6	6.9	12.3	19.4	7.5	1.8	0.3	51.7
41	1 - 2	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9
	3	-	-	-	*	*	0.1	0.3	0.9	1.6	2.0	1.8	0.4	0.1	*	7.1
	4	-	-	-	*	*	*	0.2	0.7	1.3	2.0	2.2	0.6	0.1	*	7.3
	5	-	-	-	*	*	*	*	0.2	0.4	0.6	0.7	0.3	0.1	*	2.3
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.2	0.6	1.9	3.6	5.0	5.0	1.4	0.3	0.1	17.9
51	1 - 2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.5	0.4	0.1	*	*	1.8
	4	-	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.1	*	*	1.8
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.1	0.2	0.6	0.9	1.2	1.1	0.2	0.1	*	4.4
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	1.3
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.1	*	*	0.8

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	0.1	0.4	1.7	5.8	13.8	23.7	36.7	13.6	3.5	0.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.45
Percent Tenderable	86.8
SAMPLES CLASSED	695,115

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.1	0.6	4.0	12.1	24.9	17.1	8.3	2.5	69.6
	3	-	-	-	-	-	*	*	*	0.4	1.2	2.3	2.5	1.7	0.9	9.0
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.1	0.6	4.3	13.3	27.3	19.7	10.1	3.4	78.9
31	1 - 2	-	-	-	-	-	*	*	0.1	0.8	1.0	2.1	1.3	0.6	0.2	6.1
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	2.2	2.4	1.5	0.6	8.1
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.6	0.7	0.5	0.3	2.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.3	1.3	2.1	4.8	4.4	2.6	1.2	16.7
41	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	*	0.7
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	0.3	0.8	0.8	*	*	*	2.0
	3	-	-	-	-	-	-	*	*	*	0.3	0.3	*	*	*	0.7
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	0.3	1.0	1.1	0.1	*	*	2.7
32	1 - 2	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
42	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
33	1 - 2	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.0	6.2	16.8	33.8	24.5	12.9	4.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.7
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.33
Percent Tenderable	88.3
SAMPLES CLASSED	182,799

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.8	2.5	2.9	0.6	0.2	*	6.9
	3	-	-	-	-	-	-	-	*	0.1	0.5	1.6	0.5	0.1	*	2.8
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.9	3.0	4.5	1.1	0.3	*	9.8
31	1 - 2	-	-	-	-	-	*	*	0.1	1.7	5.2	5.5	1.2	0.4	*	14.0
	3	-	-	-	-	-	*	*	0.1	1.8	8.2	21.4	5.9	1.4	0.1	38.9
	4	-	-	-	-	-	*	*	*	0.2	0.9	6.3	4.0	0.6	0.1	12.0
	5	-	-	-	-	-	-	*	*	*	*	0.3	0.5	0.1	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	3.7	14.3	33.4	11.5	2.5	0.2	66.0
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.5	1.6	4.2	1.2	0.2	*	7.9
	4	-	-	-	-	*	*	*	0.1	0.5	1.3	5.9	3.0	0.5	0.1	11.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	1.4	1.4	0.3	*	3.5
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	1.2	3.4	11.8	5.8	1.0	0.1	23.6
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.5	5.9	20.7	50.0	18.5	3.9	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.93
Percent Tenderable	79.0
SAMPLES CLASSED	1,494,918

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.5	4.4	11.8	26.0	11.7	3.4	0.9	58.6
	3	-	-	-	-	-	-	-	0.1	0.6	0.6	3.1	2.8	1.2	0.7	9.0
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.6
	5	-	-	-	-	-	-	-	-	*	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.5	5.1	12.4	29.1	14.6	4.8	1.7	68.3
31	1 - 2	-	-	-	-	-	-	*	0.1	0.4	2.0	3.2	1.7	2.1	0.4	9.9
	3	-	-	-	-	-	*	0.1	0.3	0.7	1.2	3.2	1.6	2.2	1.1	10.3
	4	-	-	-	-	-	-	*	0.1	0.2	0.3	1.7	0.5	1.4	0.9	5.2
	5	-	-	-	-	-	-	-	-	*	*	0.3	*	0.4	0.3	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.5	1.3	3.5	8.5	3.8	6.1	2.7	26.4
41	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	0.2	0.3	0.2	0.3	*	*	*	1.1
	5	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.4	0.5	0.4	0.5	*	0.2	0.1	2.1
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.1	0.2	0.6
	5	-	-	-	-	-	-	-	*	*	*	-	*	*	0.2	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	0.3	0.1	0.1	0.1	0.2	0.4	1.4
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	-	*	-	0.2
	4	-	-	-	-	-	-	*	0.1	0.3	0.1	*	-	*	-	0.6
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	0.5	0.3	0.1	*	0.1	0.1	1.4
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	0.1	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	*	*	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.9	7.9	16.8	38.3	18.6	11.4	5.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.2
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.18
Percent Tenderable	88.5
SAMPLES CLASSED	71,578

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.5	0.6	0.5	0.3	0.1	*	2.4
31	1 - 2	-	-	-	-	*	*	0.2	0.8	1.8	1.7	1.4	0.5	0.2	0.1	6.6
	3	-	-	-	-	*	*	0.5	2.8	6.9	6.8	6.3	2.5	0.9	0.1	26.8
	4	-	-	-	-	-	*	0.1	0.8	2.1	2.6	2.7	1.2	0.4	0.1	10.1
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.8	4.5	11.0	11.4	10.7	4.3	1.5	0.2	44.6
41	1 - 2	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.4	*	*	-	1.1
	3	-	-	-	-	*	0.1	0.4	1.4	2.8	3.4	4.2	0.9	0.3	0.1	13.5
	4	-	-	-	-	*	0.1	0.3	1.1	2.5	3.7	4.3	1.5	0.8	0.1	14.5
	5	-	-	-	-	-	*	0.1	0.3	0.6	1.0	1.0	0.5	0.3	*	3.9
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	0.2	0.9	2.9	6.3	8.5	10.0	3.0	1.5	0.2	33.4
51	1 - 2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.6	0.8	1.1	0.4	0.1	*	3.4
	4	-	-	-	-	-	*	0.1	0.2	0.4	0.9	1.1	0.6	0.3	*	3.6
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.5	1.2	2.0	2.7	1.2	0.5	*	8.3
61	1 - 2	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1 - 2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.3	0.1	*	*	-	1.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.6	1.0	0.6	0.2	*	*	-	2.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.3	0.6	0.9	0.5	0.2	*	*	*	2.5
	4	-	-	-	-	-	*	0.1	0.3	0.7	0.6	0.3	0.1	*	*	2.2
	5	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.4	0.9	1.8	1.4	0.7	0.2	0.1	0.1	5.5
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.5	0.8	0.4	0.1	*	2.3

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
43	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	*	0.1	0.1	*	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.3	2.5	9.8	22.4	25.2	25.8	9.5	3.8	0.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.08
Percent Tenderable	67.7
SAMPLES CLASSED	92,319

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.6	0.8	1.0	0.4	0.1	*	3.0
31	1 - 2	-	-	-	*	*	*	0.2	0.7	1.6	2.1	1.9	0.5	0.1	*	7.2
	3	-	-	-	-	*	*	0.3	1.7	4.6	7.8	8.7	2.5	0.5	0.1	26.3
	4	-	-	-	-	*	*	0.1	0.4	1.1	2.4	3.6	1.3	0.4	0.1	9.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.5	2.8	7.5	12.5	14.6	4.5	1.1	0.2	43.8
41	1 - 2	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	1.7
	3	-	-	-	*	*	*	0.3	1.4	3.6	5.9	6.2	1.5	0.3	*	19.4
	4	-	-	-	*	*	*	0.2	0.8	2.4	4.7	6.8	2.2	0.5	0.1	17.7
	5	-	-	-	-	*	*	*	0.2	0.5	1.0	1.9	0.9	0.3	0.1	4.8
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	0.1	0.6	2.6	7.0	12.3	15.7	4.9	1.2	0.2	44.4
51	1 - 2	-	-	-	*	-	*	*	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	*	*	*	*	0.2	0.4	0.6	0.5	0.1	*	*	1.9
	4	-	-	-	-	*	*	*	0.2	0.4	0.5	0.7	0.3	0.1	*	2.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.1	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	0.1	0.4	1.0	1.4	1.6	0.6	0.2	*	5.3
61	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.5	0.7	0.3	0.1	*	1.9
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL ALL		-	-	-	*	*	0.1	1.3	6.2	16.5	27.7	34.1	10.9	2.7	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.32
Percent Tenderable	90.0
SAMPLES CLASSED	2,140,112

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	0.1	0.4	0.9	1.4	1.1	1.0	1.5	0.4	0.1	*	7.0
	3	-	-	-	*	*	0.1	0.2	1.1	2.0	2.3	2.9	1.2	0.4	*	10.3
	4	-	-	-	-	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	-	2.5
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	0.1	0.6	1.3	2.8	3.7	4.1	5.0	1.8	0.5	*
31	1 - 2	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.6
	3	-	-	-	-	*	*	0.1	0.4	0.7	1.5	2.5	1.1	0.7	*	7.0
	4	-	-	-	-	*	*	0.2	0.7	1.3	2.0	2.8	1.6	0.5	*	9.3
	5	-	-	-	-	-	*	0.1	0.2	0.6	1.0	1.0	0.4	0.1	*	3.4
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	0.1	0.5	1.4	2.7	4.7	6.6	3.2	1.3	0.1
41	1 - 2	-	-	-	-	-	-	*	-	-	-	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1	*	0.8
	4	-	-	-	-	*	*	0.2	0.4	0.8	0.8	1.2	0.7	0.8	*	4.9
	5	-	-	-	-	*	*	0.2	0.7	1.3	2.0	1.9	0.9	0.8	0.1	8.0
	6	-	-	-	-	-	*	0.1	0.4	0.6	1.4	1.2	0.4	0.3	*	4.5
	7	-	-	-	-	-	*	0.1	0.1	0.1	0.2	0.3	*	*	*	0.8
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.1	0.7	1.8	2.9	4.5	4.8	2.1	2.0	0.1
51	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	*	0.1	0.1	0.4	0.3	0.2	0.1	0.1	*	1.4
	6	-	-	-	-	-	*	0.1	0.2	0.6	0.6	0.6	0.1	0.3	*	2.7
	7	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	0.2	*	1.7
	8	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	*	-	0.3
	TOTAL		-	-	-	*	*	*	0.3	0.6	1.7	1.5	1.4	0.3	0.7	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	*	0.1	0.5	0.8	0.9	0.2	*	*	-	2.6
	3	-	-	-	*	0.1	0.2	0.2	0.8	1.8	1.3	0.7	0.3	*	*	5.5
	4	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.4	0.1	*	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	0.1	0.3	0.5	1.7	3.0	2.6	1.3	0.4	0.1	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.4	0.1	*	*	1.5
	4	-	-	-	*	*	*	0.3	0.6	1.0	0.8	0.8	0.1	*	*	3.6
	5	-	-	-	-	*	*	0.2	0.2	0.3	0.3	0.4	0.1	*	*	1.6
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	*	0.1	0.5	1.0	1.7	1.5	1.6	0.3	0.1	0.1
42	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	*	0.2	0.4	0.9	0.7	0.3	*	*	*	2.5
	5	-	-	-	-	*	0.1	0.4	1.0	1.4	1.0	0.6	0.1	0.1	0.1	4.9
	6	-	-	-	-	*	0.1	0.4	0.8	1.0	0.7	0.4	0.1	*	*	3.5
	7	-	-	-	-	*	0.1	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	0.3	1.1	2.5	3.7	2.7	1.5	0.3	0.2	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	*	-	0.6
	7	-	-	-	-	-	*	0.1	*	0.2	0.1	0.1	*	*	-	0.6
	8	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	TOTAL		-	-	-	-	-	0.1	0.3	0.4	0.6	0.3	0.2	*	*	-

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
33	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	0.1	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	0.8
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	-	-	0.9
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	8	-	-	-	-	-	*	*	*	*	-	*	*	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL ALL		-	-	-	*	0.3	1.6	5.5	12.6	20.6	22.4	22.9	8.8	4.9	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	24.0
Bark - Level 2	-
Grass - Level 1	1.0
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.86
Percent Tenderable	39.6
SAMPLES CLASSED	124,779

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.2	0.3	0.9	1.1	0.6	0.2	*	3.2
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	1.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.3	1.1	1.7	1.0	0.3	0.1	4.8
31	1 - 2	-	-	-	-	-	*	0.2	0.3	1.2	2.2	2.4	1.0	0.4	*	7.6
	3	-	-	-	-	-	*	0.2	0.8	2.3	6.5	9.4	3.3	1.3	0.3	24.1
	4	-	-	-	-	*	*	0.1	0.4	0.8	1.4	2.4	1.1	0.4	0.1	6.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.4	1.6	4.3	10.2	14.3	5.5	2.1	0.4	38.9
41	1 - 2	-	-	-	-	-	*	0.1	0.1	0.3	0.3	0.3	0.1	*	*	1.2
	3	-	-	-	-	-	*	0.2	0.8	2.3	5.0	5.6	2.0	0.7	0.1	16.6
	4	-	-	-	-	*	*	0.2	1.1	2.4	4.3	6.1	2.4	1.1	0.2	17.8
	5	-	-	-	-	-	*	*	0.3	0.7	1.3	1.1	0.6	0.3	0.1	4.4
	6	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.5	2.3	5.7	11.0	13.1	5.2	2.2	0.3	40.4
51	1 - 2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	0.1	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	0.5	0.4	0.3	0.1	*	1.7
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.4	0.7	0.2	*	-	1.8
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.4	0.2	*	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.5	0.5	1.0	0.4	*	*	2.6
32	1 - 2	-	-	-	-	-	*	*	0.1	0.4	0.2	0.1	*	*	*	0.9
	3	-	-	-	-	*	*	*	0.2	0.8	0.7	0.6	0.2	*	*	2.6
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.4	1.3	1.1	0.9	0.3	0.1	*	4.1
42	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	*	0.1	0.4	1.1	1.2	0.4	0.2	*	*	3.4
	4	-	-	-	-	*	*	*	0.2	0.5	0.8	0.4	0.2	0.2	*	2.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.7	1.9	2.3	0.9	0.5	0.3	*	6.7
52	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.1	-	0.3
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	0.1	*	0.7

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	*	*	-	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.1	1.2	5.4	14.5	26.9	32.5	13.2	5.3	0.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.49
Percent Tenderable	63.8
SAMPLES CLASSED	207,195

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.6	1.5	2.2	1.1	0.4	0.1	5.9
	3	-	-	-	-	-	-	*	0.1	0.3	0.9	1.9	1.0	0.4	0.1	4.6
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.9	2.4	4.1	2.1	0.8	0.2	10.7
31	1 - 2	-	-	-	-	-	*	*	0.3	1.2	2.7	3.5	1.2	0.3	*	9.5
	3	-	-	-	-	-	*	0.2	1.5	4.3	9.8	14.7	5.9	2.0	0.3	38.6
	4	-	-	-	-	-	*	0.1	0.5	1.4	2.5	4.7	2.2	0.7	0.1	12.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.4	0.2	0.1	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.3	2.4	6.9	15.1	23.3	9.5	3.1	0.5	61.1
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	0.1	0.4	1.1	2.6	2.9	0.8	0.2	*	8.2
	4	-	-	-	-	*	*	0.1	0.6	1.8	3.1	4.9	1.5	0.4	0.1	12.4
	5	-	-	-	-	-	*	*	0.2	0.9	0.9	1.6	0.6	0.1	*	4.5
	6	-	-	-	-	-	*	*	*	0.2	0.1	0.2	0.1	*	*	0.7
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
TOTAL		-	-	-	-	*	*	0.2	1.3	4.1	6.8	9.8	3.0	0.9	0.1	26.1
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	0.9
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	0.9
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.1	0.6	4.1	12.5	25.0	37.6	14.7	4.7	0.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.62
Percent Tenderable	61.0
SAMPLES CLASSED	833,038

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.6	2.3	3.0	1.1	0.3	*	7.3
	3	-	-	-	-	-	-	*	*	*	0.2	1.2	0.5	0.1	*	2.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.6	2.6	4.2	1.6	0.4	*	9.5
31	1 - 2	-	-	-	-	-	*	*	*	1.2	6.3	10.4	3.6	1.1	0.2	22.8
	3	-	-	-	*	-	*	*	*	0.5	5.6	22.9	11.3	2.6	0.4	43.4
	4	-	-	-	-	-	-	-	*	*	0.2	2.6	3.3	0.7	0.1	7.0
	5	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	*	0.1	1.8	12.1	36.0	18.3	4.5	0.7	73.3
41	1 - 2	-	-	-	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	1.0
	3	-	-	-	-	-	*	*	*	0.1	0.7	4.7	2.9	0.6	0.1	9.1
	4	-	-	-	-	-	-	*	*	*	0.2	2.2	3.0	0.6	0.1	6.1
	5	-	-	-	-	-	-	*	-	*	*	0.2	0.5	0.2	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	1.0	7.5	6.6	1.5	0.2	17.1
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	*	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	-	*	*	0.1	2.5	15.7	47.7	26.6	6.5	0.9	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.22
Percent Tenderable	92.4
SAMPLES CLASSED	790,678

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	0.7	2.2	13.6	17.2	10.0	10.0	5.0	58.6
	3	-	-	-	-	-	-	-	0.3	0.2	0.9	2.4	0.8	0.3	0.4	5.4
	4	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	1.0	2.4	14.5	19.6	10.8	10.4	5.4	64.1
31	1 - 2	-	-	-	-	-	-	-	0.7	1.5	2.3	2.9	1.7	0.8	0.4	10.3
	3	-	-	-	-	-	-	*	1.1	1.7	2.9	4.5	1.1	1.8	1.0	14.2
	4	-	-	-	-	-	-	-	*	0.3	0.6	1.0	0.1	1.1	0.3	3.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	-	0.1	0.1	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	1.8	3.5	5.8	8.5	2.9	3.7	1.8	28.1
41	1 - 2	-	-	-	-	-	-	-	-	*	0.1	-	-	*	-	0.1
	3	-	-	-	-	-	-	-	*	0.2	0.3	0.4	*	*	-	0.9
	4	-	-	-	-	-	-	-	*	0.2	0.8	1.0	*	*	*	2.0
	5	-	-	-	-	-	-	-	*	0.3	0.2	0.3	*	*	*	0.9
	6	-	-	-	-	-	-	-	-	0.2	*	*	-	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.8	1.4	1.7	*	0.1	0.1	4.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	0.2	*	*	*	*	-	0.3
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.2	0.1	0.1	*	*	-	0.4
32	1 - 2	-	-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	-	-	0.6
	3	-	-	-	-	-	-	*	0.5	0.2	0.4	0.4	*	-	-	1.5
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.8	0.5	0.6	0.6	*	-	-	2.6
42	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	0.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	-	0.1	0.1	-	-	-	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	3.8	7.6	22.6	30.7	13.9	14.2	7.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	8.4
Bark - Level 2	-
Grass - Level 1	1.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.5
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.17
Percent Tenderable	80.6
SAMPLES CLASSED	16,119

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.1	0.5	0.9	1.2	0.9	0.2	*	*	3.9
	3	-	-	-	-	*	*	*	0.1	0.5	0.9	0.9	0.3	0.1	*	2.7
	4	-	-	-	-	-	*	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.7	1.4	2.1	1.9	0.5	0.1	*	6.7
31	1 - 2	-	-	-	*	*	*	0.6	1.9	3.0	2.7	1.8	0.3	*	*	10.4
	3	-	-	-	*	*	0.1	0.8	4.2	10.8	14.3	10.8	1.8	0.3	*	43.1
	4	-	-	-	-	-	*	0.1	0.7	2.5	4.5	5.2	1.0	0.2	*	14.1
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	1.4	6.9	16.4	21.7	18.2	3.3	0.5	*	68.6
41	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	*	*	*	0.2	1.0	2.4	2.8	1.8	0.3	*	*	8.4
	4	-	-	-	-	*	*	0.2	1.0	2.8	3.7	2.9	0.4	0.1	*	11.2
	5	-	-	-	-	-	*	*	0.2	0.6	0.8	0.9	0.2	*	*	2.8
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.5	2.3	5.9	7.4	5.8	1.0	0.2	*	23.2
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
52	1 - 2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	0.2	2.1	10.1	24.0	31.6	26.4	4.8	0.8	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.2
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.88
Percent Tenderable	62.5
SAMPLES CLASSED	748,505

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	*	0.2	0.5	1.0	2.0	5.5	9.7	4.2	1.4	0.3	24.8
	3	-	-	-	-	*	*	0.1	0.2	0.4	1.0	1.6	0.8	0.3	*	4.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.2	0.7	1.2	2.4	6.6	11.4	5.0	1.6	0.3	29.4
31	1 - 2	-	-	-	-	*	0.1	0.3	0.6	1.2	2.2	3.7	1.8	1.2	0.6	11.8
	3	-	-	-	-	*	0.3	0.5	0.8	1.8	3.4	7.0	4.2	2.4	1.7	22.1
	4	-	-	-	-	*	0.1	0.3	0.2	0.4	0.6	1.3	0.7	0.2	0.1	4.0
	5	-	-	-	*	-	*	*	*	*	*	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.1	0.6	1.1	1.7	3.4	6.3	12.1	6.7	3.8	2.4	38.2
41	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	3	-	-	-	-	*	0.1	0.1	0.5	0.9	1.1	1.7	0.6	0.3	0.4	5.6
	4	-	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.8	0.3	0.1	0.1	3.3
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.1
	6	-	-	-	-	-	*	*	0.1	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.2	0.4	1.3	2.1	2.0	3.0	1.0	0.5	0.5	11.0
51	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	0.1	0.3	0.6	1.0	0.9	0.7	0.5	0.2	*	-	4.2
	3	-	-	-	*	*	0.1	0.3	0.4	0.4	0.4	0.5	0.1	*	*	2.3
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.1	0.5	0.9	1.4	1.3	1.1	1.0	0.3	*	*	6.7
32	1 - 2	-	-	-	*	*	0.2	0.2	0.3	0.2	0.2	0.1	0.1	*	-	1.4
	3	-	-	-	*	0.1	0.3	0.5	0.8	0.8	0.7	0.5	0.2	*	*	3.9
	4	-	-	-	*	*	0.1	0.2	0.2	0.5	0.5	0.3	0.1	*	*	1.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.1	0.6	0.9	1.5	1.6	1.5	1.0	0.4	0.1	*	7.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	*	-	0.1
	3	-	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	4	-	-	*	*	*	0.1	0.1	0.3	0.5	0.2	0.1	*	*	-	1.3
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.7
	6	-	-	-	*	*	*	*	*	*	0.1	*	*	-	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	TOTAL	-	-	*	*	*	0.1	0.3	0.7	1.1	0.6	0.3	0.1	*	*	3.3
52	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	0.1	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	-	*	*	*	*	*	*	*	-	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.3	0.2	0.1	0.2	0.1	*	*	*	1.1
33	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.3	0.1	*	*	1.2
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL ALL		-	-	*	*	0.5	2.3	4.6	8.3	12.6	19.0	29.5	13.8	6.0	3.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	6.8
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.34
Percent Tenderable	78.8
SAMPLES CLASSED	140,874

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.5	0.8	1.0	0.2	0.1	*	2.8
	3	-	-	-	-	-	-	*	*	0.3	0.7	1.1	0.5	0.2	*	2.7
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.8	1.5	2.2	0.8	0.2	*	5.8
31	1 - 2	-	-	-	-	*	*	0.1	0.5	1.3	1.2	1.1	0.3	0.1	*	4.5
	3	-	-	-	-	*	*	0.1	1.1	4.5	8.5	10.5	3.7	1.1	0.1	29.6
	4	-	-	-	-	-	*	*	0.2	1.3	3.6	7.1	2.6	0.9	0.2	15.9
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.8	0.4	0.1	*	1.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.9	7.2	13.5	19.4	7.0	2.2	0.4	51.9
41	1 - 2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	*	0.1	0.6	2.1	3.2	3.3	1.2	0.3	*	10.8
	4	-	-	-	-	-	*	0.1	0.5	2.2	5.3	8.4	2.7	1.0	0.2	20.5
	5	-	-	-	-	-	*	*	0.1	0.5	1.3	3.3	1.2	0.4	0.2	7.0
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.3	4.9	10.0	15.5	5.3	1.8	0.5	39.4
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	0.6
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	*	-	*	*	*	0.1	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.3	*	*	-	0.4

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.5	3.5	13.3	25.9	38.2	13.3	4.3	0.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.5
Bark - Level 2	-
Grass - Level 1	0.5
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.59
Percent Tenderable	85.5
SAMPLES CLASSED	330,845

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.9	3.4	8.8	2.8	0.7	*	16.9
	3	-	-	-	-	-	-	*	*	0.1	0.8	3.8	1.8	0.3	*	6.7
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.0	4.2	12.7	4.7	0.9	0.1	23.7
31	1 - 2	-	-	-	-	-	*	*	*	0.9	5.0	14.0	4.2	0.8	0.1	25.0
	3	-	-	-	-	-	*	*	*	0.5	4.8	21.3	7.5	1.2	0.1	35.4
	4	-	-	-	-	-	-	*	*	*	0.5	3.7	1.9	0.3	*	6.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	1.4	10.3	39.2	13.7	2.3	0.2	67.1
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.6
	3	-	-	-	-	-	-	-	*	0.1	0.7	2.5	0.6	0.1	*	4.0
	4	-	-	-	-	-	-	-	*	*	0.5	2.1	0.7	0.1	*	3.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	1.3	5.5	1.7	0.2	*	8.9
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.2	2.5	15.8	57.6	20.1	3.4	0.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.06
Percent Tenderable	97.5
SAMPLES CLASSED	657,268

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
11 & 21	1 - 2	-	-	*	*	0.1	0.4	1.6	4.4	7.0	7.1	6.9	2.6	1.1	0.3	31.5	
	3	-	-	*	*	*	0.1	0.4	1.5	2.8	3.3	2.7	1.2	0.6	0.2	12.6	
	4	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	-	*	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	0.1	0.5	2.0	6.0	9.9	10.6	9.8	3.8	1.6	0.5	45.0	
31	1 - 2	-	-	*	*	*	0.1	0.4	1.0	1.5	1.5	1.4	0.5	0.2	0.1	6.8	
	3	-	-	*	*	0.1	0.2	0.7	1.8	3.0	3.3	3.1	1.3	0.6	0.2	14.2	
	4	-	-	*	*	*	0.1	0.2	0.4	0.8	0.9	0.9	0.4	0.2	0.1	4.0	
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	-	*	*	*	*	-	-	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	0.1	0.4	1.3	3.2	5.3	5.9	5.6	2.2	1.0	0.3	25.4	
41	1 - 2	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.4	0.1	0.1	*	1.6	
	4	-	-	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.2	0.1	*	1.8	
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8	
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	*	*	*	0.1	0.3	0.6	0.9	1.1	1.1	0.5	0.2	0.1	4.9	
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4	
61	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	-	*	-	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	-	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	*	-	-	*	*	-	-	-	*	
12 & 22	1 - 2	-	-	*	*	0.1	0.2	0.9	2.0	2.6	1.9	1.0	0.2	*	*	8.8	
	3	-	-	*	*	*	0.1	0.3	0.8	1.4	1.2	0.7	0.2	*	*	4.8	
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	0.1	0.4	1.3	2.9	4.2	3.2	1.8	0.4	0.1	*	14.3	
32	1 - 2	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9	
	3	-	-	*	*	*	0.2	0.3	0.5	0.7	0.6	0.4	0.1	*	*	2.8	
	4	-	-	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.3	
	5	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*	
	8	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*	
TOTAL		-	-	*	*	0.1	0.3	0.6	1.0	1.2	1.0	0.7	0.2	0.1	*	5.3	
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5	
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6	
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	8	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*	
TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.5	0.4	0.3	0.1	*	*	1.9	
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2	

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
62	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*	
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
13 & 23	1 - 2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	*	1.2	
33	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.3	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
TOTAL		-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	0.9	
43	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*	
TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3	
53	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
63	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*	
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	*	*	*	-	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	8	-	-	-	*	-	-	-	-	-	-	-	*	-	-	*	
TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
24 - 54	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL ALL		-	-	*	0.1	0.4	1.9	6.0	14.7	22.7	22.8	19.8	7.4	3.2	0.9	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	8.3
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	35.68
Percent Tenderable	72.1
SAMPLES CLASSED	2,723,590

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.2	1.1	2.3	4.1	2.8	0.4	0.1	*	11.0
	3	-	-	-	-	-	*	*	0.2	0.8	2.9	3.4	0.7	0.1	*	8.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.3	3.1	7.1	6.5	1.2	0.2	*	19.7
31	1 - 2	-	-	-	-	*	*	0.5	2.2	5.1	6.9	3.1	0.2	*	*	18.0
	3	-	-	-	-	-	*	0.2	2.1	9.6	22.2	12.1	1.2	0.1	*	47.5
	4	-	-	-	-	-	-	*	0.1	0.9	3.1	2.9	0.4	*	*	7.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.7	4.3	15.6	32.3	18.3	2.0	0.2	*	73.5
41	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	-	-	0.7
	3	-	-	-	-	-	*	*	0.2	0.6	1.8	1.1	0.1	*	-	3.8
	4	-	-	-	-	-	-	*	*	0.3	0.7	0.5	*	*	-	1.6
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	1.1	2.8	1.9	0.1	*	-	6.3
51	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
42	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	1.0	5.9	19.9	42.4	26.9	3.4	0.5	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.00
Percent Tenderable	89.8
SAMPLES CLASSED	186,422

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2023 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2,140	-	347	-	-	-	11	-	419	-
Arizona	1,245	-	112	-	-	-	-	-	1,355	-
Arkansas	671	-	766	-	36	-	4	-	53	-
California	2,976	-	240	-	-	-	2	-	2	-
Florida	469	-	107	-	-	-	15	-	45	-
Georgia	35,494	-	3,037	-	2	-	239	-	2,952	-
Kansas	29,986	-	1,258	-	-	-	-	-	2	-
Louisiana	114	-	39	-	1	-	1	-	3	-
Mississippi	168	-	158	-	5	-	-	-	127	-
Missouri	191	-	471	-	1	-	10	-	2	-
New Mexico	1,360	-	171	-	1	-	-	-	86	-
North Carolina	8,701	-	2,525	-	1	-	37	-	14	-
Oklahoma	9,600	-	483	-	1	-	2	-	4	-
South Carolina	11,423	-	1,638	-	-	-	29	-	14	-
Tennessee	130	-	60	-	-	-	-	-	-	-
Texas	227,308	-	6,207	-	22	-	41	-	6,867	-
Virginia	580	-	216	-	-	-	1	-	1	-
United States	332,556	-	17,835	-	70	-	392	-	11,946	-

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2	-	134	-	-	-	3,053	-
Arizona	23	-	87	-	-	-	2,822	-
Arkansas	1	-	225	-	-	-	1,756	-
California	-	-	13	-	-	-	3,233	-
Florida	1	-	10	-	-	-	647	-
Georgia	4	-	465	-	-	-	42,193	-
Kansas	1	-	27	-	-	-	31,274	-
Louisiana	3	-	36	-	-	-	197	-
Mississippi	4	-	184	-	-	-	646	-
Missouri	-	-	85	-	-	-	760	-
New Mexico	-	-	1	-	-	-	1,619	-
North Carolina	20	-	118	-	-	-	11,416	-
Oklahoma	-	-	34	-	-	-	10,124	-
South Carolina	6	-	125	-	-	-	13,235	-
Tennessee	-	-	65	-	-	-	255	-
Texas	44	-	1,370	-	-	-	241,859	-
Virginia	4	-	15	-	-	-	817	-
United States	113	-	2,994	-	-	-	365,906	-

Table 21. -- Tenderability of upland cotton classed, by states, 2023 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	603,319	86.8	91,796	13.2
Arizona	161,486	88.3	21,313	11.7
Arkansas	1,181,121	79.0	313,797	21.0
California	63,370	88.5	8,208	11.5
Florida	62,518	67.7	29,801	32.3
Georgia	1,926,929	90.0	213,183	10.0
Kansas	49,422	39.6	75,357	60.4
Louisiana	132,129	63.8	75,066	36.2
Mississippi	507,929	61.0	325,109	39.0
Missouri	730,802	92.4	59,876	7.6
New Mexico	12,991	80.6	3,128	19.4
North Carolina	468,108	62.5	280,397	37.5
Oklahoma	111,035	78.8	29,839	21.2
South Carolina	283,009	85.5	47,836	14.5
Tennessee	640,752	97.5	16,516	2.5
Texas	1,963,839	72.1	759,751	27.9
Virginia	167,430	89.8	18,992	10.2
<i>United States</i>	<i>9,066,189</i>	<i>79.3</i>	<i>2,369,965</i>	<i>20.7</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	7.0	24.8	26.6	20.5	28.0	1.5	5.8	4.2	3.9	2.8	11.0	4.7
	3	10.3	4.5	8.4	7.7	18.6	2.3	4.4	3.6	2.7	2.7	8.2	3.5
	4	2.5	0.1	0.4	0.9	1.7	0.2	0.1	0.1	0.1	0.2	0.4	0.2
	5	0.2	*	*	0.1	*	*	*	*	*	*	*	*
	6	*	-	-	*	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		20.0	29.4	35.4	29.1	48.4	3.9	10.4	7.9	6.7	5.8	19.7	8.4
31	1 - 2	0.6	11.8	7.6	6.9	2.6	3.7	10.1	7.7	10.4	4.5	18.0	10.0
	3	7.0	22.1	17.7	16.1	6.0	29.2	38.8	35.1	43.1	29.6	47.5	40.2
	4	9.3	4.0	5.0	5.9	1.8	15.3	11.6	13.0	14.1	15.9	7.5	13.6
	5	3.4	0.3	0.4	1.2	0.1	1.2	0.7	0.9	0.9	1.7	0.5	1.1
	6	0.4	*	*	0.1	*	*	*	*	*	0.1	*	*
	7	*	-	*	*	*	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		20.7	38.2	30.7	30.2	10.5	49.5	61.3	56.8	68.6	51.9	73.5	64.9
41	1 - 2	*	0.7	0.6	0.5	0.4	0.3	0.4	0.3	0.4	0.3	0.7	0.4
	3	0.8	5.6	4.1	3.7	2.0	12.0	8.0	9.5	8.4	10.8	3.8	8.4
	4	4.9	3.3	5.1	4.5	1.2	25.0	13.0	17.5	11.2	20.5	1.6	12.2
	5	8.0	1.1	2.2	3.5	0.2	7.7	4.7	5.8	2.8	7.0	0.2	3.5
	6	4.5	0.3	0.6	1.6	*	0.5	0.6	0.6	0.3	0.8	*	0.4
	7	0.8	*	0.1	0.3	*	*	*	*	*	*	-	*
	8	*	*	*	*	*	-	*	*	-	-	-	-
TOTAL		19.1	11.0	12.8	14.0	3.7	45.4	26.6	33.8	23.2	39.4	6.3	25.0
51	1 - 2	*	*	*	*	*	*	*	*	*	*	*	*
	3	0.1	*	*	*	0.3	0.1	*	*	0.1	0.3	*	0.2
	4	0.4	*	0.1	0.2	0.3	0.2	*	0.1	0.3	0.6	*	0.3
	5	1.4	0.1	0.2	0.5	0.1	0.1	*	0.1	0.1	0.3	*	0.1
	6	2.7	0.1	0.1	0.8	*	*	*	*	*	0.1	*	*
	7	1.7	*	0.1	0.5	*	*	*	*	*	*	-	*
	8	0.3	*	*	0.1	-	*	*	*	-	-	-	-
TOTAL		6.6	0.4	0.5	2.2	0.9	0.3	0.2	0.2	0.5	1.4	*	0.7
61	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	*	-	-	*
	4	-	-	-	-	*	-	-	-	*	*	*	*
	5	*	-	-	*	*	-	*	*	*	*	-	*
	6	-	-	-	-	*	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		*	-	-	*	*	-	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	-	-	-
12 & 22	1 - 2	2.6	4.2	3.1	3.3	17.8	*	*	*	*	*	*	*
	3	5.5	2.3	2.3	3.2	8.7	*	*	*	*	*	*	*
	4	2.0	0.2	0.3	0.7	1.0	-	*	*	*	*	*	*
	5	0.1	*	*	*	0.1	*	*	*	*	*	*	*
	6	*	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		10.1	6.7	5.6	7.3	27.6	*	*	*	*	0.1	0.1	*
32	1 - 2	0.1	1.4	0.8	0.8	0.8	*	*	*	*	*	*	*
	3	1.5	3.9	4.0	3.3	2.0	0.1	0.5	0.4	0.3	0.1	0.1	0.2
	4	3.6	1.9	2.2	2.5	0.9	0.1	0.2	0.1	0.1	0.1	0.1	0.1
	5	1.6	0.3	0.3	0.7	0.2	*	*	*	*	0.1	*	*
	6	0.2	*	*	0.1	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	*	*	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		7.0	7.6	7.4	7.4	3.8	0.2	0.8	0.6	0.4	0.3	0.2	0.4
42	1 - 2	*	0.1	0.1	*	0.2	*	*	*	*	*	*	*
	3	0.2	0.9	0.5	0.5	0.8	0.1	0.2	0.2	0.1	*	0.1	0.1
	4	2.5	1.3	1.1	1.6	0.5	0.3	0.3	0.3	0.2	0.2	0.1	0.2
	5	4.9	0.7	1.0	2.0	0.1	0.2	0.1	0.1	0.1	0.2	*	0.1
	6	3.5	0.2	0.5	1.3	*	*	*	*	*	0.1	*	*
	7	1.1	0.1	0.2	0.4	*	*	*	*	*	*	-	*
	8	*	*	0.1	*	*	-	*	*	-	-	-	-
TOTAL		12.3	3.3	3.4	5.9	1.6	0.6	0.7	0.7	0.4	0.6	0.2	0.4

Table 23. --- Continued.

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	*	*	*	*	-	-	-	*	-	-	*
	3	*	*	*	*	0.2	*	*	*	*	*	*	*
	4	0.1	*	*	*	0.2	*	*	*	*	0.1	*	*
	5	0.4	0.1	*	0.1	*	*	*	*	*	0.2	-	0.1
	6	0.6	0.1	*	0.2	*	*	*	*	*	0.1	-	*
	7	0.6	0.1	*	0.2	*	*	*	*	*	*	-	*
	8	0.1	*	0.1	0.1	-	*	*	*	-	-	-	-
TOTAL		1.8	0.3	0.2	0.7	0.4	0.1	*	*	*	0.4	*	0.1
62	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	*	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	*	-	*
13 & 23	1 - 2	0.1	0.5	0.3	0.3	1.1	-	-	-	*	*	*	*
	3	0.2	0.5	0.4	0.4	0.8	-	-	-	*	*	*	*
	4	0.1	0.1	*	0.1	0.2	-	*	*	*	*	*	*
	5	*	*	*	*	*	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	1.1	0.8	0.8	2.1	-	*	*	*	*	*	*
33	1 - 2	*	0.1	0.2	0.1	0.1	*	*	*	*	-	*	*
	3	0.2	0.6	1.1	0.7	0.2	-	*	*	*	*	*	*
	4	0.4	0.4	0.6	0.5	0.2	-	*	*	*	*	*	*
	5	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	-	*	-	-	-	-
	7	*	-	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.8	1.2	2.1	1.4	0.6	*	*	*	*	*	*	*
43	1 - 2	-	*	*	*	*	-	*	*	*	*	-	*
	3	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*
	4	0.2	0.3	0.2	0.3	0.1	*	*	*	*	*	*	*
	5	0.4	0.1	0.1	0.2	*	*	*	*	*	*	*	*
	6	0.2	*	0.1	0.1	*	*	*	*	*	*	*	*
	7	0.1	*	*	*	*	-	-	-	*	*	-	*
	8	*	*	*	*	*	-	*	*	-	-	-	-
TOTAL		0.9	0.7	0.6	0.7	0.2	*	*	*	*	0.1	*	*
53	1 - 2	-	-	-	-	*	-	-	-	-	*	-	*
	3	-	-	*	*	*	-	-	-	*	*	-	*
	4	*	*	*	*	*	-	*	*	*	*	-	*
	5	*	*	*	*	*	-	*	*	*	*	-	*
	6	*	*	*	*	*	-	*	*	*	*	-	*
	7	*	*	*	*	*	-	-	-	*	*	-	*
	8	*	*	*	*	*	-	-	-	-	-	-	-
TOTAL		0.1	*	*	0.1	*	-	*	*	*	*	-	*
63	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	*	-	*
	5	-	-	-	-	*	-	-	-	-	*	-	*
	6	-	-	-	-	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	*	*	-	*
24 - 54	1 - 8	0.1	0.2	0.4	0.3	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	*	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	*	*	-	-	-	-	-	-	-
30		*	*	*	*	*	-	-	-	*	-	-	*
31		0.3	0.5	0.1	0.3	0.3	-	-	-	*	*	*	*
32		1.6	2.3	0.9	1.6	1.7	*	*	*	0.2	*	*	0.1
33		5.5	4.6	2.5	4.0	6.5	*	0.6	0.4	2.1	0.5	1.0	1.5
34		12.6	8.3	6.8	9.0	19.0	0.4	4.7	3.0	10.1	3.5	5.9	7.8
35		20.6	12.6	14.1	15.5	27.5	2.6	13.3	9.2	24.0	13.3	19.9	20.6
36		22.4	19.0	22.0	21.1	22.2	15.6	25.1	21.5	31.6	25.9	42.4	31.7
37		22.9	29.5	28.6	27.3	14.7	54.1	38.6	44.5	26.4	38.2	26.9	29.6
38		8.8	13.8	14.5	12.7	5.4	21.8	13.7	16.7	4.8	13.3	3.4	6.8
39		4.9	6.0	7.8	6.4	2.3	4.9	3.6	4.1	0.8	4.3	0.5	1.7
40 & Longer		0.4	3.4	2.8	2.3	0.3	0.7	0.5	0.5	0.1	0.9	0.1	0.3
Average Staple		35.86	36.34	36.53	36.28	35.40	37.12	36.54	36.76	35.88	36.59	36.00	36.08
Average Length		1.12	1.13	1.14	1.13	1.10	1.16	1.14	1.15	1.12	1.14	1.12	1.12

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
11 & 21	1 - 2	41.7	33.3	5.5	1.1	1.5	2.1	20.4	8.8	6.6	7.3	16.9	11.0
	3	6.9	9.9	5.9	1.2	1.4	2.1	17.8	3.0	5.5	2.1	6.7	5.0
	4	0.3	0.4	0.7	0.1	0.1	0.2	1.2	0.1	0.2	*	0.1	0.2
	5	*	*	*	-	*	*	*	*	*	*	*	*
	6	-	*	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	48.9	43.6	12.1	2.4	3.0	4.5	39.5	11.8	12.3	9.5	23.7	16.3
31	1 - 2	6.9	10.1	8.1	6.6	7.2	7.3	7.2	17.5	8.1	22.8	25.0	18.9
	3	14.8	20.4	29.5	26.8	26.3	26.8	31.3	42.2	39.2	43.4	35.4	39.9
	4	4.9	5.4	10.7	10.1	9.3	9.6	14.2	10.9	14.4	7.0	6.4	9.4
	5	0.7	0.4	1.1	1.0	1.0	1.0	2.1	0.8	1.4	0.2	0.3	0.7
	6	0.1	*	0.1	*	*	*	0.2	*	0.1	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	27.4	36.3	49.5	44.6	43.8	44.7	55.1	71.6	63.1	73.3	67.1	69.0
41	1 - 2	0.1	0.1	1.3	1.1	1.7	1.6	0.1	0.5	0.4	1.0	0.6	0.6
	3	1.1	1.0	11.0	13.5	19.4	17.8	1.0	6.5	7.7	9.1	4.0	6.2
	4	1.9	1.8	10.5	14.5	17.7	16.5	2.2	6.7	10.9	6.1	3.5	5.7
	5	1.3	1.0	2.9	3.9	4.8	4.5	1.3	2.1	4.2	0.9	0.8	1.6
	6	0.6	0.3	0.4	0.5	0.7	0.6	0.3	0.3	0.9	*	0.1	0.2
	7	0.2	0.1	*	0.1	0.1	0.1	*	*	0.1	*	*	*
	8	*	*	*	*	*	*	-	-	-	-	-	-
	TOTAL	5.4	4.2	26.2	33.4	44.4	41.1	5.0	16.1	24.1	17.1	8.9	14.3
51	1 - 2	*	*	0.3	0.2	0.2	0.2	*	*	*	*	*	*
	3	*	*	3.0	3.4	1.9	2.1	0.1	*	*	*	*	*
	4	*	*	2.9	3.6	2.2	2.4	0.1	0.1	*	*	*	*
	5	*	*	0.8	1.0	0.8	0.8	*	0.1	0.1	*	*	*
	6	*	0.1	0.1	0.1	0.2	0.2	*	*	*	*	*	*
	7	0.1	*	*	*	*	*	*	*	*	*	*	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
	TOTAL	0.1	0.2	7.2	8.3	5.3	5.7	0.2	0.2	0.2	*	*	0.1
61	1 - 2	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	0.1	0.1	*	*	-	-	*	-	*	*
	4	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	*	*	*	*	-	*	-	-	-	*
	6	-	-	*	*	*	*	-	*	-	-	-	*
	7	-	-	*	*	*	*	-	*	-	-	-	*
	8	-	-	*	-	*	*	-	-	-	-	-	-
	TOTAL	-	*	0.1	0.1	*	*	-	*	*	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	-	-	*	*	-	-	-	-	-	-
12 & 22	1 - 2	5.4	3.4	*	*	*	*	*	*	*	*	*	*
	3	2.5	2.6	*	*	*	*	*	*	*	*	*	*
	4	0.2	0.4	*	-	*	*	*	*	*	*	*	*
	5	*	*	*	-	*	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	8.1	6.4	*	*	*	*	*	*	*	*	*	*
32	1 - 2	1.4	0.9	0.1	0.2	*	*	*	*	*	*	*	*
	3	3.5	3.0	0.7	1.6	0.3	0.4	*	0.1	*	*	*	*
	4	1.6	1.4	0.3	0.7	0.2	0.2	*	*	*	*	*	*
	5	0.3	0.3	*	0.1	*	*	*	*	*	*	*	*
	6	0.1	*	*	*	*	*	-	*	-	-	*	*
	7	*	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	6.8	5.6	1.1	2.6	0.6	0.8	0.1	0.1	0.1	*	0.1	0.1
42	1 - 2	*	*	*	0.1	*	*	*	*	*	*	*	*
	3	0.1	0.2	0.7	2.5	0.6	0.7	*	*	*	*	*	*
	4	0.3	0.5	0.9	2.2	0.9	0.9	*	0.1	0.1	*	*	*
	5	0.3	0.4	0.4	0.5	0.3	0.3	0.1	*	0.1	*	*	*
	6	0.2	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*
	7	0.1	0.1	*	*	*	*	*	*	*	-	*	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
	TOTAL	1.0	1.5	2.1	5.5	1.9	2.1	0.1	0.1	0.2	*	*	0.1

* Less than 0.05 percent.

Table 24. -- Continued.													
		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1 - 2	-	*	*	*	*	*	-	*	-	-	-	*
	3	*	*	0.5	0.7	0.1	0.2	-	*	*	*	*	*
	4	*	*	0.6	1.0	0.3	0.3	*	*	*	-	*	*
	5	*	*	0.2	0.4	0.1	0.2	*	*	*	*	*	*
	6	*	*	*	0.1	*	0.1	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	-	-	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
	TOTAL	*	0.1	1.4	2.3	0.6	0.8	*	*	*	*	*	*
62	1 - 2	-	-	*	*	*	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	*	-	-	*	*
	4	-	-	*	*	*	*	-	-	-	-	*	*
	5	-	-	*	*	*	*	-	-	-	-	-	-
	6	*	-	*	*	*	*	-	-	-	-	-	-
	7	-	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL	*	*	0.1	0.1	*	*	-	*	-	-	*	*
13 & 23	1 - 2	0.5	0.2	*	-	*	*	-	-	-	-	-	-
	3	0.4	0.2	*	-	*	*	-	-	-	-	-	-
	4	0.1	0.1	-	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	0.9	0.5	*	-	*	*	-	-	-	-	-	-
33	1 - 2	0.2	0.1	*	*	*	*	-	*	-	*	*	*
	3	0.6	0.5	*	*	*	*	*	*	*	*	*	*
	4	0.2	0.3	*	*	*	*	*	*	-	*	*	*
	5	0.1	0.1	*	-	*	*	-	*	-	*	*	*
	6	*	*	*	-	*	*	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	1.1	1.0	*	0.1	*	*	*	*	*	*	*	*
43	1 - 2	*	*	*	*	*	*	-	*	-	*	-	*
	3	*	0.1	*	0.1	*	*	-	*	*	*	*	*
	4	*	0.1	*	0.1	0.1	*	*	*	*	*	*	*
	5	*	0.1	*	*	*	*	*	*	*	*	*	*
	6	*	0.1	*	-	*	*	*	*	-	-	-	*
	7	*	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL	0.1	0.4	0.1	0.2	0.1	0.1	*	*	*	*	*	*
53	1 - 2	-	*	*	*	*	*	-	-	-	*	-	*
	3	-	*	*	0.1	*	*	-	-	-	*	-	*
	4	*	*	*	0.1	*	*	*	*	-	-	*	*
	5	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	-	-	-	-	*
	7	*	*	*	*	*	*	*	-	-	-	-	*
	8	-	*	-	*	*	*	-	-	-	-	-	-
	TOTAL	*	*	0.1	0.2	0.1	0.1	*	*	-	*	*	*
63	1 - 2	*	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-	-	-
	4	-	*	*	*	*	*	-	-	-	-	*	*
	5	-	*	*	*	*	*	-	-	-	-	*	*
	6	-	-	*	*	*	*	-	-	-	-	-	-
	7	-	*	-	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	*	*	*	*	*	*	-	-	-	-	*	*
24 - 54	1 - 8	0.1	0.2	*	*	*	*	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	*	*	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		*	0.1	*	-	*	*	-	-	-	*	-	*
31		0.3	0.6	0.1	*	*	*	*	*	-	-	-	*
32		1.8	2.3	0.7	0.3	0.1	0.2	*	*	*	*	*	*
33		6.3	5.9	2.8	2.5	1.3	1.6	0.1	0.1	0.1	*	*	0.1
34		15.3	12.3	9.0	9.8	6.2	6.8	0.7	0.6	1.0	0.1	0.2	0.4
35		24.4	19.6	18.8	22.4	16.5	17.1	6.1	7.0	8.8	2.5	2.5	4.9
36		24.4	23.1	26.4	25.2	27.7	27.4	19.5	22.5	24.4	15.7	15.8	19.1
37		21.0	22.6	32.5	25.8	34.1	33.6	43.2	48.6	36.4	47.7	57.6	49.0
38		4.8	8.6	7.9	9.5	10.9	10.4	22.3	17.4	18.8	26.6	20.1	20.9
39		1.5	3.6	1.5	3.8	2.7	2.5	6.6	3.6	8.4	6.5	3.4	4.9
40 & Longer		0.3	1.3	0.2	0.6	0.4	0.4	1.5	0.2	2.1	1.0	0.2	0.7
Average Staple		35.53	35.81	36.05	36.08	36.32	36.27	37.06	36.87	36.97	37.22	37.06	37.02
Average Length		1.11	1.12	1.12	1.12	1.13	1.13	1.16	1.15	1.15	1.16	1.16	1.16

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
11 & 21	1 - 2	-	3.2	-	3.7	3.1	69.6	58.6	58.6	34.6	65.0	13.8
	3	-	1.5	-	6.6	2.1	9.0	9.0	5.4	3.2	8.6	5.9
	4	-	*	-	0.2	*	0.3	0.6	*	0.1	0.3	0.4
	5	-	-	-	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	4.8	-	10.5	5.3	78.9	68.3	64.1	37.9	74.0	20.1
31	1 - 2	-	7.6	-	3.4	6.9	6.1	9.9	10.3	22.5	7.8	10.6
	3	-	24.1	-	5.2	21.9	8.1	10.3	14.2	16.6	9.3	28.7
	4	-	6.8	-	1.7	6.0	2.3	5.2	3.4	2.7	3.1	8.7
	5	-	0.3	-	0.1	0.3	0.2	1.0	0.3	0.1	0.4	0.8
	6	-	*	-	*	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	38.9	-	10.4	35.1	16.7	26.4	28.1	41.9	20.7	48.8
41	1 - 2	-	1.2	-	1.2	1.2	0.1	0.1	0.1	0.1	0.1	0.7
	3	-	16.6	-	7.6	15.8	0.2	0.4	0.9	0.5	0.3	8.3
	4	-	17.8	-	6.8	16.2	0.3	1.1	2.0	0.8	0.6	9.1
	5	-	4.4	-	2.7	4.0	0.2	0.4	0.9	0.4	0.3	2.7
	6	-	0.3	-	0.5	0.3	*	0.1	0.2	*	0.1	0.4
	7	-	*	-	0.1	*	*	-	-	*	*	0.1
	8	-	*	-	*	*	*	-	-	*	*	*
TOTAL		-	40.4	-	19.0	37.6	0.7	2.1	4.2	1.8	1.3	21.4
51	1 - 2	-	*	-	-	*	-	*	-	-	*	0.1
	3	-	0.2	-	0.2	0.2	*	-	-	-	*	0.6
	4	-	0.6	-	0.7	0.6	*	*	-	-	*	0.7
	5	-	0.7	-	0.6	0.7	*	*	*	-	*	0.3
	6	-	0.1	-	0.5	0.2	*	-	*	*	*	0.1
	7	-	*	-	0.3	*	*	-	-	-	*	*
	8	-	-	-	0.1	*	*	-	-	-	*	*
TOTAL		-	1.7	-	2.3	1.7	*	*	*	*	*	1.7
61	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	*	-	*	*	-	-	-	-	-	*
	6	-	*	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	*	*	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	1.8	-	1.3	1.6	2.0	0.1	0.3	3.5	1.4	2.3
	3	-	0.7	-	4.9	1.2	0.7	0.1	0.1	1.3	0.5	1.3
	4	-	*	-	0.8	0.1	*	*	-	0.1	*	0.2
	5	-	-	-	0.1	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	2.6	-	7.0	3.0	2.7	0.2	0.4	4.9	2.0	3.7
32	1 - 2	-	0.9	-	1.2	0.9	0.1	0.1	0.6	1.0	0.2	0.3
	3	-	2.6	-	8.4	3.7	0.3	0.5	1.5	3.7	0.5	1.0
	4	-	0.6	-	7.2	1.5	0.2	0.6	0.4	1.4	0.4	0.5
	5	-	*	-	1.4	0.2	*	0.2	*	0.1	0.1	0.1
	6	-	-	-	0.1	*	*	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	4.1	-	18.3	6.3	0.7	1.4	2.6	6.2	1.2	1.8
42	1 - 2	-	0.4	-	0.3	0.3	*	*	*	-	*	*
	3	-	3.4	-	5.4	3.8	*	0.2	0.1	0.3	0.1	0.4
	4	-	2.3	-	11.6	3.8	*	0.6	0.1	0.6	0.2	0.5
	5	-	0.6	-	6.5	1.4	0.1	0.5	0.1	0.2	0.2	0.3
	6	-	0.1	-	2.7	0.4	*	0.1	*	0.1	0.1	0.1
	7	-	*	-	0.5	0.1	*	*	-	-	*	*
	8	-	-	-	*	*	*	-	-	-	*	*
TOTAL		-	6.7	-	27.0	9.8	0.1	1.4	0.3	1.2	0.5	1.4

Table 25. -- Continued.

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
52	1 - 2	-	*	-	-	*	-	-	-	-	-	*
	3	-	0.2	-	0.1	0.1	-	-	-	-	-	0.1
	4	-	0.3	-	0.2	0.2	-	*	-	-	*	0.1
	5	-	0.2	-	0.4	0.2	*	*	-	-	*	0.1
	6	-	0.1	-	0.6	0.1	*	*	-	-	*	*
	7	-	*	-	0.7	0.1	*	-	-	-	*	*
	8	-	-	-	0.2	*	*	-	-	-	*	*
TOTAL		-	0.7	-	2.1	0.8	*	*	-	-	*	0.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	*	*	-	-	-	-	-	*
13 & 23	1 - 2	-	*	-	*	*	0.1	*	-	1.3	0.1	0.1
	3	-	*	-	0.5	0.1	*	-	-	0.2	*	0.1
	4	-	-	-	0.4	*	-	-	-	*	*	*
	5	-	-	-	0.1	*	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	0.1	-	1.0	0.2	0.1	*	-	1.5	0.1	0.3
33	1 - 2	-	*	-	*	*	*	*	-	1.6	0.1	*
	3	-	*	-	0.1	*	*	*	*	2.2	0.1	0.1
	4	-	*	-	0.2	*	*	*	0.1	0.3	*	0.1
	5	-	-	-	0.2	*	-	*	*	*	*	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.6	0.1	*	0.1	0.1	4.1	0.2	0.3
43	1 - 2	-	*	-	-	*	-	*	-	*	*	*
	3	-	*	-	0.1	*	*	*	0.1	0.1	*	*
	4	-	*	-	0.3	0.1	*	0.1	0.1	0.1	*	*
	5	-	*	-	0.6	0.1	*	0.1	0.1	0.1	*	*
	6	-	*	-	0.5	0.1	*	*	-	*	*	*
	7	-	-	-	0.1	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	1.5	0.2	*	0.2	0.2	0.3	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	-	-	-	-	-	*
	4	-	*	-	*	*	-	*	-	-	*	*
	5	-	*	-	0.1	*	-	-	-	-	-	*
	6	-	*	-	*	*	-	-	-	-	-	*
	7	-	*	-	*	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.1	*	-	*	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	-	-	-	-	-	*
24 - 54	1 - 8	-	*	-	0.1	*	*	-	-	0.3	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	*	*	-	-	-	-	-	*
31		-	*	-	0.1	*	-	-	-	-	-	0.2
32		-	0.1	-	3.5	0.6	*	*	-	0.2	*	0.6
33		-	1.2	-	9.5	2.5	0.2	0.2	*	3.0	0.2	2.2
34		-	5.6	-	15.2	7.6	1.0	1.9	3.8	14.0	1.8	6.7
35		-	14.7	-	24.7	16.9	6.2	7.9	7.6	26.8	7.3	14.6
36		-	26.9	-	23.6	26.7	16.8	16.8	22.6	23.7	17.4	23.7
37		-	32.5	-	18.2	29.6	33.8	38.6	30.8	16.6	34.3	34.7
38		-	13.2	-	4.2	11.3	24.5	18.7	13.9	10.8	22.0	13.0
39		-	5.3	-	0.9	4.5	12.9	11.7	14.2	4.9	12.4	3.7
40 & Longer		-	0.9	-	0.1	0.8	4.7	5.4	7.3	1.7	4.9	0.7
Average Staple		-	36.49	-	35.31	36.27	37.33	37.18	37.17	35.98	37.24	36.37
Average Length		-	1.14	-	1.10	1.13	1.17	1.16	1.16	1.12	1.16	1.13

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	24.0	6.8	12.8	14.1	0.1	*	*	*	1.2	3.5	0.3	1.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	1.3	0.3	0.3	0.6	0.4	0.1	*	*	0.3	0.5	0.1	0.3
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	*	*	*	*	*	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	-	0.1	*	*	*	*	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	-	-	-	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	*	*	0.6	*	*	*	*	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	0.2	*	0.1	0.5	-	-	-	-	-	-	-
23	0.1	0.3	0.1	0.1	0.6	-	-	-	-	-	-	-
24	0.1	0.6	0.2	0.3	1.4	*	*	*	*	*	*	*
25	0.6	1.3	0.5	0.8	2.7	*	*	*	*	*	*	*
26	1.4	2.0	1.6	1.7	5.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1
27	2.6	3.6	3.7	3.4	8.2	0.6	0.9	0.8	0.9	0.8	2.2	1.0
28	4.1	6.5	7.8	6.3	11.3	2.7	3.8	3.4	4.8	4.1	15.0	6.1
29	8.3	9.5	12.5	10.3	14.1	7.9	13.3	11.3	15.4	16.8	33.5	18.4
30	13.8	12.9	17.1	14.8	14.8	18.5	26.5	23.5	26.3	32.0	28.1	28.1
31	19.7	12.8	17.9	16.8	12.6	31.1	29.1	29.9	26.5	26.6	15.4	24.9
32	19.6	11.8	14.4	15.0	10.6	25.4	15.7	19.4	16.2	13.1	4.4	13.7
33	14.5	15.2	11.4	13.5	8.7	9.9	6.7	7.9	7.0	5.3	1.0	5.7
34	9.9	15.2	7.1	10.5	5.4	2.8	2.7	2.7	2.2	0.9	0.3	1.6
35	4.4	6.7	3.8	4.9	2.9	0.8	0.8	0.8	0.5	0.2	0.1	0.4
36	0.7	1.2	1.6	1.2	1.1	0.2	0.2	0.2	0.1	*	*	0.1
37	0.1	0.2	0.5	0.3	0.2	*	*	*	*	*	-	*
38	*	*	*	*	*	-	-	-	-	-	-	-
39	*	*	*	*	*	-	-	-	-	-	-	-
40 & Above	-	-	*	*	-	-	-	-	-	-	-	-
Average	31.80	31.75	31.36	31.61	30.37	31.57	31.17	31.33	31.09	30.91	30.03	30.88
MIKE												
2.4 & Below	0.1	*	0.1	0.1	*	-	-	-	-	-	-	-
2.5	0.6	*	0.2	0.2	*	*	-	*	*	-	-	*
2.6	0.5	*	0.1	0.2	0.1	*	*	*	*	-	*	*
2.7	1.1	*	0.1	0.4	0.1	*	*	*	*	*	*	*
2.8	1.4	*	0.2	0.5	0.1	*	-	*	*	*	*	*
2.9	1.8	0.1	0.2	0.6	0.2	*	*	*	*	*	*	*
3.0	2.9	0.2	0.2	1.0	0.2	*	*	*	*	*	*	*
3.1	3.5	0.3	0.3	1.2	0.4	*	*	*	*	*	*	*
3.2	4.4	0.4	0.3	1.5	0.6	*	*	*	*	0.1	*	*
3.3	4.7	0.7	0.5	1.7	0.8	*	*	*	*	0.2	0.1	0.1
3.4	6.2	1.1	0.8	2.4	1.1	*	*	*	0.1	0.3	0.2	0.2
3.5	7.3	1.5	1.2	3.0	1.3	*	*	*	0.1	0.4	0.4	0.2
3.6	7.6	1.9	1.7	3.4	1.7	0.1	*	*	0.2	0.7	0.5	0.4
3.7	8.2	2.7	2.4	4.2	2.2	0.1	0.1	0.1	0.3	1.1	0.9	0.6
3.8	8.4	3.5	3.2	4.8	3.0	0.1	0.1	0.1	0.6	2.0	1.5	1.1
3.9	9.0	5.7	4.2	6.1	3.9	0.3	0.2	0.2	1.0	2.9	2.2	1.6
4.0	8.0	7.6	4.2	6.4	5.2	0.4	0.5	0.4	1.6	4.2	3.2	2.5
4.1	6.3	8.7	5.3	6.7	6.8	0.8	0.9	0.8	2.2	5.9	4.9	3.6
4.2	4.9	9.7	6.5	7.1	8.6	1.3	1.7	1.5	3.0	8.0	6.8	4.9
4.3	4.7	10.7	8.0	8.0	10.2	2.2	2.6	2.5	4.1	10.1	8.6	6.3
4.4	3.5	9.6	10.0	8.0	10.8	3.5	4.0	3.8	5.3	10.8	10.2	7.5
4.5	2.6	10.0	11.0	8.3	10.7	5.1	6.2	5.7	7.0	10.9	11.2	8.7
4.6	1.2	8.1	11.0	7.3	9.5	7.3	8.4	8.0	8.0	11.0	12.3	9.4
4.7	0.9	5.5	9.2	5.7	7.6	10.0	10.4	10.2	9.5	9.7	11.5	9.8
4.8	0.5	4.7	6.4	4.2	5.7	12.1	12.6	12.4	10.4	7.9	9.9	9.6
4.9	0.2	3.2	4.8	3.0	3.8	13.1	14.4	13.9	11.0	5.7	6.6	9.0
5.0	*	2.4	3.4	2.1	2.4	13.2	12.9	13.0	10.9	3.8	4.5	8.1
5.1	*	1.1	2.3	1.5	1.6	11.5	10.0	10.6	9.5	2.3	2.3	6.5
5.2	-	0.4	1.3	0.9	0.8	8.8	7.3	7.9	7.2	1.3	1.2	4.8
5.3	-	0.2	0.9	0.6	0.4	5.3	4.4	4.7	4.4	0.6	0.6	2.9
5.4	-	*	0.3	0.3	0.1	2.9	2.2	2.5	2.2	0.2	0.2	1.4
5.5 & Above	-	*	0.1	0.1	0.1	2.1	1.2	1.5	1.6	0.1	0.2	1.0
Average	3.73	4.29	4.40	4.17	4.34	4.88	4.84	4.86	4.78	4.47	4.52	4.66

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	6.4	14.8	0.5	0.5	1.7	1.4	*	*	*	*	*	*
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	0.1	0.1	0.1	0.1	*	*	*	0.1	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	*	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	0.2	0.1	*	*	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	0.1	*	0.1	0.1	0.1	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	*	*	*	-	*	*	-	-	*
23	0.1	*	*	*	*	*	-	*	*	*	*	*
24	0.2	0.2	*	*	*	*	*	*	*	*	*	*
25	0.6	0.7	0.1	0.1	0.1	0.1	*	*	*	*	*	*
26	2.4	2.0	0.4	0.4	0.5	0.4	0.1	*	0.1	0.1	0.1	0.1
27	5.8	4.9	1.7	1.2	2.4	2.2	0.9	0.5	0.5	0.6	1.1	0.7
28	11.4	9.5	5.1	3.5	8.5	7.8	4.9	4.9	3.3	5.9	8.2	5.8
29	16.8	14.3	12.4	7.5	18.7	17.3	21.6	24.0	11.7	27.7	28.9	25.0
30	19.7	16.9	22.8	14.2	26.1	25.2	38.3	40.6	23.4	40.3	39.5	38.9
31	17.8	17.1	26.6	19.2	22.5	23.1	22.4	23.5	29.8	19.1	18.2	21.5
32	11.7	14.7	18.6	18.8	12.9	14.0	9.0	5.6	21.3	5.0	3.5	6.4
33	7.3	10.1	8.7	14.6	5.5	6.3	2.5	0.9	7.8	1.1	0.5	1.4
34	3.9	5.6	2.7	9.7	2.0	2.4	0.3	0.1	1.8	0.3	0.1	0.3
35	1.6	2.7	0.7	6.3	0.6	0.8	*	*	0.4	0.1	*	0.1
36	0.6	1.0	0.2	3.4	0.2	0.3	*	*	0.1	*	*	*
37	0.2	0.3	0.1	0.9	*	0.1	*	*	*	*	*	*
38	*	*	*	0.1	*	*	-	-	-	-	-	-
39	*	-	-	*	*	*	-	-	-	-	-	-
40 & Above	*	-	-	*	*	*	-	-	-	-	-	-
Average	30.65	31.05	31.21	32.23	30.77	30.89	30.60	30.48	31.30	30.37	30.23	30.46
MIKE												
2.4 & Below	*	*	*	-	*	*	-	-	-	-	-	-
2.5	*	*	*	-	*	*	*	-	-	-	-	*
2.6	*	0.1	*	-	*	*	*	-	-	-	*	*
2.7	*	0.1	*	-	*	*	*	-	-	*	*	*
2.8	*	0.2	*	-	*	*	*	-	-	*	*	*
2.9	*	0.2	*	-	*	*	*	*	-	*	*	*
3.0	0.1	0.3	*	*	*	*	0.1	*	*	*	*	*
3.1	0.1	0.4	0.1	*	*	0.1	0.2	*	*	*	0.1	*
3.2	0.2	0.5	0.2	*	0.1	0.1	0.5	*	*	*	0.1	0.1
3.3	0.4	0.7	0.2	*	0.2	0.2	0.6	*	*	*	0.2	0.1
3.4	0.6	0.9	0.2	0.1	0.2	0.2	0.8	*	*	*	0.3	0.2
3.5	0.7	1.2	0.4	0.1	0.4	0.4	1.3	0.1	*	0.1	0.5	0.3
3.6	1.1	1.5	0.5	0.2	0.7	0.7	1.9	0.1	0.1	0.1	1.0	0.5
3.7	1.6	1.9	0.8	0.3	1.2	1.1	3.5	0.1	0.2	0.2	1.6	0.8
3.8	2.3	2.2	1.3	0.5	2.0	1.8	5.2	0.3	0.4	0.5	2.4	1.2
3.9	3.0	2.7	2.2	0.8	3.2	3.0	6.9	0.4	0.8	1.0	3.7	1.9
4.0	3.5	3.4	3.6	1.4	4.9	4.6	9.1	0.8	1.0	1.9	5.7	2.9
4.1	4.5	4.1	5.1	2.4	6.8	6.4	10.8	1.8	1.5	3.2	7.9	4.3
4.2	5.8	5.1	6.9	3.7	8.9	8.4	10.4	3.6	2.5	5.2	10.8	6.1
4.3	7.2	6.1	8.8	4.7	10.7	10.2	10.6	6.2	3.4	8.0	14.1	8.6
4.4	8.0	7.5	9.8	6.4	12.0	11.4	10.1	10.1	4.3	11.5	15.1	11.2
4.5	9.0	8.6	10.9	7.8	12.0	11.7	8.2	13.3	6.3	14.1	12.8	12.5
4.6	10.1	9.6	10.8	10.1	11.3	11.2	6.5	14.7	8.6	15.3	10.0	12.7
4.7	10.5	10.3	10.3	12.5	9.4	9.7	4.5	14.5	9.8	14.0	6.7	11.5
4.8	9.3	9.8	9.0	13.1	7.1	7.6	3.2	12.5	11.4	10.6	3.9	9.2
4.9	7.0	8.1	7.3	11.9	4.7	5.3	1.9	9.2	11.4	6.9	1.6	6.5
5.0	5.5	5.6	5.0	10.5	2.4	3.1	1.5	6.2	10.6	4.0	1.0	4.4
5.1	3.9	3.6	3.0	6.7	1.1	1.6	1.1	3.7	8.5	1.9	0.4	2.6
5.2	2.5	2.3	1.8	3.2	0.3	0.7	0.6	1.6	6.2	0.8	0.1	1.3
5.3	1.8	1.4	1.0	2.0	0.1	0.3	0.3	0.6	4.9	0.3	*	0.7
5.4	1.1	0.9	0.5	1.1	*	0.1	0.2	0.2	3.8	0.1	*	0.4
5.5 & Above	0.5	0.9	0.3	0.8	*	0.1	0.1	0.1	4.3	0.1	*	0.4
Average	4.53	4.50	4.52	4.71	4.42	4.45	4.24	4.64	4.83	4.57	4.34	4.53

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Rayville					Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
Extraneous Matter											
Bark - Level 1	-	0.1	-	8.4	1.5	0.7	4.2	8.7	11.3	2.3	2.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	*	*	0.1	0.4	1.1	5.1	0.4	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	*	-	-	*	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	*	*	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	-	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	*	-	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.2	*	0.7	*	0.7	0.1	0.6	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-
Strength 1/											
22 & Below	-	-	-	-	-	-	-	-	-	-	0.1
23	-	-	-	-	-	*	*	-	-	*	0.1
24	-	*	-	0.6	0.1	0.1	*	-	0.1	*	0.2
25	-	*	-	3.1	0.5	0.3	0.5	*	0.1	0.3	0.4
26	-	0.6	-	5.6	1.5	1.2	1.4	*	0.7	1.2	1.0
27	-	2.2	-	7.5	3.4	2.4	2.5	0.5	0.2	2.2	2.5
28	-	4.6	-	9.6	6.5	5.1	6.2	3.7	3.9	5.3	7.1
29	-	10.3	-	17.1	12.0	9.3	15.3	16.6	10.2	11.3	17.8
30	-	22.4	-	21.8	22.0	13.3	18.4	25.6	16.1	15.4	26.4
31	-	29.6	-	18.0	27.0	16.9	14.7	20.9	22.9	16.7	21.4
32	-	19.6	-	9.5	17.4	19.4	7.4	18.5	25.3	16.5	12.3
33	-	7.8	-	4.7	7.1	14.9	6.0	11.7	10.5	12.4	6.2
34	-	1.9	-	2.2	1.9	8.1	7.4	2.1	6.2	7.5	2.8
35	-	0.8	-	0.2	0.7	4.9	11.1	0.3	3.8	5.5	1.2
36	-	0.3	-	*	0.3	2.4	8.0	0.2	1.2	3.1	0.4
37	-	*	-	*	*	1.1	9.9	0.1	0.1	2.4	0.1
38	-	*	-	-	*	0.4	7.0	0.3	0.2	1.5	0.1
39	-	-	-	-	-	0.2	1.6	0.2	0.1	0.4	*
40 & Above	-	-	-	-	-	0.1	0.4	0.1	0.1	0.1	*
Average	-	31.22	-	30.06	30.97	31.97	32.10	31.25	31.83	31.96	30.83
MIKE											
2.4 & Below	-	-	-	-	-	-	*	-	-	*	*
2.5	-	-	-	-	-	*	0.1	-	-	*	*
2.6	-	-	-	-	-	*	0.2	-	-	0.1	*
2.7	-	-	-	0.1	0.1	*	0.2	*	-	0.1	*
2.8	-	-	-	0.2	0.2	0.1	0.2	*	-	0.1	0.1
2.9	-	-	-	0.3	0.2	0.1	0.3	*	-	0.2	0.1
3.0	-	*	-	0.2	0.1	0.3	0.3	-	-	0.3	0.1
3.1	-	*	-	0.2	0.1	0.4	0.3	0.1	*	0.4	0.2
3.2	-	*	-	0.7	0.2	0.5	0.6	0.3	*	0.5	0.2
3.3	-	*	-	1.4	0.2	0.7	0.9	0.3	0.1	0.7	0.3
3.4	-	*	-	2.2	0.4	0.9	0.8	1.4	0.1	0.9	0.4
3.5	-	*	-	2.6	0.5	1.1	1.1	1.6	0.3	1.1	0.6
3.6	-	*	-	2.8	0.6	1.6	1.6	1.9	0.8	1.6	0.8
3.7	-	0.1	-	3.5	0.6	2.4	3.5	1.5	1.0	2.6	1.2
3.8	-	0.2	-	3.2	1.0	3.6	7.0	2.0	1.6	4.3	1.8
3.9	-	0.5	-	3.2	1.3	4.4	12.0	2.4	0.7	6.1	2.5
4.0	-	1.0	-	3.6	1.7	5.5	14.1	4.7	3.4	7.6	3.5
4.1	-	2.0	-	6.4	2.8	7.1	12.3	6.2	1.4	8.2	4.7
4.2	-	3.3	-	8.0	4.0	7.9	8.6	5.7	4.4	7.9	6.2
4.3	-	4.8	-	10.5	5.6	8.5	7.0	9.6	4.2	8.0	7.9
4.4	-	6.2	-	10.4	6.8	9.4	5.5	11.3	4.7	8.4	9.4
4.5	-	8.0	-	12.6	8.4	10.1	5.0	8.9	7.2	8.6	10.3
4.6	-	10.8	-	9.3	10.4	9.8	4.4	11.9	8.6	8.5	10.5
4.7	-	12.0	-	7.3	11.1	7.9	3.8	10.6	13.1	7.2	9.9
4.8	-	12.7	-	5.0	11.4	6.4	3.1	6.9	10.0	5.7	8.7
4.9	-	9.9	-	2.8	9.0	4.5	3.7	4.5	7.6	4.4	7.0
5.0	-	9.0	-	1.6	7.9	2.8	3.6	4.5	10.0	3.3	5.2
5.1	-	6.7	-	0.6	5.7	1.5	0.9	2.7	9.8	1.7	3.6
5.2	-	5.2	-	0.4	4.4	1.1	0.7	1.5	7.0	1.3	2.3
5.3	-	3.4	-	0.3	2.8	0.8	0.3	0.6	4.0	0.8	1.3
5.4	-	2.5	-	0.3	2.1	0.6	0.1	0.1	0.4	0.5	0.7
5.5 & Above	-	2.0	-	*	1.8	0.3	0.1	-	3.4	0.4	0.5
Average	-	4.76	-	4.28	4.68	4.36	4.16	4.44	4.73	4.33	4.52

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.1	*	0.1	0.1	*	-	-	-	-	-	-	-
2.5 - 2.6	1.0	*	0.3	0.4	0.1	*	*	*	*	-	*	*
2.7 - 2.9	4.2	0.2	0.5	1.5	0.4	*	*	*	*	*	*	*
3.0 - 3.2	10.8	0.9	0.8	3.6	1.2	*	*	*	*	0.1	0.1	0.1
3.3 - 3.4	10.8	1.8	1.3	4.1	1.9	0.1	*	*	0.1	0.5	0.4	0.3
3.5 - 3.6	14.9	3.4	2.8	6.4	3.0	0.1	0.1	0.1	0.3	1.1	0.9	0.6
3.7 - 4.2	44.8	37.9	25.8	35.1	29.8	3.0	3.3	3.2	8.7	24.1	19.4	14.3
4.3 - 4.9	13.5	51.8	60.4	44.3	58.2	53.2	58.6	56.6	55.2	66.1	70.3	60.3
5.0 - 5.2	*	3.9	6.9	4.0	4.8	33.4	30.2	31.4	27.6	7.3	8.0	19.4
5.3 & Above	-	0.3	1.3	0.9	0.6	10.2	7.8	8.7	8.1	0.9	1.0	5.2
Average	3.73	4.29	4.40	4.17	4.34	4.88	4.84	4.86	4.78	4.47	4.52	4.66
Leaf Grade												
1 - 2	10.4	43.6	39.3	32.4	51.0	5.5	16.4	12.2	14.7	7.7	29.8	15.1
3	25.8	40.7	39.1	35.8	39.7	43.7	52.0	48.9	54.9	43.6	59.8	52.7
4	26.0	11.8	15.2	17.2	8.0	41.0	25.3	31.3	26.1	37.8	9.8	26.8
5	20.6	2.8	4.5	8.5	1.1	9.2	5.6	7.0	3.9	9.6	0.7	4.9
6	12.2	0.8	1.4	4.3	0.2	0.5	0.7	0.6	0.3	1.1	*	0.5
7	4.4	0.2	0.5	1.5	*	*	0.1	*	*	0.1	-	0.1
8	0.6	*	0.2	0.3	*	*	*	*	-	-	-	-
Average	4.13	2.68	2.84	3.16	2.51	3.56	3.22	3.35	3.20	3.53	2.80	3.23
Trash 1/												
00	-	0.1	*	0.1	*	-	*	*	*	-	-	*
01	3.8	15.5	14.3	12.0	15.4	0.4	2.0	1.4	1.8	0.8	3.4	1.8
02	10.3	30.8	28.9	24.2	36.6	8.4	19.2	15.1	15.6	8.8	29.0	15.8
03	13.4	23.9	23.1	20.6	25.7	21.1	28.2	25.5	27.0	19.4	35.9	26.3
04	12.9	13.9	14.3	13.8	12.9	24.0	22.2	22.9	24.5	23.7	19.8	23.6
05	11.7	7.2	8.1	8.8	5.5	19.6	13.6	15.9	15.8	19.7	7.9	15.7
06	10.1	3.7	4.7	5.9	2.2	12.8	7.5	9.5	8.4	13.1	2.8	8.8
07	8.9	2.0	2.7	4.3	0.9	7.2	3.9	5.2	4.0	7.4	0.9	4.4
08	7.5	1.1	1.5	3.1	0.4	3.6	1.9	2.5	1.7	3.8	0.3	2.0
09	6.1	0.7	0.9	2.3	0.2	1.7	0.9	1.2	0.7	1.8	0.1	0.9
10	4.8	0.4	0.5	1.7	0.1	0.7	0.4	0.5	0.3	0.8	*	0.4
11	3.6	0.3	0.3	1.2	0.1	0.3	0.2	0.2	0.1	0.4	*	0.2
12	2.7	0.2	0.2	0.9	*	0.1	0.1	0.1	0.1	0.2	*	0.1
13	1.8	0.1	0.1	0.6	*	*	*	*	*	0.1	*	*
14	1.2	0.1	0.1	0.4	*	*	*	*	*	*	-	*
15	0.7	*	0.1	0.2	*	*	*	*	*	*	-	*
16	0.4	*	0.1	0.1	*	*	*	*	*	*	-	*
17	0.2	*	*	0.1	*	*	*	*	*	*	-	*
18 & Above	0.3	*	*	0.1	*	*	*	*	*	*	-	*
Average	0.60	0.31	0.32	0.40	0.27	0.46	0.38	0.41	0.40	0.46	0.31	0.40
Uniformity 2/												
74 & Below	*	*	*	*	*	-	-	-	-	-	-	-
75	0.1	0.1	0.1	0.1	0.1	-	-	-	*	-	-	*
76	1.0	0.6	0.3	0.6	0.4	-	-	-	*	*	-	*
77	5.1	2.5	1.5	2.9	1.5	*	*	*	*	*	*	*
78	17.3	8.0	7.0	10.3	4.0	0.2	0.3	0.3	0.2	0.2	0.2	0.2
79	29.1	14.9	18.9	20.5	10.3	1.3	1.6	1.5	1.8	2.0	2.0	1.9
80	24.1	21.8	30.1	25.7	24.2	5.0	7.9	6.8	11.7	13.8	13.2	12.4
81	15.7	25.1	27.9	23.5	36.4	11.9	22.6	18.5	30.0	37.9	33.1	32.5
82	6.8	22.1	11.8	13.7	20.0	25.2	38.4	33.4	36.5	32.2	35.5	35.2
83	0.6	4.8	2.2	2.6	3.0	35.4	23.3	27.9	17.6	12.5	14.5	15.8
84	*	0.1	0.2	0.1	0.2	17.8	5.4	10.1	2.1	1.4	1.4	1.8
85 & Above	-	*	-	*	*	3.2	0.5	1.5	0.1	0.1	0.1	0.1
Average	79.92	80.88	80.65	80.51	81.07	82.99	82.36	82.60	82.07	81.88	81.96	82.01
Tenderable	39.6	78.8	71.0	64.6	82.0	55.4	60.9	58.8	62.5	85.5	89.8	72.6
SAMPLES CLASSED	124,779	140,874	173,458	439,111	994,176	378,519	614,206	992,725	748,505	330,845	186,422	1,265,772

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	*	*	-	*	*	-	-	-	-	-	-
2.5 - 2.6	*	0.1	*	-	*	*	*	-	-	-	*	*
2.7 - 2.9	0.1	0.5	0.1	-	*	*	*	*	-	*	*	*
3.0 - 3.2	0.4	1.1	0.3	*	0.2	0.2	0.8	*	*	*	0.2	0.1
3.3 - 3.4	1.0	1.5	0.4	0.1	0.4	0.4	1.4	*	*	0.1	0.5	0.3
3.5 - 3.6	1.8	2.7	0.9	0.3	1.1	1.1	3.1	0.1	0.2	0.2	1.5	0.7
3.7 - 4.2	20.5	19.4	19.9	9.0	27.0	25.2	45.8	6.9	6.4	12.1	32.0	17.1
4.3 - 4.9	61.1	59.9	66.9	66.4	67.2	67.2	45.0	80.5	55.1	80.4	64.2	72.1
5.0 - 5.2	11.9	11.6	9.7	20.4	3.9	5.4	3.1	11.5	25.3	6.7	1.6	8.3
5.3 & Above	3.3	3.2	1.7	3.8	0.2	0.5	0.6	0.9	13.0	0.6	*	1.4
Average	4.53	4.50	4.52	4.71	4.42	4.45	4.24	4.64	4.83	4.57	4.34	4.53
Leaf Grade												
1 - 2	56.2	48.2	15.4	9.4	10.7	11.4	27.7	26.8	15.1	31.1	42.5	30.6
3	30.0	37.9	51.3	50.2	50.1	50.3	50.3	51.9	52.5	54.6	46.2	51.2
4	9.6	10.3	26.8	32.4	30.8	30.2	17.8	17.9	25.6	13.2	10.2	15.5
5	2.8	2.4	5.6	7.0	7.2	6.9	3.6	3.1	5.7	1.1	1.1	2.4
6	1.0	0.8	0.8	0.8	1.1	1.0	0.6	0.3	1.0	*	0.1	0.3
7	0.4	0.3	0.1	0.1	0.2	0.1	0.1	*	0.1	*	*	*
8	*	0.1	*	*	*	*	-	-	-	-	-	-
Average	2.42	2.62	3.25	3.40	3.38	3.36	2.97	2.97	3.25	2.83	2.66	2.88
Trash 1/												
00	0.5	*	-	-	*	*	-	*	-	*	*	*
01	31.3	17.8	2.4	1.0	1.2	1.4	6.3	4.8	1.9	5.3	11.1	6.2
02	29.7	35.1	18.7	12.1	13.7	14.4	26.7	26.1	17.8	28.9	34.6	28.1
03	17.7	22.6	28.3	25.3	26.2	26.5	28.5	28.6	27.6	31.5	27.6	29.1
04	9.6	11.9	23.1	25.3	24.2	24.0	18.9	19.5	22.1	19.2	14.8	18.5
05	4.9	5.9	14.0	17.5	16.3	16.0	10.2	10.9	13.9	9.1	7.0	9.7
06	2.6	2.9	7.2	10.0	9.2	8.9	4.9	5.5	8.0	3.7	3.0	4.6
07	1.5	1.5	3.4	5.0	4.8	4.6	2.4	2.6	4.3	1.4	1.2	2.1
08	0.9	0.9	1.6	2.2	2.3	2.2	1.1	1.2	2.2	0.5	0.5	0.9
09	0.6	0.5	0.7	1.0	1.1	1.1	0.6	0.5	1.1	0.2	0.2	0.4
10	0.4	0.3	0.3	0.4	0.5	0.5	0.3	0.2	0.6	0.1	0.1	0.2
11	0.2	0.2	0.1	0.2	0.3	0.2	0.1	0.1	0.3	*	*	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	*
13	0.1	0.1	*	*	0.1	0.1	*	*	0.1	*	*	*
14	*	0.1	*	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	-	*	*	*
17	*	*	*	-	*	*	-	*	-	*	*	*
18 & Above	*	*	*	*	*	*	*	-	-	*	-	*
Average	0.25	0.28	0.38	0.42	0.41	0.41	0.34	0.34	0.40	0.32	0.29	0.33
Uniformity 2/												
74 & Below	*	0.1	*	*	*	*	-	-	-	-	-	-
75	0.1	0.3	*	-	*	*	*	*	-	*	*	*
76	0.7	1.0	*	*	*	*	*	*	*	*	*	*
77	3.2	3.6	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
78	10.6	10.1	0.9	0.7	1.2	1.1	0.4	0.1	0.1	0.1	0.1	0.1
79	23.0	20.8	6.2	3.9	7.1	6.9	2.0	1.2	0.7	0.9	1.0	1.1
80	31.3	28.0	22.6	16.1	24.3	23.7	8.6	10.1	5.6	9.0	6.6	8.7
81	23.3	22.4	37.2	33.7	36.9	36.8	27.0	23.9	21.3	23.4	24.1	23.9
82	7.3	10.5	27.6	32.4	22.9	24.0	39.8	36.8	37.3	36.2	44.4	38.6
83	0.6	2.8	5.1	11.7	6.5	6.4	19.5	25.5	27.4	25.5	22.1	24.3
84	*	0.5	0.2	1.3	0.9	0.8	2.4	2.4	7.2	4.3	1.7	3.1
85 & Above	*	0.1	*	0.1	0.1	*	0.2	0.1	0.4	0.4	0.1	0.2
Average	80.28	80.41	81.45	81.78	81.41	81.43	82.18	82.27	82.52	82.36	82.30	82.31
Tenderable	71.8	65.1	82.6	67.7	90.0	88.1	93.3	87.0	60.8	92.4	97.5	89.5
SAMPLES CLASSED	277,758	1,240,035	422,578	92,319	2,140,112	2,655,009	272,537	1,116,399	202,684	790,678	657,268	3,039,566

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Rayville					Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
MIKE Range											
2.4 & Below	-	-	-	-	-	-	*	-	-	*	*
2.5 - 2.6	-	-	-	-	-	*	0.3	-	-	0.1	0.1
2.7 - 2.9	-	-	-	0.5	0.4	0.2	0.7	*	-	0.3	0.2
3.0 - 3.2	-	*	-	1.2	0.3	1.2	1.3	0.3	*	1.2	0.5
3.3 - 3.4	-	*	-	3.5	0.6	1.6	1.7	1.6	0.1	1.6	0.8
3.5 - 3.6	-	0.1	-	5.4	1.0	2.7	2.7	3.5	1.1	2.7	1.4
3.7 - 4.2	-	6.9	-	28.1	11.0	30.8	57.4	22.1	11.9	36.5	19.9
4.3 - 4.9	-	64.3	-	57.9	62.6	56.6	31.9	63.7	54.7	50.7	63.7
5.0 - 5.2	-	20.9	-	2.7	18.0	5.3	5.0	8.7	25.4	6.1	11.0
5.3 & Above	-	7.9	-	0.6	6.6	1.6	0.5	0.7	7.1	1.6	2.6
Average	-	4.76	-	4.28	4.68	4.36	4.16	4.44	4.73	4.33	4.52
Leaf Grade											
1 - 2	-	15.2	-	11.2	14.2	77.9	68.9	69.9	64.6	74.7	27.9
3	-	49.4	-	39.1	48.9	18.3	20.6	22.3	28.7	19.4	46.6
4	-	28.4	-	30.1	28.7	3.1	8.1	6.2	7.2	4.7	20.3
5	-	6.3	-	12.7	6.8	0.5	2.2	1.6	1.3	1.0	4.3
6	-	0.6	-	5.0	1.1	0.1	0.3	0.3	0.2	0.2	0.7
7	-	0.1	-	1.6	0.3	*	*	-	*	*	0.2
8	-	*	-	0.4	0.3	*	-	-	*	*	*
Average	-	3.27	-	3.67	3.32	1.98	2.22	2.12	2.19	2.06	3.00
Trash 1/											
00	-	-	-	-	-	0.1	*	0.1	0.1	0.1	*
01	-	2.7	-	0.9	2.3	43.7	34.4	37.4	35.1	40.7	7.8
02	-	16.3	-	12.4	15.8	36.7	35.5	33.1	31.4	36.0	23.8
03	-	25.6	-	20.1	25.7	12.1	14.1	15.0	16.8	12.9	25.8
04	-	22.6	-	19.1	22.6	4.3	6.5	6.8	10.1	5.2	18.9
05	-	15.5	-	15.0	15.2	1.7	4.2	3.6	5.2	2.6	11.4
06	-	9.0	-	10.6	8.9	0.7	2.7	2.2	2.3	1.3	6.1
07	-	4.6	-	6.8	4.6	0.3	1.5	1.2	1.3	0.7	3.1
08	-	2.2	-	4.5	2.3	0.1	0.7	0.6	0.5	0.3	1.5
09	-	1.0	-	3.2	1.2	0.1	0.4	0.3	0.3	0.2	0.8
10	-	0.5	-	2.3	0.7	*	0.2	0.2	0.2	0.1	0.4
11	-	0.2	-	1.9	0.4	*	0.1	0.1	0.2	*	0.2
12	-	0.1	-	1.3	0.2	*	*	*	*	*	0.1
13	-	*	-	0.8	0.1	*	*	-	*	*	0.1
14	-	*	-	0.5	0.1	*	*	-	-	*	*
15	-	-	-	0.2	0.2	*	-	-	-	*	*
16	-	-	-	0.2	0.2	*	-	-	*	*	*
17	-	-	-	0.2	0.2	*	-	-	-	*	*
18 & Above	-	-	-	0.1	0.1	*	-	-	0.1	*	*
Average	-	0.40	-	0.50	0.41	0.19	0.23	0.22	0.23	0.20	0.35
Uniformity 2/											
74 & Below	-	-	-	*	*	-	-	-	-	-	*
75	-	-	-	*	*	*	*	-	*	*	0.1
76	-	-	-	*	*	*	0.1	-	-	*	0.2
77	-	*	-	1.2	0.2	0.3	1.2	0.1	0.2	0.5	0.8
78	-	0.5	-	7.4	1.5	2.1	2.9	1.2	3.3	2.3	2.5
79	-	3.1	-	18.7	5.9	9.0	7.8	5.0	12.2	8.6	7.1
80	-	10.8	-	35.5	15.4	23.0	30.2	18.4	31.5	24.8	17.6
81	-	30.7	-	24.0	29.5	32.7	27.6	43.9	34.0	32.1	28.6
82	-	35.2	-	11.9	31.0	24.7	12.4	27.2	11.4	21.3	27.4
83	-	17.8	-	1.1	14.9	7.4	10.8	4.2	4.5	8.0	13.3
84	-	1.9	-	0.1	1.6	0.8	13.7	0.2	4.7	3.0	2.3
85 & Above	-	0.1	-	*	0.1	*	1.6	-	0.1	0.3	0.2
Average	-	82.03	-	80.59	81.78	81.39	81.43	81.49	81.15	81.40	81.63
Tenderable	-	63.8	-	48.3	62.3	88.3	88.5	80.6	53.2	86.8	79.3
SAMPLES CLASSED	-	207,195	-	29,328	252,671	182,799	71,578	16,119	8,835	279,331	11,436,154

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2023 Crop

Quality Desgination	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	15,511	75.7	13,089	5.9	8,306	28.9	2,791	10.0	39,697	13.3
	2	2,762	13.5	27,678	12.5	8,709	30.3	4,920	17.6	44,069	14.8
	3	123	0.6	1,007	0.5	304	1.1	250	0.9	1,684	0.6
	4	2	*	-	-	2	*	5	*	9	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		18,398	89.8	41,774	18.9	17,321	60.2	7,966	28.5	85,459	28.7
02	1	1,010	4.9	16,192	7.3	1,752	6.1	2,209	7.9	21,163	7.1
	2	875	4.3	109,768	49.6	6,536	22.7	12,805	45.9	129,984	43.6
	3	124	0.6	25,355	11.5	1,836	6.4	2,488	8.9	29,803	10.0
	4	18	0.1	1,419	0.6	73	0.3	60	0.2	1,570	0.5
	5	-	-	23	*	-	-	-	-	23	*
	6	-	-	1	*	-	-	-	-	1	*
	7	-	-	1	*	-	-	1	*	2	*
TOTAL -----		2,027	9.9	152,759	69.1	10,197	35.4	17,563	62.9	182,546	61.2
03	1	6	*	240	0.1	4	*	61	0.2	311	0.1
	2	30	0.1	7,027	3.2	342	1.2	969	3.5	8,368	2.8
	3	7	*	11,128	5.0	780	2.7	971	3.5	12,886	4.3
	4	2	*	3,519	1.6	103	0.4	129	0.5	3,753	1.3
	5	-	-	295	0.1	-	-	1	*	296	0.1
	6	-	-	43	*	-	-	-	-	43	*
	7	-	-	2	*	-	-	-	-	2	*
TOTAL -----		45	0.2	22,254	10.1	1,229	4.3	2,131	7.6	25,659	8.6
04	1	-	-	1	*	-	-	1	*	2	*
	2	3	*	134	0.1	5	*	28	0.1	170	0.1
	3	3	*	1,047	0.5	13	*	111	0.4	1,174	0.4
	4	-	-	1,340	0.6	7	*	98	0.4	1,445	0.5
	5	-	-	435	0.2	-	-	2	*	437	0.1
	6	-	-	161	0.1	-	-	-	-	161	0.1
	7	-	-	46	*	-	-	-	-	46	*
TOTAL -----		6	*	3,164	1.4	25	0.1	240	0.9	3,435	1.2
05	1	-	-	-	-	-	-	-	-	-	-
	2	4	*	23	*	-	-	-	-	27	*
	3	3	*	75	*	-	-	4	*	82	*
	4	-	-	132	0.1	2	*	15	0.1	149	*
	5	-	-	98	*	-	-	1	*	99	*
	6	-	-	218	0.1	-	-	-	-	218	0.1
	7	-	-	422	0.2	-	-	-	-	422	0.1
TOTAL -----		7	*	968	0.4	2	*	20	0.1	997	0.3
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	6	*	-	-	-	-	6	*
	4	-	-	12	*	-	-	1	*	13	*
	5	-	-	4	*	-	-	-	-	4	*
	6	-	-	5	*	-	-	-	-	5	*
	7	-	-	120	0.1	-	-	-	-	120	*
TOTAL -----		-	-	147	0.1	-	-	1	*	148	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	2	*	-	-	-	-	2	*
	7	-	-	26	*	-	-	-	-	26	*
TOTAL -----		-	-	31	*	-	-	-	-	31	*
Staple											
44 & Shorter		13	0.1	964	0.4	186	0.6	1,478	5.3	2,641	0.9
46		208	1.0	13,316	6.0	2,665	9.3	6,294	22.5	22,483	7.5
48		11,791	57.6	59,363	26.8	18,717	65.0	11,877	42.5	101,748	34.1
50		8,128	39.7	114,092	51.6	6,737	23.4	7,951	28.5	136,908	45.9
52 & Longer		343	1.7	33,362	15.1	469	1.6	321	1.1	34,495	11.6
Average Staple		48.84		49.50		48.32		47.95		49.19	
Average Length		1.42		1.44		1.40		1.39		1.43	
Extraneous Matter											
Bark		-	-	9	*	74	0.3	125	0.4	208	0.1
Grass		-	-	288	0.1	64	0.2	39	0.1	391	0.1
Spindle Twist		11	0.1	697	0.3	3	*	6	*	717	0.2
Prep		4	*	39	*	-	-	1	*	44	*
All Other		8	*	42	*	5	*	48	0.2	103	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2023 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	3	*	-	-	1	*	4	*
2.5 - 2.6	24	0.1	426	0.2	-	-	1	*	451	0.2
2.7 - 2.9	20	0.1	1,752	0.8	21	0.1	1	*	1,794	0.6
3.0 - 3.2	83	0.4	4,225	1.9	68	0.2	4	*	4,380	1.5
3.3 - 3.4	176	0.9	8,625	3.9	1,006	3.5	239	0.9	10,046	3.4
3.5 - 3.6	1,285	6.3	26,806	12.1	2,931	10.2	1,524	5.5	32,546	10.9
3.7 - 4.2	18,792	91.7	168,473	76.2	21,743	75.6	19,133	68.5	228,141	76.5
4.3 - 4.9	103	0.5	10,773	4.9	3,005	10.4	7,018	25.1	20,899	7.0
5.0 - 5.2	-	-	13	*	-	-	-	-	13	*
5.3 & Above	-	-	1	*	-	-	-	-	1	*
<i>Average</i>	<i>3.89</i>		<i>3.86</i>		<i>3.94</i>		<i>4.07</i>		<i>3.89</i>	
MIKE										
2.4 & Below	-	-	3	*	-	-	1	*	4	*
2.5	8	*	102	*	-	-	1	*	111	*
2.6	16	0.1	324	0.1	-	-	-	-	340	0.1
2.7	2	*	468	0.2	2	*	-	-	472	0.2
2.8	9	*	566	0.3	9	*	1	*	585	0.2
2.9	9	*	718	0.3	10	*	-	-	737	0.2
3.0	38	0.2	803	0.4	10	*	1	*	852	0.3
3.1	27	0.1	1,264	0.6	7	*	1	*	1,299	0.4
3.2	18	0.1	2,158	1.0	51	0.2	2	*	2,229	0.7
3.3	40	0.2	3,178	1.4	261	0.9	83	0.3	3,562	1.2
3.4	136	0.7	5,447	2.5	745	2.6	156	0.6	6,484	2.2
3.5	399	1.9	9,829	4.4	1,209	4.2	762	2.7	12,199	4.1
3.6	886	4.3	16,977	7.7	1,722	6.0	762	2.7	20,347	6.8
3.7	2,194	10.7	22,960	10.4	2,326	8.1	1,462	5.2	28,942	9.7
3.8	3,899	19.0	30,617	13.8	3,284	11.4	2,066	7.4	39,866	13.4
3.9	4,785	23.4	35,418	16.0	4,525	15.7	3,221	11.5	47,949	16.1
4.0	4,658	22.7	35,551	16.1	4,394	15.3	2,976	10.7	47,579	16.0
4.1	2,560	12.5	27,852	12.6	3,937	13.7	4,354	15.6	38,703	13.0
4.2	696	3.4	16,075	7.3	3,277	11.4	5,054	18.1	25,102	8.4
4.3	84	0.4	7,176	3.2	1,743	6.1	4,146	14.8	13,149	4.4
4.4	12	0.1	2,699	1.2	880	3.1	2,123	7.6	5,714	1.9
4.5	5	*	665	0.3	289	1.0	647	2.3	1,606	0.5
4.6	2	*	179	0.1	78	0.3	99	0.4	358	0.1
4.7	-	-	32	*	8	*	3	*	43	*
4.8	-	-	18	*	2	*	-	-	20	*
4.9	-	-	4	*	5	*	-	-	9	*
5.0	-	-	9	*	-	-	-	-	9	*
5.1	-	-	3	*	-	-	-	-	3	*
5.2	-	-	1	*	-	-	-	-	1	*
5.3 & Above	-	-	1	*	-	-	-	-	1	*
<i>Average</i>	<i>3.89</i>		<i>3.86</i>		<i>3.94</i>		<i>4.07</i>		<i>3.89</i>	
Strength										
36 & Below	25	0.1	5,488	2.5	3,569	12.4	633	2.3	9,715	3.3
37	104	0.5	8,456	3.8	3,378	11.7	1,972	7.1	13,910	4.7
38	567	2.8	12,625	5.7	2,265	7.9	3,075	11.0	18,532	6.2
39	598	2.9	12,746	5.8	1,112	3.9	3,965	14.2	18,421	6.2
40	1,758	8.6	16,908	7.6	816	2.8	2,007	7.2	21,489	7.2
41	5,075	24.8	26,735	12.1	2,101	7.3	1,819	6.5	35,730	12.0
42	5,827	28.4	38,234	17.3	4,487	15.6	3,524	12.6	52,072	17.5
43	4,067	19.9	37,286	16.9	5,484	19.1	4,571	16.4	51,408	17.2
44	1,784	8.7	30,191	13.7	3,560	12.4	3,283	11.8	38,818	13.0
45	553	2.7	21,059	9.5	1,534	5.3	1,938	6.9	25,084	8.4
46	89	0.4	8,304	3.8	401	1.4	783	2.8	9,577	3.2
47	27	0.1	2,409	1.1	44	0.2	272	1.0	2,752	0.9
48 & Above	9	*	656	0.3	23	0.1	79	0.3	767	0.3
<i>Average</i>	<i>42.29</i>		<i>42.37</i>		<i>41.22</i>		<i>41.66</i>		<i>42.19</i>	
Uniformity										
83 & Below	31	0.2	1,387	0.6	16	0.1	28	0.1	1,462	0.5
84	98	0.5	8,863	4.0	880	3.1	1,347	4.8	11,188	3.8
85	2,865	14.0	40,085	18.1	9,406	32.7	7,702	27.6	60,058	20.1
86	11,545	56.4	108,919	49.3	12,800	44.5	11,095	39.7	144,359	48.4
87	5,851	28.6	58,154	26.3	5,601	19.5	7,472	26.8	77,078	25.8
88 & Above	93	0.5	3,689	1.7	71	0.2	277	1.0	4,130	1.4
<i>Average</i>	<i>86.57</i>		<i>86.47</i>		<i>86.27</i>		<i>86.36</i>		<i>86.45</i>	
SAMPLES CLASSED	20,483		221,097		28,774		27,921		298,275	