



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	2	74	936	4,813	21,444	69,913	167,272	264,454
	3	-	-	2	118	626	2,684	8,791	26,325	38,546
	4	-	-	-	1	29	165	523	2,176	2,894
	5	-	-	-	-	1	7	11	85	104
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	2	76	1,055	5,469	24,300	79,238	195,858	305,998
31	1 - 2	-	-	1	101	286	703	1,714	5,768	8,573
	3	-	-	5	71	271	1,081	3,810	15,524	20,762
	4	-	-	1	16	80	468	1,806	6,694	9,065
	5	-	-	1	-	11	70	333	1,351	1,766
	6	-	-	-	-	-	2	48	226	276
	7	-	-	-	-	-	-	2	27	29
	8	-	-	-	-	-	-	-	2	2
TOTAL		-	-	8	188	648	2,324	7,713	29,592	40,473
41	1 - 2	-	-	1	1	8	43	195	1,510	1,758
	3	-	-	-	4	34	176	1,068	8,885	10,167
	4	-	-	-	1	7	130	924	6,164	7,226
	5	-	-	-	3	1	27	228	1,377	1,636
	6	-	-	-	-	-	2	125	446	573
	7	-	-	-	-	-	1	48	194	243
	8	-	-	-	-	-	-	10	67	77
TOTAL		-	-	1	9	50	379	2,598	18,643	21,680
51	1 - 2	-	-	-	1	6	31	75	141	254
	3	-	-	-	-	24	131	244	1,007	1,406
	4	-	-	-	-	2	29	107	649	787
	5	-	-	-	-	-	2	24	224	250
	6	-	-	-	-	-	1	4	38	43
	7	-	-	-	-	-	-	4	15	19
	8	-	-	-	-	-	-	14	50	64
TOTAL		-	-	-	1	32	194	472	2,124	2,823
61	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	2	-	2
	4	-	-	-	-	-	-	5	-	5
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	7	-	7
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	10	45	323	1,411	4,922	13,672	23,835	44,218
	3	-	-	1	20	319	1,155	3,082	7,674	12,251
	4	-	-	-	-	8	78	375	1,423	1,884
	5	-	-	-	-	1	2	45	231	279
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	10	46	343	1,739	6,157	17,174	33,164	58,633
32	1 - 2	-	-	5	20	47	143	555	1,478	2,248
	3	-	-	5	46	139	266	1,254	4,764	6,474
	4	-	1	6	45	57	192	767	3,189	4,257
	5	-	-	-	-	6	55	247	1,461	1,769
	6	-	-	-	-	-	3	25	256	284
	7	-	-	-	-	-	-	-	12	12
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	1	16	111	249	659	2,848	11,160	15,044
42	1 - 2	-	-	-	5	78	204	431	887	1,605
	3	-	-	-	47	257	707	1,940	6,401	9,352
	4	-	-	-	30	258	874	2,276	6,363	9,801
	5	-	-	-	7	31	261	703	2,212	3,214
	6	-	-	-	-	3	22	145	486	656
	7	-	-	-	-	-	7	14	60	81
	8	-	-	-	-	-	1	-	5	6
TOTAL		-	-	-	89	627	2,076	5,509	16,414	24,715
52	1 - 2	-	-	-	14	65	131	121	458	789
	3	-	-	-	16	159	389	1,223	2,759	4,546
	4	-	-	-	7	96	312	1,045	3,016	4,476
	5	-	-	-	2	37	198	509	1,565	2,311
	6	-	-	-	1	4	32	158	528	723
	7	-	-	-	-	1	8	35	90	134
	8	-	-	-	-	-	1	10	21	32
TOTAL		-	-	-	40	362	1,071	3,101	8,437	13,011

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	5	9	14
	4	-	-	-	-	-	1	18	27	46
	5	-	-	-	-	-	-	2	11	13
	6	-	-	-	-	-	-	1	8	9
	7	-	-	-	-	-	1	2	-	3
	8	-	-	-	-	-	2	6	1	9
TOTAL		-	-	-	-	-	4	34	56	94
13 & 23	1 - 2	-	-	5	8	63	311	1,563	3,548	5,498
	3	-	-	4	1	50	111	426	1,375	1,967
	4	-	-	-	-	2	16	82	170	270
	5	-	-	-	-	-	-	7	31	38
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	9	9	115	438	2,079	5,129	7,779
33	1 - 2	-	1	-	-	6	51	150	313	521
	3	-	-	-	2	20	78	275	815	1,190
	4	-	-	-	-	17	31	93	400	541
	5	-	-	-	-	-	6	32	141	179
	6	-	-	-	-	-	-	2	43	45
	7	-	-	-	-	-	-	1	17	18
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	1	-	2	43	166	553	1,729	2,494
43	1 - 2	-	-	-	2	2	11	28	58	101
	3	-	-	-	14	146	510	1,043	746	2,459
	4	-	-	-	5	114	568	2,051	2,177	4,915
	5	-	-	-	2	22	167	967	1,366	2,524
	6	-	-	-	-	-	27	149	189	365
	7	-	-	-	-	-	1	3	22	26
	8	-	-	-	-	-	-	-	13	13
TOTAL		-	-	-	23	284	1,284	4,241	4,571	10,403
53	1 - 2	-	-	-	16	29	29	61	56	191
	3	-	-	2	69	243	306	1,032	1,279	2,931
	4	-	-	3	42	125	629	1,686	2,417	4,902
	5	-	-	-	9	72	769	1,364	1,775	3,989
	6	-	-	-	2	22	477	948	1,018	2,467
	7	-	-	-	-	3	78	298	294	673
	8	-	-	-	-	-	3	8	23	34
TOTAL		-	-	5	138	494	2,291	5,397	6,862	15,187
63	1 - 2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	-	1	14	24	39
	4	-	-	-	-	-	4	74	107	185
	5	-	-	-	-	-	2	59	118	179
	6	-	-	-	-	-	1	14	44	59
	7	-	-	-	-	-	1	2	3	6
	8	-	-	-	-	-	1	1	2	4
TOTAL		-	-	-	-	-	10	165	299	474
24 - 54	1 - 8	-	-	-	3	45	206	459	997	1,710
25 - 35	1 - 8	-	-	-	-	-	-	1	-	1
81 - 85	1 - 8	-	-	-	-	-	1	71	139	211
TOTAL ALL		-	14	161	2,011	10,157	41,560	131,660	335,174	520,737

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	271,702	351,917	439,792	207,702	87,129	22,522	1,380,764	1,645,218
	3	56,836	99,409	147,993	87,121	39,693	14,140	445,192	483,738
	4	5,200	9,893	13,513	6,786	2,915	1,419	39,726	42,620
	5	254	430	492	193	39	17	1,425	1,529
	6	7	7	16	3	1	-	34	34
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		333,999	461,656	601,806	301,805	129,777	38,098	1,867,141	2,173,139
31	1 - 2	23,947	58,604	105,379	61,790	35,262	7,528	292,510	301,083
	3	67,680	196,625	393,214	294,064	223,187	92,333	1,267,103	1,287,865
	4	23,185	72,565	136,090	121,237	117,642	75,300	546,019	555,084
	5	3,722	8,000	11,753	9,453	9,226	6,929	49,083	50,849
	6	586	949	900	382	217	122	3,156	3,432
	7	36	65	89	23	13	1	227	256
	8	-	1	1	1	-	-	3	5
TOTAL		119,156	336,809	647,426	486,950	385,547	182,213	2,158,101	2,198,574
41	1 - 2	6,366	12,826	20,394	10,573	6,362	1,195	57,716	59,474
	3	42,100	114,823	298,982	218,763	181,120	74,538	930,326	940,493
	4	29,862	99,610	322,851	345,260	316,315	209,312	1,323,210	1,330,436
	5	5,390	17,028	60,879	88,630	85,709	70,403	328,039	329,675
	6	1,265	2,400	4,409	5,457	5,109	4,788	23,428	24,001
	7	450	853	796	158	107	113	2,477	2,720
	8	144	502	565	32	3	14	1,260	1,337
TOTAL		85,577	248,042	708,876	668,873	594,725	360,363	2,666,456	2,688,136
51	1 - 2	272	250	210	56	16	2	806	1,060
	3	1,718	3,587	7,071	3,920	1,861	575	18,732	20,138
	4	2,034	6,255	20,471	18,947	8,983	4,255	60,945	61,732
	5	639	2,398	9,955	13,069	7,837	4,495	38,393	38,643
	6	162	356	1,384	1,909	1,720	1,107	6,638	6,681
	7	27	34	98	106	131	63	459	478
	8	60	83	119	12	1	2	277	341
TOTAL		4,912	12,963	39,308	38,019	20,549	10,499	126,250	129,073
61	1 - 2	-	-	-	-	-	-	-	-
	3	1	5	7	7	2	-	22	24
	4	9	23	18	43	1	1	95	100
	5	-	4	15	28	1	-	48	48
	6	1	1	6	6	-	-	14	14
	7	-	-	-	-	1	1	2	2
	8	1	-	-	-	-	-	1	1
TOTAL		12	33	46	84	5	2	182	189
71	1 - 2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	1	-	-	-	1	1
	5	-	-	-	-	-	-	-	-
	6	1	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-
	8	-	-	1	-	-	-	1	1
TOTAL		1	-	2	-	-	-	3	3
12 & 22	1 - 2	22,710	18,477	12,475	3,730	801	117	58,310	102,528
	3	10,904	12,391	10,048	4,144	1,038	165	38,690	50,941
	4	1,574	1,672	1,603	718	281	39	5,887	7,771
	5	131	127	217	48	40	17	580	859
	6	-	3	14	-	6	1	24	25
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		35,319	32,670	24,357	8,640	2,166	339	103,491	162,124
32	1 - 2	2,599	2,413	2,264	597	259	45	8,177	10,425
	3	12,125	13,841	13,736	5,741	2,013	784	48,240	54,714
	4	6,380	9,048	8,465	4,253	2,082	1,073	31,301	35,558
	5	1,546	2,088	1,770	838	675	289	7,206	8,975
	6	275	275	245	139	116	49	1,099	1,383
	7	10	21	31	18	8	4	92	104
	8	-	2	-	1	-	-	3	3
TOTAL		22,935	27,688	26,511	11,587	5,153	2,244	96,118	111,162
42	1 - 2	1,534	1,432	1,116	173	40	6	4,301	5,906
	3	16,294	20,477	20,221	6,791	2,169	604	66,556	75,908
	4	16,161	27,139	34,159	16,194	6,999	3,075	103,727	113,528
	5	4,345	7,508	11,112	7,099	3,421	2,075	35,560	38,774
	6	896	1,236	1,578	1,529	792	319	6,350	7,006
	7	99	197	239	224	124	106	989	1,070
	8	27	34	41	33	15	55	205	211
TOTAL		39,356	58,023	68,466	32,043	13,560	6,240	217,688	242,403
52	1 - 2	329	275	123	8	-	1	736	1,525
	3	3,477	4,966	3,409	723	266	46	12,887	17,433
	4	6,056	9,469	9,554	4,055	1,646	357	31,137	35,613
	5	2,709	5,146	6,994	3,777	1,745	360	20,731	23,042
	6	596	913	1,972	1,460	721	200	5,862	6,585
	7	100	164	448	291	163	72	1,238	1,372
	8	27	28	70	19	-	1	145	177
TOTAL		13,294	20,961	22,570	10,333	4,541	1,037	72,736	85,747

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2020 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	-	-	-	-	-	-	-	-
	3	15	15	26	11	1	-	68	82
	4	71	170	282	68	4	2	597	643
	5	36	131	305	83	17	2	574	587
	6	19	39	115	72	27	2	274	283
	7	6	6	6	11	21	7	57	60
	8	-	-	1	-	2	-	3	12
TOTAL		147	361	735	245	72	13	1,573	1,667
13 & 23	1 - 2	3,038	1,790	742	93	15	12	5,690	11,188
	3	1,734	1,547	770	180	42	7	4,280	6,247
	4	203	190	154	30	7	-	584	854
	5	5	6	27	2	1	-	41	79
	6	2	-	-	1	-	-	3	9
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		4,982	3,533	1,693	306	65	19	10,598	18,377
33	1 - 2	479	499	324	62	31	10	1,405	1,926
	3	967	1,179	1,068	434	174	103	3,925	5,115
	4	544	601	577	297	172	159	2,350	2,891
	5	175	197	165	65	30	36	668	847
	6	28	42	18	9	3	-	100	145
	7	11	1	3	1	1	-	17	35
	8	-	1	-	-	-	-	1	1
TOTAL		2,204	2,520	2,155	868	411	308	8,466	10,960
43	1 - 2	132	152	101	17	8	-	410	511
	3	935	1,092	1,124	403	189	66	3,809	6,268
	4	1,559	1,600	2,022	1,198	556	281	7,216	12,131
	5	969	662	724	425	238	161	3,179	5,703
	6	117	136	114	61	54	23	505	870
	7	26	19	20	15	1	-	81	107
	8	9	2	8	4	1	-	24	37
TOTAL		3,747	3,663	4,113	2,123	1,047	531	15,224	25,627
53	1 - 2	44	32	13	-	-	-	89	280
	3	829	627	285	54	36	5	1,836	4,767
	4	2,092	1,332	998	257	120	19	4,818	9,720
	5	1,645	958	849	287	125	39	3,903	7,892
	6	425	339	291	97	44	11	1,207	3,674
	7	80	79	66	30	5	1	261	934
	8	12	8	31	10	3	1	65	99
TOTAL		5,127	3,375	2,533	735	333	76	12,179	27,366
63	1 - 2	-	1	-	-	-	-	1	3
	3	28	15	21	2	-	-	66	105
	4	144	72	139	12	2	2	371	556
	5	103	67	125	26	4	-	325	504
	6	45	33	58	20	-	1	157	216
	7	6	6	3	4	-	-	19	25
	8	1	2	3	-	-	-	6	10
TOTAL		327	196	349	64	6	3	945	1,419
24 - 54	1 - 8	1,232	1,008	512	225	104	39	3,120	4,830
25 - 35	1 - 8	12	35	11	-	-	-	58	59
81 - 85	1 - 8	130	69	23	7	5	1	235	446
TOTAL ALL		672,469	1,213,605	2,151,492	1,562,907	1,158,066	602,025	7,360,564	7,881,301

EXTRANEIOUS MATTER	
Bark - Level 1	165,278
Bark - Level 2	13
Grass - Level 1	7,624
Grass - Level 2	11
Prep - Level 1	278
Prep - Level 2	2
Seed Coat - Level 1	283,353
Seed Coat - Level 2	-
Oil - Level 1	89
Oil - Level 2	-
Spindle Twist - Level 1	1
Spindle Twist - Level 2	-
Other - Level 1	212
Other - Level 2	2
Plastic - Level 1	2,197
Plastic - Level 2	2

Average Staple	37.18
Percent Tenderable	81.6
SAMPLES CLASSED	7,881,301

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	*	*	*	0.1	0.3	0.9	2.1	3.4	4.5	5.6	2.6	1.1	0.3	20.9
	3	-	-	*	*	*	*	0.1	0.3	0.7	1.3	1.9	1.1	0.5	0.2	6.1
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.3	1.0	2.5	4.2	5.9	7.6	3.8	1.6	0.5	27.6
31	1 - 2	-	-	*	*	*	*	*	0.1	0.3	0.7	1.3	0.8	0.4	0.1	3.8
	3	-	-	-	*	*	*	*	0.2	0.9	2.5	5.0	3.7	2.8	1.2	16.3
	4	-	-	-	*	*	*	*	0.1	0.3	0.9	1.7	1.5	1.5	1.0	7.0
	5	-	-	*	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
TOTAL		-	-	*	*	*	*	0.1	0.4	1.5	4.3	8.2	6.2	4.9	2.3	27.9
41	1 - 2	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	3	-	-	-	*	*	*	*	0.1	0.5	1.5	3.8	2.8	2.3	0.9	11.9
	4	-	-	-	*	*	*	*	0.1	0.4	1.3	4.1	4.4	4.0	2.7	16.9
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.8	1.1	1.1	0.9	4.2
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	*	0.2	1.1	3.1	9.0	8.5	7.5	4.6	34.1
51	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	0.1	0.1	0.8
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	0.1	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	1.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
12 & 22	1 - 2	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.3
	3	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.3	0.1	*	*	2.1
32	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.7
	4	-	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
TOTAL		-	*	*	*	*	*	*	0.1	0.3	0.4	0.3	0.1	0.1	*	1.4
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	4	-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.4
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	0.1	0.2	0.5	0.7	0.9	0.4	0.2	0.1	3.1
52	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	-	*	*
	3	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	0.1	*	1.1

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	-	-	*	-	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
33	1 - 2	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.1	*	*	0.1	*	*	*	0.3
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
63	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	*	-	*	*	*	-	-	-	*	
81 - 85	1 - 8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	*	*	*	0.1	0.5	1.7	4.3	8.5	15.4	27.3	19.8	14.7	7.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.1
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	3.6
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	37.18
Percent Tenderable	81.6
SAMPLES CLASSED	7,881,301

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.3
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	0.5
31	1 - 2	-	-	-	-	-	-	*	*	0.1	0.4	0.9	0.6	0.3	*	2.2
	3	-	-	-	-	*	*	*	0.1	0.6	2.2	5.7	5.0	3.2	0.8	17.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.7	2.4	3.4	2.5	0.8	10.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	0.9
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	1.0	3.2	9.1	9.2	6.3	1.8	30.8
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	3	-	-	-	-	-	*	*	0.2	0.8	2.8	6.7	4.6	1.9	0.3	17.2
	4	-	-	-	-	-	*	*	0.2	1.1	3.3	8.6	8.2	4.2	0.9	26.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.6	1.8	2.2	1.5	0.5	6.9
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	0.1	0.5	2.3	7.0	17.5	15.2	7.7	1.7	51.9
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.8	0.5	0.1	*	1.8
	5	-	-	-	-	-	-	*	*	*	0.1	0.6	0.5	0.1	*	1.3
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.5	1.7	1.2	0.2	*	3.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	-	-	-	*	*	-	*	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.2	0.1	*	0.9
	4	-	-	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.4	0.2	0.1	1.7
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.4	0.7	0.7	0.2	*	*	2.0
	4	-	-	-	-	-	-	*	0.1	0.5	1.1	1.3	0.5	0.2	*	3.8
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.4	0.2	0.1	*	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	1.0	2.1	2.5	1.0	0.4	0.1	7.4
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	*	*	1.1
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.1	*	*	0.8
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.3	0.5	0.6	0.7	0.3	0.1	*	2.6

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
63	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL ALL		-	-	-	-	*	*	0.2	1.5	5.4	14.1	32.7	27.5	14.9	3.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.9
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	17.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.39
Percent Tenderable	68.2
SAMPLES CLASSED	356,119

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.3	1.6	8.9	17.1	26.7	18.0	5.6	1.2	79.5
	3	-	-	-	-	-	-	*	*	0.3	0.9	1.3	0.8	0.6	0.1	4.0
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.3	1.7	9.2	18.0	28.0	18.9	6.2	1.3	83.7
31	1 - 2	-	-	-	-	-	*	*	0.1	0.6	1.0	1.0	0.4	0.2	0.1	3.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.6	1.2	0.5	0.6	0.2	3.4
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.2	0.1	0.9
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.8	1.7	2.5	1.1	1.0	0.4	7.7
41	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.1	0.1	0.6
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	0.1	0.5	2.6	2.2	0.6	0.2	*	6.3
	3	-	-	-	-	-	-	*	*	*	0.6	0.7	*	*	*	1.3
	4	-	-	-	-	-	-	*	-	-	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.5	3.2	2.9	0.6	0.2	*	7.7
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	-	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
42	1 - 2	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.4	2.1	10.5	23.2	33.8	20.6	7.6	1.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	3.6
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	36.89
Percent Tenderable	80.3
SAMPLES CLASSED	118,748

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	3	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.3
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.6
31	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.5	0.5	0.6	0.2	2.0
	3	-	-	-	-	-	-	-	*	0.1	0.7	3.7	3.3	5.0	3.2	16.0
	4	-	-	-	-	-	-	-	*	*	0.2	1.3	1.5	2.3	2.5	7.8
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	1.0	5.6	5.4	8.1	6.1	26.2
41	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	*	0.6
	3	-	-	-	-	-	-	*	*	0.1	0.8	4.8	4.5	6.4	3.1	19.8
	4	-	-	-	-	-	-	*	*	0.1	0.7	7.8	8.9	10.4	10.2	38.1
	5	-	-	-	-	-	-	-	*	*	0.1	1.7	2.8	2.5	3.2	10.3
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	0.5
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	1.6	14.6	16.5	19.6	16.7	69.3
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.6	0.4	0.3	0.2	1.5
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	0.2	1.0
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	1.0	0.9	0.5	0.4	2.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.2
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	0.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	*	0.4	2.8	21.5	23.2	28.6	23.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.51
Percent Tenderable	96.1
SAMPLES CLASSED	856,217

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.3	3.0	11.6	14.3	15.4	9.0	0.8	54.5
	3	-	-	-	-	-	-	-	*	0.3	2.2	2.0	2.1	1.3	0.5	8.3
	4	-	-	-	-	-	-	-	-	-	*	0.3	0.3	*	*	0.6
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	3.3	13.8	16.5	17.8	10.3	1.3	63.4
31	1 - 2	-	-	-	-	-	-	*	0.1	0.5	2.4	8.1	5.0	3.9	0.7	20.7
	3	-	-	-	-	-	-	*	*	*	0.5	2.9	3.4	3.8	1.1	11.6
	4	-	-	-	-	-	-	-	-	-	*	0.5	0.8	0.4	0.1	1.7
	5	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.5	2.9	11.5	9.2	8.1	1.8	34.2
41	1 - 2	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	-	-	-	*	0.2	0.3	0.2	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.4	0.4	0.3	*	1.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.2
32	1 - 2	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	*	0.4
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.3	*	0.7
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.4	3.8	17.0	28.6	27.9	19.1	3.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.6
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.50
Percent Tenderable	93.1
SAMPLES CLASSED	62,570

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
31	1 - 2	-	-	-	-	-	-	-	0.1	0.1	0.2	0.4	0.2	*	-	1.0
	3	-	-	-	-	-	-	-	0.3	0.9	1.6	4.2	3.9	0.9	*	11.8
	4	-	-	-	-	-	-	-	*	0.1	0.5	1.3	2.6	1.3	*	5.8
	5	-	-	-	-	-	-	-	-	*	*	*	0.2	0.1	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.4	1.1	2.3	5.9	6.8	2.3	0.1	19.0
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	-	*	0.2	0.8	2.0	4.9	6.4	1.9	*	16.2
	4	-	-	-	-	*	-	*	0.1	0.5	1.8	5.6	17.3	8.5	0.4	34.3
	5	-	-	-	-	-	-	-	*	*	0.3	1.3	4.3	3.1	0.2	9.2
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.3	0.3	*	0.7
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	0.3	1.3	4.2	12.0	28.3	13.8	0.7	60.7
51	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	0.2	0.4	0.2	*	-	1.0
	4	-	-	-	-	-	-	*	*	0.1	0.3	1.3	1.7	0.4	0.1	4.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.4	1.0	0.4	*	1.9
	6	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	0.1	0.1	0.6	2.1	3.0	1.0	0.1	7.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.3
42	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.4	0.3	0.1	*	1.5
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.7	1.2	0.6	*	3.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.4	*	0.8
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	0.1	0.3	0.7	1.2	1.8	1.1	*	5.4
52	1 - 2	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	0.3	0.2	0.2	0.2	*	*	1.1
	4	-	-	-	-	-	*	0.1	0.1	0.3	0.3	0.9	1.1	0.4	*	3.1
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	*	1.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	0.1	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.3	0.7	0.5	1.4	1.8	0.9	0.1	5.8

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	*	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	0.1	*	0.1	0.2	0.2	*	0.6
53	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.1	0.3	0.2	0.1	0.1	0.1	*	*	0.9
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.4	1.5	3.8	8.6	22.9	42.3	19.4	1.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	39.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.62
Percent Tenderable	52.0
SAMPLES CLASSED	36,265

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.7
31	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.5	0.9	0.3	0.1	*	2.1
	3	-	-	-	-	-	*	*	0.2	1.1	2.5	5.6	4.1	1.7	0.3	15.6
	4	-	-	-	-	-	-	*	*	0.2	0.6	1.9	2.2	1.5	0.4	6.7
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	1.5	3.6	8.5	6.8	3.4	0.8	24.8
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	3	-	-	-	-	-	*	*	0.5	1.7	3.7	6.8	3.8	1.5	0.2	18.3
	4	-	-	-	-	*	*	*	0.3	1.3	3.4	8.5	8.4	4.5	0.8	27.2
	5	-	-	-	-	-	*	*	*	0.1	0.5	1.5	2.2	1.5	0.4	6.2
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	-	-	*	*	0.1	0.9	3.3	7.8	17.0	14.6	7.6	1.3	52.7
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	0.1	0.3	0.7	0.7	0.3	*	2.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.4	0.5	0.3	0.1	1.5
	6	-	-	-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	0.5	1.4	1.5	0.7	0.1	4.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.1
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.7	1.0	1.0	0.2	0.1	*	3.4
	4	-	-	-	-	*	*	0.1	0.2	0.7	1.4	1.8	0.7	0.2	*	5.1
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.5	0.2	0.1	*	1.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.5	1.6	2.8	3.3	1.2	0.4	*	10.0
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.5	0.7	0.3	0.1	*	1.9
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.5	0.4	0.2	*	1.4
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.4	0.9	1.5	0.9	0.3	0.1	4.3

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	-	-	-	-	*	-	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
43	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2	*
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.8	
53	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	*
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	*
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9	
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*	*
	7	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
24 - 54	1 - 8	-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
TOTAL ALL		-	-	-	-	*	0.1	0.4	2.2	7.5	16.6	32.8	25.4	12.7	2.4	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	26.8
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.18
Percent Tenderable	60.0
SAMPLES CLASSED	751,469

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	0.1	0.3	1.4	6.7	12.6	7.6	2.1	0.2	*	-	31.0
	3	-	-	-	-	*	*	0.4	4.7	9.7	6.8	1.3	0.1	-	-	23.0
	4	-	-	-	-	-	-	*	0.4	1.3	1.0	0.3	0.1	-	-	3.0
	5	-	-	-	-	-	-	*	-	0.1	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.1	0.3	1.8	11.8	23.5	15.5	3.7	0.4	*	-	57.1
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	0.2	-	-	1.0
	3	-	-	-	-	*	*	0.1	2.0	4.5	3.1	0.8	0.4	*	-	11.0
	4	-	-	-	-	-	*	0.2	1.4	6.1	6.0	2.2	0.1	-	-	16.0
	5	-	-	-	-	-	-	0.1	0.2	1.2	2.3	0.8	*	-	-	4.4
	6	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.4	3.7	12.2	11.8	4.0	0.7	*	-	32.7
41	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.6	0.2	0.1	*	-	-	1.0
	5	-	-	-	-	-	-	*	0.1	0.7	1.1	0.2	*	-	-	2.1
	6	-	-	-	-	-	-	*	*	0.3	0.7	0.1	*	-	-	1.2
	7	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.5
	8	-	-	-	-	-	-	*	0.1	*	*	*	-	-	-	0.2
TOTAL		-	-	-	-	-	*	0.1	0.5	1.9	2.1	0.5	*	-	-	5.0
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	*	0.1	*	*	-	-	-	-	0.2
TOTAL		-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	-	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.2
	3	-	-	-	-	-	-	-	0.1	0.3	0.2	*	-	-	-	0.5
	4	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.5	0.2	*	-	-	-	0.9
32	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	0.2	0.2	*	-	-	-	0.5
	4	-	-	-	-	-	-	*	0.1	0.4	0.3	0.1	*	-	-	0.9
	5	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	-	-	0.7
	6	-	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	0.9	1.0	0.2	*	-	-	2.4
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.1	0.2	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.5	*	-	-	-	0.8
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	*	0.1	0.2	*	-	-	-	0.3
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL ALL		-	-	-	-	0.1	0.3	2.4	16.6	39.6	31.5	8.5	1.1	*	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	16.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.29
Percent Tenderable	36.0
SAMPLES CLASSSED	33,564

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.6	0.6	0.1	1.8
	3	-	-	-	-	-	-	*	*	*	0.1	0.7	0.9	1.4	0.6	3.6
	4	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	1.1	1.5	2.0	0.8	5.7
31	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.1	1.5
	3	-	-	-	-	-	-	*	*	0.1	0.7	2.7	5.0	6.1	3.5	18.1
	4	-	-	-	-	-	-	-	*	*	0.3	1.5	2.6	3.7	3.4	11.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.6
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	1.0	4.6	8.2	10.5	7.2	31.6
41	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	-	*	*	0.2	0.6	2.5	4.7	5.3	2.4	15.6
	4	-	-	-	-	-	-	*	*	*	0.6	4.6	7.2	9.5	8.1	30.1
	5	-	-	-	-	-	-	-	-	*	*	1.0	1.6	1.9	2.0	6.5
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.3
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	1.2	8.3	13.7	16.9	12.6	53.0
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.9
	5	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	1.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.3	0.1	*	0.9
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	0.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	0.1	1.6
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	*	1.1
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.9	1.0	0.5	0.2	3.1
	5	-	-	-	-	-	-	-	*	*	*	0.3	0.3	0.2	0.1	1.0
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.6	1.5	1.6	0.9	0.4	5.4
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	0.6

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.3
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.1	0.9	3.3	16.2	26.1	31.5	21.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.6
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.53
Percent Tenderable	87.5
SAMPLES CLASSED	293,613

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	0.8
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.2	1.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.3	0.6	0.8	0.3	1.9
31	1 - 2	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	2.5
	3	-	-	-	-	-	-	*	*	0.2	1.1	3.3	5.3	6.0	2.6	18.5
	4	-	-	-	-	-	-	*	*	0.1	0.4	1.6	2.7	4.0	2.6	11.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.4	1.7	5.7	9.0	10.8	5.5	33.1
41	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.6
	3	-	-	-	-	-	*	*	*	0.4	1.2	3.9	4.3	4.2	1.9	16.0
	4	-	-	-	-	-	-	*	*	0.2	1.3	5.9	8.0	10.3	6.5	32.1
	5	-	-	-	-	-	-	*	*	*	0.3	1.5	2.1	3.3	3.0	10.2
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.6
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.8	2.9	11.5	14.6	18.1	11.6	59.5
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	0.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.5	0.6	0.5	0.4	2.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	0.1	1.1
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.4	0.8	0.3	0.2	0.2	2.3
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.3

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	0.2	1.6	5.4	19.1	25.2	30.5	18.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.33
Percent Tenderable	86.6
SAMPLES CLASSED	831,434

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	*	*	0.3	0.2	0.4	0.1	1.0
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.5
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.4	0.3	0.5	0.3	1.5
31	1 - 2	-	-	-	-	-	-	*	*	*	0.3	3.3	1.6	1.7	0.7	7.6
	3	-	-	-	-	-	-	-	*	*	0.4	5.2	4.9	5.9	3.5	20.0
	4	-	-	-	-	-	-	-	-	*	0.1	0.8	1.3	1.4	1.1	4.7
	5	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.7	9.4	7.9	9.1	5.4	32.6
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.6	0.4	0.5	0.1	1.7
	3	-	-	-	*	*	-	*	*	*	0.5	7.0	6.8	8.3	4.0	26.6
	4	-	-	-	-	-	-	-	*	*	0.2	5.3	8.8	8.3	6.4	29.0
	5	-	-	-	-	-	-	-	-	*	*	0.5	1.7	1.5	0.9	4.5
	6	-	-	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	-	*	*	*	0.8	13.4	17.7	18.6	11.3	61.9
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.2	0.2	0.1	*	0.5
	4	-	-	-	-	-	-	-	-	*	*	0.5	1.0	0.4	0.1	2.0
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.4	0.3	0.1	0.9
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.8	1.7	0.8	0.2	3.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	0.1	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	-	*	*	0.1	1.6	24.1	27.8	29.2	17.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.38
Percent Tenderable	94.4
SAMPLES CLASSED	334,051

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	1.0	16.9	24.0	21.1	14.6	11.8	3.2	92.7
	3	-	-	-	-	-	-	-	*	0.3	0.3	0.7	0.4	0.5	*	2.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	1.0	17.2	24.4	21.8	15.0	12.3	3.2	94.9
31	1 - 2	-	-	-	-	-	-	-	-	0.1	0.4	1.2	0.5	0.2	0.1	2.6
	3	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.1	0.1	-	0.6
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	0.2	0.5	1.4	0.7	0.3	0.1	3.2
41	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	-	-	-	*	*
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	0.5	0.7	-	-	-	1.2
	3	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.5	0.8	-	-	-	1.3
32	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2
	3	-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	-	0.3
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.2	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.2	-	-	-	0.2
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	1.1	17.4	25.5	24.4	15.7	12.6	3.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.87
Percent Tenderable	93.8
SAMPLES CLASSED	7,681

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
31	1 - 2	-	-	-	-	-	*	*	0.1	0.4	0.8	1.9	0.9	0.4	0.1	4.5
	3	-	-	-	-	-	-	*	0.1	0.9	3.1	8.9	6.2	4.4	1.2	24.8
	4	-	-	-	-	-	-	*	*	0.1	0.7	2.5	2.2	2.1	0.8	8.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.5	4.6	13.4	9.3	6.9	2.2	38.1
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.3	0.2	*	1.5
	3	-	-	-	-	-	*	*	0.2	0.9	3.4	11.2	6.8	4.9	1.7	29.1
	4	-	-	-	-	-	-	*	*	0.3	2.1	7.9	5.5	4.5	2.4	22.8
	5	-	-	-	-	-	-	*	*	*	0.2	0.8	0.8	0.6	0.4	2.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.4	6.1	20.5	13.4	10.1	4.6	56.4
51	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	-	*	*	*	0.1	0.1	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	0.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	-	-	*	*	0.1	0.3	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	*	*	0.2	0.5	0.2	0.1	0.1	1.1
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.5	0.3	0.1	*	1.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.5	0.3	0.2	0.1	1.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.4	1.1	0.7	0.3	0.1	2.8
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	*	0.5	3.1	11.5	36.1	24.0	17.7	7.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.62
Percent Tenderable	93.9
SAMPLES CLASSED	213,145

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	*	0.1	0.5	1.1	2.2	3.2	6.9	18.1	17.3	11.2	3.9	64.6
	3	-	-	-	*	0.1	0.1	0.3	0.6	0.6	0.8	2.5	1.8	0.9	0.4	7.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.2	0.6	1.4	2.7	3.9	7.7	20.7	19.1	12.1	4.3	72.7
31	1 - 2	-	-	-	-	*	0.1	0.2	0.5	0.7	1.2	1.6	1.3	1.0	0.2	6.7
	3	-	-	*	*	*	0.2	0.4	1.1	1.2	1.2	3.0	2.2	1.0	0.4	10.5
	4	-	-	*	*	*	0.1	0.1	0.4	0.4	0.5	0.6	0.4	0.3	0.2	3.1
	5	-	-	*	-	-	*	*	*	*	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.3	0.7	2.0	2.4	3.0	5.3	3.9	2.3	0.9	20.7
41	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	1.1
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	*	*	*	0.1	0.1	0.3	0.3	0.3	0.3	0.2	*	*	*	1.5
	3	-	-	-	-	*	*	0.1	0.3	0.1	0.1	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.2	0.4	0.5	0.4	0.4	0.3	0.1	*	*	2.3
32	1 - 2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	4	-	*	*	*	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	*	0.2	0.4	0.4	0.3	0.2	*	*	*	1.6
42	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	-	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	*	-	*	*	*	*	0.1	0.1	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	*	-	*	*	0.1	*	*	0.1	*	*	*	*	0.2
	3	-	-	*	-	-	*	*	0.1	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
33	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL ALL		-	*	*	*	0.3	1.2	2.9	6.0	7.6	12.0	26.9	23.3	14.6	5.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.8
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	37.04
Percent Tenderable	84.8
SAMPLES CLASSED	160,038

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	0.6
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	0.8
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.4	0.1	1.4
31	1 - 2	-	-	-	-	-	-	-	*	0.2	0.4	0.8	0.6	0.2	*	2.3
	3	-	-	-	-	-	-	*	0.1	0.7	2.5	5.9	7.7	5.0	1.2	23.1
	4	-	-	-	-	-	-	*	*	0.1	0.5	2.0	3.7	3.9	1.2	11.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.7
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	0.9	3.4	8.8	12.1	9.5	2.5	37.4
41	1 - 2	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	*	*	0.2	1.1	2.1	5.5	4.7	2.5	0.5	16.5
	4	-	-	-	-	-	-	*	0.2	0.9	2.1	6.3	9.8	8.9	2.8	31.0
	5	-	-	-	-	-	-	-	*	0.1	0.3	0.8	2.2	3.1	2.0	8.4
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.4
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.4	2.1	4.5	12.7	16.8	14.7	5.4	56.7
51	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	0.6
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.2	1.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.1	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.2	0.6
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	*	*	*	0.5
	4	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	0.1	0.1	1.0
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.4	0.8	0.4	0.3	0.2	2.0
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	0.6	3.3	8.7	23.2	30.3	25.3	8.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.90
Percent Tenderable	92.9
SAMPLES CLASSED	90,147

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	0.2	0.8	1.0	1.2	0.6	0.1	3.8
	3	-	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	1.2
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	0.9	1.3	1.6	0.9	0.1	5.0
31	1 - 2	-	-	-	-	-	-	*	0.1	1.2	4.2	5.6	4.4	1.8	0.1	17.4
	3	-	-	-	-	-	-	*	*	0.7	5.3	15.0	9.9	6.0	1.1	38.1
	4	-	-	-	-	-	-	-	*	0.1	0.6	3.0	1.9	1.2	0.4	7.1
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	2.0	10.1	23.6	16.3	9.1	1.6	62.8
41	1 - 2	-	-	-	-	-	-	-	*	0.1	0.5	0.7	0.3	0.1	*	1.8
	3	-	-	-	-	-	-	-	*	0.4	3.0	7.0	3.1	1.7	0.2	15.4
	4	-	-	-	-	-	-	*	*	0.1	1.2	5.5	2.9	1.4	0.3	11.4
	5	-	-	-	-	-	-	-	-	*	0.1	0.5	0.6	0.2	*	1.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.6	4.8	13.8	7.1	3.4	0.6	30.2
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	0.1	*	0.9
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	0.1	*	1.3
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
52	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	*	*

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.1	3.0	16.2	39.5	25.2	13.5	2.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.37
Percent Tenderable	90.1
SAMPLES CLASSED	404,578

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	*	*	*	0.1	0.6	2.0	4.8	7.5	9.2	10.9	4.2	1.4	0.4	41.2
	3	-	-	*	*	*	0.1	0.2	0.7	1.6	2.8	4.1	2.2	0.8	0.2	12.7
	4	-	-	-	*	*	*	*	0.1	0.1	0.3	0.4	0.2	0.1	*	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.2	0.7	2.3	5.6	9.2	12.3	15.4	6.5	2.2	0.6	55.1
31	1 - 2	-	-	*	*	*	*	*	0.1	0.4	0.8	1.1	0.4	0.1	*	3.0
	3	-	-	-	*	*	*	0.1	0.3	1.4	3.5	4.6	2.2	0.8	0.2	13.1
	4	-	-	-	*	*	*	*	0.2	0.5	1.6	1.8	0.8	0.5	0.2	5.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	0.1	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
TOTAL		-	-	*	*	*	0.1	0.2	0.6	2.4	6.1	7.8	3.6	1.4	0.5	22.6
41	1 - 2	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	3	-	-	-	*	*	*	*	0.1	0.5	1.0	1.7	0.7	0.2	*	4.3
	4	-	-	-	*	*	*	*	0.1	0.4	1.0	1.0	0.6	0.3	0.1	3.4
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	0.1	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	*	0.2	1.0	2.4	3.2	1.6	0.6	0.2	9.4
51	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL		-	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
12 & 22	1 - 2	-	*	*	*	*	0.1	0.4	0.7	0.7	0.4	0.3	0.1	*	*	2.8
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	1.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	0.2	0.5	1.0	1.0	0.8	0.6	0.2	0.1	*	4.5
32	1 - 2	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	*	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.0
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
TOTAL		-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.4	0.2	0.1	*	2.2
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.9
	4	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	1.0
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	0.1	0.1	0.3	0.6	0.7	0.5	0.2	*	*	2.6
52	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
TOTAL		-	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	*	*	*	1.1

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
13 & 23	1 - 2	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
33	1 - 2	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	*	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6
63	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	8	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	*	*	0.1	0.3	1.2	3.7	8.8	15.5	23.7	28.4	12.5	4.4	1.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.9
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	*
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	36.22
Percent Tenderable	79.4
SAMPLES CLASSED	3,298,236

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	*	-	*	-	0.2
31	1 - 2	-	-	-	-	-	-	-	-	*	0.1	0.3	0.4	0.7	0.3	1.8
	3	-	-	-	-	-	-	-	*	0.1	0.5	2.2	1.7	1.4	1.6	7.5
	4	-	-	-	-	-	-	-	-	*	*	0.6	0.4	0.2	0.4	1.7
	5	-	-	-	-	-	-	-	-	-	-	*	0.1	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.7	3.1	2.6	2.3	2.4	11.1
41	1 - 2	-	-	-	-	-	-	-	*	0.1	0.3	1.2	2.0	1.6	0.8	5.9
	3	-	-	-	-	-	-	-	*	0.2	2.8	12.4	13.5	13.0	10.1	52.0
	4	-	-	-	-	-	-	-	-	*	0.4	4.5	5.7	5.5	5.6	21.7
	5	-	-	-	-	-	-	-	-	-	*	0.2	0.5	0.3	0.3	1.3
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.4	3.5	18.3	21.7	20.4	16.8	81.0
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.3	0.4	0.2	*	1.1
	4	-	-	-	-	-	-	-	-	*	0.1	0.4	0.2	0.1	0.1	0.9
	5	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.2	0.8	0.5	0.4	0.2	2.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	0.1
32	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	0.2	0.1	0.1	0.1	*	0.5
	4	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	0.1	*	-	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.2	0.3	0.3	0.1	0.1	1.0
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	0.2	0.4	0.6	0.3	0.3	1.8
	4	-	-	-	-	-	-	-	-	*	0.1	0.5	1.0	0.2	0.1	1.9
	5	-	-	-	-	-	-	-	-	-	*	*	0.3	*	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.3	1.0	1.9	0.5	0.4	4.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.1

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2020 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	0.1	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	-	*	0.5	5.0	23.6	27.2	23.7	19.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	38.32
Percent Tenderable	92.7
SAMPLES CLASSED	33,426

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2020 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	3,049	13	76	-	-	-	33	-	61,102	-
Arizona	1	-	75	-	-	-	1	-	4,248	-
Arkansas	6,339	-	457	2	16	-	28	-	167	-
California	1	-	374	-	-	-	1	-	144	-
Florida	484	-	11	-	-	-	2	-	14,177	-
Georgia	5,258	-	202	-	-	-	55	-	201,421	-
Kansas	5,419	-	4	-	-	-	-	-	1	-
Louisiana	1,810	-	80	-	1	-	7	-	-	-
Mississippi	4,349	-	723	1	2	-	5	1	626	-
Missouri	545	-	97	-	-	-	1	-	27	-
New Mexico	13	-	2	-	-	-	-	-	6	-
North Carolina	527	-	106	-	-	-	2	-	1	-
Oklahoma	7,677	-	1	-	-	-	6	-	4	-
South Carolina	1,177	-	112	-	-	-	6	-	141	-
Tennessee	163	-	26	-	5	-	-	-	1	-
Texas	128,324	-	5,265	8	57	-	130	1	1,287	-
Virginia	142	-	13	-	8	-	1	-	-	-
<i>United States</i>	<i>165,278</i>	<i>13</i>	<i>7,624</i>	<i>11</i>	<i>89</i>	<i>-</i>	<i>278</i>	<i>2</i>	<i>283,353</i>	<i>-</i>

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	9	-	68	-	-	-	64,337	13
Arizona	1	-	150	-	-	-	4,476	-
Arkansas	2	-	144	-	1	-	7,154	2
California	-	-	5	-	-	-	525	-
Florida	3	-	2	-	-	-	14,679	-
Georgia	9	-	139	-	-	-	207,084	-
Kansas	-	-	3	-	-	-	5,427	-
Louisiana	1	-	38	-	-	-	1,937	-
Mississippi	6	-	224	-	-	-	5,935	2
Missouri	3	-	56	-	-	-	729	-
New Mexico	-	-	1	-	-	-	22	-
North Carolina	-	-	15	-	-	-	651	-
Oklahoma	-	-	27	1	-	-	7,715	1
South Carolina	-	-	4	-	-	-	1,440	-
Tennessee	-	-	42	-	-	-	237	-
Texas	178	2	1,274	1	-	-	136,515	12
Virginia	-	-	5	-	-	-	169	-
<i>United States</i>	<i>212</i>	<i>2</i>	<i>2,197</i>	<i>2</i>	<i>1</i>	<i>-</i>	<i>459,032</i>	<i>30</i>

Table 21. -- Tenderability of upland cotton classed, by states, 2020 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	242,899	68.2	113,220	31.8
Arizona	95,330	80.3	23,418	19.7
Arkansas	822,811	96.1	33,406	3.9
California	58,270	93.1	4,300	6.9
Florida	18,853	52.0	17,412	48.0
Georgia	450,668	60.0	300,801	40.0
Kansas	12,089	36.0	21,475	64.0
Louisiana	256,788	87.5	36,825	12.5
Mississippi	719,655	86.6	111,779	13.4
Missouri	315,260	94.4	18,791	5.6
New Mexico	7,207	93.8	474	6.2
North Carolina	200,091	93.9	13,054	6.1
Oklahoma	135,730	84.8	24,308	15.2
South Carolina	83,705	92.9	6,442	7.1
Tennessee	364,707	90.1	39,871	9.9
Texas	2,618,778	79.4	679,458	20.6
Virginia	31,001	92.7	2,425	7.3
<i>United States</i>	<i>6,433,842</i>	<i>81.6</i>	<i>1,447,459</i>	<i>18.4</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	31.0	64.6	49.3	54.6	13.3	0.3	0.8	0.7	0.3	0.6	*	0.3
	3	23.0	7.9	17.9	13.8	12.4	0.7	1.2	1.0	0.3	0.8	0.1	0.4
	4	3.0	0.2	2.0	1.2	1.0	*	*	*	*	*	*	*
	5	0.1	-	0.1	*	*	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		57.1	72.7	69.2	69.7	26.7	1.0	2.1	1.8	0.6	1.4	0.2	0.8
31	1 - 2	1.0	6.7	2.0	4.1	5.3	1.1	2.4	2.0	4.5	2.3	1.8	3.7
	3	11.0	10.5	7.5	9.2	23.5	17.0	18.8	18.3	24.8	23.1	7.5	22.6
	4	16.0	3.1	5.6	5.4	9.2	11.6	10.4	10.7	8.4	11.4	1.7	8.5
	5	4.4	0.4	1.8	1.4	0.9	0.9	0.7	0.8	0.4	0.7	0.1	0.5
	6	0.3	*	0.3	0.2	*	*	*	*	*	*	*	*
	7	*	-	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		32.7	20.7	17.2	20.3	38.8	30.6	32.2	31.8	38.1	37.4	11.1	35.3
41	1 - 2	*	*	*	*	1.2	0.3	0.6	0.5	1.5	0.3	5.9	1.7
	3	0.1	0.1	*	*	8.3	14.6	16.6	16.0	29.1	16.5	52.0	28.0
	4	1.0	0.4	0.2	0.4	6.5	36.7	33.8	34.5	22.8	31.0	21.7	24.9
	5	2.1	0.5	0.6	0.7	1.4	13.1	9.8	10.7	2.9	8.4	1.3	4.2
	6	1.2	0.1	0.5	0.4	0.2	0.9	0.5	0.6	0.1	0.4	*	0.2
	7	0.5	*	0.2	0.1	*	*	*	*	-	-	-	-
	8	0.2	-	*	*	*	-	-	-	-	-	-	-
TOTAL		5.0	1.1	1.5	1.7	17.7	65.5	61.3	62.4	56.4	56.7	81.0	58.9
51	1 - 2	-	-	*	*	0.1	*	*	*	*	*	*	*
	3	*	-	-	*	0.4	0.2	0.2	0.2	0.2	0.1	1.1	0.3
	4	-	-	*	*	0.4	0.7	1.1	1.0	0.2	0.6	0.9	0.4
	5	-	*	*	*	0.1	0.5	1.0	0.9	0.1	0.5	0.1	0.2
	6	*	*	*	*	*	0.1	0.2	0.2	*	0.1	*	*
	7	*	*	*	*	*	*	*	*	*	*	-	*
	8	0.2	-	0.1	*	*	-	-	-	-	-	-	-
TOTAL		0.2	*	0.1	0.1	1.0	1.5	2.5	2.3	0.6	1.4	2.1	0.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	*	-	*	*	-	*	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	-	-	-
12 & 22	1 - 2	0.2	1.5	3.0	2.0	1.3	-	*	*	*	*	*	*
	3	0.5	0.8	3.3	1.9	1.3	-	*	*	*	*	*	*
	4	0.2	*	0.7	0.3	0.2	-	*	*	*	*	*	*
	5	*	-	0.1	*	*	-	-	-	-	-	*	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.9	2.3	7.0	4.3	2.8	-	*	*	*	*	0.1	*
32	1 - 2	*	0.3	0.3	0.3	0.3	*	*	*	0.1	*	*	0.1
	3	0.5	0.7	0.9	0.8	1.7	*	0.1	0.1	0.6	0.3	0.5	0.5
	4	0.9	0.5	0.8	0.7	1.1	0.1	0.1	0.1	0.3	0.2	0.4	0.3
	5	0.7	0.1	0.4	0.3	0.3	*	*	*	*	0.1	0.1	*
	6	0.2	*	0.1	0.1	*	-	-	-	*	-	*	*
	7	*	-	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		2.4	1.6	2.5	2.1	3.6	0.1	0.2	0.2	1.1	0.6	1.0	0.9
42	1 - 2	-	*	*	*	0.2	*	*	*	0.1	*	0.1	*
	3	*	*	*	*	1.7	0.1	0.3	0.3	1.1	0.5	1.8	1.0
	4	*	*	*	*	1.9	0.6	0.7	0.6	1.2	1.0	1.9	1.3
	5	0.1	0.1	0.1	0.1	0.7	0.4	0.3	0.3	0.3	0.4	0.4	0.3
	6	*	*	0.1	0.1	0.2	*	*	*	*	0.1	*	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	*	*	*	*	*	-	-	-	-	-	-	-
TOTAL		0.2	0.2	0.3	0.2	4.8	1.2	1.3	1.3	2.8	2.0	4.1	2.7

Table 23. --- Continued.

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Tota	Texas	Arkansas	Mississippi	Classing Office Tota	North Carolina	South Carolina	Virginia	Classing Office Tota
52	1 - 2	-	*	-	*	0.1	*	*	*	-	-	*	*
	3	-	-	-	-	0.7	*	*	*	*	*	0.1	*
	4	-	-	*	*	0.8	*	0.1	0.1	*	0.2	0.1	0.1
	5	-	-	*	*	0.4	*	0.1	0.1	*	0.1	*	*
	6	-	-	-	-	0.1	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	-	-	-	-
	8	*	-	*	*	*	-	*	*	-	-	-	-
TOTAL		*	*	*	*	2.2	0.1	0.2	0.2	0.1	0.3	0.1	0.1
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	-	-	-	-
13 & 23	1 - 2	*	0.2	0.3	0.3	0.1	-	-	-	*	-	-	*
	3	*	0.2	0.5	0.3	0.1	-	-	-	-	-	-	-
	4	*	*	0.1	*	*	-	-	-	-	-	-	-
	5	-	*	*	*	*	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.1	0.4	0.9	0.6	0.1	-	-	-	*	-	-	*
33	1 - 2	-	0.1	0.1	0.1	*	-	*	*	*	-	*	*
	3	0.1	0.3	0.4	0.3	0.1	*	*	*	0.1	-	0.1	*
	4	0.4	0.1	0.3	0.2	0.1	*	*	*	*	*	*	*
	5	0.3	*	0.1	0.1	*	*	*	*	*	*	-	*
	6	*	*	*	*	*	-	-	-	*	-	-	*
	7	-	*	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.8	0.5	0.9	0.7	0.2	*	*	*	0.1	*	0.1	0.1
43	1 - 2	*	-	*	*	*	-	*	*	*	-	*	*
	3	*	*	*	*	0.2	*	*	*	0.1	*	0.1	0.1
	4	*	*	*	*	0.4	*	*	*	0.1	0.1	0.1	0.1
	5	0.1	*	*	*	0.2	*	*	*	*	*	*	*
	6	0.1	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	*	-	-	-	-	-	-	-
	8	-	*	*	*	*	-	-	-	-	-	-	-
TOTAL		0.2	0.1	0.1	0.1	0.9	*	0.1	*	0.3	0.1	0.2	0.2
53	1 - 2	-	*	-	*	*	-	*	*	-	-	-	-
	3	-	-	*	*	0.2	-	*	*	*	-	-	*
	4	-	-	*	*	0.3	-	*	*	*	*	*	*
	5	*	*	-	*	0.3	*	*	*	*	*	-	*
	6	*	*	-	*	0.2	-	*	*	*	*	-	*
	7	*	*	-	*	*	-	*	*	-	-	-	-
	8	*	*	-	*	*	-	-	-	-	-	-	-
TOTAL		*	*	*	*	1.1	*	*	*	*	0.1	*	*
63	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-	-
	4	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	-	*	*
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	*	-	*	*	-	-	-	-	-	-	-
TOTAL		-	*	-	*	*	-	*	*	*	*	*	*
24 - 54	1 - 8	0.3	0.2	0.2	0.2	0.1	-	*	*	*	*	*	*
25 - 35	1 - 8	-	*	-	*	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	*	*	-	*	*	-	-	-	-
Staple 28 & Shorter		-	*	*	*	-	-	-	-	-	-	-	-
29		-	*	*	*	*	-	-	-	-	-	-	-
30		-	*	0.2	0.1	*	-	-	-	-	-	-	-
31		0.2	0.3	1.1	0.7	0.2	-	-	-	*	-	-	*
32		0.4	1.2	3.6	2.2	0.5	-	*	*	*	*	-	*
33		2.4	2.9	8.2	5.2	1.5	*	*	*	*	0.1	-	*
34		16.6	6.0	14.2	10.7	4.3	*	0.2	0.1	0.5	0.6	*	0.5
35		39.6	7.6	16.5	14.6	11.6	0.4	1.4	1.1	3.1	3.3	0.5	2.9
36		31.5	12.0	16.7	15.9	25.1	2.9	5.0	4.4	11.5	8.7	5.0	10.1
37		8.5	26.9	20.0	22.1	33.1	18.8	18.2	18.4	36.1	23.2	23.6	31.4
38		1.1	23.3	12.0	16.2	16.1	19.9	25.0	23.7	24.0	30.3	27.2	26.0
39		*	14.6	6.0	9.4	5.7	31.3	31.3	31.3	17.7	25.3	23.7	20.4
40 & Longer		-	5.2	1.6	3.5	1.8	26.7	18.9	21.0	7.1	8.6	19.9	8.7
Average Staple		35.29	37.04	35.78	36.31	36.62	38.63	38.38	38.45	37.62	37.90	38.32	37.76
Average Length		1.10	1.16	1.12	1.13	1.14	1.21	1.20	1.20	1.18	1.18	1.20	1.18

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Tota	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Tota
11 & 21	1 - 2	82.2	71.1	0.1	*	0.3	0.3	0.3	0.2	0.5	1.0	3.8	1.3
	3	7.4	14.1	0.2	*	0.4	0.3	0.5	0.2	1.0	0.5	1.2	0.6
	4	0.5	1.6	*	-	*	*	0.1	*	0.1	*	*	*
	5	*	0.1	*	-	-	*	*	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		90.0	86.8	0.3	*	0.7	0.6	0.9	0.4	1.6	1.5	5.0	1.9
31	1 - 2	0.5	0.4	1.3	1.0	2.1	1.9	3.7	2.3	2.4	7.6	17.4	7.2
	3	0.7	1.4	13.8	11.8	15.6	15.1	23.6	15.7	16.3	20.0	38.1	22.7
	4	0.5	1.7	10.8	5.8	6.7	7.6	9.2	6.4	15.6	4.7	7.1	7.4
	5	0.1	0.8	1.1	0.3	0.4	0.5	0.5	0.2	1.9	0.2	0.2	0.4
	6	*	0.2	*	-	*	*	*	*	*	*	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		1.8	4.5	27.1	19.0	24.8	25.1	36.9	24.6	36.2	32.6	62.8	37.7
41	1 - 2	*	*	0.7	0.3	0.6	0.7	1.2	0.7	0.4	1.7	1.8	1.2
	3	*	*	14.8	16.2	18.3	17.4	21.2	21.7	12.1	26.6	15.4	20.2
	4	*	*	27.3	34.3	27.2	27.4	24.9	38.6	27.1	29.0	11.4	27.8
	5	*	0.1	9.0	9.2	6.2	6.9	3.6	9.3	12.4	4.5	1.5	6.3
	6	*	0.2	0.7	0.7	0.4	0.5	0.1	0.4	1.1	0.1	0.1	0.3
	7	*	0.1	*	*	*	*	*	*	*	*	*	*
	8	-	0.1	*	-	*	*	-	-	-	-	-	-
TOTAL		*	0.6	52.5	60.7	52.7	52.9	51.0	70.7	53.0	61.9	30.2	55.7
51	1 - 2	-	*	*	*	*	*	-	*	-	*	*	*
	3	*	*	0.7	1.0	0.5	0.6	*	0.3	*	0.5	*	0.2
	4	-	-	2.9	4.0	2.1	2.3	0.1	1.8	0.2	2.0	*	1.1
	5	-	-	2.1	1.9	1.5	1.6	0.1	1.1	0.2	0.9	*	0.6
	6	-	*	0.4	0.2	0.3	0.3	*	0.2	*	*	*	0.1
	7	-	*	*	*	*	*	-	*	*	*	*	*
	8	-	*	*	-	-	*	-	-	-	-	-	-
TOTAL		*	*	6.1	7.1	4.4	4.9	0.3	3.4	0.5	3.5	0.1	2.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	*	-	-	-	-	-	-
	4	-	-	*	-	*	*	-	-	-	-	-	-
	5	-	-	*	-	*	*	-	-	-	-	-	-
	6	-	-	*	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	-	*	*	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1 - 2	5.3	4.5	*	-	*	*	*	*	-	-	*	*
	3	0.9	1.6	*	-	*	*	*	*	*	*	*	*
	4	0.1	0.2	*	-	*	*	*	-	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		6.3	6.3	*	-	*	*	*	*	*	*	0.1	*
32	1 - 2	0.1	0.1	*	*	0.1	0.1	0.2	*	*	*	0.2	0.1
	3	0.1	0.2	0.4	0.1	0.7	0.6	1.7	0.1	0.7	*	0.9	0.5
	4	*	0.1	0.5	0.1	0.3	0.3	1.0	0.1	1.1	*	0.2	0.3
	5	*	0.1	0.1	*	*	*	0.1	*	0.3	*	*	*
	6	*	*	*	-	*	*	-	-	*	-	-	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.2	0.5	0.9	0.3	1.1	1.0	3.0	0.2	2.2	0.1	1.3	0.9
42	1 - 2	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
	3	*	*	1.9	1.5	3.4	3.0	2.2	0.1	0.6	0.1	0.2	0.4
	4	*	*	3.7	3.0	5.1	4.7	4.0	0.3	2.9	0.2	0.2	0.8
	5	-	*	1.4	0.8	1.2	1.2	1.2	0.1	2.2	*	*	0.4
	6	*	*	0.2	0.1	0.1	0.1	0.1	*	0.2	*	*	*
	7	*	*	*	-	*	*	-	-	*	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	7.3	5.4	10.0	9.2	7.6	0.5	6.0	0.3	0.4	1.6

* Less than 0.05 percent.

Table 24. -- Continued.

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Tota	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Tota
52	1 - 2	-	*	*	*	*	*	-	-	-	-	*	*
	3	*	*	0.7	1.1	0.5	0.5	*	*	*	*	*	*
	4	-	-	1.8	3.1	1.9	1.9	0.1	*	0.1	*	*	*
	5	-	-	1.2	1.4	1.4	1.4	0.1	*	0.2	*	-	*
	6	-	-	0.3	0.1	0.4	0.4	*	*	*	*	*	*
	7	-	-	*	*	0.1	0.1	*	*	-	*	-	*
	8	-	*	*	-	-	*	-	-	-	-	-	-
TOTAL		*	*	4.1	5.8	4.3	4.3	0.2	*	0.4	*	*	0.1
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-	-	-
	4	-	-	0.2	*	*	0.1	-	-	-	-	-	-
	5	-	-	0.1	*	*	0.1	-	-	-	-	-	-
	6	-	-	*	-	*	*	-	-	-	-	-	-
	7	-	-	*	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL		-	-	0.3	*	0.1	0.1	-	-	-	-	-	-
13 & 23	1 - 2	1.1	0.5	-	-	-	-	-	-	-	-	*	*
	3	0.2	0.3	-	-	*	*	*	-	-	-	*	*
	4	*	*	-	-	*	*	*	-	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.3	0.9	-	-	*	*	*	-	-	-	*	*
33	1 - 2	0.1	0.1	-	-	*	*	*	-	-	*	*	*
	3	0.1	0.1	*	*	*	*	*	*	*	*	*	*
	4	*	0.1	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	-	*	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.2	0.3	*	*	0.1	0.1	0.1	*	*	*	*	*
43	1 - 2	*	*	*	0.1	*	*	-	-	-	*	*	*
	3	*	*	0.1	0.3	0.2	0.2	*	*	*	*	*	*
	4	*	*	0.2	0.3	0.4	0.3	0.1	*	*	*	*	*
	5	*	*	0.1	*	0.1	0.1	*	*	*	*	*	*
	6	-	*	*	-	*	*	*	*	*	*	-	*
	7	-	*	*	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	0.4	0.6	0.8	0.7	0.1	0.1	*	*	*	0.1
53	1 - 2	*	-	*	*	*	*	-	*	-	-	*	*
	3	-	*	0.2	0.4	0.1	0.1	*	*	-	-	*	*
	4	-	-	0.3	0.4	0.4	0.4	*	*	*	*	*	*
	5	-	-	0.2	0.1	0.3	0.3	*	*	*	*	-	*
	6	-	-	*	*	0.1	0.1	-	-	*	-	-	*
	7	-	-	*	-	*	*	-	-	-	-	-	-
	8	-	-	*	-	*	*	-	-	-	-	-	-
TOTAL		*	*	0.7	0.9	0.9	0.8	*	*	*	*	*	*
63	1 - 2	-	-	*	-	-	*	-	-	-	-	-	-
	3	-	*	*	-	*	*	-	-	-	-	-	-
	4	-	-	0.1	*	*	0.1	-	-	-	-	-	-
	5	-	-	0.1	-	*	*	-	*	-	-	-	*
	6	-	-	*	-	*	*	-	-	-	-	-	-
	7	-	-	*	*	*	*	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL		-	*	0.2	*	0.1	0.1	-	*	-	-	-	*
24 - 54	1 - 8	0.2	0.2	*	0.1	0.1	*	-	*	-	-	*	*
25 - 35	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	-	*	*	-	-	-	-	-	-
Staple													
28 & Shorter		*	-	-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-	-	-
30		0.2	*	-	-	-	-	-	-	-	*	-	*
31		0.7	0.3	*	*	*	*	-	-	-	*	-	*
32		2.8	1.4	*	*	0.1	*	*	-	*	-	-	*
33		7.9	5.3	0.3	0.5	0.4	0.4	*	*	*	*	*	*
34		17.8	12.4	2.2	1.6	2.2	2.2	0.3	*	0.3	*	0.1	0.1
35		23.0	19.1	7.0	3.8	7.5	7.3	2.8	0.4	2.4	0.1	3.0	1.4
36		20.7	23.1	14.8	8.6	16.6	15.9	12.8	2.8	6.8	1.6	16.2	7.0
37		19.3	25.3	31.8	22.9	32.8	32.3	34.2	22.5	21.3	24.1	39.5	27.8
38		5.9	8.9	28.3	42.3	25.4	26.7	26.3	24.4	23.7	27.8	25.2	25.4
39		1.4	3.1	13.0	19.4	12.7	13.0	18.0	27.5	29.1	29.2	13.5	23.8
40 & Longer		0.2	1.0	2.6	1.1	2.4	2.4	5.6	22.3	16.5	17.2	2.4	14.5
Average Staple		35.38	35.90	37.25	37.62	37.18	37.21	37.60	38.46	38.21	38.38	37.37	38.08
Average Length		1.10	1.12	1.16	1.18	1.16	1.16	1.18	1.20	1.19	1.20	1.17	1.19

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2020 Crop

Color	Leaf	Rayville				Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas 1/	Classing Office Total	
11 & 21	1 - 2	-	1.8	-	3.1	79.5	54.5	92.7	-	72.1	20.9
	3	-	3.6	-	4.1	4.0	8.3	2.2	-	5.3	6.1
	4	-	0.2	-	0.3	0.1	0.6	-	-	0.2	0.5
	5	-	*	-	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	5.7	-	7.6	83.7	63.4	94.9	-	77.6	27.6
31	1 - 2	-	1.5	-	2.2	3.4	20.7	2.6	-	9.1	3.8
	3	-	18.1	-	19.5	3.4	11.6	0.6	-	5.9	16.3
	4	-	11.4	-	10.8	0.9	1.7	*	-	1.1	7.0
	5	-	0.6	-	0.7	0.1	0.1	-	-	0.1	0.6
	6	-	*	-	*	*	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	31.6	-	33.2	7.7	34.2	3.2	-	16.2	27.9
41	1 - 2	-	0.4	-	0.5	0.1	0.3	-	-	0.1	0.8
	3	-	15.6	-	15.3	0.2	0.7	*	-	0.3	11.9
	4	-	30.1	-	26.1	0.2	0.2	-	-	0.2	16.9
	5	-	6.5	-	5.6	0.1	*	*	-	0.1	4.2
	6	-	0.3	-	0.3	*	-	-	-	*	0.3
	7	-	*	-	*	*	-	-	-	*	*
	8	-	-	-	*	-	-	-	-	-	*
	TOTAL	-	53.0	-	47.9	0.6	1.2	*	-	0.7	34.1
51	1 - 2	-	*	-	*	-	-	-	-	-	*
	3	-	0.2	-	0.2	-	-	-	-	-	0.3
	4	-	0.9	-	0.8	-	-	-	-	-	0.8
	5	-	0.3	-	0.3	-	-	-	-	-	0.5
	6	-	*	-	*	-	-	-	-	-	0.1
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	*	*	-	-	-	*	*
	TOTAL	-	1.5	-	1.3	*	-	-	-	*	1.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	*	-	*	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	*	6.3	0.1	1.2	-	4.0	1.3
	3	-	*	-	0.1	1.3	0.1	0.1	-	0.8	0.6
	4	-	*	-	*	0.1	*	-	-	0.1	0.1
	5	-	-	-	*	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	0.1	-	0.2	7.7	0.2	1.3	-	4.9	2.1
32	1 - 2	-	0.1	-	0.1	0.1	0.4	*	-	0.2	0.1
	3	-	0.9	-	1.2	0.1	0.3	-	-	0.1	0.7
	4	-	0.6	-	0.8	0.1	*	*	-	0.1	0.5
	5	-	0.1	-	0.2	*	-	-	-	*	0.1
	6	-	*	-	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	1.6	-	2.3	0.3	0.7	*	-	0.4	1.4
42	1 - 2	-	0.1	-	0.1	*	*	-	-	*	0.1
	3	-	1.1	-	1.3	*	0.1	-	-	*	1.0
	4	-	3.1	-	3.1	-	*	-	-	*	1.4
	5	-	1.0	-	1.2	*	-	-	-	*	0.5
	6	-	0.1	-	0.3	-	-	-	-	-	0.1
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	*	*	-	-	-	*	*
	TOTAL	-	5.4	-	6.0	*	0.2	-	-	0.1	3.1

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 25. -- Continued.

		Rayville				Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas 1/	Classing Office Total	United States
52	1 - 2	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	0.1	-	*	-	-	*	0.2
	4	-	0.4	-	0.4	-	-	-	-	-	0.5
	5	-	0.1	-	0.2	-	-	-	-	-	0.3
	6	-	*	-	0.1	-	-	-	-	-	0.1
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	*
TOTAL		-	0.6	-	0.8	-	*	-	-	*	1.1
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	*	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	0.1	*	0.2	-	0.1	0.1
	3	-	-	-	-	*	-	0.1	-	*	0.1
	4	-	-	-	-	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.1	*	0.3	-	0.1	0.2
33	1 - 2	-	*	-	*	*	*	*	-	*	*
	3	-	*	-	*	*	*	0.2	-	*	0.1
	4	-	0.1	-	*	*	-	-	-	*	*
	5	-	*	-	*	*	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	0.1	*	*	0.2	-	*	0.1
43	1 - 2	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	0.1	-	-	*	-	*	0.1
	4	-	0.2	-	0.3	*	*	*	-	*	0.2
	5	-	0.1	-	0.1	*	-	-	-	*	0.1
	6	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.3	-	0.5	*	*	*	-	*	0.3
53	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	0.1
	4	-	*	-	*	-	-	-	-	-	0.1
	5	-	*	-	*	-	-	-	-	-	0.1
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	0.1	-	-	-	-	-	0.3
63	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	*	-	-	-	-	-	*
24 - 54	1 - 8	-	*	-	0.1	-	-	-	-	-	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	*	-	-	-	-	-	*
Staple											
28 & Shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	0.1
31		-	-	-	*	*	-	-	-	*	0.2
32		-	-	-	0.1	*	*	-	-	*	0.8
33		-	*	-	0.2	0.4	*	*	-	0.3	1.8
34		-	0.1	-	1.1	2.1	0.4	1.1	-	1.5	4.3
35		-	0.9	-	3.3	10.5	3.8	17.4	-	8.6	8.5
36		-	3.3	-	7.5	23.2	17.0	25.5	-	21.3	15.4
37		-	16.2	-	18.0	33.8	28.6	24.4	-	31.8	27.3
38		-	26.1	-	25.3	20.6	27.9	15.7	-	22.6	19.8
39		-	31.5	-	26.7	7.6	19.1	12.6	-	11.7	14.7
40 & Longer		-	21.8	-	18.0	1.8	3.2	3.3	-	2.3	7.7
Average Staple		-	38.53	-	38.18	36.89	37.50	36.87	-	37.09	37.18
Average Length		-	1.21	-	1.19	1.15	1.17	1.15	-	1.16	1.16

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	16.1	4.8	13.4	9.7	1.9	2.2	0.6	1.0	0.2	1.3	0.4	0.5
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	*	0.2	0.2	0.1	0.1	0.1	0.1	*	0.1
Grass - Level 2	-	-	*	*	-	*	*	*	-	-	-	-
Oil - Level 1	-	-	-	-	*	*	*	*	-	-	0.1	0.1
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	*	*	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	0.2	*	*	*
Prep - Level 2	-	-	-	-	*	-	*	*	-	-	-	-
Seed Coat - Level 1	*	*	*	*	*	*	*	*	*	0.2	-	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	*	0.1	-	-	-	-	-	-	-
23	0.4	*	0.1	0.1	0.2	-	-	-	-	*	-	*
24	0.8	0.1	0.3	0.2	0.4	*	*	*	*	*	-	*
25	1.9	0.5	1.1	0.9	0.9	*	*	*	0.1	0.1	*	0.1
26	3.5	1.0	2.9	2.1	1.8	0.2	0.2	0.2	0.6	0.8	0.4	0.6
27	10.4	3.3	6.5	5.4	3.7	1.0	1.2	1.1	2.4	2.6	2.4	2.5
28	23.6	7.8	11.5	11.0	8.1	4.3	4.5	4.5	7.1	10.2	8.2	8.0
29	24.0	14.3	16.9	16.4	16.3	16.3	16.4	16.4	17.4	25.1	20.2	19.8
30	19.6	17.7	17.0	17.6	21.1	34.0	33.4	33.6	25.8	31.3	28.0	27.5
31	9.8	19.2	15.8	16.8	18.5	25.8	26.7	26.4	22.5	18.2	24.0	21.5
32	5.3	16.8	13.3	14.1	13.3	11.6	10.5	10.8	13.3	7.8	10.5	11.6
33	1.0	11.1	8.0	8.8	9.4	4.5	5.0	4.9	6.5	2.7	4.6	5.3
34	0.2	5.5	3.9	4.2	4.2	1.5	1.6	1.6	2.9	0.9	1.3	2.2
35	*	1.9	2.1	1.8	1.5	0.5	0.4	0.4	1.1	0.3	0.4	0.8
36	*	0.6	0.6	0.5	0.4	0.1	*	0.1	0.2	0.1	*	0.2
37	-	0.1	0.2	0.1	0.1	*	*	*	*	-	*	*
38	-	*	0.1	0.1	*	*	*	*	*	-	-	*
39	-	*	*	*	*	-	-	-	-	-	-	-
40 & Above	-	-	*	*	-	-	-	-	-	-	-	-
Average	29.39	31.20	30.65	30.78	30.86	30.88	30.86	30.87	30.91	30.35	30.66	30.73
MIKE												
2.4 & Below	0.1	*	*	*	-	-	-	-	-	-	-	-
2.5	3.5	*	*	0.4	*	-	-	-	-	-	-	-
2.6	2.1	*	0.1	0.2	*	-	-	-	*	-	-	*
2.7	2.8	*	0.2	0.4	*	-	-	-	*	*	-	*
2.8	3.5	0.1	0.2	0.4	*	-	-	-	*	*	-	*
2.9	5.3	0.2	0.3	0.8	0.1	*	-	*	*	*	0.1	*
3.0	6.3	0.5	0.6	1.1	0.1	*	*	*	*	*	*	*
3.1	6.5	0.7	0.7	1.3	0.2	*	*	*	0.1	*	0.1	*
3.2	6.5	1.3	1.0	1.7	0.3	*	*	*	0.1	*	0.1	0.1
3.3	8.5	2.1	1.7	2.5	0.4	*	*	*	0.3	*	0.2	0.2
3.4	9.8	2.7	2.0	3.1	0.7	0.1	*	*	0.5	0.2	0.4	0.4
3.5	9.7	3.5	2.5	3.7	1.0	0.2	*	0.1	0.7	0.3	0.5	0.6
3.6	8.0	4.2	3.5	4.3	1.6	0.5	*	0.1	1.3	0.7	0.7	1.1
3.7	7.1	4.6	4.9	5.0	2.4	0.7	*	0.2	1.9	1.4	1.3	1.7
3.8	5.5	6.2	5.8	6.0	3.7	1.1	0.1	0.4	3.2	2.4	2.5	2.9
3.9	4.2	7.4	7.0	6.9	5.2	2.0	0.3	0.8	4.8	4.7	3.3	4.6
4.0	2.3	9.6	8.4	8.4	7.0	2.8	0.7	1.3	6.8	7.2	6.4	6.8
4.1	3.4	11.0	9.4	9.6	8.5	5.0	1.5	2.5	8.7	8.8	7.0	8.5
4.2	2.8	10.9	9.7	9.6	9.7	7.8	3.2	4.4	9.9	10.9	11.3	10.3
4.3	2.2	9.0	10.1	9.0	10.6	11.6	5.4	7.0	11.1	12.7	13.5	11.8
4.4	0.8	7.9	9.5	8.1	10.6	15.1	8.6	10.3	11.7	13.4	14.2	12.4
4.5	0.1	6.3	8.7	6.8	10.2	16.8	12.8	13.9	11.6	11.6	12.9	11.7
4.6	*	4.8	6.3	5.5	9.0	14.1	16.0	15.5	10.0	9.4	9.5	9.8
4.7	*	2.8	3.8	3.1	7.1	9.7	17.7	15.6	7.9	6.7	8.1	7.6
4.8	-	1.9	1.9	1.9	5.1	5.7	14.7	12.3	5.2	4.3	5.0	4.9
4.9	-	1.0	0.9	1.0	3.2	3.4	9.9	8.2	2.8	2.8	1.8	2.7
5.0	-	0.7	0.5	0.6	1.8	1.7	5.2	4.3	1.0	1.6	0.6	1.2
5.1	-	0.4	0.2	0.3	0.9	1.0	2.4	2.0	0.3	0.5	0.3	0.4
5.2	-	0.1	*	0.1	0.4	0.4	1.0	0.8	0.1	0.2	0.4	0.1
5.3	-	0.1	*	0.1	0.1	0.1	0.3	0.2	*	0.1	0.2	*
5.4	-	*	*	*	*	*	0.1	0.1	*	*	-	*
5.5 & Above	-	*	-	*	*	*	*	*	*	*	-	*
Average	3.39	4.09	4.12	4.04	4.32	4.45	4.64	4.59	4.33	4.35	4.35	4.34

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	1.4	5.3	1.3	1.3	0.7	0.8	0.2	0.2	0.2	0.2	*	0.2
Bark - Level 2	-	-	*	-	-	*	-	-	-	-	-	-
Grass - Level 1	0.4	0.1	*	*	*	*	*	*	*	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	*	*	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	*	*	*	*	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	*	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.2	*	27.4	39.1	26.8	27.4	0.4	*	0.3	*	*	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	-	*	*	*	-	-	*	-	*
23	0.1	0.1	*	*	*	*	*	*	-	-	-	*
24	0.2	0.3	0.2	0.2	*	0.1	*	*	-	*	*	*
25	0.7	0.8	0.2	0.1	0.2	0.2	0.1	*	*	*	*	*
26	2.2	2.3	0.5	0.8	1.0	0.9	0.3	*	*	*	0.1	0.1
27	5.7	6.1	1.8	2.1	4.2	3.6	1.7	0.2	0.3	0.1	0.5	0.4
28	12.7	12.0	7.8	7.5	11.8	10.7	7.8	1.7	1.7	0.9	4.7	2.8
29	19.0	17.3	21.9	27.2	23.2	23.0	25.2	8.7	6.6	7.8	21.3	12.8
30	19.7	20.3	29.3	35.2	27.4	28.1	34.4	24.7	18.6	28.9	36.1	28.5
31	17.9	18.2	20.9	17.4	18.2	18.7	21.6	32.7	33.1	36.1	24.7	30.6
32	11.8	12.2	10.7	6.2	8.4	8.8	6.5	19.1	22.6	17.2	9.1	15.6
33	6.6	6.5	4.4	2.6	3.6	3.7	1.8	8.3	8.7	6.1	2.7	6.0
34	2.5	2.7	1.7	0.9	1.4	1.4	0.5	3.7	6.2	2.2	0.7	2.7
35	0.7	1.0	0.4	0.1	0.5	0.5	0.2	0.8	2.0	0.5	0.1	0.6
36	0.2	0.3	0.1	*	0.1	0.1	*	0.1	0.3	0.1	*	0.1
37	*	0.1	*	*	*	*	-	*	*	*	*	*
38	*	*	*	-	*	*	-	*	*	*	-	*
39	-	-	*	-	*	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.46	30.50	30.63	30.35	30.35	30.41	30.41	31.47	31.75	31.36	30.67	31.19
MIKE												
2.4 & Below	-	0.2	*	-	-	*	-	-	-	-	-	-
2.5	*	0.7	*	-	-	*	-	-	-	-	-	-
2.6	0.1	1.0	*	-	*	*	-	-	-	-	-	-
2.7	0.1	1.1	*	-	*	*	-	-	-	-	-	-
2.8	0.3	1.4	*	-	*	*	-	-	-	-	-	-
2.9	0.6	1.7	*	-	*	*	-	*	-	*	-	*
3.0	0.7	2.1	*	-	*	*	*	*	-	*	*	*
3.1	1.0	2.5	*	*	*	*	*	*	-	*	*	*
3.2	1.2	2.8	0.1	*	*	*	0.1	*	*	*	*	*
3.3	1.5	3.2	0.1	0.1	*	0.1	0.2	*	*	0.1	0.1	0.1
3.4	1.9	3.6	0.2	0.1	0.1	0.1	0.4	0.1	*	0.2	0.2	0.2
3.5	2.6	4.0	0.4	0.4	0.1	0.2	0.4	0.4	0.1	0.5	0.3	0.3
3.6	3.0	4.5	0.8	1.4	0.3	0.4	0.8	0.8	0.1	0.9	0.5	0.7
3.7	3.8	5.2	1.4	2.0	0.5	0.8	1.0	1.3	0.2	1.5	1.2	1.2
3.8	4.6	6.0	2.5	3.0	0.9	1.3	1.8	2.2	0.3	2.5	1.6	1.9
3.9	5.7	6.7	3.2	4.0	1.7	2.1	2.7	3.7	0.5	4.1	2.3	3.0
4.0	6.9	7.1	5.0	7.3	2.9	3.5	3.5	5.8	0.8	6.0	3.5	4.6
4.1	8.6	7.2	6.4	9.8	4.8	5.3	4.8	8.8	1.9	8.1	4.9	6.7
4.2	9.5	7.3	7.5	12.1	7.5	7.6	6.9	12.2	3.1	10.1	6.9	9.2
4.3	9.2	7.4	8.8	12.6	10.6	10.3	8.8	14.1	5.6	11.5	8.6	11.0
4.4	9.1	6.8	11.0	14.5	13.4	12.9	10.5	14.6	8.3	12.3	10.5	12.2
4.5	8.6	5.8	12.8	12.0	14.5	14.0	10.8	13.7	12.1	11.8	11.5	12.4
4.6	7.5	4.5	11.7	9.8	13.4	12.9	12.0	10.1	14.9	9.6	11.6	11.0
4.7	5.5	3.1	10.2	4.7	10.7	10.4	10.4	6.1	14.3	7.4	10.8	8.7
4.8	3.8	1.9	7.3	2.5	8.2	7.8	8.6	3.4	13.3	5.2	9.8	6.7
4.9	2.4	1.1	4.7	1.6	5.1	4.9	6.7	1.6	10.0	3.7	7.0	4.6
5.0	1.2	0.6	2.7	1.4	3.0	2.9	4.4	0.6	6.9	2.3	4.4	2.8
5.1	0.6	0.3	1.5	0.7	1.4	1.4	2.8	0.1	4.7	1.3	2.6	1.6
5.2	0.2	0.1	0.9	0.3	0.5	0.6	1.4	0.1	2.0	0.8	1.3	0.8
5.3	0.1	0.1	0.5	0.1	0.2	0.3	0.7	*	0.6	0.1	0.4	0.3
5.4	*	*	0.3	*	0.1	0.2	0.3	*	0.2	0.1	0.1	0.1
5.5 & Above	*	*	0.1	-	0.1	0.1	0.1	*	0.1	*	*	*
Average	4.18	3.92	4.44	4.32	4.49	4.48	4.50	4.34	4.66	4.38	4.51	4.43

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2020 Crop

	Rayville				Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Classing Office Total	Arizona	California	New Mexico	Texas 2/	Classing Office Total	United States
Extraneous Matter										
Bark - Level 1	-	0.6	-	3.9	*	*	0.8	-	*	2.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	*
Grass - Level 1	-	*	-	*	0.1	0.6	*	-	0.2	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	*	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	*
Plastic - Level 1	-	*	-	*	0.1	*	*	-	0.1	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	*
Prep - Level 1	-	*	-	*	*	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	-	-	-	3.6	0.2	0.1	-	2.4	4.0
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Strength 1/										
22 & Below	-	-	-	-	-	-	-	-	-	*
23	-	-	-	-	*	-	-	-	*	0.1
24	-	-	-	-	*	*	-	-	*	0.2
25	-	*	-	*	0.1	0.1	-	-	0.1	0.4
26	-	*	-	0.1	0.6	0.2	*	-	0.5	1.1
27	-	0.1	-	0.8	3.1	0.7	0.7	-	2.3	3.0
28	-	1.1	-	2.7	11.7	1.6	10.8	-	8.6	7.5
29	-	7.5	-	10.5	17.6	7.9	22.2	-	14.6	16.5
30	-	27.4	-	27.1	22.0	14.5	31.6	-	19.8	25.1
31	-	29.3	-	27.2	19.8	16.7	21.8	-	19.0	22.3
32	-	14.7	-	14.1	12.4	15.1	11.9	-	13.2	12.7
33	-	10.1	-	9.4	7.3	7.5	0.9	-	7.0	6.7
34	-	6.4	-	5.5	3.7	4.4	0.1	-	3.8	2.9
35	-	2.6	-	2.2	1.3	9.8	*	-	4.1	1.0
36	-	0.6	-	0.5	0.3	12.2	*	-	4.4	0.3
37	-	0.1	-	0.1	0.1	6.8	*	-	2.4	0.1
38	-	*	-	*	*	1.8	-	-	0.7	*
39	-	-	-	-	*	0.3	-	-	0.1	*
40 & Above	-	-	-	-	*	0.3	-	-	0.1	0.1
Average	-	31.67	-	31.46	30.82	33.09	30.47	-	31.54	30.84
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	0.1
2.5	-	-	-	-	-	-	-	-	-	0.3
2.6	-	-	-	-	-	-	-	-	-	0.3
2.7	-	-	-	-	*	*	-	-	*	0.3
2.8	-	-	-	-	*	*	-	-	*	0.4
2.9	-	*	-	*	*	*	-	-	*	0.4
3.0	-	*	-	*	*	0.1	0.3	-	*	0.4
3.1	-	*	-	*	*	0.1	0.3	-	*	0.5
3.2	-	*	-	0.1	0.1	*	-	-	*	0.6
3.3	-	*	-	0.1	0.1	0.1	0.2	-	0.1	0.8
3.4	-	*	-	0.2	0.1	0.4	0.2	-	0.2	1.0
3.5	-	0.1	-	0.4	0.1	0.8	0.9	-	0.4	1.2
3.6	-	0.2	-	0.6	0.2	1.3	1.7	-	0.6	1.6
3.7	-	0.2	-	0.8	0.3	2.6	1.3	-	1.1	2.1
3.8	-	0.4	-	0.9	0.4	3.7	1.8	-	1.6	2.9
3.9	-	1.1	-	1.6	0.7	6.2	2.9	-	2.7	3.9
4.0	-	1.9	-	2.3	1.1	6.3	5.5	-	3.0	5.1
4.1	-	2.8	-	3.3	1.9	6.3	7.4	-	3.6	6.5
4.2	-	4.8	-	5.2	3.3	7.5	9.0	-	4.9	8.1
4.3	-	8.0	-	7.9	5.0	8.6	9.8	-	6.3	9.5
4.4	-	11.3	-	11.0	8.6	11.0	11.8	-	9.4	10.6
4.5	-	13.5	-	13.1	11.3	12.0	11.9	-	11.5	10.9
4.6	-	16.7	-	15.7	13.0	10.0	9.8	-	11.8	10.2
4.7	-	15.5	-	14.5	13.5	7.5	7.0	-	11.2	8.5
4.8	-	11.1	-	10.3	12.9	5.4	7.3	-	10.3	6.3
4.9	-	7.1	-	6.9	10.6	4.8	6.5	-	8.6	4.1
5.0	-	3.5	-	3.4	7.0	3.0	2.2	-	5.5	2.3
5.1	-	1.2	-	1.3	4.9	1.3	1.5	-	3.7	1.2
5.2	-	0.3	-	0.4	2.9	0.6	1.1	-	2.1	0.5
5.3	-	0.1	-	0.1	1.2	0.1	*	-	0.8	0.2
5.4	-	0.1	-	0.1	0.6	0.2	-	-	0.6	0.1
5.5 & Above	-	*	-	*	0.2	*	-	-	0.2	*
Average	-	4.56	-	4.53	4.67	4.37	4.41	-	4.56	4.34

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.1	*	*	*	-	-	-	-	-	-	-	-
2.5 - 2.6	5.6	*	0.1	0.6	*	-	-	-	*	-	-	*
2.7 - 2.9	11.6	0.3	0.6	1.5	0.1	*	-	*	*	*	0.1	*
3.0 - 3.2	19.2	2.5	2.3	4.0	0.6	*	*	*	0.2	*	0.2	0.1
3.3 - 3.4	18.3	4.8	3.7	5.6	1.1	0.1	*	*	0.8	0.2	0.6	0.6
3.5 - 3.6	17.7	7.7	6.1	7.9	2.6	0.7	*	0.2	2.0	1.0	1.2	1.7
3.7 - 4.2	25.0	49.7	45.2	45.3	36.5	19.5	6.0	9.5	35.2	35.4	31.7	34.9
4.3 - 4.9	2.6	33.8	41.2	34.1	55.8	76.5	85.2	82.9	60.3	60.9	65.1	61.0
5.0 - 5.2	-	1.2	0.7	1.0	3.1	3.1	8.5	7.1	1.4	2.3	1.0	1.6
5.3 & Above	-	0.1	*	0.1	0.2	0.1	0.4	0.3	*	0.1	0.2	*
Average	3.39	4.09	4.12	4.04	4.32	4.45	4.64	4.59	4.33	4.35	4.35	4.34
Leaf Grade												
1 - 2	32.2	73.5	55.1	61.4	21.9	1.7	3.8	3.3	6.5	3.2	7.9	5.8
3	35.3	20.6	30.5	26.4	50.6	32.6	37.3	36.0	56.4	41.3	63.2	53.0
4	21.6	4.3	9.8	8.4	21.9	49.8	46.1	47.1	33.2	44.5	26.7	35.6
5	7.9	1.2	3.1	2.7	4.5	15.0	11.9	12.7	3.7	10.4	2.1	5.3
6	1.9	0.3	1.1	0.8	0.9	1.0	0.8	0.8	0.1	0.7	0.1	0.3
7	0.7	*	0.3	0.2	0.2	*	*	*	*	*	-	*
8	0.4	*	0.2	0.1	*	-	*	*	-	-	-	-
Average	3.09	2.00	2.51	2.33	3.11	3.81	3.69	3.72	3.34	3.64	3.23	3.41
Trash 1/												
00	0.1	0.4	*	0.2	*	-	-	-	-	-	-	-
01	13.0	42.3	23.7	31.2	4.2	*	0.2	0.1	0.4	0.1	0.4	0.3
02	22.0	30.4	32.7	30.6	18.8	2.2	4.3	3.7	8.4	4.2	9.5	7.3
03	17.8	14.2	19.7	17.0	26.1	10.9	13.6	12.9	25.4	16.9	28.0	23.4
04	13.6	6.4	10.3	8.8	21.8	20.7	21.0	20.9	28.9	25.3	30.2	28.1
05	10.6	2.8	5.8	4.9	13.8	22.9	21.9	22.1	20.0	23.2	18.3	20.7
06	7.7	1.6	3.2	2.9	7.4	18.6	17.0	17.4	10.3	15.1	8.3	11.4
07	5.2	0.8	1.8	1.7	3.8	12.0	10.8	11.1	4.3	8.2	3.4	5.2
08	3.4	0.5	1.1	1.1	1.9	6.7	5.9	6.2	1.6	4.0	1.2	2.2
09	2.3	0.3	0.6	0.6	1.0	3.4	2.9	3.1	0.5	1.8	0.4	0.8
10	1.5	0.2	0.4	0.4	0.5	1.5	1.3	1.4	0.2	0.7	0.2	0.3
11	1.0	0.1	0.2	0.2	0.3	0.7	0.6	0.6	*	0.3	0.1	0.1
12	0.6	0.1	0.1	0.1	0.2	0.2	0.2	0.2	*	0.1	*	*
13	0.4	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*
14	0.3	*	0.1	0.1	0.1	*	*	*	*	*	-	*
15	0.1	*	*	*	*	*	*	*	*	*	*	*
16	0.2	*	*	*	*	*	*	*	*	-	-	*
17	0.1	*	*	*	*	*	*	*	*	*	-	*
18 & Above	0.2	*	0.1	0.1	*	*	*	*	-	-	-	-
Average	0.40	0.21	0.28	0.26	0.39	0.54	0.52	0.53	0.42	0.48	0.41	0.44
Uniformity 2/												
74 & Below	*	0.1	*	*	0.1	-	-	-	-	-	-	-
75	0.1	0.2	0.2	0.2	0.2	-	*	*	-	-	-	-
76	0.7	0.5	1.1	0.8	0.6	-	-	-	*	*	*	*
77	5.9	1.7	4.9	3.6	1.4	0.1	0.1	0.1	0.1	0.1	*	0.1
78	16.5	5.9	13.8	10.4	3.5	0.8	0.7	0.7	0.7	0.6	0.4	0.6
79	27.5	16.5	26.1	21.8	8.5	4.2	3.1	3.4	3.6	4.9	2.1	3.8
80	36.6	31.2	31.1	31.7	20.8	19.9	15.1	16.4	15.4	20.5	8.4	16.1
81	12.1	31.3	17.0	23.1	35.3	40.9	41.9	41.6	34.9	40.4	28.3	35.7
82	0.6	11.4	5.0	7.5	23.3	25.1	32.3	30.4	32.2	25.4	40.5	31.2
83	*	1.3	0.7	0.9	5.6	7.7	6.1	6.5	11.1	7.0	17.8	10.7
84	*	0.1	0.1	0.1	0.6	1.3	0.7	0.8	1.8	1.1	2.2	1.6
85 & Above	0.1	*	*	*	*	0.1	*	*	0.2	0.1	0.2	0.2
Average	79.78	80.67	80.00	80.29	81.23	81.58	81.68	81.65	81.81	81.55	82.15	81.77
Tenderable	36.0	84.8	73.4	75.1	83.8	92.4	88.5	89.5	93.9	92.9	92.7	93.5
SAMPLES CLASSED	33,564	160,038	152,714	346,316	1,657,159	233,326	653,019	886,345	213,145	90,147	33,426	336,718

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	-	0.2	*	-	-	*	-	-	-	-	-	-
2.5 - 2.6	0.1	1.7	*	-	*	*	-	-	-	-	-	-
2.7 - 2.9	1.0	4.3	*	-	*	*	-	*	-	*	-	*
3.0 - 3.2	2.9	7.4	0.1	*	*	*	0.1	*	*	0.1	*	*
3.3 - 3.4	3.4	6.8	0.3	0.2	0.1	0.1	0.5	0.2	*	0.3	0.3	0.2
3.5 - 3.6	5.5	8.6	1.1	1.8	0.4	0.6	1.2	1.1	0.1	1.3	0.8	1.0
3.7 - 4.2	39.0	39.5	26.0	38.0	18.2	20.6	20.8	34.1	6.8	32.3	20.3	26.6
4.3 - 4.9	46.1	30.5	66.5	57.7	75.9	73.2	67.8	63.8	78.5	61.5	69.8	66.5
5.0 - 5.2	2.0	1.0	5.1	2.3	4.9	4.8	8.5	0.8	13.6	4.3	8.3	5.3
5.3 & Above	0.1	0.1	0.9	0.1	0.5	0.6	1.1	*	0.9	0.2	0.6	0.4
Average	4.18	3.92	4.44	4.32	4.49	4.48	4.50	4.34	4.66	4.38	4.51	4.43
Leaf Grade												
1 - 2	89.3	76.7	2.3	1.5	3.3	3.0	5.4	3.3	3.4	10.4	23.4	9.8
3	9.4	17.7	32.9	32.6	39.8	38.0	49.3	38.2	30.8	47.8	55.9	44.6
4	1.1	3.8	47.7	51.0	44.3	45.2	39.6	47.3	47.2	35.9	19.0	37.4
5	0.1	1.1	15.3	13.7	11.2	12.2	5.5	10.7	17.2	5.7	1.7	7.7
6	*	0.4	1.7	1.1	1.3	1.4	0.2	0.6	1.4	0.2	0.1	0.4
7	*	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*
8	-	0.1	*	-	*	*	-	*	-	-	-	*
Average	1.61	1.98	3.82	3.80	3.68	3.71	3.46	3.67	3.82	3.37	2.98	3.44
Trash 1/												
00	0.9	0.2	-	-	*	*	-	-	-	-	*	*
01	65.7	46.3	0.1	0.1	0.3	0.2	0.3	0.2	0.4	0.9	3.5	1.2
02	24.8	32.7	3.6	2.9	5.2	4.7	6.2	3.8	3.5	10.2	20.2	9.3
03	5.7	11.8	13.8	13.5	17.6	16.7	20.3	14.0	11.2	20.2	28.2	19.0
04	1.7	4.7	22.8	24.2	25.3	24.7	27.7	22.8	19.2	23.2	23.1	23.0
05	0.6	2.0	22.7	24.4	22.0	22.2	22.4	23.2	21.4	20.1	13.6	20.0
06	0.3	1.0	16.6	17.2	14.3	14.9	12.9	17.4	18.1	13.3	6.7	13.7
07	0.1	0.5	10.1	9.4	7.9	8.4	6.1	10.0	12.3	7.1	2.9	7.6
08	0.1	0.3	5.3	4.5	4.0	4.3	2.6	5.0	7.2	3.1	1.2	3.7
09	*	0.2	2.6	2.2	1.9	2.0	0.9	2.2	3.6	1.2	0.4	1.6
10	*	0.1	1.2	0.9	0.9	1.0	0.3	0.9	1.8	0.4	0.2	0.7
11	*	0.1	0.6	0.4	0.4	0.4	0.1	0.3	0.8	0.1	0.1	0.3
12	*	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.3	*	*	0.1
13	*	*	0.1	0.1	0.1	0.1	*	*	0.1	*	*	*
14	*	*	0.1	*	*	*	*	*	0.1	*	*	*
15	*	*	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*	*	*	*
17	*	*	*	-	*	*	*	*	*	*	*	*
18 & Above	*	*	*	*	*	*	*	*	*	*	*	*
Average	0.15	0.19	0.51	0.51	0.48	0.49	0.45	0.51	0.54	0.45	0.37	0.46
Uniformity 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.1	0.1	*	-	*	*	-	-	-	-	-	-
76	1.1	0.5	*	0.2	*	*	*	*	-	*	*	*
77	4.1	2.4	0.4	0.2	0.3	0.3	0.1	*	*	*	*	*
78	13.5	8.6	1.9	1.1	1.8	1.8	0.6	0.1	0.2	0.1	0.1	0.1
79	29.2	21.4	8.6	6.4	8.2	8.2	3.8	0.8	1.2	0.5	1.5	1.2
80	32.7	32.1	29.6	34.3	23.6	25.3	20.7	8.1	7.6	5.4	15.2	10.3
81	15.4	24.2	38.6	43.5	35.4	36.4	42.1	33.3	32.4	27.6	39.8	34.4
82	3.4	8.8	16.9	12.1	22.7	21.0	26.3	40.0	44.4	42.4	31.4	37.7
83	0.4	1.7	3.6	2.1	6.7	5.9	5.7	15.6	12.3	20.5	10.4	14.2
84	*	0.2	0.4	0.2	1.1	0.9	0.7	2.0	1.7	3.2	1.4	1.9
85 & Above	*	*	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.2
Average	79.95	80.44	81.16	81.10	81.38	81.32	81.55	82.13	82.09	82.33	81.83	82.05
Tenderable	84.8	73.1	59.7	52.0	60.0	59.6	82.1	97.5	78.2	94.4	90.1	91.9
SAMPLES CLASSED	298,799	1,138,148	220,745	36,265	751,469	1,008,479	135,374	622,891	161,756	334,051	404,578	1,658,650

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2020 Crop

	Rayville				Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total	United States
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	0.1
2.5 - 2.6	-	-	-	-	-	-	-	-	-	0.5
2.7 - 2.9	-	*	-	*	*	0.1	-	-	*	0.9
3.0 - 3.2	-	*	-	0.1	0.1	0.2	0.6	-	0.1	1.5
3.3 - 3.4	-	0.1	-	0.3	0.2	0.6	0.4	-	0.3	1.7
3.5 - 3.6	-	0.3	-	0.9	0.3	2.1	2.6	-	1.0	2.8
3.7 - 4.2	-	11.4	-	14.0	7.7	32.6	27.9	-	17.0	28.7
4.3 - 4.9	-	83.2	-	79.5	74.9	59.4	64.1	-	69.2	60.0
5.0 - 5.2	-	5.0	-	5.0	14.8	4.9	4.6	-	11.2	4.0
5.3 & Above	-	0.2	-	0.2	2.0	0.2	*	-	1.3	0.3
Average	-	4.56	-	4.53	4.67	4.37	4.41	-	4.56	4.34
Leaf Grade										
1 - 2	-	3.9	-	6.1	89.4	76.1	96.7	-	85.5	27.2
3	-	39.9	-	42.0	8.9	21.2	3.3	-	12.7	37.5
4	-	47.1	-	42.7	1.4	2.6	0.1	-	1.8	28.1
5	-	8.7	-	8.3	0.3	0.1	*	-	0.2	6.5
6	-	0.4	-	0.8	*	-	-	-	*	0.7
7	-	*	-	0.1	*	-	-	-	*	0.1
8	-	-	-	0.1	*	-	-	-	*	*
Average	-	3.62	-	3.56	1.69	2.04	1.57	-	1.79	3.07
Trash 1/										
00	-	-	-	-	*	0.1	*	-	0.1	0.1
01	-	0.3	-	0.7	63.0	38.8	66.7	-	55.6	13.1
02	-	4.7	-	7.1	28.2	39.2	29.6	-	31.6	15.3
03	-	15.3	-	17.6	5.6	14.2	3.1	-	8.3	17.7
04	-	24.2	-	23.9	1.8	4.6	0.4	-	2.7	18.4
05	-	23.8	-	21.7	0.8	1.9	0.1	-	1.2	14.9
06	-	16.5	-	14.6	0.3	0.8	*	-	0.5	9.8
07	-	8.8	-	7.9	0.2	0.3	-	-	0.2	5.5
08	-	3.9	-	3.6	0.1	0.1	-	-	0.1	2.8
09	-	1.5	-	1.6	0.1	*	-	-	0.1	1.3
10	-	0.6	-	0.8	*	*	*	-	*	0.6
11	-	0.2	-	0.3	*	-	-	-	*	0.3
12	-	0.1	-	0.1	*	*	-	-	*	0.1
13	-	*	-	0.1	*	*	-	-	*	0.1
14	-	*	-	*	*	-	-	-	*	*
15	-	*	-	*	*	-	-	-	*	*
16	-	*	-	*	-	-	-	-	-	*
17	-	*	-	*	-	-	-	-	-	*
18 & Above	-	*	-	*	*	-	-	-	*	*
Average	-	0.49	-	0.47	0.15	0.20	0.14	-	0.16	0.39
Uniformity 2/										
74 & Below	-	-	-	-	-	-	-	-	-	*
75	-	-	-	-	-	-	-	-	-	0.1
76	-	-	-	-	*	*	0.1	-	*	0.4
77	-	-	-	0.3	0.2	0.1	*	-	0.2	1.1
78	-	0.1	-	0.4	2.3	0.7	1.6	-	1.7	3.4
79	-	0.7	-	3.3	11.6	8.2	12.2	-	10.5	9.2
80	-	7.1	-	13.0	31.0	26.4	17.3	-	29.0	20.9
81	-	34.5	-	34.3	38.2	30.8	37.8	-	35.8	33.1
82	-	44.8	-	38.4	14.8	10.7	28.5	-	14.0	24.1
83	-	11.6	-	9.6	1.7	16.4	2.6	-	6.6	7.0
84	-	1.1	-	0.9	0.3	6.4	-	-	2.4	1.0
85 & Above	-	0.1	-	0.1	*	0.3	*	-	0.1	0.1
Average	-	82.07	-	81.85	81.02	81.63	81.32	-	81.23	81.31
Tenderable	-	87.5	-	84.3	80.3	93.1	93.8	-	85.1	81.6
SAMPLES CLASSED	-	293,613	-	359,177	118,748	62,570	7,681	-	191,510	7,881,301

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2020 Crop

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	- -	21,645 14.1	- -	3,826 30.7	29,954 17.3
	2	- -	8,442 5.5	- -	1,522 12.2	11,383 6.6
	3	- -	49 *	- -	35 0.3	115 0.1
	4	- -	- -	- -	- -	- -
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	30,136 19.7	- -	5,383 43.3	41,452 24.0
02	1	- -	50,443 32.9	- -	3,013 24.2	54,134 31.3
	2	- -	60,835 39.7	- -	3,520 28.3	64,992 37.6
	3	- -	2,305 1.5	- -	276 2.2	2,615 1.5
	4	- -	8 *	- -	19 0.2	27 *
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	113,591 74.2	- -	6,828 54.9	121,768 70.4
03	1	- -	2,346 1.5	- -	30 0.2	2,384 1.4
	2	- -	6,045 3.9	- -	123 1.0	6,169 3.6
	3	- -	770 0.5	- -	68 0.5	838 0.5
	4	- -	12 *	- -	13 0.1	25 *
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	9,173 6.0	- -	234 1.9	9,416 5.4
04	1	- -	144 0.1	- -	- -	144 0.1
	2	- -	109 0.1	- -	1 *	111 0.1
	3	- -	25 *	- -	- -	25 *
	4	- -	1 *	- -	- -	1 *
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	279 0.2	- -	1 *	281 0.2
05	1	- -	2 *	- -	- -	2 *
	2	- -	- -	- -	- -	- -
	3	- -	- -	- -	- -	- -
	4	- -	- -	- -	- -	- -
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	2 *	- -	- -	2 *
06	1	- -	- -	- -	- -	- -
	2	- -	- -	- -	- -	- -
	3	- -	- -	- -	- -	- -
	4	- -	- -	- -	- -	- -
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	- -	- -	- -	- -
07	1	- -	- -	- -	- -	- -
	2	- -	- -	- -	- -	- -
	3	- -	- -	- -	- -	- -
	4	- -	- -	- -	- -	- -
	5	- -	- -	- -	- -	- -
	6	- -	- -	- -	- -	- -
	7	- -	- -	- -	- -	- -
TOTAL -----		- -	- -	- -	- -	- -
Staple						
44 & Shorter		- -	2,645 1.7	- -	760 6.1	3,798 2.2
46		- -	18,663 12.2	- -	2,903 23.3	23,124 13.4
48		- -	35,610 23.2	- -	7,006 56.3	46,781 27.1
50		- -	88,262 57.6	- -	1,329 10.7	90,756 52.5
52 & Longer		- -	8,001 5.2	- -	448 3.6	8,460 4.9
Average Staple		- -	49.05	- -	47.65	48.89
Average Length		- -	1.42	- -	1.39	1.42
Extraneous Matter						
Bark		- -	7 *	- -	17 0.1	24 *
Grass		- -	470 0.3	- -	66 0.5	896 0.5
Spindle Twist		- -	37 *	- -	126 1.0	163 0.1
Prep		- -	7 *	- -	23 0.2	30 *
All Other		- -	28 *	- -	25 0.2	55 *

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2020 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	6	*	6	*
2.7 - 2.9	-	-	-	-	-	-	172	1.4	172	0.1
3.0 - 3.2	-	-	41	*	-	-	786	6.3	831	0.5
3.3 - 3.4	-	-	594	0.4	-	-	647	5.2	1,354	0.8
3.5 - 3.6	-	-	4,438	2.9	-	-	939	7.5	5,992	3.5
3.7 - 4.2	-	-	52,948	34.6	-	-	6,147	49.4	63,925	37.0
4.3 - 4.9	-	-	95,063	62.1	-	-	3,749	30.1	100,542	58.1
5.0 - 5.2	-	-	92	0.1	-	-	-	-	92	0.1
5.3 & Above	-	-	5	*	-	-	-	-	5	*
Average	-	-	4.28		-	-	3.99		4.25	
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	6	*	6	*
2.7	-	-	-	-	-	-	34	0.3	34	*
2.8	-	-	-	-	-	-	54	0.4	54	*
2.9	-	-	-	-	-	-	84	0.7	84	*
3.0	-	-	2	*	-	-	162	1.3	166	0.1
3.1	-	-	16	*	-	-	262	2.1	279	0.2
3.2	-	-	23	*	-	-	362	2.9	386	0.2
3.3	-	-	183	0.1	-	-	295	2.4	509	0.3
3.4	-	-	411	0.3	-	-	352	2.8	845	0.5
3.5	-	-	1,704	1.1	-	-	429	3.4	2,375	1.4
3.6	-	-	2,734	1.8	-	-	510	4.1	3,617	2.1
3.7	-	-	3,719	2.4	-	-	506	4.1	4,655	2.7
3.8	-	-	5,208	3.4	-	-	502	4.0	6,309	3.6
3.9	-	-	7,934	5.2	-	-	823	6.6	9,263	5.4
4.0	-	-	8,909	5.8	-	-	1,239	10.0	10,756	6.2
4.1	-	-	10,609	6.9	-	-	1,512	12.1	13,398	7.7
4.2	-	-	16,569	10.8	-	-	1,565	12.6	19,544	11.3
4.3	-	-	23,289	15.2	-	-	1,329	10.7	25,311	14.6
4.4	-	-	27,086	17.7	-	-	1,572	12.6	29,123	16.8
4.5	-	-	20,138	13.1	-	-	653	5.2	21,277	12.3
4.6	-	-	13,865	9.1	-	-	191	1.5	14,140	8.2
4.7	-	-	7,746	5.1	-	-	4	*	7,752	4.5
4.8	-	-	2,521	1.6	-	-	-	-	2,521	1.5
4.9	-	-	418	0.3	-	-	-	-	418	0.2
5.0	-	-	81	0.1	-	-	-	-	81	*
5.1	-	-	10	*	-	-	-	-	10	*
5.2	-	-	1	*	-	-	-	-	1	*
5.3 & Above	-	-	5	*	-	-	-	-	5	*
Average	-	-	4.28		-	-	3.99		4.25	
Strength										
36 & Below	-	-	296	0.2	-	-	798	6.4	1,274	0.7
37	-	-	3,878	2.5	-	-	555	4.5	5,082	2.9
38	-	-	10,168	6.6	-	-	613	4.9	11,482	6.6
39	-	-	7,230	4.7	-	-	535	4.3	8,005	4.6
40	-	-	3,071	2.0	-	-	1,232	9.9	4,614	2.7
41	-	-	5,001	3.3	-	-	1,517	12.2	7,100	4.1
42	-	-	12,567	8.2	-	-	1,712	13.8	15,496	9.0
43	-	-	26,609	17.4	-	-	1,942	15.6	30,148	17.4
44	-	-	35,247	23.0	-	-	1,805	14.5	38,378	22.2
45	-	-	30,037	19.6	-	-	1,166	9.4	31,613	18.3
46	-	-	14,257	9.3	-	-	435	3.5	14,759	8.5
47	-	-	3,648	2.4	-	-	97	0.8	3,753	2.2
48 & Above	-	-	1,172	0.8	-	-	39	0.3	1,215	0.7
Average	-	-	43.59		-	-	42.07		43.42	
Uniformity										
83 & Below	-	-	477	0.3	-	-	325	2.6	849	0.5
84	-	-	11,937	7.8	-	-	823	6.6	13,436	7.8
85	-	-	17,742	11.6	-	-	2,154	17.3	21,418	12.4
86	-	-	59,440	38.8	-	-	6,327	50.8	69,101	40.0
87	-	-	58,874	38.4	-	-	2,742	22.0	63,306	36.6
88 & Above	-	-	4,711	3.1	-	-	75	0.6	4,809	2.8
Average	-	-	86.61		-	-	86.30		86.57	
SAMPLES CLASSED	-	-	153,181		-	-	12,446		172,919	