



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2019 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	2	59	158	1,914	7,710	24,144	52,116	106,664	192,767
	3	-	7	4	126	955	4,135	13,875	36,993	56,095
	4	-	-	1	4	24	290	781	2,068	3,168
	5	-	-	-	-	2	18	21	59	100
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		2	66	163	2,044	8,691	28,587	66,793	145,784	252,130
31	1 - 2	-	-	1	32	396	2,082	9,336	23,861	35,708
	3	-	-	1	24	386	3,199	14,899	48,740	67,249
	4	-	-	-	4	76	910	3,246	11,458	15,694
	5	-	-	-	-	9	132	315	773	1,229
	6	-	-	-	-	-	3	23	35	61
	7	-	-	-	-	-	-	-	1	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	2	60	867	6,326	27,819	84,868	119,942
41	1 - 2	-	-	-	3	28	330	1,406	3,894	5,661
	3	-	-	-	-	41	647	3,200	12,624	16,512
	4	-	-	-	-	14	171	1,189	7,823	9,197
	5	-	-	-	-	1	57	271	1,159	1,488
	6	-	-	-	-	-	12	54	101	167
	7	-	-	-	-	-	1	5	6	12
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	3	84	1,218	6,125	25,607	33,037
51	1 - 2	-	-	-	-	1	22	116	398	537
	3	-	-	-	-	2	75	485	1,186	1,748
	4	-	-	-	-	-	15	150	497	662
	5	-	-	-	-	-	1	21	72	94
	6	-	-	-	-	-	-	6	15	21
	7	-	-	-	-	-	-	-	1	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	3	113	778	2,169	3,063
61	1 - 2	-	-	-	-	-	3	6	25	34
	3	-	-	-	-	5	18	56	166	245
	4	-	-	-	-	-	4	31	89	124
	5	-	-	-	-	-	-	10	36	46
	6	-	-	-	-	-	-	1	13	14
	7	-	-	-	-	-	-	-	3	3
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	-	-	5	25	104	333	467
71	1 - 2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	-	1	2	-	3
	4	-	-	-	-	-	1	-	2	3
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	-	-	-	2	2	4	8
12 & 22	1 - 2	-	1	148	1,486	5,716	15,483	29,254	40,652	92,740
	3	-	-	29	268	1,907	6,436	12,356	19,959	40,955
	4	-	-	2	3	97	473	1,381	2,937	4,893
	5	-	-	-	-	-	13	61	164	238
	6	-	-	-	-	1	-	-	3	4
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	1	179	1,757	7,721	22,405	43,052	63,715	138,830
32	1 - 2	-	-	30	360	1,582	4,653	8,191	9,093	23,909
	3	-	-	20	297	1,299	4,889	11,726	19,356	37,587
	4	-	-	3	28	193	1,144	3,618	6,908	11,894
	5	-	-	-	2	32	199	555	973	1,761
	6	-	-	-	-	6	20	58	137	221
	7	-	-	-	-	-	-	-	2	2
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	53	687	3,112	10,905	24,148	36,469	75,374
42	1 - 2	-	-	-	-	29	245	1,084	1,781	3,139
	3	-	-	-	-	68	677	2,532	5,955	9,232
	4	-	1	-	-	24	214	1,135	4,010	5,384
	5	-	-	-	-	4	88	310	988	1,390
	6	-	-	-	-	3	30	111	253	397
	7	-	-	-	-	1	8	24	33	66
	8	-	-	-	-	-	-	1	2	3
TOTAL		-	1	-	-	129	1,262	5,197	13,022	19,611
52	1 - 2	-	-	-	-	4	37	105	243	389
	3	-	-	-	-	2	26	355	933	1,316
	4	-	-	-	-	1	41	173	594	809
	5	-	-	-	-	-	19	41	141	201
	6	-	-	-	-	-	3	17	20	40
	7	-	-	-	-	-	-	19	11	30
	8	-	-	-	-	-	-	6	7	13
TOTAL		-	-	-	-	7	126	716	1,949	2,798

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2019 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	3	8	2	13
	3	-	-	-	-	1	-	16	51	68
	4	-	-	-	-	-	4	19	64	87
	5	-	-	-	-	-	1	4	20	25
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	10	4	14
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	1	8	58	146	213
13 & 23	1 - 2	-	-	3	54	287	773	1,348	1,714	4,179
	3	-	-	4	66	226	569	761	884	2,510
	4	-	-	-	8	24	73	138	130	373
	5	-	-	-	-	-	2	8	7	17
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	7	128	537	1,417	2,255	2,735	7,079
33	1 - 2	-	-	23	174	679	1,627	1,666	1,078	5,247
	3	-	-	7	137	645	1,814	1,803	960	5,366
	4	-	-	2	41	133	404	991	626	2,197
	5	-	-	-	2	18	87	291	230	628
	6	-	-	-	1	3	10	50	35	99
	7	-	-	-	-	-	4	3	1	8
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	32	355	1,478	3,946	4,804	2,930	13,545
43	1 - 2	-	-	-	4	129	141	99	36	409
	3	-	-	-	11	151	381	358	281	1,182
	4	-	-	-	1	24	57	185	351	618
	5	-	-	-	1	11	17	83	295	407
	6	-	-	-	-	-	10	27	164	201
	7	-	-	-	-	-	7	7	20	34
	8	-	-	-	-	-	-	-	3	3
TOTAL		-	-	-	17	315	613	759	1,150	2,854
53	1 - 2	-	-	-	-	-	-	7	1	8
	3	-	-	-	-	1	4	12	43	60
	4	-	-	-	-	-	2	15	102	119
	5	-	-	-	-	-	2	9	78	89
	6	-	-	-	-	1	-	5	44	50
	7	-	-	-	-	-	-	4	30	34
	8	-	-	-	-	-	-	3	19	22
TOTAL		-	-	-	-	2	8	55	317	382
63	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	1	1
	4	-	-	-	-	-	2	1	8	11
	5	-	-	-	-	-	1	2	2	5
	6	-	-	-	-	-	-	2	4	6
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	-	-	-	3	5	16	24
24 - 54	1 - 8	-	-	-	-	7	48	171	775	1,001
25 - 35	1 - 8	-	-	-	-	-	-	-	2	2
81 - 85	1 - 8	-	-	-	-	1	7	31	498	537
TOTAL ALL		2	68	436	5,051	22,960	77,019	182,872	382,489	670,897

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2019 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	193,097	294,930	384,270	219,028	82,515	7,642	1,181,482	1,374,249
	3	87,523	156,919	241,728	167,887	86,953	11,186	752,196	808,291
	4	5,272	11,932	19,682	11,066	6,797	2,103	56,852	60,020
	5	100	224	376	199	55	129	1,083	1,183
	6	3	2	7	2	2	-	16	16
	7	-	-	1	-	-	-	1	1
	8	-	-	-	6	1	-	7	7
TOTAL		285,995	464,007	646,064	398,188	176,323	21,060	1,991,637	2,243,767
31	1 - 2	52,042	73,084	76,018	34,515	12,080	1,216	248,955	284,663
	3	116,514	216,770	323,224	184,020	93,499	15,323	949,350	1,016,599
	4	31,176	77,077	152,128	84,321	50,891	12,524	408,117	423,811
	5	1,927	6,653	18,379	8,560	4,667	1,454	41,640	42,869
	6	71	162	437	210	87	42	1,009	1,070
	7	-	2	8	1	1	1	13	14
	8	-	-	-	6	6	-	12	12
TOTAL		201,730	373,748	570,194	311,633	161,231	30,560	1,649,096	1,769,038
41	1 - 2	7,931	9,302	9,520	3,282	790	56	30,881	36,542
	3	30,459	56,084	83,134	45,155	18,582	3,012	236,426	252,938
	4	22,748	59,246	134,941	71,299	35,924	9,047	333,205	342,402
	5	4,259	18,337	76,361	31,701	12,409	3,834	146,901	148,389
	6	403	1,728	8,948	3,861	1,268	625	16,833	17,000
	7	18	78	221	50	17	18	402	414
	8	1	10	-	-	-	-	11	11
TOTAL		65,819	144,785	313,125	155,348	68,990	16,592	764,659	797,696
51	1 - 2	832	984	663	187	28	-	2,694	3,231
	3	2,938	4,928	6,650	2,952	594	51	18,113	19,861
	4	1,450	2,907	6,558	4,597	1,616	338	17,466	18,128
	5	246	875	3,303	2,083	1,400	474	8,381	8,475
	6	50	231	746	467	414	162	2,070	2,091
	7	29	8	36	24	9	7	113	114
	8	16	1	-	-	-	-	17	17
TOTAL		5,561	9,934	17,956	10,310	4,061	1,032	48,854	51,917
61	1 - 2	42	88	91	11	1	-	233	267
	3	345	646	695	75	8	-	1,769	2,014
	4	168	306	375	114	23	5	991	1,115
	5	28	74	183	20	11	-	316	362
	6	6	21	59	1	1	1	89	103
	7	1	2	1	-	-	-	4	7
	8	1	-	-	-	-	-	1	2
TOTAL		591	1,137	1,404	221	44	6	3,403	3,870
71	1 - 2	-	-	-	-	-	-	-	1
	3	4	7	4	-	-	-	15	18
	4	3	3	3	-	-	-	9	12
	5	-	-	-	-	-	-	-	-
	6	1	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	1
TOTAL		8	10	7	-	-	-	25	33
12 & 22	1 - 2	40,624	36,100	31,538	6,952	1,365	197	116,776	209,516
	3	28,994	25,447	17,627	4,494	1,044	155	77,761	118,716
	4	4,585	4,084	3,189	709	187	144	12,898	17,791
	5	448	232	256	84	43	91	1,154	1,392
	6	21	2	7	4	11	2	47	51
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		74,672	65,865	52,617	12,243	2,650	589	208,636	347,466
32	1 - 2	7,477	4,284	2,383	582	219	40	14,985	38,894
	3	20,811	15,410	8,967	2,701	938	128	48,955	86,542
	4	9,964	8,191	5,882	1,669	597	146	26,449	38,343
	5	1,670	1,545	1,354	308	149	88	5,114	6,875
	6	342	203	149	32	13	12	751	972
	7	15	8	7	-	1	-	31	33
	8	-	-	-	-	-	-	-	-
TOTAL		40,279	29,641	18,742	5,292	1,917	414	96,285	171,659
42	1 - 2	1,713	764	459	122	26	3	3,087	6,226
	3	8,305	6,156	4,848	1,447	474	58	21,288	30,520
	4	7,854	7,252	6,531	1,993	693	124	24,447	29,831
	5	2,721	2,557	2,144	731	316	70	8,539	9,929
	6	728	485	369	166	50	9	1,807	2,204
	7	145	226	62	18	2	-	453	519
	8	18	49	31	1	-	-	99	102
TOTAL		21,484	17,489	14,444	4,478	1,561	264	59,720	79,331
52	1 - 2	244	143	62	10	4	-	463	852
	3	1,491	1,269	1,006	314	71	14	4,165	5,481
	4	1,450	1,343	1,497	673	269	26	5,258	6,067
	5	379	356	632	381	169	37	1,954	2,155
	6	126	91	105	77	57	5	461	501
	7	45	32	11	16	2	-	106	136
	8	22	55	28	2	-	-	107	120
TOTAL		3,757	3,289	3,341	1,473	572	82	12,514	15,312

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2019 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	16	10	5	2	1	-	34	47
	3	88	79	86	18	-	-	271	339
	4	79	82	112	34	11	3	321	408
	5	23	35	35	49	10	4	156	181
	6	5	8	16	16	4	1	50	56
	7	1	1	2	2	-	-	6	20
	8	-	-	-	-	-	-	-	-
TOTAL		212	215	256	121	26	8	838	1,051
13 & 23	1 - 2	1,724	1,161	653	102	44	3	3,687	7,866
	3	986	961	451	105	45	3	2,551	5,061
	4	184	171	96	24	8	-	483	856
	5	14	9	5	7	-	-	35	52
	6	2	2	1	1	-	-	6	6
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		2,910	2,304	1,206	239	97	6	6,762	13,841
33	1 - 2	378	173	84	25	11	6	677	5,924
	3	509	459	298	151	93	4	1,514	6,880
	4	473	276	159	92	72	7	1,079	3,276
	5	411	248	41	18	13	3	734	1,362
	6	144	157	19	-	1	-	321	420
	7	17	27	5	-	-	-	49	57
	8	2	1	-	-	-	-	3	3
TOTAL		1,934	1,341	606	286	190	20	4,377	17,922
43	1 - 2	47	41	24	18	6	-	136	545
	3	259	277	250	124	108	4	1,022	2,204
	4	515	267	254	204	217	27	1,484	2,102
	5	675	318	75	45	43	12	1,168	1,575
	6	533	381	76	15	2	3	1,010	1,211
	7	235	190	91	8	3	-	527	561
	8	154	221	58	3	1	-	437	440
TOTAL		2,418	1,695	828	417	380	46	5,784	8,638
53	1 - 2	4	1	9	1	1	-	16	24
	3	61	50	87	34	8	1	241	301
	4	173	101	111	107	32	4	528	647
	5	148	89	98	112	45	6	498	587
	6	141	237	131	44	12	2	567	617
	7	128	293	253	16	-	-	690	724
	8	137	205	155	7	-	-	504	526
TOTAL		792	976	844	321	98	13	3,044	3,426
63	1 - 2	3	-	4	-	-	-	7	7
	3	4	5	13	6	1	-	29	30
	4	11	26	23	29	-	-	89	100
	5	14	8	20	35	2	2	81	86
	6	5	7	19	35	6	1	73	79
	7	3	5	1	3	-	-	12	12
	8	2	2	-	-	-	-	4	5
TOTAL		42	53	80	108	9	3	295	319
24 - 54	1 - 8	1,606	1,154	651	56	20	7	3,494	4,495
25 - 35	1 - 8	4	-	-	-	-	-	4	6
81 - 85	1 - 8	973	342	117	6	2	-	1,440	1,977
TOTAL ALL		710,787	1,117,985	1,642,482	900,740	418,171	70,702	4,860,867	5,531,764

EXTRANEIOUS MATTER	
Bark - Level 1	74,102
Bark - Level 2	13
Grass - Level 1	11,805
Grass - Level 2	5
Prep - Level 1	263
Prep - Level 2	5
Seed Coat - Level 1	3,264
Seed Coat - Level 2	-
Oil - Level 1	44
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	174
Other - Level 2	-
Plastic - Level 1	2,046
Plastic - Level 2	1

Average Staple	36.45
Percent Tenderable	86.2
SAMPLES CLASSED	5,531,764

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	*	*	*	*	0.1	0.4	0.9	1.9	3.5	5.3	6.9	4.0	1.5	0.1	24.8
	3	-	*	*	*	*	0.1	0.3	0.7	1.6	2.8	4.4	3.0	1.6	0.2	14.6
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL		*	*	*	*	0.2	0.5	1.2	2.6	5.2	8.4	11.7	7.2	3.2	0.4	40.6
31	1 - 2	-	-	*	*	*	*	0.2	0.4	0.9	1.3	1.4	0.6	0.2	*	5.1
	3	-	-	*	*	*	0.1	0.3	0.9	2.1	3.9	5.8	3.3	1.7	0.3	18.4
	4	-	-	-	*	*	*	0.1	0.2	0.6	1.4	2.8	1.5	0.9	0.2	7.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL		-	-	*	*	*	0.1	0.5	1.5	3.6	6.8	10.3	5.6	2.9	0.6	32.0
41	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	3	-	-	-	-	*	*	0.1	0.2	0.6	1.0	1.5	0.8	0.3	0.1	4.6
	4	-	-	-	-	*	*	*	0.1	0.4	1.1	2.4	1.3	0.6	0.2	6.2
	5	-	-	-	-	*	*	*	*	0.1	0.3	1.4	0.6	0.2	0.1	2.7
	6	-	-	-	-	-	*	*	*	*	*	0.2	0.1	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.5	1.2	2.6	5.7	2.8	1.2	0.3	14.4
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
71	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1 - 2	-	*	*	*	0.1	0.3	0.5	0.7	0.7	0.7	0.6	0.1	*	*	3.8
	3	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	2.1
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.4	0.8	1.2	1.3	1.2	1.0	0.2	*	*	6.3
32	1 - 2	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	0.7
	3	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.6
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.2	0.4	0.7	0.7	0.5	0.3	0.1	*	*	3.1
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	4	-	*	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	*	-	-	*	*	0.1	0.2	0.4	0.3	0.3	0.1	*	*	1.4
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.3
33	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL ALL		*	*	*	0.1	0.4	1.4	3.3	6.9	12.8	20.2	29.7	16.3	7.6	1.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	36.45
Percent Tenderable	86.2
SAMPLES CLASSED	5,531,764

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	0.1	0.6	2.1	4.0	5.5	5.4	1.8	0.4	*	20.1
	3	-	-	-	-	*	0.1	0.5	1.6	3.0	5.3	7.6	3.0	1.1	0.1	22.3
	4	-	-	-	-	*	*	*	0.1	0.2	0.5	0.7	0.3	0.1	*	1.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.3	1.2	3.8	7.3	11.3	13.7	5.0	1.6	0.2	44.3
31	1 - 2	-	-	-	-	*	*	0.1	0.4	0.8	1.0	1.1	0.3	0.1	*	3.8
	3	-	-	-	-	*	0.1	0.5	1.6	2.7	4.8	6.8	2.7	1.2	0.1	20.5
	4	-	-	-	-	*	0.1	0.1	0.5	1.1	2.0	3.0	1.5	1.0	0.2	9.4
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.1	0.1	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.3	0.8	2.5	4.6	8.0	11.3	4.7	2.3	0.3	34.7
41	1 - 2	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	3	-	-	-	-	*	*	0.1	0.3	0.5	1.1	2.0	1.0	0.3	*	5.2
	4	-	-	-	-	*	*	*	0.1	0.3	1.0	2.2	1.4	0.7	0.2	6.0
	5	-	-	-	-	-	*	*	*	0.1	0.4	0.7	0.4	0.2	0.1	1.8
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.5	1.0	2.7	5.0	2.9	1.2	0.3	13.7
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	*	1.0
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	1.4
32	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.3
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.3	0.5	0.6	0.5	0.4	0.1	*	*	2.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.4	0.3	0.5	0.3	0.1	*	*	1.8
52	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.7	2.7	8.1	14.5	23.6	31.3	13.0	5.2	0.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.34
Percent Tenderable	91.7
SAMPLES CLASSED	302,196

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.7	4.9	11.7	11.3	13.4	4.4	0.5	47.0
	3	-	-	-	-	-	-	-	*	0.4	4.2	4.4	3.5	2.7	0.1	15.3
	4	-	-	-	-	-	-	-	-	*	0.5	0.6	0.1	0.2	*	1.5
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.7	5.4	16.5	16.3	17.0	7.3	0.6	63.8
31	1 - 2	-	-	-	-	-	-	-	*	0.3	0.8	0.8	0.1	0.2	*	2.2
	3	-	-	-	-	-	-	-	*	0.2	2.5	2.4	0.2	0.2	-	5.5
	4	-	-	-	-	-	-	-	-	*	1.1	1.8	0.1	0.1	*	3.1
	5	-	-	-	-	-	-	-	-	-	0.1	0.5	*	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.5	4.5	5.4	0.3	0.5	*	11.3
41	1 - 2	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	0.2	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.3	0.2	*	*	-	0.5
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	0.3	1.1	3.1	2.2	1.5	0.2	-	8.5
	3	-	-	-	-	-	-	-	*	0.6	3.8	3.4	0.7	0.2	-	8.9
	4	-	-	-	-	-	-	-	*	*	0.6	0.9	0.1	0.1	-	1.6
	5	-	-	-	-	-	-	-	-	-	0.1	0.1	-	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.4	1.7	7.6	6.7	2.4	0.4	*	19.2
32	1 - 2	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	-	-	0.1	0.5	0.4	0.1	*	*	1.1
	4	-	-	-	-	-	-	-	-	*	0.6	1.0	0.1	*	*	1.7
	5	-	-	-	-	-	-	-	-	*	0.2	0.4	*	*	-	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	1.5	1.8	0.2	0.1	*	3.7
42	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	0.3	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	0.2	0.1	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	0.5	0.4	*	*	*	0.9
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.1	-	0.4
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.1	1.1	7.9	31.1	30.8	19.9	8.4	0.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	-
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.88
Percent Tenderable	83.2
SAMPLES CLASSED	33,047

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.4	1.8	2.4	3.0	1.6	0.1	9.3
	3	-	-	-	-	-	-	*	*	0.3	1.1	2.3	2.6	1.9	0.3	8.6
	4	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.8	2.9	5.0	5.7	3.6	0.4	18.4
31	1 - 2	-	-	-	-	-	-	*	*	0.4	1.7	1.9	1.0	0.5	*	5.6
	3	-	-	-	-	-	*	*	*	0.6	4.2	10.2	5.4	4.6	1.0	26.0
	4	-	-	-	-	-	-	*	*	0.1	1.4	6.3	2.6	2.0	0.7	13.0
	5	-	-	-	-	-	-	-	-	*	0.1	1.0	0.3	0.1	0.1	1.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	1.1	7.5	19.3	9.3	7.1	1.8	46.2
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.7	2.0	1.2	1.1	0.2	5.4
	4	-	-	-	-	-	-	-	*	0.1	1.2	8.4	3.4	1.7	0.6	15.4
	5	-	-	-	-	-	-	-	*	*	0.6	7.8	2.5	0.4	0.1	11.5
	6	-	-	-	-	-	-	-	-	*	*	0.8	0.3	*	*	1.2
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	2.7	19.1	7.5	3.3	0.9	33.8
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.4	0.1	*	*	0.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	*	0.5
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	0.4
52	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.1	2.2	13.4	44.2	22.8	14.2	3.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.43
Percent Tenderable	93.3
SAMPLES CLASSED	453,246

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	1.4	1.1	13.3	27.1	13.7	8.8	0.8	66.1
	3	-	-	-	-	-	-	*	*	0.1	1.3	5.8	1.0	1.1	0.2	9.5
	4	-	-	-	-	-	-	-	-	-	*	0.3	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	1.4	1.2	14.5	33.2	14.7	9.9	1.0	75.9
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.8	2.3	4.2	2.8	0.3	10.9
	3	-	-	-	-	-	-	*	0.1	0.5	0.9	3.4	2.9	2.8	0.2	10.9
	4	-	-	-	-	-	-	-	*	0.1	0.1	1.1	0.2	0.1	0.1	1.8
	5	-	-	-	-	-	-	-	*	*	*	*	0.1	-	0.1	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	0.9	1.9	6.9	7.4	5.8	0.7	23.8
41	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	0.1	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	1.5	2.1	16.5	40.3	22.2	15.7	1.7	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	-
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.33
Percent Tenderable	87.8
SAMPLES CLASSED	35,104

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.5	0.8	0.7	2.0	5.4	2.1	0.2	*	11.9
	3	-	-	-	-	-	-	*	0.4	0.5	1.5	5.0	3.2	0.6	0.1	11.3
	4	-	-	-	-	-	-	*	*	*	0.2	0.3	0.2	*	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.5	1.2	1.2	3.7	10.7	5.6	0.8	0.1	23.9
31	1 - 2	-	-	-	-	-	*	0.4	0.6	0.5	0.8	2.0	0.7	0.1	-	5.2
	3	-	-	-	-	-	*	0.2	0.7	1.5	3.1	11.0	7.6	2.5	0.2	26.8
	4	-	-	-	-	-	-	*	0.1	0.3	0.9	3.3	3.2	0.9	*	8.8
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.2	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.5	1.4	2.3	4.9	16.6	11.8	3.7	0.2	41.4
41	1 - 2	-	-	-	-	-	-	*	-	*	0.1	0.2	0.1	-	-	0.4
	3	-	-	-	-	-	-	-	0.1	0.3	1.9	4.0	2.8	0.4	*	9.5
	4	-	-	-	-	-	-	*	*	0.2	1.1	4.4	5.6	1.2	0.1	12.6
	5	-	-	-	-	-	-	-	-	*	0.1	0.9	1.2	0.5	0.1	2.8
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.5	3.1	9.7	9.7	2.1	0.2	25.5
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.4	0.5	*	-	1.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.7	1.4	0.3	-	2.6
	5	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.2	*	1.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	1.5	2.6	0.6	*	5.0
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	0.1	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	*	*	0.1	*	-	-	0.3
32	1 - 2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	-	-	0.1	0.2	0.1	0.2	*	*	-	0.7
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.5	0.1	-	-	0.8
	5	-	-	-	-	-	-	-	*	*	-	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	0.4	0.2	0.7	0.1	*	-	1.8
42	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	0.5
	4	-	-	-	-	-	-	-	*	0.2	0.3	0.2	0.2	*	-	0.9
	5	-	-	-	-	-	-	-	-	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.1	0.3	0.5	0.4	0.3	*	*	1.6
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.2	0.2	*	-	0.5

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	0.1	1.0	3.1	4.9	12.8	40.0	30.3	7.3	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	5.4
Bark - Level 2	-
Grass - Level 1	0.4
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.10
Percent Tenderable	88.2
SAMPLES CLASSED	31,401

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	*	*	0.2	0.8	2.2	4.1	5.5	6.7	2.0	0.3	*	21.6
	3	-	-	-	-	*	*	0.2	0.8	1.9	3.3	6.6	3.3	0.7	*	16.9
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.2	1.0	3.0	6.0	8.9	13.6	5.5	1.0	0.1	39.2
31	1 - 2	-	-	-	-	*	0.1	0.5	1.2	2.0	1.9	1.7	0.4	*	*	7.8
	3	-	-	-	*	*	0.1	0.6	2.1	4.1	5.6	9.0	3.6	0.6	*	25.7
	4	-	-	-	-	*	*	0.1	0.2	0.6	1.1	2.8	1.7	0.5	0.1	7.1
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.2	1.1	3.5	6.7	8.7	13.5	5.8	1.2	0.1	40.9
41	1 - 2	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	*	*	*	0.9
	3	-	-	-	-	*	*	0.1	0.4	0.8	1.4	1.7	0.7	0.1	*	5.2
	4	-	-	-	-	*	*	*	0.1	0.4	0.8	1.7	1.3	0.4	*	4.8
	5	-	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.2	0.6	1.5	2.6	3.8	2.3	0.8	0.1	11.9
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.2
61	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	-	-	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.9
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.5
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.2	0.5	0.4	0.1	0.1	*	*	*	1.4
32	1 - 2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	*	-	0.6
	3	-	-	-	-	*	0.1	0.4	0.7	0.7	0.3	0.1	*	*	*	2.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.6	1.1	1.0	0.5	0.2	0.1	*	*	3.7
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.6
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.3	0.1	*	*	1.4
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL ALL		-	-	-	*	0.1	0.6	3.3	9.1	16.3	21.4	31.9	14.1	3.1	0.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.8
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.23
Percent Tenderable	90.1
SAMPLES CLASSED	783,256

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	0.5	0.1	*	*	-	-	-	0.7
	3	-	-	-	-	-	-	-	-	*	*	0.1	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	0.5	0.2	0.1	0.2	-	-	-	0.9
31	1 - 2	-	-	-	-	-	-	*	0.4	1.2	*	*	-	-	-	1.6
	3	-	-	-	-	-	-	-	0.1	1.7	0.1	0.1	-	-	-	2.0
	4	-	-	-	-	-	-	-	0.1	0.5	0.4	0.1	-	-	-	1.0
	5	-	-	-	-	-	-	*	*	0.2	0.2	*	-	-	-	0.5
	6	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.5	3.7	0.8	0.2	-	-	-	5.3
41	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.4	0.3	*	-	-	-	1.0
	5	-	-	-	-	-	-	0.1	0.2	0.7	0.8	*	-	-	-	1.9
	6	-	-	-	-	-	-	0.1	0.1	0.3	0.6	*	-	-	-	1.1
	7	-	-	-	-	-	-	*	*	0.1	0.2	*	-	-	-	0.3
	8	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1
	TOTAL	-	-	-	-	-	-	0.2	0.4	1.6	2.1	0.1	-	-	-	4.4
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	0.2	0.3	0.1	-	-	-	0.5
	6	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	0.2	*	-	-	-	-	0.2
	8	-	-	-	-	-	-	-	-	0.1	*	-	-	-	-	0.1
	TOTAL	-	-	-	-	-	-	-	*	0.5	0.4	0.1	-	-	-	1.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1
32	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	0.2	0.4	0.3	0.1	*	-	-	1.0
	5	-	-	-	-	-	-	-	0.1	0.7	0.6	0.2	*	*	-	1.6
	6	-	-	-	-	-	-	-	*	0.3	0.1	*	-	-	-	0.5
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.4	1.7	1.1	0.3	*	*	-	3.5
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	0.4	0.8	0.3	*	-	-	-	1.5
	5	-	-	-	-	-	-	0.1	0.8	2.8	1.5	0.1	-	-	-	5.4
	6	-	-	-	-	-	-	0.3	0.6	2.4	1.3	0.1	*	-	-	4.7
	7	-	-	-	-	-	-	*	*	0.5	0.9	0.2	-	-	-	1.7
	8	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	-	-	0.5
	TOTAL	-	-	-	-	-	-	0.5	2.0	6.7	4.2	0.6	*	-	-	14.0
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	0.1	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	0.1	0.3	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	-	*	*	0.5	0.2	*	-	-	-	0.8
	7	-	-	-	-	-	-	0.1	*	0.2	0.2	0.1	*	-	-	0.6
	8	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	-	-	0.6
	TOTAL	-	-	-	-	-	-	0.1	0.3	1.1	0.8	0.3	*	-	-	2.6

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	0.1	0.6	0.2	*	-	-	-	0.9
	5	-	-	-	-	-	-	-	0.1	1.7	1.0	0.1	-	-	-	2.9
	6	-	-	-	-	-	-	*	*	0.6	0.8	0.1	-	-	-	1.5
	7	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	0.3
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	0.3	3.0	2.4	0.1	-	-	-	5.8
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	*	-	-	-	-	0.4
	4	-	-	-	-	-	-	*	0.8	1.5	0.4	*	-	-	-	2.7
	5	-	-	-	-	-	-	*	1.1	3.3	1.5	0.1	-	-	-	6.0
	6	-	-	-	-	-	-	*	0.6	2.7	2.0	0.3	0.1	*	-	5.8
	7	-	-	-	-	-	-	*	0.1	1.1	1.0	0.5	*	*	-	2.8
	8	-	-	-	-	-	-	-	*	0.8	1.2	0.3	*	*	-	2.4
	TOTAL	-	-	-	-	-	-	0.1	2.7	9.7	6.1	1.3	0.1	*	-	20.0
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.2	0.3	0.1	-	-	-	-	0.6
	5	-	-	-	-	-	-	-	0.3	0.7	0.4	0.1	*	-	-	1.4
	6	-	-	-	-	-	-	*	0.2	0.8	1.3	0.6	0.1	-	-	2.9
	7	-	-	-	-	-	-	*	0.2	0.7	1.6	1.4	0.1	-	-	3.9
	8	-	-	-	-	-	-	*	0.1	0.7	1.1	0.8	*	-	-	2.9
	TOTAL	-	-	-	-	-	-	*	1.0	3.2	4.4	2.9	0.2	-	-	11.7
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	0.1	0.1	-	*	-	-	0.2
24 - 54	1 - 8	-	-	-	-	*	-	*	3.0	7.8	5.7	3.0	0.1	*	-	19.7
25 - 35	1 - 8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	*	0.2	2.7	5.3	1.8	0.6	*	-	-	10.6
TOTAL ALL		-	-	-	-	*	*	1.1	13.8	44.6	30.3	9.5	0.5	*	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	72.1
Bark - Level 2	-
Grass - Level 1	-
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	35.35
Percent Tenderable	7.2
SAMPLES CLASSED	18,272

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.3	2.9	6.1	9.2	5.2	0.4	24.1
	3	-	-	-	-	-	-	*	*	0.1	1.7	5.1	7.0	8.2	1.2	23.2
	4	-	-	-	-	-	-	-	-	*	0.1	0.4	0.3	0.5	0.1	1.5
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.4	4.7	11.6	16.5	13.9	1.7	48.8
31	1 - 2	-	-	-	-	-	-	-	*	*	0.3	0.8	0.9	0.3	*	2.4
	3	-	-	-	-	-	-	-	*	0.1	1.1	4.4	6.5	4.6	1.2	17.9
	4	-	-	-	-	-	-	-	*	*	0.4	2.0	2.7	3.2	1.3	9.7
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.3	0.2	0.9
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.2	1.9	7.4	10.3	8.3	2.8	31.0
41	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	0.2	1.3	1.5	0.8	0.2	4.1
	4	-	-	-	-	-	-	-	-	*	0.3	1.8	2.3	2.7	1.1	8.3
	5	-	-	-	-	-	-	-	-	*	0.1	0.7	0.7	1.0	0.7	3.1
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.2	0.5
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.6	3.9	4.6	4.6	2.3	16.1
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.9
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	0.3	0.1	*	*	-	0.5
	3	-	-	-	-	-	-	-	*	*	0.3	0.1	*	*	*	0.6
	4	-	-	-	-	-	-	-	-	*	0.1	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.6	0.2	0.1	*	*	1.1
32	1 - 2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.3	0.3	0.2	0.1	*	0.9
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.5	0.2	0.1	*	1.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.1

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.1	0.8	8.3	24.2	32.0	27.5	7.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.99
Percent Tenderable	94.3
SAMPLES CLASSED	236,513

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.2	1.0	2.7	6.0	10.8	5.3	0.4	26.6	
	3	-	-	-	-	-	*	*	0.1	0.6	2.3	5.8	8.1	5.2	0.4	22.5	
	4	-	-	-	-	-	-	*	*	0.1	0.2	1.2	0.8	0.4	0.1	2.8	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
TOTAL		-	-	-	-	-	*	*	0.3	1.6	5.2	13.1	19.8	11.0	0.9	52.0	
31	1 - 2	-	-	-	-	-	-	*	*	0.2	0.4	0.7	1.2	0.6	*	3.1	
	3	-	-	-	-	-	*	*	0.1	0.5	1.9	4.4	6.7	4.3	0.4	18.3	
	4	-	-	-	-	-	-	*	0.1	0.2	1.2	3.4	3.5	2.6	0.3	11.3	
	5	-	-	-	-	-	*	*	*	*	0.2	0.6	0.5	0.3	*	1.5	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
TOTAL		-	-	-	-	-	*	*	0.2	0.9	3.6	9.0	12.0	7.8	0.8	34.3	
41	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2	
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.9	1.1	0.5	0.1	3.1	
	4	-	-	-	-	-	-	*	*	0.1	0.6	1.3	1.8	1.4	0.2	5.3	
	5	-	-	-	-	-	-	-	*	*	0.3	0.8	0.8	0.7	0.1	2.7	
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.1	0.1	*	0.4	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	*	*	*	0.3	1.4	3.1	3.9	2.7	0.3	11.7	
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2	
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.5	
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2	
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.3	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	0.6	
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3	
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.7	
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3	
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL ALL		-	-	-	-	-	*	0.1	0.6	3.2	10.7	25.9	35.9	21.6	1.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	*

Average Staple	37.66
Percent Tenderable	90.9
SAMPLES CLASSED	475,420

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.1	1.6	3.1	1.8	1.0	0.5	0.1	8.2
	3	-	-	-	-	-	-	-	*	0.2	1.0	1.4	0.6	0.4	0.1	3.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	1.8	4.1	3.2	1.6	1.0	0.2	11.9
31	1 - 2	-	-	-	-	-	-	*	0.2	1.4	3.6	2.8	0.9	0.6	0.1	9.7
	3	-	-	-	-	-	-	*	0.1	1.9	7.7	11.7	3.6	3.7	1.0	29.7
	4	-	-	-	-	-	-	-	*	0.2	1.3	7.1	2.5	1.2	0.6	12.8
	5	-	-	-	-	-	-	-	*	*	*	0.9	0.4	0.2	0.1	1.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	3.5	12.6	22.5	7.5	5.7	1.7	53.9
41	1 - 2	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	0.6
	3	-	-	-	-	-	-	*	*	0.4	2.0	3.0	0.9	0.4	0.2	6.9
	4	-	-	-	-	-	-	-	*	0.2	1.7	9.5	3.2	0.8	0.3	15.6
	5	-	-	-	-	-	-	-	*	*	0.3	5.6	2.9	0.4	0.1	9.3
	6	-	-	-	-	-	-	-	-	*	*	0.5	0.3	*	*	0.8
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.7	4.2	18.7	7.4	1.6	0.6	33.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	0.2	*	-	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.3	0.1	*	*	0.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.2
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	0.4	6.0	21.0	45.0	16.7	8.4	2.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.06
Percent Tenderable	91.5
SAMPLES CLASSED	212,165

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

EXTRANEOUS MATTER	
Bark - Level 1	-
Bark - Level 2	-
Grass - Level 1	-
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	-
Plastic - Level 2	-

Average Staple	-
Percent Tenderable	-
SAMPLES CLASSED	-

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.2	0.7	1.6	3.0	3.5	1.2	0.3	*	10.5
	3	-	-	-	-	-	*	*	0.2	1.3	2.7	3.5	2.2	0.7	*	10.8
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.0	2.9	5.9	7.3	3.6	1.0	0.1	22.1
31	1 - 2	-	-	-	-	*	*	0.1	0.3	0.8	1.0	1.4	0.6	0.2	*	4.5
	3	-	-	-	-	-	*	0.1	0.7	3.8	8.3	9.5	5.4	2.5	0.2	30.5
	4	-	-	-	-	-	*	*	0.1	1.3	4.7	5.8	2.6	1.5	0.2	16.3
	5	-	-	-	-	-	*	*	*	0.1	0.4	0.8	0.2	0.1	*	1.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.2	5.9	14.4	17.5	8.9	4.2	0.5	53.0
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	0.4
	3	-	-	-	-	-	*	*	0.2	0.6	1.6	2.4	1.2	0.6	0.1	6.7
	4	-	-	-	-	-	-	*	0.2	0.7	2.9	4.1	1.8	1.1	0.3	11.1
	5	-	-	-	-	-	-	*	*	0.1	0.7	1.6	0.5	0.2	0.1	3.3
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.4	1.5	5.4	8.4	3.6	1.9	0.4	21.7
51	1 - 2	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	-	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.3	0.4	0.3	*	*	*	1.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	*	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	*	*	1.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.1	0.5	2.9	11.1	26.7	34.1	16.3	7.2	1.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.8
Bark - Level 2	-
Grass - Level 1	0.4
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.74
Percent Tenderable	81.1
SAMPLES CLASSED	325,699

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	*	-	-	*	*	0.3	2.0	4.4	8.4	15.6	21.6	12.8	3.8	0.4	69.4
	3	-	-	-	*	*	0.3	1.2	1.8	1.4	1.7	1.7	0.7	0.2	*	9.0
	4	-	-	-	-	-	*	0.1	0.1	*	*	0.2	*	*	-	0.5
	5	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		*	-	-	*	0.1	0.6	3.2	6.3	9.8	17.4	23.5	13.5	4.0	0.4
31	1 - 2	-	-	-	-	*	*	0.5	0.7	1.4	1.3	1.4	0.6	0.1	*	6.1
	3	-	-	-	-	0.1	0.2	0.7	1.0	1.4	2.0	1.1	0.6	0.1	*	7.2
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	0.2	0.4	0.2	*	*	1.4
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	0.1	0.3	1.4	2.0	2.9	3.5	2.9	1.5	0.2	*
41	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	0.1	0.2	0.5	0.1	*	0.1	*	*	*	-	1.2
	3	-	-	-	*	*	0.3	0.6	0.4	0.1	0.1	0.1	*	-	-	1.7
	4	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	0.1	0.6	1.2	0.5	0.1	0.2	0.2	0.1	*	-
32	1 - 2	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.3	0.2	0.1	0.1	0.1	*	-	-	0.8
	4	-	-	-	-	*	0.1	0.3	0.3	0.1	0.1	0.1	0.1	-	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	0.2	0.7	0.7	0.3	0.2	0.2	0.1	-	-
42	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	0.1	*	-	-	*	*	-	-
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
33	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	*	*	0.1	*	0.1	*	*	0.1	-	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	0.1	0.1	0.1	0.2	0.1	*	0.1	*	*	-	-	0.6
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	-	*	*	-	-	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		*	-	*	0.1	0.4	1.8	6.8	9.6	13.2	21.4	26.8	15.1	4.3	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.0
Bark - Level 2	-
Grass - Level 1	-
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.09
Percent Tenderable	88.3
SAMPLES CLASSED	48,084

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	*	*	0.3	1.0	1.8	3.3	5.3	1.1	0.1	*	13.0
	3	-	-	-	-	*	*	0.2	0.7	1.5	3.1	8.3	3.6	0.6	*	18.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.6	0.3	0.1	*	1.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.5	1.8	3.3	6.5	14.2	5.1	0.8	*	32.3
31	1 - 2	-	-	-	-	*	*	0.2	0.7	1.4	1.5	2.0	0.3	*	*	6.2
	3	-	-	-	-	*	*	0.3	1.6	4.2	6.5	13.1	4.8	0.8	*	31.4
	4	-	-	-	-	-	*	0.1	0.3	1.0	2.0	5.9	3.0	0.6	*	12.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.4	0.2	0.1	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.5	2.6	6.6	10.1	21.4	8.3	1.5	0.1	51.3
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	3	-	-	-	-	-	*	0.1	0.3	0.7	1.1	1.4	0.5	0.1	*	4.1
	4	-	-	-	-	-	*	*	0.1	0.4	1.0	1.9	1.2	0.3	*	4.9
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	1.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.4	1.3	2.4	3.9	2.1	0.6	0.1	10.7
51	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
61	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	*	-	0.7
32	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.2	*	*	*	1.9
	4	-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	*	1.0
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.5	1.2	1.0	0.4	0.1	*	*	3.5
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.2
52	1 - 2	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL ALL		-	-	-	-	0.1	0.2	1.5	5.8	13.1	20.4	40.2	15.6	2.9	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.2
Bark - Level 2	-
Grass - Level 1	0.4
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.50
Percent Tenderable	88.4
SAMPLES CLASSED	126,673

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.3	2.6	4.2	2.3	1.3	0.1	*	10.8
	3	-	-	-	-	-	-	*	0.1	1.0	2.4	1.4	0.8	0.2	*	5.8
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	3.7	6.8	3.8	2.1	0.4	*	17.0
31	1 - 2	-	-	-	-	-	*	*	0.3	2.3	3.5	2.0	0.7	*	*	8.9
	3	-	-	-	-	-	-	*	0.2	3.5	11.0	8.1	2.5	0.5	*	25.8
	4	-	-	-	-	-	-	*	*	0.9	4.0	3.5	0.8	0.4	0.1	9.7
	5	-	-	-	-	-	-	-	*	0.1	0.4	0.5	0.1	*	*	1.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.5	6.7	18.9	14.2	4.1	1.0	0.1	45.5
41	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.3	0.2	0.1	*	-	1.0
	3	-	-	-	-	-	-	*	0.1	1.3	3.6	3.0	0.7	0.1	*	8.8
	4	-	-	-	-	-	-	*	*	1.0	5.9	6.7	1.0	0.3	*	15.0
	5	-	-	-	-	-	-	-	*	0.3	2.3	4.0	0.5	0.1	*	7.2
	6	-	-	-	-	-	-	-	*	*	0.2	0.8	0.2	*	*	1.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.2	3.0	12.3	14.7	2.5	0.6	*	33.2
51	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	0.1	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	-	0.4
61	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
32	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	0.5
	3	-	-	-	-	-	-	*	*	0.2	0.6	0.3	*	*	*	1.2
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.4	1.0	0.5	0.1	*	*	2.1
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	0.5
	4	-	-	-	-	-	-	-	*	*	0.2	0.3	*	*	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.4	0.5	0.1	*	*	1.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	1.2	14.1	39.7	33.9	8.9	1.9	0.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.42
Percent Tenderable	91.9
SAMPLES CLASSED	304,597

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	*	*	*	0.1	0.4	1.1	2.0	3.5	5.5	7.5	9.7	3.8	1.1	0.2	34.9
	3	-	*	*	*	*	0.2	0.5	1.1	2.3	3.2	3.6	2.0	0.8	0.1	13.9
	4	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	0.1	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	*	0.1	0.4	1.2	2.5	4.7	8.0	11.0	13.6	6.0	2.0	0.4	49.9
31	1 - 2	-	-	*	*	*	0.1	0.2	0.5	0.7	0.9	1.1	0.4	0.1	*	4.1
	3	-	-	*	*	*	0.1	0.4	1.0	1.8	1.8	2.2	1.4	0.5	0.1	9.2
	4	-	-	-	*	*	*	0.1	0.3	0.6	0.7	0.6	0.4	0.2	*	3.1
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.2	0.7	1.8	3.2	3.5	4.0	2.3	0.9	0.2	16.7
41	1 - 2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	0.9
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.6	1.0	0.6	0.2	*	3.6
	4	-	-	-	-	*	*	*	0.3	0.6	0.4	0.4	0.4	0.1	*	2.3
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.2	0.8	1.5	1.3	1.8	1.1	0.4	*	7.2
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.3
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
71	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1 - 2	-	*	*	0.1	0.3	0.7	1.3	1.8	1.8	1.6	1.4	0.3	0.1	*	9.3
	3	-	-	*	*	0.1	0.3	0.5	0.9	1.2	1.0	0.7	0.2	*	*	5.0
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	0.1	0.4	1.0	1.9	2.8	3.2	2.8	2.3	0.5	0.1	*	15.1
32	1 - 2	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	1.4
	3	-	-	*	*	0.1	0.2	0.4	0.6	0.6	0.4	0.2	0.1	*	*	2.4
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.1
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.4	0.9	1.2	1.2	0.7	0.4	0.2	0.1	*	5.2
42	1 - 2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	4	-	*	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	0.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	*	0.2	0.4	0.7	0.4	0.2	0.1	*	*	2.1
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total	
62	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1 - 2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7	
33	1 - 2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3	
	3	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.3	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	*	0.7	
43	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*	
	7	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*	
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	-	*	*	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
63	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
24 - 54	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*	
TOTAL ALL		*	*	*	0.2	1.1	3.3	6.8	12.1	18.3	20.4	23.1	10.6	3.5	0.6	100.0	

EXTRANEIOUS MATTER	
Bark - Level 1	1.2
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	35.75
Percent Tenderable	80.5
SAMPLES CLASSED	2,084,815

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	0.8	1.8	3.1	6.6	6.4	2.8	0.3	21.9
	3	-	-	-	-	-	*	*	0.2	1.1	3.7	9.1	8.5	5.8	1.5	29.8
	4	-	-	-	-	-	-	-	-	*	0.2	0.7	0.3	0.3	0.2	1.7
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	1.0	2.9	6.9	16.4	15.2	9.0	2.0	53.4
31	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.7	1.3	0.8	0.3	*	3.6
	3	-	-	-	-	-	*	*	0.1	0.9	4.8	10.6	5.8	3.6	0.9	26.7
	4	-	-	-	-	-	-	-	*	0.2	2.0	6.4	2.0	1.5	0.7	12.8
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.4	7.6	18.8	8.7	5.5	1.7	43.9
41	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	0.1	0.8
	4	-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	0.1	0.1	0.9
	5	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.3	0.9	0.4	0.3	0.2	2.0
51	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.2
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2019 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	1.2	4.4	15.0	36.3	24.4	14.7	3.8	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.38
Percent Tenderable	82.0
SAMPLES CLASSED	61,276

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2019 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	3,811	-	687	-	-	-	23	1	82	-
Arizona	-	-	2	-	-	-	-	-	4	-
Arkansas	3,286	9	696	-	1	-	5	-	43	-
California	-	-	20	-	-	-	1	-	-	-
Florida	1,692	-	127	-	-	-	10	-	10	-
Georgia	13,932	1	1,472	-	-	-	83	2	170	-
Kansas	13,175	-	-	-	-	-	-	-	-	-
Louisiana	780	-	211	-	2	-	3	-	15	-
Mississippi	2,347	3	940	5	3	-	34	-	122	-
Missouri	394	-	57	-	-	-	2	-	54	-
New Mexico	-	-	-	-	-	-	-	-	-	-
North Carolina	5,881	-	1,342	-	-	-	16	-	16	-
Oklahoma	983	-	-	-	-	-	-	-	93	-
South Carolina	1,529	-	570	-	-	-	1	-	72	-
Tennessee	812	-	50	-	-	-	1	-	1	-
Texas	25,053	-	5,552	-	38	-	83	2	2,581	-
Virginia	427	-	79	-	-	-	1	-	1	-
United States	74,102	13	11,805	5	44	-	263	5	3,264	-

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	1	-	72	-	-	-	4,676	1
Arizona	-	-	8	-	-	-	14	-
Arkansas	5	-	116	-	-	-	4,152	9
California	-	-	2	-	-	-	23	-
Florida	-	-	5	-	-	-	1,844	-
Georgia	61	-	141	-	-	-	15,859	3
Kansas	-	-	16	-	-	-	13,191	-
Louisiana	-	-	40	-	-	-	1,051	-
Mississippi	9	-	195	1	-	-	3,650	9
Missouri	1	-	26	-	-	-	534	-
New Mexico	-	-	-	-	-	-	-	-
North Carolina	-	-	13	-	-	-	7,268	-
Oklahoma	4	-	12	-	-	-	1,092	-
South Carolina	-	-	7	-	-	-	2,179	-
Tennessee	3	-	30	-	-	-	897	-
Texas	90	-	1,349	-	-	-	34,746	2
Virginia	-	-	14	-	-	-	522	-
United States	174	-	2,046	1	-	-	91,698	24

Table 21. -- Tenderability of upland cotton classed, by states, 2019 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	277,057	91.7	25,139	8.3
Arizona	27,488	83.2	5,559	16.8
Arkansas	423,024	93.3	30,222	6.7
California	30,834	87.8	4,270	12.2
Florida	27,696	88.2	3,705	11.8
Georgia	705,946	90.1	77,310	9.9
Kansas	1,320	7.2	16,952	92.8
Louisiana	223,030	94.3	13,483	5.7
Mississippi	432,355	90.9	43,065	9.1
Missouri	194,185	91.5	17,980	8.5
New Mexico	-	-	-	-
North Carolina	264,067	81.1	61,632	18.9
Oklahoma	42,454	88.3	5,630	11.7
South Carolina	111,983	88.4	14,690	11.6
Tennessee	279,946	91.9	24,651	8.1
Texas	1,677,517	80.5	407,298	19.5
Virginia	50,226	82.0	11,050	18.0
<i>United States</i>	<i>4,769,128</i>	<i>86.2</i>	<i>762,636</i>	<i>13.8</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2019 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	0.7	69.4	76.4	63.9	30.8	11.2	28.7	24.7	10.5	13.0	21.9	12.5
	3	0.2	9.0	10.5	8.6	16.0	16.2	20.6	19.6	10.8	18.1	29.8	14.9
	4	*	0.5	0.5	0.4	1.3	0.8	2.6	2.2	0.7	1.2	1.7	1.0
	5	*	*	*	*	*	*	0.1	0.1	*	*	*	*
	6	-	-	-	-	*	-	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-	-	-
TOTAL		0.9	78.9	87.4	73.0	48.2	28.2	52.0	46.6	22.1	32.3	53.4	28.3
31	1 - 2	1.6	6.1	0.5	2.6	4.5	3.4	3.3	3.4	4.5	6.2	3.6	4.8
	3	2.0	7.2	1.1	3.3	10.7	31.5	19.0	21.8	30.5	31.4	26.7	30.3
	4	1.0	1.4	0.4	0.8	3.8	15.3	10.9	11.9	16.3	12.8	12.8	15.0
	5	0.5	0.2	0.1	0.2	0.4	1.6	1.5	1.5	1.6	0.9	0.8	1.3
	6	0.1	*	*	*	*	*	*	*	*	*	*	*
	7	*	-	-	*	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	-	-	-	-
TOTAL		5.3	14.8	2.0	6.9	19.3	51.8	34.8	38.6	53.0	51.3	43.9	51.5
41	1 - 2	-	*	*	*	1.1	0.1	0.2	0.2	0.4	0.4	0.1	0.3
	3	0.1	*	*	*	4.4	4.8	3.1	3.5	6.7	4.1	0.8	5.4
	4	1.0	*	*	0.1	2.9	9.4	5.2	6.2	11.1	4.9	0.9	8.3
	5	1.9	-	*	0.2	0.5	3.5	2.8	2.9	3.3	1.2	0.3	2.4
	6	1.1	-	*	0.1	*	0.3	0.5	0.4	0.3	0.1	*	0.2
	7	0.3	-	-	*	*	*	*	*	*	-	-	*
	8	0.1	-	-	*	-	-	-	-	-	-	-	-
TOTAL		4.4	0.1	*	0.6	8.9	18.0	11.8	13.2	21.7	10.7	2.0	16.7
51	1 - 2	-	-	*	*	0.1	*	*	*	*	*	*	*
	3	-	-	*	*	0.8	*	*	*	0.1	0.1	*	0.1
	4	0.1	*	-	*	0.6	0.2	0.1	0.1	0.1	*	*	0.1
	5	0.5	-	-	0.1	0.1	0.1	0.2	0.2	0.1	*	*	0.1
	6	0.3	-	-	*	*	*	0.1	0.1	*	-	*	*
	7	0.2	-	-	*	*	-	*	*	*	-	-	*
	8	0.1	-	-	*	-	-	-	-	-	-	-	-
TOTAL		1.1	*	*	0.2	1.7	0.4	0.4	0.4	0.3	0.1	*	0.2
61	1 - 2	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	0.1	-	*	*	-	*	-	*
	4	-	-	-	-	0.1	*	*	*	-	*	-	*
	5	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.2	*	*	*	-	*	-	*
71	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	-	-	-
12 & 22	1 - 2	*	1.2	7.5	4.3	7.6	0.2	0.1	0.2	0.1	0.3	*	0.1
	3	*	1.7	2.0	1.6	5.2	0.1	0.1	0.1	0.2	0.4	0.1	0.2
	4	*	0.2	0.1	0.2	0.9	*	*	*	*	*	*	*
	5	*	*	*	*	0.1	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.1	3.1	9.6	6.1	13.8	0.3	0.3	0.3	0.3	0.7	0.2	0.4
32	1 - 2	0.1	0.2	0.1	0.1	0.7	0.1	*	0.1	0.1	0.4	*	0.1
	3	0.3	0.8	0.2	0.4	1.9	0.4	0.2	0.3	0.6	1.9	0.2	0.9
	4	1.0	1.1	0.1	0.6	1.0	0.1	0.2	0.2	0.5	1.0	0.1	0.6
	5	1.6	0.2	*	0.3	0.2	*	*	*	0.1	0.1	*	0.1
	6	0.5	*	*	0.1	*	-	*	*	*	*	*	*
	7	*	-	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		3.5	2.3	0.4	1.5	3.9	0.7	0.5	0.5	1.3	3.5	0.3	1.7
42	1 - 2	-	*	-	*	0.3	*	*	*	*	*	-	*
	3	0.2	*	*	*	1.1	0.2	*	0.1	0.4	0.5	*	0.4
	4	1.5	*	-	0.2	0.9	0.3	0.1	0.1	0.7	0.5	0.1	0.6
	5	5.4	*	*	0.7	0.2	*	*	*	0.2	0.2	*	0.2
	6	4.7	*	*	0.6	*	*	*	*	*	*	*	*
	7	1.7	-	-	0.2	*	-	-	-	-	-	-	-
	8	0.5	-	-	0.1	*	-	-	-	-	-	-	-
TOTAL		14.0	0.1	*	1.9	2.6	0.6	0.2	0.3	1.3	1.2	0.1	1.1

Table 23. --- Continued.

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	-	*	*	*	*	*	*	-	*	-	*
	3	-	-	*	*	0.3	*	*	*	*	*	-	*
	4	0.1	-	-	*	0.3	*	*	*	*	*	*	*
	5	0.5	-	-	0.1	0.1	*	*	*	*	*	-	*
	6	0.8	-	*	0.1	*	-	*	*	*	*	-	*
	7	0.6	-	-	0.1	*	-	-	-	-	-	-	-
	8	0.6	-	-	0.1	*	-	-	-	-	-	-	-
TOTAL		2.6	-	*	0.3	0.7	*	*	*	*	*	*	*
62	1 - 2	-	-	-	-	*	-	*	*	-	-	-	-
	3	-	-	-	-	*	*	-	*	-	-	-	-
	4	*	-	-	*	*	-	*	*	-	*	-	*
	5	*	-	*	*	*	-	*	*	-	*	-	*
	6	-	-	-	-	*	-	-	-	-	*	-	*
	7	*	-	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	-	*	*	0.1	*	*	*	-	*	-	*
13 & 23	1 - 2	-	*	0.3	0.2	0.1	-	-	-	-	*	-	*
	3	*	0.1	0.2	0.1	0.2	-	-	-	-	*	-	*
	4	-	*	*	*	*	-	-	-	-	*	-	*
	5	*	-	-	*	*	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.1	0.5	0.3	0.3	-	-	-	-	*	-	*
33	1 - 2	*	*	*	*	*	-	*	*	*	*	*	*
	3	0.2	0.2	*	0.1	0.1	-	*	*	*	0.1	*	*
	4	0.9	0.4	*	0.3	*	*	*	*	*	*	-	*
	5	2.9	0.1	*	0.4	*	-	-	-	*	*	-	*
	6	1.5	-	-	0.2	*	-	-	-	-	-	-	-
	7	0.3	-	-	*	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		5.8	0.6	0.1	1.0	0.1	*	*	*	*	0.1	*	*
43	1 - 2	*	-	-	*	*	-	*	*	*	-	-	*
	3	0.4	-	-	0.1	*	*	*	*	*	*	*	*
	4	2.7	*	-	0.4	*	*	*	*	*	*	-	*
	5	6.0	*	-	0.8	*	*	*	*	*	*	*	*
	6	5.8	*	-	0.8	*	-	*	*	*	-	-	*
	7	2.8	-	-	0.4	*	-	-	-	-	-	-	-
	8	2.4	-	-	0.3	*	-	-	-	-	-	-	-
TOTAL		20.0	0.1	-	2.7	0.1	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	*	-	*	*	-	*	*	*	*	-	*
	4	0.6	-	-	0.1	*	-	*	*	*	*	-	*
	5	1.4	*	-	0.2	*	-	*	*	-	*	-	*
	6	2.9	-	-	0.4	*	-	-	-	-	-	-	-
	7	3.9	-	-	0.5	*	-	-	-	-	-	-	-
	8	2.9	-	-	0.4	*	-	-	-	-	-	-	-
TOTAL		11.7	*	-	1.5	0.1	-	*	*	*	*	-	*
63	1 - 2	-	-	-	-	*	-	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-
	4	*	-	-	*	*	-	*	*	-	*	-	*
	5	*	-	-	*	*	-	*	*	*	*	-	*
	6	0.1	-	-	*	*	-	*	*	-	*	-	*
	7	*	-	*	*	*	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
TOTAL		0.2	-	*	*	*	*	*	*	*	*	-	*
24 - 54	1 - 8	19.7	*	*	2.6	*	-	*	*	*	*	-	*
25 - 35	1 - 8	*	-	-	*	-	-	-	-	-	-	-	-
81 - 85	1 - 8	10.6	-	-	1.4	*	-	*	*	-	*	-	*
Staple													
28 & Shorter		-	*	0.2	0.1	*	-	-	-	-	-	-	-
29		-	*	0.1	0.1	*	-	-	-	-	-	-	-
30		-	0.1	1.1	0.7	*	-	-	-	-	-	-	-
31		*	0.4	4.4	2.8	0.3	-	-	-	*	0.1	-	*
32		*	1.8	9.8	5.8	1.3	*	*	*	0.1	0.2	*	0.1
33		1.1	6.8	12.9	9.2	4.2	*	*	*	0.5	1.5	*	0.7
34		13.8	9.6	15.1	13.0	10.1	0.1	0.4	0.4	2.9	5.8	1.2	3.4
35		44.6	13.2	16.3	18.9	18.6	1.5	2.6	2.3	11.1	13.1	4.4	10.8
36		30.3	21.4	13.9	18.7	22.2	8.8	8.9	8.9	26.7	20.4	15.0	23.8
37		9.5	26.8	15.4	18.6	26.0	29.8	25.2	26.2	34.1	40.2	36.3	35.9
38		0.5	15.1	7.5	9.4	12.4	32.4	38.2	36.9	16.3	15.6	24.4	17.1
39		*	4.3	2.8	3.0	4.1	22.7	22.8	22.8	7.2	2.9	14.7	7.0
40 & Longer		-	0.5	0.6	0.6	0.7	4.6	1.8	2.5	1.0	0.1	3.8	1.1
Average Staple		35.35	36.09	34.87	35.36	36.07	37.80	37.74	37.75	36.74	36.50	37.38	36.76
Average Length		1.10	1.13	1.09	1.10	1.13	1.18	1.18	1.18	1.15	1.14	1.17	1.15

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2019 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
11 & 21	1 - 2	58.5	38.0	23.5	11.9	21.6	21.7	14.7	8.7	17.2	8.2	10.8	10.4
	3	7.9	6.0	23.6	11.3	16.9	18.0	20.1	6.0	36.5	3.7	5.8	9.0
	4	0.6	0.1	1.8	0.7	0.7	0.9	1.9	0.4	4.5	0.1	0.4	0.7
	5	*	-	*	-	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	67.0	44.2	48.9	23.9	39.2	40.5	36.8	15.1	58.2	11.9	17.0	20.2
31	1 - 2	1.5	3.5	4.7	5.2	7.8	7.1	2.4	6.4	0.7	9.7	8.9	7.0
	3	2.6	4.6	20.6	26.8	25.7	24.8	20.4	24.1	10.6	29.7	25.8	24.5
	4	1.3	0.7	7.6	8.8	7.1	7.2	12.3	12.2	13.2	12.8	9.7	11.7
	5	0.3	*	0.4	0.6	0.3	0.4	1.8	1.6	2.0	1.6	1.1	1.5
	6	*	-	*	*	*	*	0.1	*	0.1	*	*	*
	7	*	-	*	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	5.7	8.9	33.4	41.4	40.9	39.5	36.9	44.3	26.6	53.9	45.5	44.6
41	1 - 2	*	*	0.5	0.4	0.9	0.8	0.5	0.4	0.1	0.6	1.0	0.6
	3	*	*	4.2	9.5	5.2	5.2	6.7	5.6	1.6	6.9	8.8	6.7
	4	*	*	3.8	12.6	4.8	4.8	9.5	17.4	5.8	15.6	15.0	14.7
	5	*	*	0.9	2.8	0.9	1.0	3.3	14.2	2.6	9.3	7.2	9.2
	6	*	-	0.1	0.2	*	0.1	0.6	1.5	0.3	0.8	1.2	1.1
	7	*	-	*	*	*	*	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	0.1	0.1	9.5	25.5	11.9	11.9	20.6	39.2	10.3	33.2	33.2	32.3
51	1 - 2	-	*	*	*	0.1	0.1	-	*	*	-	*	*
	3	*	*	0.5	1.2	0.6	0.6	*	*	*	*	0.1	*
	4	-	-	0.7	2.6	0.4	0.5	*	0.2	0.3	0.1	0.1	0.1
	5	-	-	0.4	1.2	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.2
	6	-	-	0.1	0.1	*	*	*	0.1	*	*	0.1	0.1
	7	-	-	*	*	*	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	*	*	1.6	5.0	1.2	1.4	0.1	0.7	0.6	0.4	0.4	0.5
61	1 - 2	-	-	-	-	*	*	-	-	-	-	*	*
	3	-	-	*	-	*	*	-	*	-	-	-	*
	4	-	-	*	*	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	0.1	*	*	-	*	-	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	11.7	20.8	0.6	0.1	0.9	0.8	0.1	*	0.3	*	0.2	0.1
	3	4.6	4.8	0.7	0.1	0.5	0.6	0.9	0.1	1.4	*	0.1	0.2
	4	0.4	0.2	*	0.1	*	*	0.3	*	0.4	-	*	0.1
	5	*	*	-	-	-	-	*	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	16.7	25.7	1.4	0.3	1.4	1.4	1.3	0.1	2.1	*	0.4	0.4
32	1 - 2	1.7	6.8	0.2	0.2	0.6	0.5	0.1	*	0.1	*	0.5	0.2
	3	3.1	5.5	1.6	0.7	2.4	2.2	0.8	0.2	0.4	0.1	1.2	0.6
	4	1.4	1.3	0.8	0.8	0.7	0.7	1.2	0.1	0.7	*	0.4	0.3
	5	0.3	0.1	0.1	0.1	*	*	0.3	*	0.4	*	*	0.1
	6	0.1	*	*	*	*	*	*	*	*	*	*	*
	7	*	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	6.6	13.6	2.6	1.8	3.7	3.4	2.5	0.4	1.6	0.2	2.1	1.2
42	1 - 2	*	*	0.1	*	0.1	0.1	*	*	*	*	*	*
	3	*	0.1	0.9	0.5	0.6	0.7	0.3	0.1	0.1	0.1	0.5	0.2
	4	0.1	0.1	0.6	0.9	0.6	0.6	0.8	0.1	0.2	0.1	0.5	0.3
	5	0.1	0.1	0.2	0.2	0.1	0.1	0.5	0.1	0.3	*	0.1	0.1
	6	0.1	*	*	*	*	*	0.1	*	*	*	*	*
	7	0.1	*	*	-	*	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	0.3	0.4	1.9	1.6	1.4	1.5	1.7	0.3	0.6	0.2	1.2	0.7

* Less than 0.05 percent.

Table 24. -- Continued.													
		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1 - 2	-	-	*	-	*	*	-	-	*	*	-	*
	3	-	*	0.2	*	0.1	0.1	*	*	*	*	*	*
	4	-	*	0.2	0.2	0.1	0.1	*	*	*	*	*	*
	5	*	-	0.1	0.2	*	*	*	*	*	*	*	*
	6	*	-	*	*	*	*	*	*	-	*	*	*
	7	*	-	*	-	-	*	*	-	-	-	-	*
	8	-	-	*	-	-	*	-	-	-	-	-	-
TOTAL		*	*	0.5	0.5	0.2	0.3	*	*	0.1	0.1	*	*
62	1 - 2	-	-	*	-	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	-	-	-	*	-	*
	4	-	-	*	*	*	*	-	-	-	*	-	*
	5	-	-	*	*	-	*	-	-	-	*	-	*
	6	-	-	*	-	-	*	-	-	-	*	-	*
	7	-	-	*	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	*	-	*	-	*	-	*
13 & 23	1 - 2	0.4	1.9	-	-	*	*	-	-	-	-	-	-
	3	0.6	0.6	*	-	*	*	-	-	-	-	-	-
	4	0.1	*	*	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.1	2.6	*	-	*	*	-	-	-	-	-	-
33	1 - 2	0.4	2.0	*	-	*	*	-	*	*	*	*	*
	3	1.1	1.5	*	-	*	*	*	*	*	*	*	*
	4	0.6	0.3	*	-	*	*	*	*	*	*	*	*
	5	0.2	*	*	-	*	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	*	-	-	-	-	*
	7	*	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		2.4	3.9	0.1	-	*	*	*	*	*	*	*	*
43	1 - 2	*	0.1	*	-	*	*	-	-	-	*	*	*
	3	0.1	0.3	*	*	*	*	*	*	-	*	*	*
	4	*	0.1	*	*	*	*	*	*	-	*	*	*
	5	*	*	*	*	*	*	*	*	-	*	*	*
	6	*	*	*	*	*	*	*	*	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.2	0.5	0.1	*	*	*	*	*	-	*	*	*
53	1 - 2	-	*	*	-	*	*	-	-	-	-	-	-
	3	-	*	*	-	*	*	-	-	-	*	*	*
	4	-	-	*	-	*	*	-	-	-	*	*	*
	5	*	*	*	-	-	*	-	*	*	*	-	*
	6	-	-	*	-	-	*	-	-	-	-	-	-
	7	*	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	*	-	*	*	-	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	*	-	*	*	-	-	-	*	-	*
	5	-	*	-	-	*	*	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	-	*	*	-	*	-	*	-	*
24 - 54	1 - 8	*	0.1	*	-	*	*	*	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	*	*	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		0.2	*	-	-	-	-	-	-	-	-	-	-
30		1.5	0.5	-	-	*	*	-	-	-	-	-	-
31		5.4	2.5	0.1	-	0.1	0.1	-	-	-	-	-	-
32		13.7	7.9	1.2	0.1	0.6	0.7	*	-	*	-	*	*
33		19.4	14.4	4.4	1.1	3.3	3.4	*	*	0.3	*	*	*
34		21.8	18.3	12.5	3.1	9.1	9.5	1.1	0.1	1.8	0.4	1.2	0.7
35		17.3	18.0	19.0	5.0	16.3	16.4	7.2	2.4	6.6	6.0	14.1	7.4
36		11.7	16.0	25.5	12.8	21.4	21.9	20.5	14.9	17.8	21.0	39.7	24.3
37		7.3	14.2	28.1	40.0	31.9	31.4	36.5	49.1	27.7	45.0	33.9	41.0
38		1.5	5.2	7.6	30.3	14.1	13.4	21.6	19.5	24.3	16.7	8.9	16.4
39		0.1	2.1	1.6	7.3	3.1	2.9	11.2	11.2	18.3	8.4	1.9	8.4
40 & Longer		*	0.8	0.1	0.5	0.2	0.2	1.9	2.7	3.0	2.5	0.2	1.8
Average Staple		34.00	34.89	35.86	37.10	36.23	36.19	37.12	37.30	37.33	37.06	36.42	36.97
Average Length		1.06	1.09	1.12	1.16	1.13	1.13	1.16	1.16	1.17	1.16	1.13	1.15

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2019 Crop

Color	Leaf	Rayville				Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1 - 2	-	24.1	-	21.5	47.0	66.1	-	-	56.8	24.8
	3	-	23.2	-	20.6	15.3	9.5	-	-	12.3	14.6
	4	-	1.5	-	1.4	1.5	0.4	-	-	0.9	1.1
	5	-	*	-	*	0.1	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	48.8	-	43.5	63.8	75.9	-	-	70.1	40.6
31	1 - 2	-	2.4	-	3.3	2.2	10.9	-	-	6.7	5.1
	3	-	17.9	-	18.9	5.5	10.9	-	-	8.3	18.4
	4	-	9.7	-	9.2	3.1	1.8	-	-	2.4	7.7
	5	-	0.9	-	0.9	0.5	0.2	-	-	0.4	0.8
	6	-	*	-	*	*	*	-	-	*	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	31.0	-	32.4	11.3	23.8	-	-	17.8	32.0
41	1 - 2	-	0.1	-	0.6	*	*	-	-	*	0.7
	3	-	4.1	-	5.9	0.2	0.1	-	-	0.1	4.6
	4	-	8.3	-	7.7	0.2	0.1	-	-	0.2	6.2
	5	-	3.1	-	2.7	*	*	-	-	*	2.7
	6	-	0.5	-	0.4	*	-	-	-	*	0.3
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	16.1	-	17.3	0.5	0.2	-	-	0.3	14.4
51	1 - 2	-	-	-	*	-	-	-	-	-	0.1
	3	-	*	-	0.1	-	-	-	-	-	0.4
	4	-	0.2	-	0.2	-	-	-	-	-	0.3
	5	-	0.4	-	0.3	-	-	-	-	-	0.2
	6	-	0.2	-	0.2	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	0.9	-	0.8	-	-	-	-	-	0.9
61	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	0.5	-	0.8	8.5	*	-	-	4.1	3.8
	3	-	0.6	-	0.9	8.9	*	-	-	4.3	2.1
	4	-	0.1	-	0.1	1.6	-	-	-	0.8	0.3
	5	-	*	-	*	0.2	-	-	-	0.1	*
	6	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	1.1	-	1.9	19.2	*	-	-	9.3	6.3
32	1 - 2	-	0.1	-	0.3	0.2	*	-	-	0.1	0.7
	3	-	0.5	-	1.2	1.1	*	-	-	0.6	1.6
	4	-	0.2	-	0.5	1.7	-	-	-	0.8	0.7
	5	-	*	-	0.1	0.6	*	-	-	0.3	0.1
	6	-	-	-	*	0.1	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	0.9	-	2.1	3.7	0.1	-	-	1.8	3.1
42	1 - 2	-	*	-	0.1	*	-	-	-	*	0.1
	3	-	0.3	-	0.6	0.1	*	-	-	*	0.6
	4	-	0.5	-	0.7	0.4	-	-	-	0.2	0.5
	5	-	0.2	-	0.2	0.3	-	-	-	0.1	0.2
	6	-	0.1	-	*	0.1	-	-	-	*	*
	7	-	*	-	*	*	-	-	-	*	*
	8	-	-	-	-	*	-	-	-	*	*
	TOTAL	-	1.1	-	1.6	0.9	*	-	-	0.5	1.4

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 25. -- Continued.

		Rayville				Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
52	1 - 2	-	-	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	0.1
	4	-	*	-	*	-	-	-	-	-	0.1
	5	-	0.1	-	0.1	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	0.1	-	-	-	-	-	0.3
62	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	-	*	-	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	0.2	-	-	-	0.1	0.1
	3	-	-	-	-	0.2	-	-	-	0.1	0.1
	4	-	-	-	-	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.4	-	-	-	0.2	0.3
33	1 - 2	-	*	-	*	*	*	-	-	*	0.1
	3	-	*	-	0.1	*	-	-	-	*	0.1
	4	-	*	-	*	*	-	-	-	*	0.1
	5	-	-	-	*	*	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.1	0.1	*	-	-	*	0.3
43	1 - 2	-	*	-	*	-	-	-	-	-	*
	3	-	*	-	0.1	*	-	-	-	*	*
	4	-	*	-	0.1	*	-	-	-	*	*
	5	-	*	-	*	*	-	-	-	*	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.2	*	-	-	-	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	*	-	-	-	-	-	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*
24 - 54	1 - 8	-	*	-	*	*	-	-	-	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	*
Staple 28 & Shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	0.2
31		-	-	-	*	-	-	-	-	-	0.7
32		-	-	-	0.2	-	-	-	-	-	1.8
33		-	*	-	0.1	0.1	0.1	-	-	0.1	3.3
34		-	0.1	-	1.5	1.2	1.5	-	-	1.4	6.9
35		-	0.8	-	2.4	7.9	2.1	-	-	4.9	12.8
36		-	8.3	-	10.2	31.1	16.5	-	-	23.5	20.2
37		-	24.2	-	26.7	30.8	40.3	-	-	35.7	29.7
38		-	32.0	-	29.4	19.9	22.2	-	-	21.1	16.3
39		-	27.5	-	23.8	8.4	15.7	-	-	12.1	7.6
40 & Longer		-	7.1	-	6.0	0.7	1.7	-	-	1.2	1.3
Average Staple		-	37.99	-	37.75	36.88	37.33	-	-	37.11	36.45
Average Length		-	1.19	-	1.18	1.15	1.17	-	-	1.16	1.14

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2019 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	72.1	2.0	1.9	11.2	0.4	1.8	0.6	0.8	1.8	1.2	0.7	1.5
Bark - Level 2	-	-	-	-	-	*	*	*	-	-	-	-
Grass - Level 1	-	-	0.5	0.5	0.3	0.5	0.2	0.3	0.4	0.4	0.1	0.4
Grass - Level 2	-	-	-	-	-	-	*	*	-	-	-	-
Oil - Level 1	-	-	-	-	*	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	*	*	*	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	*	*	-	-	-	-
Prep - Level 1	-	-	-	-	*	*	*	*	0.1	1.1	*	*
Prep - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.2	1.9	1.2	*	*	*	*	*	0.1	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	1.0	1.2	0.2	0.5	*	-	-	-	-	5.6	-	5.6
23	1.2	0.3	0.2	0.4	*	-	-	-	*	*	-	*
24	4.0	0.2	1.1	1.2	0.1	*	*	*	*	0.1	*	*
25	11.5	0.5	2.7	3.1	0.5	*	*	*	0.1	0.5	0.1	0.2
26	24.8	1.0	5.3	6.2	1.6	0.2	0.1	0.1	0.8	2.0	0.4	1.0
27	28.7	2.8	10.1	10.0	4.4	1.0	0.7	0.8	1.8	5.5	2.1	2.8
28	18.3	7.0	16.7	13.5	9.7	4.4	3.1	3.4	4.7	13.0	5.0	6.8
29	8.2	12.5	15.7	13.6	17.0	13.8	12.8	13.0	13.1	29.7	13.5	17.3
30	4.2	16.8	13.1	13.2	22.7	31.7	33.9	33.4	23.2	25.4	26.1	24.1
31	0.8	15.9	11.4	11.6	19.8	29.6	32.3	31.6	22.9	13.4	23.7	20.7
32	0.3	16.7	11.1	11.6	12.4	13.1	11.5	11.9	17.5	6.3	17.0	14.7
33	0.3	14.6	7.0	8.8	6.4	4.4	4.3	4.3	10.5	2.6	7.9	8.3
34	*	6.8	3.4	4.1	3.3	1.5	1.2	1.3	3.9	1.1	2.9	3.1
35	-	3.4	1.4	2.2	1.4	0.4	0.2	0.2	1.0	0.3	1.0	0.8
36	-	1.1	0.5	0.7	0.4	*	*	*	0.3	0.1	0.2	0.2
37	-	0.4	0.2	0.3	0.1	-	-	-	*	*	*	*
38	-	0.1	0.1	0.1	*	-	-	-	*	-	-	*
39	-	*	*	*	*	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	27.32	31.48	30.02	30.17	30.72	30.96	30.97	30.97	31.25	30.01	31.13	30.93
MIKE												
2.4 & Below	0.4	-	-	0.4	*	-	-	-	-	-	-	-
2.5	1.2	-	-	1.2	-	-	-	-	-	-	-	-
2.6	1.0	-	-	1.0	*	-	-	-	-	-	-	-
2.7	1.6	-	-	1.6	*	-	-	-	*	-	-	*
2.8	1.6	*	-	1.1	*	-	-	-	*	-	-	*
2.9	1.9	0.1	*	0.5	*	-	-	-	*	*	-	*
3.0	1.8	0.1	0.1	0.4	0.1	-	-	-	*	-	-	*
3.1	3.2	*	0.1	0.7	0.2	-	*	*	*	-	-	*
3.2	3.1	*	0.2	0.6	0.3	-	*	*	*	*	-	*
3.3	1.6	0.1	0.1	0.3	0.5	*	*	*	*	*	-	*
3.4	2.3	0.3	0.3	0.6	0.8	*	*	*	*	*	-	*
3.5	2.9	0.7	0.5	0.9	1.2	*	*	*	*	*	-	*
3.6	5.0	1.1	1.0	1.6	1.6	0.1	*	*	*	0.2	*	*
3.7	7.2	1.6	1.5	2.3	2.5	0.1	0.1	0.1	0.1	0.2	*	0.1
3.8	7.1	1.8	2.1	2.7	3.5	0.3	0.2	0.3	0.2	0.4	*	0.2
3.9	8.7	3.1	3.2	3.9	4.4	0.5	0.7	0.7	0.3	0.7	0.1	0.4
4.0	6.3	4.5	4.1	4.5	5.3	0.8	1.7	1.5	0.7	1.1	0.1	0.8
4.1	7.3	5.6	6.4	6.2	6.7	1.2	2.2	2.0	1.3	2.4	0.3	1.4
4.2	7.0	8.2	9.8	8.9	7.9	3.2	3.2	3.2	2.4	4.2	1.1	2.7
4.3	6.0	10.7	11.8	10.6	9.2	7.2	5.4	5.8	3.9	7.6	2.5	4.6
4.4	6.2	11.5	13.1	11.7	10.4	11.6	8.9	9.5	6.4	11.1	5.1	7.4
4.5	5.8	11.9	12.5	11.4	10.3	14.7	12.9	13.3	10.3	14.4	9.2	11.2
4.6	4.8	10.6	12.1	10.6	9.5	16.5	15.8	16.0	13.8	15.9	14.8	14.4
4.7	4.4	9.6	8.7	8.5	8.8	15.6	16.5	16.3	16.1	15.1	18.2	16.1
4.8	1.8	8.8	5.4	6.1	6.8	12.4	14.9	14.3	16.2	11.5	17.7	15.2
4.9	0.9	4.6	3.2	3.4	4.4	7.5	8.9	8.6	12.8	7.5	13.7	11.6
5.0	0.3	2.6	2.3	2.2	3.0	3.8	4.3	4.2	8.0	4.1	9.2	7.2
5.1	0.1	1.6	1.1	1.1	1.6	2.3	2.2	2.2	4.2	1.8	4.5	3.6
5.2	*	1.1	0.5	0.6	0.7	1.4	1.3	1.3	2.0	0.6	2.0	1.6
5.3	*	0.3	0.1	0.2	0.3	0.5	0.6	0.6	0.8	0.6	0.8	0.7
5.4	-	*	*	*	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.3
5.5 & Above	-	*	*	*	0.2	*	*	*	0.2	0.2	0.2	0.2
Average	3.92	4.44	4.40	4.35	4.38	4.61	4.63	4.62	4.70	4.59	4.74	4.68

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2019 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	2.5	5.0	1.9	5.4	1.8	1.9	0.2	0.3	0.2	0.2	0.3	0.3
Bark - Level 2	-	-	-	-	*	*	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.4	0.4	0.2	0.2	*	*	0.1	*	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	-	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	-	*	*	-	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	-	*	*	*
Prep - Level 2	-	-	*	-	*	*	-	-	-	-	-	-
Seed Coat - Level 1	0.3	0.1	*	*	*	*	*	*	0.1	0.2	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	0.3	0.2	0.2	-	*	*	-	*	-	*	-	*
23	0.9	0.7	*	*	*	*	*	*	-	*	*	*
24	2.3	1.5	0.2	*	0.3	0.3	*	*	0.1	*	*	*
25	4.7	3.1	1.1	0.3	1.4	1.3	0.1	*	0.1	*	0.1	*
26	9.6	5.8	4.1	2.2	5.1	4.8	0.9	0.2	0.2	0.4	0.6	0.4
27	12.5	10.0	12.3	7.3	11.7	11.6	6.1	1.5	1.4	3.0	5.4	3.4
28	17.3	13.6	25.7	19.1	19.7	20.8	21.0	9.2	6.7	12.6	21.6	14.7
29	18.5	16.0	26.8	31.0	24.4	25.0	34.8	25.8	16.5	28.6	33.1	28.9
30	14.8	15.7	16.4	23.3	19.4	18.9	24.1	30.7	26.6	32.1	22.8	27.6
31	10.4	13.1	8.0	10.1	10.4	9.9	8.7	20.6	24.4	16.4	10.3	15.7
32	5.4	9.3	3.8	4.5	4.7	4.5	3.0	9.1	16.4	5.3	4.4	6.7
33	2.1	5.9	1.2	1.5	1.9	1.8	0.9	2.3	6.6	1.4	1.4	2.0
34	0.8	3.0	0.3	0.3	0.7	0.6	0.3	0.5	1.1	0.3	0.4	0.4
35	0.2	1.3	0.1	0.1	0.2	0.2	0.1	0.1	0.1	*	0.1	0.1
36	0.1	0.5	*	*	0.1	0.1	*	0.1	*	*	*	*
37	*	0.2	*	-	*	*	-	*	-	-	*	*
38	*	0.1	-	-	*	*	-	-	-	-	-	-
39	-	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	-	-	-	-	-
Average	29.02	29.91	29.28	29.69	29.47	29.44	29.65	30.44	30.92	30.13	29.75	30.12
MIKE												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5	*	*	-	*	*	*	-	-	-	-	-	-
2.6	-	*	-	*	*	*	-	-	-	-	-	-
2.7	*	*	-	-	*	*	-	-	-	-	-	-
2.8	*	*	*	*	*	*	-	*	-	-	-	*
2.9	*	0.1	-	*	*	*	-	*	*	-	*	*
3.0	*	0.1	*	*	*	*	*	0.1	-	*	*	*
3.1	0.1	0.1	*	-	*	*	*	*	*	*	*	*
3.2	0.1	0.2	*	-	*	*	*	0.1	*	*	0.1	*
3.3	0.2	0.3	0.1	*	*	*	0.2	*	*	*	*	*
3.4	0.2	0.5	0.2	*	0.1	0.1	0.5	0.1	0.1	*	*	0.1
3.5	0.4	0.7	0.3	-	0.2	0.2	0.7	0.2	0.1	0.1	0.1	0.2
3.6	0.6	0.9	0.8	*	0.3	0.4	1.5	0.3	0.6	0.2	0.3	0.4
3.7	0.8	1.2	1.0	*	0.4	0.5	3.2	0.7	1.6	0.3	0.5	0.9
3.8	1.5	1.7	1.6	0.2	0.8	0.9	5.6	1.5	2.5	0.6	0.8	1.6
3.9	1.9	2.3	2.6	0.7	1.3	1.5	8.8	2.5	3.6	1.6	1.7	2.8
4.0	3.0	3.1	3.7	1.8	2.2	2.5	10.8	3.8	4.8	3.2	2.5	4.1
4.1	4.0	4.1	5.8	3.4	3.8	4.2	12.6	6.6	7.6	5.6	3.7	6.3
4.2	5.0	5.6	7.9	5.3	6.5	6.7	13.3	10.0	8.7	8.4	5.4	8.6
4.3	7.0	7.5	11.5	9.3	10.0	10.2	12.6	13.0	12.2	10.1	7.7	10.8
4.4	9.1	9.4	12.8	14.8	13.7	13.5	11.0	13.8	14.8	12.2	12.1	12.7
4.5	10.7	10.9	13.8	20.7	15.4	15.3	8.0	14.9	13.9	13.0	15.7	13.9
4.6	12.6	11.0	13.6	18.9	14.7	14.6	4.3	13.3	11.1	12.3	16.2	12.8
4.7	11.6	10.7	11.1	12.8	11.7	11.6	3.2	9.1	6.6	11.2	13.2	9.9
4.8	9.7	10.0	6.4	5.7	8.6	8.1	1.9	5.0	5.2	7.9	9.3	6.5
4.9	7.9	8.2	3.8	3.0	5.3	4.9	1.0	2.6	4.8	6.1	5.7	4.2
5.0	5.6	5.8	1.6	1.7	2.9	2.6	0.6	1.6	1.3	3.7	2.9	2.3
5.1	3.7	3.4	0.7	1.1	1.4	1.2	0.1	0.6	0.3	2.1	1.3	1.0
5.2	2.5	1.5	0.5	0.5	0.4	0.4	*	0.3	0.1	0.9	0.5	0.5
5.3	1.1	0.5	0.3	0.2	0.2	0.2	*	0.1	0.1	0.3	0.1	0.1
5.4	0.6	0.2	0.1	0.1	0.1	0.1	*	*	*	0.1	*	*
5.5 & Above	0.3	0.1	*	*	*	*	-	*	-	*	*	*
Average	4.57	4.52	4.44	4.51	4.51	4.50	4.20	4.42	4.39	4.51	4.52	4.44

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2019 Crop

	Rayville				Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Classing Office Total	Arizona 2/	California 2/	New Mexico 2/	Texas 2/	Classing Office Total 2/	United States
Extraneous Matter										
Bark - Level 1	-	0.3	-	0.9	-	-	-	-	-	1.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	*
Grass - Level 1	-	0.1	-	0.3	*	0.9	-	-	0.1	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	*	-	*	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	*	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	*
Prep - Level 1	-	*	-	*	-	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	*	-	*	0.1	-	-	-	0.1	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Strength 1/										
22 & Below	-	-	-	-	-	-	-	-	-	0.1
23	-	-	-	-	-	-	-	-	-	0.1
24	-	-	-	-	-	-	-	-	-	0.3
25	-	*	-	0.1	*	*	-	-	*	0.8
26	-	0.1	-	1.0	0.1	*	-	-	0.1	2.3
27	-	1.3	-	4.1	2.9	1.3	-	-	2.1	5.6
28	-	7.9	-	9.8	8.9	2.6	-	-	6.8	12.3
29	-	24.4	-	23.4	19.8	4.0	-	-	11.7	20.5
30	-	27.8	-	27.2	27.6	11.8	-	-	19.5	23.5
31	-	18.0	-	16.8	21.0	14.0	-	-	17.4	17.5
32	-	12.8	-	11.2	14.2	15.1	-	-	14.6	9.7
33	-	5.6	-	4.8	5.2	7.5	-	-	6.4	4.6
34	-	1.7	-	1.6	0.6	3.6	-	-	2.2	1.9
35	-	0.3	-	0.3	*	8.0	-	-	4.1	0.7
36	-	*	-	*	*	15.3	-	-	7.9	0.3
37	-	*	-	*	-	13.5	-	-	13.5	0.2
38	-	-	-	-	*	3.9	-	-	2.1	0.1
39	-	-	-	-	-	0.5	-	-	0.5	*
40 & Above	-	-	-	-	-	0.3	-	-	0.3	*
Average	-	30.69	-	30.46	30.67	33.81	-	-	32.29	30.33
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	-	-	-	-	*
2.6	-	-	-	-	-	-	-	-	-	*
2.7	-	-	-	-	-	-	-	-	-	*
2.8	-	-	-	-	-	-	-	-	-	*
2.9	-	-	-	-	-	*	-	-	*	*
3.0	-	*	-	*	-	0.5	-	-	0.5	*
3.1	-	*	-	*	-	0.4	-	-	0.4	0.1
3.2	-	*	-	*	-	0.6	-	-	0.6	0.1
3.3	-	*	-	*	*	0.7	-	-	0.4	0.2
3.4	-	*	-	*	*	0.8	-	-	0.5	0.3
3.5	-	0.1	-	0.1	0.2	1.4	-	-	0.9	0.5
3.6	-	0.2	-	0.2	*	2.7	-	-	1.5	0.7
3.7	-	0.2	-	0.2	0.2	2.6	-	-	1.5	1.2
3.8	-	0.6	-	0.7	0.8	3.4	-	-	2.1	1.8
3.9	-	1.6	-	1.8	1.1	4.3	-	-	2.8	2.6
4.0	-	2.2	-	2.5	1.8	5.5	-	-	3.7	3.5
4.1	-	3.6	-	4.0	3.4	8.3	-	-	5.9	4.9
4.2	-	5.5	-	5.8	5.7	7.1	-	-	6.4	6.6
4.3	-	11.2	-	11.1	8.3	6.9	-	-	7.6	8.9
4.4	-	14.0	-	13.7	11.6	7.4	-	-	9.5	11.1
4.5	-	16.3	-	15.5	13.5	10.6	-	-	12.0	12.6
4.6	-	14.4	-	14.0	13.5	11.4	-	-	12.4	12.6
4.7	-	14.0	-	13.7	10.9	7.7	-	-	9.3	11.3
4.8	-	8.5	-	8.9	10.5	5.0	-	-	7.6	8.8
4.9	-	4.2	-	4.6	6.7	3.8	-	-	5.2	5.8
5.0	-	2.2	-	2.2	4.6	2.9	-	-	3.8	3.4
5.1	-	0.8	-	0.7	3.9	2.0	-	-	2.9	1.8
5.2	-	0.2	-	0.2	1.9	2.7	-	-	2.3	0.8
5.3	-	0.1	-	0.1	1.1	1.0	-	-	1.1	0.4
5.4	-	*	-	*	0.3	0.2	-	-	0.2	0.1
5.5 & Above	-	*	-	*	0.1	0.6	-	-	0.4	0.1
Average	-	4.51	-	4.50	4.58	4.37	-	-	4.47	4.48

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2019 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.4	-	-	0.4	*	-	-	-	-	-	-	-
2.5 - 2.6	2.2	-	-	2.2	*	-	-	-	-	-	-	-
2.7 - 2.9	5.1	0.1	*	1.2	*	-	-	-	*	*	-	*
3.0 - 3.2	8.1	0.1	0.3	1.3	0.5	-	*	*	*	*	-	*
3.3 - 3.4	3.9	0.3	0.4	0.8	1.2	*	*	*	*	*	-	*
3.5 - 3.6	7.9	1.6	1.5	2.4	2.8	0.1	*	*	*	0.2	*	0.1
3.7 - 4.2	43.6	24.7	27.1	28.4	30.3	6.2	8.2	7.7	5.0	9.0	1.6	5.6
4.3 - 4.9	29.8	67.7	66.8	62.2	59.3	85.6	83.3	83.8	79.6	83.2	81.3	80.7
5.0 - 5.2	0.4	5.2	3.9	3.9	5.3	7.5	7.8	7.8	14.2	6.5	15.6	12.5
5.3 & Above	*	0.4	0.1	0.2	0.7	0.7	0.7	0.7	1.2	1.1	1.4	1.2
Average	3.92	4.44	4.40	4.35	4.38	4.61	4.63	4.62	4.70	4.59	4.74	4.68
Leaf Grade												
1 - 2	2.4	76.9	84.7	71.1	45.4	15.1	32.4	28.5	15.6	20.2	25.6	17.9
3	3.7	19.0	14.0	14.4	40.7	53.3	43.2	45.5	49.2	56.6	57.6	52.0
4	12.7	3.7	1.1	3.6	11.9	26.1	19.2	20.7	29.5	20.6	15.6	25.7
5	28.4	0.4	0.1	4.0	1.7	5.2	4.6	4.8	5.4	2.4	1.1	4.1
6	24.9	*	*	3.8	0.2	0.3	0.6	0.5	0.3	0.1	0.1	0.3
7	15.5	-	*	5.3	*	*	*	*	*	-	-	*
8	12.9	-	-	12.9	*	-	*	*	-	-	-	-
Average	5.66	1.98	1.79	2.37	2.63	3.22	2.94	3.00	3.25	3.05	2.91	3.16
Trash 1/												
00	-	0.1	0.2	0.1	*	-	*	*	-	-	-	-
01	0.7	46.3	54.2	44.4	14.7	2.0	9.8	8.0	2.7	2.8	4.0	2.9
02	1.7	33.9	33.3	29.3	32.6	16.8	27.5	25.0	15.2	20.7	24.6	17.7
03	1.5	11.4	8.8	8.8	24.0	25.6	23.5	24.0	23.8	29.9	31.9	26.3
04	1.9	4.1	2.3	2.9	14.3	21.7	16.4	17.6	23.2	22.7	21.7	22.9
05	2.9	2.2	0.8	1.5	7.6	14.8	10.3	11.3	16.6	12.8	10.5	15.0
06	4.9	1.1	0.3	1.2	3.7	9.3	5.9	6.6	9.8	6.3	4.5	8.3
07	8.2	0.5	0.1	1.3	1.7	5.3	3.3	3.7	4.9	2.8	1.7	4.0
08	9.2	0.2	0.1	1.3	0.7	2.6	1.7	1.9	2.3	1.1	0.6	1.8
09	10.3	0.1	*	1.4	0.3	1.2	0.9	1.0	0.9	0.5	0.3	0.7
10	10.4	0.1	*	1.4	0.1	0.5	0.4	0.4	0.4	0.2	0.1	0.3
11	9.1	*	*	1.2	0.1	0.2	0.2	0.2	0.1	0.1	*	0.1
12	8.3	*	*	2.3	*	0.1	0.1	0.1	*	*	*	*
13	6.7	*	-	2.5	*	*	*	*	*	*	*	*
14	5.6	0.1	-	5.3	*	*	*	*	*	*	*	*
15	4.3	-	-	4.3	*	*	*	*	*	*	*	*
16	3.5	-	-	3.5	*	*	*	*	*	*	-	*
17	2.7	*	-	1.1	*	*	*	*	*	-	-	*
18 & Above	9.2	-	-	9.2	*	*	*	*	-	-	-	-
Average	1.11	0.19	0.16	0.30	0.29	0.41	0.34	0.36	0.41	0.36	0.34	0.39
Uniformity 2/												
74 & Below	*	*	0.1	0.1	*	-	-	-	-	-	-	-
75	0.1	0.1	0.3	0.2	*	-	-	-	*	*	-	*
76	0.3	0.4	1.2	0.8	0.2	*	*	*	*	*	*	*
77	0.8	2.1	7.0	4.4	1.0	0.1	0.1	0.1	0.1	0.3	*	0.1
78	2.1	7.1	19.6	12.9	3.8	1.1	0.6	0.7	0.6	1.9	0.2	0.9
79	14.2	19.2	30.5	24.4	12.3	5.2	3.0	3.5	4.4	8.9	1.3	5.1
80	43.2	33.0	27.4	31.4	28.0	20.4	19.1	19.4	18.9	33.9	8.6	21.4
81	35.7	28.3	11.5	20.6	33.9	42.2	47.1	46.0	36.5	40.7	30.7	36.8
82	3.6	8.5	2.0	4.5	17.3	24.0	25.7	25.3	31.0	12.4	40.0	27.5
83	0.1	1.2	0.3	0.6	3.1	6.1	4.0	4.5	7.6	1.8	15.5	7.1
84	*	0.1	*	0.1	0.3	0.9	0.3	0.5	0.9	0.2	3.3	1.0
85 & Above	-	*	*	*	*	*	*	*	0.1	*	0.4	0.1
Average	80.64	80.53	79.64	80.09	81.00	81.49	81.52	81.51	81.64	81.03	82.15	81.55
Tenderable	7.2	88.3	76.9	71.7	84.5	88.7	89.9	89.7	81.1	88.4	82.0	83.0
SAMPLES CLASSED	18,272	48,084	71,768	138,124	1,590,019	115,976	394,351	510,327	325,699	126,673	61,276	513,648

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2019 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	-	*	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	-	*	*	*	-	-	-	-	-	-
2.7 - 2.9	*	0.1	*	*	*	*	-	*	*	-	*	*
3.0 - 3.2	0.2	0.5	*	*	*	*	0.1	0.1	*	*	0.1	0.1
3.3 - 3.4	0.4	0.8	0.2	*	0.1	0.1	0.6	0.1	0.1	*	0.1	0.1
3.5 - 3.6	0.9	1.6	1.1	*	0.4	0.5	2.2	0.5	0.7	0.2	0.4	0.6
3.7 - 4.2	16.2	18.0	22.5	11.4	15.1	16.3	54.3	25.0	28.7	19.6	14.6	24.4
4.3 - 4.9	68.5	67.6	73.0	85.3	79.4	78.4	42.1	71.8	68.6	72.9	79.9	70.9
5.0 - 5.2	11.8	10.7	2.8	3.1	4.6	4.2	0.7	2.5	1.7	6.8	4.8	3.8
5.3 & Above	2.0	0.7	0.4	0.2	0.3	0.3	*	0.1	0.1	0.4	0.1	0.2
Average	4.57	4.52	4.44	4.51	4.51	4.50	4.20	4.42	4.39	4.51	4.52	4.44
Leaf Grade												
1 - 2	74.2	73.2	29.8	17.8	32.0	31.1	17.8	15.5	18.4	18.6	21.5	18.3
3	19.8	23.5	52.4	50.1	52.1	52.1	49.2	36.1	50.6	40.6	42.4	41.3
4	4.6	2.9	15.6	26.6	14.3	14.9	26.0	30.4	25.1	28.8	26.2	28.0
5	1.1	0.3	2.0	5.2	1.6	1.8	6.1	16.3	5.5	11.1	8.6	11.1
6	0.3	*	0.2	0.4	0.1	0.1	0.9	1.7	0.4	0.9	1.3	1.2
7	0.1	*	*	*	*	*	*	*	-	*	0.1	*
8	-	-	*	-	*	*	-	-	-	-	-	-
Average	2.05	2.10	2.89	3.19	2.83	2.85	3.22	3.52	3.18	3.34	3.24	3.35
Trash 1/												
00	0.1	*	*	-	*	*	*	*	-	-	*	*
01	46.0	34.6	7.1	3.5	7.7	7.4	3.5	2.6	2.9	3.3	4.8	3.5
02	31.7	41.0	30.0	19.7	31.0	30.5	19.1	15.6	21.7	16.6	18.7	17.5
03	11.5	15.7	29.6	25.9	29.4	29.4	26.7	18.5	27.5	20.7	21.7	21.4
04	4.9	5.5	17.6	20.6	17.0	17.2	21.2	16.2	19.2	18.0	18.2	17.9
05	2.5	1.9	8.6	14.1	8.3	8.5	13.6	14.1	12.3	14.3	13.4	13.8
06	1.3	0.7	3.9	7.8	3.7	3.9	7.7	12.6	7.9	11.1	9.5	10.5
07	0.7	0.3	1.7	4.2	1.7	1.8	4.2	9.5	4.3	7.6	6.2	7.2
08	0.4	0.1	0.8	2.2	0.7	0.8	2.2	5.8	2.3	4.5	3.6	4.3
09	0.2	0.1	0.4	1.1	0.3	0.3	1.0	3.0	1.1	2.4	1.9	2.2
10	0.1	*	0.2	0.6	0.1	0.1	0.5	1.3	0.5	1.0	1.0	1.0
11	0.1	*	0.1	0.3	*	0.1	0.2	0.5	0.2	0.4	0.5	0.4
12	0.1	*	*	0.1	*	*	0.1	0.2	0.1	0.1	0.3	0.2
13	0.1	*	*	0.1	*	*	*	0.1	*	*	0.1	0.1
14	0.1	-	*	*	*	*	*	*	*	*	0.1	*
15	0.1	*	*	-	*	*	*	*	*	*	*	*
16	*	*	*	-	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	*	-	*	*	*
18 & Above	*	*	*	-	*	*	-	*	-	*	*	*
Average	0.20	0.20	0.32	0.39	0.31	0.32	0.39	0.46	0.38	0.44	0.41	0.43
Uniformity 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.5	0.2	-	-	*	*	-	-	-	-	-	-
76	2.6	0.7	*	*	*	*	*	*	*	*	*	*
77	9.1	3.4	0.3	0.1	0.2	0.2	0.4	*	0.1	*	0.1	0.1
78	20.8	11.0	3.6	0.8	1.6	1.9	2.1	0.1	0.5	0.2	0.6	0.5
79	30.0	23.7	16.6	5.0	7.8	9.3	11.7	1.3	2.6	1.0	6.0	3.9
80	24.9	30.3	34.7	24.5	24.9	26.7	34.0	11.6	13.9	6.8	24.5	17.1
81	9.9	21.4	30.1	39.5	37.5	36.2	35.7	36.3	41.4	29.4	35.7	35.0
82	2.0	7.5	12.3	22.1	21.8	20.0	12.4	36.5	33.7	42.4	25.5	31.6
83	0.3	1.6	2.1	6.9	5.4	4.8	3.1	12.8	7.1	18.2	7.0	10.7
84	*	0.2	0.1	1.1	0.8	0.7	0.5	1.3	0.6	2.0	0.6	1.1
85 & Above	-	*	*	0.1	0.1	0.1	*	0.1	0.1	0.1	*	0.1
Average	79.48	80.27	80.82	81.46	81.34	81.25	81.00	81.97	81.75	82.20	81.48	81.75
Tenderable	60.7	67.7	90.2	88.2	90.1	90.1	94.1	94.9	95.2	91.5	91.9	93.3
SAMPLES CLASSED	154,959	237,717	186,523	31,401	783,256	1,001,180	115,673	337,270	67,159	212,165	304,597	1,036,864

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2019 Crop

	Rayville				Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico 3/	Texas 3/	Classing Office Total	United States
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	-	-	-	-	-	-	-	*
2.7 - 2.9	-	-	-	-	-	*	-	-	*	*
3.0 - 3.2	-	*	-	*	-	1.4	-	-	1.4	0.3
3.3 - 3.4	-	0.1	-	0.1	0.1	1.4	-	-	0.9	0.5
3.5 - 3.6	-	0.2	-	0.2	0.2	4.0	-	-	2.3	1.2
3.7 - 4.2	-	13.8	-	15.0	12.8	31.2	-	-	22.3	20.4
4.3 - 4.9	-	82.6	-	81.5	75.1	52.7	-	-	63.5	71.0
5.0 - 5.2	-	3.2	-	3.1	10.4	7.7	-	-	9.0	6.0
5.3 & Above	-	0.1	-	0.1	1.5	1.7	-	-	1.6	0.6
Average	-	4.51	-	4.50	4.58	4.37	-	-	4.47	4.48
Leaf Grade										
1 - 2	-	27.2	-	26.5	58.1	77.0	-	-	67.8	35.6
3	-	46.6	-	48.4	31.2	20.5	-	-	25.7	42.6
4	-	20.6	-	20.0	8.7	2.3	-	-	5.4	17.1
5	-	4.8	-	4.4	1.8	0.2	-	-	1.0	4.1
6	-	0.8	-	0.7	0.2	*	-	-	0.1	0.5
7	-	*	-	*	*	-	-	-	*	0.1
8	-	-	-	-	*	-	-	-	*	0.1
Average	-	3.04	-	3.03	2.42	2.02	-	-	2.21	2.86
Trash 1/										
00	-	-	-	-	*	0.3	-	-	0.1	*
01	-	5.9	-	5.4	26.6	41.3	-	-	34.2	11.8
02	-	27.3	-	27.3	41.6	38.8	-	-	40.2	27.4
03	-	24.8	-	26.1	18.0	13.2	-	-	15.5	23.6
04	-	17.2	-	17.6	7.8	4.0	-	-	5.8	15.7
05	-	11.0	-	10.9	3.4	1.4	-	-	2.4	9.5
06	-	6.4	-	6.0	1.6	0.7	-	-	1.1	5.5
07	-	3.5	-	3.3	0.6	0.3	-	-	0.5	3.1
08	-	1.9	-	1.8	0.3	0.2	-	-	0.2	1.6
09	-	1.0	-	0.9	0.1	*	-	-	0.1	0.8
10	-	0.5	-	0.4	*	*	-	-	*	0.4
11	-	0.3	-	0.2	*	*	-	-	*	0.2
12	-	0.1	-	0.1	*	-	-	-	*	0.1
13	-	0.1	-	0.1	*	-	-	-	*	0.1
14	-	*	-	*	-	-	-	-	-	*
15	-	-	-	-	-	-	-	-	-	*
16	-	-	-	-	-	-	-	-	-	*
17	-	-	-	-	-	-	-	-	-	*
18 & Above	-	-	-	-	-	-	-	-	-	0.1
Average	-	0.36	-	0.35	0.23	0.19	-	-	0.21	0.33
Uniformity 2/										
74 & Below	-	-	-	-	-	-	-	-	-	*
75	-	-	-	-	-	-	-	-	-	0.1
76	-	-	-	-	-	-	-	-	-	0.2
77	-	*	-	*	-	-	-	-	-	0.9
78	-	0.3	-	0.6	0.8	0.1	-	-	0.4	3.1
79	-	1.8	-	4.5	6.3	0.8	-	-	3.5	9.5
80	-	15.8	-	18.7	25.5	16.8	-	-	21.0	23.8
81	-	41.4	-	39.9	43.2	32.7	-	-	37.8	34.7
82	-	29.8	-	26.8	23.2	26.3	-	-	24.8	21.6
83	-	9.4	-	8.2	1.0	12.8	-	-	7.1	5.5
84	-	1.4	-	1.2	*	10.2	-	-	5.3	0.7
85 & Above	-	0.2	-	0.1	-	0.2	-	-	0.2	0.1
Average	-	81.78	-	81.62	81.30	82.09	-	-	81.71	81.23
Tenderable	-	94.3	-	93.0	83.2	87.8	-	-	85.6	86.2
SAMPLES CLASSED	-	236,513	-	280,775	33,047	35,104	-	-	68,151	5,531,764

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2019 Crop

Quality Desgination	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	-	-	12,884	22.8	-	-	-	-	12,884	22.8
	2	-	-	3,330	5.9	-	-	-	-	3,330	5.9
	3	-	-	15	*	-	-	-	-	15	*
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	16,229	28.8	-	-	-	-	16,229	28.8
02	1	-	-	18,923	33.5	-	-	-	-	18,923	33.5
	2	-	-	19,225	34.1	-	-	-	-	19,225	34.1
	3	-	-	424	0.8	-	-	-	-	424	0.8
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	38,574	68.4	-	-	-	-	38,574	68.4
03	1	-	-	170	0.3	-	-	-	-	170	0.3
	2	-	-	1,032	1.8	-	-	-	-	1,032	1.8
	3	-	-	380	0.7	-	-	-	-	380	0.7
	4	-	-	8	*	-	-	-	-	8	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	1,590	2.8	-	-	-	-	1,590	2.8
04	1	-	-	3	*	-	-	-	-	3	*
	2	-	-	11	*	-	-	-	-	11	*
	3	-	-	5	*	-	-	-	-	5	*
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	19	*	-	-	-	-	19	*
05	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-
Staple											
44 & Shorter		-	-	618	1.1	-	-	-	-	618	1.1
46		-	-	7,068	12.5	-	-	-	-	7,068	12.5
48		-	-	18,443	32.7	-	-	-	-	18,443	32.7
50		-	-	29,188	51.7	-	-	-	-	29,188	51.7
52 & Longer		-	-	1,095	1.9	-	-	-	-	1,095	1.9
Average Staple		-	-	48.82		-	-	-	-	48.82	
Average Length		-	-	1.42		-	-	-	-	1.42	
Extraneous Matter											
Bark		-	-	-	-	-	-	-	-	-	-
Grass		-	-	19	*	-	-	-	-	19	*
Spindle Twist		-	-	11	*	-	-	-	-	11	*
Prep		-	-	6	*	-	-	-	-	6	*
All Other		-	-	5	*	-	-	-	-	5	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2019 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	26	*	-	-	-	-	26	*
3.3 - 3.4	-	-	754	1.3	-	-	-	-	754	1.3
3.5 - 3.6	-	-	1,689	3.0	-	-	-	-	1,689	3.0
3.7 - 4.2	-	-	31,548	55.9	-	-	-	-	31,548	55.9
4.3 - 4.9	-	-	22,395	39.7	-	-	-	-	22,395	39.7
5.0 - 5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-	-	-
Average	-		4.15		-		-		4.15	
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-
3.0	-	-	1	*	-	-	-	-	1	*
3.1	-	-	-	-	-	-	-	-	-	-
3.2	-	-	25	*	-	-	-	-	25	*
3.3	-	-	141	0.2	-	-	-	-	141	0.2
3.4	-	-	613	1.1	-	-	-	-	613	1.1
3.5	-	-	655	1.2	-	-	-	-	655	1.2
3.6	-	-	1,034	1.8	-	-	-	-	1,034	1.8
3.7	-	-	1,846	3.3	-	-	-	-	1,846	3.3
3.8	-	-	3,644	6.5	-	-	-	-	3,644	6.5
3.9	-	-	5,082	9.0	-	-	-	-	5,082	9.0
4.0	-	-	5,957	10.6	-	-	-	-	5,957	10.6
4.1	-	-	7,500	13.3	-	-	-	-	7,500	13.3
4.2	-	-	7,519	13.3	-	-	-	-	7,519	13.3
4.3	-	-	7,407	13.1	-	-	-	-	7,407	13.1
4.4	-	-	7,586	13.4	-	-	-	-	7,586	13.4
4.5	-	-	4,751	8.4	-	-	-	-	4,751	8.4
4.6	-	-	1,936	3.4	-	-	-	-	1,936	3.4
4.7	-	-	578	1.0	-	-	-	-	578	1.0
4.8	-	-	118	0.2	-	-	-	-	118	0.2
4.9	-	-	19	*	-	-	-	-	19	*
5.0	-	-	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-	-	-
Average	-		4.15		-		-		4.15	
Strength										
36 & Below	-	-	3	*	-	-	-	-	3	*
37	-	-	20	*	-	-	-	-	20	*
38	-	-	1,587	2.8	-	-	-	-	1,587	2.8
39	-	-	3,671	6.5	-	-	-	-	3,671	6.5
40	-	-	2,650	4.7	-	-	-	-	2,650	4.7
41	-	-	1,872	3.3	-	-	-	-	1,872	3.3
42	-	-	3,787	6.7	-	-	-	-	3,787	6.7
43	-	-	6,842	12.1	-	-	-	-	6,842	12.1
44	-	-	11,244	19.9	-	-	-	-	11,244	19.9
45	-	-	13,396	23.7	-	-	-	-	13,396	23.7
46	-	-	7,883	14.0	-	-	-	-	7,883	14.0
47	-	-	2,600	4.6	-	-	-	-	2,600	4.6
48 & Above	-	-	857	1.5	-	-	-	-	857	1.5
Average	-		44.13		-		-		44.13	
Uniformity										
83 & Below	-	-	73	0.1	-	-	-	-	73	0.1
84	-	-	3,166	5.6	-	-	-	-	3,166	5.6
85	-	-	11,381	20.2	-	-	-	-	11,381	20.2
86	-	-	28,549	50.6	-	-	-	-	28,549	50.6
87	-	-	12,352	21.9	-	-	-	-	12,352	21.9
88 & Above	-	-	891	1.6	-	-	-	-	891	1.6
Average	-		86.39		-		-		86.39	
SAMPLES CLASSED	-	-	56,412		-	-	-	-	56,412	