



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2024 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	13	102	839	3,987	16,947	55,244	145,811	222,943
	3	-	-	25	188	1,048	4,568	12,551	34,071	52,451
	4	-	-	-	9	59	217	728	2,205	3,218
	5	-	-	-	-	3	2	17	47	69
	6	-	-	-	-	-	-	1	1	2
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	13	127	1,036	5,097	21,734	68,541	182,136	278,684
31	1 - 2	-	1	9	188	1,244	5,698	17,697	54,312	79,149
	3	-	3	45	441	2,729	11,803	37,251	118,583	170,855
	4	-	-	8	101	747	3,210	10,235	32,072	46,373
	5	-	-	2	7	48	313	1,015	2,897	4,282
	6	-	-	2	-	3	25	63	157	250
	7	-	-	1	-	-	2	1	15	19
	8	-	-	-	-	-	1	1	3	5
TOTAL		-	4	67	737	4,771	21,052	66,263	208,039	300,933
41	1 - 2	-	-	1	2	76	626	3,406	19,810	23,921
	3	-	-	2	66	551	3,709	21,076	105,698	131,102
	4	-	-	2	83	723	3,843	13,893	66,882	85,426
	5	-	-	4	32	297	1,164	3,969	14,177	19,643
	6	-	-	1	11	129	304	896	2,737	4,078
	7	-	-	3	5	50	129	281	568	1,036
	8	-	-	2	3	21	36	44	90	196
TOTAL		-	-	15	202	1,847	9,811	43,565	209,962	265,402
51	1 - 2	-	-	-	-	8	81	608	3,040	3,737
	3	-	-	-	1	63	456	3,942	20,300	24,762
	4	-	-	-	-	52	315	3,207	16,737	20,311
	5	-	-	-	-	8	94	868	4,532	5,502
	6	-	-	-	-	3	12	224	936	1,175
	7	-	-	-	-	12	41	77	173	303
	8	-	-	1	6	46	86	111	251	501
TOTAL		-	-	1	7	192	1,085	9,037	45,969	56,291
61	1 - 2	-	-	-	-	-	-	-	6	6
	3	-	-	-	-	-	-	6	48	54
	4	-	-	-	-	-	-	35	76	111
	5	-	-	-	-	-	2	12	65	79
	6	-	-	-	-	-	-	6	57	63
	7	-	-	-	-	-	-	-	21	21
	8	-	-	-	-	-	-	1	9	10
TOTAL		-	-	-	-	-	2	60	282	344
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	1	-	1
12 & 22	1 - 2	-	14	220	1,338	4,818	12,833	23,448	35,981	78,652
	3	-	51	287	593	1,932	6,529	12,143	18,195	39,730
	4	-	1	36	59	207	658	1,541	2,138	4,640
	5	-	-	1	4	10	14	73	87	189
	6	-	-	-	-	1	-	1	2	4
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	66	544	1,994	6,968	20,034	37,206	56,403	123,215
32	1 - 2	-	-	30	159	722	2,004	4,129	6,360	13,404
	3	-	10	100	676	2,206	5,336	10,706	17,451	36,485
	4	-	8	51	340	991	2,492	4,778	8,039	16,699
	5	-	5	11	60	146	459	1,004	1,752	3,437
	6	-	1	2	3	14	63	221	250	554
	7	-	-	-	-	-	12	58	32	102
	8	-	-	-	-	-	-	1	3	4
TOTAL		-	24	194	1,238	4,079	10,366	20,897	33,887	70,685
42	1 - 2	-	-	1	4	76	262	864	2,280	3,487
	3	-	-	4	71	502	2,070	5,609	15,708	23,964
	4	-	-	6	76	499	1,921	5,435	18,023	25,960
	5	-	-	-	31	228	806	2,116	5,622	8,803
	6	-	2	5	15	66	246	522	1,144	2,000
	7	-	-	5	1	24	97	135	202	464
	8	-	-	1	1	6	47	59	42	156
TOTAL		-	2	22	199	1,401	5,449	14,740	43,021	64,834
52	1 - 2	-	-	-	-	2	7	34	154	197
	3	-	-	-	-	53	205	633	2,606	3,497
	4	-	-	-	-	22	397	1,823	7,046	9,288
	5	-	-	-	1	26	306	1,362	4,991	6,686
	6	-	-	-	-	6	102	438	1,500	2,046
	7	-	-	-	-	10	32	84	322	448
	8	-	-	-	-	2	11	20	104	137
TOTAL		-	-	-	1	121	1,060	4,394	16,723	22,299

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2024 Crop

Quality Designation	Leaf	Staple								
Color		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	-	-	2	7	9
	4	-	-	-	-	-	-	2	16	18
	5	-	-	-	-	-	11	6	25	42
	6	-	-	-	-	-	11	10	23	44
	7	-	-	-	-	-	-	3	7	10
	8	-	-	-	-	-	-	2	2	4
TOTAL		-	-	-	-	-	22	25	81	128
13 & 23	1 - 2	-	1	24	130	358	839	1,311	1,875	4,538
	3	-	2	42	125	237	819	1,446	2,061	4,732
	4	-	1	2	15	45	134	336	391	924
	5	-	-	1	2	8	14	46	27	98
	6	-	-	-	1	-	1	-	3	5
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	4	69	273	648	1,807	3,139	4,357	10,297
33	1 - 2	-	3	20	42	121	250	465	939	1,840
	3	-	-	11	128	346	653	1,332	2,264	4,734
	4	-	-	6	26	160	353	797	1,246	2,588
	5	-	-	4	5	22	70	203	301	605
	6	-	-	-	2	3	7	57	59	128
	7	-	-	-	-	1	2	5	12	20
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	3	41	203	653	1,335	2,859	4,821	9,915
43	1 - 2	-	-	4	9	10	17	55	116	211
	3	-	-	30	46	107	244	478	980	1,885
	4	-	-	1	19	145	251	479	1,106	2,001
	5	-	-	1	4	98	189	326	573	1,191
	6	-	-	-	4	23	38	133	176	374
	7	-	-	-	-	-	6	21	41	68
	8	-	-	-	-	-	-	2	2	4
TOTAL		-	-	36	82	383	745	1,494	2,994	5,734
53	1 - 2	-	-	-	-	1	4	-	17	22
	3	-	-	-	4	35	77	58	427	601
	4	-	-	-	7	18	81	327	1,080	1,513
	5	-	-	-	-	7	53	358	1,095	1,513
	6	-	-	-	-	1	39	161	361	562
	7	-	-	-	-	1	15	49	87	152
	8	-	-	-	-	-	1	11	15	27
TOTAL		-	-	-	11	63	270	964	3,082	4,390
63	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	1	-	3	4
	4	-	-	-	-	-	-	1	4	5
	5	-	-	-	-	-	1	4	8	13
	6	-	-	-	-	-	-	11	5	16
	7	-	-	-	-	-	-	2	5	7
	8	-	-	-	-	-	-	7	5	12
TOTAL		-	-	-	-	-	2	25	30	57
24 - 54	1 - 8	-	1	16	32	154	543	1,153	1,935	3,834
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	12	-	5	19	70	131	237
TOTAL ALL		-	117	1,144	6,015	26,382	95,336	274,433	813,853	1,217,280

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2024 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	273,178	354,345	426,931	187,751	76,899	21,458	1,340,562	1,563,505
	3	72,703	109,993	164,512	75,353	33,965	8,704	465,230	517,681
	4	4,657	7,444	9,624	4,526	2,315	665	29,231	32,449
	5	125	193	229	75	44	31	697	766
	6	2	4	1	-	1	1	9	11
	7	-	-	-	-	-	-	-	-
	8	1	-	2	-	-	-	3	4
TOTAL		350,666	471,979	601,299	267,705	113,224	30,859	1,835,732	2,114,416
31	1 - 2	150,531	251,773	257,274	52,469	12,537	2,346	726,930	806,079
	3	319,826	687,667	1,057,930	260,193	68,884	10,196	2,404,696	2,575,551
	4	78,746	158,521	299,902	113,627	36,219	6,790	693,805	740,178
	5	7,821	14,702	23,680	10,041	4,481	958	61,683	65,965
	6	496	991	1,596	543	277	92	3,995	4,245
	7	28	62	78	33	19	15	235	254
	8	4	6	8	2	1	1	22	27
TOTAL		557,452	1,113,722	1,640,468	436,908	122,418	20,398	3,891,366	4,192,299
41	1 - 2	65,998	95,708	71,450	7,753	829	70	241,808	265,729
	3	362,515	755,872	991,024	156,045	25,092	1,851	2,292,399	2,423,501
	4	226,663	453,290	834,477	224,173	45,813	4,842	1,789,258	1,874,684
	5	47,191	92,210	153,019	59,914	15,545	2,368	370,247	389,890
	6	7,900	18,140	26,696	7,984	1,875	388	62,983	67,061
	7	1,849	5,605	9,950	3,018	463	87	20,972	22,008
	8	302	1,456	3,255	1,207	101	21	6,342	6,538
TOTAL		712,418	1,422,281	2,089,871	460,094	89,718	9,627	4,784,009	5,049,411
51	1 - 2	6,266	6,553	3,433	591	114	28	16,985	20,722
	3	59,390	87,791	71,691	15,304	2,701	471	237,348	262,110
	4	56,334	94,649	105,450	28,417	5,767	917	291,534	311,845
	5	17,680	27,731	35,972	11,175	2,977	625	96,160	101,662
	6	3,264	5,538	5,669	1,635	599	127	16,832	18,007
	7	641	1,425	2,596	481	108	15	5,266	5,569
	8	442	1,863	5,068	2,381	101	15	9,870	10,371
TOTAL		144,017	225,550	229,879	59,984	12,367	2,198	673,995	730,286
61	1 - 2	20	52	10	1	-	-	83	89
	3	163	166	76	14	7	1	427	481
	4	252	261	225	60	43	49	890	1,001
	5	138	202	196	28	16	59	639	718
	6	53	87	93	12	8	6	259	322
	7	73	28	27	11	-	-	139	160
	8	124	11	21	7	-	1	164	174
TOTAL		823	807	648	133	74	116	2,601	2,945
71	1 - 2	-	-	-	-	-	-	-	-
	3	5	21	5	-	-	-	31	31
	4	21	55	41	-	-	-	117	117
	5	2	4	7	-	-	-	13	13
	6	2	2	1	-	-	-	5	6
	7	-	-	-	-	-	-	-	-
	8	-	1	-	-	-	-	1	1
TOTAL		30	83	54	-	-	-	167	168
12 & 22	1 - 2	38,862	28,862	15,598	3,813	1,563	439	89,137	167,789
	3	22,360	19,937	15,683	5,096	1,384	603	65,063	104,793
	4	2,658	2,645	2,303	994	225	95	8,920	13,560
	5	103	126	165	111	29	4	538	727
	6	5	4	2	6	3	-	20	24
	7	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-
TOTAL		63,988	51,574	33,751	10,020	3,204	1,141	163,678	286,893
32	1 - 2	6,433	5,369	3,135	530	121	15	15,603	29,007
	3	23,928	25,715	26,424	6,354	1,593	211	84,225	120,710
	4	12,229	14,097	15,874	5,749	2,021	313	50,283	66,982
	5	2,530	2,578	2,930	1,190	566	97	9,891	13,328
	6	324	327	412	172	77	32	1,344	1,898
	7	44	48	43	22	9	4	170	272
	8	1	3	2	1	2	-	9	13
TOTAL		45,489	48,137	48,820	14,018	4,389	672	161,525	232,210
42	1 - 2	5,553	7,580	5,917	530	42	4	19,626	23,113
	3	38,026	70,640	95,690	16,806	2,004	212	223,378	247,342
	4	35,985	57,197	102,296	29,956	4,723	608	230,765	256,725
	5	9,809	14,858	23,192	11,701	2,328	228	62,116	70,919
	6	1,620	1,830	2,923	1,486	340	38	8,237	10,237
	7	261	273	394	199	66	5	1,198	1,662
	8	78	70	91	66	15	19	339	495
TOTAL		91,332	152,448	230,503	60,744	9,518	1,114	545,659	610,493
52	1 - 2	643	828	428	45	14	2	1,960	2,157
	3	7,118	12,922	15,217	2,698	317	81	38,353	41,850
	4	14,736	22,524	33,128	9,565	1,473	195	81,621	90,909
	5	8,982	12,613	17,432	6,023	1,192	137	46,379	53,065
	6	2,542	4,123	5,119	1,444	180	57	13,465	15,511
	7	658	1,354	1,752	252	14	6	4,036	4,484
	8	225	574	684	134	10	2	1,629	1,766
TOTAL		34,904	54,938	73,760	20,161	3,200	480	187,443	209,742

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2024 Crop

Quality Designation	Leaf	Staple							
Color		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	4	2	1	-	-	-	7	8
	3	37	40	38	6	4	4	129	138
	4	82	111	209	64	47	29	542	560
	5	95	160	208	64	27	28	582	624
	6	57	82	87	17	5	4	252	296
	7	29	20	54	2	-	-	105	115
	8	3	15	99	4	2	1	124	128
TOTAL		307	430	696	157	85	66	1,741	1,869
13 & 23	1 - 2	2,267	1,657	1,017	203	61	7	5,212	9,750
	3	2,323	1,850	1,335	394	123	43	6,068	10,800
	4	506	301	270	128	52	27	1,284	2,208
	5	48	24	20	16	3	-	111	209
	6	4	1	2	2	-	-	9	14
	7	-	-	1	-	-	-	1	1
	8	-	-	-	-	-	-	-	-
TOTAL		5,148	3,833	2,645	743	239	77	12,685	22,982
33	1 - 2	1,151	1,088	616	168	58	6	3,087	4,927
	3	3,170	3,052	2,707	900	329	44	10,202	14,936
	4	1,441	1,608	1,906	774	280	63	6,072	8,660
	5	344	388	460	216	96	17	1,521	2,126
	6	66	67	56	85	39	6	319	447
	7	16	7	3	8	16	2	52	72
	8	-	-	-	1	5	-	6	6
TOTAL		6,188	6,210	5,748	2,152	823	138	21,259	31,174
43	1 - 2	176	105	86	13	4	-	384	595
	3	1,953	2,058	2,378	463	85	3	6,940	8,825
	4	1,992	3,543	5,206	1,432	259	47	12,479	14,480
	5	931	1,637	2,469	836	168	40	6,081	7,272
	6	175	360	586	186	50	9	1,366	1,740
	7	35	70	93	33	18	5	254	322
	8	7	9	19	16	13	2	66	70
TOTAL		5,269	7,782	10,837	2,979	597	106	27,570	33,304
53	1 - 2	22	14	3	-	1	1	41	63
	3	569	689	497	180	114	6	2,055	2,656
	4	1,756	3,459	4,029	1,485	309	22	11,060	12,573
	5	2,207	3,981	6,157	2,473	252	17	15,087	16,600
	6	991	2,018	4,820	1,232	78	4	9,143	9,705
	7	257	862	2,337	444	22	1	3,923	4,075
	8	94	189	570	146	9	1	1,009	1,036
TOTAL		5,896	11,212	18,413	5,960	785	52	42,318	46,708
63	1 - 2	-	-	-	-	-	-	-	-
	3	1	1	-	3	-	1	6	10
	4	10	8	12	8	2	1	41	46
	5	13	22	26	7	5	-	73	86
	6	8	47	75	5	5	-	140	156
	7	16	30	59	8	-	-	113	120
	8	14	22	64	20	3	-	123	135
TOTAL		62	130	236	51	15	2	496	553
24 - 54	1 - 8	2,620	2,951	3,842	1,038	229	42	10,722	14,556
25 - 35	1 - 8	1	4	8	-	-	-	13	13
81 - 85	1 - 8	138	203	239	32	5	-	617	854
TOTAL ALL		2,026,748	3,574,274	4,991,717	1,342,879	360,890	67,088	12,363,596	13,580,876

EXTRANEOUS MATTER	
Bark - Level 1	357,569
Bark - Level 2	3
Grass - Level 1	30,557
Grass - Level 2	93
Prep - Level 1	251
Prep - Level 2	5
Seed Coat - Level 1	97,486
Seed Coat - Level 2	6
Oil - Level 1	53
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	73
Other - Level 2	-
Plastic - Level 1	2,896
Plastic - Level 2	-

Average Staple	36.29
Percent Tenderable	80.6
SAMPLES CLASSED	13,580,876

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	*	*	*	*	0.1	0.4	1.1	2.0	2.6	3.1	1.4	0.6	0.2	11.5
	3	-	-	*	*	*	*	0.1	0.3	0.5	0.8	1.2	0.6	0.3	0.1	3.8
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
TOTAL		-	*	*	*	*	0.2	0.5	1.3	2.6	3.5	4.4	2.0	0.8	0.2	15.6
31	1 - 2	-	*	*	*	*	*	0.1	0.4	1.1	1.9	1.9	0.4	0.1	*	5.9
	3	-	*	*	*	*	0.1	0.3	0.9	2.4	5.1	7.8	1.9	0.5	0.1	19.0
	4	-	-	*	*	*	*	0.1	0.2	0.6	1.2	2.2	0.8	0.3	*	5.5
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	*	*	*	*	0.2	0.5	1.5	4.1	8.2	12.1	3.2	0.9	0.2	30.9
41	1 - 2	-	-	*	*	*	*	*	0.1	0.5	0.7	0.5	0.1	*	*	2.0
	3	-	-	*	*	*	*	0.2	0.8	2.7	5.6	7.3	1.1	0.2	*	17.8
	4	-	-	*	*	*	*	0.1	0.5	1.7	3.3	6.1	1.7	0.3	*	13.8
	5	-	-	*	*	*	*	*	0.1	0.3	0.7	1.1	0.4	0.1	*	2.9
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	7	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	0.1	0.3	1.5	5.2	10.5	15.4	3.4	0.7	0.1	37.2
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	*	*	0.1	0.4	0.6	0.5	0.1	*	*	1.9
	4	-	-	-	-	*	*	*	0.1	0.4	0.7	0.8	0.2	*	*	2.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL		-	-	*	*	*	*	0.1	0.3	1.1	1.7	1.7	0.4	0.1	*	5.4
61	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
12 & 22	1 - 2	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.2
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.8
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	0.1	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	2.1
32	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.2	*	*	*	0.9
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL		-	*	*	*	*	0.1	0.2	0.2	0.3	0.4	0.4	0.1	*	*	1.7
42	1 - 2	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	3	-	-	-	*	*	*	*	0.1	0.3	0.5	0.7	0.1	*	*	1.8
	4	-	-	-	*	*	*	*	0.1	0.3	0.4	0.8	0.2	*	*	1.9
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	*	*	*	*	*	0.1	0.3	0.7	1.1	1.7	0.4	0.1	*	4.5
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.5

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	-	*	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	0.2
53	1 - 2	-	-	-	-	*	*	-	*	*	*	*	-	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	0.3
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	-	*	-	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
81 - 85	1 - 8	-	-	*	-	*	*	*	*	*	*	*	*	-	*	
TOTAL ALL		-	*	*	*	0.2	0.7	2.0	6.0	14.9	26.3	36.8	9.9	2.7	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.6
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.7
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.29
Percent Tenderable	80.6
SAMPLES CLASSED	13,580,876

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	*	*	*	0.1	0.2	0.6	0.9	0.3	0.1	*	2.3
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.8	0.4	0.1	*	1.7
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.3	0.9	1.7	0.6	0.2	0.1	4.0
31	1 - 2	-	-	-	-	*	*	0.1	0.4	1.0	1.7	1.9	0.4	0.1	*	5.6
	3	-	-	-	-	*	*	0.3	1.2	2.9	5.6	8.8	2.6	0.6	0.1	22.0
	4	-	-	-	-	*	*	0.1	0.3	0.5	1.0	2.1	0.7	0.2	*	4.9
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.5	1.9	4.4	8.3	12.9	3.8	0.8	0.1	32.8
41	1 - 2	-	-	-	-	-	*	0.1	0.2	0.5	0.6	0.4	0.1	*	*	1.9
	3	-	-	-	-	*	0.1	0.4	1.8	3.9	6.1	6.8	1.5	0.3	*	20.9
	4	-	-	-	-	*	*	0.3	1.3	2.8	3.8	5.5	1.5	0.4	*	15.6
	5	-	-	-	-	-	*	*	0.2	0.4	0.6	0.8	0.2	0.1	*	2.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	0.1	0.8	3.6	7.6	11.1	13.4	3.3	0.8	0.1	40.8
51	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	*	*	0.1	0.4	0.8	1.0	0.8	0.4	0.2	*	3.7
	4	-	-	-	-	*	*	0.1	0.4	0.7	1.0	0.9	0.3	0.1	*	3.5
	5	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.3	1.0	1.8	2.3	2.1	0.8	0.3	0.1	8.8
61	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.2	0.4	0.6	0.2	0.1	*	1.7
42	1 - 2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	3	-	-	-	-	-	*	0.1	0.4	0.9	1.1	1.0	0.2	*	*	3.7
	4	-	-	-	-	-	*	0.1	0.3	0.9	1.0	1.3	0.3	0.1	*	4.1
	5	-	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.9	2.1	2.5	2.8	0.7	0.1	*	9.3
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.5	0.1	*	*	2.0

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
33	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.4
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.2	2.1	7.9	17.0	26.3	34.3	9.5	2.3	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.6
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.22
Percent Tenderable	79.9
SAMPLES CLASSED	629,850

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	*	0.1	0.3	1.9	7.3	28.8	25.4	12.9	3.9	80.5
	3	-	-	-	-	-	-	*	0.1	0.1	0.3	1.7	1.7	1.5	0.6	6.0
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.4	2.0	7.6	30.5	27.2	14.4	4.5	86.6
31	1 - 2	-	-	-	-	*	-	*	*	0.1	0.4	1.7	1.8	1.3	0.4	5.7
	3	-	-	-	-	-	-	*	*	*	0.1	1.1	1.2	1.2	0.8	4.5
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.6	1.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	*	0.1	0.6	2.9	3.1	2.7	1.9	11.5
41	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.1	0.3
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	*	0.9
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.5	0.3	0.1	*	1.2
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
42	1 - 2	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	3	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.4	2.1	8.5	34.2	30.7	17.3	6.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.4
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.72
Percent Tenderable	89.3
SAMPLES CLASSED	237,027

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.5	0.9	0.2	*	*	1.8
	3	-	-	-	-	-	-	*	*	*	0.2	0.8	0.2	*	*	1.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.7	1.7	0.5	*	*	3.1
31	1 - 2	-	-	-	-	*	*	*	0.1	0.8	2.0	2.5	0.4	*	*	5.9
	3	-	-	-	-	*	*	*	0.1	0.9	4.8	12.0	1.8	0.2	*	19.8
	4	-	-	-	-	-	*	*	*	0.1	0.5	3.0	1.0	0.1	*	4.7
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	1.8	7.3	17.6	3.3	0.3	*	30.7
41	1 - 2	-	-	-	-	*	*	*	0.1	0.8	1.2	0.7	0.1	*	-	2.9
	3	-	-	-	-	*	*	*	0.2	2.5	8.3	17.4	1.4	0.1	*	29.9
	4	-	-	-	-	*	*	*	0.1	0.9	2.8	12.6	2.5	0.2	*	19.1
	5	-	-	-	-	-	*	*	*	0.2	0.5	1.4	0.7	0.1	*	2.9
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.5	4.4	12.8	32.2	4.7	0.4	*	55.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.2	0.6	0.9	0.2	*	*	1.9
	4	-	-	-	-	*	*	*	*	0.2	0.4	1.0	0.3	*	*	2.0
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.5	1.3	2.3	0.6	*	*	4.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.2	*	*	*	0.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.7	1.6	0.2	*	*	2.6
	4	-	-	-	-	-	*	*	*	*	0.3	1.3	0.3	*	*	1.9
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	1.0	3.0	0.5	*	*	4.8
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	4	-	-	-	-	*	*	*	*	*	0.1	0.3	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.3	0.6	0.1	*	*	1.2

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.8	7.2	23.5	57.7	9.8	0.9	*	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.71
Percent Tenderable	85.1
SAMPLES CLASSED	1,948,601

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.4	3.3	12.4	33.0	12.5	5.3	4.7	71.6
	3	-	-	-	-	-	-	-	*	0.1	0.8	1.7	1.9	1.1	1.3	6.9
	4	-	-	-	-	-	-	-	-	-	0.2	0.3	0.3	0.1	0.1	0.8
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.4	3.5	13.4	34.9	14.7	6.4	6.0	79.3
31	1 - 2	-	-	-	-	-	-	*	*	0.9	2.5	3.2	1.0	0.5	0.5	8.7
	3	-	-	-	-	-	-	*	0.2	0.6	0.6	0.7	0.3	0.3	0.3	3.0
	4	-	-	-	-	-	-	*	0.2	0.4	0.6	0.4	0.2	0.2	0.1	2.0
	5	-	-	-	-	-	-	*	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.4	1.9	3.6	4.4	1.6	1.2	0.9	14.0
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.4
	3	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	*	*	0.1	0.4	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.7	0.6	0.4	*	*	*	2.0
51	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	-	*	-	0.1
61	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	0.2	0.4	0.8	0.4	1.8
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.5	1.0
	4	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.3	0.6	1.1	1.0	3.1
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.3
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	0.9
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	*	-	*	*	0.1

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	0.1	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	0.1	*	0.2
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	1.0	6.2	17.9	40.3	17.2	9.2	8.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.0
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.28
Percent Tenderable	85.4
SAMPLES CLASSED	89,614

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	*	*	0.2	0.4	0.1	0.1	*	0.8
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.3	0.5	0.1	0.1	*	1.2
31	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.8	1.1	0.3	0.2	0.1	3.0
	3	-	-	-	-	-	*	*	0.4	1.9	3.8	7.1	2.8	1.2	0.4	17.5
	4	-	-	-	-	-	-	*	0.1	0.4	0.9	2.0	0.7	0.5	0.1	4.7
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.6	2.7	5.5	10.3	3.8	1.9	0.6	25.4
41	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.2	0.2	*	*	*	0.8
	3	-	-	-	-	-	-	0.1	1.0	2.5	3.7	4.8	2.8	0.9	0.1	15.9
	4	-	-	-	-	-	*	*	0.6	2.2	4.4	6.0	4.0	1.4	0.3	18.9
	5	-	-	-	-	-	-	*	0.1	0.3	0.9	1.0	0.6	0.3	*	3.3
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	1.9	5.3	9.2	12.1	7.6	2.6	0.4	39.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.8	1.0	1.5	1.4	0.4	0.1	5.3
	4	-	-	-	-	-	-	*	0.3	1.1	2.1	3.4	2.9	1.4	0.3	11.5
	5	-	-	-	-	-	-	*	0.1	0.3	0.7	0.9	0.8	0.4	0.1	3.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	0.7	2.2	3.8	5.9	5.1	2.2	0.5	20.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1
	6	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.1	0.4
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	0.5
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	0.8
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.2	0.4	0.3	0.1	*	1.1
	4	-	-	-	-	-	-	-	*	0.1	0.5	0.5	0.9	0.3	*	2.5
	5	-	-	-	-	-	-	-	*	*	0.2	0.1	0.3	0.2	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.4	0.9	1.0	1.6	0.6	0.1	4.5
52	1 - 2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	4	-	-	-	-	-	-	*	*	0.2	0.7	1.6	0.9	0.4	0.1	3.8
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.3	0.1	1.7
	6	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.4	1.2	2.5	1.6	0.7	0.2	6.7

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	-	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	*	-
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	-
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	0.1	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	3.4	11.1	21.4	33.3	20.3	8.3	2.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.9
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	8.3
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.88
Percent Tenderable	68.6
SAMPLES CLASSED	113,053

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	0.1	*	2.0
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.2	0.1	*	1.1
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.9	1.1	0.5	0.1	*	3.1
31	1 - 2	-	-	-	-	*	*	*	0.3	1.4	2.1	1.9	0.5	0.1	*	6.3
	3	-	-	-	-	*	*	0.1	0.7	2.9	5.6	7.1	2.1	0.5	*	19.1
	4	-	-	-	-	-	*	*	0.1	0.3	0.7	1.3	0.5	0.2	*	3.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	1.1	4.6	8.4	10.3	3.2	0.8	0.1	28.6
41	1 - 2	-	-	-	-	*	*	*	0.2	0.6	0.8	0.6	0.1	*	*	2.4
	3	-	-	-	*	*	*	0.2	1.3	4.5	7.7	7.7	2.1	0.4	*	24.1
	4	-	-	-	-	*	*	0.1	0.6	1.8	3.8	5.3	2.2	0.6	0.1	14.4
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.2	*	1.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
TOTAL		-	-	-	*	*	*	0.3	2.2	7.1	12.5	14.3	4.7	1.2	0.1	42.6
51	1 - 2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	3	-	-	-	-	*	*	0.1	0.6	1.8	2.6	1.7	0.3	*	*	7.2
	4	-	-	-	-	*	*	0.1	0.4	1.2	2.3	2.3	0.5	0.1	*	6.9
	5	-	-	-	-	-	*	*	0.1	0.2	0.4	0.7	0.3	0.1	*	1.7
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
TOTAL		-	-	-	-	*	*	0.2	1.1	3.4	5.5	4.8	1.1	0.3	*	16.5
61	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.5	0.7	0.6	0.1	*	*	2.3
	4	-	-	-	-	-	*	*	0.2	0.5	0.7	0.8	0.2	*	*	2.4
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.4	1.1	1.5	1.6	0.3	0.1	*	5.2
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL		-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.9	0.2	*	*	2.7

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL ALL		-	-	-	*	*	0.1	0.8	5.2	17.4	29.9	33.6	10.2	2.5	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.1
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	*
Seed Coat - Level 1	3.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.32
Percent Tenderable	78.6
SAMPLES CLASSED	1,886,696

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	*	*	0.2	0.8	2.0	4.0	3.4	2.8	0.8	0.1	*	14.1
	3	-	-	-	*	*	0.1	0.4	1.6	3.6	4.2	3.7	0.8	*	*	14.5
	4	-	-	-	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	-	1.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.3	1.3	3.8	7.9	8.0	6.8	1.6	0.2	*	29.9
31	1 - 2	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	*	-	-	0.9
	3	-	-	-	*	*	*	0.2	1.2	1.5	1.4	1.0	0.1	*	*	5.6
	4	-	-	-	-	*	*	*	0.5	0.9	1.0	0.8	0.1	*	-	3.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.4	1.9	2.8	2.8	2.3	0.3	*	*	10.6
41	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.5
	4	-	-	*	-	*	0.1	*	0.4	0.4	0.2	0.2	0.1	*	-	1.3
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	0.1	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
TOTAL		-	-	*	*	*	0.1	0.1	0.7	0.7	0.4	0.4	0.2	*	-	2.7
51	1 - 2	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.2	*	-	1.1
	5	-	-	-	-	*	*	*	0.2	0.3	0.3	0.3	0.1	*	-	1.2
	6	-	-	-	-	*	*	*	0.1	*	0.1	0.2	*	*	-	0.5
	7	-	-	-	-	-	-	*	*	*	*	0.1	*	-	-	0.2
	8	-	-	-	-	-	-	*	*	-	*	*	*	*	-	0.1
TOTAL		-	-	-	-	*	*	0.1	0.5	0.7	0.8	1.0	0.4	*	-	3.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	0.1	0.4	0.5	1.1	0.9	0.8	0.1	*	-	4.0
	3	-	-	*	*	0.1	0.3	0.4	0.5	1.3	1.5	1.0	0.5	*	*	5.7
	4	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.1	0.1	*	*	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.2	0.5	0.9	1.1	2.7	2.6	1.9	0.8	*	*	10.6
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.2	0.1	*	-	1.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	0.1	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	0.1	0.3	0.4	0.9	1.1	0.7	0.2	*	*	3.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.3	0.3	0.3	0.3	0.1	*	-	1.4
	4	-	-	-	*	*	0.1	0.3	0.7	0.7	0.5	0.8	0.2	*	-	3.3
	5	-	-	-	-	*	*	0.2	0.4	0.4	0.3	0.3	0.1	*	-	1.6
	6	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	8	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
TOTAL		-	-	-	*	*	0.2	0.7	1.5	1.5	1.1	1.5	0.3	*	-	6.8
52	1 - 2	-	-	-	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.5	0.6	0.7	0.6	0.3	*	-	2.9
	5	-	-	-	-	-	*	0.2	0.9	0.9	1.2	1.4	0.2	*	*	4.8
	6	-	-	-	-	*	*	0.1	0.4	0.4	0.7	1.1	0.2	*	*	3.0
	7	-	-	-	-	-	*	*	0.1	0.1	0.4	0.6	*	*	-	1.3
	8	-	-	-	-	-	-	*	*	*	0.1	0.2	*	-	*	0.4
TOTAL		-	-	-	-	*	0.1	0.6	2.1	2.2	3.1	4.1	0.8	*	*	13.0

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	*	0.1	-	-	-	0.1
TOTAL		-	-	-	-	-	-	*	-	*	*	0.1	*	-	-	0.1
13 & 23	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
33	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	0.1	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.5	0.1	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.3	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	*	*	0.1	0.2	0.3	0.4	1.0	0.2	*	-	2.2
53	1 - 2	-	-	-	-	-	*	-	*	*	-	-	-	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	0.1	0.1	0.1	*	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.6	0.9	0.5	0.1	*	2.7
	5	-	-	-	-	*	*	0.1	0.3	0.6	1.0	1.9	0.8	0.1	*	4.7
	6	-	-	-	-	-	*	*	0.1	0.3	0.8	2.2	0.5	*	*	3.8
	7	-	-	-	-	-	-	*	*	0.1	0.4	1.1	0.2	*	-	1.8
	8	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	-	0.4
TOTAL		-	-	-	-	*	*	0.2	0.7	1.5	2.8	6.3	2.0	0.2	*	13.8
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
24 - 54	1 - 8	-	-	-	-	-	*	*	0.1	0.2	0.5	1.1	0.2	*	*	2.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
TOTAL ALL		-	-	*	*	0.3	1.4	4.7	13.0	21.6	24.0	27.6	7.0	0.6	*	100.0

EXTRANEOUS MATTER	
Bark - Level 1	27.1
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.75
Percent Tenderable	46.5
SAMPLES CLASSED	175,904

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.8	1.8	3.3	3.2	2.1	0.7	12.0
	3	-	-	-	-	-	-	*	*	0.3	0.8	1.7	1.4	0.9	0.5	5.6
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	1.1	2.6	5.0	4.7	3.1	1.2	17.8
31	1 - 2	-	-	-	-	-	-	*	0.1	0.8	1.7	3.1	1.2	0.5	0.1	7.6
	3	-	-	-	-	-	*	*	0.2	2.2	5.2	10.7	4.7	1.8	0.4	25.3
	4	-	-	-	-	-	*	*	0.1	0.5	1.4	2.4	1.4	0.6	0.2	6.6
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.4	3.5	8.3	16.3	7.5	3.0	0.7	39.8
41	1 - 2	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	0.4
	3	-	-	-	-	-	-	*	0.1	0.9	3.6	6.5	1.7	0.4	*	13.3
	4	-	-	-	-	-	*	*	0.1	1.2	4.5	8.9	3.2	1.0	0.2	19.0
	5	-	-	-	-	-	*	*	*	0.2	1.6	1.6	0.6	0.3	0.1	4.4
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
TOTAL		-	-	-	-	-	*	*	0.2	2.3	10.0	17.2	5.6	1.8	0.3	37.3
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.2	0.1	*	0.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	0.3	0.6	0.5	0.3	0.1	0.1	1.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	0.6
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	0.7
	4	-	-	-	-	-	*	*	*	*	0.3	0.5	0.1	*	*	1.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.7	0.9	0.2	0.1	*	2.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	*	0.4

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	0.7	7.4	22.6	40.3	18.4	8.2	2.3	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.02
Percent Tenderable	77.3
SAMPLES CLASSED	329,898

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.1	0.4	0.7	0.3	0.1	*	1.7
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	0.1	*	1.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.7	1.2	0.5	0.1	*	2.9
31	1 - 2	-	-	-	-	*	*	*	0.1	0.5	1.7	1.8	0.2	*	*	4.4
	3	-	-	-	-	*	*	0.1	0.5	2.3	6.0	8.5	1.6	0.4	*	19.4
	4	-	-	-	-	-	*	*	0.1	0.8	1.7	3.0	1.1	0.3	*	7.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.7	3.6	9.6	13.5	3.0	0.8	0.1	31.3
41	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	*	*	*	0.9
	3	-	-	-	-	-	*	0.1	0.7	3.0	6.4	7.6	1.1	0.2	*	19.0
	4	-	-	-	-	-	*	0.1	0.7	4.1	6.6	10.7	2.7	0.5	*	25.3
	5	-	-	-	-	-	*	*	0.1	0.9	1.4	2.4	1.1	0.2	*	6.2
	6	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	1.5	8.2	14.8	21.1	5.1	1.0	0.1	51.9
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.3	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	0.1	0.5	0.9	1.0	0.2	*	*	2.8
	5	-	-	-	-	-	-	*	*	0.3	0.4	0.5	0.1	*	*	1.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.1	1.7	1.8	0.4	*	*	5.3
61	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1 - 2	-	-	-	-	*	-	*	*	*	0.1	*	*	-	*	0.1
	3	-	-	-	-	-	*	*	*	0.2	0.6	0.7	0.2	*	*	1.8
	4	-	-	-	-	-	*	*	0.1	0.2	0.5	1.3	0.5	0.1	*	2.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.4	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.5	1.3	2.5	1.0	0.1	*	5.6
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.2	*	*	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.5	0.8	0.3	*	*	2.1

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	*	-	-	-	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.3	2.9	14.0	28.9	41.1	10.4	2.1	0.2	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.8
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.48
Percent Tenderable	78.0
SAMPLES CLASSED	1,154,244

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.2	0.8	1.4	0.3	*	*	2.8
	3	-	-	-	-	-	-	*	*	*	0.2	0.7	0.2	*	*	1.1
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	1.0	2.1	0.5	*	*	3.9
31	1 - 2	-	-	-	-	-	*	*	0.4	2.4	5.0	5.9	0.8	*	*	14.6
	3	-	-	-	-	-	*	*	0.2	1.9	7.9	18.2	2.7	0.2	*	31.2
	4	-	-	-	-	-	-	*	*	0.1	0.5	2.5	0.8	0.1	*	3.9
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.6	4.4	13.4	26.6	4.3	0.3	*	49.8
41	1 - 2	-	-	-	-	-	*	*	0.1	0.8	1.8	2.1	0.1	*	*	4.9
	3	-	-	-	-	-	*	*	0.2	1.6	6.8	16.0	2.0	0.1	*	26.7
	4	-	-	-	-	-	-	*	*	0.2	1.3	6.0	1.7	0.1	*	9.2
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	2.6	9.9	24.4	4.0	0.2	*	41.5
51	1 - 2	-	-	-	-	-	-	-	-	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.3	0.4	0.1	*	*	0.8
61	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
42	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.4	1.2	0.2	*	*	2.0
	4	-	-	-	-	-	-	-	*	*	0.1	0.6	0.2	*	*	0.9
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	0.6	2.0	0.4	*	*	3.1
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-	0.3

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	1.0	7.5	25.4	56.0	9.4	0.6	*	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.67
Percent Tenderable	91.2
SAMPLES CLASSED	891,802

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	-	0.5	4.8	13.1	21.2	16.7	4.7	1.5	62.6
	3	-	-	-	-	-	-	-	0.2	0.4	1.8	4.8	2.6	0.6	0.1	10.4
	4	-	-	-	-	-	-	-	-	-	0.1	0.3	0.1	0.1	-	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	0.7	5.2	15.0	26.3	19.4	5.4	1.6	73.6
31	1 - 2	-	-	-	-	-	-	*	0.2	0.8	2.1	2.0	1.3	0.4	0.3	7.0
	3	-	-	-	-	-	-	*	0.1	1.0	1.9	2.3	1.5	1.3	0.5	8.8
	4	-	-	-	-	-	-	-	*	0.3	0.9	2.3	0.4	0.5	0.2	4.7
	5	-	-	-	-	-	-	-	-	*	0.2	0.9	0.2	0.1	*	1.4
	6	-	-	-	-	-	-	-	-	-	*	0.1	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.3	2.2	5.2	7.7	3.3	2.2	1.1	22.1
41	1 - 2	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	3	-	-	-	-	-	-	*	0.2	0.1	0.3	0.2	0.1	0.1	*	1.0
	4	-	-	-	-	-	-	-	*	*	0.3	0.4	*	0.1	0.3	1.1
	5	-	-	-	-	-	-	-	-	*	0.1	0.2	*	*	0.2	0.5
	6	-	-	-	-	-	-	-	-	-	0.1	*	*	-	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	0.3	0.1	0.8	0.8	0.1	0.2	0.5	2.9
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.2	0.1	-	-	-	0.3
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	0.2	*	-	-	0.2
	3	-	-	-	-	-	-	-	*	*	*	0.2	0.2	-	-	0.5
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.4	0.3	-	-	0.8
32	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	-	*	0.1	*	*	-	0.1
42	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	-	-	-	*	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.1	1.3	7.5	21.5	35.4	23.2	7.8	3.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.2
Bark - Level 2	-
Grass - Level 1	0.6
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.12
Percent Tenderable	89.2
SAMPLES CLASSED	22,013

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	1.0
31	1 - 2	-	-	-	-	-	-	*	0.5	1.5	1.7	0.9	0.1	*	*	4.7
	3	-	-	-	-	-	-	*	0.8	3.5	7.7	5.4	0.9	0.1	*	18.5
	4	-	-	-	-	-	-	*	0.1	0.7	2.2	2.8	0.4	0.1	*	6.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL	-	-	-	-	-	-	0.1	1.4	5.8	11.7	9.3	1.5	0.2	*	30.0
41	1 - 2	-	-	-	-	-	-	*	0.3	0.9	0.9	0.4	*	*	-	2.4
	3	-	-	-	-	-	-	0.1	1.4	6.4	12.1	6.5	0.7	0.1	*	27.3
	4	-	-	-	-	-	-	*	0.9	4.0	10.7	10.0	1.0	0.2	*	26.8
	5	-	-	-	-	-	-	*	0.1	0.7	1.8	2.8	0.4	0.1	*	5.8
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	0.1	2.7	12.0	25.5	19.9	2.3	0.3	*	62.9
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	0.7
	4	-	-	-	-	-	-	*	0.1	0.5	0.8	0.6	0.1	*	*	2.1
	5	-	-	-	-	-	-	*	*	0.2	0.4	0.5	*	*	*	1.3
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	-	*	0.2	1.0	1.7	1.4	0.2	*	*	4.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	*	*	*	0.2	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	0.9
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	*	*	-	-	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.2	4.3	19.1	39.8	31.6	4.2	0.6	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	2.6
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.14
Percent Tenderable	92.0
SAMPLES CLASSED	792,089

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	*	*	0.1	0.3	1.1	3.2	8.2	12.3	14.2	5.6	2.3	0.2	47.7
	3	-	-	-	-	*	*	0.1	0.4	1.1	2.2	3.2	1.1	0.7	0.1	8.8
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.3	1.2	3.6	9.3	14.6	17.5	6.7	3.0	0.3	56.7
31	1 - 2	-	-	-	-	*	*	*	0.2	0.3	0.6	0.3	0.1	0.1	*	1.5
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	0.6	0.1	0.1	*	2.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.3	0.8	1.7	1.1	0.2	0.2	0.1	4.3
41	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.2	0.1	*	1.0
	3	-	-	-	-	*	*	0.2	0.7	1.4	1.8	1.4	1.7	0.9	0.1	8.2
	4	-	-	-	-	*	*	*	0.2	0.5	1.1	0.6	0.2	0.2	*	2.9
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	*	0.1	*	0.5
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.3	1.0	2.1	3.3	2.3	2.2	1.3	0.2	12.6
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.2	*	*	1.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	*	*	0.1	0.2	0.3	0.4	0.8	0.8	0.4	0.2	0.1	*	*	3.3
	3	-	*	*	*	*	0.1	0.1	0.3	0.3	0.4	0.2	0.1	*	*	1.6
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	0.1	0.3	0.4	0.5	1.1	1.2	0.8	0.5	0.2	0.1	*	5.2
32	1 - 2	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.3	0.1	0.1	*	1.2
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.1	0.4	0.5	0.6	0.5	0.1	0.1	*	2.3
42	1 - 2	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*	*	1.1
	3	-	-	*	*	0.1	0.3	0.5	0.9	1.4	1.1	1.1	0.6	0.2	*	6.2
	4	-	-	-	*	*	0.1	0.1	0.6	1.1	1.0	0.9	0.3	0.1	*	4.3
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.3	*	*	*	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	0.1	0.4	0.8	1.8	2.9	2.5	2.4	1.0	0.4	*	12.5
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
TOTAL		-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.6

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
13 & 23	1 - 2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
33	1 - 2	-	-	*	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	-	0.7
43	1 - 2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.1	*	0.1	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	-	*	*	*	*	0.1	*	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	0.1	0.1	0.1	0.2	0.4	0.2	0.2	*	*	-	1.3
53	1 - 2	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	*	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	0.1	0.1	*	0.1	*	*	-	0.3
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24 - 54	1 - 8	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
TOTAL ALL		-	*	0.1	0.2	0.7	1.4	3.3	9.1	18.3	24.9	25.4	10.8	5.2	0.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.08
Percent Tenderable	75.0
SAMPLES CLASSED	166,574

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.2	0.4	0.3	*	*	*	1.0
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	0.1	*	1.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.4	0.8	0.7	0.2	0.1	*	2.2
31	1 - 2	-	-	-	-	-	-	*	0.1	1.0	1.6	0.8	0.2	*	*	3.8
	3	-	-	-	-	-	-	*	0.4	3.0	8.1	7.9	2.3	0.6	0.1	22.5
	4	-	-	-	-	-	-	*	0.1	0.6	2.4	4.0	1.3	0.3	0.1	8.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	0.1	0.6	4.6	12.2	13.0	3.9	1.0	0.2	35.6
41	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	3	-	-	-	-	-	-	*	0.6	3.3	6.8	5.5	1.1	0.2	*	17.7
	4	-	-	-	-	-	-	*	0.3	2.1	6.6	10.1	2.5	0.6	0.1	22.4
	5	-	-	-	-	-	-	*	0.1	0.3	1.2	2.5	0.9	0.2	*	5.1
	6	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL		-	-	-	-	-	-	0.1	1.1	6.1	14.9	18.4	4.5	1.1	0.1	46.3
51	1 - 2	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	0.1	0.4	1.1	1.4	0.8	0.1	*	*	3.9
	4	-	-	-	-	-	-	*	0.3	1.4	2.6	2.3	0.5	0.1	*	7.3
	5	-	-	-	-	-	-	*	0.1	0.3	0.6	0.8	0.2	*	*	2.0
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	0.1	0.8	3.0	4.7	4.0	0.9	0.1	*	13.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	-	*	*	-	*	-	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	1.0
52	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	0.9

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.2	2.6	14.5	33.4	36.9	9.6	2.3	0.4	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.1
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.45
Percent Tenderable	87.1
SAMPLES CLASSED	328,157

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.3	1.0	1.8	0.4	*	*	3.5
	3	-	-	-	-	-	-	*	*	0.1	0.4	1.1	0.3	*	*	1.9
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.4	1.5	2.8	0.6	*	*	5.5
31	1 - 2	-	-	-	-	*	*	*	0.4	2.1	5.0	4.8	0.5	*	*	13.0
	3	-	-	-	-	-	*	*	0.2	2.1	7.8	10.5	1.7	0.2	*	22.5
	4	-	-	-	-	-	-	*	*	0.2	0.9	1.7	0.4	*	*	3.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.6	4.4	13.8	17.1	2.6	0.2	*	38.9
41	1 - 2	-	-	-	-	-	*	0.1	0.4	1.8	3.3	2.3	0.2	*	-	8.0
	3	-	-	-	-	-	-	*	0.5	3.1	8.8	10.2	1.2	0.2	*	24.1
	4	-	-	-	-	-	-	*	0.1	0.7	2.2	3.3	0.6	0.1	*	6.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	1.0	5.6	14.3	16.0	2.1	0.4	*	39.5
51	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	3	-	-	-	-	-	-	*	0.1	0.6	0.7	0.7	0.1	*	*	2.1
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.8	1.2	1.1	0.1	*	*	3.4
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.4	*	*	*	0.9
42	1 - 2	-	-	-	-	-	-	*	0.1	0.5	0.7	0.6	*	*	*	1.9
	3	-	-	-	-	-	*	*	0.2	0.9	2.5	2.5	0.3	*	*	6.3
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.7	0.1	*	*	1.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	1.5	3.6	3.9	0.4	0.1	*	9.8
52	1 - 2	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	-	*	*	0.2	0.3	0.4	*	*	*	0.9
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	0.6	0.7	0.1	*	*	1.8

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.2	2.0	13.2	35.5	42.3	6.0	0.8	0.1	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.39
Percent Tenderable	86.4
SAMPLES CLASSED	535,227

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple																
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total		
11 & 21	1 - 2	-	*	*	*	0.1	0.4	1.3	3.3	5.5	6.0	5.3	1.8	0.6	0.1	24.4		
	3	-	-	*	*	*	0.1	0.3	0.7	1.4	1.8	2.3	1.1	0.5	0.1	8.3		
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*		
TOTAL		-	*	*	*	0.1	0.5	1.6	4.0	7.0	8.0	7.7	2.9	1.2	0.2	33.3		
31	1 - 2	-	*	*	*	*	0.1	0.4	0.7	1.0	0.8	0.7	0.2	0.1	*	4.1		
	3	-	*	*	*	0.1	0.3	0.8	1.9	2.8	3.2	4.4	1.9	0.8	0.1	16.1		
	4	-	-	*	*	*	0.1	0.2	0.6	1.1	1.5	2.1	1.1	0.5	0.1	7.2		
	5	-	-	*	*	*	*	*	0.1	0.1	0.3	0.3	0.1	0.1	*	1.1		
	6	-	-	*	-	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*		
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
TOTAL		-	*	*	*	0.1	0.5	1.4	3.2	5.1	5.8	7.5	3.3	1.4	0.2	28.6		
41	1 - 2	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4		
	3	-	-	*	*	*	0.1	0.3	0.8	1.4	1.5	1.5	0.5	0.1	*	6.1		
	4	-	-	*	*	*	0.1	0.2	0.7	1.3	1.5	2.4	1.1	0.3	*	7.5		
	5	-	-	*	*	*	*	0.1	0.2	0.5	0.7	0.9	0.4	0.1	*	2.9		
	6	-	-	*	*	*	*	*	0.1	0.1	0.3	0.5	0.1	*	*	1.2		
	7	-	-	*	*	*	*	*	*	*	0.1	0.2	0.1	*	*	0.5		
	8	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2		
TOTAL		-	-	*	*	*	0.2	0.7	1.9	3.5	4.3	5.6	2.1	0.5	0.1	18.9		
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3		
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6		
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1		
	8	-	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	0.2		
TOTAL		-	-	*	*	*	*	*	0.2	0.4	0.4	0.4	0.1	*	*	1.6		
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	8	-	-	-	-	-	-	*	*	*	-	*	*	-	*	*		
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
12 & 22	1 - 2	-	*	*	*	0.1	0.3	0.5	0.8	0.9	0.6	0.3	0.1	*	*	3.7		
	3	-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.3	0.1	*	*	2.2		
	4	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	*	*	*	0.2	0.5	0.9	1.3	1.4	1.1	0.7	0.2	*	*	6.2		
32	1 - 2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5		
	3	-	*	*	*	0.1	0.1	0.3	0.4	0.5	0.4	0.3	0.1	*	*	2.0		
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.2		
	5	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
TOTAL		-	*	*	*	0.1	0.2	0.5	0.7	0.9	0.8	0.6	0.2	0.1	*	4.2		
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	1.0		
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	*	*	1.9		
	5	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.8		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL		-	*	*	*	*	0.1	0.2	0.5	0.7	0.9	1.0	0.4	0.1	*	3.9		
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4		
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
TOTAL		-	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.2		

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	*	-	*	-	*	*	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5	
33	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
TOTAL		-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7	
43	1 - 2	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
53	1 - 2	-	-	-	-	*	*	-	*	*	*	*	-	-	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	*
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
TOTAL		-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	*	-	*	-	*	*	*
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
81 - 85	1 - 8	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*	*
TOTAL ALL		-	*	*	0.1	0.6	2.1	5.4	12.3	19.7	21.9	24.3	9.5	3.4	0.5	100.0	

EXTRANEIOUS MATTER	
Bark - Level 1	5.8
Bark - Level 2	-
Grass - Level 1	0.6
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.82
Percent Tenderable	75.2
SAMPLES CLASSED	4,065,181

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple														
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	Total
11 & 21	1 - 2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	0.4
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	-
31	1 - 2	-	-	-	-	-	-	*	0.3	1.9	3.5	1.7	0.1	*	-	7.6
	3	-	-	-	-	-	-	*	0.5	3.8	13.2	9.8	0.5	0.1	*	27.8
	4	-	-	-	-	-	-	*	0.1	0.7	2.4	2.5	0.2	*	*	5.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	0.1	0.9	6.4	19.2	14.1	0.8	0.1	*
41	1 - 2	-	-	-	-	-	-	*	0.4	1.3	2.3	0.6	*	*	-	4.7
	3	-	-	-	-	-	-	*	0.9	5.7	15.6	8.7	0.4	0.1	*	31.5
	4	-	-	-	-	-	-	*	0.3	2.1	7.2	7.1	0.4	*	*	17.2
	5	-	-	-	-	-	-	*	0.1	0.3	0.8	1.2	0.1	*	-	2.4
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	0.1	1.7	9.4	25.9	17.7	1.0	0.1	*
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-	0.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-
52	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2024 Crop

Quality Designation	Leaf	Staple															
Color		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Total	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	0.2	2.7	16.2	45.9	32.8	1.9	0.2	*	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	1.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.15
Percent Tenderable	97.1
SAMPLES CLASSED	214,946

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2024 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2,312	-	446	1	-	-	18	-	10,308	-
Arizona	955	-	133	-	3	-	1	-	234	-
Arkansas	1,720	1	676	-	1	-	9	1	5,029	-
California	3,614	-	113	-	-	-	-	-	5	-
Florida	1,039	-	110	-	-	-	2	-	9,355	-
Georgia	21,676	-	1,832	3	2	-	63	4	57,851	-
Kansas	47,632	-	204	-	-	-	65	-	98	-
Louisiana	149	1	209	-	-	-	-	-	662	-
Mississippi	1,965	1	410	-	5	-	8	-	9,792	-
Missouri	172	-	238	-	2	-	34	-	105	-
New Mexico	702	-	134	-	-	-	-	-	-	-
North Carolina	20,902	-	1,865	-	-	-	2	-	246	-
Oklahoma	6,985	-	47	-	3	-	1	-	30	-
South Carolina	10,297	-	876	-	-	-	10	-	541	-
Tennessee	47	-	14	-	-	-	-	-	9	-
Texas	234,540	-	23,172	89	37	-	37	-	3,204	6
Virginia	2,862	-	78	-	-	-	1	-	17	-
United States	357,569	3	30,557	93	53	-	251	5	97,486	6

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2	-	90	-	-	-	13,176	1
Arizona	-	-	72	-	-	-	1,398	-
Arkansas	-	-	176	-	-	-	7,611	2
California	-	-	10	-	-	-	3,742	-
Florida	-	-	9	-	-	-	10,515	-
Georgia	5	-	288	-	-	-	81,717	7
Kansas	1	-	37	-	-	-	48,037	-
Louisiana	1	-	29	-	-	-	1,050	1
Mississippi	1	-	404	-	-	-	12,585	1
Missouri	-	-	89	-	-	-	640	-
New Mexico	3	-	3	-	-	-	842	-
North Carolina	3	-	86	-	-	-	23,104	-
Oklahoma	-	-	19	-	-	-	7,085	-
South Carolina	1	-	84	-	-	-	11,809	-
Tennessee	-	-	61	-	-	-	131	-
Texas	56	-	1,423	-	-	-	262,469	95
Virginia	-	-	16	-	-	-	2,974	-
United States	73	-	2,896	-	-	-	488,885	107

Table 21. -- Tenderability of upland cotton classed, by states, 2024 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	503,385	79.9	126,465	20.1
Arizona	211,743	89.3	25,284	10.7
Arkansas	1,657,998	85.1	290,603	14.9
California	76,528	85.4	13,086	14.6
Florida	77,498	68.6	35,555	31.4
Georgia	1,482,655	78.6	404,041	21.4
Kansas	81,763	46.5	94,141	53.5
Louisiana	255,118	77.3	74,780	22.7
Mississippi	899,820	78.0	254,424	22.0
Missouri	813,082	91.2	78,720	8.8
New Mexico	19,638	89.2	2,375	10.8
North Carolina	728,336	92.0	63,753	8.0
Oklahoma	124,970	75.0	41,604	25.0
South Carolina	285,882	87.1	42,275	12.9
Tennessee	462,572	86.4	72,655	13.6
Texas	3,055,659	75.2	1,009,522	24.8
Virginia	208,612	97.1	6,334	2.9
<i>United States</i>	<i>10,945,259</i>	<i>80.6</i>	<i>2,635,617</i>	<i>19.4</i>

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7
2023	9,067,507	79.3	2,370,793	20.7

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2024 Crop

		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	14.1	47.7	26.4	28.9	7.0	4.2	1.8	2.7	0.6	1.0	0.3	0.6
	3	14.5	8.8	7.4	10.1	7.8	3.8	1.1	2.1	0.5	1.1	0.4	0.6
	4	1.4	0.2	0.5	0.7	0.5	0.1	*	0.1	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		29.9	56.7	34.4	39.7	15.4	8.2	2.9	4.8	1.0	2.2	0.8	1.3
31	1 - 2	0.9	1.5	4.6	2.5	2.8	6.4	4.6	5.3	4.7	3.8	7.6	4.9
	3	5.6	2.3	14.2	7.8	21.2	31.6	19.1	23.7	18.5	22.5	27.8	21.0
	4	3.5	0.4	6.6	3.7	8.7	10.6	6.4	7.9	6.3	8.9	5.9	6.9
	5	0.7	*	0.9	0.6	0.6	0.5	0.4	0.4	0.5	0.5	0.3	0.4
	6	*	-	0.1	*	*	*	*	*	*	*	*	*
	7	*	-	*	*	*	-	-	-	*	-	-	*
	8	-	-	*	*	*	-	-	-	*	-	-	*
TOTAL		10.6	4.3	26.4	14.6	33.4	49.2	30.4	37.4	30.0	35.6	41.7	33.3
41	1 - 2	*	1.0	0.5	0.5	0.9	0.3	0.9	0.7	2.4	0.9	4.7	2.4
	3	0.5	8.2	5.7	4.8	13.5	13.2	19.5	17.2	27.3	17.7	31.5	25.6
	4	1.3	2.9	6.2	3.6	14.1	20.7	26.0	24.1	26.8	22.4	17.2	24.1
	5	0.7	0.5	2.7	1.4	2.6	4.3	5.7	5.2	5.8	5.1	2.4	5.1
	6	0.1	0.1	0.7	0.3	0.2	0.2	0.4	0.3	0.5	0.3	0.1	0.4
	7	*	-	0.2	0.1	*	*	*	*	0.1	*	*	0.1
	8	*	-	0.1	*	*	-	-	-	*	*	*	*
TOTAL		2.7	12.6	16.2	10.7	31.3	38.7	52.5	47.4	62.9	46.3	56.0	57.7
51	1 - 2	*	*	*	*	0.1	*	*	*	*	0.1	*	*
	3	0.4	0.7	*	0.3	0.8	0.6	0.8	0.7	0.7	3.9	0.3	1.4
	4	1.1	0.6	*	0.5	1.6	0.8	2.9	2.1	2.1	7.3	0.3	3.1
	5	1.2	0.2	*	0.5	0.7	0.3	1.3	0.9	1.3	2.0	0.1	1.3
	6	0.5	0.1	0.1	0.2	0.1	*	0.1	0.1	0.3	0.2	*	0.2
	7	0.2	*	0.1	0.1	*	*	*	*	0.1	*	*	*
	8	0.1	-	0.2	0.1	*	-	-	-	*	*	-	*
TOTAL		3.4	1.5	0.4	1.7	3.3	1.7	5.2	3.9	4.5	13.5	0.7	6.1
61	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	*	-	*
	4	-	-	-	-	*	*	*	*	-	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	*
	7	*	-	-	*	*	*	*	*	*	*	-	*
	8	*	-	*	*	-	-	-	-	*	*	-	*
TOTAL		*	-	*	*	*	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	-	*
12 & 22	1 - 2	4.0	3.3	2.6	3.3	0.5	-	*	*	*	*	*	*
	3	5.7	1.6	2.4	3.2	0.8	*	*	*	*	*	*	*
	4	0.9	0.2	0.3	0.5	0.1	*	*	*	*	*	*	*
	5	*	*	*	*	*	-	*	*	*	-	-	*
	6	*	-	-	*	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		10.6	5.2	5.3	7.0	1.4	*	0.1	*	*	*	*	*
32	1 - 2	0.1	0.8	0.5	0.5	0.1	*	0.1	0.1	*	*	*	*
	3	1.5	1.2	3.4	2.1	1.6	0.1	0.3	0.2	0.1	0.1	0.3	0.1
	4	1.5	0.3	2.2	1.4	1.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1
	5	0.4	*	0.5	0.3	0.2	*	*	*	*	*	*	*
	6	0.1	*	*	0.1	*	-	-	-	*	*	-	*
	7	*	-	*	*	*	-	-	-	*	-	-	*
	8	*	-	-	*	*	-	-	-	*	-	-	*
TOTAL		3.6	2.3	6.7	4.4	3.1	0.2	0.6	0.4	0.3	0.3	0.4	0.3
42	1 - 2	*	1.1	0.1	0.4	0.1	*	0.1	0.1	*	*	*	*
	3	1.4	6.2	1.5	2.9	2.0	0.7	1.8	1.4	0.2	0.2	0.1	0.2
	4	3.3	4.3	2.5	3.3	4.4	0.7	2.9	2.1	0.4	0.5	0.1	0.4
	5	1.6	0.9	1.5	1.4	1.6	0.2	0.9	0.6	0.1	0.3	*	0.1
	6	0.3	0.1	0.5	0.3	0.2	*	0.1	0.1	*	*	*	*
	7	0.1	*	0.1	0.1	*	*	*	*	*	*	-	*
	8	*	-	0.1	*	*	-	-	-	*	-	-	*
TOTAL		6.8	12.5	6.3	8.3	8.3	1.6	5.8	4.3	0.9	1.0	0.3	0.8

Table 23. --- Continued.													
		Abilene				Corpus Christi	Dumas			Florence			
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	*	*	*	*	*	*	*	*	-	*	*	*
	3	0.6	0.2	*	0.3	0.2	0.1	0.4	0.3	*	0.1	*	*
	4	2.9	0.6	*	1.1	1.1	0.2	1.3	0.9	0.1	0.5	*	0.2
	5	4.8	0.5	*	1.7	0.9	0.1	0.6	0.4	0.1	0.3	*	0.1
	6	3.0	0.2	*	1.0	0.2	*	0.1	*	*	*	-	*
	7	1.3	0.1	0.1	0.5	*	-	*	*	*	*	-	*
	8	0.4	*	0.1	0.2	*	-	-	-	*	-	-	*
TOTAL		13.0	1.6	0.2	4.8	2.3	0.4	2.3	1.6	0.2	0.9	*	0.3
62	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	*	-	*	*	-	*	*	-	*	-	*
	4	*	-	-	*	*	*	*	*	-	*	-	*
	5	*	*	-	*	*	*	*	*	-	*	-	*
	6	*	-	-	*	*	*	*	*	*	*	-	*
	7	*	-	-	*	*	-	*	*	*	*	-	*
	8	0.1	-	*	*	*	-	-	-	*	-	*	*
TOTAL		0.1	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	0.1	0.2	0.2	0.2	*	-	-	-	-	*	*	*
	3	0.2	0.2	0.5	0.3	*	-	*	*	*	*	*	*
	4	0.1	*	0.1	0.1	*	-	*	*	-	*	*	*
	5	*	-	*	*	*	-	-	-	*	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	0.5	0.7	0.5	0.1	-	*	*	*	*	*	*
33	1 - 2	*	0.2	0.1	0.1	*	-	*	*	*	-	*	*
	3	0.1	0.4	0.8	0.5	0.1	*	*	*	*	*	0.1	*
	4	0.2	0.1	0.6	0.3	*	*	*	*	*	*	*	*
	5	0.1	*	0.2	0.1	*	-	*	*	*	*	*	*
	6	*	*	*	*	*	-	-	-	*	-	-	*
	7	*	-	*	*	*	-	-	-	*	-	-	*
	8	-	-	-	-	*	-	-	-	*	-	-	*
TOTAL		0.4	0.7	1.7	1.0	0.1	*	*	*	*	*	0.1	*
43	1 - 2	*	0.1	*	*	*	-	*	*	*	*	*	*
	3	0.4	0.6	0.2	0.4	0.1	*	*	*	*	*	*	*
	4	1.1	0.4	0.5	0.6	0.2	*	*	*	*	*	*	*
	5	0.6	0.1	0.4	0.4	0.1	*	*	*	*	*	*	*
	6	0.1	*	0.1	0.1	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	-	-	*	-	-	*
	8	*	-	*	*	*	-	-	-	*	-	-	*
TOTAL		2.2	1.3	1.2	1.5	0.5	*	0.1	*	0.1	0.1	*	0.1
53	1 - 2	*	*	*	*	*	*	*	*	-	-	-	-
	3	0.5	0.1	*	0.2	*	*	*	*	*	*	-	*
	4	2.7	0.1	*	0.9	0.2	*	*	*	*	*	-	*
	5	4.7	0.1	*	1.6	0.3	*	*	*	*	*	-	*
	6	3.8	0.1	*	1.3	0.1	*	*	*	*	*	-	*
	7	1.8	*	*	0.6	*	-	*	*	*	-	-	*
	8	0.4	-	*	0.1	*	-	-	-	*	-	-	*
TOTAL		13.8	0.3	0.1	4.6	0.7	*	0.1	0.1	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	*	-	-	-	-	-	-	-
	4	*	*	-	*	*	-	*	*	-	-	-	-
	5	*	*	-	*	*	-	*	*	-	-	-	-
	6	0.1	-	-	*	*	-	*	*	-	-	-	-
	7	0.1	-	*	*	*	-	*	*	-	-	-	-
	8	0.1	-	-	*	*	-	-	-	-	-	-	-
TOTAL		0.2	*	*	0.1	*	-	*	*	-	-	-	-
24 - 54	1 - 8	2.2	0.5	0.3	1.0	*	-	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	*	-	-	-	-	-	-	-
81 - 85	1 - 8	0.2	*	*	0.1	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	*	*	*	-	-	-	-	-	-	-	-
29		*	0.1	0.2	0.1	-	-	-	-	-	-	-	-
30		*	0.2	0.3	0.2	*	-	-	-	-	-	-	-
31		0.3	0.7	1.0	0.7	*	-	-	-	-	-	-	-
32		1.4	1.4	3.2	2.1	0.4	*	*	*	-	-	-	-
33		4.7	3.3	7.2	5.2	1.7	*	0.3	0.2	0.2	0.2	0.2	0.2
34		13.0	9.1	13.8	12.1	7.5	0.3	2.8	1.9	4.4	2.6	2.8	3.7
35		21.6	18.3	18.2	19.3	15.2	3.1	14.1	10.0	19.1	14.5	16.2	17.5
36		24.0	24.9	19.7	22.7	18.6	17.9	28.1	24.3	39.8	33.4	45.9	39.2
37		27.6	25.4	22.8	25.1	30.9	59.3	41.9	48.4	31.6	36.9	32.8	33.1
38		7.0	10.8	9.7	9.2	17.4	17.4	10.7	13.2	4.2	9.6	1.9	5.2
39		0.6	5.2	3.3	3.0	7.4	1.9	1.8	1.9	0.6	2.3	0.2	1.0
40 & Longer		*	0.6	0.6	0.4	0.9	0.1	0.1	0.1	0.1	0.4	*	0.2
Average Staple		35.75	36.08	35.65	35.81	36.55	36.97	36.49	36.66	36.14	36.45	36.15	36.22
Average Length		1.11	1.12	1.11	1.12	1.14	1.15	1.14	1.14	1.13	1.14	1.13	1.13

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2024 Crop

		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
11 & 21	1 - 2	53.4	30.2	2.4	0.8	2.0	2.0	1.9	0.8	1.4	2.8	3.5	1.9
	3	10.4	8.2	1.1	0.4	1.1	1.1	3.0	0.3	1.4	1.1	1.9	1.0
	4	0.9	0.6	*	*	*	*	0.2	*	0.1	*	*	*
	5	*	*	*	-	*	*	*	*	*	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	64.8	39.1	3.6	1.2	3.1	3.1	5.1	1.2	2.8	3.9	5.5	3.0
31	1 - 2	4.6	4.7	6.1	3.0	6.3	6.1	4.5	5.7	3.0	14.6	13.0	9.1
	3	8.6	14.5	21.6	17.5	19.1	19.5	23.0	15.4	18.9	31.2	22.5	21.6
	4	3.5	7.1	3.4	4.7	3.1	3.2	8.2	2.5	9.9	3.9	3.2	3.9
	5	0.8	1.4	0.1	0.1	0.1	0.1	0.5	0.1	0.8	0.1	0.1	0.2
	6	0.1	0.1	*	-	*	*	*	*	*	*	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	17.6	27.9	31.3	25.4	28.6	28.9	36.2	23.7	32.6	49.8	38.9	34.7
41	1 - 2	*	0.2	2.3	0.8	2.4	2.3	1.0	3.8	1.2	4.9	8.0	4.5
	3	0.2	2.3	23.0	15.9	24.1	23.5	16.2	36.2	16.8	26.7	24.1	29.1
	4	0.2	4.6	16.0	18.9	14.4	14.9	14.6	18.5	24.4	9.2	6.9	14.2
	5	0.4	3.8	2.4	3.3	1.7	1.9	2.1	2.4	8.9	0.6	0.5	2.0
	6	0.4	2.1	0.1	0.2	0.1	0.1	0.1	0.3	0.9	*	*	0.2
	7	0.2	1.0	*	*	*	*	-	-	-	-	-	-
	8	*	0.3	*	-	*	*	-	-	-	-	-	-
	TOTAL	1.4	14.3	43.8	39.1	42.6	42.6	34.1	61.2	52.2	41.5	39.5	50.0
51	1 - 2	-	*	0.4	0.1	0.6	0.6	0.1	0.1	0.2	0.1	0.4	0.2
	3	*	*	5.1	5.3	7.2	6.7	0.7	2.4	1.2	0.4	2.1	1.6
	4	-	*	4.7	11.5	6.9	6.7	1.0	2.4	2.6	0.3	0.8	1.5
	5	-	*	1.3	3.4	1.7	1.7	0.3	0.8	1.9	0.1	0.1	0.5
	6	-	0.1	0.2	0.3	0.2	0.2	*	0.3	0.2	*	*	0.1
	7	*	0.2	*	*	*	*	-	-	*	-	-	*
	8	-	0.5	*	-	*	*	-	-	-	-	-	-
	TOTAL	*	0.8	11.7	20.5	16.5	15.8	2.1	6.0	6.1	0.8	3.4	3.9
61	1 - 2	-	-	*	-	*	*	-	-	-	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	0.2	*	*	*	*	*	*	*	*
	5	-	*	*	0.1	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	-	-	-	*	-	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
	TOTAL	-	*	0.1	0.4	*	0.1	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	*	-	-	*	-	-	*	-	-	*
	6	-	-	*	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	-	*	*	-	*	*	-	-	*
12 & 22	1 - 2	7.0	5.5	*	*	*	*	0.1	*	0.1	*	*	*
	3	3.5	2.9	*	*	*	*	0.1	*	*	*	*	*
	4	0.5	0.3	*	-	*	*	*	*	*	*	*	*
	5	*	*	-	-	-	-	-	-	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	11.1	8.6	*	*	*	*	0.1	*	0.1	*	*	*
32	1 - 2	0.5	0.8	0.1	*	0.1	0.1	0.3	*	0.1	*	0.2	0.1
	3	1.2	2.5	0.6	0.5	0.5	0.5	2.1	0.2	0.2	0.3	0.6	0.4
	4	0.8	1.3	0.2	0.3	0.2	0.2	0.8	0.1	0.1	0.1	0.1	0.1
	5	0.3	0.3	*	*	*	*	0.1	*	*	*	*	*
	6	0.1	*	*	-	*	*	*	*	*	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL	2.9	4.9	0.9	0.8	0.8	0.8	3.3	0.3	0.5	0.4	0.9	0.6
42	1 - 2	*	*	0.1	*	0.1	0.1	0.7	0.1	0.3	0.2	1.9	0.5
	3	*	0.4	1.9	1.1	2.3	2.1	7.8	3.3	1.7	2.0	6.3	3.6
	4	*	0.5	3.3	2.5	2.4	2.6	5.8	2.4	1.6	0.9	1.5	2.0
	5	*	0.3	1.2	0.9	0.4	0.5	1.1	0.2	0.6	0.1	0.1	0.2
	6	*	0.1	0.1	0.1	*	*	0.1	*	0.2	*	*	*
	7	*	*	*	*	*	*	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
	TOTAL	0.1	1.4	6.5	4.5	5.2	5.4	15.4	6.0	4.2	3.1	9.8	6.3

* Less than 0.05 percent.

Table 24. -- Continued.													
		Lamesa	Lubbock	Macon				Memphis					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
52	1 - 2	-	*	*	*	*	*	0.1	*	*	*	0.2	*
	3	-	*	0.3	0.9	0.6	0.6	1.2	0.6	0.3	0.2	0.9	0.6
	4	-	0.1	0.7	3.8	1.5	1.4	1.3	0.7	0.6	0.1	0.6	0.5
	5	*	0.2	0.5	1.7	0.5	0.6	0.4	0.1	0.4	*	0.1	0.1
	6	-	0.2	0.1	0.2	0.1	0.1	*	*	0.1	*	*	*
	7	-	0.1	*	*	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
TOTAL		*	0.5	1.6	6.7	2.7	2.7	3.0	1.5	1.4	0.3	1.8	1.3
62	1 - 2	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	-	*	*	*
	4	-	-	*	0.2	*	*	*	*	*	*	*	*
	5	-	-	*	0.1	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	-	*	*	-	-	-	*	-	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		-	*	*	0.3	*	*	*	*	*	*	*	*
13 & 23	1 - 2	0.5	0.3	-	*	*	*	-	-	-	*	-	*
	3	0.5	0.3	*	*	*	*	-	-	-	*	-	*
	4	0.1	0.1	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.0	0.7	*	*	*	*	-	-	-	*	-	*
33	1 - 2	0.1	0.2	*	*	*	*	-	-	-	*	*	*
	3	0.4	0.4	*	*	*	*	-	*	*	*	*	*
	4	0.2	0.2	*	*	*	*	-	*	*	*	*	*
	5	0.1	*	*	-	*	*	-	-	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.8	0.9	*	*	*	*	-	*	*	*	*	*
43	1 - 2	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	0.1	0.1	*	0.1	0.1	0.2	*	*	*	0.1	*
	4	*	0.1	0.1	0.1	0.1	0.1	0.3	*	*	*	*	*
	5	*	0.1	0.1	*	*	*	0.1	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	-	*	*	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.3	0.3	0.2	0.3	0.3	0.6	0.1	0.1	0.1	0.1	0.1
53	1 - 2	-	*	-	-	*	*	-	-	-	-	-	-
	3	*	*	*	0.1	*	*	-	*	*	*	-	*
	4	*	*	0.1	0.5	0.1	0.1	*	*	*	*	*	*
	5	*	0.1	*	0.2	0.1	0.1	*	*	-	*	-	*
	6	*	0.1	*	*	*	*	-	*	-	*	-	*
	7	-	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	0.2	0.1	0.7	0.2	0.2	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-	-	-
	5	-	*	*	*	*	*	-	-	-	-	-	-
	6	-	*	*	*	*	*	-	-	-	-	-	-
	7	-	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	*	*	*	*	-	-	-	-	-	-
24 - 54	1 - 8	0.3	0.3	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	*	*	-	-	-	-	-	-
Staple													
28 & Shorter		*	*	-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-	-	-
30		0.2	0.2	-	-	*	*	-	-	-	-	-	-
31		0.8	0.9	*	-	*	*	*	*	*	-	*	*
32		3.4	3.1	0.3	*	0.1	0.1	0.1	*	*	*	*	*
33		9.2	7.1	2.4	0.3	0.8	1.1	1.4	0.2	0.4	0.1	0.2	0.2
34		19.6	14.2	9.0	3.4	5.2	5.8	5.6	1.1	3.2	1.0	2.0	1.6
35		27.3	21.7	18.8	11.1	17.4	17.3	13.0	8.8	12.7	7.5	13.2	9.7
36		23.3	24.3	27.8	21.4	29.9	29.1	23.0	25.6	30.7	25.4	35.5	27.4
37		12.8	21.7	31.1	33.3	33.6	33.2	41.3	57.0	39.1	56.0	42.3	52.2
38		2.7	5.3	8.3	20.3	10.2	10.3	12.3	6.9	9.9	9.4	6.0	8.0
39		0.7	1.2	2.0	8.3	2.5	2.7	3.0	0.4	3.6	0.6	0.8	0.9
40 & Longer		0.2	0.2	0.4	2.0	0.3	0.4	0.4	*	0.4	*	0.1	0.1
Average Staple		35.09	35.47	36.10	36.88	36.32	36.31	36.47	36.61	36.51	36.67	36.39	36.57
Average Length		1.09	1.11	1.13	1.15	1.13	1.13	1.14	1.14	1.14	1.14	1.13	1.14

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2024 Crop

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
11 & 21	1 - 2	-	12.0	-	-	13.2	80.5	71.6	62.6	22.6	74.0	11.5
	3	-	5.6	-	-	5.9	6.0	6.9	10.4	5.9	6.5	3.8
	4	-	0.2	-	-	0.2	0.1	0.8	0.6	0.5	0.3	0.2
	5	-	*	-	-	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	17.8	-	-	19.3	86.6	79.3	73.6	29.0	80.8	15.6
31	1 - 2	-	7.6	-	-	6.8	5.7	8.7	7.0	14.4	7.0	5.9
	3	-	25.3	-	-	24.3	4.5	3.0	8.8	15.9	5.0	19.0
	4	-	6.6	-	-	6.3	1.1	2.0	4.7	9.3	2.0	5.5
	5	-	0.3	-	-	0.4	0.2	0.3	1.4	1.4	0.4	0.5
	6	-	*	-	-	*	*	*	0.1	0.1	*	*
	7	-	*	-	-	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	39.8	-	-	37.8	11.5	14.0	22.1	41.0	14.4	30.9
41	1 - 2	-	0.4	-	-	0.4	*	0.4	0.2	2.0	0.2	2.0
	3	-	13.3	-	-	12.9	*	0.5	1.0	1.3	0.3	17.8
	4	-	19.0	-	-	17.4	0.1	0.8	1.1	0.9	0.4	13.8
	5	-	4.4	-	-	4.0	0.1	0.3	0.5	1.0	0.2	2.9
	6	-	0.2	-	-	0.2	*	*	0.1	0.3	0.1	0.5
	7	-	*	-	-	*	*	*	-	0.1	*	0.2
	8	-	*	-	-	*	*	-	-	*	*	*
TOTAL		-	37.3	-	-	34.9	0.3	2.0	2.9	5.7	1.2	37.2
51	1 - 2	-	0.1	-	-	0.1	-	*	-	-	*	0.2
	3	-	0.5	-	-	0.8	-	*	-	-	*	1.9
	4	-	0.9	-	-	0.9	*	*	0.1	*	*	2.3
	5	-	0.3	-	-	0.3	*	*	0.1	*	*	0.7
	6	-	*	-	-	*	*	*	*	*	*	0.1
	7	-	*	-	-	*	*	*	-	-	*	*
	8	-	*	-	-	*	-	-	-	*	*	0.1
TOTAL		-	1.8	-	-	2.1	*	0.1	0.3	0.1	*	5.4
61	1 - 2	-	-	-	-	-	-	*	-	-	*	*
	3	-	*	-	-	*	-	*	-	-	*	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	*	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	-	*	-	-	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	*
12 & 22	1 - 2	-	*	-	-	*	0.9	1.8	0.2	3.5	1.2	1.2
	3	-	0.1	-	-	0.2	0.3	1.0	0.5	6.2	0.8	0.8
	4	-	*	-	-	0.1	*	0.2	0.1	0.7	0.1	0.1
	5	-	*	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	0.1	-	-	0.3	1.2	3.1	0.8	10.5	2.2	2.1
32	1 - 2	-	*	-	-	*	*	0.1	-	1.4	0.1	0.2
	3	-	0.4	-	-	0.4	0.1	0.3	0.1	4.2	0.4	0.9
	4	-	0.2	-	-	0.2	0.1	0.3	0.1	2.7	0.3	0.5
	5	-	*	-	-	*	*	0.2	*	0.6	0.1	0.1
	6	-	*	-	-	*	*	*	-	0.1	*	*
	7	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.6	-	-	0.7	0.2	0.9	0.1	9.0	0.8	1.7
42	1 - 2	-	*	-	-	*	*	*	*	*	*	0.2
	3	-	0.7	-	-	1.0	*	*	*	0.2	*	1.8
	4	-	1.0	-	-	1.4	*	0.1	*	0.1	*	1.9
	5	-	0.4	-	-	0.6	*	*	*	0.3	*	0.5
	6	-	*	-	-	0.1	*	*	-	0.3	*	0.1
	7	-	*	-	-	*	*	-	-	0.1	*	*
	8	-	*	-	-	*	-	-	-	*	*	*
TOTAL		-	2.1	-	-	3.1	*	0.2	0.1	1.1	0.1	4.5

Table 25. -- Continued.

		Rayville					Visalia					
Color	Leaf	Arkansas	Louisiana	Mississippi 1/	Texas 1/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
52	1 - 2	-	*	-	-	*	-	*	-	-	*	*
	3	-	0.1	-	-	0.2	-	*	0.1	-	*	0.3
	4	-	0.2	-	-	0.5	-	*	0.1	-	*	0.7
	5	-	0.1	-	-	0.4	-	*	*	*	*	0.4
	6	-	*	-	-	0.1	-	*	-	*	*	0.1
	7	-	*	-	-	*	-	-	-	*	*	*
	8	-	*	-	-	*	-	-	-	*	*	*
TOTAL		-	0.4	-	-	1.3	-	0.1	0.1	0.1	*	1.5
62	1 - 2	-	-	-	-	-	-	*	-	-	*	*
	3	-	*	-	-	*	-	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	*	-	-	*	-	-	-	-	-	*
	6	-	*	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	-	*	-	-	*	*
13 & 23	1 - 2	-	*	-	-	*	0.1	*	*	0.2	0.1	0.1
	3	-	*	-	-	*	*	0.1	*	0.4	*	0.1
	4	-	*	-	-	*	*	*	-	0.1	*	*
	5	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	*	-	-	*	0.1	0.2	*	0.7	0.1	0.2
33	1 - 2	-	*	-	-	*	*	*	*	0.1	*	*
	3	-	*	-	-	*	*	*	*	0.4	*	0.1
	4	-	*	-	-	*	*	0.1	-	0.7	0.1	0.1
	5	-	*	-	-	*	*	0.1	-	0.3	*	*
	6	-	-	-	-	*	-	*	-	*	*	*
	7	-	-	-	-	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	-	0.1	*	0.2	*	1.6	0.1	0.2
43	1 - 2	-	*	-	-	*	-	*	-	*	*	*
	3	-	*	-	-	*	*	*	-	0.1	*	0.1
	4	-	*	-	-	0.1	*	*	-	0.2	*	0.1
	5	-	*	-	-	*	*	-	*	0.4	*	0.1
	6	-	*	-	-	*	*	-	-	0.1	*	*
	7	-	*	-	-	*	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*
TOTAL		-	*	-	-	0.1	*	*	*	0.8	0.1	0.2
53	1 - 2	-	-	-	-	*	-	*	-	-	*	*
	3	-	*	-	-	*	-	*	-	-	*	*
	4	-	*	-	-	0.1	-	-	-	-	-	0.1
	5	-	*	-	-	0.1	-	-	-	-	-	0.1
	6	-	*	-	-	*	-	-	-	-	-	0.1
	7	-	-	-	-	*	-	-	-	*	*	*
	8	-	*	-	-	*	-	-	-	*	*	*
TOTAL		-	*	-	-	0.3	-	*	-	0.1	*	0.3
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	*	-	-	-	*	*	*
TOTAL		-	-	-	-	*	-	-	-	*	*	*
24 - 54	1 - 8	-	*	-	-	*	*	*	-	0.3	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	*
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	*	*	0.1
31		-	-	-	-	*	*	-	-	0.3	*	0.3
32		-	*	-	-	*	*	*	5.9	1.7	0.2	0.8
33		-	0.1	-	-	0.2	0.1	0.1	0.1	5.1	0.4	2.0
34		-	0.7	-	-	1.2	0.4	1.0	1.4	15.3	1.5	6.0
35		-	7.4	-	-	8.1	2.1	6.2	7.5	19.3	4.4	14.9
36		-	22.6	-	-	23.0	8.5	17.9	21.5	24.2	12.4	26.3
37		-	40.3	-	-	41.0	34.2	40.3	35.4	23.9	35.1	36.8
38		-	18.4	-	-	17.5	30.7	17.2	23.2	6.2	25.6	9.9
39		-	8.2	-	-	7.0	17.3	10.2	8.0	2.7	14.3	2.7
40 & Longer		-	2.3	-	-	2.0	6.7	10.5	3.4	1.6	6.9	0.5
Average Staple		-	37.02	-	-	36.94	37.72	37.28	37.12	35.78	37.47	36.29
Average Length		-	1.16	-	-	1.15	1.18	1.16	1.16	1.12	1.17	1.13

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2024 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	27.1	4.2	11.3	14.2	0.7	0.1	0.2	0.1	2.6	3.1	1.3	2.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	0.1	0.1	1.5	*	*	*	0.2	0.3	*	0.2
Grass - Level 2	-	-	-	-	*	-	-	-	-	-	-	-
Oil - Level 1	-	*	*	*	*	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	-	*	*	*	-	*	*	*	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	0.1	*	-	*	*	-	*	*	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	0.1	0.1	0.1	0.9	0.6	0.7	*	0.2	*	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	0.2	0.7	0.3	*	-	-	-	-	-	-	-
23	*	0.2	0.6	0.3	*	-	-	-	-	-	-	-
24	0.1	0.4	0.9	0.5	0.1	*	*	*	*	-	-	*
25	0.3	0.9	1.8	1.0	0.2	*	*	*	0.2	0.1	0.5	0.2
26	0.9	2.0	4.0	2.4	0.8	0.3	0.4	0.4	2.5	0.7	7.2	2.8
27	2.6	4.5	8.3	5.3	2.4	2.1	3.1	2.7	17.0	4.3	28.5	15.7
28	5.8	8.0	14.5	9.7	6.4	9.8	14.6	12.8	36.5	15.3	39.2	31.7
29	10.9	12.1	18.7	14.2	13.6	26.2	31.5	29.5	27.2	27.5	18.4	25.8
30	18.5	13.4	18.7	17.0	20.5	32.1	29.9	30.7	11.6	26.1	5.3	14.1
31	20.8	12.8	13.1	15.5	21.9	20.7	14.3	16.7	3.9	15.4	0.9	6.2
32	18.4	15.6	9.2	14.1	14.7	6.9	4.5	5.4	1.0	7.4	0.1	2.5
33	13.9	17.2	5.6	11.8	9.1	1.6	1.3	1.4	0.2	2.6	*	0.8
34	6.0	9.6	2.7	5.8	5.4	0.3	0.4	0.3	*	0.6	*	0.2
35	1.3	3.0	1.0	1.7	3.0	*	*	*	*	0.1	*	*
36	0.4	0.7	0.3	0.5	1.3	*	*	*	-	*	-	*
37	0.1	0.2	0.1	0.1	0.4	*	*	*	-	-	-	-
38	*	*	*	*	0.1	-	-	-	-	-	-	-
39	*	*	*	*	*	-	-	-	-	-	-	-
40 & Above	*	-	*	*	*	-	-	-	-	-	-	-
Average	31.41	31.39	29.99	30.88	31.34	30.32	30.02	30.13	28.89	30.12	28.33	29.10
MIKE												
2.4 & Below	*	*	*	*	*	-	*	*	-	-	-	-
2.5	0.1	*	0.1	0.1	*	*	*	*	*	-	-	*
2.6	0.2	*	0.1	0.1	*	*	*	*	*	-	-	*
2.7	0.2	*	0.1	0.1	*	*	*	*	*	-	*	*
2.8	0.4	*	0.1	0.2	*	*	*	*	*	*	*	*
2.9	0.7	0.1	0.3	0.4	*	*	*	*	*	*	*	*
3.0	1.1	0.1	0.4	0.5	*	*	*	*	0.1	*	0.1	*
3.1	1.9	0.2	0.5	0.9	0.1	*	*	*	0.1	*	*	*
3.2	2.0	0.3	0.7	1.0	0.1	*	*	*	0.1	*	0.1	0.1
3.3	2.5	0.5	1.0	1.3	0.1	*	*	*	0.2	*	0.2	0.2
3.4	2.1	0.8	1.2	1.4	0.2	*	*	*	0.3	*	0.5	0.3
3.5	3.6	1.0	1.7	2.1	0.4	*	0.1	*	0.5	0.1	0.9	0.4
3.6	5.2	2.6	2.3	3.3	0.8	*	0.1	0.1	0.7	0.2	1.5	0.7
3.7	6.1	3.3	3.1	4.1	1.2	0.1	0.2	0.2	1.1	0.4	3.0	1.2
3.8	7.2	4.1	3.9	5.0	1.9	0.2	0.4	0.4	1.7	0.8	5.2	2.1
3.9	8.1	6.2	5.5	6.6	2.9	0.6	0.8	0.7	2.8	1.2	7.4	3.2
4.0	8.0	7.6	6.7	7.4	4.0	1.2	1.4	1.3	4.5	2.4	9.3	4.8
4.1	8.7	9.0	7.5	8.4	5.6	1.8	2.3	2.1	6.7	4.1	11.0	6.7
4.2	8.8	10.2	8.5	9.1	7.7	2.7	3.6	3.3	8.6	7.1	13.5	9.0
4.3	8.1	10.6	9.7	9.4	9.9	3.9	5.8	5.1	11.1	10.3	15.7	11.7
4.4	7.0	10.6	10.3	9.3	11.0	5.3	8.1	7.1	13.2	12.7	13.9	13.2
4.5	5.3	9.9	9.7	8.3	11.2	7.7	10.6	9.5	14.0	13.3	9.7	13.1
4.6	3.7	7.7	8.0	6.5	11.2	11.4	13.5	12.7	12.6	13.3	4.7	11.5
4.7	3.1	6.1	6.4	5.3	10.7	14.6	14.7	14.7	9.7	11.1	2.2	8.8
4.8	2.3	3.6	5.0	3.7	9.0	15.6	13.5	14.3	6.3	9.3	0.8	6.1
4.9	2.0	2.6	3.5	2.8	5.9	14.0	10.4	11.8	3.4	6.6	0.2	3.7
5.0	1.4	1.7	2.0	1.7	3.2	10.2	7.4	8.4	1.6	4.1	*	2.1
5.1	0.6	0.8	0.9	0.8	1.7	6.1	4.1	4.8	0.6	2.0	-	1.0
5.2	0.2	0.3	0.4	0.3	0.8	2.9	1.9	2.2	0.2	0.8	*	0.3
5.3	0.1	0.1	0.3	0.2	0.4	1.1	0.8	0.9	*	0.3	-	0.1
5.4	*	*	0.1	0.1	0.2	0.3	0.3	0.3	*	0.1	-	*
5.5 & Above	-	*	0.1	0.1	*	0.1	0.1	0.1	*	*	-	*
Average	4.03	4.27	4.27	4.19	4.47	4.72	4.65	4.68	4.41	4.53	4.20	4.40

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2024 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	2.3	9.6	0.5	0.9	1.1	1.0	*	0.1	0.1	*	*	0.1
Bark - Level 2	-	-	-	-	-	-	-	*	*	-	-	*
Grass - Level 1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Grass - Level 2	-	-	*	-	*	*	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	*	*	-	*	*	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	-	*	*	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	*	*	*	*	*	*	-	*
Prep - Level 2	-	-	-	-	*	*	-	*	-	-	-	*
Seed Coat - Level 1	*	*	2.3	8.3	3.1	3.2	0.1	*	2.0	*	*	0.2
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	0.1	0.1	-	-	-	-	-	-	-	-	-	-
23	0.2	0.3	*	-	*	*	-	-	-	-	-	-
24	0.6	0.7	*	*	*	*	0.1	*	*	*	*	*
25	1.5	1.4	0.1	*	0.1	0.1	0.2	*	0.1	*	0.1	0.1
26	3.6	3.0	0.6	0.1	0.5	0.5	1.3	0.2	0.7	0.2	1.0	0.4
27	8.6	6.3	2.8	0.7	3.0	2.8	6.7	2.9	3.9	1.8	8.2	3.8
28	16.2	11.5	11.0	2.8	10.4	10.2	21.9	25.1	14.7	17.2	30.0	22.9
29	21.4	16.4	24.8	11.5	23.4	23.1	37.2	45.9	31.7	40.5	36.1	41.3
30	20.6	19.4	28.0	23.7	27.8	27.7	23.1	20.8	29.8	27.5	18.4	23.0
31	14.1	18.3	20.1	25.3	19.6	20.0	6.9	4.3	13.8	9.3	4.7	6.5
32	7.6	12.3	8.8	18.5	9.6	9.9	2.0	0.6	3.8	2.8	1.1	1.6
33	3.5	6.3	2.8	8.0	3.8	3.8	0.4	0.1	1.0	0.6	0.3	0.4
34	1.4	2.6	0.9	6.0	1.2	1.4	0.1	*	0.3	0.1	*	0.1
35	0.4	0.9	0.2	2.9	0.3	0.4	*	*	0.1	*	*	*
36	0.1	0.3	*	0.5	0.1	0.1	*	*	*	*	*	*
37	*	0.1	*	0.1	*	*	*	-	*	*	-	*
38	*	*	*	*	*	*	-	-	-	-	-	-
39	*	-	-	*	*	*	-	-	-	-	-	-
40 & Above	-	-	*	-	*	*	-	-	-	-	-	-
Average	29.85	30.39	30.38	31.55	30.47	30.50	29.50	29.45	29.95	29.81	29.27	29.56
MIKE												
2.4 & Below	*	*	-	-	*	*	-	-	-	-	-	-
2.5	*	0.1	-	-	*	*	-	-	-	-	-	-
2.6	0.1	0.1	-	-	*	*	-	-	-	-	-	-
2.7	0.1	0.2	-	-	*	*	*	*	*	*	*	*
2.8	0.3	0.3	*	*	*	*	*	*	*	*	*	*
2.9	0.3	0.5	*	*	*	*	*	*	*	*	*	*
3.0	0.6	0.8	*	*	*	*	*	*	*	*	*	*
3.1	0.9	1.0	*	*	*	*	*	*	*	*	*	*
3.2	1.4	1.5	0.1	*	*	*	*	*	*	0.1	0.1	0.1
3.3	1.7	1.8	0.1	*	*	*	0.1	0.1	*	0.1	0.2	0.1
3.4	2.1	2.1	0.2	*	*	0.1	0.2	0.1	0.1	0.2	0.3	0.2
3.5	2.6	2.7	0.3	*	0.1	0.1	0.5	0.2	0.2	0.3	0.4	0.3
3.6	3.5	3.3	0.4	0.1	0.1	0.2	1.4	0.3	0.3	0.5	0.7	0.5
3.7	4.3	3.9	0.7	0.2	0.3	0.4	2.9	0.5	0.6	0.9	1.3	0.9
3.8	4.7	4.6	1.1	0.5	0.6	0.7	5.1	0.9	1.0	1.6	2.4	1.6
3.9	5.8	5.2	2.0	0.7	1.1	1.2	7.4	1.7	1.6	2.4	3.8	2.6
4.0	6.4	5.9	3.2	0.8	1.9	2.1	9.8	2.8	3.0	3.6	5.9	3.9
4.1	7.1	6.8	5.1	1.8	3.2	3.5	12.6	4.4	4.2	5.1	8.5	5.7
4.2	7.5	7.5	7.6	3.0	5.2	5.5	13.4	6.3	6.2	7.4	11.0	7.8
4.3	8.4	8.2	8.9	4.8	7.5	7.7	13.1	8.8	8.4	10.1	13.0	10.1
4.4	8.6	8.7	10.8	8.2	10.2	10.3	10.6	11.7	10.2	12.2	13.5	12.0
4.5	8.0	8.6	11.2	10.7	12.4	12.1	7.9	14.2	11.5	13.4	12.6	13.1
4.6	7.3	7.8	12.0	14.2	13.6	13.3	6.1	15.8	12.6	13.3	11.0	13.5
4.7	6.4	6.6	11.3	15.3	13.4	13.1	4.0	14.1	11.4	10.7	7.6	11.3
4.8	5.2	4.9	9.3	13.1	11.4	11.1	2.4	9.6	9.9	8.1	4.5	7.9
4.9	3.3	3.4	6.8	10.9	8.3	8.2	1.5	5.3	7.5	4.9	1.9	4.5
5.0	2.0	1.9	4.2	7.7	5.4	5.3	0.6	2.3	5.2	2.9	0.8	2.3
5.1	0.9	1.0	2.5	4.2	3.0	3.0	0.4	0.8	3.1	1.2	0.3	1.0
5.2	0.4	0.5	1.3	2.5	1.3	1.3	0.1	0.3	1.8	0.6	0.1	0.4
5.3	0.2	0.2	0.6	1.1	0.6	0.6	*	0.1	0.7	0.2	*	0.2
5.4	0.1	0.1	0.2	0.2	0.2	0.2	*	*	0.4	0.1	*	0.1
5.5 & Above	*	*	0.1	0.1	0.1	0.1	*	*	0.1	*	*	*
Average	4.21	4.21	4.52	4.67	4.59	4.58	4.23	4.51	4.56	4.47	4.35	4.46

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2024 Crop

	Rayville					Visalia					
	Arkansas 2/	Louisiana	Mississippi 2/	Texas 2/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
Extraneous Matter											
Bark - Level 1	-	*	-	-	0.4	0.4	4.0	3.2	4.5	1.7	2.6
Bark - Level 2	-	*	-	-	*	-	-	-	-	-	*
Grass - Level 1	-	0.1	-	-	0.1	0.1	0.1	0.7	1.4	0.2	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	-	0.3	*	-	-	*	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	-	*	-	-	0.1	-	0.1	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	-	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	-	-	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	-	0.2	-	-	0.6	0.1	*	-	0.1	0.1	0.7
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-
Strength 1/											
22 & Below	-	-	-	-	-	-	-	-	-	-	0.1
23	-	-	-	-	-	-	-	-	-	-	0.1
24	-	*	-	-	*	*	*	-	0.1	*	0.2
25	-	*	-	-	*	*	0.1	*	0.5	0.1	0.4
26	-	*	-	-	0.1	0.2	0.3	0.2	1.7	0.3	1.2
27	-	0.3	-	-	0.7	0.8	1.2	1.6	2.0	1.0	5.0
28	-	3.4	-	-	4.5	3.2	4.3	6.9	4.3	3.7	15.3
29	-	19.2	-	-	18.7	6.9	11.2	18.4	14.8	9.1	25.5
30	-	33.3	-	-	31.9	13.8	23.0	21.6	23.7	17.0	22.8
31	-	28.9	-	-	27.8	21.8	24.0	23.4	26.8	22.7	14.9
32	-	10.4	-	-	11.0	20.2	11.0	14.4	18.8	17.5	7.9
33	-	3.0	-	-	3.7	14.2	7.0	8.0	4.9	11.5	3.9
34	-	1.1	-	-	1.3	9.7	7.0	4.5	0.9	8.3	1.8
35	-	0.3	-	-	0.3	5.6	4.7	1.2	0.8	4.9	0.8
36	-	*	-	-	*	2.5	3.7	0.3	0.5	2.6	0.3
37	-	*	-	-	*	0.7	2.0	*	0.4	1.0	0.1
38	-	*	-	-	*	0.3	1.4	*	0.1	0.4	*
39	-	-	-	-	-	0.1	0.3	-	*	0.1	*
40 & Above	-	-	-	-	-	*	*	*	*	*	*
Average	-	30.82	-	-	30.82	32.23	31.80	31.07	30.98	31.99	30.21
MIKE											
2.4 & Below	-	-	-	-	-	*	-	-	-	*	*
2.5	-	-	-	-	*	*	*	-	0.1	*	*
2.6	-	-	-	-	*	*	*	-	0.2	*	*
2.7	-	*	-	-	*	*	*	*	0.3	*	0.1
2.8	-	*	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1
2.9	-	*	-	-	*	*	0.1	0.1	0.2	0.1	0.1
3.0	-	*	-	-	*	0.1	0.3	0.2	0.5	0.2	0.2
3.1	-	*	-	-	*	0.2	0.6	0.2	0.9	0.3	0.2
3.2	-	*	-	-	0.1	0.3	1.1	0.9	1.1	0.6	0.4
3.3	-	0.1	-	-	0.1	0.5	1.4	1.4	1.2	0.8	0.5
3.4	-	0.1	-	-	0.1	0.6	2.5	1.6	2.7	1.3	0.6
3.5	-	0.1	-	-	0.1	0.8	2.4	2.2	2.7	1.4	0.8
3.6	-	0.2	-	-	0.3	1.3	3.4	2.5	3.6	2.0	1.1
3.7	-	0.2	-	-	0.4	2.0	5.1	5.3	4.2	3.1	1.5
3.8	-	0.4	-	-	0.6	3.3	7.4	6.0	4.2	4.5	2.1
3.9	-	0.9	-	-	1.3	4.8	10.4	6.7	4.6	6.3	2.9
4.0	-	1.6	-	-	1.9	5.8	11.4	7.1	4.6	7.2	3.9
4.1	-	2.4	-	-	3.0	7.5	10.3	7.0	4.3	8.0	5.3
4.2	-	4.2	-	-	5.0	9.0	8.7	9.4	6.3	8.8	7.0
4.3	-	6.5	-	-	7.4	9.4	7.3	7.6	6.9	8.6	8.8
4.4	-	8.7	-	-	9.9	10.7	5.5	6.9	8.0	9.1	10.3
4.5	-	9.3	-	-	10.0	8.6	4.5	8.4	9.8	7.7	11.1
4.6	-	10.4	-	-	10.4	7.7	3.5	8.4	8.9	6.9	11.4
4.7	-	12.3	-	-	11.7	7.4	3.9	7.5	9.5	6.8	10.5
4.8	-	12.9	-	-	11.7	6.9	3.1	3.5	7.5	5.8	8.4
4.9	-	9.2	-	-	8.3	5.0	3.4	3.4	3.6	4.5	5.8
5.0	-	6.6	-	-	6.1	2.9	2.6	3.1	1.5	2.8	3.6
5.1	-	5.2	-	-	4.5	2.0	2.2	0.8	1.9	2.0	2.0
5.2	-	3.6	-	-	3.1	1.2	1.3	0.5	1.3	1.2	0.9
5.3	-	2.8	-	-	2.4	1.0	0.9	0.1	0.4	0.9	0.4
5.4	-	1.4	-	-	1.2	0.6	*	0.1	0.1	0.4	0.2
5.5 & Above	-	0.8	-	-	0.7	0.3	*	*	-	0.2	0.1
Average	-	4.67	-	-	4.63	4.39	4.13	4.23	4.27	4.31	4.44

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2024 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	*	*	*	*	*	-	*	*	-	-	-	-
2.5 - 2.6	0.3	*	0.2	0.2	*	*	*	*	*	-	-	*
2.7 - 2.9	1.4	0.1	0.5	0.7	*	*	*	*	*	*	*	*
3.0 - 3.2	4.9	0.6	1.6	2.4	0.1	*	*	*	0.2	*	0.2	0.2
3.3 - 3.4	4.6	1.3	2.2	2.7	0.4	*	*	*	0.6	0.1	0.7	0.5
3.5 - 3.6	8.8	3.7	3.9	5.4	1.2	0.1	0.2	0.1	1.2	0.3	2.3	1.2
3.7 - 4.2	46.8	40.4	35.3	40.6	23.2	6.6	8.7	7.9	25.4	15.9	49.4	26.9
4.3 - 4.9	31.2	50.9	52.5	45.2	68.8	72.6	76.6	75.1	70.2	76.6	47.3	68.1
5.0 - 5.2	2.1	2.8	3.2	2.8	5.7	19.1	13.4	15.5	2.4	6.9	*	3.2
5.3 & Above	0.1	0.1	0.6	0.3	0.6	1.5	1.1	1.3	*	0.3	-	0.1
Average	4.03	4.27	4.27	4.19	4.47	4.72	4.65	4.68	4.41	4.53	4.20	4.40
Leaf Grade												
1 - 2	19.2	56.0	35.1	36.4	11.5	11.0	7.5	8.8	7.7	5.8	12.7	8.1
3	31.4	30.9	36.4	33.1	48.1	50.1	43.0	45.6	47.5	45.5	60.6	49.1
4	20.4	10.1	19.6	17.0	32.3	33.2	39.8	37.4	35.9	39.8	23.7	34.9
5	15.5	2.4	6.2	8.0	7.2	5.4	9.0	7.6	7.8	8.2	2.8	7.1
6	8.6	0.5	1.6	3.5	0.8	0.3	0.7	0.5	0.9	0.6	0.2	0.7
7	3.7	0.1	0.6	1.5	0.1	*	*	*	0.2	*	*	0.1
8	1.3	*	0.5	0.6	*	-	-	-	0.1	*	*	*
Average	3.77	2.42	2.99	3.07	3.37	3.34	3.52	3.45	3.47	3.52	3.17	3.44
Trash 1/												
00	-	0.3	*	0.2	*	-	-	-	-	-	-	-
01	6.5	28.1	14.0	16.1	2.0	1.0	0.9	0.9	0.6	0.4	0.7	0.6
02	17.5	30.3	24.7	24.1	11.5	13.6	9.2	10.8	9.6	7.9	14.6	10.0
03	17.7	17.1	20.4	18.5	22.4	25.2	20.6	22.3	22.3	21.4	31.3	23.5
04	12.0	10.7	15.4	12.9	24.5	23.7	24.5	24.2	24.8	25.7	26.1	25.2
05	8.9	6.3	9.9	8.5	18.0	16.9	20.2	19.0	19.1	20.5	15.0	18.8
06	7.5	3.3	6.1	5.7	10.7	10.2	12.8	11.8	11.7	12.8	7.3	11.3
07	6.7	1.7	3.6	4.0	5.7	5.2	6.7	6.2	6.2	6.4	3.2	5.8
08	5.5	1.1	2.2	2.9	2.8	2.4	3.1	2.8	3.0	2.9	1.2	2.7
09	4.7	0.6	1.4	2.2	1.3	1.0	1.3	1.2	1.4	1.2	0.4	1.2
10	3.7	0.3	0.9	1.6	0.6	0.4	0.5	0.5	0.6	0.5	0.2	0.5
11	2.8	0.2	0.5	1.2	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.2
12	2.2	0.1	0.4	0.9	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
13	1.5	0.1	0.2	0.6	0.1	*	*	*	0.1	*	*	0.1
14	1.1	*	0.2	0.4	*	*	*	*	*	*	*	*
15	0.8	*	0.1	0.3	*	*	*	*	*	*	*	*
16	0.5	*	0.1	0.2	*	*	*	*	*	*	*	*
17	0.3	*	*	0.1	*	*	*	*	*	*	*	*
18 & Above	0.5	*	0.1	0.2	*	*	*	*	*	*	*	*
Average	0.53	0.27	0.36	0.39	0.43	0.42	0.45	0.44	0.45	0.45	0.39	0.44
Uniformity 2/												
74 & Below	*	0.1	0.2	0.1	*	-	-	-	-	-	-	-
75	0.1	0.2	0.7	0.3	*	-	-	-	-	-	-	-
76	0.3	0.5	1.7	0.9	*	-	-	-	-	-	-	-
77	1.5	1.6	4.8	2.8	0.2	*	*	*	*	*	*	*
78	7.3	4.7	11.6	8.1	1.2	0.4	0.5	0.4	0.3	0.2	0.4	0.3
79	20.6	12.7	22.3	18.8	4.9	2.3	3.5	3.0	3.2	1.9	3.4	2.9
80	31.3	20.4	30.0	27.5	18.9	12.3	20.0	17.1	18.6	15.6	22.3	18.5
81	30.0	27.4	20.6	25.7	38.7	30.9	37.7	35.2	37.3	37.5	36.5	37.2
82	8.4	23.8	7.0	12.6	27.8	31.2	27.8	29.1	30.7	33.8	28.8	31.2
83	0.5	8.1	1.1	3.0	7.4	18.0	9.3	12.5	9.2	10.2	8.0	9.2
84	*	0.6	0.1	0.2	0.9	4.3	1.1	2.3	0.7	0.7	0.7	0.7
85 & Above	-	*	*	*	*	0.5	0.2	0.3	*	*	*	*
Average	80.52	81.17	80.12	80.57	81.57	82.09	81.67	81.83	81.70	81.82	81.62	81.72
Tenderable	46.5	75.0	70.1	64.0	79.1	76.7	77.2	77.0	92.0	87.1	97.1	91.6
SAMPLES CLASSED	175,904	166,574	203,868	546,346	1,391,697	532,966	908,097	1,441,063	792,089	328,157	214,946	1,335,192

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2024 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	*	-	-	*	*	-	-	-	-	-	-
2.5 - 2.6	0.1	0.1	-	-	*	*	-	-	-	-	-	-
2.7 - 2.9	0.7	1.0	*	*	*	*	*	*	*	*	*	*
3.0 - 3.2	2.9	3.3	0.1	*	*	*	*	*	*	0.1	0.2	0.1
3.3 - 3.4	3.7	3.9	0.3	*	0.1	0.1	0.3	0.2	0.1	0.3	0.5	0.2
3.5 - 3.6	6.1	6.0	0.7	0.2	0.2	0.3	1.9	0.4	0.4	0.8	1.1	0.7
3.7 - 4.2	35.7	33.8	19.8	7.0	12.3	13.4	51.1	16.5	16.7	21.0	33.0	22.5
4.3 - 4.9	47.1	48.1	70.2	77.1	76.9	75.7	45.5	79.3	71.5	72.7	64.0	72.5
5.0 - 5.2	3.3	3.3	8.0	14.3	9.7	9.6	1.1	3.4	10.0	4.7	1.3	3.7
5.3 & Above	0.3	0.4	0.9	1.4	0.8	0.8	*	0.1	1.2	0.3	0.1	0.2
Average	4.21	4.21	4.52	4.67	4.59	4.58	4.23	4.51	4.56	4.47	4.35	4.46
Leaf Grade												
1 - 2	66.2	42.0	11.4	4.9	11.5	11.2	8.7	10.6	6.4	22.6	27.3	16.2
3	24.9	31.8	53.7	41.7	55.0	54.1	54.3	58.6	40.4	61.9	58.5	58.0
4	6.3	15.0	28.6	42.7	28.7	29.3	32.3	26.5	39.2	14.6	13.2	22.3
5	1.7	6.3	5.6	10.0	4.4	4.9	4.4	3.6	12.6	0.9	1.0	3.1
6	0.6	2.7	0.6	0.8	0.3	0.4	0.3	0.7	1.5	*	*	0.4
7	0.3	1.3	0.1	*	*	*	-	-	*	*	-	*
8	*	0.9	*	-	*	*	-	-	-	-	-	-
Average	2.19	2.93	3.30	3.60	3.27	3.29	3.33	3.25	3.62	2.93	2.87	3.13
Trash 1/												
00	0.7	*	-	-	-	-	-	-	*	-	-	*
01	39.7	18.6	1.2	0.4	1.0	1.0	0.7	1.0	0.7	2.8	4.6	2.0
02	30.9	27.3	15.3	6.6	14.2	14.0	12.0	14.2	8.0	25.9	28.8	19.3
03	14.6	18.6	28.6	18.8	28.0	27.7	27.9	30.6	19.7	35.0	33.7	31.4
04	6.8	12.0	24.4	25.1	25.5	25.3	28.2	26.5	23.4	21.4	19.6	23.9
05	3.2	7.5	14.9	21.5	16.0	16.1	17.7	15.0	19.7	9.5	8.4	12.9
06	1.6	4.8	8.0	14.0	8.2	8.5	8.2	7.0	13.4	3.5	3.2	5.9
07	0.9	3.2	4.0	7.5	3.9	4.1	3.2	3.1	7.9	1.2	1.1	2.6
08	0.5	2.2	1.9	3.5	1.7	1.9	1.2	1.3	4.0	0.4	0.4	1.1
09	0.3	1.5	0.9	1.5	0.8	0.8	0.5	0.6	1.9	0.1	0.2	0.5
10	0.2	1.1	0.4	0.6	0.3	0.4	0.2	0.3	0.8	0.1	0.1	0.2
11	0.2	0.9	0.2	0.3	0.1	0.2	0.1	0.2	0.4	*	*	0.1
12	0.1	0.6	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	0.1
13	0.1	0.5	0.1	0.1	*	*	*	*	0.1	*	*	*
14	*	0.3	*	*	*	*	*	*	*	*	*	*
15	*	0.2	*	*	*	*	*	*	*	*	*	*
16	*	0.2	*	*	*	*	-	-	-	-	-	-
17	*	0.1	*	*	*	*	-	-	-	-	-	-
18 & Above	*	0.2	*	*	*	*	-	-	-	-	-	-
Average	0.22	0.35	0.40	0.47	0.40	0.40	0.40	0.39	0.47	0.33	0.32	0.37
Uniformity 2/												
74 & Below	0.1	0.1	-	-	-	-	-	-	-	-	-	-
75	0.4	0.3	*	-	*	*	-	-	-	-	-	-
76	1.6	1.2	*	*	*	*	*	*	*	*	*	*
77	6.3	3.8	0.1	*	0.1	0.1	0.3	*	0.1	*	0.1	0.1
78	17.1	10.3	0.9	0.1	0.5	0.5	1.9	0.1	0.7	0.2	0.5	0.4
79	28.6	21.5	7.1	1.4	2.9	3.6	7.4	1.7	4.0	1.8	4.2	2.7
80	29.5	30.1	24.3	10.8	13.9	15.6	18.0	13.6	17.4	10.6	18.6	14.1
81	13.2	22.9	37.4	30.4	31.9	32.8	33.8	32.3	36.6	32.2	38.8	33.7
82	2.9	8.2	23.5	34.1	30.7	29.6	30.5	39.9	29.0	40.5	30.6	37.2
83	0.4	1.4	6.1	18.2	15.8	14.2	7.5	11.8	10.9	13.6	6.8	11.2
84	*	0.1	0.7	4.5	3.9	3.3	0.6	0.5	1.2	0.9	0.3	0.6
85 & Above	*	*	*	0.3	0.4	0.3	*	*	0.1	0.1	*	*
Average	79.75	80.29	81.41	82.17	82.00	81.90	81.53	81.93	81.72	82.00	81.61	81.86
Tenderable	79.9	71.9	80.5	68.6	78.6	78.5	78.6	88.2	80.8	91.2	86.4	87.7
SAMPLES CLASSED	421,399	1,984,743	434,802	113,053	1,886,696	2,434,551	195,048	1,415,635	217,926	891,802	535,227	3,255,638

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2024 Crop

	Rayville					Visalia					
	Arkansas 3/	Louisiana	Mississippi 3/	Texas 3/	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	United States
MIKE Range											
2.4 & Below	-	-	-	-	-	*	-	-	-	*	*
2.5 - 2.6	-	-	-	-	*	*	*	-	0.3	*	0.1
2.7 - 2.9	-	*	-	-	*	0.1	0.2	0.2	0.5	0.2	0.2
3.0 - 3.2	-	0.1	-	-	0.1	0.6	2.0	1.3	2.5	1.1	0.8
3.3 - 3.4	-	0.2	-	-	0.2	1.2	4.0	3.0	3.9	2.1	1.0
3.5 - 3.6	-	0.2	-	-	0.4	2.1	5.7	4.8	6.4	3.4	1.9
3.7 - 4.2	-	9.8	-	-	12.1	32.3	53.4	41.3	28.1	37.8	22.7
4.3 - 4.9	-	69.4	-	-	69.4	55.6	29.2	45.3	54.0	48.5	66.3
5.0 - 5.2	-	15.4	-	-	13.7	6.2	6.0	4.3	4.5	5.9	6.4
5.3 & Above	-	4.9	-	-	4.1	1.8	0.9	0.2	0.6	1.5	0.7
Average	-	4.67	-	-	4.63	4.39	4.13	4.23	4.27	4.31	4.44
Leaf Grade											
1 - 2	-	20.2	-	-	20.7	87.2	82.7	70.0	44.3	82.7	21.3
3	-	45.9	-	-	45.8	11.0	11.9	20.8	34.8	13.1	46.7
4	-	28.0	-	-	27.2	1.4	4.4	6.8	15.4	3.2	25.3
5	-	5.5	-	-	5.7	0.3	0.9	2.1	4.1	0.8	5.3
6	-	0.4	-	-	0.5	0.1	0.1	0.3	1.0	0.1	1.0
7	-	*	-	-	0.1	*	*	-	0.3	*	0.4
8	-	*	-	-	*	*	-	-	0.1	*	0.3
Average	-	3.19	-	-	3.19	1.75	1.93	2.12	2.66	1.87	3.15
Trash 1/											
00	-	-	-	-	-	0.2	0.1	0.2	0.3	0.2	0.1
01	-	4.1	-	-	4.4	57.8	50.1	40.3	25.1	53.1	7.2
02	-	19.3	-	-	19.7	32.3	33.8	31.4	23.1	32.1	17.8
03	-	23.8	-	-	24.0	6.7	7.7	13.2	18.0	8.0	24.3
04	-	21.3	-	-	21.2	1.8	3.5	6.4	12.6	3.1	21.0
05	-	15.1	-	-	14.5	0.7	2.3	3.8	8.4	1.7	13.7
06	-	8.7	-	-	8.4	0.3	1.3	2.4	5.3	0.9	7.6
07	-	4.5	-	-	4.4	0.1	0.6	1.2	3.1	0.5	3.9
08	-	1.9	-	-	2.0	0.1	0.3	0.6	1.7	0.2	2.0
09	-	0.8	-	-	0.9	*	0.1	0.4	1.1	0.1	1.0
10	-	0.3	-	-	0.4	*	0.1	0.2	0.6	0.1	0.5
11	-	0.1	-	-	0.2	*	0.1	0.1	0.4	*	0.3
12	-	*	-	-	0.1	*	*	*	0.2	*	0.2
13	-	*	-	-	*	*	*	*	0.2	*	0.1
14	-	*	-	-	*	*	*	-	0.1	*	0.1
15	-	*	-	-	*	*	*	-	0.1	*	0.1
16	-	*	-	-	*	*	-	-	0.1	*	0.1
17	-	*	-	-	*	*	-	-	*	*	*
18 & Above	-	*	-	-	*	-	-	-	0.1	0.1	0.1
Average	-	0.39	-	-	0.39	0.16	0.18	0.22	0.31	0.18	0.38
Uniformity 2/											
74 & Below	-	-	-	-	-	-	-	-	*	*	0.1
75	-	*	-	-	*	*	*	-	0.3	*	0.2
76	-	*	-	-	*	*	*	*	0.6	0.1	0.3
77	-	*	-	-	0.1	0.1	0.4	0.2	2.3	0.3	0.9
78	-	0.1	-	-	0.3	0.5	2.7	0.8	10.5	1.6	2.8
79	-	1.8	-	-	2.2	3.1	10.6	8.7	28.3	6.7	7.4
80	-	13.8	-	-	14.7	18.9	37.4	24.2	29.8	24.3	19.3
81	-	33.8	-	-	33.9	40.7	24.7	36.9	13.7	35.1	32.1
82	-	33.9	-	-	33.1	29.4	13.2	25.6	8.6	24.0	26.7
83	-	14.2	-	-	13.8	6.7	6.3	3.7	2.9	6.2	9.1
84	-	2.2	-	-	1.9	0.6	7.5	0.6	3.2	1.8	1.3
85 & Above	-	0.2	-	-	0.2	*	1.2	0.1	0.3	0.2	0.1
Average	-	81.97	-	-	81.92	81.63	81.17	81.34	80.36	81.43	81.46
Tenderable	-	77.3	-	-	77.2	89.3	85.4	89.2	75.2	87.6	80.6
SAMPLES CLASSED	-	329,898	-	-	400,930	237,027	89,614	22,013	20,663	369,317	13,580,876

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.
2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.
3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2024 Crop

Quality Desgination	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	17,759	71.8	51,973	14.6	4,769	21.8	5,883	11.9	80,384	17.8
	2	3,382	13.7	49,829	14.0	5,069	23.1	10,446	21.2	68,726	15.2
	3	66	0.3	854	0.2	465	2.1	1,721	3.5	3,106	0.7
	4	-	-	3	*	3	*	297	0.6	303	0.1
	5	-	-	-	-	-	-	11	*	11	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL -----		21,207	85.8	102,659	28.9	10,306	47.0	18,358	37.3	152,530	33.8
02	1	2,781	11.2	57,143	16.1	2,663	12.2	5,645	11.5	68,232	15.1
	2	701	2.8	162,327	45.7	5,923	27.0	17,061	34.6	186,016	41.2
	3	15	0.1	13,473	3.8	2,046	9.3	3,196	6.5	18,730	4.1
	4	-	-	168	*	240	1.1	1,079	2.2	1,487	0.3
	5	-	-	-	-	6	*	164	0.3	170	*
	6	-	-	1	*	-	-	20	*	21	*
	7	-	-	-	-	-	-	1	*	1	*
TOTAL -----		3,497	14.1	233,112	65.6	10,878	49.7	27,166	55.1	274,657	60.8
03	1	5	*	1,041	0.3	21	0.1	135	0.3	1,202	0.3
	2	13	0.1	10,530	3.0	154	0.7	1,640	3.3	12,337	2.7
	3	3	*	5,379	1.5	403	1.8	1,338	2.7	7,123	1.6
	4	1	*	629	0.2	127	0.6	338	0.7	1,095	0.2
	5	-	-	33	*	12	0.1	34	0.1	79	*
	6	-	-	2	*	-	-	1	*	3	*
	7	-	-	1	*	-	-	1	*	2	*
TOTAL -----		22	0.1	17,615	5.0	717	3.3	3,487	7.1	21,841	4.8
04	1	-	-	20	*	-	-	4	*	24	*
	2	2	*	387	0.1	1	*	35	0.1	425	0.1
	3	-	-	633	0.2	3	*	99	0.2	735	0.2
	4	-	-	326	0.1	2	*	62	0.1	390	0.1
	5	-	-	38	*	-	-	20	*	58	*
	6	-	-	3	*	-	-	4	*	7	*
	7	-	-	1	*	-	-	-	-	1	*
TOTAL -----		2	*	1,408	0.4	6	*	224	0.5	1,640	0.4
05	1	-	-	1	*	-	-	-	-	1	*
	2	1	*	39	*	-	-	-	-	40	*
	3	-	-	221	0.1	-	-	11	*	232	0.1
	4	-	-	245	0.1	-	-	12	*	257	0.1
	5	-	-	91	*	-	-	2	*	93	*
	6	-	-	21	*	-	-	3	*	24	*
	7	-	-	3	*	-	-	2	*	5	*
TOTAL -----		1	*	621	0.2	-	-	30	0.1	652	0.1
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	*	-	-	-	-	1	*
	3	-	-	17	*	-	-	1	*	18	*
	4	-	-	27	*	-	-	-	-	27	*
	5	-	-	12	*	-	-	-	-	12	*
	6	-	-	5	*	-	-	-	-	5	*
	7	-	-	1	*	-	-	-	-	1	*
TOTAL -----		-	-	63	*	-	-	1	*	64	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	3	*	-	-	-	-	3	*
	6	-	-	2	*	-	-	-	-	2	*
	7	-	-	4	*	-	-	-	-	4	*
TOTAL -----		-	-	9	*	-	-	-	-	9	*
Staple											
44 & Shorter		4	*	630	0.2	286	1.3	4,562	9.3	5,484	1.2
46		1,046	4.2	12,224	3.4	3,239	14.8	14,010	28.4	30,521	6.8
48		12,734	51.5	61,806	17.4	14,630	66.8	25,814	52.4	114,984	25.5
50		10,234	41.4	204,868	57.6	3,551	16.2	4,575	9.3	223,228	49.5
52 & Longer		711	2.9	75,959	21.4	201	0.9	305	0.6	77,176	17.1
Average Staple		48.86		49.93		48.01		47.26		49.49	
Average Length		1.42		1.45		1.39		1.38		1.44	
Extraneous Matter											
Bark		-	-	21	*	49	0.2	148	0.3	218	*
Grass		-	-	264	0.1	293	1.3	192	0.4	749	0.2
Spindle Twist		-	-	2,656	0.7	-	-	103	0.2	2,759	0.6
Prep		-	-	25	*	-	-	3	*	28	*
All Other		31	0.1	44	*	5	*	83	0.2	163	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2024 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	23	*	-	-	2	*	25	*
2.5 - 2.6	1	*	163	*	5	*	2	*	171	*
2.7 - 2.9	9	*	1,641	0.5	38	0.2	208	0.4	1,896	0.4
3.0 - 3.2	92	0.4	5,982	1.7	1,315	6.0	664	1.3	8,053	1.8
3.3 - 3.4	156	0.6	18,262	5.1	2,215	10.1	1,428	2.9	22,061	4.9
3.5 - 3.6	1,414	5.7	65,811	18.5	4,145	18.9	4,339	8.8	75,711	16.8
3.7 - 4.2	22,877	92.5	261,486	73.6	13,399	61.2	39,100	79.4	336,864	74.6
4.3 - 4.9	180	0.7	2,099	0.6	790	3.6	3,521	7.1	6,590	1.5
5.0 - 5.2	-	-	9	*	-	-	1	*	10	*
5.3 & Above	-	-	8	*	-	-	-	-	8	*
Average	3.89		3.77		3.75		3.92		3.79	
MIKE										
2.4 & Below	-	-	23	*	-	-	2	*	25	*
2.5	-	-	42	*	-	-	-	-	42	*
2.6	1	*	121	*	5	*	2	*	129	*
2.7	2	*	266	0.1	13	0.1	34	0.1	315	0.1
2.8	3	*	543	0.2	12	0.1	34	0.1	592	0.1
2.9	4	*	832	0.2	13	0.1	140	0.3	989	0.2
3.0	2	*	1,164	0.3	59	0.3	118	0.2	1,343	0.3
3.1	15	0.1	1,898	0.5	346	1.6	260	0.5	2,519	0.6
3.2	75	0.3	2,920	0.8	910	4.2	286	0.6	4,191	0.9
3.3	62	0.3	5,863	1.6	816	3.7	571	1.2	7,312	1.6
3.4	94	0.4	12,399	3.5	1,399	6.4	857	1.7	14,749	3.3
3.5	368	1.5	24,411	6.9	1,690	7.7	1,500	3.0	27,971	6.2
3.6	1,046	4.2	41,400	11.6	2,455	11.2	2,839	5.8	47,740	10.6
3.7	2,360	9.5	60,848	17.1	2,590	11.8	4,449	9.0	70,247	15.6
3.8	5,284	21.4	69,886	19.7	3,097	14.1	6,209	12.6	84,477	18.7
3.9	6,791	27.5	62,378	17.5	2,914	13.3	7,139	14.5	79,222	17.6
4.0	5,696	23.0	40,214	11.3	2,516	11.5	8,181	16.6	56,607	12.5
4.1	2,183	8.8	21,119	5.9	1,429	6.5	7,563	15.4	32,294	7.2
4.2	563	2.3	7,041	2.0	853	3.9	5,559	11.3	14,017	3.1
4.3	70	0.3	1,689	0.5	723	3.3	2,527	5.1	5,009	1.1
4.4	98	0.4	291	0.1	59	0.3	798	1.6	1,246	0.3
4.5	11	*	54	*	5	*	136	0.3	206	*
4.6	-	-	33	*	1	*	33	0.1	67	*
4.7	1	*	19	*	-	-	16	*	36	*
4.8	-	-	7	*	-	-	6	*	13	*
4.9	-	-	6	*	2	*	5	*	13	*
5.0	-	-	6	*	-	-	-	-	6	*
5.1	-	-	2	*	-	-	1	*	3	*
5.2	-	-	1	*	-	-	-	-	1	*
5.3 & Above	-	-	11	*	-	-	1	*	12	*
Average	3.89		3.77		3.75		3.92		3.79	
Strength										
36 & Below	8	*	2,065	0.6	3,769	17.2	6,886	14.0	12,729	2.8
37	4	*	6,415	1.8	2,962	13.5	5,131	10.4	14,512	3.2
38	182	0.7	12,911	3.6	933	4.3	5,566	11.3	19,594	4.3
39	468	1.9	13,792	3.9	371	1.7	1,055	2.1	15,687	3.5
40	631	2.6	14,786	4.2	255	1.2	1,101	2.2	16,773	3.7
41	1,212	4.9	27,459	7.7	903	4.1	2,388	4.8	31,962	7.1
42	3,896	15.8	51,993	14.6	2,421	11.1	4,337	8.8	62,647	13.9
43	6,576	26.6	72,556	20.4	3,082	14.1	6,909	14.0	89,123	19.7
44	5,479	22.2	72,696	20.4	3,012	13.7	7,773	15.8	88,960	19.7
45	3,800	15.4	51,921	14.6	2,925	13.4	5,248	10.7	63,894	14.2
46	1,793	7.3	21,322	6.0	910	4.2	1,983	4.0	26,008	5.8
47	542	2.2	5,904	1.7	310	1.4	717	1.5	7,473	1.7
48 & Above	138	0.6	1,667	0.5	54	0.2	172	0.3	2,031	0.4
Average	43.86		43.30		41.48		41.36		43.03	
Uniformity										
83 & Below	12	*	1,937	0.5	55	0.3	3,264	6.6	5,270	1.2
84	434	1.8	17,576	4.9	2,667	12.2	8,783	17.8	29,461	6.5
85	2,084	8.4	76,510	21.5	9,041	41.3	12,839	26.1	100,475	22.3
86	12,950	52.4	190,756	53.7	8,923	40.7	21,601	43.8	234,230	51.9
87	8,884	35.9	62,133	17.5	1,165	5.3	2,731	5.5	74,913	16.6
88 & Above	365	1.5	6,575	1.8	56	0.3	48	0.1	7,044	1.6
Average	86.71		86.33		85.86		85.67		86.25	
SAMPLES CLASSED	24,729		355,487		21,907		49,266		451,393	