

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through March 28, 2019

Vol. 92, No. 8

April 1, 2019
mp_cn821

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through March 28, 2019

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	2	32	802	4,274	18,597	60,358	84,065
	3	-	1	-	5	367	2,153	9,933	36,067	48,526
	4	-	-	-	-	34	156	662	3,351	4,203
	5	-	-	-	-	-	1	14	122	137
	6	-	-	-	-	-	-	1	11	12
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	1	2	37	1,203	6,584	29,207	99,909	136,943
31	1-2	-	-	5	29	718	5,089	27,815	99,551	133,207
	3	-	1	5	44	623	5,827	36,350	170,737	213,587
	4	-	-	-	8	180	1,249	6,866	36,904	45,207
	5	-	-	-	1	37	132	473	3,516	4,159
	6	-	-	-	-	1	5	22	280	308
	7	-	-	-	-	-	-	2	31	33
TOTAL----		-	1	10	82	1,559	12,302	71,528	311,019	396,501
41	1-2	-	-	8	60	452	2,692	12,386	36,266	51,864
	3	-	-	14	117	713	5,095	33,606	144,795	184,340
	4	-	2	2	26	245	1,968	12,987	69,484	84,714
	5	-	-	2	6	110	300	2,107	12,639	15,164
	6	-	-	-	1	50	43	293	1,681	2,068
	7	-	-	-	-	7	7	49	311	374
TOTAL----		-	2	26	210	1,577	10,105	61,428	265,176	338,524
51	1-2	-	-	-	14	164	823	3,029	5,824	9,854
	3	-	-	1	28	238	1,954	11,094	28,602	41,917
	4	-	-	-	2	37	562	4,606	19,026	24,233
	5	-	-	1	1	15	138	824	4,418	5,397
	6	-	-	1	-	3	27	177	820	1,028
	7	-	-	-	-	-	2	65	220	287
TOTAL----		-	-	3	45	457	3,506	19,795	58,910	82,716
61	1-2	-	-	-	1	4	20	134	112	271
	3	-	-	-	5	26	149	697	1,046	1,923
	4	-	-	-	-	7	71	567	1,741	2,386
	5	-	-	-	-	-	9	128	711	848
	6	-	-	-	-	-	1	16	94	111
	7	-	-	-	-	-	-	1	6	7
TOTAL----		-	-	-	6	37	250	1,543	3,710	5,546
71	1-2	-	-	-	-	-	-	2	7	9
	3	-	-	-	-	-	5	60	48	113
	4	-	-	-	-	-	2	37	106	145
	5	-	-	-	-	-	1	6	25	32
	6	-	-	-	-	-	-	1	10	11
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	8	106	196	310
12 & 22	1-2	-	-	10	132	1,134	4,325	11,602	20,191	37,394
	3	-	-	-	80	733	2,191	7,590	19,814	30,408
	4	-	-	-	5	119	432	1,291	3,650	5,497
	5	-	-	-	2	7	28	80	288	405
	6	-	-	-	-	-	-	4	11	15
	7	-	-	-	-	-	-	-	1	1
TOTAL----		-	-	10	219	1,993	6,976	20,567	43,955	73,720
32	1-2	-	-	1	44	325	2,219	8,330	16,569	27,488
	3	-	-	15	81	442	3,235	16,449	52,655	72,877
	4	-	-	1	37	212	1,210	5,241	20,330	27,031
	5	-	-	-	6	48	190	699	2,862	3,805
	6	-	-	-	-	-	12	33	201	246
	7	-	-	-	-	-	-	2	19	21
TOTAL----		-	-	17	168	1,027	6,866	30,754	92,636	131,468
42	1-2	-	-	11	47	485	1,466	3,759	7,760	13,528
	3	-	-	65	259	1,183	4,625	16,766	47,100	69,998
	4	-	-	10	195	650	3,150	11,371	34,193	49,569
	5	-	-	1	23	202	897	3,319	8,772	13,214
	6	-	-	-	4	31	175	611	1,530	2,351
	7	-	-	-	-	5	13	76	200	294
TOTAL----		-	-	87	528	2,556	10,326	35,902	99,555	148,954
52	1-2	-	-	4	55	294	624	935	1,791	3,703
	3	-	-	9	211	835	2,260	6,285	14,774	24,374
	4	-	-	-	105	417	1,401	5,139	15,661	22,723
	5	-	-	1	20	146	587	1,972	5,866	8,592
	6	-	-	-	2	23	155	682	1,517	2,379
	7	-	-	-	-	10	44	189	517	760
TOTAL----		-	-	14	393	1,725	5,071	15,202	40,126	62,531

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through March 28, 2019

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	2	38	145	360	279	145	969
	3	-	-	4	125	707	1,429	2,163	2,860	7,288
	4	-	-	2	35	281	667	2,422	6,282	9,689
	5	-	-	1	5	37	153	771	3,099	4,066
	6	-	-	-	-	11	64	214	563	852
	7	-	-	-	-	2	14	72	88	176
TOTAL----		-	-	9	203	1,183	2,687	5,921	13,037	23,040
13 & 23	1-2	-	-	16	439	824	954	1,123	1,333	4,689
	3	-	-	5	362	622	985	1,760	2,430	6,164
	4	-	-	-	46	259	550	902	989	2,746
	5	-	-	-	-	107	141	290	167	705
	6	-	-	-	1	11	7	11	14	44
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	21	848	1,823	2,637	4,086	4,933	14,348
33	1-2	-	-	1	26	87	225	746	2,007	3,092
	3	-	-	1	70	208	678	2,726	9,278	12,961
	4	-	-	4	50	109	400	1,561	6,036	8,160
	5	-	-	3	7	39	186	482	1,521	2,238
	6	-	-	-	-	20	28	90	193	331
	7	-	-	-	-	-	1	24	21	46
TOTAL----		-	-	9	153	463	1,518	5,629	19,056	26,828
43	1-2	-	-	5	32	51	132	316	703	1,239
	3	-	-	24	315	600	946	2,297	6,025	10,207
	4	-	1	12	161	647	1,116	2,605	6,801	11,343
	5	-	-	7	32	456	645	1,205	3,245	5,590
	6	-	-	-	8	207	282	337	923	1,757
	7	-	-	-	1	23	42	85	198	349
TOTAL----		-	1	48	549	1,984	3,163	6,845	17,895	30,485
53	1-2	-	-	3	21	33	48	153	270	528
	3	-	-	14	236	267	478	1,677	3,338	6,010
	4	-	-	6	185	386	699	2,035	5,890	9,201
	5	-	-	-	50	216	482	1,277	3,559	5,584
	6	-	-	-	9	57	176	467	1,100	1,809
	7	-	-	-	4	36	54	125	304	523
TOTAL----		-	-	23	505	995	1,937	5,734	14,461	23,655
63	1-2	-	-	1	9	16	29	18	22	95
	3	-	-	4	101	221	313	726	1,209	2,574
	4	-	-	2	89	244	393	1,890	5,055	7,673
	5	-	-	-	9	70	175	1,113	3,997	5,364
	6	-	-	-	-	20	55	318	1,205	1,598
	7	-	-	-	-	1	1	54	222	278
TOTAL----		-	-	7	208	572	966	4,119	11,710	17,582
24-54	1-7	-	-	6	96	446	782	2,073	5,745	9,148
25-35	1-7	-	-	-	-	3	3	8	17	31
81-85 1/	1-7	-	-	1	53	133	366	1,138	3,083	4,774
All Colors	8 2/	-	-	-	26	57	48	174	608	913
TOTAL, ALL----		0	5	293	4,313	19,772	76,084	321,744	1,105,687	1,527,898

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through March 28, 2019

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+ TOTAL
11 & 21	1-2	Bales 117,165	Bales 153,289	Bales 181,158	Bales 104,691	Bales 52,583	Bales 22,554	Bales 631,440 715,505
	3	95,948	138,280	140,182	78,901	43,044	13,807	558,688
	4	11,359	18,093	15,331	6,465	3,360	999	59,810
	5	371	812	471	146	67	28	2,032
	6	7	13	10	5	-	-	47
	7	-	-	-	-	-	-	-
	TOTAL----	224,850	310,487	337,152	190,208	99,054	37,388	1,199,139 1,336,082
31	1-2	186,234	197,500	194,590	86,123	35,962	11,060	844,676
	3	463,288	656,085	769,814	409,060	185,160	52,686	2,749,680
	4	142,557	273,748	377,814	230,837	114,105	32,395	1,216,663
	5	15,729	37,949	50,947	25,728	12,140	3,867	150,519
	6	1,193	2,816	3,343	1,175	481	150	9,466
	7	92	191	168	47	13	2	546
	TOTAL----	809,093	1,168,289	1,396,676	752,970	347,861	100,160	4,575,049 4,971,550
41	1-2	58,783	62,743	52,916	22,715	7,090	869	256,980
	3	359,125	536,526	696,147	349,026	140,912	28,629	2,294,705
	4	248,598	505,117	962,845	647,657	301,592	84,822	2,835,345
	5	57,314	141,442	297,615	233,854	114,040	35,981	895,410
	6	8,630	23,321	45,901	28,290	13,479	3,215	124,904
	7	1,614	3,752	7,923	3,910	1,630	225	19,428
	TOTAL----	734,064	1,272,901	2,063,347	1,285,452	578,743	153,741	6,088,248 6,426,772
51	1-2	5,371	4,329	3,864	795	105	14	24,332
	3	42,684	49,972	60,058	19,498	4,703	553	219,385
	4	43,014	68,098	142,465	76,965	20,132	3,485	378,392
	5	13,937	29,182	77,212	69,003	20,947	3,841	219,519
	6	3,045	6,725	13,351	12,096	5,557	938	42,740
	7	819	1,928	2,842	1,536	547	127	8,086
	TOTAL----	108,870	160,234	299,792	179,893	51,991	8,958	809,738 892,454
61	1-2	217	147	36	2	-	-	673
	3	1,113	1,622	1,082	107	5	-	5,852
	4	2,212	3,536	3,068	403	26	1	11,632
	5	1,187	1,716	1,868	334	47	5	6,005
	6	189	296	306	79	18	2	1,001
	7	23	32	50	16	2	-	130
	TOTAL----	4,941	7,349	6,410	941	98	8	19,747 25,293
71	1-2	2	-	-	1	-	-	12
	3	11	9	4	1	1	-	139
	4	32	39	39	2	1	-	258
	5	27	46	68	1	-	-	174
	6	9	13	6	1	-	-	40
	7	-	-	-	-	-	-	-
	TOTAL----	81	107	117	6	2	-	313 623
12 & 22	1-2	23,938	18,949	11,810	4,194	1,375	356	98,016
	3	31,687	31,455	16,583	4,641	2,546	798	118,118
	4	6,481	7,861	4,603	804	338	102	25,686
	5	467	497	347	47	9	7	1,779
	6	33	17	3	2	-	-	70
	7	2	-	-	-	-	-	3
	TOTAL----	62,608	58,779	33,346	9,688	4,268	1,263	169,952 243,672
32	1-2	18,368	11,966	5,803	1,488	582	195	65,890
	3	86,344	75,218	47,252	13,871	5,633	1,858	303,053
	4	48,112	57,976	46,805	14,626	6,144	1,794	202,488
	5	9,018	13,874	12,980	3,404	1,256	462	44,799
	6	960	1,607	1,704	412	110	46	5,085
	7	133	133	133	34	16	1	471
	TOTAL----	162,935	160,774	114,677	33,835	13,741	4,356	490,318 621,786
42	1-2	11,323	11,863	5,935	1,046	192	12	43,899
	3	99,198	138,737	116,187	30,629	8,173	1,288	464,210
	4	85,142	145,689	197,350	87,834	33,617	7,622	606,823
	5	23,488	40,886	61,518	37,197	20,427	6,250	202,980
	6	4,124	8,266	10,161	4,371	2,490	784	32,547
	7	820	1,628	2,559	708	222	45	6,276
	TOTAL----	224,095	347,069	393,710	161,785	65,121	16,001	1,207,781 1,356,735
52	1-2	1,668	1,043	742	146	19	3	7,324
	3	20,309	18,432	16,007	4,000	696	83	83,901
	4	30,067	39,381	52,180	21,041	5,836	851	172,079
	5	12,608	19,489	30,222	19,712	7,668	1,335	99,626
	6	2,829	4,107	5,856	3,794	1,915	380	21,260
	7	845	984	950	338	132	41	4,050
	TOTAL----	68,326	83,436	105,957	49,031	16,266	2,693	325,709 388,240

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through March 28, 2019

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	103	52	15	1	1	-	172	1,141
	3	1,574	1,173	694	101	17	-	3,559	10,847
	4	5,089	3,647	3,351	615	62	2	12,766	22,455
	5	3,538	2,726	2,885	551	60	3	9,763	13,829
	6	688	728	846	214	62	7	2,545	3,397
	7	108	123	159	50	22	2	464	640
	TOTAL----	11,100	8,449	7,950	1,532	224	14	29,269	52,309
13 & 23	1-2	1,414	1,132	824	238	94	24	3,726	8,415
	3	3,682	3,483	1,929	646	321	78	10,139	16,303
	4	1,282	1,345	841	170	75	33	3,746	6,492
	5	128	114	96	11	3	1	353	1,058
	6	5	2	1	3	-	-	11	55
	7	-	-	-	-	-	-	-	-
	TOTAL----	6,511	6,076	3,691	1,068	493	136	17,975	32,323
33	1-2	1,884	1,264	635	182	43	9	4,017	7,109
	3	11,634	9,403	5,232	1,788	765	126	28,948	41,909
	4	11,892	11,528	7,526	2,461	929	255	34,591	42,751
	5	4,012	4,452	3,391	1,003	331	92	13,281	15,519
	6	489	758	691	145	44	13	2,140	2,471
	7	44	124	83	11	1	-	263	309
	TOTAL----	29,955	27,529	17,558	5,590	2,113	495	83,240	110,068
43	1-2	818	786	431	108	25	4	2,172	3,411
	3	9,532	10,887	8,977	2,702	889	185	33,172	43,379
	4	12,584	16,891	19,730	8,515	3,432	644	61,796	73,139
	5	6,395	7,785	9,501	5,047	2,536	626	31,890	37,480
	6	1,920	2,411	2,448	1,004	549	159	8,491	10,248
	7	495	714	777	184	77	14	2,261	2,610
	TOTAL----	31,744	39,474	41,864	17,560	7,508	1,632	139,782	170,267
53	1-2	203	184	96	26	6	-	515	1,043
	3	3,495	3,213	1,950	568	100	30	9,356	15,366
	4	8,073	7,695	8,059	2,733	659	125	27,344	36,545
	5	5,180	5,790	7,500	3,146	953	200	22,769	28,353
	6	1,500	1,467	1,930	1,150	393	81	6,521	8,330
	7	415	328	429	148	73	11	1,404	1,927
	TOTAL----	18,866	18,677	19,964	7,771	2,184	447	67,909	91,564
63	1-2	12	16	20	1	-	-	49	144
	3	620	398	333	28	3	1	1,383	3,957
	4	3,349	1,945	1,385	304	33	3	7,019	14,692
	5	3,866	2,221	1,775	454	82	4	8,402	13,766
	6	1,464	729	625	184	39	7	3,048	4,646
	7	232	121	146	23	27	10	559	837
	TOTAL----	9,543	5,430	4,284	994	184	25	20,460	38,042
24-54	1-7	9,559	8,641	7,340	2,773	845	244	29,402	38,550
25-35	1-7	144	97	105	11	1	1	359	390
81-85 1/	1-7	2,888	1,919	1,638	388	82	12	6,927	11,701
All Colors	8 2/	1,504	2,360	3,578	1,148	285	86	8,961	9,874
TOTAL, ALL-----		2,521,563	3,687,979	4,859,096	2,702,642	1,191,061	291,679	15,290,000	16,817,898
EXTRANEEOUS MATTER									Average Staple -----
Bark - Level 1		1,263,290							Percent Tenderable -----
Bark - Level 2		287							36.5
Grass - Level 1		19,696							67.3
Grass - Level 2		3							
Prep - Level 1		13,535							
Prep - Level 2		1							
Other - Level 1		1,091							
Other - Level 2		1							

16,817,898 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.4	0.7	0.9	1.1	0.6	0.3	0.1	4.3
	3	-	*	-	*	*	*	0.1	0.2	0.6	0.8	0.8	0.5	0.3	0.1	3.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	0.2	0.6	1.3	1.8	2.0	1.1	0.6	0.2	7.9
31	1-2	-	-	*	*	*	*	0.2	0.6	1.1	1.2	1.2	0.5	0.2	0.1	5.0
	3	-	*	*	*	*	*	0.2	1.0	2.8	3.9	4.6	2.4	1.1	0.3	16.3
	4	-	-	-	*	*	*	*	0.2	0.8	1.6	2.2	1.4	0.7	0.2	7.2
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.4	1.8	4.8	6.9	8.3	4.5	2.1	0.6	29.6
41	1-2	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	1.5
	3	-	-	*	*	*	*	0.2	0.9	2.1	3.2	4.1	2.1	0.8	0.2	13.6
	4	-	*	*	*	*	*	0.1	0.4	1.5	3.0	5.7	3.9	1.8	0.5	16.9
	5	-	-	*	*	*	*	*	0.1	0.3	0.8	1.8	1.4	0.7	0.2	5.3
	6	-	-	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	*	0.7
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	*	*	*	*	0.1	0.4	1.6	4.4	7.6	12.3	7.6	3.4	0.9	38.2
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.4	0.1	*	*	1.3
	4	-	-	-	*	*	*	*	0.1	0.3	0.4	0.8	0.5	0.1	*	2.2
	5	-	-	*	*	*	*	*	*	0.1	0.2	0.5	0.4	0.1	*	1.3
	6	-	-	*	-	*	*	*	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.4	0.6	1.0	1.8	1.1	0.3	0.1	0.1	5.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
71	1-2	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	1.4
32	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	*	*	*	*	0.1	0.3	0.5	0.4	0.3	0.1	*	*	1.8
	4	-	-	*	*	*	*	*	0.1	0.3	0.3	0.3	0.1	*	*	1.2
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.2	0.6	1.0	1.0	0.7	0.2	0.1	*	3.7
42	1-2	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.3	0.6	0.8	0.7	0.2	*	*	2.8
	4	-	-	*	*	*	*	0.1	0.2	0.5	0.9	1.2	0.5	0.2	*	3.6
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.2	0.1	*	1.2
	6	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.6	1.3	2.1	2.3	1.0	0.4	0.1	8.1
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.6	0.3	0.1	*	2.3

* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	1.0
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
24-54	1-7	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	*	0.1	0.5	1.9	6.6	15.0	21.9	28.9	16.1	7.1	1.9	100.0
EXTRANEEOUS MATTER																Average Staple 36.5
Bark - Level 1	7.5															Percent Tenderable 67.3
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

16,817,898 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	*	0.7
31	1-2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	1.4
	3	-	-	-	-	-	*	*	0.3	1.1	2.6	4.5	2.8	0.6	0.1	11.9
	4	-	-	-	-	-	-	*	0.1	0.3	0.9	2.3	1.9	0.6	0.1	6.1
	5	-	-	-	-	-	-	*	*	*	0.2	0.1	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.4	1.7	3.9	7.3	5.0	1.3	0.2	19.8
41	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	1.1
	3	-	-	-	-	*	*	0.1	0.7	2.4	4.2	5.4	2.5	0.5	*	15.8
	4	-	-	-	-	*	*	0.3	1.6	4.8	9.3	5.4	1.6	0.2	0.1	23.2
	5	-	-	-	*	*	-	0.1	0.3	1.1	3.0	2.0	0.9	0.1	0.1	7.6
	6	-	-	-	-	*	-	*	*	0.1	0.4	0.2	0.1	*	*	1.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	0.2	1.2	4.6	10.5	18.4	10.3	3.1	0.4	48.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	4	-	-	-	-	-	*	*	0.1	0.3	0.5	1.0	0.4	0.1	*	2.4
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.8	0.4	0.1	*	1.7
	6	-	-	-	-	-	*	-	*	0.1	0.2	0.2	0.1	*	*	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.6	1.2	2.4	1.1	0.2	*	5.8
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.5	0.2	*	*	1.3
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.6	0.9	1.1	0.4	0.1	*	3.2
42	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	1.0	1.2	1.1	0.3	*	*	4.1
	4	-	-	-	-	-	*	*	0.3	1.1	2.2	2.7	0.9	0.2	*	7.4
	5	-	-	-	-	-	-	*	*	0.3	0.6	1.2	0.4	0.2	*	2.8
	6	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.8	2.4	4.2	5.3	1.7	0.5	0.1	15.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.7	1.0	0.3	*	*	2.9

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	0.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	1.8
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
63	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.1	0.7	3.5	11.2	22.4	36.7	19.3	5.4	0.7	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	12.0															Average Staple 36.7
Bark - Level 2	*															Percent Tenderable 62.8
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

810,794 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE																
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.7	2.1	2.2	1.5	1.2	1.0	8.8		
	3	-	-	-	-	-	*	*	*	0.1	0.6	1.4	0.8	0.4	0.3	3.7		
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.1	*	*	0.3		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	0.1	0.8	2.8	3.7	2.4	1.6	1.4	12.8		
31	1-2	-	-	-	-	-	*	*	0.4	1.0	2.0	3.3	2.1	1.4	0.8	11.2		
	3	-	-	-	-	-	*	*	0.1	0.8	2.6	5.6	3.8	2.8	1.8	17.6		
	4	-	-	-	-	-	-	*	*	0.1	0.3	1.2	1.1	0.8	0.8	4.3		
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.6		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
TOTAL----		-	-	-	-	-	*	*	0.5	1.9	5.0	10.3	7.3	5.1	3.5	33.7		
41	1-2	-	-	-	-	-	*	*	0.3	0.7	1.2	1.5	0.9	0.3	*	4.9		
	3	-	-	-	-	-	*	*	0.4	1.8	4.1	5.8	3.4	2.3	0.8	18.6		
	4	-	-	-	-	-	*	*	0.1	0.4	1.6	2.9	2.2	2.4	1.4	11.0		
	5	-	-	-	-	-	-	*	*	*	0.3	0.5	0.6	0.8	0.5	2.8		
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.6		
	7	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2		
TOTAL----		-	-	-	-	-	*	*	0.8	3.0	7.2	10.8	7.2	6.0	2.9	37.9		
51	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2		
	3	-	-	-	-	-	*	*	*	0.3	0.5	0.4	0.2	0.1	*	1.5		
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.6	0.3	0.2	0.1	1.7		
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	0.1	0.7		
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
TOTAL----		-	-	-	-	-	*	*	0.1	0.5	1.1	1.3	0.7	0.4	0.3	4.4		
61	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	0.8		
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	*	*	*	0.5		
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.4	0.5	0.1	*	0.1	1.5		
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2		
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	0.9		
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4		
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	-	-	-	*	*	0.2	0.4	0.6	0.2	0.1	0.1	1.7		
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	1.2		
	4	-	-	-	-	-	*	*	*	0.2	0.8	0.5	0.2	0.2	*	1.9		
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	0.9		
	6	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
TOTAL----		-	-	-	-	*	*	*	0.2	0.5	1.6	1.3	0.5	0.4	0.1	4.5		
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2		
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.5		
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4		
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3		
	7	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2		
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	0.1	1.7		

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	-	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
TOTAL, ALL-----		*	*	*	*	*	*	0.3	2.3	7.7	19.3	29.4	18.8	13.9	8.4	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	3.6															Average Staple 37.3
Bark - Level 2	-															Percent Tenderable 72.5
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

404,650 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.4
31	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.5
	3	-	-	-	-	-	-	*	*	0.2	0.9	1.4	0.7	0.7	0.2	4.1
	4	-	-	-	-	-	-	-	*	*	0.3	1.0	0.6	0.5	0.3	2.8
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.2	1.3	2.7	1.6	1.3	0.6	7.7
41	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	3	-	-	-	-	-	*	*	0.1	0.8	3.0	6.1	2.8	2.2	0.5	15.6
	4	-	-	-	-	-	-	*	*	0.4	2.7	11.7	7.8	5.3	2.4	30.3
	5	-	-	-	-	-	-	*	*	*	0.3	3.2	4.1	2.1	0.9	10.7
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	0.9
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	1.3	6.2	21.4	15.1	9.9	3.9	58.1
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	0.4	0.8	0.3	0.1	0.1	*	1.7
	4	-	-	-	-	-	-	*	*	0.1	0.4	3.3	2.1	0.6	0.1	6.6
	5	-	-	-	-	-	-	*	*	0.1	1.9	2.6	0.7	0.1	0.1	5.5
	6	-	-	-	-	-	-	-	*	*	0.2	0.4	0.2	0.2	*	0.8
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	0.2	1.0	6.1	5.4	1.7	0.3	14.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.6	1.2	1.6	0.3	0.1	*	3.9
	4	-	-	-	-	-	-	*	*	0.3	1.1	3.5	1.8	0.7	0.2	7.7
	5	-	-	-	-	-	-	*	*	0.1	0.7	0.8	0.8	0.4	0.2	2.2
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.9	2.5	5.7	3.0	1.3	0.4	14.0
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.7	0.3	0.2	*	1.5
	5	-	-	-	-	-	-	*	*	*	0.1	0.4	0.4	0.2	*	1.1
	6	-	-	-	-	-	-	*	-	*	*	*	0.1	0.1	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.3	1.2	0.8	0.4	0.1	0.1	3.1

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	*	0.9
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	*	0.4	2.9	11.8	38.2	26.4	14.8	5.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.6														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,269,377 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	1.3	4.8	14.9	12.9	10.3	6.8	51.1
	3	-	-	-	-	-	-	-	*	0.1	0.6	2.7	3.8	2.4	2.5	12.1
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	1.4	5.4	17.6	16.8	12.7	9.4	63.3
31	1-2	-	-	-	-	-	-	*	0.2	0.4	1.2	4.1	2.2	1.9	1.1	11.1
	3	-	-	-	-	-	-	*	*	0.1	0.6	4.0	4.6	3.3	3.6	16.2
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.7	0.5	0.6	2.1
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.2	0.5	1.9	8.3	7.5	5.9	5.3	29.6
41	1-2	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	4	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	0.2	0.2	0.1	1.3
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	0.1	*	*	*	*	*	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	*	0.1	*	0.1	0.1	0.1	0.1	0.6
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.6
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	0.3	0.2	0.2	1.2
32	1-2	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.4
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.4	1.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.2	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.6	0.6	0.7	2.6
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.5	0.3	0.1	0.1	*	1.3
52	1-2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	*	*	*	0.2	0.4	2.7	8.5	27.2	25.5	19.7	15.7	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		2.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

197,795 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
31	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	*	-	0.4
	3	-	-	-	-	-	-	-	0.1	0.2	0.4	1.2	2.5	1.1	*	5.6
	4	-	-	-	-	-	-	-	*	*	0.2	0.5	1.2	0.9	*	2.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.2	0.3	0.7	1.8	3.9	2.0	*	8.9
41	1-2	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	*	-	0.5
	3	-	-	-	-	-	-	*	0.6	1.3	2.7	5.8	5.1	1.5	*	17.1
	4	-	-	-	-	-	*	*	0.2	0.9	2.5	10.7	12.2	4.4	0.1	31.0
	5	-	-	-	-	-	-	*	*	0.2	0.4	1.8	2.4	1.2	*	6.0
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	0.1	1.0	2.5	5.7	18.4	19.8	7.1	0.2	54.8
51	1-2	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.2	0.3	0.6	0.5	0.1	-	1.9
	4	-	-	-	-	-	-	*	0.1	0.4	0.7	2.7	1.9	0.5	*	6.4
	5	-	-	-	-	-	-	-	*	0.1	0.3	1.5	1.4	0.5	*	3.7
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	-	*	0.1	0.4	0.7	1.2	5.0	4.1	1.1	*	12.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	*	-	0.1	0.1	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.3	0.8	1.0	0.4	0.1	*	2.7
	4	-	-	-	-	-	*	*	*	0.3	0.9	2.0	0.9	0.4	*	4.6
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.3	0.1	*	1.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	0.8	1.9	3.4	1.6	0.6	*	8.6
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.4	0.5	0.1	*	-	1.4
	4	-	-	-	-	-	*	0.1	0.2	0.6	1.1	2.1	1.0	0.3	*	5.3
	5	-	-	-	-	-	-	*	0.1	0.2	0.4	0.9	0.8	0.5	*	3.1
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	0.5	1.1	2.0	3.6	2.0	1.0	*	10.3

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	*	0.1	0.3	*	*	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	-
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	0.1	*	-	0.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.3	0.2	0.1	*	-
63	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	*	*	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.2	0.1	0.1	*	*	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.4	2.7	6.3	12.4	33.5	32.1	12.3	0.4	100
EXTRANEEOUS MATTER																
Bark - Level 1	21															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															
		Average Staple 37.2														
		Percent Tenderable 59.3														

82,621 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE																
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9		
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.6	0.4	0.2	*	1.7		
	4	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.5	0.9	0.6	0.2	*	2.7		
31	1-2	-	-	-	-	*	*	0.1	0.5	0.8	0.7	0.5	0.1	*	*	2.8		
	3	-	-	-	-	*	*	0.1	0.9	2.7	3.9	6.0	3.7	1.1	0.1	18.6		
	4	-	-	-	-	-	*	*	0.1	0.4	0.9	2.8	3.4	1.5	0.2	9.3		
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	0.6		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
TOTAL----		-	-	-	-	*	*	0.3	1.5	3.9	5.6	9.4	7.6	2.8	0.3	31.3		
41	1-2	-	-	-	-	*	*	0.1	0.4	0.4	0.3	0.1	*	*	*	1.4		
	3	-	-	-	-	*	*	0.3	1.7	3.4	3.8	4.1	2.0	0.5	*	16.0		
	4	-	-	-	-	*	*	0.1	0.5	1.7	3.1	6.1	5.2	2.0	0.3	18.8		
	5	-	-	-	-	-	*	*	*	0.1	0.3	1.0	1.4	0.7	0.1	3.7		
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
TOTAL----		-	-	-	-	*	*	0.5	2.6	5.6	7.5	11.4	8.7	3.3	0.5	40.1		
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4		
	3	-	-	-	-	*	*	0.3	0.9	1.0	0.7	0.6	0.1	*	*	3.7		
	4	-	-	-	-	*	*	0.1	0.6	1.1	1.1	1.4	0.5	0.1	*	4.9		
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.6	0.3	0.1	*	1.6		
	6	-	-	-	-	*	-	*	*	*	*	0.1	0.1	*	*	0.2		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	-	0.1	0.6	1.7	2.4	2.2	2.6	1.0	0.2	*	*	10.7		
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4		
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	*	*	*	0.7		
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
32	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3		
	3	-	-	-	-	-	*	*	0.2	0.4	0.5	0.4	0.2	*	*	1.7		
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	*	*	*	0.3	0.6	0.7	0.7	0.4	0.2	*	3.0		
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	3	-	-	-	-	*	*	0.1	0.4	0.6	0.5	0.3	0.2	*	*	2.1		
	4	-	-	-	*	*	*	*	0.2	0.6	0.7	0.9	0.6	0.2	*	3.2		
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL----		-	-	-	*	*	*	0.1	0.6	1.3	1.4	1.5	1.0	0.3	*	6.4		
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4		
	4	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	1.1		
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	*	*	*	0.1	0.4	0.5	0.5	0.5	0.2	0.1	*	2.3		

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	1.2
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.2	1.8	7.6	15.4	19.1	27.9	19.8	7.2	0.9	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	11.9															36.6
Bark - Level 2	*															73.7
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,948,217 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	0.3	1.1	0.8	*	*	*	2.3
	3	-	*	-	*	-	*	*	0.1	0.6	1.2	1.7	0.1	*	*	3.7
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	*	*	*	*	0.1	1.0	2.4	2.6	0.2	*	*	6.4
31	1-2	-	-	-	*	*	-	*	0.2	0.7	1.1	1.2	*	*	*	3.3
	3	-	-	*	-	*	*	*	0.4	3.2	4.9	5.8	0.6	*	*	15.1
	4	-	-	-	-	*	-	*	0.3	2.4	3.8	3.4	0.4	*	*	10.4
	5	-	-	-	-	-	-	*	0.1	0.4	0.9	0.8	0.1	*	*	2.3
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	1.0	6.7	10.8	11.3	1.1	0.1	*	31.2
41	1-2	-	-	-	-	-	-	*	*	0.1	0.2	0.1	-	-	-	0.3
	3	-	-	-	-	-	-	*	0.2	1.0	1.8	0.6	*	*	-	3.6
	4	-	-	-	-	*	*	*	0.5	4.7	5.6	1.3	0.2	*	*	12.4
	5	-	-	*	*	*	*	*	0.3	3.9	7.0	1.9	0.1	*	*	13.2
	6	-	-	-	*	-	*	-	*	0.7	2.0	1.0	0.1	*	-	3.8
	7	-	-	-	-	-	-	-	*	*	0.2	0.2	*	*	-	0.5
TOTAL----		-	-	*	*	*	*	0.1	1.0	10.4	16.8	5.0	0.4	0.1	*	33.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	0.3	0.2	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	0.1	0.6	0.8	0.2	*	-	-	1.6
	6	-	-	*	-	-	*	*	*	0.2	0.4	0.3	*	*	-	0.9
	7	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
TOTAL----		-	-	*	-	*	*	*	0.2	1.2	1.5	0.6	*	*	-	3.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	0.2	0.3	0.1	*	-	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.4	0.5	0.2	*	-	*	1.1
32	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.7	0.6	0.2	*	*	*	1.6
	4	-	-	-	*	-	-	*	0.1	1.2	1.1	0.6	*	*	0.1	3.1
	5	-	-	-	-	*	-	-	*	0.4	0.5	0.3	*	*	*	1.3
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.3	2.3	2.3	1.0	0.1	*	0.1	6.3
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	*	0.2	0.2	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	1.0	0.8	0.1	*	*	*	2.2
	5	-	-	-	*	*	-	*	0.1	1.2	1.6	0.6	*	*	*	3.6
	6	-	-	-	-	-	-	*	*	0.3	0.8	0.8	*	*	*	2.0
	7	-	-	-	-	-	-	-	*	0.1	0.2	0.4	*	*	*	0.7
TOTAL----		-	-	-	*	*	*	0.1	0.4	2.8	3.6	1.9	0.1	*	*	9.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	*	-	-	*	*	0.1	0.2	0.4	0.1	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.5
	7	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
TOTAL----		-	-	*	-	-	*	*	0.2	0.4	0.8	0.3	0.1	*	-	1.8

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2	
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	0.2	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	0.2	0.1	0.1	-	-	-	0.4	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*	
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	*	0.5	
	4	-	-	-	-	-	-	*	*	0.3	0.7	0.3	0.1	*	*	1.4	
	5	-	-	-	-	-	-	-	*	0.2	0.3	0.2	*	*	*	0.7	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
TOTAL----		-	-	-	-	-	*	*	0.1	0.8	1.2	0.6	0.1	*	*	2.8	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*	
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	-	*	*	0.3	
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	0.8	
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3	
	7	-	-	-	-	-	-	-	-	*	0.1	*	*	*	-	0.1	
TOTAL----		-	-	-	-	-	-	*	0.1	0.4	0.7	0.4	*	*	*	1.5	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	0.1	0.3	0.3	0.5	0.2	*	*	1.4	
25-35	1-7	-	-	-	-	-	-	-	*	0.1	*	0.1	*	*	-	0.2	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
All Colors	8 2/	*	*	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5	
TOTAL, ALL-----		*	*	*	*	*	*	0.5	3.6	27.1	41.4	24.7	2.4	0.2	0.2	100	
EXTRANEEOUS MATTER		Average Staple															36
		Percent Tenderable															41.7
Bark - Level 1		38.9															
Bark - Level 2		*															
Grass - Level 1		*															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

188,995 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	3	-	-	-	-	-	-	*	*	*	0.2	0.2	0.2	0.4	0.1	1.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.5	0.1	1.8
31	1-2	-	-	-	-	-	-	*	0.1	0.6	0.7	0.8	0.4	0.2	*	2.8
	3	-	-	-	-	-	*	*	0.3	1.4	2.5	4.2	3.5	3.1	1.1	16.2
	4	-	-	-	*	-	*	*	0.1	0.3	0.6	1.4	1.4	1.8	1.0	6.5
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	-	*	0.1	0.4	2.3	3.9	6.5	5.3	5.1	2.2	25.9
41	1-2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.6	0.3	0.1	*	1.9
	3	-	-	-	-	*	*	*	0.4	1.9	3.6	5.6	4.8	1.9	0.4	18.6
	4	-	-	-	*	*	*	*	0.1	1.0	2.6	4.8	5.4	3.9	1.7	19.5
	5	-	-	-	-	-	*	*	*	0.1	0.3	1.1	1.1	1.0	0.7	4.2
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	0.1	0.7	3.3	6.9	12.1	11.6	6.9	2.9	44.5
51	1-2	-	-	-	-	-	-	*	*	0.1	*	0.1	*	*	*	0.3
	3	-	-	-	*	-	*	*	0.1	0.2	0.3	0.6	0.3	0.1	*	1.6
	4	-	-	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	1.8
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	*	-	*	*	0.2	0.5	1.0	1.5	0.9	0.2	0.1	4.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	1.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.2	0.4	0.4	0.5	0.2	0.1	0.1	2.0
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
	3	-	-	-	-	-	*	0.1	0.3	0.9	1.2	1.1	0.7	0.2	*	4.5
	4	-	-	-	-	*	*	*	0.2	0.8	1.3	1.5	1.0	0.6	0.1	5.5
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.3	0.1	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.7	1.9	2.8	3.1	2.0	1.1	0.2	11.8
52	1-2	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	*	-	*	*	0.1	0.3	0.6	0.4	0.2	*	*	1.7
	4	-	-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.3	0.1	*	2.5
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	0.1	*	1.0
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
TOTAL----		-	-	-	*	-	*	*	0.3	0.8	1.8	1.7	0.6	0.2	*	5.4

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.2	0.5	0.3	0.2	*	1.7
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.5	0.5	0.2	*	*	1.6
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.4	2.7	10.1	18.1	27.0	21.6	14.5	5.7	100.0
EXTRANEEOUS MATTER		Average Staple														37.2
Bark - Level 1		Percent Tenderable														56.1
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

415,500 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	*	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.2	0.1	0.9
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	1.4
31	1-2	-	-	-	-	-	*	*	0.2	0.3	0.3	0.4	0.3	0.2	*	1.7
	3	-	-	-	-	-	*	*	0.3	1.1	1.8	3.3	3.9	2.6	0.5	13.6
	4	-	-	-	-	-	-	*	0.1	0.3	0.8	1.9	2.0	1.6	0.4	7.1
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.1	0.1	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.6	1.7	3.0	5.8	6.4	4.4	0.9	22.9
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	1.1
	3	-	-	-	-	-	*	0.1	0.5	1.9	2.9	4.8	4.3	2.1	0.3	16.9
	4	-	-	-	-	*	*	*	0.3	1.6	4.5	9.8	8.9	4.8	0.9	30.8
	5	-	-	-	-	-	*	*	*	0.2	1.2	3.7	2.9	1.6	0.4	10.0
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.9	3.9	8.9	18.8	16.5	8.7	1.6	59.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	1.8
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	1.6
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.9	1.6	1.0	0.3	*	4.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	1.4
	4	-	-	-	-	-	*	*	0.2	0.6	0.9	1.2	0.7	0.3	0.1	3.9
	5	-	-	-	-	-	*	*	*	0.2	0.4	0.7	0.5	0.3	0.1	2.2
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.1	0.4	1.1	1.7	2.3	1.4	0.8	0.2	7.8
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	1.6

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	0.8
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	*	0.1	0.1	*	*	0.3
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.3	2.3	7.8	15.5	29.8	26.5	14.8	2.9	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,399,081 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.7
	3	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	0.1	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.2	0.8	0.3	0.1	*	1.4
31	1-2	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	3	-	-	-	-	*	-	*	*	0.4	1.2	3.3	1.1	0.4	0.3	6.8
	4	-	-	-	-	*	-	*	*	0.3	1.1	1.0	0.5	0.2	0.2	3.1
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.5	1.7	4.8	2.4	1.0	0.6	11.0
41	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	3	-	-	-	-	-	*	*	0.1	1.1	3.8	11.0	3.6	1.3	0.6	21.5
	4	-	-	-	-	-	-	*	*	0.4	2.3	14.4	11.0	4.0	1.6	33.8
	5	-	-	-	-	-	-	-	*	*	0.2	2.2	3.8	2.0	0.6	8.8
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	1.6	6.6	28.0	18.6	7.4	2.9	65.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	0.2	1.6	1.4	0.4	0.1	3.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.8	1.4	0.5	0.1	2.9
	6	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.4	2.8	3.1	1.1	0.2	7.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	0.7
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.3	1.0	1.7	0.4	0.1	*	3.5
	4	-	-	-	-	*	*	*	*	0.2	0.9	2.4	1.6	0.9	0.2	6.3
	5	-	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.1	1.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.5	2.0	4.5	2.6	1.5	0.4	11.6
52	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.4	0.5	0.3	0.1	1.4

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	*	0.3	2.9	11.4	41.9	27.7	11.5	4.3	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														
			Average Staple													
			Percent Tenderable													
			37.5													
			68.8													

754,865 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	*	1.0	4.5	4.1	2.3	2.0	13.9
	3	-	-	-	-	-	-	-	-	*	0.1	0.8	2.0	2.0	1.2	6.1
	4	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	1.1	5.4	6.1	4.4	3.2	20.2
31	1-2	-	-	-	-	-	-	-	*	0.2	1.2	5.9	3.9	4.0	2.7	17.8
	3	-	-	-	-	-	-	-	*	0.3	1.0	5.0	7.5	5.3	7.6	26.8
	4	-	-	-	-	-	-	-	*	0.1	0.3	1.4	1.0	1.0	1.2	5.1
	5	-	-	-	-	-	-	-	-	*	*	0.3	0.1	0.2	0.2	0.8
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.7	2.5	12.6	12.6	10.6	11.7	50.7
41	1-2	-	-	-	-	-	-	*	0.2	0.4	0.4	0.5	0.7	0.3	0.2	2.6
	3	-	-	-	-	-	-	0.1	0.3	1.5	2.8	4.2	2.4	1.3	1.5	14.3
	4	-	-	-	-	-	-	*	0.1	1.0	1.1	2.4	2.2	0.5	0.5	7.6
	5	-	-	-	-	-	-	-	*	0.2	0.1	0.4	0.9	0.3	0.1	2.0
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.6
	7	-	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	0.2
TOTAL----		-	-	-	-	-	-	0.1	0.6	3.1	4.4	7.6	6.6	2.6	2.3	27.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	0.1	0.1	0.1	*	*	*	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	0.5
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	-	-	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	-	*	0.1	0.1	0.1	*	*	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	-	-	*	*	-	-	*

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	0.1	0.1	-	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.2	0.6	4.1	8.4	26.0	25.6	17.8	17.3	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.7															38.0
Bark - Level 2	-															88.7
Grass - Level 1	-															
Grass - Level 2	-															
Prep - Level 1	-															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

33,828 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
31	1-2	-	-	-	-	*	*	*	0.2	0.4	0.3	0.5	0.2	*	*	1.6
	3	-	-	*	-	-	*	0.1	0.7	2.5	2.9	4.1	2.5	0.7	0.1	13.5
	4	-	-	-	-	-	*	*	0.2	1.2	1.9	2.0	1.4	0.5	0.1	7.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	*	*	0.1	1.1	4.1	5.3	6.8	4.3	1.3	0.1	23.2
41	1-2	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.6
	3	-	-	-	*	*	*	0.3	1.6	4.8	5.8	6.7	3.7	0.7	*	23.7
	4	-	-	*	-	*	*	0.1	0.9	4.0	6.6	6.7	4.4	1.3	0.1	24.1
	5	-	-	-	-	-	*	*	0.1	0.7	1.6	1.6	1.0	0.4	0.1	5.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	0.5	2.8	9.9	14.4	15.5	9.3	2.5	0.2	55.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	-	*	*	0.1	0.1	0.3	0.4	0.6	0.2	*	*	1.7
	4	-	-	-	-	*	*	*	0.1	0.4	0.6	0.7	0.3	0.1	*	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	*	-	*	*	0.1	0.3	0.8	1.4	1.7	0.8	0.1	*	5.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	1.5
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	*	*	0.1	0.5	1.1	1.6	1.2	0.3	0.1	*	4.8
	4	-	-	-	-	*	*	*	0.2	0.8	1.5	1.2	0.5	0.1	*	4.4
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.8	2.2	3.5	2.7	0.9	0.3	*	10.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.2	0.2	0.2	*	*	*	0.9
	4	-	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.1	*	*	1.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.8	0.3	0.1	*	2.8

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
13 & 23	1-2	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.1	0.9	5.6	18.1	26.3	28.4	15.9	4.3	0.4	100.0
EXTRANEEOUS MATTER		Average Staple														36.4
Bark - Level 1		Percent Tenderable														76.0
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

703,484 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	*	0.1	0.5	0.9	1.0	0.7	0.4	0.1	*	3.7
	3	-	-	-	-	*	*	*	0.2	0.6	0.8	0.6	0.2	0.2	0.1	2.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	*	*	0.2	0.7	1.6	1.9	1.4	0.7	0.3	0.1	6.8
31	1-2	-	-	-	*	*	0.1	0.4	1.2	1.6	2.5	3.0	1.6	0.3	*	10.7
	3	-	-	-	-	*	0.1	0.5	1.6	3.1	6.0	7.9	4.4	1.9	0.3	25.8
	4	-	-	-	-	*	*	0.1	0.3	0.8	1.3	2.1	1.0	0.7	0.2	6.5
	5	-	-	-	-	*	-	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.0	3.1	5.6	10.0	13.3	7.0	2.9	0.6	43.5
41	1-2	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.5	0.2	*	*	2.5
	3	-	-	*	*	*	0.1	0.5	1.4	2.6	4.3	4.7	2.2	0.8	0.1	16.7
	4	-	-	-	*	*	*	0.3	1.4	2.2	2.7	3.5	1.4	0.9	0.2	12.6
	5	-	-	-	*	*	*	0.1	0.4	0.7	0.8	0.8	0.3	0.1	0.1	3.3
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	*	*	*	0.2	1.0	3.5	6.2	8.7	9.7	4.2	1.8	0.4	35.6
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	-	*	*	0.2	0.3	0.4	0.2	*	*	*	1.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	*	*	*	0.6
32	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.4	0.3	0.2	0.1	*	*	*	1.3
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.3	*	*	*	2.8
42	1-2	-	-	-	*	*	*	0.1	*	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	0.1	0.3	0.4	0.2	0.2	0.1	*	*	*	1.4
	4	-	-	-	*	*	0.1	0.2	0.5	0.4	0.2	0.2	*	*	*	1.6
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.2	0.7	1.1	0.9	0.7	0.5	0.1	*	*	4.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.6

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	*	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	*	0.1	0.2	0.4	0.5	0.3	0.2	*	*	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	0.6
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	*	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
25-35	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL----		*	*	*	*	0.1	0.8	3.7	10.5	17.1	23.7	26.0	12.2	5.0	1.0	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		10.5														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

585,739 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
31	1-2	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	0.1	*	*	1.3
	3	-	-	-	-	*	*	0.2	0.8	1.3	2.1	1.5	2.0	0.5	*	10.2
	4	-	-	-	-	-	*	0.1	0.2	0.5	0.9	1.1	2.6	0.8	0.1	7.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.4	1.3	2.2	3.4	5.9	4.8	1.3	0.1	19.5
41	1-2	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	1.8
	3	-	-	-	-	*	*	0.5	1.4	2.7	3.7	2.6	3.3	0.7	0.1	17.8
	4	-	-	-	*	*	*	0.3	1.1	2.6	3.9	4.1	7.4	2.3	0.2	26.2
	5	-	-	-	-	*	*	*	0.1	0.5	0.9	1.1	2.6	0.9	0.1	7.3
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.1	0.9	3.0	6.2	8.8	16.7	13.5	4.0	0.4	53.6
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	*	*	*	0.2	0.4	0.5	0.5	0.4	0.3	*	*	2.6
	4	-	-	-	-	*	*	0.2	0.4	0.6	0.7	0.6	0.5	0.1	*	3.8
	5	-	-	-	-	-	*	0.1	0.3	0.4	0.4	0.4	0.1	*	*	2.3
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	0.5	1.1	1.5	1.8	3.0	1.2	0.3	*	9.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.5	0.6	0.6	0.3	0.1	*	2.4
42	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	3	-	-	-	*	*	*	0.1	0.3	0.6	0.8	0.4	0.4	0.1	*	3.2
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.6	0.5	0.7	0.3	*	3.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	*	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	0.2	0.7	1.3	1.7	2.4	1.5	0.5	0.1	8.5
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	0.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	*	*	1.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.6	0.6	0.8	0.4	0.1	*	2.9

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.5
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	0.2	2.3	7.0	12.8	17.6	30.6	22.3	6.4	0.7	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		3.9														36.6
Bark - Level 2		-														78.2
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

363,583 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.8
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.6	0.5	0.2	*	*	1.6
31	1-2	-	-	-	-	-	-	*	*	0.2	0.7	0.5	0.2	*	*	1.7
	3	-	-	-	-	-	*	*	*	0.4	1.8	2.3	0.6	0.2	0.1	5.5
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.6	0.2	0.1	*	1.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.8	3.0	3.5	1.1	0.3	0.1	8.8
41	1-2	-	-	-	-	-	-	*	0.1	1.2	1.8	0.7	0.1	*	*	4.0
	3	-	-	-	-	*	*	*	0.2	2.9	8.5	7.8	1.6	0.5	0.1	21.7
	4	-	-	-	-	-	-	*	0.1	0.7	4.0	7.8	2.2	0.6	0.1	15.4
	5	-	-	-	-	-	-	*	*	0.1	0.4	1.2	0.6	0.1	*	2.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.4	4.9	14.7	17.4	4.6	1.3	0.3	43.7
51	1-2	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.5	1.0	0.6	0.1	*	*	2.3
	4	-	-	-	-	-	*	*	*	0.4	1.1	2.0	0.5	0.1	*	4.1
	5	-	-	-	-	-	-	-	*	0.1	0.4	0.9	0.3	*	*	1.7
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	1.0	2.6	3.5	0.9	0.1	*	8.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	-	0.6
	3	-	-	-	-	-	*	*	*	0.2	0.8	0.6	0.1	*	*	1.7
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	*	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	1.3	1.0	0.1	*	*	3.0
42	1-2	-	-	-	-	-	*	*	0.1	0.5	0.8	0.3	*	*	*	1.7
	3	-	-	-	-	-	*	*	0.3	2.5	6.2	4.2	0.6	0.1	*	13.8
	4	-	-	-	-	-	-	*	0.1	1.0	3.4	4.7	1.0	0.2	*	10.3
	5	-	-	-	-	-	-	*	*	0.1	0.4	0.9	0.2	*	*	1.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.4	4.1	10.8	10.0	1.8	0.4	0.1	27.6
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	0.8
	4	-	-	-	-	-	*	*	0.1	0.3	0.7	0.9	0.1	*	*	2.1
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.1	*	*	1.0
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.6	1.3	1.7	0.3	*	*	4.1

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.3	*	*	*	1.0
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	0.8
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.1	*	*	2.1
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		*	*	*	*	*	*	0.1	1.4	12.6	35.4	38.6	9.3	2.2	0.4	100.0
EXTRANEIOUS MATTER		Average Staple														36.5
Bark - Level 1		Percent Tenderable														46.7
Bark - Level 2		0.5														
Grass - Level 1		-														
Grass - Level 2		*														
Prep - Level 1		-														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														

762,551 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.3	0.8	1.5	1.7	1.8	0.9	0.4	0.1	7.5
	3	-	-	-	*	*	*	0.1	0.5	1.3	1.7	1.5	0.7	0.4	0.1	6.3
	4	-	-	-	-	*	*	*	*	0.2	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.4	1.4	2.9	3.7	3.5	1.7	0.8	0.1	14.7
31	1-2	-	-	*	*	*	0.1	0.3	1.1	2.0	1.9	1.7	0.7	0.3	0.1	8.2
	3	-	*	*	*	*	0.1	0.4	1.8	4.6	5.9	5.2	2.0	0.9	0.2	21.1
	4	-	-	-	-	*	*	0.1	0.4	1.6	2.8	2.9	0.9	0.4	0.1	9.2
	5	-	-	-	*	*	*	*	*	0.2	0.5	0.6	0.2	0.1	*	1.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.2	0.8	3.4	8.5	11.2	10.5	3.8	1.5	0.4	40.3
41	1-2	-	-	*	*	*	*	0.1	0.3	0.3	0.3	0.3	0.1	*	*	1.4
	3	-	-	*	*	*	0.1	0.3	0.9	1.7	1.8	1.8	0.9	0.3	0.1	7.7
	4	-	*	*	*	*	*	0.1	0.5	1.4	2.2	2.5	1.0	0.4	0.1	8.2
	5	-	-	*	*	*	*	*	0.1	0.4	1.0	1.5	0.6	0.2	*	3.8
	6	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	1.1
	7	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
TOTAL----		-	*	*	*	*	0.1	0.5	1.7	3.9	5.5	6.6	2.8	1.1	0.2	22.4
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.7
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	5	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	0.1	0.2	0.3	0.4	0.6	0.3	0.1	*	*	2.0
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
71	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	1.3
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	1.6
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.6	0.9	0.8	0.4	0.1	*	*	3.3
32	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	3	-	-	*	*	*	*	0.2	0.6	0.9	0.7	0.3	0.1	*	*	2.9
	4	-	-	*	*	*	*	0.1	0.3	0.5	0.6	0.4	0.1	*	*	2.0
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.4	1.1	1.8	1.6	0.9	0.2	0.1	*	6.2
42	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.4
	4	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.3	0.1	*	*	1.6
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	0.1	0.4	0.7	1.1	0.9	0.7	0.2	*	*	4.2
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.3	0.5	0.4	0.4	0.2	*	*	2.1

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.1	0.1	0.1	*	*	*	0.6
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	*	*	*	1.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
63	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.1	0.1	0.1	*	*	*	0.5
24-54	1-7	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
25-35	1-7	-	-	-	-	*	*	*	*	-	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		*	*	*	0.1	0.3	1.0	3.5	10.5	21.0	25.4	24.3	9.5	3.7	0.8	100.0
EXTRANEEOUS MATTER		Average Staple														36.0
Bark - Level 1		10.0														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

6,712,425 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	0.2	*	*	-	0.3
31	1-2	-	-	-	-	-	-	0.1	0.6	0.9	0.9	0.2	0.3	*	*	3.7
	3	-	-	-	-	-	*	0.1	1.7	5.4	5.6	1.3	2.9	0.5	*	21.7
	4	-	-	-	-	-	-	*	0.2	1.1	1.4	0.3	0.5	0.1	*	4.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	2.4	7.4	7.9	7.5	3.7	0.7	*	29.9
41	1-2	-	-	-	-	*	*	0.1	0.7	0.9	0.9	0.1	0.2	*	*	3.4
	3	-	-	-	-	*	*	0.4	3.7	9.9	9.8	1.9	3.5	0.6	*	35.5
	4	-	-	-	-	*	*	*	0.7	3.4	4.5	0.9	1.5	0.3	*	14.3
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	0.7
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.6	5.1	14.3	15.4	12.2	5.2	1.0	0.1	53.9
51	1-2	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	-	-	*	0.3	0.4	0.4	*	*	*	-	1.4
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	0.1	0.5	0.7	0.7	0.5	0.1	*	-	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	*	*	-	*
32	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.4	0.6	*	*	*	-	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	0.6	0.8	0.3	*	*	-	2.0
42	1-2	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	3	-	-	-	-	-	*	0.1	0.8	1.7	2.5	0.2	*	*	*	5.9
	4	-	-	-	-	-	-	*	0.1	0.7	1.6	0.2	0.1	*	*	3.3
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	1.1	2.6	4.3	1.7	0.1	*	*	9.9
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.2	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.3	0.3	0.3	0.3	0.2	*	*	-	1.0

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
March 28, 2019

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.4	
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	*	*	*	*	0.9	9.6	26.1	29.6	22.6	9.2	1.7	0.1	100.0	
EXTRANEEOUS MATTER		Average Staple Percent Tenderable															36.0 82.1
Bark - Level 1		0.4															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

184,393 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 28, 2019

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	-	*	-	-	-	-	0.1	-	-
25	*	*	*	*	-	*	0.8	*	-
26	*	0.1	*	0.1	-	*	1.0	-	-
27	*	0.1	*	0.1	-	*	0.9	*	-
28	*	0.1	*	0.1	-	*	1.1	-	-
29	*	0.1	*	0.1	-	*	1.1	-	*
30	*	0.2	*	0.1	*	*	1.3	*	*
31	*	0.2	*	0.3	*	0.1	1.8	*	*
32	0.1	0.3	*	0.5	-	0.2	2.6	*	*
33	0.3	0.4	*	0.8	*	0.4	3.6	*	*
34	0.4	0.5	*	1.0	*	0.8	4.6	*	*
35	0.7	0.7	0.1	1.2	0.1	1.2	4.8	*	*
36	1.1	0.8	0.1	1.8	0.3	1.6	6.0	*	0.1
37	2.1	1.0	0.2	2.5	0.5	2.3	7.2	*	0.2
38	3.0	1.4	0.4	2.7	1.0	3.5	7.4	0.1	0.5
39	4.1	1.9	0.8	3.7	1.6	5.5	8.1	0.3	0.8
40	5.9	2.7	1.6	4.7	3.8	8.0	8.8	0.5	1.2
41	7.2	4.1	2.8	6.7	6.0	10.9	8.7	1.0	1.9
42	9.1	5.2	4.8	8.6	9.1	13.3	7.5	1.9	3.0
43	10.5	6.7	7.0	10.3	12.1	13.9	6.3	2.6	4.5
44	11.1	7.8	10.1	11.5	13.1	12.6	5.1	3.5	6.6
45	11.2	9.0	12.5	11.6	14.8	9.9	4.6	6.2	9.2
46	10.1	10.2	13.8	11.4	13.9	6.9	3.1	9.4	12.9
47	8.2	10.8	13.2	8.2	10.2	4.4	1.7	13.5	15.7
48	6.0	10.5	11.4	5.8	6.7	2.5	1.1	16.3	16.0
49	4.1	8.9	8.2	2.7	4.6	1.2	0.4	15.6	13.0
50	2.4	6.9	5.6	1.4	1.6	0.5	0.1	13.0	7.6
51	1.3	4.8	3.5	0.8	0.5	0.2	*	8.3	3.8
52	0.7	2.4	2.0	0.8	0.1	*	*	4.7	1.7
53	0.3	1.2	1.0	0.4	*	*	*	2.1	0.8
54	0.1	0.5	0.4	0.1	*	*	-	0.5	0.3
55	*	0.2	0.2	0.1	-	*	-	0.1	*
56	*	0.2	0.1	*	-	*	-	*	*
57	*	0.1	*	*	-	*	-	*	*
58	*	*	-	*	-	-	-	-	-
59	*	-	-	-	-	-	-	-	-
60 & above	*	-	-	-	-	*	-	-	-
Average mike	44	46	46	43	45	42	39	48	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	*	*	-	-
21	-	-	-	-	-	*	*	-	-
22	*	-	-	-	*	*	*	*	*
23	*	*	*	-	*	*	*	*	*
24	0.1	*	*	-	0.4	0.3	*	*	*
25	0.6	0.1	0.1	-	1.5	1.6	0.3	*	0.1
26	2.4	0.2	0.7	*	5.0	5.6	1.3	0.3	0.9
27	9.0	0.9	3.2	*	13.2	12.9	7.0	1.6	3.0
28	22.6	3.2	11.0	0.1	30.2	20.3	23.3	5.9	8.8
29	31.5	9.7	26.2	0.8	30.6	24.3	30.2	17.8	22.3
30	21.0	18.2	28.0	2.4	13.6	19.1	18.9	30.4	30.9
31	8.6	22.4	17.8	5.2	4.6	9.9	10.7	22.7	21.1
32	3.0	19.9	8.8	10.3	0.7	4.0	5.6	12.8	8.5
33	0.9	13.4	3.2	16.8	0.1	1.4	2.1	5.5	3.2
34	0.2	6.9	0.8	16.3	*	0.4	0.4	2.1	0.9
35	*	3.4	0.2	13.8	*	0.1	0.1	0.6	0.2
36 & above	*	1.7	*	34.2	-	*	*	0.2	*
Average strength	29	31	30	34	28	29	29	30	30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 28, 2019

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	-	*	*	*	-	-	0.1	-	*
25	-	0.1	-	0.1	-	-	0.3	-	0.1
26	-	0.2	-	0.2	*	-	0.4	-	0.2
27	*	0.4	*	0.2	-	-	0.4	-	0.2
28	-	0.6	*	0.3	-	-	0.6	*	0.2
29	-	0.5	*	0.4	*	-	0.7	*	0.3
30	*	0.9	*	0.5	*	*	0.9	*	0.4
31	*	0.8	*	0.6	*	*	1.2	*	0.5
32	*	0.9	*	0.8	*	*	1.5	*	0.7
33	*	1.0	0.1	1.0	*	*	1.8	*	0.9
34	*	2.5	0.1	1.3	0.1	*	2.3	*	1.1
35	*	3.7	0.2	1.6	0.2	0.1	2.7	*	1.4
36	0.1	5.0	0.4	1.8	0.4	0.1	3.2	0.1	1.7
37	0.2	4.4	0.6	2.7	0.7	0.2	3.7	0.1	2.2
38	0.4	6.6	0.9	3.8	1.5	0.3	4.2	0.1	2.7
39	0.7	8.0	1.5	4.7	2.9	0.5	4.8	0.2	3.4
40	1.1	9.1	2.3	6.3	5.3	1.0	5.4	0.3	4.4
41	2.2	7.7	3.4	8.0	8.7	1.7	5.9	0.6	5.5
42	4.1	8.5	4.9	8.6	11.9	2.5	6.3	1.8	6.6
43	6.1	8.0	6.9	9.1	14.6	3.8	6.7	3.8	7.6
44	8.2	8.2	9.6	9.5	15.3	5.6	7.0	7.5	8.4
45	10.4	5.8	13.0	10.0	12.9	7.8	7.2	14.2	9.1
46	11.6	5.3	15.0	8.7	9.9	9.9	7.2	20.0	9.3
47	12.4	5.1	14.1	6.9	6.9	11.5	6.6	20.3	8.9
48	11.3	3.2	11.0	5.1	4.4	12.8	5.6	15.5	7.8
49	10.1	1.5	7.2	3.4	2.2	12.2	4.5	8.6	6.0
50	7.6	0.9	4.5	2.2	1.2	11.0	3.2	4.1	4.2
51	5.7	0.7	2.4	1.3	0.5	8.4	2.3	1.9	2.7
52	4.0	0.2	1.2	0.7	0.2	5.5	1.5	0.7	1.6
53	2.5	0.1	0.5	0.3	0.1	3.1	1.0	0.2	0.9
54	1.1	0.1	0.1	0.1	*	1.5	0.6	*	0.4
55	0.3	-	*	*	*	0.3	0.3	*	0.2
56	*	*	*	*	*	*	0.1	*	*
57	*	-	*	-	*	*	*	*	*
58	*	-	*	-	*	*	*	*	*
59	-	-	-	-	*	-	*	-	*
60 & above	-	-	-	-	-	-	*	-	*
Average mike	47	41	46	43	44	48	42	47	44
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	*	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	*	-	-	*	-	*
21	-	-	-	*	-	-	*	-	*
22	-	-	*	*	*	-	*	-	*
23	*	-	*	*	0.1	*	0.1	*	0.1
24	*	-	0.1	0.1	0.5	*	0.4	0.2	0.2
25	*	*	0.5	0.4	2.2	0.1	0.8	1.0	0.7
26	0.5	*	2.0	1.4	6.4	1.0	1.9	4.4	2.1
27	2.8	1.3	5.2	4.3	11.7	6.1	4.3	8.6	5.4
28	11.6	5.7	11.5	11.2	18.5	18.5	9.3	19.0	12.2
29	24.5	19.4	19.9	19.1	23.7	29.0	16.4	26.6	20.6
30	28.1	28.8	23.5	23.1	20.5	22.5	20.0	20.5	22.2
31	17.4	25.2	17.9	18.6	10.3	12.8	19.5	11.2	16.9
32	8.7	14.6	10.7	11.7	4.0	6.5	14.5	5.5	10.5
33	4.4	3.8	5.6	7.0	1.5	2.5	7.9	2.0	5.4
34	1.6	0.8	2.3	2.4	0.5	0.7	3.3	0.7	2.2
35	0.3	0.3	0.6	0.6	0.1	0.2	1.1	0.2	0.8
36 & above	*	*	0.1	0.2	*	*	0.4	*	0.6
Average strength	29.9	30.3	29.9	30.1	28.8	29.4	30.3	29.1	29.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 28, 2019

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	*	-	*	-	-	*	*	*
72.5-73.4	-	*	-	*	-	-	-	*	*
73.5-74.4	-	*	-	*	-	-	*	*	*
74.5-75.4	-	*	-	*	-	-	*	*	*
75.5-76.4	*	0.1	*	*	*	*	*	0.1	*
76.5-77.4	0.2	0.3	*	0.1	0.1	0.1	0.2	0.3	0.1
77.5-78.4	1.0	0.9	0.2	0.7	1.0	1.0	1.2	1.4	0.9
78.5-79.4	5.2	3.7	1.2	2.1	4.4	5.4	5.2	6.9	4.3
79.5-80.4	20.9	13.5	7.5	4.8	34.3	20.5	26.6	20.6	18.1
80.5-81.4	41.4	32.4	27.5	16.7	48.8	38.6	48.1	36.7	38.6
81.5-82.4	25.0	33.3	37.5	30.5	10.2	25.9	17.5	25.0	29.3
82.5-83.4	5.5	13.2	21.9	16.6	1.0	7.2	1.0	7.3	7.8
83.5-84.4	0.8	2.4	3.9	18.0	0.1	1.1	0.1	1.5	0.9
84.5-85.4	0.1	0.3	0.2	9.9	*	0.1	*	0.2	0.1
85.5-86.4	*	*	*	0.5	-	*	*	*	*
86.5-87.4	*	*	*	0.1	-	*	*	*	-
87.5-88.4	*	-	*	-	-	-	*	*	-
88.5-89.4	*	-	*	-	-	-	*	-	*
89.5 & above	-	-	-	-	-	-	*	-	-
Average uniformity	81.0	81.4	81.8	82.4	80.6	81.0	80.7	81.0	81.1
TRASH 2/									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.2	6.8	0.1	25.1	*	0.5	0.8	0.6	0.2
0.2	5.0	23.8	2.2	42.6	2.0	7.6	7.2	9.1	5.3
0.3	17.1	25.7	10.6	20.9	12.1	20.5	12.4	22.2	16.1
0.4	24.0	18.2	20.0	6.8	24.8	25.0	13.1	25.1	22.5
0.5	20.8	10.9	22.8	2.2	25.4	20.6	13.0	19.6	21.6
0.6	14.2	6.0	18.9	0.9	17.6	13.0	12.5	12.0	16.0
0.7	8.7	3.2	12.4	0.5	9.7	6.9	11.4	6.4	9.7
0.8	4.9	1.8	6.9	0.3	4.7	3.3	9.6	3.0	5.0
0.9	2.6	1.2	3.5	0.2	2.2	1.5	7.0	1.3	2.3
1.0	1.3	0.7	1.6	0.2	0.9	0.6	4.7	0.5	0.9
1.1	0.7	0.5	0.7	0.1	0.3	0.3	3.1	0.2	0.4
1.2	0.3	0.4	0.3	0.1	0.2	0.1	2.0	0.1	0.1
1.3	0.1	0.2	0.1	0.1	0.1	*	1.2	*	0.1
1.4	0.1	0.2	*	*	*	*	0.7	*	*
1.5	*	0.1	*	*	*	*	0.4	*	*
1.6	*	0.1	*	*	*	*	0.3	*	*
1.7	*	0.1	*	*	*	*	0.2	-	*
1.8 & above	*	0.1	*	*	*	*	0.3	-	*
Average trash	0.50	0.37	0.55	0.23	0.51	0.46	0.62	0.44	0.50

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 28, 2019

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	*	*	*	-	*	*	*
74.5-75.4	-	-	*	*	*	-	0.1	*	*
75.5-76.4	*	-	*	0.1	0.1	*	0.3	0.1	0.2
76.5-77.4	*	*	0.3	0.7	0.6	*	1.2	0.2	0.6
77.5-78.4	*	0.1	1.8	3.4	3.4	0.2	3.7	1.3	2.1
78.5-79.4	0.3	1.0	8.5	13.0	14.0	2.0	10.3	9.6	7.1
79.5-80.4	2.5	3.1	25.6	29.8	34.4	11.9	22.5	32.9	19.7
80.5-81.4	14.7	16.6	35.4	33.1	32.9	29.6	30.3	37.0	32.3
81.5-82.4	37.2	39.2	22.4	16.1	12.1	35.6	21.9	15.6	25.5
82.5-83.4	35.4	36.4	5.2	3.3	2.2	17.7	8.3	3.0	10.3
83.5-84.4	9.3	3.6	0.7	0.4	0.2	2.7	1.4	0.3	2.0
84.5-85.4	0.6	0.1	0.1	*	*	0.2	0.1	*	0.2
85.5-86.4	*	*	*	*	*	*	*	-	*
86.5-87.4	*	-	*	*	-	-	*	-	*
87.5-88.4	*	-	-	*	-	-	*	-	*
88.5-89.4	-	-	-	*	-	-	*	-	*
89.5 & above	-	-	-	*	-	-	*	-	*
Average uniformity	82.3	82.1	80.8	80.5	80.4	81.6	80.8	80.6	81.0
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	5.2	0.2	2.9	0.3	0.8	4.0	0.4	2.3
0.2	3.1	30.3	5.7	18.4	5.6	10.0	19.1	10.9	12.5
0.3	12.7	29.0	20.0	25.9	16.0	21.8	23.8	32.2	20.5
0.4	21.2	17.1	26.4	20.9	23.1	24.4	19.3	31.1	21.3
0.5	23.0	8.9	21.1	13.7	22.2	19.2	13.2	16.4	17.2
0.6	18.4	4.6	13.2	8.0	15.6	12.0	8.4	6.1	11.6
0.7	11.5	2.3	7.1	4.5	9.0	6.5	5.0	2.0	6.9
0.8	5.8	1.2	3.5	2.5	4.5	3.1	3.0	0.6	3.7
0.9	2.6	0.7	1.6	1.4	2.1	1.4	1.7	0.2	1.9
1.0	1.0	0.3	0.7	0.8	0.9	0.6	1.0	0.1	1.0
1.1	0.4	0.3	0.3	0.4	0.4	0.2	0.6	*	0.5
1.2	0.1	0.1	0.1	0.3	0.2	0.1	0.4	*	0.3
1.3	*	*	*	0.2	0.1	*	0.2	*	0.1
1.4	*	*	*	0.1	*	*	0.1	*	0.1
1.5	*	*	*	0.1	*	*	0.1	*	*
1.6	*	*	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	*	*	*	*	*	-	*
Average trash	0.52	0.33	0.47	0.40	0.49	0.44	0.41	0.38	0.45

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 28, 2019

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	6.3	22.7	-	1.7	20.9
	2	9.5	23.1	-	6.3	21.7
	3	0.9	0.4	-	0.5	0.4
	4	*	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		16.8	46.1	-	8.5	43.0
02	1	12.6	6.6	-	4.3	6.7
	2	24.3	38.1	-	39.4	37.8
	3	2.1	6.2	-	17.4	6.7
	4	*	0.1	-	0.9	0.1
	5	-	*	-	*	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		39.1	50.9	-	62.0	51.2
03	1	1.4	*	-	0.2	0.1
	2	21.2	1.3	-	9.9	2.6
	3	9.9	1.2	-	11.5	2.1
	4	1.0	0.2	-	2.8	0.3
	5	*	*	-	0.1	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		33.4	2.8	-	24.5	5.0
04	1	0.1	*	-	*	*
	2	3.7	*	-	0.8	0.2
	3	4.5	0.1	-	1.6	0.3
	4	1.0	*	-	0.8	0.1
	5	0.1	*	-	*	*
	6	*	*	-	*	*
	7	*	-	-	-	*
Total -----		9.3	0.1	-	3.2	0.6
05	1	*	*	-	-	*
	2	0.3	*	-	0.2	*
	3	0.9	*	-	0.5	0.1
	4	0.1	*	-	0.8	*
	5	-	*	-	0.2	*
	6	-	*	-	*	*
	7	*	-	-	*	*
Total -----		1.3	*	-	1.7	0.1
06	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	-	*	*
	4	-	*	-	*	*
	5	-	-	-	-	-
	6	-	-	-	*	*
	7	0.1	-	-	*	*
Total -----		0.1	*	-	0.1	*
07	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	*	*
	7	-	-	-	*	*
Total -----		-	*	-	*	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	-	-	*
44		*	0.2	-	0.2	0.2
46		11.6	4.6	-	12.6	5.1
48 & longer		88.4	95.2	-	87.2	94.7
Average		48.9	49.2	-	48.1	49.2
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	*	-	-	*
80.5-81.4		-	*	-	-	*
81.5-82.4		*	0.1	-	*	0.1
82.5-83.4		0.1	0.5	-	0.1	0.4
83.5-84.4		0.2	2.5	-	0.9	2.3
84.5-85.4		9.9	15.7	-	3.9	14.8
85.5-86.4		49.0	41.0	-	37.5	41.3
86.5-87.4		38.5	35.0	-	55.6	36.1
87.5-88.4		2.2	5.0	-	1.8	4.7
88.5-89.4		*	0.3	-	*	0.3
89.5 & above		-	*	-	*	*
Average		86.3	86.2	-	86.5	86.2
BALES CLASSED		28,359	708,032	0	31,277	780,016

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 28, 2019

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.1	-	-	0.1
27 - 29	*	0.4	-	*	0.4
30 - 32	*	1.1	-	0.6	1.1
33 - 34	0.2	2.1	-	0.7	2.0
35 - 36	1.7	5.2	-	2.2	5.0
37 - 42	78.0	50.8	-	63.1	52.7
43 - 49	20.0	40.2	-	33.5	38.8
50 - 52	-	*	-	-	*
53 & above	-	*	-	-	*
Average	41	41	-	41	41
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	*	-	-	*
27	*	0.1	-	*	0.1
28	-	0.1	-	*	0.1
29	-	0.2	-	*	0.2
30	*	0.3	-	*	0.2
31	*	0.4	-	0.1	0.3
32	*	0.5	-	0.5	0.5
33	0.1	0.8	-	0.5	0.7
34	0.2	1.4	-	0.2	1.3
35	0.3	2.1	-	0.6	2.0
36	1.4	3.1	-	1.6	3.0
37	3.6	4.2	-	3.7	4.3
38	8.2	5.9	-	6.3	6.1
39	17.0	7.8	-	10.7	8.4
40	19.4	9.8	-	15.0	10.4
41	17.4	10.6	-	15.9	11.1
42	12.4	12.5	-	11.6	12.4
43	10.2	13.7	-	8.9	13.3
44	6.4	12.3	-	10.0	11.8
45	2.8	8.2	-	8.1	7.9
46	0.4	4.1	-	4.4	4.0
47	0.1	1.5	-	1.7	1.4
48	*	0.4	-	0.3	0.4
49	*	0.1	-	*	0.1
50	-	*	-	-	*
51	-	*	-	-	*
52	-	*	-	-	*
53	-	*	-	-	*
54	-	*	-	-	*
55	-	*	-	-	*
56	-	*	-	-	*
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	41	-	41	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	*	-	-	*
32	-	*	-	-	*
33	-	*	-	-	*
34	-	*	-	*	*
35	*	*	-	0.1	*
36	*	0.1	-	0.3	0.1
37	*	0.6	-	0.3	0.5
38	0.3	2.0	-	0.8	1.9
39	1.9	3.8	-	0.5	3.6
40	4.8	4.6	-	1.1	4.4
41	4.9	4.2	-	4.2	4.2
42	7.4	6.3	-	12.5	6.7
43	20.8	12.5	-	19.2	13.2
44	29.9	20.1	-	18.6	20.4
45 & above	29.9	45.8	-	42.5	44.9
Average	43.5	43.9	-	44.1	43.9
EXTRANEIOUS MATTER					
Bark	0.7	*	-	0.5	0.1
Grass	0.1	0.1	-	0.1	0.1
Spindle Twist	0.1	0.2	-	0.3	0.2
Preparation	*	*	-	-	*

* Less than 0.05 percent.